


PHP


```
abrir-conexao.php  cadastrar.php
1  <?php
2  $userBanco = "root";
3  $senha = "";
4  $baseDeDados = "sistema-prova";
5  $servidor = "localhost";
6  $porta = "3308";
7
8  try{
9      $conecta = new PDO("mysql:dbname=$baseDeDados; host=$servidor; port=$porta; charset=utf8", $userBanco, $senha);
10     $conecta -> setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
11 } catch(PDOException $e){
12     echo "falha ao conectar: " . $e->getMessage();
13 }
14 ?>
```

```
abrir-conexao.php  cadastrar.php
1  <?php
2
3  ?>
4
5  <form id="cadastrar" name="cadastrar" action="cadastrou.php" target="_self" method="GET">
6      <table>
7          <label for="nome">Nome:</label>
8          <input id="nome" name="nome">
9          <input id="enviar" name="" type="submit" value="Enviar">
10         <input id="limpar" name="" type="reset" value="Limpar">
11     </table>
12 </form>
```

```
cadastrou.php  abrir-conexao.php  cadastrar.php
1  <?php
2      if(isset($_GET['nome'])){
3          $nome = $_GET['nome'];
4      }else{
5          $nome = ""
6      }
7      echo ("Este é o nome enviado: ". $nome);
8  ?>
9
```

Banco de dados





```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";

-- Banco de dados: `sistema-2`
--
-- -----
--
-- Estrutura da tabela `aluno`
--
DROP TABLE IF EXISTS `aluno`;
CREATE TABLE IF NOT EXISTS `aluno` (
  `ra` int(6) NOT NULL AUTO_INCREMENT,
  `nome` varchar(40) NOT NULL,
  PRIMARY KEY (`ra`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

localhost / MySQL / sistema-2 | F X +

localhost/phpmyadmin/db_sql.php?db=sistema-2&server=2

Servidor: MySQL:3308 » Base de Dados: sistema-2

Estrutura SQL Pesquisar Pesquisa por formulário

Executa comando(s) SQL na base de dados sistema-2: ?

```
1 DROP TABLE IF EXISTS `aluno`;
2 CREATE TABLE IF NOT EXISTS `aluno` (
3   `ra` int(6) NOT NULL AUTO_INCREMENT,
4   `nome` varchar(40) NOT NULL,
5   PRIMARY KEY (`ra`)
6 ) ENGINE=MyISAM DEFAULT CHARSET=utf8;
```

Limpar Formato Obter consulta auto-salva

☐ Unir parâmetros ?

[Delimitador :] ☒ Mostrar de novo aqui este comando ☐ Reter ☒ Ativa a verificação de chaves estrangeiras

Novo

- banconormalizacao
- calend
- detran
- id21255545_vendas
- information_schema
- jogo
- menulogin
- mysql
- nova
- performance_schema
- sistema
- sistema-2
- sistema-db
- sistema-prova
- sys

EXECUTAR