

PC

# X300 Performance Hard Drive

### Level up your drive performance



18 16 14 12 10 8 6 4 TB TB TB TB TB TB TB TB

Color



EMEA Region, Toshiba Storage Solutions – The X300 3.5" internal hard drive is designed for your professional or gaming PC – delivering reliable, large capacity, incredibly high-performance storage, made possible by a number of advanced features, including an ultra-high 512 MB or 256 MB buffer. It even features improved positional accuracy for stable recording. The X300 is available in capacities of up to 18 TB – ideal for PC gamers, graphic designers, and other users with demanding storage requirements.

#### Use for:

- Powerful desktop workstations
- · All-in-one PCs
- · Gaming computers
- High performance PCs
- · Home media computers



3.5" SATA Hard Drive

7200 rpm

?

256/512 MB buffer

Toshiba Dynamic Cache Technology

Toshiba Stable Platter Technology


### Manual

Installation-and-Safety-Internal-HDDs.pdf ?





# **Product Specifications**



|       | _ |      |     |      |     |
|-------|---|------|-----|------|-----|
| Basic | ` | neci | TIC | atio | าทจ |
|       |   |      |     |      |     |

| Form factor          | 3.5-inch        |
|----------------------|-----------------|
| Interface            | SATA 6.0 Gbit/s |
| Advanced Format (AF) | yes             |
| RoHS compatible      | yes             |
| Halogen Free         | Yes             |
| Shock Sensor         | yes             |
|                      |                 |

#### Performance

| Rotational speed            | 7,200 rpm   |
|-----------------------------|---|
| Buffer size                 | 512 MB (14 TB HDWR31E, 16 TB, 18 TB),<br>256 MB (4 TB - 12 TB, 14 TB HDWR21E) |
| Average latency             | 4.17 ms   |
| Native Command Queing (NCQ) | supported   |
|                             |   |

#### Reliability

| MTTF                     | 10,000 hours                   |
|--------------------------|--------------------------------|
| Unrecoverable error rate | per 10 <sup>14</sup> bits read |

| Power Management          |   |  |  |
|---------------------------|---|--|--|
| Supply voltage            | 5VDC (±10%/-7%) / 12VDC (±10%) (14 TB HDWR31E, 16<br>TB, 18 TB),<br>5VDC (±5%) / 12VDC (±10%) (4TB, 12 TB, 14 TB<br>HDWR21E),<br>5VDC (±10%/-5%) / 12VDC (±10%) (6 TB, 8 TB, 10 TB) |  |  |
| Consumption (operating)   | 7.48 W typ. (18 TB), 6.91 W typ. (14 TB HDWR31E, 16 TB), 6.77 W typ. (12 TB, 14 TB HDWR21E), 9.48 W typ. (10 TB), 8.41 W typ. (8 TB), 7.72 W typ. (6 TB), 6.81 W typ. (4 TB)        |  |  |
| Consumption - Active Idle | 4.14 W typ. (18 TB),<br>4.03 W typ. (14 TB HDWR31E, 16 TB),<br>4.54 W typ. (12 TB, 14 TB HDWR21E),<br>7.22 W typ. (10 TB),<br>5.61 W typ. (8 TB),<br>4.93 W typ. (6 TB),            |  |  |

4.00 W typ. (4 TB)

#### **Box Content**

| Box Content      | 3.5-inch internal HDD - X300 Performance Hard Drive   |  |  |
|------------------|---|--|--|
| Physical         |   |  |  |
| Weight (approx.) | 693 g max. (4 TB),<br>700 g max. (6 TB),<br>770 g max. (10 TB),<br>720 g max. (8 TB, 12 TB - 18 TB) |  |  |
| Dimensions       | 147 (L) x 101.6 (W) x 26.1 (H) mm   |  |  |

#### **Environmental**

| Environmental                             |  |
|---|--|
| Acoustics (idle mode)                     | 20 dB typ. (12 TB - 18 TB),                      |
| ,   | 34 dB typ. (10 TB),                              |
|   | 31 dB typ. (4 TB, 6 TB, 8 TB)                    |
| Shock (non-operating)                     | 2450 m/s2 (250 G) / 2 ms duration (6 TB - 18 TB) |
| , , , , , , , , , , , , , , , , , , ,     | 2940 m/s2 (300 G) / 2 ms duration (4 TB)         |
| Shock (operating)                         | 10 TB - 18 TB:                                   |
| 3,  | 686 m/s2 (70 G) / 2 ms duration                  |
|   | 4 TB - 8 TB                                      |
|   | 784 m/s2 {80 G} (2 ms duration)                  |
| Vibration (non-operating)                 | 29.4 m/s2 (3.0 G) (5 to 500Hz)                   |
| Vibration (operating)                     | 10 TB - 18 TB:                                   |
| (1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1 | 7.35 m/s2 (0.75 G) (5 to 300 Hz)                 |

2.45 m/s2 (0.25 G) (300 to 500 Hz) 4 TB - 8 TB: 7.35 m/s2 (0.75 G) (5 to 300 Hz) 4.90 m/s2 (0.50 G) (300 to 350 Hz) 2.45 m/s2 (0.25 G) (350 to 500 Hz)

## Product Range

| Part number           | Capacity | Color |
|-----------------------|----------|-------|
| HDWR51JUZSVA (Bulk)   | 18 TB    | -     |
| HDWR31GUZSVA (Bulk)   | 16 TB    | -     |
| HDWR31EEZSTA (Retail) | 14 TB    | -     |
| HDWR31EUZSVA (Bulk)   | 14 TB    | -     |
| HDWR21EEZSTA (Retail) | 14 TB    | -     |
| HDWR21EUZSVA (Bulk)   | 14 TB    | -     |
| HDWR21CEZSTA (Retail) | 12 TB    | -     |
| HDWR21CUZSVA (Bulk)   | 12 TB    | -     |
| HDWR11AEZSTA (Retail) | 10 TB    | -     |
| HDWR11AUZSVA (Bulk)   | 10 TB    | -     |
| HDWR480EZSTA (Retail) | 8 TB     | -     |
| HDWR480UZSVA (Bulk)   | 8 TB     | -     |
| HDWR460EZSTA (Retail) | 6 TB     | -     |
| HDWR460UZSVA (Bulk)   | 6 TB     | -     |
| HDWR440EZSTA (Retail) | 4 TB     | -     |
| HDWR440UZSVA (Bulk)   | 4 TB     | -     |

## Logistical Information:

Box dimensions 189.0 mm (H) x 136.0 mm (W) x 60.0 mm (D)

Box weight (gross) 915 g max.

Master carton dimensions 265 x 150 x 210mm

Master carton weight (gross) 3914 g max.

Boxes per master carton 4 pcs
Pallet dimensions 1150 x 1150 x 130 mm

Pallet weights (net) n/A
Units per pallet 480 pcs
Units per carton 20 pcs.

Carton dimensions 410 x 308 x 228 mm (4 TB - 10 TB) 500 x 310 x 228 mm (12 TB - 18TB)

Carton weight (gross) 17 kg (typ.), 16 kg (typ.) (4TB)

Units per pallet 600 pcs.

### Contact

Toshiba Electronics Europe GmbH

Hansaallee 181 40549 Düsseldorf Germany