- API Documentation - Jensy E-Commerce Backend
  - 1. 👤 User (/api/user)
  - 2. 📦 Product (/api/product)
  - 3. 🛒 Order (/api/order)
  - 4. 💳 Payment (/api/payment)
  - 5. 📝 Post (/api/post)
  - 6. 📁 Category (/api/category)
  - 7. ⭐ Review (/api/review)
  - 8. ❤️ Wishlist (/api/wishlist)
  - 9. 🖼️ Banner (/api/banner)
  - 10. 📞 Contact (/api/contact)
  - 11. 📤 Upload (/api/upload)
  - 12. 📍 Address (/api/address)
  - 13. 📊 Admin Dashboard (/api/admin)
  - 14. 📁 Static Files & Images

API Documentation - Jensy E-Commerce Backend

> **Base URL:** `https://jewelry-backend-xi.vercel.app`

> [!NOTE]
>
> - 🔒 **Admin**: Cần header `Authorization: Bearer {access_token}` từ tài khoản admin (isAdmin = true)
> - 🔑 **Auth**: Cần header `Authorization: Bearer {access_token}` từ tài khoản đã đăng nhập (admin hoặc chính user đó)
> - ❌ **Public**: Không cần token
> - 🖼️ **Images**: Ảnh sản phẩm/bài viết/banner được lưu trên **Cloudinary** — sử dụng URL trực tiếp từ API response (không cần serve riêng)

---

1. 👤 User (`/api/user`)

#	Name	Method	Full URL	Auth	Params / Body
1	Đăng ký	`POST`	`https://jewelry-backend-xi.vercel.app/api/user/sign-up`	❌	**Body:** `{ "name": "Admin", "email": "admin@gmail.com", "password": "123", "confirmPassword": "123", "phone": "0123456789" }`
2	Đăng nhập	`POST`	`https://jewelry-backend-xi.vercel.app/api/user/sign-in`	❌	**Body:** `{ "email": "admin@gmail.com", "password": "123" }`
3	Đăng xuất	`POST`	`https://jewelry-backend-xi.vercel.app/api/user/sign-out`	❌	None
4	Refresh Token	`POST`	`https://jewelry-backend-xi.vercel.app/api/user/refresh-token`	❌	**Cookie:** `refresh_token`
5	Đăng nhập Google	`POST`	`https://jewelry-backend-xi.vercel.app/api/user/google-login`	❌	**Body:** `{ "tokenId": "..." }`

#	Name	Method	Full URL	Auth	Params / Body
6	Chi tiết user	GET	https://jewelry-backend-xi.vercel.app/api/user/get-details/:id	🔑 Auth	**Path:** id = User ID
7	Cập nhật user	PUT	https://jewelry-backend-xi.vercel.app/api/user/update-user/:id	🔑 Auth	**Path:** id · **Body:** { "name", "phone", ... }
8	Lấy tất cả user	GET	https://jewelry-backend-xi.vercel.app/api/user/get-all	🔒 Admin	None
9	Xóa user	DELETE	https://jewelry-backend-xi.vercel.app/api/user/delete-user/:id	🔒 Admin	**Path:** id = User ID
10	Xóa nhiều user	POST	https://jewelry-backend-xi.vercel.app/api/user/delete-many	🔒 Admin	**Body:** { "ids": ["id1", "id2"] }

2. 📦 Product (/api/product)

#	Name	Method	Full URL	Auth	Params / Body
1	Lấy tất cả sản phẩm	GET	https://jewelry-backend-xi.vercel.app/api/product/get-all	❌	**Query:** ?limit=10&page=0&sort=asc&filter=name
2	Chi tiết sản phẩm	GET	https://jewelry-backend-xi.vercel.app/api/product/get-details/:id	❌	**Path:** id = Product ID
3	Lấy tất cả type	GET	https://jewelry-backend-xi.vercel.app/api/product/get-all-type	❌	None
4	Lấy tất cả category	GET	https://jewelry-backend-xi.vercel.app/api/product/get-all-category	❌	None
5	Tìm kiếm sản phẩm	GET	https://jewelry-backend-xi.vercel.app/api/product/search	❌	**Query:** ?q=nhẫn bạc
6	Sản phẩm Flash Sale	GET	https://jewelry-backend-xi.vercel.app/api/product/get-flash-sale	❌	None
7	Sản phẩm mới	GET	https://jewelry-backend-xi.vercel.app/api/product/get-new	❌	None
8	Sản phẩm bán chạy	GET	https://jewelry-backend-xi.vercel.app/api/product/get-bestseller	❌	None
9	SP theo danh	GET	https://jewelry-backend-xi.vercel.app/api/product/get-by-category/:slug	❌	**Path:** slug = category slug

#	Name	Method	Full URL	Auth	Params / Body
	mục (slug)				
10	Sản phẩm liên quan	GET	https://jewelry-backend-xi.vercel.app/api/product/get-related/:id	❌	**Path:** id = Product ID
11	SP theo slug	GET	https://jewelry-backend-xi.vercel.app/api/product/get-by-slug/:slug	❌	**Path:** slug = product slug
12	Tạo sản phẩm	POST	https://jewelry-backend-xi.vercel.app/api/product/create	🔒 Admin	**Body:** { "name", "image", "type", "pri "countInStock", "rating", "descripti
13	Cập nhật sản phẩm	PUT	https://jewelry-backend-xi.vercel.app/api/product/update/:id	🔒 Admin	**Path:** id · **Body:** các trường cần update
14	Xóa sản phẩm	DELETE	https://jewelry-backend-xi.vercel.app/api/product/delete/:id	🔒 Admin	**Path:** id
15	Xóa nhiều SP	POST	https://jewelry-backend-xi.vercel.app/api/product/delete-many	🔒 Admin	**Body:** { "ids": ["id1", "id2"] }

3. 🛒 Order (/api/order)

#	Name	Method	Full URL	Auth	Params / Body
1	Tạo đơn hàng	POST	https://jewelry-backend-xi.vercel.app/api/order/create/:id	🔑 Auth	**Path:** id = User ID · **Body:** { "orderItems", "shippingAddress", "paymentMethod", ... }
2	Đơn hàng của user	GET	https://jewelry-backend-xi.vercel.app/api/order/get-all-order/:id	🔑 Auth	**Path:** id = User ID
3	Chi tiết đơn hàng	GET	https://jewelry-backend-xi.vercel.app/api/order/get-details-order/:id	❌	**Path:** id = Order ID
4	Hủy đơn hàng	DELETE	https://jewelry-backend-xi.vercel.app/api/order/cancel-order/:id	🔑 Auth	**Path:** id = Order ID
5	Tất cả đơn hàng	GET	https://jewelry-backend-xi.vercel.app/api/order/get-all-order	🔒 Admin	None
6	Cập nhật trạng thái	PUT	https://jewelry-backend-xi.vercel.app/api/order/update-status/:id	🔒 Admin	**Path:** id · **Body:** { "status": "delivered" }

4. 💳 Payment (`/api/payment`)

#	Name	Method	Full URL	Auth	Params / Body
1	Lấy PayPal Client ID	`GET`	`https://jewelry-backend-xi.vercel.app/api/payment/config`	❌	None
2	Tạo URL VNPay	`POST`	`https://jewelry-backend-xi.vercel.app/api/payment/vnpay/create-url`	🔑 Auth	**Body:** `{ "orderId": "...", "amount": 500000, "orderInfo": "Thanh toan don hang" }`
3	VNPay Callback	`GET`	`https://jewelry-backend-xi.vercel.app/api/payment/vnpay/callback`	❌	VNPay tự redirect
4	VNPay IPN	`POST`	`https://jewelry-backend-xi.vercel.app/api/payment/vnpay/ipn`	❌	VNPay tự gọi

5. 📝 Post (`/api/post`)

#	Name	Method	Full URL	Auth	Params / Body
1	Lấy tất cả bài viết	`GET`	`https://jewelry-backend-xi.vercel.app/api/post/get-all`	❌	**Query:** `?limit=10&page=0`
2	Chi tiết bài viết	`GET`	`https://jewelry-backend-xi.vercel.app/api/post/get-details/:id`	❌	**Path:** `id`
3	Bài viết theo loại	`GET`	`https://jewelry-backend-xi.vercel.app/api/post/type/:type`	❌	**Path:** `type` (kiem-dinh, feedback, huong-dan, tin-tuc)
4	Bài viết theo slug	`GET`	`https://jewelry-backend-xi.vercel.app/api/post/slug/:slug`	❌	**Path:** `slug`
5	Tạo bài viết	`POST`	`https://jewelry-backend-xi.vercel.app/api/post/create`	🔒 Admin	**Body:** `{ "title", "image", "content", "type", "author" }`
6	Cập nhật bài viết	`PUT`	`https://jewelry-backend-xi.vercel.app/api/post/update/:id`	🔒 Admin	**Path:** `id` · **Body:** các trường cần update
7	Xóa bài viết	`DELETE`	`https://jewelry-backend-xi.vercel.app/api/post/delete/:id`	🔒 Admin	**Path:** `id`

6. 📂 Category (`/api/category`)

#	Name	Method	Full URL	Auth	Params / Body
1	Lấy tất cả danh mục	GET	https://jewelry-backend-xi.vercel.app/api/category/get-all	❌	None
2	Lấy cây danh mục	GET	https://jewelry-backend-xi.vercel.app/api/category/get-tree	❌	None
3	Danh mục theo slug	GET	https://jewelry-backend-xi.vercel.app/api/category/get-by-slug/:slug	❌	**Path:** slug
4	Tạo danh mục	POST	https://jewelry-backend-xi.vercel.app/api/category/create	🔒 Admin	**Body:** { "name", "slug", "parent", "image" }
5	Cập nhật danh mục	PUT	https://jewelry-backend-xi.vercel.app/api/category/update/:id	🔒 Admin	**Path:** id
6	Xóa danh mục	DELETE	https://jewelry-backend-xi.vercel.app/api/category/delete/:id	🔒 Admin	**Path:** id
7	Tất cả DM (Admin)	GET	https://jewelry-backend-xi.vercel.app/api/category/admin/get-all	🔒 Admin	None

7. ⭐ Review (/api/review)

#	Name	Method	Full URL	Auth	Params / Body
1	Review theo SP	GET	https://jewelry-backend-xi.vercel.app/api/review/product/:productId	❌	**Path:** productId
2	Tạo review	POST	https://jewelry-backend-xi.vercel.app/api/review/create	🔑 Auth	**Body:** { "productId", "rating", "comment" }
3	Tất cả review	GET	https://jewelry-backend-xi.vercel.app/api/review/get-all	🔒 Admin	None
4	Duyệt review	PUT	https://jewelry-backend-xi.vercel.app/api/review/approve/:id	🔒 Admin	**Path:** id
5	Xóa review	DELETE	https://jewelry-backend-xi.vercel.app/api/review/delete/:id	🔒 Admin	**Path:** id

8. ❤️ Wishlist (/api/wishlist)

#	Name	Method	Full URL	Auth	Params / Body
1	Lấy wishlist	GET	https://jewelry-backend-xi.vercel.app/api/wishlist/:userId	🔑 Auth	**Path:** userId

#	Name	Method	Full URL	Auth	Params / Body
2	Thêm/Bỏ yêu thích	POST	https://jewelry-backend-xi.vercel.app/api/wishlist/toggle	🔑 Auth	**Body:** { "userId", "productId" }
3	Xóa toàn bộ	DELETE	https://jewelry-backend-xi.vercel.app/api/wishlist/clear/:userId	🔑 Auth	**Path:** userId

9. 🖼️ Banner (/api/banner)

#	Name	Method	Full URL	Auth	Params / Body
1	Lấy tất cả banner	GET	https://jewelry-backend-xi.vercel.app/api/banner/get-all	❌	None
2	Banner theo vị trí	GET	https://jewelry-backend-xi.vercel.app/api/banner/get-by-position	❌	**Query:** ?position=home-slider
3	Tạo banner	POST	https://jewelry-backend-xi.vercel.app/api/banner/create	🔒 Admin	**Body:** { "image", "title", "link", "position" }
4	Cập nhật banner	PUT	https://jewelry-backend-xi.vercel.app/api/banner/update/:id	🔒 Admin	**Path:** id
5	Xóa banner	DELETE	https://jewelry-backend-xi.vercel.app/api/banner/delete/:id	🔒 Admin	**Path:** id
6	Tất cả banner (Admin)	GET	https://jewelry-backend-xi.vercel.app/api/banner/admin/get-all	🔒 Admin	None

10. 📞 Contact (/api/contact)

#	Name	Method	Full URL	Auth	Params / Body
1	Gửi form liên hệ	POST	https://jewelry-backend-xi.vercel.app/api/contact/create	❌	**Body:** { "name", "email", "phone", "message" }
2	Lấy tất cả liên hệ	GET	https://jewelry-backend-xi.vercel.app/api/contact/get-all	🔒 Admin	None
3	Cập nhật trạng thái	PUT	https://jewelry-backend-xi.vercel.app/api/contact/update-status/:id	🔒 Admin	**Path:** id · **Body:** { "status" }
4	Xóa liên hệ	DELETE	https://jewelry-backend-xi.vercel.app/api/contact/delete/:id	🔒 Admin	**Path:** id

11. 📤 Upload (/api/upload)

#	Name	Method	Full URL	Auth	Params / Body
1	Upload 1 ảnh	POST	https://jewelry-backend-xi.vercel.app/api/upload/image	🔒 Admin	**Body (form-data):** image (file)
2	Upload nhiều ảnh	POST	https://jewelry-backend-xi.vercel.app/api/upload/images	🔒 Admin	**Body (form-data):** images (files)
3	Xóa ảnh	DELETE	https://jewelry-backend-xi.vercel.app/api/upload/image	🔒 Admin	**Body:** { "imagePath": "..." }

12. 📍 Address (/api/address)

#	Name	Method	Full URL	Auth	Params / Body
1	Danh sách tỉnh/thành	GET	https://jewelry-backend-xi.vercel.app/api/address/provinces	❌	None
2	Quận/huyện theo tỉnh	GET	https://jewelry-backend-xi.vercel.app/api/address/districts/:provinceCode	❌	**Path:** provinceCode
3	Phường/xã theo quận	GET	https://jewelry-backend-xi.vercel.app/api/address/wards/:districtCode	❌	**Path:** districtCode
4	Tính phí vận chuyển	POST	https://jewelry-backend-xi.vercel.app/api/address/shipping-fee	❌	**Body:** { "cityName": "Hà Nội", "orderAmount": 500000 }

13. 📊 Admin Dashboard (/api/admin)

#	Name	Method	Full URL	Auth	Params / Body
1	Thống kê tổng quan	GET	https://jewelry-backend-xi.vercel.app/api/admin/dashboard	🔒 Admin	None
2	Biểu đồ doanh thu	GET	https://jewelry-backend-xi.vercel.app/api/admin/revenue-chart	🔒 Admin	**Query:** ?period=month
3	SP bán chạy nhất	GET	https://jewelry-backend-xi.vercel.app/api/admin/top-products	🔒 Admin	None
4	Đơn hàng gần đây	GET	https://jewelry-backend-xi.vercel.app/api/admin/recent-orders	🔒 Admin	None
5	Thống kê đơn hàng	GET	https://jewelry-backend-xi.vercel.app/api/admin/order-stats	🔒 Admin	None
6	Thống kê người dùng	GET	https://jewelry-backend-xi.vercel.app/api/admin/user-stats	🔒 Admin	None

14. 📁 Static Files & Images

#	Name	Full URL	Mô tả
1	Uploaded images (uploads)	`https://jewelry-backend-xi.vercel.app/uploads/{filename}`	Ảnh do admin upload
2	Product/Banner/Post images	**Cloudinary**	Ảnh sản phẩm, banner, bài viết được serve qua Cloudinary URL trong API response

> [!TIP] Tất cả ảnh sản phẩm, banner, bài viết đã được migrate lên **Cloudinary** (`https://res.cloudinary.com/drxum5uxt/`). Không cần serve qua backend — URL đã có sẵn trong response của API (trường `image`, `images`).