




GitHub Repository & Collaboration Setup

Criterion 6 · Phase 2: Environment & GitHub · 10 Marks

SkillsTrack Learner Support Portal — JavaScript Programmer (NSSA TPC)



Evidence walkthrough: README · .gitignore · Issues · Branch workflow · Pull requests · CI linting check

What This Criterion Wants

A repository that proves real, ongoing collaboration — not a single upload.



README

Explains what the project is, the tech stack, and how to run it.



.gitignore

Keeps secrets, .env values and node_modules out of version control.



Issues, assigned

Every rubric criterion tracked as an issue, assigned to a person.



Branch workflow

Feature branches per contributor — nobody commits straight to main.



Pull requests

Changes reviewed and approved before they reach main.



Basic CI check

An automated linting workflow that runs on every push and PR.



Every Criterion, Tracked

Repository & Project Board



The 14 practical criteria live as [GitHub issues](#) on a project board.

- Backlog holds work not yet started (8 items)
- To Do is what's actively being worked on right now
- Review and Done confirm progress as it happens
- Gives an assessor a live, dated history of the build




Issues, Labelled & Assigned

Repository Issues



14 open issues — one per rubric criterion.

- Each issue names the exact criterion it satisfies (e.g. “GitHub repo & collaboration setup”)
- Category labels — planning, architecture, code-quality, documentation — group related work
- Assignee avatars show who owns each piece of the build
- A closed issue becomes traceable evidence for the assessor



Evidence: All Issues — 14 open, 0 closed, each labelled and tracked

Criterion 6 • 10 Marks


README.md

Documenting the Project



Anyone opening the repo understands the project in 30 seconds.

- Project overview: What the portal is and what problem it solves
- Client brief summary: SkillsTrack's request, in the team's own words
- Objectives: One interface, secure sign-in, full Firebase CRUD
- Technology table: Frontend, backend, database and hosting layers
- Dev tools: VS Code, Git & GitHub, Firebase Console, DevTools



README content, with the pending merge from a teammate's branch visible in Source Control.

.gitignore

Protecting Secrets & Clutter



Nothing sensitive or generated ever reaches the repo.

- `.env` and `.env.*` keep Firebase keys and secrets out of GitHub entirely
- `node_modules/` is excluded — dependencies are reproducible, not stored
- Build and cache folders (`dist`, `.cache`, `.parcel-cache`) stay out too
- Reviewed line-by-line so a real secret is never committed by accident

```
55 .gitignore
56 # Optional stylelint cache
57 .stylelintcache
58
59 # Optional REPL history
60 .node_repl_history
61
62 # Output of 'npm pack'
63 *.tgz
64
65 # Yarn Integrity file
66 .yarn-integrity
67
68 # dotenv environment variable files
69 .env
70 .env.*
71 !.env.example
72
73 # parcel-bundler cache (https://parceljs.org/)
74 .cache
75 .parcel-cache
76
77 # Next.js build output
78 .next
79 out
80
81 # Next.js build / generate output
82 .next
83 dist
84 .output
85
86 # Gatsby files
87 .cache/
88 # Comment in the public line in if your project uses Gatsby and not Next.js
89 # https://nextjs.org/blog/next-9-1public-directory-support
90 # public
91
92 # vuepress build output
93 .vuepress/dist
94
95 # vuepress v2.x temp directory
96 .temp
97
98 # Sveltekit cache directory
99 .svelte-kit/
100
101 # vitepress build output
102 **/.vitepress/dist
103
104 # vitepress cache directory
105 **/.vitepress/cache
106
107 # Docusaurus cache and generated files
108 .docusaurus
109
```



A Real Branch Workflow

Nobody Commits Straight to Main



main stays protected — all work happens on feature branches.

- Three active branches beyond main: lwandle, Onkarabetse, hilda
- Each contributor commits and pushes to their own named branch
- "lwandle" is 3 commits ahead of main, ready for review
- Local work is pushed with git push origin <branch> — never to main directly





Pull Requests, Reviewed

Review Before Merge



Changes are proposed, checked, and approved — then merged.

- PR #18 opens lwandle → main with a clear title describing the change
- GitHub confirms “No conflicts with base branch” before merging
- A collaborator reviews and comments approval on the change
- Once merged, the source branch is safely deleted to keep things tidy




A Basic CI Check

Automated Linting Workflow



Code quality is checked automatically, not just by eye.

- ESLint installed, configured with the eslint:recommended rule set
- Workflow file lives at `.github/workflows/lint.yml`
- Runs automatically on every push and pull request into main
- `lint.yml` appears staged (A) alongside `README.md` in this commit



The linting workflow file, added (A) under `.github/workflows` and staged for commit.

Criterion 6 — Covered

Six requirements, six pieces of evidence.

- ✓ README.md — project overview, brief summary, tech stack
- ✓ .gitignore — secrets and node_modules excluded
- ✓ 14 issues, labelled and assigned to team members
- ✓ Feature branches — main stays protected
- ✓ Pull request opened, reviewed, and merged
- ✓ CI linting workflow committed under .github/workflows

10

out of 10 marks

“Don't leave this to the last minute — it needs a real history of commits over time, not one big dump.”