

Concept Drift



The MLOps Personas



ML
Engineer



ML
Researcher



Data
Scientist



Data
Engineer



Software
Engineer




DevOps




Business
Analyst

MLOps: Continuous Monitoring




Four Major Types of Concept Changes


sudden




incremental




gradual



recurring




Sudden Concept Drift




A new concept occurs within a short time and completely replaces the old concept.

Gradual Concept Drift




A new concept gradually replaces an old one over a period of time.

Incremental Concept Drift



An old concept incrementally changes to a new concept over a period of time.

Recurring Concept Drift




An old concept may reoccur after some time with the new.

Sudden
Concept Drift


Gradual
Concept Drift

Incremental
Concept Drift

Recurring
Concept Drift




Sudden Concept Drift



A new concept occurs within a short time and completely replaces the old concept.

E.g. Concept Drift (COVID-19)

Concept drift in ML is when the **relationship** between the input and target changes over time.



Eat, Pray, Wash

Share of Americans who said they have done the following because of COVID-19

Washed hands or used hand sanitizer more frequently

85%

Engaged in social distancing

61%

Prayed

50%

Avoided restaurants

25%

Stockpiled food and water

22%

Worn a facemask

7%




Survey of 2,436 U.S. residents, March 10-12, 2020
Source: University of Southern California




statista

Gradual Concept Drift




A new concept gradually replaces an old one over a period of time.


Gradual Concept Drift in the “Real World”




Gradual Concept Drift in the “Real World”



Gradual Concept Drift in the “Real World”




Incremental Concept Drift




An old concept incrementally changes to a new concept over a period of time.

Incremental Concept Drift



Recurring Concept Drift




An old concept may reoccur after some time with the new.

Seasonal Depression


Seasonal affective disorder (SAD) is a type of depression that's related to seasonal changes

SAD begins and ends at about the same times


SAD symptoms start in the fall and continue into the winter months, but then recovers




Why All This Matters



Why All This Matters



Decision boundary fit to
training data



Concept drift,
detrimental performance impact