Keyword Spotting Datasets

What are we going to learn?







Challenges with Keyword Spotting The Keyword Spotting ML Pipeline

Hands-on training
of a Keyword
Spotting Model

What does it mean to have a **good** dataset?



• Who are the users?

- Who are the users?
- What do they need?

- Who are the users?
- What do they need?
- What task are they trying to solve?

- Who are the users?
- What do they need?
- What task are they trying to solve?
- How do they interact with the system?

- Who are the users?
- What do they need?
- What task are they trying to solve?
- How do they interact with the system?
- How does the real world make this hard?

Speech Commands: A Dataset for Limited-Vocabulary Speech Recognition

Pete Warden
Google Brain
Mountain View, California
petewarden@google.com

April 2018

Recorded as individual words not sentences


- Recorded as individual words not sentences
- 1000-4000 examples of each word


- Recorded as individual words not sentences
- 1000-4000 examples of each word
- >2,500 volunteers

- Recorded as individual words not sentences
- 1000-4000 examples of each word
- >2,500 volunteers
- Representative of real world audio and includes background noise as well

- Recorded as individual words not sentences
- 1000-4000 examples of each word
- >2,500 volunteers
- Representative of real world audio and includes background noise as well
- 25 "IoT keywords" + 10 "unknown words" (with phonetic similarities:

```
"three" vs "tree")
```





Food for Thought

QC (Quality Control)

- Need to keep only what a human can hear
- Microphone issues
- Noisy backgrounds

(more on this soon)