

# Prediction Serving Scenarios: Streaming

### **MLOps:** Prediction Serving




# **Streaming** Inference: What is it?

Predict on-demand




## **Streaming** Inference: What is it?

- Predict on-demand
- Multiple "streams" or inputs that are concurrently coming together for real-time model inference



- Autonomous cars
- Smart cities
- Fast science
- Robotics
- ...



**Environment Mapping** 


- Autonomous cars
- Smart cities
- Fast science
- Robotics
- ..



- Autonomous cars
- Smart cities
- Fast science
- Robotics
- ...




- Autonomous cars
- Smart cities
- Fast science
- Robotics
- ...




# **Streaming** Inference: How it works?

Loosely similar to "Batch inference" in that it has to handle batches of data




# Streaming Inference: How it works?

Loosely similar to "Batch inference" in that it has to handle batches of data



## Streaming Inference: How it works?


Loosely similar to "Batch inference" in that it has to handle batches of data



## **Streaming** Inference: What metrics?

- Latency is important
- Throughput is also important
- Metric:

Latency-bounded-throughput





### **Pros**

 Scale out your inference capabilities by feeding input back to scalable infrastructure

### **Pros**

- + Scale out your inference capabilities by feeding input back to **scalable** infrastructure
- Able to sync multiple points of data to build a global picture

#### **Pros**

- + Scale out your inference capabilities by feeding input back to **scalable** infrastructure
- + Able to **sync multiple points** of data to build a global picture

#### Cons

Need to have a more complex
 backend to handle multiple
 inference service requests

#### **Pros**

- + Scale out your inference capabilities by feeding input back to **scalable** infrastructure
- + Able to **sync multiple points** of data to build a global picture

#### Cons

- Need to have a more complex
  backend to handle multiple
  inference service requests
- Compute demands are higher

### **Pros**

- + Scale out your inference capabilities by feeding input back to **scalable** infrastructure
- + Able to **sync multiple points** of data to build a global picture

### Cons

- Need to have a more complex
  backend to handle multiple
  inference service requests
- Compute demands are **higher**
- Data movement can be costly

#### **Pros**


- Scale out your inference capabilities by feeding input back to scalable infrastructure
- + Able to **sync multiple points** of data to build a global picture

#### Cons

- Need to have a more complex
  backend to handle multiple
  inference service requests
- Compute demands are **higher**
- Data movement can be costly

### Scenario

### Metric



**Batch inference** (e.g. photo sorting app)

**Throughput** 



Online inference (e.g. translation app)

subject to latency bound



Streaming inference (e.g. multiple camera driving assistance) Number streams subject to latency bound