





Six domain families per length; 72 executions. Same 48-turn / 48-tool-call budget. One attack per attacked chain.

Method	Input Tokens	Output Tokens	LLM Calls	Tool Calls
No Defense	8,669	764	5.76	4.76
PIGuard	11,658	797	7.18	6.28
ProtectAI	11,617	792	7.18	6.28
Progent	25,067	2,672	13.80	5.46
DRIFT	32,964	1,306	18.12	4.01
DAFR	12,635	920	7.35	6.48

Means per episode over 104 clean + 104 attacked tasks per method. Includes planner and defense LLM calls.
Local detector compute is outside the token metric.

Method	Mean ± SD (s)	Median (s)	LLM Calls	Episodes
No Defense	12.30 ± 1.62	11.71	6.00	4
PIGuard	15.11 ± 3.25	15.44	7.00	4
ProtectAI	16.36 ± 2.19	16.72	7.25	4
Progent	47.09 ± 18.07	48.00	19.00	4
DRIFT	34.89 ± 10.08	34.07	19.00	4
DAFR	15.88 ± 2.77	16.59	7.50	4

Matched sequential pilot: two paired tasks, four executions per method. Includes agent, defense and tools.
Model loading and local detector warm-up excluded; measured after the chain experiment finished.