

Distributed Systems

Björn Franke

University of Edinburgh 2016/2017



Course Information

- Instructors:
 - Rik SarkarIF 3.45, rsarkar@inf.ed.ac.uk
 - Björn FrankeIF 1.04, bfranke@inf.ed.ac.uk
 - Teaching Assistant for coursework: Abhirup Ghosh abhirup.ghosh@ed.ac.uk
- Web site: http://www.inf.ed.ac.uk/teaching/courses/ds
- Lectures:
 - Tuesday/Friday: 9:00-9:50, Teviot LT, MEDS



Exams and Assignments

- Grading:
 - Coursework: 1 assignment, 25%
 - Based on real distributed systems framework, e.g. Apache Ignite
 - Substantial application involving serious programming, but with with several intermediate steps
 - Final Exam: 75%

- Coursework (tentative dates)
 - Release: Tuesday, October 4
 - Submission: Thursday, November 17



Reading & Books

- No required textbook
- Suggested references:
 - [CDK] Coulouris, Dollimore, Kindberg; Distributed
 Systems: Concepts and Design
 - 4th Edition: http://www.cdk4.net/wo
 - 5th Edition: http://www.cdk5.net/wo
 - [VG] Vijay Garg; Elements of Distributed Computing
 - [NL] Nancy Lynch; Distributed Algorithms




What is a distributed system?



What is a distributed system?


- Multiple computers working together on one task
- Computers are connected by a network, and exchange information





What is a distributed system?


- Multiple computers working together on one task
- Computers are connected by a network, and exchange information



2016/2017



Networks vs Distributed Systems





Networks vs Distributed Systems

Computation
Using many computers
Sending messages to
each other

data transport routing medium access


Distributed Systems: how to write programs that use the network to make use of multiple computers

Networks: How to send messages from one computer to another





Web browsing:



In this case:

- Client requests what is needed
- Server computes and decides what is to be shown
- Client shows information to user



Multiplayer Games

- Different players are doing different things
- Their actions must be *consistent*
 - Don't allow one person to be at different locations in views of different people
 - Don't let two people stand at the same spot
 - If X shoots Y, then everyone must know that Y is dead
- Made difficult by the fact that players are on different computers
- Sometimes network may be slow
- Sometimes messages can be lost




- Stock markets: Multiplayer games with High stakes!
- Everyone wants information quickly and to buy/sell without delay
- Updates must be sent to many clients fast
- Transactions must be executed in right order
- Specialized networks worth millions are installed to reduce latency





Hadoop

- A big data processing framework
- Mapper nodes partition data, reducer nodes process data by partitions
- User decides partitioning, and processing of each partition
- Hadoop handles tasks of moving data from node to node
- Hadoop/MapReduce is a specific setup for distributed processing of data





- Main issue in networking: one node does not have complete (global) knowledge of the rest of the network
 - Need distributed solutions network protocols
 - Nodes work with local information



Mobile and Sensor Systems

- Mobile phones and smart sensors are computers
- Opportunity to process data at sensors instead of servers
- Distributed networked operation
- In addition, nodes are low powered, battery operated
- Nodes may move

Ubiquitous computing & Internet of things

- Embedded computers are everywhere in the environment
- We can use them to process data available to them through sensors, actions of users, etc.
- Networking and distributed computing everywhere in the environment






Autonomous vehicles

- Computer operated vehicles, will use sensors to map the environment and navigate
- Sensors in the car, in the environment, other cars
- Need to communicate and analyze data to make quick decisions
- Many sensors and lots of data
- Strict consistency rules two cars cannot be at the same spot at the same time!
- Need very fast information processing
- Nodes are mobile










Challenges in Distributed Computing

- Fundamental issue: Different nodes have different knowledge. One node does know the status of other nodes in the network
- If each node knew exactly the status at all other nodes in the network, computing would be easy.
- But this is impossible, theoretically and practically



Theory: Knowledge cannot be perfectly up to date

- Information transmission is bounded by speed of light (plus hardware and software limitations of the nodes & network)
- New things can happen while information is traveling from node A to node B
- B can never be perfectly up to date about the status of A





Practical Challenges


- Communication is costly: It is not practical to transmit everything from A to B all the time
- There are many nodes: Transmitting updates to all nodes and receiving updates from all nodes are even more impractical



- The critical question in distributed systems:
- What message/information to send to which nodes, and when?




- A simple distributed computation:
 - Each node has stored a numeric value
 - Compute the total of these numbers



How many messages does it take?



- A simple distributed computation:
 - Each node has stored a numeric value
 - Compute the total of these numbers






- A simple distributed computation:
 - Each node has stored a numeric value
 - Compute the total of the numbers



How many messages does it take?



- A simple distributed computation:
 - Each node has stored a numeric value
 - Compute the total of the numbers






Complexity may depend on the Network




- A simple distributed computation:
 - Each node has stored a numeric value
 - Compute the total of the numbers



Can you find a better, more efficient way?



- A simple distributed computation:
 - Each node has stored a numeric value
 - Compute the total of the numbers





- Time cannot be measured perfectly
 - Clocks always move slightly faster/slower; speeds change
 - Hard to compare before/after relations between events at different nodes
 - Makes it difficult to keep causal relations correct
 - E.g. In a multi-player game, two players fired their guns. Who shot first?



Failures

- Some nodes may fail
- Some communication links may fail, messages get lost
- We need systems resilient to failures it should continue to work even if some nodes/links fail, or at least recover from failures
- E.g. In network routing, if some nodes fail, the routing protocols find new paths to the destination



Mobility

- Some nodes may be mobile
- Not easy to find and communicate with moving nodes
- Communication properties, delays, message loss rates etc change with changing locations
- Locations of nodes are important, determine their needs and preferences



Scalability with size (number of nodes)

- Systems may need to grow in number of nodes when it has to handle more data or users
- The design should easily adapt to this growth and not get stuck trying to handle large amounts of data or many nodes
- E.g. In a multiplayer game with many players, if all actions of each player in every second is sent to all other players, this will generate O(n²) messages every second.

– Options:

- Make efficient systems that can handle O(n^2) messages per second (more and more difficult with growing n)
- Or, make clever choices of which messages to send to which players, and keep it manageable



- Transparency
 - User should not have to worry about details
 - How many nodes
 - How they are connected
 - Locations, addresses
 - mobility
 - Failures
 - concurrency
 - Network protocols



Security

- Confidentiality only authorized users can access
- Integrity should not get altered/corrupted or get into an undesirable state
- Availability should not get disrupted by enemies (e.g. by a denial of service attack)
- Perfect security is impossible. Good practical security is usually possible, but takes some care and effort. Encryption helps.



- Agreement
 - Get nodes to agree on the value of something
 - When should we go to the movie?
 - What should be the multiplayer strategy?
 - When should we sell the shares?
 - ...



- Leader election
 - Which node is the coordinator in Hadoop?
 - Which node is the which returns the final result?



- Deciding matters of time:
 - What happened first? A or B?
 - What sequence of events definitely happened and what cannot have happened?



- Store and retrieve data
 - Peer to peer systems
 - Sensor networks



- Aggregation: Getting data from many nodes
 - What is the average temperature recorded by the mobile phones?
 - How many people are in the building?
 - What is the maximum speed of cars on the highway?



Summary: Distributed Systems

- Multiple computers operating by sending messages to each other over a network
- Integral to many emerging trends in computing
- Reasons for distributed systems:
 - Tasks get done faster
 - Can be made more resilient: If one computer fails, another takes over
 - Load balancing and resource sharing
 - Sometimes, systems are inherently distributed. E.g. people from different locations collaborating on tasks, playing games, etc.
 - Brings out many natural questions about how natural world, ecosystems, economies, emergent behaviors work
 - Eg. Birds flocking, fireflies blinking in sync, people walking without colliding, economic game theory and equilibria...

Summary: Distributed Systems

Examples:

- Web browsing
- Multiplayer games
- Digital (Stock) markets
- Collaborative editing (Wikipedia, reddit, slashdot..)
- Big data processing (hadoop etc)
- Networks
- Mobile and sensor systems
- Ubiquitous computing
- Autonomous vehicles

Challenges in Distributed system design

- Lack of global knowledge
- No perfect (shared) clock
- Communication is costly in large volumes
- Failures of nodes/links, loss of messages
- Scalability
- Transparency
- Security
- Mobility