

Question ID 8c515062

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 8c515062

A candle is made of **17** ounces of wax. When the candle is burning, the amount of wax in the candle decreases by **1** ounce every **4** hours. If **6** ounces of wax remain in this candle, for how many hours has it been burning?

- A. **3**
- B. **6**
- C. **24**
- D. **44**

ID: 8c515062 Answer

Correct Answer:

D

Rationale

Choice D is correct. It’s given that the candle starts with **17** ounces of wax and has **6** ounces of wax remaining after a period of time has passed. The amount of wax the candle has lost during the time period can be found by subtracting the remaining amount of wax from the amount of wax the candle was made of, which yields **17 – 6** ounces, or **11** ounces. This means the candle loses **11** ounces of wax during that period of time. It’s given that the amount of wax decreases by **1** ounce every **4** hours. If ***h*** represents the number of hours the candle has been burning, it follows that $\frac{1}{4} = \frac{11}{h}$. Multiplying both sides of this equation by **4*h*** yields ***h* = 44**. Therefore, the candle has been burning for **44** hours.

Choice A is incorrect and may result from using the equation $\frac{1}{4} = \frac{h}{11}$ rather than $\frac{1}{4} = \frac{11}{h}$ to represent the situation, and then rounding to the nearest whole number.

Choice B is incorrect. This is the amount of wax, in ounces, remaining in the candle, not the number of hours it has been burning.

Choice C is incorrect and may result from using the equation $\frac{1}{4} = \frac{6}{h}$ rather than $\frac{1}{4} = \frac{11}{h}$ to represent the situation.

Question Difficulty:

Medium

Question ID f60aa0dc

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: f60aa0dc

If $9(4 - 3x) + 2 = 8(4 - 3x) + 18$, what is the value of $4 - 3x$?

- A. -16
- B. -4
- C. 4
- D. 16

ID: f60aa0dc Answer

Correct Answer:

D

Rationale

Choice D is correct. The value of $4 - 3x$ can be found by isolating this expression in the given equation. Subtracting 2 from both sides of the given equation yields $9(4 - 3x) = 8(4 - 3x) + 16$. Subtracting $8(4 - 3x)$ from both sides of this equation yields $9(4 - 3x) - 8(4 - 3x) = 16$, which gives $1(4 - 3x) = 16$, or $4 - 3x = 16$. Therefore, the value of $4 - 3x$ is 16 .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect. This is the value of x , not $4 - 3x$.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Medium

Question ID eafdbbbd

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: eafdbbbd

$\frac{1}{4}(x + 5) - \frac{1}{3}(x + 5) = -7$

What value of x is the solution to the given equation?

- A. ~~−12~~
- B. ~~−5~~
- C. **79**
- D. ~~204~~

ID: eafdbbbd Answer

Correct Answer:

C

Rationale

Choice C is correct. For the given equation, $(x + 5)$ is a factor of both terms on the left-hand side. Therefore, the given equation can be rewritten as $(\frac{1}{4} - \frac{1}{3})(x + 5) = -7$, or $(\frac{3}{12} - \frac{4}{12})(x + 5) = -7$, which is equivalent to $-\frac{1}{12}(x + 5) = -7$. Multiplying both sides of this equation by -12 yields $x + 5 = 84$. Subtracting 5 from both sides of this equation yields $x = 79$.

Choice A is incorrect. This is the value of x for which the left-hand side of the given equation equals $\frac{7}{12}$, not -7 .

Choice B is incorrect. This is the value of x for which the left-hand side of the given equation equals 0 , not -7 .

Choice D is incorrect. This is the value of x for which the left-hand side of the given equation equals $-\frac{209}{12}$, not -7 .

Question Difficulty:

Medium

Question ID 45bba652

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 45bba652

If $2(x - 5) + 3(x - 5) = 10$, what is the value of $x - 5$?

- A. 2
- B. 5
- C. 7
- D. 12

ID: 45bba652 Answer

Correct Answer:
A

Rationale

Choice A is correct. Adding the like terms on the left-hand side of the given equation yields $5(x - 5) = 10$. Dividing both sides of this equation by 5 yields $x - 5 = 2$.

Choice B is incorrect and may result from subtracting 5, not dividing by 5, on both sides of the equation $5(x - 5) = 10$. Choice C is incorrect. This is the value of x, not the value of $x - 5$. Choice D is incorrect. This is the value of $x + 5$, not the value of $x - 5$.

Question Difficulty:
Medium

Question ID 5ad9eff0

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 5ad9eff0

The width of a rectangular dance floor is w feet. The length of the floor is 6 feet longer than its width. Which of the following expresses the perimeter, in feet, of the dance floor in terms of w ?

- A. $2w + 6$
- B. $4w + 12$
- C. $w^2 + 6$
- D. $w^2 + 6w$

ID: 5ad9eff0 Answer

Correct Answer:
B

Rationale

Choice B is correct. It is given that the width of the dance floor is w feet. The length is 6 feet longer than the width; therefore, the length of the dance floor is $w + 6$. So the perimeter is $w + w + (w + 6) + (w + 6) = 4w + 12$.

Choice A is incorrect because it is the sum of one length and one width, which is only half the perimeter. Choice C is incorrect and may result from using the formula for the area instead of the formula for the perimeter and making a calculation error. Choice D is incorrect because this is the area, not the perimeter, of the dance floor.

Question Difficulty:
Medium

Question ID 40049d49

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 40049d49

$4x + 12 = \frac{a(x+3)}{2}$

In the given equation, *a* is a constant. If the equation has infinitely many solutions, what is the value of *a*?

- A. 0
- B. 3
- C. 8
- D. 12

ID: 40049d49 Answer

Correct Answer:

C

Rationale

Choice C is correct. If an equation has infinitely many solutions, then the two sides of the equation must be equivalent. Multiplying each side of the given equation by 2 yields $8x + 24 = a(x + 3)$. Since 8 is a common factor of both terms on the left-hand side of this equation, the equation can be rewritten as $8(x + 3) = a(x + 3)$. The two sides of this equation are equivalent when $a = 8$. Therefore, if the given equation has infinitely many solutions, the value of *a* is 8.

Alternate approach: If the given equation, $4x + 12 = \frac{a(x+3)}{2}$, has infinitely many solutions, then both sides of this equation are equal for any value of *x*. If *x* = 0, then substituting 0 for *x* in the given equation yields $4(0) + 12 = \frac{a(0+3)}{2}$, or $12 = \frac{3}{2}a$. Dividing both sides of this equation by $\frac{3}{2}$ yields $8 = a$.

Choice A is incorrect. If the value of *a* is 0, the given equation is equivalent to $4x + 12 = 0$, which has one solution, not infinitely many solutions.

Choice B is incorrect. If the value of *a* is 3, the given equation is equivalent to $4x + 12 = \frac{3(x+3)}{2}$, or $4x + 12 = \frac{3}{2}x + \frac{9}{2}$, which has one solution, not infinitely many solutions.

Choice D is incorrect. If the value of *a* is 12, the given equation is equivalent to $4x + 12 = \frac{12(x+3)}{2}$, or $4x + 12 = 6x + 18$, which has one solution, not infinitely many solutions.

Question Difficulty:

Medium

Question ID 5a7ab8e8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 5a7ab8e8

$66x = 66x$

How many solutions does the given equation have?

- A. Exactly one
- B. Exactly two
- C. Infinitely many
- D. Zero

ID: 5a7ab8e8 Answer

Correct Answer:

C

Rationale

Choice C is correct. If the two sides of a linear equation are equivalent, then the equation is true for any value. If an equation is true for any value, it has infinitely many solutions. Since the two sides of the given linear equation $66x = 66x$ are equivalent, the given equation has infinitely many solutions.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Medium

Question ID 1ce51655

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 1ce51655

A bowl contains **20** ounces of water. When the bowl is uncovered, the amount of water in the bowl decreases by **1** ounce every **4** days. If **9** ounces of water remain in this bowl, for how many days has it been uncovered?

- A. **3**
- B. **7**
- C. **36**
- D. **44**

ID: 1ce51655 Answer

Correct Answer:

D

Rationale

Choice D is correct. It’s given that the bowl starts with **20** ounces of water and has **9** ounces of water remaining after a period of time has passed. The amount of water the bowl has lost during the time period can be found by subtracting the remaining amount of water from the amount of water the bowl starts with, which yields **20 – 9** ounces, or **11** ounces. This means the bowl loses **11** ounces of water during that period of time. It’s given that the amount of water decreases by **1** ounce every **4** days. Letting ***t*** represent the number of days the bowl has been uncovered, it follows that $\frac{1}{4} = \frac{11}{t}$. Multiplying both sides of this equation by **4*t*** yields ***t* = 44**. Therefore, the bowl has been uncovered for **44** days.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This is the value of ***t*** for the equation $\frac{1}{4} = \frac{9}{t}$, not $\frac{1}{4} = \frac{11}{t}$.

Question Difficulty:

Medium

Question ID 36ab4122

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 36ab4122

Megan’s regular wage at her job is p dollars per hour for the first 8 hours of work in a day plus 1.5 times her regular hourly wage for work in excess of 8 hours that day. On a given day, Megan worked for 10 hours, and her total earnings for that day were \$137.50. What is Megan’s regular hourly wage?

- A. \$11.75
- B. \$12.50
- C. \$13.25
- D. \$13.75

ID: 36ab4122 Answer

Rationale

Choice B is correct. Since p represents Megan’s regular pay per hour, $1.5p$ represents the pay per hour in excess of 8 hours. Since Megan worked for 10 hours, she must have been paid p dollars per hour for 8 of the hours plus $1.5p$ dollars per hour for the remaining 2 hours. Therefore, since Megan earned \$137.50 for the 10 hours, the situation can be represented by the equation $137.5 = 8p + 2(1.5)p$. Distributing the 2 in the equation gives $137.5 = 8p + 3p$, and combining like terms gives $137.5 = 11p$. Dividing both sides by 11 gives $p = 12.5$. Therefore, Megan’s regular wage is \$12.50.

Choices A and C are incorrect and may be the result of calculation errors. Choice D is incorrect and may result from finding the average hourly wage that Megan earned for the 10 hours of work.

Question Difficulty:
Medium

Question ID d0a2fed5

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: d0a2fed5

If $\frac{6}{7}p + 18 = 54$, what is the value of $7p$?

ID: d0a2fed5 Answer

Correct Answer:
294

Rationale

The correct answer is **294**. Subtracting **18** from each side of the given equation yields $\frac{6}{7}p = 36$. Multiplying each side of this equation by $\frac{7}{6}$ yields $p = 42$. Multiplying each side of this equation by **7** yields $7p = 294$. Therefore, the value of $7p$ is **294**.

Question Difficulty:
Medium

Question ID 76f29fa5

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 76f29fa5

The cost to rent a commercial fishing boat from a certain company is \$950 for the first 2 hours and an additional \$50 per hour for each hour after the first 2 hours. If the total cost to rent the commercial fishing boat from the company for t hours, where $t > 2$, is \$1,100, which equation represents this situation?

- A. $950(t - 2) + 50t = 1,100$
- B. $950(2t) + 50t = 1,100$
- C. $950 + 50(t - 2) = 1,100$
- D. $950 + 50(2t) = 1,100$

ID: 76f29fa5 Answer

Correct Answer:

C

Rationale

Choice C is correct. It's given that the cost to rent a commercial fishing boat is \$950 for the first 2 hours and an additional \$50 per hour for each hour after the first 2 hours. It's also given that t represents the total number of hours and $t > 2$. Therefore, the number of additional hours after the first 2 hours can be represented with the expression $t - 2$. The cost for these additional hours is \$50 per hour, so the cost for the additional hours can be represented by the expression $50(t - 2)$. The total cost can be calculated by adding the cost for the first 2 hours to the cost for the additional hours and can be represented by the expression $950 + 50(t - 2)$. It's also given that the total cost to rent the commercial fishing boat from the company for t hours is \$1,100. Thus, the equation that represents this situation is $950 + 50(t - 2) = 1,100$.

Choice A is incorrect and may result from conceptual errors.

Choice B is incorrect and may result from conceptual errors.

Choice D is incorrect and may result from conceptual errors.

Question Difficulty:

Medium

Question ID ce6b52d8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: ce6b52d8

If $2(3t - 10) + t = 40 + 4t$, what is the value of $3t$?

ID: ce6b52d8 Answer

Correct Answer:
60

Rationale

The correct answer is **60**. Subtracting t from both sides of the given equation yields $2(3t - 10) = 40 + 3t$. Applying the distributive property to the left-hand side of this equation yields $6t - 20 = 40 + 3t$. Adding 20 to both sides of this equation yields $6t = 60 + 3t$. Subtracting $3t$ from both sides of this equation yields $3t = 60$. Therefore, the value of $3t$ is **60**.

Question Difficulty:
Medium

Question ID feb78194

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: feb78194

A museum rents tablets to visitors. The museum earns revenue of **\$14** for each tablet rented for the day. On Wednesday, the museum earned **\$406** in profit from renting tablets after paying daily expenses of **\$112**. How many tablets did the museum rent on Wednesday? (**profit = total revenue – total expenses**)

ID: feb78194 Answer

Correct Answer:
37

Rationale

The correct answer is **37**. It's given that the museum earns revenue of **\$14** for each tablet rented for the day. It's also given that on Wednesday, the museum earned **\$406** in profit from renting tablets after paying daily expenses of **\$112**. Let x represent the number of tablets the museum rented on Wednesday. It follows that the total revenue can be represented by the expression **$14x$** . Because **profit = total revenue – total expenses**, the equation **$406 = 14x - 112$** represents this situation. Adding **112** to both sides of this equation yields **$14x = 518$** . Dividing both sides of this equation by **14** yields **$x = 37$** . Therefore, the museum rented **37** tablets on Wednesday.

Question Difficulty:
Medium

Question ID ce314070

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: ce314070

If $4x - \frac{1}{2} = -5$, what is the value of $8x - 1$?

- A. 2
- B. $-\frac{9}{8}$
- C. $-\frac{5}{2}$
- D. -10

ID: ce314070 Answer

Correct Answer:
D

Rationale

Choice D is correct. Multiplying the given equation by 2 on each side yields $2\left(4x - \frac{1}{2}\right) = 2(-5)$. Applying the distributive property, this equation can be rewritten as $2(4x) - 2\left(\frac{1}{2}\right) = 2(-5)$, or $8x - 1 = -10$.

Choices A, B, and C are incorrect and may result from calculation errors in solving the given equation for x and then substituting that value of x in the expression $8x - 1$.

Question Difficulty:
Medium

Question ID 4f669597

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 4f669597

$2(p + 1) + 8(p - 1) = 5p$

What value of p is the solution of the equation above?

ID: 4f669597 Answer

Rationale

The correct answer is 1.2. One way to solve the equation $2(p + 1) + 8(p - 1) = 5p$ is to first distribute the terms outside the parentheses to the terms inside the parentheses: $2p + 2 + 8p - 8 = 5p$. Next, combine like terms on the left side of the equal sign: $10p - 6 = 5p$. Subtracting $10p$ from both sides yields $-6 = -5p$. Finally, dividing both sides by -5 gives $p = \frac{6}{5}$, which is equivalent to $p = 1.2$. Note that 1.2 and 6/5 are examples of ways to enter a correct answer.

Question Difficulty:
Medium

Question ID 620abf36

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 620abf36

If $5(x + 4) = 4(x + 4) + 29$, what is the value of $x + 4$?

- A. ~~−4~~
- B. ~~25~~
- C. **29**
- D. ~~33~~

ID: 620abf36 Answer

Correct Answer:

C

Rationale

Choice C is correct. Subtracting $4(x + 4)$ from both sides of the given equation yields $1(x + 4) = 29$, or $x + 4 = 29$. Therefore, the value of $x + 4$ is **29**.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect. This is the value of x , not $x + 4$.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Medium

Question ID 79cf8505

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 79cf8505

A line segment that has a length of **115 centimeters (cm)** is divided into three parts. One part is **47 cm** long. The other two parts have lengths that are equal to each other. What is the length, in **cm**, of one of the other two parts of equal length?

ID: 79cf8505 Answer

Correct Answer:

34

Rationale

The correct answer is **34**. It's given that a line segment has a length of **115 cm** and is divided into three parts, where one part is **47 cm** long and the other two parts have lengths that are equal. If x represents the length, in cm, of each of the two parts of equal length, then the equation $47 + x + x = 115$, or $47 + 2x = 115$, represents this situation. Subtracting **47** from each side of this equation yields $2x = 68$. Dividing each side of this equation by **2** yields $x = 34$. Therefore, the length, in cm, of one of the two parts of equal length is **34**.

Question Difficulty:

Medium

Question ID bf749912

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: bf749912

$$\frac{1}{3}(x + 6) - \frac{1}{2}(x + 6) = -8$$

What value of x is the solution to the given equation?

ID: bf749912 Answer

Correct Answer:

42

Rationale

The correct answer is **42**. The expression $(x + 6)$ is a factor of both terms on the left-hand side of the given equation. Therefore, the given equation can be written as $(x + 6)\left(\frac{1}{3} - \frac{1}{2}\right) = -8$, or $(x + 6)\left(-\frac{1}{6}\right) = -8$. Multiplying each side of this equation by -6 yields $x + 6 = 48$. Subtracting 6 from each side of this equation yields $x = 42$. Therefore, the value of x that is the solution to the given equation is **42**.

Question Difficulty:

Medium

Question ID f09097b1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: f09097b1

An agricultural scientist studying the growth of corn plants recorded the height of a corn plant at the beginning of a study and the height of the plant each day for the next 12 days. The scientist found that the height of the plant increased by an average of 1.20 centimeters per day for the 12 days. If the height of the plant on the last day of the study was 36.8 centimeters, what was the height, in centimeters, of the corn plant at the beginning of the study?

ID: f09097b1 Answer

Rationale

The correct answer is 22.4. If the height of the plant increased by an average of 1.20 centimeters per day for 12 days, then its total growth over the 12 days was $(1.20)(12) = 14.4$ centimeters. The plant was 36.8 centimeters tall after 12 days, so at the beginning of the study its height was $36.8 - 14.4 = 22.4$ centimeters. Note that 22.4 and $112/5$ are examples of ways to enter a correct answer.

Alternate approach: The equation $36.8 = 12(1.20) + h$ can be used to represent this situation, where h is the height of the plant, in centimeters, at the beginning of the study. Solving this equation for h yields 22.4 centimeters.

Question Difficulty:
Medium

Question ID 70e29454

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 70e29454

$$a(3 - x) - b = -1 - 2x$$

In the equation above, a and b are constants. If the equation has infinitely many solutions, what are the values of a and b ?

- A. $a = 2$ and $b = 1$
- B. $a = 2$ and $b = 7$
- C. $a = -2$ and $b = 5$
- D. $a = -2$ and $b = -5$

ID: 70e29454 Answer

Correct Answer:
B

Rationale

Choice B is correct. Distributing the a on the left-hand side of the equation gives $3a - b - ax = -1 - 2x$. Rearranging the terms in each side of the equation yields $-ax + 3a - b = -2x - 1$. Since the equation has infinitely many solutions, it follows that the coefficients of x and the free terms on both sides must be equal. That is, $-a = -2$, or $a = 2$, and $3a - b = -1$. Substituting 2 for a in the equation $3a - b = -1$ gives $3(2) - b = -1$, so $b = 7$.

Choice A is incorrect and may be the result of a conceptual error when finding the value of b . Choices C and D are incorrect and may result from making a sign error when simplifying.

Question Difficulty:
Medium

Question ID 018a2704

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 018a2704

If $46 = 16 + 2(x - 8)$, what is the value of $2(x - 8)$?

- A. 16
- B. 23
- C. 30
- D. 38

ID: 018a2704 Answer

Correct Answer:

C

Rationale

Choice C is correct. Subtracting **16** from both sides of the given equation yields $30 = 2(x - 8)$. Therefore, the value of $2(x - 8)$ is **30**.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Medium

Question ID 12ee1edc

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 12ee1edc

$(b - 2)x = 8$

In the given equation, b is a constant. If the equation has no solution, what is the value of b ?

- A. 2
- B. 4
- C. 6
- D. 10

ID: 12ee1edc Answer

Correct Answer:
A

Rationale

Choice A is correct. This equation has no solution when there is no value of x that produces a true statement. Solving the given equation for x by dividing both sides by $(b - 2)$ gives $x = \frac{8}{(b - 2)}$. When $(b - 2) = 0$, the right-hand side of this equation will be undefined, and the equation will have no solution. Therefore, when $b = 2$, there is no value of x that satisfies the given equation.

Choices B, C, and D are incorrect. Substituting 4, 6, and 10 for b in the given equation yields exactly one solution, rather than no solution, for x . For example, substituting 4 for b in the given equation yields $(4 - 2)x = 8$, or $2x = 8$. Dividing both sides of $2x = 8$ by 2 yields $x = 4$. Similarly, if $b = 6$ or $b = 10$, $x = 2$ and $x = 1$, respectively.

Question Difficulty:
Medium

Question ID 15daa8d6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 15daa8d6

$2x + 16 = a(x + 8)$

In the given equation, *a* is a constant. If the equation has infinitely many solutions, what is the value of *a*?

ID: 15daa8d6 Answer

Correct Answer:

2

Rationale

The correct answer is **2**. An equation with one variable, *x*, has infinitely many solutions only when both sides of the equation are equal for any defined value of *x*. It's given that $2x + 16 = a(x + 8)$, where *a* is a constant. This equation can be rewritten as $2(x + 8) = a(x + 8)$. If this equation has infinitely many solutions, then both sides of this equation are equal for any defined value of *x*. Both sides of this equation are equal for any defined value of *x* when **2 = a**. Therefore, if the equation has infinitely many solutions, the value of *a* is **2**.

Alternate approach: If the given equation, $2x + 16 = a(x + 8)$, has infinitely many solutions, then both sides of this equation are equal for any value of *x*. If *x* = 0, then substituting 0 for *x* in $2x + 16 = a(x + 8)$ yields $2(0) + 16 = a(0 + 8)$, or $16 = 8a$. Dividing both sides of this equation by 8 yields **2 = a**.

Question Difficulty:

Medium

Question ID aa85b138

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: aa85b138

$2n + 6 = 14$

A tree had a height of 6 feet when it was planted. The equation above can be used to find how many years n it took the tree to reach a height of 14 feet. Which of the following is the best interpretation of the number 2 in this context?

- A. The number of years it took the tree to double its height
- B. The average number of feet that the tree grew per year
- C. The height, in feet, of the tree when the tree was 1 year old
- D. The average number of years it takes similar trees to grow 14 feet

ID: aa85b138 Answer

Correct Answer:
B

Rationale

Choice B is correct. The height of the tree at a given time is equal to its height when it was planted plus the number of feet that the tree grew. In the given equation, 14 represents the height of the tree at the given time, and 6 represents the height of the tree when it was planted. It follows that $2n$ represents the number of feet the tree grew from the time it was planted until the time it reached a height of 14 feet. Since n represents the number of years between the given time and the time the tree was planted, 2 must represent the average number of feet the tree grew each year.

Choice A is incorrect and may result from interpreting the coefficient 2 as doubling instead of as increasing by 2 each year. Choice C is incorrect. The height of the tree when it was 1 year old was $2(1) + 6 = 8$ feet, not 2 feet. Choice D is incorrect. No information is given to connect the growth of one particular tree to the growth of similar trees.

Question Difficulty:
Medium

Question ID 7a5a74a6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 7a5a74a6

$3(2x - 6) - 11 = 4(x - 3) + 6$

If x is the solution to the equation above, what is the value of $x - 3$?

- A. $\frac{23}{2}$
- B. $\frac{17}{2}$
- C. $\frac{15}{2}$
- D. $-\frac{15}{2}$

ID: 7a5a74a6 Answer

Correct Answer:
B

Rationale

Choice B is correct. Because 2 is a factor of both $2x$ and 6, the expression $2x - 6$ can be rewritten as $2(x - 3)$. Substituting $2(x - 3)$ for $(2x - 6)$ on the left-hand side of the given equation yields $3(2)(x - 3) - 11 = 4(x - 3) + 6$, or $6(x - 3) - 11 = 4(x - 3) + 6$. Subtracting $4(x - 3)$ from both sides of this equation yields $2(x - 3) - 11 = 6$. Adding 11 to both sides of this equation yields $2(x - 3) = 17$. Dividing both sides of this equation by 2 yields $x - 3 = \frac{17}{2}$.

Alternate approach: Distributing 3 to the quantity $(2x - 6)$ on the left-hand side of the given equation and distributing 4 to the quantity $(x - 3)$ on the right-hand side yields $6x - 18 - 11 = 4x - 12 + 6$, or $6x - 29 = 4x - 6$. Subtracting $4x$ from both sides of this equation yields $2x - 29 = -6$. Adding 29 to both sides of this equation yields $2x = 23$. Dividing both sides of this equation by 2 yields $x = \frac{23}{2}$. Therefore, the value of $x - 3$ is $\frac{23}{2} - 3$, or $\frac{17}{2}$.

Choice A is incorrect. This is the value of x , not $x - 3$. Choices C and D are incorrect. If the value of $x - 3$ is $\frac{15}{2}$ or $-\frac{15}{2}$, it follows that the value of x is $\frac{21}{2}$ or $-\frac{9}{2}$, respectively. However, solving the given equation for x yields $x = \frac{23}{2}$. Therefore, the

value of $x - 3$ can't be $\frac{15}{2}$ or $-\frac{15}{2}$.

Question Difficulty:

Medium

Question ID 9d4270fe

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 9d4270fe

A company that creates and sells tape dispensers calculates its monthly profit, in dollars, by subtracting its fixed monthly costs, in dollars, from its monthly sales revenue, in dollars. The equation $15,000 = 2.00x - 4,500$ represents this situation for a month where x tape dispensers are created and sold. Which statement is the best interpretation of $2.00x$ in this context?

- A. The monthly sales revenue, in dollars, from selling x tape dispensers
- B. The monthly sales revenue, in dollars, from each tape dispenser sold
- C. The monthly cost, in dollars, of creating each tape dispenser
- D. The monthly cost, in dollars, of creating x tape dispensers

ID: 9d4270fe Answer

Correct Answer:

A

Rationale

Choice A is correct. It's given that the equation $15,000 = 2.00x - 4,500$ represents this situation for a month where x tape dispensers are created and sold. It's also given that the company calculates its monthly profit, in dollars, by subtracting its fixed monthly costs, in dollars, from its monthly sales revenue, in dollars. It follows that $2.00x$ represents the monthly sales revenue, in dollars. Therefore, the best interpretation of $2.00x$ in this context is the monthly sales revenue from selling x tape dispensers.

Choice B is incorrect. This is the best interpretation of 2.00 , not $2.00x$.

Choice C is incorrect and may result from conceptual errors.

Choice D is incorrect. This is the best interpretation of $4,500$, not $2.00x$.

Question Difficulty:

Medium