

Question ID fa80893a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: fa80893a

If $2x + 3 = 9$, what is the value of $6x - 1$?

ID: fa80893a Answer

Correct Answer:

17

Rationale

The correct answer is **17**. It's given that $2x + 3 = 9$. Multiplying each side of this equation by **3** yields $3(2x + 3) = 3(9)$, or $6x + 9 = 27$. Subtracting **10** from each side of this equation yields $6x + 9 - 10 = 27 - 10$, or $6x - 1 = 17$. Therefore, the value of $6x - 1$ is **17**.

Question Difficulty:

Easy

Question ID 0adbe034

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 0adbe034

If $4x - 28 = -24$, what is the value of $x - 7$?

- A. -24
- B. -22
- C. -6
- D. -1

ID: 0adbe034 Answer

Correct Answer:

C

Rationale

Choice C is correct. Dividing all terms in the given equation by 4 yields $\frac{4x}{4} - \frac{28}{4} = -\frac{24}{4}$, or $x - 7 = -6$. Therefore, the value of $x - 7$ is -6 .

Choice A is incorrect. This is the value of $4x - 28$, not $x - 7$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID baca4a4c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: baca4a4c

$7(2x - 3) = 63$

Which equation has the same solution as the given equation?

- A. $2x - 3 = 9$
- B. $2x - 3 = 56$
- C. $2x - 21 = 63$
- D. $2x - 21 = 70$

ID: baca4a4c Answer

Correct Answer:

A

Rationale

Choice A is correct. Dividing each side of the given equation by 7 yields $\frac{7(2x-3)}{7} = \frac{63}{7}$, or $2x - 3 = 9$. Therefore, the equation $2x - 3 = 9$ is equivalent to the given equation and has the same solution.

Choice B is incorrect. This equation is equivalent to $7(2x - 3) = 392$, not $7(2x - 3) = 63$.

Choice C is incorrect. Distributing 7 on the left-hand side of the given equation yields $14x - 21 = 63$, not $2x - 21 = 63$.

Choice D is incorrect. Distributing 7 on the left-hand side of the given equation yields $14x - 21 = 63$, not $2x - 21 = 70$.

Question Difficulty:

Easy

Question ID 097e10f5

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 097e10f5

What value of p satisfies the equation $5p + 180 = 250$?

- A. 14
- B. 65
- C. 86
- D. 250

ID: 097e10f5 Answer

Correct Answer:

A

Rationale

Choice A is correct. Subtracting 180 from both sides of the given equation yields $5p = 70$. Dividing both sides of this equation by 5 yields $p = 14$. Therefore, the value of p that satisfies the equation $5p + 180 = 250$ is 14.

Choice B is incorrect. This value of p satisfies the equation $5p + 180 = 505$.

Choice C is incorrect. This value of p satisfies the equation $5p + 180 = 610$.

Choice D is incorrect. This value of p satisfies the equation $5p + 180 = 1,430$.

Question Difficulty:

Easy

Question ID 9b886541

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 9b886541

If $3x - 8 = 7$, what is the value of $3x + 8$?

- A. -1
- B. 5
- C. 13
- D. 23

ID: 9b886541 Answer

Correct Answer:

D

Rationale

Choice D is correct. It's given that $3x - 8 = 7$. Adding 8 to both sides of this equation yields $3x = 15$. Adding 8 to both sides of this equation yields $3x + 8 = 23$. Therefore, the value of $3x + 8$ is 23 .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect. This is the value of x , not $3x + 8$.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID 590f2187

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 590f2187

If $3x - 27 = 24$, what is the value of $x - 9$?

- A. 1
- B. 8
- C. 24
- D. 35

ID: 590f2187 Answer

Correct Answer:

B

Rationale

Choice B is correct. Dividing each side of the given equation by 3 yields $x - 9 = 8$. Therefore, the value of $x - 9$ is 8.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This is the value of $3x - 27$, not $x - 9$.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID f2b63f49

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: f2b63f49

$8x - 7x + 130 = 260$

What value of x is the solution to the given equation?

ID: f2b63f49 Answer

Correct Answer:

130

Rationale

The correct answer is **130**. It's given that $8x - 7x + 130 = 260$. Combining like terms on the left-hand side of this equation yields $x + 130 = 260$. Subtracting **130** from each side of this equation yields $x = 130$. Therefore, the value of x that's the solution to the given equation is **130**.

Question Difficulty:

Easy

Question ID 05417146

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 05417146

$w + 7 = 357$

What value of w is the solution to the given equation?

- A. 51
- B. 350
- C. 364
- D. 3,577

ID: 05417146 Answer

Correct Answer:

B

Rationale

Choice B is correct. Subtracting **7** from each side of the given equation yields $w = 350$. Therefore, the value of w that is the solution to the given equation is **350**.

Choice A is incorrect. This is the value of w that is the solution to the equation $7w = 357$, not $w + 7 = 357$.

Choice C is incorrect. This is the value of w that is the solution to the equation $w - 7 = 357$, not $w + 7 = 357$.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID 51aabd93

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 51aabd93

$(p + 3) + 8 = 10$

What value of p is the solution to the given equation?

- A. -1
- B. 5
- C. 15
- D. 21

ID: 51aabd93 Answer

Correct Answer:

A

Rationale

Choice A is correct. Subtracting 8 from both sides of the given equation yields $p + 3 = 2$. Subtracting 3 from both sides of this equation yields $p = -1$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID 349a5bc1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 349a5bc1

$4x + 5 = 165$

What is the solution to the given equation?

ID: 349a5bc1 Answer

Correct Answer:

40

Rationale

The correct answer is **40**. Subtracting **5** from both sides of the given equation yields **$4x = 160$** . Dividing both sides of this equation by **4** yields **$x = 40$** . Therefore, the solution to the given equation is **40**.

Question Difficulty:

Easy

Question ID 6105234d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 6105234d

John paid a total of **\$165** for a microscope by making a down payment of **\$37** plus p monthly payments of **\$16** each. Which of the following equations represents this situation?

- A. $16p - 37 = 165$
- B. $37p - 16 = 165$
- C. $16p + 37 = 165$
- D. $37p + 16 = 165$

ID: 6105234d Answer

Correct Answer:

C

Rationale

Choice C is correct. It's given that John made a **\$16** payment each month for p months. The total amount of these payments can be represented by the expression $16p$. The down payment can be added to that amount to find the total amount John paid, yielding the expression $16p + 37$. It's given that John paid a total of **\$165**. Therefore, the expression for the total amount John paid can be set equal to that amount, yielding the equation $16p + 37 = 165$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID f305b5ca

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: f305b5ca

Lorenzo purchased a box of cereal and some strawberries at the grocery store. Lorenzo paid **\$2** for the box of cereal and **\$1.90** per pound for the strawberries. If Lorenzo paid a total of **\$9.60** for the box of cereal and the strawberries, which of the following equations can be used to find p , the number of pounds of strawberries Lorenzo purchased? (Assume there is no sales tax.)

- A. $1.90p + 2 = 9.60$
- B. $1.90p - 2 = 9.60$
- C. $1.90 + 2p = 9.60$
- D. $1.90 - 2p = 9.60$

ID: f305b5ca Answer

Correct Answer:

A

Rationale

Choice A is correct. It's given that p represents the number of pounds of strawberries Lorenzo purchased and Lorenzo paid **\$1.90** per pound for the strawberries. It follows that the total amount, in dollars, Lorenzo paid for strawberries can be represented by $1.90p$. It's given that Lorenzo paid **\$2** for the box of cereal. If Lorenzo paid a total of **\$9.60** for the box of cereal and strawberries, it follows that the equation $1.90p + 2 = 9.60$ can be used to find p .

Choice B is incorrect and may result from conceptual errors.

Choice C is incorrect and may result from conceptual errors.

Choice D is incorrect and may result from conceptual errors.

Question Difficulty:

Easy

Question ID 5c94e6fa

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 5c94e6fa

$$3x + 21 = 3x + k$$

In the given equation, k is a constant. The equation has infinitely many solutions. What is the value of k ?

ID: 5c94e6fa Answer

Correct Answer:

21

Rationale

The correct answer is **21**. It's given that the equation $3x + 21 = 3x + k$ has infinitely many solutions. If an equation in one variable has infinitely many solutions, then the equation is true for any value of the variable. Subtracting $3x$ from both sides of the given equation yields $k = 21$. Since this equation must be true for any value of x , the value of k is **21**.

Question Difficulty:

Easy

Question ID 2f0a43b2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 2f0a43b2

If $\frac{x}{8} = 5$, what is the value of $\frac{8}{x}$?

ID: 2f0a43b2 Answer

Correct Answer:

.2, 1/5

Rationale

The correct answer is $\frac{1}{5}$. Since the number **5** can also be written as $\frac{5}{1}$, the given equation can also be written as $\frac{x}{8} = \frac{5}{1}$. This equation is equivalent to $\frac{8}{x} = \frac{1}{5}$. Therefore, the value of $\frac{8}{x}$ is $\frac{1}{5}$. Note that 1/5 and .2 are examples of ways to enter a correct answer.

Alternate approach: Multiplying both sides of the equation $\frac{x}{8} = 5$ by **8** yields $x = 40$. Substituting **40** for x into the expression $\frac{8}{x}$ yields $\frac{8}{40}$, or $\frac{1}{5}$.

Question Difficulty:

Easy

Question ID 997bec28

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 997bec28

The perimeter of an isosceles triangle is **83** inches. Each of the two congruent sides of the triangle has a length of **24** inches. What is the length, in inches, of the third side?

ID: 997bec28 Answer

Correct Answer:
35

Rationale

The correct answer is **35**. It's given that the perimeter of an isosceles triangle is **83** inches and that each of the two congruent sides has a length of **24** inches. The perimeter of a triangle is the sum of the lengths of its three sides. The equation **$24 + 24 + x = 83$** can be used to represent this situation, where **x** is the length, in inches, of the third side. Combining like terms on the left-hand side of this equation yields **$48 + x = 83$** . Subtracting **48** from both sides of this equation yields **$x = 35$** . Therefore, the length, in inches, of the third side is **35**.

Question Difficulty:
Easy

Question ID 40ba6288

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 40ba6288

If $3x = 30$, what is the value of $3x - 12$?

- A. -2
- B. 18
- C. 22
- D. 42

ID: 40ba6288 Answer

Correct Answer:

B

Rationale

Choice B is correct. Subtracting 12 from each side of the given equation yields $3x - 12 = 30 - 12$, or $3x - 12 = 18$. Therefore, the value of $3x - 12$ is 18 .

Choice A is incorrect. This is the value of $x - 12$, not $3x - 12$.

Choice C is incorrect. This is the value of $x + 12$, not $3x - 12$.

Choice D is incorrect. This is the value of $3x + 12$, not $3x - 12$.

Question Difficulty:

Easy

Question ID 6ac23de7

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 6ac23de7

$$\frac{4x}{5} = 20$$

In the equation above, what is the value of x ?

- A. 25
- B. 24
- C. 16
- D. 15

ID: 6ac23de7 Answer

Correct Answer:
A

Rationale

Choice A is correct. Multiplying both sides of the equation by 5 results in $4x = 100$. Dividing both sides of the resulting equation by 4 results in $x = 25$.

Choice B is incorrect and may result from adding 20 and 4. Choice C is incorrect and may result from dividing 20 by 5 and then multiplying the result by 4. Choice D is incorrect and may result from subtracting 5 from 20.

Question Difficulty:
Easy

Question ID 7392dfc1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 7392dfc1

Which of the following is equivalent to $4x + 6 = 12$?

- A. $2x + 4 = 6$
- B. $x + 3 = 3$
- C. $3x + 2 = 4$
- D. $2x + 3 = 6$

ID: 7392dfc1 Answer

Correct Answer:

D

Rationale

Choice D is correct. Dividing each side of the original equation by 2 yields $\frac{4x + 6}{2} = \frac{12}{2}$, which simplifies to $2x + 3 = 6$.

Choice A is incorrect. Dividing each side of the original equation by 2 gives $2x + 3 = 6$, which is not equivalent to $2x + 4 = 6$.

Choice B is incorrect. Dividing each side of the original equation by 4 gives $x + \frac{3}{2} = 3$, which is not equivalent to $x + 3 = 3$.

Choice C is incorrect. Dividing each side of the original equation by 3 gives $\frac{4}{3}x + 2 = 4$, which is not equivalent to $3x + 2 = 4$.

Question Difficulty:

Easy

Question ID 93954cfa

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 93954cfa

One pound of grapes costs \$2. At this rate, how many dollars will c pounds of grapes cost?

- A. $2c$
- B. $2 + c$
- C. $\frac{2}{c}$
- D. $\frac{c}{2}$

ID: 93954cfa Answer

Correct Answer:

A

Rationale

Choice A is correct. If one pound of grapes costs \$2, two pounds of grapes will cost 2 times \$2, three pounds of grapes will cost 3 times \$2, and so on. Therefore, c pounds of grapes will cost c times \$2, which is $2c$ dollars.

Choice B is incorrect and may result from incorrectly adding instead of multiplying. Choice C is incorrect and may result from assuming that c pounds cost \$2, and then finding the cost per pound. Choice D is incorrect and could result from incorrectly assuming that 2 pounds cost \$ c , and then finding the cost per pound.

Question Difficulty:

Easy

Question ID 3d04de9c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 3d04de9c

A principal used a total of **25** flags that were either blue or yellow for field day. The principal used **20** blue flags. How many yellow flags were used?

- A. 5
- B. 20
- C. 25
- D. 30

ID: 3d04de9c Answer

Correct Answer:

A

Rationale

Choice A is correct. It's given that a principal used a total of **25** blue flags and yellow flags. It's also given that of the **25** flags used, **20** flags were blue. Subtracting the number of blue flags used from the total number of flags used results in the number of yellow flags used. It follows that the number of yellow flags used is **25 — 20**, or **5**.

Choice B is incorrect. This is the number of blue flags used.

Choice C is incorrect. This is the total number of flags used.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID 60f71697

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 60f71697

$8x = 88$

What value of x is the solution to the given equation?

- A. 11
- B. 80
- C. 96
- D. 704

ID: 60f71697 Answer

Correct Answer:

A

Rationale

Choice A is correct. Dividing both sides of the given equation by 8 yields $x = 11$. Therefore, 11 is the solution to the given equation.

Choice B is incorrect. This is the solution to the equation $x + 8 = 88$.

Choice C is incorrect. This is the solution to the equation $x - 8 = 88$.

Choice D is incorrect. This is the solution to the equation $\frac{x}{8} = 88$.

Question Difficulty:

Easy

Question ID 4de87c9a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 4de87c9a

3 more than 8 times a number x is equal to 83. Which equation represents this situation?

- A. $(3)(8)x = 83$
- B. $8x = 83 + 3$
- C. $3x + 8 = 83$
- D. $8x + 3 = 83$

ID: 4de87c9a Answer

Correct Answer:

D

Rationale

Choice D is correct. The given phrase “8 times a number x ” can be represented by the expression $8x$. The given phrase “3 more than” indicates an increase of 3 to a quantity. Therefore “3 more than 8 times a number x ” can be represented by the expression $8x + 3$. Since it’s given that 3 more than 8 times a number x is equal to 83, it follows that $8x + 3$ is equal to 83, or $8x + 3 = 83$. Therefore, the equation that represents this situation is $8x + 3 = 83$.

Choice A is incorrect. This equation represents 3 times the quantity 8 times a number x is equal to 83.

Choice B is incorrect. This equation represents 8 times a number x is equal to 3 more than 83.

Choice C is incorrect. This equation represents 8 more than 3 times a number x is equal to 83.

Question Difficulty:

Easy

Question ID 12b04e68

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 12b04e68

A total of **165** people contributed to a charity event as either a donor or a volunteer. **130** people contributed as a donor. How many people contributed as a volunteer?

- A. **35**
- B. **130**
- C. **165**
- D. **330**

ID: 12b04e68 Answer

Correct Answer:

A

Rationale

Choice A is correct. It’s given that a total of **165** people contributed to a charity event as either a donor or a volunteer. It’s also given that **130** people contributed as a donor. It follows that **165 — 130**, or **35**, people contributed as a volunteer.

Choice B is incorrect. This is the number of people who contributed as a donor, not a volunteer.

Choice C is incorrect. This is the total number of people who contributed as either a donor or a volunteer, not the number of people who contributed as a volunteer.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID e7b6f0d1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: e7b6f0d1

$4x + 6 = 18$

Which equation has the same solution as the given equation?

- A. $4x = 108$
- B. $4x = 24$
- C. $4x = 12$
- D. $4x = 3$

ID: e7b6f0d1 Answer

Correct Answer:

C

Rationale

Choice C is correct. Subtracting 6 from both sides of the given equation yields $4x = 12$, which is the equation given in choice C. Since this equation is equivalent to the given equation, it has the same solution as the given equation.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID 8339793c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 8339793c

Nasir bought **9** storage bins that were each the same price. He used a coupon for **\$63** off the entire purchase. The cost for the entire purchase after using the coupon was **\$27**. What was the original price, in dollars, for **1** storage bin?

ID: 8339793c Answer

Correct Answer:

10

Rationale

The correct answer is **10**. It's given that the cost for the entire purchase was **\$27** after a coupon was used for **\$63** off the entire purchase. Adding the amount of the coupon to the purchase price yields $27 + 63 = 90$. Thus, the cost for the entire purchase before using the coupon was **\$90**. It's given that Nasir bought **9** storage bins. The original price for **1** storage bin can be found by dividing the total cost by **9**. Therefore, the original price, in dollars, for **1** storage bin is $\frac{90}{9}$, or **10**.

Question Difficulty:

Easy

Question ID 550b352c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 550b352c

$10 = 2x + 4$

How many solutions exist to the equation shown above?

- A. None
- B. Exactly 1
- C. Exactly 3
- D. Infinitely many

ID: 550b352c Answer

Correct Answer:
B

Rationale

Choice B is correct. Subtracting 4 from each side of the given equation yields $6 = 2x$, or $x = 3$, so the equation has a unique solution of $x = 3$.

Choice A is incorrect. Since 3 is a value of x that satisfies the given equation, the equation has at least 1 solution. Choice C is incorrect. Linear equations can have 0, 1, or infinitely many solutions; no linear equation has exactly 3 solutions. Choice D is incorrect. If a linear equation has infinitely many solutions, it can be reduced to $0 = 0$. This equation reduces to $x = 3$, so there is only 1 solution.

Question Difficulty:
Easy

Question ID 87071893

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 87071893

$x + 40 = 95$

What value of x is the solution to the given equation?

ID: 87071893 Answer

Correct Answer:

55

Rationale

The correct answer is **55**. Subtracting **40** from both sides of the given equation yields $x = 55$. Therefore, the value of x is **55**.

Question Difficulty:

Easy

Question ID b4553284

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: b4553284

If $2x = 12$, what is the value of $9x$?

ID: b4553284 Answer

Correct Answer:
54

Rationale

The correct answer is **54**. Dividing both sides of the given equation by **2** yields $x = 6$. Multiplying both sides of this equation by **9** yields $9x = 54$. Thus, the value of $9x$ is **54**.

Question Difficulty:
Easy

Question ID ed18c4f7

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: ed18c4f7

Cathy has n CDs. Gerry has 3 more than twice the number of CDs that Cathy has. In terms of n , how many CDs does Gerry have?

- A. $3n - 2$
- B. $3n + 2$
- C. $2n - 3$
- D. $2n + 3$

ID: ed18c4f7 Answer

Correct Answer:
D

Rationale

Choice D is correct. The term $2n$ represents twice the number of CDs that Cathy has, and adding 3 represents 3 more than that amount.

Choices A and B are incorrect. The expression $3n$ represents three times the number of CDs that Cathy has. Choice C is incorrect. Subtracting 3 represents 3 fewer than twice the number of CDs that Cathy has.

Question Difficulty:
Easy

Question ID 0d685865

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 0d685865

If $x = 7$, what is the value of $x + 20$?

- A. 13
- B. 20
- C. 27
- D. 34

ID: 0d685865 Answer

Correct Answer:

C

Rationale

Choice C is correct. It's given that $x = 7$. Substituting 7 for x into the given expression $x + 20$ yields $7 + 20$, which is equivalent to 27.

Choice A is incorrect. This is the value of $x + 6$.

Choice B is incorrect. This is the value of $x + 13$.

Choice D is incorrect. This is the value of $x + 27$.

Question Difficulty:

Easy

Question ID 12255364

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 12255364

A gym charges its members a onetime **\$36** enrollment fee and a membership fee of **\$19** per month. If there are no charges other than the enrollment fee and the membership fee, after how many months will a member have been charged a total of **\$188** at the gym?

- A. 4
- B. 5
- C. 8
- D. 10

ID: 12255364 Answer

Correct Answer:
C

Rationale

Choice C is correct. It’s given that a gym charges its members a onetime **\$36** enrollment fee and a membership fee of **\$19** per month. Let x represent the number of months at the gym after which a member will have been charged a total of **\$188**. If there are no charges other than the enrollment fee and the membership fee, the equation $36 + 19x = 188$ can be used to represent this situation. Subtracting **36** from both sides of this equation yields $19x = 152$. Dividing both sides of this equation by **19** yields $x = 8$. Therefore, a member will have been charged a total of **\$188** after **8** months at the gym.

Choice A is incorrect. A member will have been charged a total of $36 + 19 \times 4$, or **\$112**, after **4** months at the gym.

Choice B is incorrect. A member will have been charged a total of $36 + 19 \times 5$, or **\$131**, after **5** months at the gym.

Choice D is incorrect. A member will have been charged a total of $36 + 19 \times 10$, or **\$226**, after **10** months at the gym.

Question Difficulty:
Easy

Question ID b82a943c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: b82a943c

If $7x = 28$, what is the value of $8x$?

- A. 21
- B. 32
- C. 168
- D. 224

ID: b82a943c Answer

Correct Answer:

B

Rationale

Choice B is correct. Dividing both sides of the given equation $7x = 28$ by 7 yields $x = 4$. Substituting 4 for x in the expression $8x$ yields $8(4)$, which is equivalent to 32.

Choice A is incorrect. This is the value of $\frac{21}{4}x$.

Choice C is incorrect. This is the value of $42x$.

Choice D is incorrect. This is the value of $56x$.

Question Difficulty:

Easy

Question ID eac739b2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: eac739b2

If $4x + 2 = 12$, what is the value of $16x + 8$?

- A. 40
- B. 48
- C. 56
- D. 60

ID: eac739b2 Answer

Correct Answer:

B

Rationale

Choice B is correct. Multiplying both sides of the given equation by 4 yields $(4)(4x + 2) = (4)(12)$, or $16x + 8 = 48$. Therefore, the value of $16x + 8$ is 48.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID 2e98b1df

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 2e98b1df

On the first day of a semester, a film club has **90** members. Each day after the first day of the semester, **10** new members join the film club. If no members leave the film club, how many total members will the film club have **4** days after the first day of the semester?

- A. **400**
- B. **130**
- C. **94**
- D. **90**

ID: 2e98b1df Answer

Correct Answer:
B

Rationale

Choice B is correct. It’s given that the film club has **90** members on the first day of a semester, and **10** new members join the film club each day after the first day of the semester. This means that after **4** days, 4×10 , or **40**, new members will have joined the club. Adding **40** members to the original **90** club members yields **130** members. Thus, the film club will have **130** total members **4** days after the first day of the semester.

Choice A is incorrect. This is the number of members that will have joined the film club **4** days after the first day of the semester if **100** new members, not **10**, join the film club each day.

Choice C is incorrect. This is the number of members the film club will have **4** days after the first day of the semester if **1** new member, not **10**, joins the film club each day.

Choice D is incorrect. This is the number of members the film club has on the first day of the semester.

Question Difficulty:
Easy

Question ID d9d83c02

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: d9d83c02

For what value of w does $w - 10 = 2(w + 5)$?

- A. 5
- B. 0
- C. -15
- D. -20

ID: d9d83c02 Answer

Correct Answer:
D

Rationale

Choice D is correct. To solve the equation, use the distributive property to multiply on the right-hand side of the equation which gives $w - 10 = 2w + 10$. Subtract w from both sides of the equation, which gives $-10 = w + 10$. Finally, subtract 10 from both sides of the equation, which gives $-20 = w$.

Choices A and B are incorrect and may result from making sign errors. Choice C is incorrect and may result from incompletely distributing the 2 in the expression $2(w + 5)$.

Question Difficulty:
Easy

Question ID da2e9202

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: da2e9202

$16x + 30 = 190$

Which equation has the same solution as the given equation?

- A. $16x = 30$
- B. $16x = 130$
- C. $16x = 160$
- D. $16x = 190$

ID: da2e9202 Answer

Correct Answer:

C

Rationale

Choice C is correct. It’s given that $16x + 30 = 190$. Subtracting 30 from each side of this equation yields $16x = 160$. Therefore, the equation $16x = 160$ is equivalent to the given equation and has the same solution.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID 3c4ce699

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 3c4ce699

If $6 + x = 9$, what is the value of $18 + 3x$?

ID: 3c4ce699 Answer

Correct Answer:
27

Rationale

The correct answer is **27**. Multiplying both sides of the given equation by **3** yields **$3(6 + x) = 3(9)$** , or **$18 + 3x = 27$** . Therefore, the value of **$18 + 3x$** is **27**.

Question Difficulty:
Easy

Question ID 9fc31513

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 9fc31513

The perimeter of an isosceles triangle is **36** feet. Each of the two congruent sides of the triangle has a length of **10** feet. What is the length, in feet, of the third side?

- A. 10
- B. 12
- C. 16
- D. 18

ID: 9fc31513 Answer

Correct Answer:

C

Rationale

Choice C is correct. It’s given that the perimeter of an isosceles triangle is **36** feet and that each of the two congruent sides has a length of **10** feet. The perimeter of a triangle is the sum of the lengths of its three sides. The equation $10 + 10 + x = 36$ can be used to represent this situation, where x is the length, in feet, of the third side. Combining like terms on the left-hand side of this equation yields $20 + x = 36$. Subtracting **20** from each side of this equation yields $x = 16$. Therefore, the length, in feet, of the third side is **16**.

Choice A is incorrect. This would be the length, in feet, of the third side if the perimeter was **30** feet, not **36** feet.

Choice B is incorrect. This would be the length, in feet, of the third side if the perimeter was **32** feet, not **36** feet.

Choice D is incorrect. This would be the length, in feet, of the third side if the perimeter was **38** feet, not **36** feet.

Question Difficulty:

Easy

Question ID 2e8cc1c0

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 2e8cc1c0

If $4x = 3$, what is the value of $24x$?

- A. $\frac{9}{2}$
- B. 6
- C. 18
- D. 72

ID: 2e8cc1c0 Answer

Correct Answer:

C

Rationale

Choice C is correct. It's given that $4x = 3$. Multiplying each side of this equation by 6 yields $24x = 18$. Therefore, the value of $24x$ is 18.

Choice A is incorrect. This is the value of $6x$, not $24x$.

Choice B is incorrect. This is the value of $8x$, not $24x$.

Choice D is incorrect. This is the value of $96x$, not $24x$.

Question Difficulty:

Easy

Question ID c7d7980e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: c7d7980e

$13x = 112 - x$

What value of x is the solution to the given equation?

ID: c7d7980e Answer

Correct Answer:

8

Rationale

The correct answer is 8. Adding x to both sides of the given equation yields $14x = 112$. Dividing both sides of this equation by 14 yields $x = 8$.

Question Difficulty:

Easy

Question ID 83fb222d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 83fb222d

If $6n = 12$, what is the value of $n + 4$?

ID: 83fb222d Answer

Correct Answer:

6

Rationale

The correct answer is 6. Dividing both sides of the equation $6n = 12$ by 6 yields $n = 2$. Substituting 2 for n in the expression $n + 4$ yields $2 + 4$, or 6.

Question Difficulty:

Easy

Question ID 7a987ae4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 7a987ae4

If $\frac{2n}{5} = 10$, what is the value of $2n - 1$?

- A. 24
- B. 49
- C. 50
- D. 99

ID: 7a987ae4 Answer

Correct Answer:
B

Rationale

Choice B is correct. Multiplying both sides of the given equation by 5 yields $2n = 50$. Substituting 50 for $2n$ in the expression $2n - 1$ yields $50 - 1 = 49$.

Alternate approach: Dividing both sides of $2n = 50$ by 2 yields $n = 25$. Evaluating the expression $2n - 1$ for $n = 25$ yields $2(25) - 1 = 49$.

Choice A is incorrect and may result from finding the value of $n - 1$ instead of $2n - 1$. Choice C is incorrect and may result from finding the value of $2n$ instead of $2n - 1$. Choice D is incorrect and may result from finding the value of $4n - 1$ instead of $2n - 1$.

Question Difficulty:
Easy

Question ID 56e1b09e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 56e1b09e

$2.6 + x = 2.8$

What value of x is the solution to the given equation?

ID: 56e1b09e Answer

Correct Answer:

0.2, 1/5

Rationale

The correct answer is **.2**. Subtracting **2.6** from each side of the given equation yields $x = \mathbf{0.2}$. Therefore, the value of x that's the solution to the given equation is **0.2**. Note that .2 and 1/5 are examples of ways to enter a correct answer.

Question Difficulty:

Easy

Question ID 4f8bd093

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 4f8bd093

What value of x is the solution to the equation $16x + 24 = 24x$?

- A. -4
- B. $\frac{3}{10}$
- C. $\frac{1}{3}$
- D. 3

ID: 4f8bd093 Answer

Correct Answer:

D

Rationale

Choice D is correct. Subtracting $16x$ from both sides of the given equation yields $24 = 8x$. Dividing both sides of this equation by 8 yields $3 = x$. Therefore, the solution to the given equation is 3 .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID 9ff10b3b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 9ff10b3b

If $\frac{1}{2}x - \frac{1}{6}x = 1$, what is the value of x ?

- A. -4
- B. $\frac{1}{3}$
- C. 3
- D. 6

ID: 9ff10b3b Answer

Correct Answer:
C

Rationale

Choice C is correct. To make it easier to add like terms on the left-hand side of the given equation, both sides of the equation can be multiplied by 6, which is the lowest common denominator of $\frac{1}{2}$ and $\frac{1}{6}$. This yields $3x - x = 6$, which can be rewritten as $2x = 6$. Dividing both sides of this equation by 2 yields $x = 3$.

Choice A is incorrect and may result from subtracting the denominators instead of numerators with common denominators to get $-\frac{1}{4}x$, rather than $\frac{1}{3}x$, on the left-hand side of the equation. Choice B is incorrect and may result from rewriting the given equation as $\frac{1}{2}x = \frac{1}{6}$ instead of $2x = 6$. Choice D is incorrect and may result from conceptual or computational errors.

Question Difficulty:
Easy

Question ID 59afe8db

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 59afe8db

$3x + 5(x + 4) = 76$

What value of x is the solution to the given equation?

- A. 7
- B. 8
- C. 56
- D. 72

ID: 59afe8db Answer

Correct Answer:

A

Rationale

Choice A is correct. Applying the distributive property on the left-hand side of the given equation yields $3x + 5x + 20 = 76$, or $8x + 20 = 76$. Subtracting 20 from each side of this equation yields $8x = 56$. Dividing each side of this equation by 8 yields $x = 7$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect. This is the solution to the equation $x + 4 = 76$, not $3x + 5(x + 4) = 76$.

Question Difficulty:

Easy

Question ID 4e77195b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 4e77195b

If $2 + x = 60$, what is the value of $16 + 8x$?

ID: 4e77195b Answer

Correct Answer:
480

Rationale

The correct answer is **480**. Multiplying both sides of the given equation by **8** yields $8(2 + x) = 8(60)$, or $16 + 8x = 480$. Therefore, if $2 + x = 60$, the value of $16 + 8x$ is **480**.

Question Difficulty:
Easy

Question ID 4f7981a0

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 4f7981a0

If $3x + 2 = 8$, what is the value of $9x + 6$?

ID: 4f7981a0 Answer

Rationale

The correct answer is 24. Multiplying both sides of the given equation by 3 yields $3(3x + 2) = 24$. Using the distributive property to rewrite the left-hand side of this equation yields $9x + 6 = 24$.

Question Difficulty:
Easy

Question ID c841e8e8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: c841e8e8

$k + 12 = 336$

What is the solution to the given equation?

- A. 28
- B. 324
- C. 348
- D. 4,032

ID: c841e8e8 Answer

Correct Answer:

B

Rationale

Choice B is correct. Subtracting 12 from both sides of the given equation yields $k = 324$. Therefore, the solution to the given equation is 324.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID fbb0ea7f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: fbb0ea7f

A rocket contained **467,000** kilograms (kg) of propellant before launch. Exactly **21** seconds after launch, **362,105** kg of this propellant remained. On average, approximately how much propellant, in kg, did the rocket burn each second after launch?

- A. **4,995**
- B. **17,243**
- C. **39,481**
- D. **104,895**

ID: fbb0ea7f Answer

Correct Answer:

A

Rationale

Choice A is correct. It’s given that the rocket contained **467,000 kilograms (kg)** of propellant before launch and had **362,105 kg** remaining exactly **21** seconds after launch. Finding the difference between the amount, in **kg**, of propellant before launch and the remaining amount, in **kg**, of propellant after launch gives the amount, in **kg**, of propellant burned during the **21** seconds: **467,000 – 362,105 = 104,895**. Dividing the amount of propellant burned by the number of seconds yields $\frac{104,895}{21} = 4,995$. Thus, an average of **4,995 kg** of propellant burned each second after launch.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from finding the amount of propellant burned, rather than the amount of propellant burned each second.

Question Difficulty:

Easy

Question ID 6fa593f1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 6fa593f1

If $x = 40$, what is the value of $x + 6$?

- A. 34
- B. 40
- C. 46
- D. 64

ID: 6fa593f1 Answer

Correct Answer:

C

Rationale

Choice C is correct. It's given that $x = 40$. Adding 6 to both sides of this equation yields $x + 6 = 40 + 6$, or $x + 6 = 46$. Therefore, the value of $x + 6$ is 46 .

Choice A is incorrect. This is the value of $x - 6$, not $x + 6$.

Choice B is incorrect. This is the value of x , not $x + 6$.

Choice D is incorrect. This is the value of $x + 24$, not $x + 6$.

Question Difficulty:

Easy

Question ID a9c04a21

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: a9c04a21

What is the solution to the equation $2x + 3 = 7$?

- A. 1
- B. 1.5
- C. 2
- D. 4

ID: a9c04a21 Answer

Correct Answer:
C

Rationale

Choice C is correct. Subtracting 3 from both sides of the given equation yields $2x = 4$. Dividing both sides by 2 results in $x = 2$.
Choices A and B are incorrect and may result from computational errors. Choice D is incorrect. This is the value of $2x$.

Question Difficulty:
Easy

Question ID 70774aa4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 70774aa4

If $5x = 20$, what is the value of $15x$?

- A. 7
- B. 12
- C. 23
- D. 60

ID: 70774aa4 Answer

Correct Answer:

D

Rationale

Choice D is correct. It's given that $5x = 20$. Multiplying both sides of this equation by 3 yields $15x = 60$. Therefore, the value of $15x$ is 60 .

Choice A is incorrect and may result from conceptual errors.

Choice B is incorrect and may result from conceptual errors.

Choice C is incorrect and may result from conceptual errors.

Question Difficulty:

Easy

Question ID 49cd76d5

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 49cd76d5

If $8x = 6$, what is the value of $72x$?

- A. 3
- B. 15
- C. 54
- D. 57

ID: 49cd76d5 Answer

Correct Answer:

C

Rationale

Choice C is correct. It's given that $8x = 6$. Multiplying each side of this equation by 9 yields $72x = 54$. Therefore, the value of $72x$ is 54 .

Choice A is incorrect. This is the value of $4x$, not $72x$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID 23758540

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 23758540

What value of p satisfies the equation $2p + 275 = 325$?

- A. 5
- B. 25
- C. 48
- D. 300

ID: 23758540 Answer

Correct Answer:

B

Rationale

Choice B is correct. Subtracting 275 from both sides of the given equation yields $2p = 50$. Dividing both sides of this equation by 2 yields $p = 25$. Therefore, the value of p that satisfies the given equation is 25 .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This is the value of p that satisfies the equation $(2 + p) + 275 = 325$, not $2p + 275 = 325$.

Choice D is incorrect. This is the value of p that satisfies the equation $2p - 275 = 325$, not $2p + 275 = 325$.

Question Difficulty:

Easy

Question ID e53870b6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: e53870b6

$6x + k = 6x + 5$

In the given equation, k is a constant. If the equation has infinitely many solutions, what is the value of k ?

ID: e53870b6 Answer

Rationale

The correct answer is 5. Subtracting $6x$ from both sides of the given equation gives $k = 5$, so for any value of x , $6x + k = 6x + 5$ if and only if $k = 5$. Therefore, if the given equation has infinitely many solutions, the value of k is 5.

Question Difficulty:
Easy

Question ID 56e373b3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 56e373b3

A manager is responsible for ordering supplies for a shaved ice shop. The shop's inventory starts with **4,500** paper cups, and the manager estimates that **70** of these paper cups are used each day. Based on this estimate, in how many days will the supply of paper cups reach **1,700**?

- A. 20
- B. 40
- C. 60
- D. 80

ID: 56e373b3 Answer

Correct Answer:
B

Rationale

Choice B is correct. It's given that the shop's inventory starts with **4,500** paper cups and that the manager estimates that **70** of these paper cups are used each day. Let x represent the number of days in which the estimated supply of paper cups will reach **1,700**. The equation $4,500 - 70x = 1,700$ represents this situation. Subtracting **4,500** from both sides of this equation yields $-70x = -2,800$. Dividing both sides of this equation by -70 yields $x = 40$. Therefore, based on this estimate, the supply of paper cups will reach **1,700** in **40** days.

Choice A is incorrect. After **20** days, the estimated supply of paper cups would be $4,500 - 70(20)$, or **3,100** cups, not **1,700** cups.

Choice C is incorrect. After **60** days, the estimated supply of paper cups would be $4,500 - 70(60)$, or **300** cups, not **1,700** cups.

Choice D is incorrect. After **80** days, the estimated supply of paper cups would be $4,500 - 70(80)$, or $-1,100$ cups, which isn't possible.

Question Difficulty:
Easy

Question ID 46f68129

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: 46f68129

A librarian has 43 books to distribute to a group of children. If he gives each child 2 books, he will have 7 books left over. How many children are in the group?

- A. 15
- B. 18
- C. 25
- D. 29

ID: 46f68129 Answer

Rationale

Choice B is correct. Subtracting the number of books left over from the total number of books results in $43 - 7 = 36$, which is the number of books distributed. Dividing the number of books distributed by the number of books given to each child results in $\frac{36}{2} = 18$.

Choice A is incorrect and results from dividing the total number of books by the number of books given to each child, $\frac{43}{2} \approx 22$, then subtracting the number of books left over from the result, $22 - 7 = 15$. Choice C is incorrect and results from adding the number of books left over to the total number of books, $43 + 7 = 50$, then dividing the result by the number of books given to each child, $\frac{50}{2} = 25$. Choice D is incorrect and results from dividing the total number of books by the number of books given to each child, $\frac{43}{2} \approx 22$, then adding the number of books left over, $22 + 7 = 29$.

Question Difficulty:
Easy

Question ID c3989ef8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	

ID: c3989ef8

Henry receives a **\$60.00** gift card to pay for movies online. He uses his gift card to buy **3** movies for **\$7.50** each. If he spends the rest of his gift card balance on renting movies for **\$1.50** each, how many movies can Henry rent?

- A. 10
- B. 25
- C. 35
- D. 40

ID: c3989ef8 Answer

Correct Answer:

B

Rationale

Choice B is correct. It's given that Henry uses his **\$60.00** gift card to buy **3** movies for **\$7.50** each. Therefore, Henry spends **3(\$7.50)**, or **\$22.50**, of his **\$60.00** gift card to buy **3** movies. After buying **3** movies with his **\$60.00** gift card, Henry has a gift card balance of **\$60.00 — \$22.50**, or **\$37.50**. It's also given that Henry spends the rest of his gift card balance on renting movies for **\$1.50** each. Therefore, Henry can rent $\frac{\$37.50}{\$1.50}$, or **25**, movies.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy