

Question ID 4e527894

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 4e527894

There are **20** buttons in a bag: **8** white buttons, **2** orange buttons, and **10** brown buttons. If one of these buttons is selected at random, what is the probability of selecting a white button?

- A. $\frac{2}{20}$
- B. $\frac{8}{20}$
- C. $\frac{10}{20}$
- D. $\frac{12}{20}$

ID: 4e527894 Answer

Correct Answer:
B

Rationale

Choice B is correct. It’s given that there are **20** buttons in a bag and **8** of the buttons are white. If one button from the bag is selected at random, the probability of selecting a white button is the number of white buttons in the bag divided by the total number of buttons in the bag. Therefore, if one button from the bag is selected at random, the probability of selecting a white button is $\frac{8}{20}$.

Choice A is incorrect. This is the probability of selecting an orange button from the bag.

Choice C is incorrect. This is the probability of selecting a brown button from the bag.

Choice D is incorrect. This is the probability of selecting a button that isn't white from the bag.

Question Difficulty:
Easy

Question ID 0a99e5bb

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 0a99e5bb

−13, 4, 23

A data set of three numbers is shown. If a number from this data set is selected at random, what is the probability of selecting a negative number?

- A. 0
- B. $\frac{1}{3}$
- C. $\frac{2}{3}$
- D. 1

ID: 0a99e5bb Answer

Correct Answer:
B

Rationale

Choice B is correct. If a number from the data set is selected at random, the probability of selecting a negative number is the count of negative numbers in the data set divided by the total count of numbers in the data set. It's given that a data set of three numbers is shown. It follows that the total count of numbers in the data set is **3**. In the data set shown, **−13** is the only negative number. It follows that the count of negative numbers in the data set is **1**. Therefore, if a number from the data set is selected at random, the probability of selecting a negative number is $\frac{1}{3}$.

Choice A is incorrect. This is the probability of selecting a negative number from a data set that doesn't contain any negative numbers.

Choice C is incorrect. This is the probability of selecting a positive number, not a negative number, from the data set.

Choice D is incorrect. This is the probability of selecting a negative number from a data set that contains only negative numbers.

Question Difficulty:
Easy

Question ID c943acba

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: c943acba

On a street with **7** houses, **2** houses are blue. If a house from this street is selected at random, what is the probability of selecting a house that is blue?

- A. $\frac{1}{7}$
- B. $\frac{2}{7}$
- C. $\frac{5}{7}$
- D. $\frac{7}{7}$

ID: c943acba Answer

Correct Answer:

B

Rationale

Choice B is correct. If a house from the street is selected at random, the probability of selecting a house that is blue is equal to the number of houses on the street that are blue divided by the total number of houses on the street. Since there are **2** blue houses on a street with **7** total houses, the probability of selecting a house that is blue from this street is $\frac{2}{7}$.

Choice A is incorrect. This is the probability of selecting a house that is blue from a street on which **1** of the **7** houses is blue.

Choice C is incorrect. This is the probability of selecting a house that is not blue from this street.

Choice D is incorrect. This is the probability of selecting a house that is blue from a street on which all the houses are blue.

Question Difficulty:

Easy

Question ID 1dcea480

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 1dcea480

A bag contains a total of 60 marbles. A marble is to be chosen at random from the bag. If the probability that a blue marble will be chosen is 0.35, how many marbles in the bag are blue?

- A. 21
- B. 25
- C. 35
- D. 39

ID: 1dcea480 Answer

Rationale

Choice A is correct. Multiplying the number of marbles in the bag by the probability of selecting a blue marble gives the number of blue marbles in the bag. Since the bag contains a total of 60 marbles and the probability that a blue marble will be selected from the bag is 0.35, there are a total of $(0.35)(60) = 21$ blue marbles in the bag.

Choice B is incorrect and may result from subtracting 35 from 60. Choice C is incorrect. This would be the number of blue marbles in the bag if there were a total of 100 marbles, not 60 marbles. Choice D is incorrect. This is the number of marbles in the bag that aren't blue.

Question Difficulty:
Easy

Question ID b8150b17

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: b8150b17

For a particular machine that produces beads, **29** out of every **100** beads it produces have a defect. A bead produced by the machine will be selected at random. What is the probability of selecting a bead that has a defect?

- A. $\frac{1}{2,900}$
- B. $\frac{1}{29}$
- C. $\frac{29}{100}$
- D. $\frac{29}{10}$

ID: b8150b17 Answer

Correct Answer:

C

Rationale

Choice C is correct. It's given that **29** out of every **100** beads that the machine produces have a defect. It follows that if the machine produces k beads, then the number of beads that have a defect is $\frac{29}{100}k$, for some constant k . If a bead produced by the machine will be selected at random, the probability of selecting a bead that has a defect is given by the number of beads with a defect, $\frac{29}{100}k$, divided by the number of beads produced by the machine, k . Therefore, the probability of selecting a bead that has a defect is $\frac{\frac{29}{100}k}{k}$, or $\frac{29}{100}$.

Choice A is incorrect and may result from conceptual or computational errors.

Choice B is incorrect and may result from conceptual or computational errors.

Choice D is incorrect and may result from conceptual or computational errors.

Question Difficulty:

Easy

Question ID 1b8e412e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 1b8e412e

$-11, -9, 26$

A data set of three numbers is shown. If a number from this data set is selected at random, what is the probability of selecting a positive number?

- A. 0
- B. $\frac{1}{3}$
- C. $\frac{2}{3}$
- D. 1

ID: 1b8e412e Answer

Correct Answer:
B

Rationale

Choice B is correct. The probability of selecting a positive number is the number of positive numbers in the data set divided by the total number of numbers in the data set. There is **1** positive number in this data set. There are **3** total numbers in this data set. Thus, if a number from this data set is selected at random, the probability of selecting a positive number is $\frac{1}{3}$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This is the probability of selecting a negative number from this data set.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:
Easy

Question ID dae79de4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: dae79de4

	1 visit	2 or more visits	Total
Less than 40 years old	15	15	30
At least 40 years old	20	85	105
Total	35	100	135

The table summarizes customers who visited a car dealership in the last month by age and number of visits they made to the dealership. If a customer from the last month is selected at random, what is the probability that the selected customer is at least 40 years old?

- A. $\frac{30}{135}$
- B. $\frac{35}{135}$
- C. $\frac{100}{135}$
- D. $\frac{105}{135}$

ID: dae79de4 Answer

Correct Answer:
D

Rationale

Choice D is correct. Based on the table, there are a total of **135** customers who visited the car dealership in the last month, and **105** of these customers are at least **40** years old. If a customer from the last month is selected at random, the probability that the selected customer is at least **40** years old is equal to the number of customers who are at least **40** years old divided by the total number of customers. Therefore, the probability that the selected customer is at least **40** years old is $\frac{105}{135}$.

Choice A is incorrect. This is the probability that the selected customer is less than **40** years old.

Choice B is incorrect. This is the probability that the selected customer visited the dealership **1** time in the last month.

Choice C is incorrect. This is the probability that the selected customer visited the dealership **2** or more times in the last month.

Question Difficulty:
Easy

Question ID a478f9f5

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: a478f9f5

Each of **157** gemstones can be classified as one of three classifications, as shown in the frequency table.

Classification	Frequency
color X	119
color Y	3
color Z	35

If one of the gemstones is selected at random, what is the probability of selecting a gemstone of color Y?

- A. $\frac{3}{157}$
- B. $\frac{35}{157}$
- C. $\frac{119}{157}$
- D. $\frac{154}{157}$

ID: a478f9f5 Answer

Correct Answer:

A

Rationale

Choice A is correct. If one of the gemstones is selected at random, the probability of selecting a gemstone of color Y is equal to the number of gemstones of color Y divided by the total number of gemstones. According to the table, there are **3** gemstones of color Y, and it's given that the total number of gemstones is **157**. Therefore, if one of the gemstones is selected at random, the probability of selecting a gemstone of color Y is $\frac{3}{157}$.

Choice B is incorrect. This is the probability of selecting a gemstone of color Z.

Choice C is incorrect. This is the probability of selecting a gemstone of color X.

Choice D is incorrect. This is the probability of selecting a gemstone that's not of color Y.

Question Difficulty:

Easy

Question ID 2a08d878

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 2a08d878

There are n nonfiction books and 12 fiction books on a bookshelf. If one of these books is selected at random, what is the probability of selecting a nonfiction book, in terms of n ?

- A. $\frac{n}{12}$
- B. $\frac{n}{n+12}$
- C. $\frac{12}{n}$
- D. $\frac{12}{n+12}$

ID: 2a08d878 Answer

Correct Answer:
B

Rationale

Choice B is correct. Since there are n nonfiction and 12 fiction books on the bookshelf, $n+12$ represents the total number of books. If one of these books is selected at random, the probability of selecting a nonfiction book is equivalent to the number of nonfiction books divided by the total number of books. Therefore, the probability of selecting a nonfiction book, in terms of n , is $\frac{n}{n+12}$.

Choice A is incorrect. This expression represents the number of nonfiction books divided by the number of fiction books. Choice C is incorrect. This expression represents the number of fiction books divided by the number of nonfiction books. Choice D is incorrect. This expression represents the probability of selecting a fiction book.

Question Difficulty:
Easy

Question ID 12dbe3de

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 12dbe3de

A store received a shipment of 1,000 MP3 players, 4 of which were defective. If an MP3 player is randomly selected from this shipment, what is the probability that it is defective?

- A. 0.004
- B. 0.04
- C. 0.4
- D. 4

ID: 12dbe3de Answer

Correct Answer:
A

Rationale

Choice A is correct. The probability of randomly selecting a defective MP3 player from the shipment is equal to the number of defective MP3 players divided by the total number of MP3 players in the shipment. Therefore, the probability is $\frac{4}{1,000}$, which is equivalent to 0.004.

Choice B is incorrect because 0.04 represents 4 defective MP3 players out of 100 rather than out of 1,000. Choice C is incorrect because 0.4 represents 4 defective MP3 players out of 10 rather than out of 1,000. Choice D is incorrect. This is the number of defective MP3 players in the shipment.

Question Difficulty:
Easy

Question ID 79201024

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 79201024

A band with **45** members has **11** members who play saxophone. If one band member is selected at random, what is the probability of selecting a band member who plays saxophone?

- A. $\frac{1}{45}$
- B. $\frac{11}{45}$
- C. $\frac{34}{45}$
- D. $\frac{45}{45}$

ID: 79201024 Answer

Correct Answer:

B

Rationale

Choice B is correct. The probability of an event occurring is the ratio of the number of favorable outcomes to the total number of possible outcomes. It's given that there are **45** band members, which is the total number of possible outcomes. It's also given that there are **11** band members who play saxophone. Therefore, the number of favorable outcomes is **11**. Thus, the probability of selecting a band member who plays saxophone is $\frac{11}{45}$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This is the probability of selecting a band member who does not play saxophone.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Easy

Question ID ec7b0eb8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: ec7b0eb8

Texting behavior	Talks on cell phone daily	Does not talk on cell phone daily	Total
Light	110	146	256
Medium	139	164	303
Heavy	166	74	240
Total	415	384	799

In a study of cell phone use, 799 randomly selected US teens were asked how often they talked on a cell phone and about their texting behavior. The data are summarized in the table above. If one of the 799 teens surveyed is selected at random, what is the probability that the teen talks on a cell phone daily?

- A. $\frac{1}{799}$
- B. $\frac{415}{799}$
- C. $\frac{384}{415}$
- D. $\frac{384}{799}$

ID: ec7b0eb8 Answer

Correct Answer:
B

Rationale

Choice B is correct. If one of the teens surveyed is selected at random, the probability that the teen talks on a cell phone daily is equal to the quotient of the total number of teens who reported that they talk on a cell phone daily, 415, and the total number of teens surveyed, 799. Therefore, this probability is equal to $\frac{415}{799}$.

Choice A is incorrect. This fraction represents the probability of selecting at random any one of the 799 teens surveyed. Choice C is incorrect and may result from conceptual errors. Choice D is incorrect. This fraction represents the probability of selecting at

random one of the 799 teens surveyed who doesn't talk on a cell phone daily.

Question Difficulty:

Easy

Question ID 2905ded0

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 2905ded0

	Live east of the river	Live west of the river	Total
Less than 40 years old	17	11	28
At least 40 years old	18	89	107
Total	35	100	135

The table summarizes members of a local organization by age and whether they live east or west of the river. If a member of the organization is selected at random, what is the probability that the selected member is at least **40** years old?

- A. $\frac{28}{135}$
- B. $\frac{35}{135}$
- C. $\frac{100}{135}$
- D. $\frac{107}{135}$

ID: 2905ded0 Answer

Correct Answer:
D

Rationale

Choice D is correct. If a member of the organization is selected at random, the probability that the selected member is at least **40** years old is equal to the number of members who are at least **40** years old divided by the total number of members. According to the table, there are a total of **135** members of the organization, and **107** of these members are at least **40** years old. Therefore, the probability that the selected member is at least **40** years old is $\frac{107}{135}$.

Choice A is incorrect. This is the probability that the selected member is less than **40** years old.

Choice B is incorrect. This is the probability that the selected member lives east of the river.

Choice C is incorrect. This is the probability that the selected member lives west of the river.

Question Difficulty:
Easy

Question ID e5b5fbdd

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: e5b5fbdd

Of the 8 planets in our solar system, 4 are considered rocky. If a student randomly selects 1 of those 8 planets as a topic for a report, what is the probability that the selected planet will be rocky?

- A. $\frac{1}{8}$
- B. $\frac{1}{4}$
- C. $\frac{1}{2}$
- D. 2

ID: e5b5fbdd Answer

Correct Answer:
C

Rationale

Choice C is correct. If one of these planets is selected at random, the probability that the selected planet will be rocky is calculated by dividing the number of planets that are considered rocky by the total number of planets. It's given that 4 of the 8 total planets are considered rocky. Therefore, the probability that the selected planet will be rocky is $\frac{4}{8}$, which is equivalent to $\frac{1}{2}$.

Choices A and B are incorrect. These represent the probability if 1 of the 8 planets was considered rocky (choice A) and if 2 of the 8 planets were considered rocky (choice B). Choice D is incorrect and may result from dividing the total number of planets by the number of planets that are considered rocky.

Question Difficulty:
Easy

Question ID 60caadfd

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 60caadfd

Each rock in a collection of **70** rocks was classified as either igneous, metamorphic, or sedimentary, as shown in the frequency table.

Classification	Frequency
igneous	10
metamorphic	33
sedimentary	27

If one of these rocks is selected at random, what is the probability of selecting a rock that is igneous?

- A. $\frac{10}{27}$
- B. $\frac{10}{33}$
- C. $\frac{10}{60}$
- D. $\frac{10}{70}$

ID: 60caadfd Answer

Correct Answer:

D

Rationale

Choice D is correct. If one of the rocks in the collection is selected at random, the probability of selecting a rock that is igneous is equal to the number of igneous rocks in the collection divided by the total number of rocks in the collection. According to the table, there are **10** igneous rocks in the collection, and it's given that there's a total of **70** rocks in the collection. Therefore, if one of the rocks in the collection is selected at random, the probability of selecting a rock that is igneous is $\frac{10}{70}$.

Choice A is incorrect. This is the number of igneous rocks in the collection divided by the number of sedimentary rocks in the collection, not divided by the total number of rocks in the collection.

Choice B is incorrect. This is the number of igneous rocks in the collection divided by the number of metamorphic rocks in the collection, not divided by the total number of rocks in the collection.

Choice C is incorrect. This is the number of igneous rocks in the collection divided by the number of rocks in the collection that aren't igneous, not divided by the total number of rocks in the collection.

Question Difficulty:

Easy

Question ID 47624288

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 47624288

The table gives the distribution of votes for a new school mascot and grade level for 80 students.

Mascot	Grade level			
	Sixth	Seventh	Eighth	Total
Badger	4	9	9	22
Lion	9	2	9	20
Longhorn	4	6	4	14
Tiger	6	9	9	24
Total	23	26	31	80

If one of these students is selected at random, what is the probability of selecting a student whose vote for new mascot was for a lion?

- A. $\frac{1}{9}$
- B. $\frac{1}{5}$
- C. $\frac{1}{4}$
- D. $\frac{2}{3}$

ID: 47624288 Answer

Correct Answer:

C

Rationale

Choice C is correct. If one of these students is selected at random, the probability of selecting a student whose vote for the new mascot was for a lion is given by the number of votes for a lion divided by the total number of votes. The given table indicates that the number of votes for a lion is 20 votes, and the total number of votes is 80 votes. The table gives the distribution of votes for 80 students, and the table shows a total of 80 votes were counted. It follows that each of the 80 students voted exactly once. Thus, the probability of selecting a student whose vote for the new mascot was for a lion is $\frac{20}{80}$, or $\frac{1}{4}$.

Choice A is incorrect and may result from conceptual or computational errors.

Choice B is incorrect and may result from conceptual or computational errors.

Choice D is incorrect and may result from conceptual or computational errors.

Question Difficulty:

Question ID b680e76d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: b680e76d

A survey taken by 1,000 students at a school asked whether they played school sports. The table below summarizes all 1,000 responses from the students surveyed.

	Males	Females
Play a school sport	312	220
Do not play a school sport	?	216

How many of the males surveyed responded that they do not play a school sport?

- A. 109
- B. 252
- C. 468
- D. 688

ID: b680e76d Answer

Correct Answer:

B

Rationale

Choice B is correct. The table summarizes all 1,000 responses from the students surveyed. If 312 are males who play a sport, 220 are females who play a sport, and 216 are females who do not play a sport, then $1,000 - 312 - 220 - 216 = 252$ males who do not play a sport.

Choices A, C, and D are incorrect. If 109 males who do not play a sport responded, then the table summary would be $109 + 312 + 220 + 216 = 857$ total student responses rather than 1,000. If 468 males who do not play a sport responded, then the table summary would be $468 + 312 + 220 + 216 = 1,216$ total student responses rather than 1,000. If 688 males who do not play a sport responded, then the table summary would be $688 + 312 + 220 + 216 = 1,436$ total student responses rather than 1,000.

Question Difficulty:

Easy

Question ID 16cea46c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 16cea46c

Voice type	Number of singers
Countertenor	4
Tenor	6
Baritone	10
Bass	5

A total of 25 men registered for singing lessons. The frequency table shows how many of these singers have certain voice types. If one of these singers is selected at random, what is the probability he is a baritone?

- A. 0.10
- B. 0.40
- C. 0.60
- D. 0.67

ID: 16cea46c Answer

Correct Answer:
B

Rationale

Choice B is correct. This probability is calculated by dividing the number of baritone singers by the total number of men registered for singing lessons. It's given that a total of 25 men registered for singing lessons and that there are 10 baritones. Therefore, the probability of selecting a baritone from this group at random is $\frac{10}{25}$, which is equivalent to 0.40.

Choice A is incorrect. This would be the probability of selecting a baritone at random if there were 100 total men who registered for singing lessons. Choice C is incorrect. This is the probability of selecting a singer at random who isn't a baritone. Choice D is incorrect. This would be the probability of selecting a baritone at random if there were 15 total men registered for singing lessons.

Question Difficulty:
Easy

Question ID 46545dd6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 46545dd6

Number of High School Students Who Completed Summer Internships

High school	Year				
	2008	2009	2010	2011	2012
Foothill	87	80	75	76	70
Valley	44	54	65	76	82
Total	131	134	140	152	152

The table above shows the number of students from two different high schools who completed summer internships in each of five years. No student attended both schools. Of the students who completed a summer internship in 2010, which of the following represents the fraction of students who were from Valley High School?

- A. $\frac{10}{140}$
- B. $\frac{65}{140}$
- C. $\frac{75}{140}$
- D. $\frac{65}{75}$

ID: 46545dd6 Answer

Correct Answer:
B

Rationale

Choice B is correct. According to the table, 140 students from the two high schools completed summer internships in 2010. Of these, 65 were from Valley High School. Therefore, of the students who completed summer internships in 2010, $\frac{65}{140}$ represents the fraction who were from Valley High School.

Choice A is incorrect. This is the difference between the numbers of students from the two high schools who completed internships in 2010 divided by the total number of students from the two schools who completed internships that year. Choice C is

incorrect. This is the fraction of students from Foothill High School who completed internships out of all the students who completed internships in 2010. Choice D is incorrect. This is the number of students from Valley High School who completed internships in 2010 divided by the number of students from Foothill High School who completed internships in 2010.

Question Difficulty:

Easy

Question ID d89c1513

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: d89c1513

Customer Purchases at a Gas Station

	Beverage purchased	Beverage not purchased	Total
Gasoline purchased	60	25	85
Gasoline not purchased	35	15	50
Total	90	40	135

On Tuesday, a local gas station had 135 customers. The table above summarizes whether or not the customers on Tuesday purchased gasoline, a beverage, both, or neither. Based on the data in the table, what is the probability that a gas station customer selected at random on that day did not purchase gasoline?

- A. $\frac{15}{50}$
- B. $\frac{15}{40}$
- C. $\frac{35}{50}$
- D. $\frac{50}{135}$

ID: d89c1513 Answer

Correct Answer:
D

Rationale

Choice D is correct. The total number of gas station customers on Tuesday was 135. The table shows that the number of customers who did not purchase gasoline was 50. Finding the ratio of the number of customers who did not purchase gasoline to the total number of customers gives the probability that a customer selected at random on that day did not purchase gasoline, $\frac{50}{135}$, which is $\frac{50}{135}$.

Choice A is incorrect and may result from finding the probability that a customer did not purchase a beverage, given that the customer did not purchase gasoline. Choice B is incorrect and may result from finding the probability that a customer did not

purchase gasoline, given that the customer did not purchase a beverage. Choice C is incorrect and may result from finding the probability that a customer did purchase a beverage, given that the customer did not purchase gasoline.

Question Difficulty:

Easy

Question ID 1353b86e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 1353b86e

Colors of
Marbles in a
Bag

Color	Number
Red	8
Blue	10
Green	22
Total	40

The table shows the number of different colors of marbles in a bag. If a marble is chosen at random from the bag, what is the probability that the marble will be blue?

- A. $\frac{30}{40}$
- B. $\frac{22}{40}$
- C. $\frac{18}{40}$
- D. $\frac{10}{40}$

ID: 1353b86e Answer

Correct Answer:
D

Rationale

Choice D is correct. If a marble is chosen at random from the bag, the probability of choosing a marble of a certain color is the number of marbles of that color divided by the total number of marbles in the bag. Since there are 10 blue marbles in the bag, and there are 40 total marbles in the bag, the probability that the marble chosen will be blue is $\frac{10}{40}$.

Choices A, B, and C are incorrect. These represent the probability that the marble chosen won't be blue (choice A), will be green (choice B), and won't be green (choice C).

Question Difficulty:
Easy

Question ID eccbf957

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: eccbf957

Each face of a fair **14**-sided die is labeled with a number from **1** through **14**, with a different number appearing on each face. If the die is rolled one time, what is the probability of rolling a **2**?

- A. $\frac{1}{14}$
- B. $\frac{2}{14}$
- C. $\frac{12}{14}$
- D. $\frac{13}{14}$

ID: eccbf957 Answer

Correct Answer:

A

Rationale

Choice A is correct. The total number of possible outcomes for rolling a fair **14**-sided die is **14**. The number of possible outcomes for rolling a **2** is **1**. The probability of rolling a **2** is the number of possible outcomes for rolling a **2** divided by the total number of possible outcomes, or $\frac{1}{14}$.

Choice B is incorrect. This is the probability of rolling a number no greater than **2**.

Choice C is incorrect. This is the probability of rolling a number greater than **2**.

Choice D is incorrect. This is the probability of rolling a number other than **2**.

Question Difficulty:

Easy