

Question ID 3008cfc3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 3008cfc3

x	y
k	13
$k + 7$	-15

The table gives the coordinates of two points on a line in the xy -plane. The y -intercept of the line is $(k - 5, b)$, where k and b are constants. What is the value of b ?

ID: 3008cfc3 Answer

Correct Answer:

33

Rationale

The correct answer is **33**. It's given in the table that the coordinates of two points on a line in the xy -plane are $(k, 13)$ and $(k + 7, -15)$. The y -intercept is another point on the line. The slope computed using any pair of points from the line will be the same. The slope of a line, m , between any two points, (x_1, y_1) and (x_2, y_2) , on the line can be calculated using the slope formula, $m = \frac{(y_2 - y_1)}{(x_2 - x_1)}$. It follows that the slope of the line with the given points from the table, $(k, 13)$ and $(k + 7, -15)$, is $m = \frac{-15 - 13}{k + 7 - k}$, which is equivalent to $m = \frac{-28}{7}$, or $m = -4$. It's given that the y -intercept of the line is $(k - 5, b)$. Substituting -4 for m and the coordinates of the points $(k - 5, b)$ and $(k, 13)$ into the slope formula yields $-4 = \frac{13 - b}{k - (k - 5)}$, which is equivalent to $-4 = \frac{13 - b}{k - k + 5}$, or $-4 = \frac{13 - b}{5}$. Multiplying both sides of this equation by **5** yields $-20 = 13 - b$. Subtracting **13** from both sides of this equation yields $-33 = -b$. Dividing both sides of this equation by -1 yields $b = 33$. Therefore, the value of b is **33**.

Question Difficulty:

Hard

Question ID 3cdbf026

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 3cdbf026

The graph of the equation $ax + ky = 6$ is a line in the xy -plane, where a and k are constants. If the line contains the points $(-2, -6)$ and $(0, -3)$, what is the value of k ?

- A. -2
- B. -1
- C. 2
- D. 3

ID: 3cdbf026 Answer

Correct Answer:
A

Rationale

Choice A is correct. The value of k can be found using the slope-intercept form of a linear equation, $y = mx + b$, where m is the slope and b is the y -coordinate of the y -intercept. The equation $ax + ky = 6$ can be rewritten in the form $y = -\frac{ax}{k} + \frac{6}{k}$. One of the given points, $(0, -3)$, is the y -intercept. Thus, the y -coordinate of the y -intercept -3 must be equal to $\frac{6}{k}$. Multiplying both sides by k gives $-3k = 6$. Dividing both sides by -3 gives $k = -2$.

Choices B, C, and D are incorrect and may result from errors made rewriting the given equation.

Question Difficulty:
Hard

Question ID 00723d16

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 00723d16

Line ℓ is defined by $3y + 12x = 5$. Line n is perpendicular to line ℓ in the xy -plane. What is the slope of line n ?

ID: 00723d16 Answer

Correct Answer:

0.25, 1/4

Rationale

The correct answer is $\frac{1}{4}$. For an equation in slope-intercept form $y = mx + b$, m represents the slope of the line in the xy -plane defined by this equation. It's given that line ℓ is defined by $3y + 12x = 5$. Subtracting $12x$ from both sides of this equation yields $3y = -12x + 5$. Dividing both sides of this equation by 3 yields $y = -\frac{12}{3}x + \frac{5}{3}$, or $y = -4x + \frac{5}{3}$. Thus, the slope of line ℓ in the xy -plane is -4 . Since line n is perpendicular to line ℓ in the xy -plane, the slope of line n is the negative reciprocal of the slope of line ℓ . The negative reciprocal of -4 is $-\frac{1}{(-4)} = \frac{1}{4}$. Note that 1/4 and .25 are examples of ways to enter a correct answer.

Question Difficulty:

Hard

Question ID 9bbce683

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 9bbce683

x	y
18	130
23	160
26	178

For line h , the table shows three values of x and their corresponding values of y . Line k is the result of translating line h down 5 units in the xy -plane. What is the x -intercept of line k ?

- A. $(-\frac{26}{3}, 0)$
- B. $(-\frac{9}{2}, 0)$
- C. $(-\frac{11}{3}, 0)$
- D. $(-\frac{17}{6}, 0)$

ID: 9bbce683 Answer

Correct Answer:
D

Rationale

Choice D is correct. The equation of line h can be written in slope-intercept form $y = mx + b$, where m is the slope of the line and $(0, b)$ is the y -intercept of the line. It's given that line h contains the points $(18, 130)$, $(23, 160)$, and $(26, 178)$. Therefore, its slope m can be found as $\frac{160-130}{23-18}$, or 6. Substituting 6 for m in the equation $y = mx + b$ yields $y = 6x + b$. Substituting 130 for y and 18 for x in this equation yields $130 = 6(18) + b$, or $130 = 108 + b$. Subtracting 108 from both sides of this equation yields $22 = b$. Substituting 22 for b in $y = 6x + b$ yields $y = 6x + 22$. Since line k is the result of translating line h down 5 units, an equation of line k is $y = 6x + 22 - 5$, or $y = 6x + 17$. Substituting 0 for y in this equation yields $0 = 6x + 17$. Solving this equation for x yields $x = -\frac{17}{6}$. Therefore, the x -intercept of line k is $(-\frac{17}{6}, 0)$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty:
Hard

Question ID 686b7244

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 686b7244

A certain apprentice has enrolled in **85** hours of training courses. The equation **$10x + 15y = 85$** represents this situation, where **x** is the number of on-site training courses and **y** is the number of online training courses this apprentice has enrolled in. How many more hours does each online training course take than each on-site training course?

ID: 686b7244 Answer

Correct Answer:
5

Rationale

The correct answer is **5**. It's given that the equation **$10x + 15y = 85$** represents the situation, where **x** is the number of on-site training courses, **y** is the number of online training courses, and **85** is the total number of hours of training courses the apprentice has enrolled in. Therefore, **$10x$** represents the number of hours the apprentice has enrolled in on-site training courses, and **$15y$** represents the number of hours the apprentice has enrolled in online training courses. Since **x** is the number of on-site training courses and **y** is the number of online training courses the apprentice has enrolled in, **10** is the number of hours each on-site course takes and **15** is the number of hours each online course takes. Subtracting these numbers gives **$15 - 10$** , or **5** more hours each online training course takes than each on-site training course.

Question Difficulty:
Hard

Question ID db422e7f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: db422e7f

Line p is defined by $4y + 8x = 6$. Line r is perpendicular to line p in the xy -plane. What is the slope of line r ?

ID: db422e7f Answer

Correct Answer:

.5, 1/2

Rationale

The correct answer is $\frac{1}{2}$. For an equation in slope-intercept form $y = mx + b$, m represents the slope of the line in the xy -plane defined by this equation. It's given that line p is defined by $4y + 8x = 6$. Subtracting $8x$ from both sides of this equation yields $4y = -8x + 6$. Dividing both sides of this equation by 4 yields $y = -\frac{8}{4}x + \frac{6}{4}$, or $y = -2x + \frac{3}{2}$. Thus, the slope of line p is -2 . If line r is perpendicular to line p , then the slope of line r is the negative reciprocal of the slope of line p . The negative reciprocal of -2 is $-\frac{1}{(-2)} = \frac{1}{2}$. Note that 1/2 and .5 are examples of ways to enter a correct answer.

Question Difficulty:

Hard

Question ID fdee0fbf

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: fdee0fbf

In the xy -plane, line k intersects the y -axis at the point $(0, -6)$ and passes through the point $(2, 2)$. If the point $(20, w)$ lies on line k , what is the value of w ?

ID: fdee0fbf Answer

Rationale

The correct answer is 74. The y -intercept of a line in the xy -plane is the ordered pair (x,y) of the point of intersection of the line with the y -axis. Since line k intersects the y -axis at the point $(0, -6)$, it follows that $(0, -6)$ is the y -intercept of this line. An equation of any line in the xy -plane can be written in the form $y = mx + b$, where m is the slope of the line and b is the y -coordinate of the y -intercept. Therefore, the equation of line k can be written as $y = mx + (-6)$, or $y = mx - 6$. The value of m can be found by substituting the x - and y -coordinates from a point on the line, such as $(2,2)$, for x and y , respectively. This results in $2 = 2m - 6$. Solving this equation for m gives $m = 4$. Therefore, an equation of line k is $y = 4x - 6$. The value of w can be found by substituting the x -coordinate, 20, for x in the equation of line k and solving this equation for y . This gives $y = 4(20) - 6$, or $y = 74$. Since w is the y -coordinate of this point, $w = 74$.

Question Difficulty:
Hard

Question ID d0e614a6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: d0e614a6

$\frac{3}{5}x + \frac{3}{4}y = 7$

Which table gives three values of x and their corresponding values of y for the given equation?

A.

x	y
1	$\frac{113}{20}$
2	$\frac{101}{20}$
4	$\frac{77}{20}$

B.

x	y
1	$\frac{47}{5}$
2	$\frac{44}{5}$
4	$\frac{38}{5}$

C.

x	y
1	$\frac{148}{15}$
2	$\frac{136}{15}$
4	$\frac{112}{15}$

D.

x	y
1	$\frac{128}{15}$
2	$\frac{116}{15}$
4	$\frac{92}{15}$

ID: d0e614a6 Answer

Correct Answer:
D

Rationale

Choice D is correct. Each of the tables gives the same three values of x : **1**, **2**, and **4**. Substituting **1** for x in the given equation yields $\left(\frac{3}{5}\right)(1) + \frac{3}{4}y = 7$, or $\frac{3}{5} + \frac{3}{4}y = \frac{35}{5}$. Subtracting $\frac{3}{5}$ from both sides of this equation yields $\frac{3}{4}y = \frac{32}{5}$. Multiplying both sides of this equation by $\frac{4}{3}$ yields $y = \frac{128}{15}$. Therefore, when $x = 1$, the corresponding value of y for the given equation is $\frac{128}{15}$. Substituting **2** for x in the given equation yields $\left(\frac{3}{5}\right)(2) + \frac{3}{4}y = 7$, or $\frac{6}{5} + \frac{3}{4}y = \frac{35}{5}$. Subtracting $\frac{6}{5}$ from both sides of this equation yields $\frac{3}{4}y = \frac{29}{5}$. Multiplying both sides of this equation by $\frac{4}{3}$ yields $y = \frac{116}{15}$. Therefore, when $x = 2$, the corresponding

value of y for the given equation is $\frac{116}{15}$. Substituting 4 for x in the given equation yields $\left(\frac{3}{5}\right)(4) + \frac{3}{4}y = 7$, or $\frac{12}{5} + \frac{3}{4}y = \frac{35}{5}$. Subtracting $\frac{12}{5}$ from both sides of this equation yields $\frac{3}{4}y = \frac{23}{5}$. Multiplying both sides of this equation by $\frac{4}{3}$ yields $y = \frac{92}{15}$. Therefore, when $x = 4$, the corresponding value of y for the given equation is $\frac{92}{15}$. The table in choice D gives x -values of 1 , 2 , and 4 and corresponding y -values of $\frac{128}{15}$, $\frac{116}{15}$, and $\frac{92}{15}$, respectively. Therefore, the table in choice D gives three values of x and their corresponding values of y for the given equation.

Choice A is incorrect. This table gives three values of x and their corresponding values of y for the equation $\frac{3}{5}x + \frac{3}{4}y = 7$.

Choice B is incorrect. This table gives three values of x and their corresponding values of y for the equation $\frac{3}{5}x + y = 10$.

Choice C is incorrect. This table gives three values of x and their corresponding values of y for the equation $\frac{3}{5}x + \frac{3}{4}y = 8$.

Question Difficulty:

Hard

Question ID 9aaf7786

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 9aaf7786

In the xy -plane, line p has a slope of $-\frac{5}{3}$ and an x -intercept of $(-6, 0)$. What is the y -coordinate of the y -intercept of line p ?

ID: 9aaf7786 Answer

Correct Answer:
-10

Rationale

The correct answer is -10 . A line in the xy -plane can be represented by the equation $y = mx + b$, where m is the slope of the line and b is the y -coordinate of the y -intercept. It's given that line p has a slope of $-\frac{5}{3}$. Therefore, $m = -\frac{5}{3}$. It's also given that line p has an x -intercept of $(-6, 0)$. Therefore, when $x = -6, y = 0$. Substituting $-\frac{5}{3}$ for $m, -6$ for x , and 0 for y in the equation $y = mx + b$ yields $0 = (-\frac{5}{3})(-6) + b$, which is equivalent to $0 = 10 + b$. Subtracting 10 from both sides of this equation yields $-10 = b$. Therefore, the y -coordinate of the y -intercept of line p is -10 .

Question Difficulty:
Hard

Question ID b9835972

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: b9835972

In the xy -plane, line ℓ passes through the point $(0, 0)$ and is parallel to the line represented by the equation $y = 8x + 2$. If line ℓ also passes through the point $(3, d)$, what is the value of d ?

ID: b9835972 Answer

Correct Answer:
24

Rationale


The correct answer is **24**. A line in the xy -plane can be defined by the equation $y = mx + b$, where m is the slope of the line and b is the y -coordinate of the y -intercept of the line. It's given that line ℓ passes through the point $(0, 0)$. Therefore, the y -coordinate of the y -intercept of line ℓ is **0**. It's given that line ℓ is parallel to the line represented by the equation $y = 8x + 2$. Since parallel lines have the same slope, it follows that the slope of line ℓ is **8**. Therefore, line ℓ can be defined by an equation in the form $y = mx + b$, where $m = 8$ and $b = 0$. Substituting **8** for m and **0** for b in $y = mx + b$ yields the equation $y = 8x + 0$, or $y = 8x$. If line ℓ passes through the point $(3, d)$, then when $x = 3$, $y = d$ for the equation $y = 8x$. Substituting **3** for x and d for y in the equation $y = 8x$ yields $d = 8(3)$, or $d = 24$.

Question Difficulty:
Hard

Question ID 05bb1af9

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 05bb1af9



The graph of $y = f(x) + 14$ is shown. Which equation defines function f ?

- A. $f(x) = -\frac{1}{4}x - 12$
- B. $f(x) = -\frac{1}{4}x + 16$
- C. $f(x) = -\frac{1}{4}x + 2$
- D. $f(x) = -\frac{1}{4}x - 14$

ID: 05bb1af9 Answer

Correct Answer:
A

Rationale

Choice A is correct. An equation for the graph shown can be written in slope-intercept form $y = mx + b$, where m is the slope of the graph and its y -intercept is $(0, b)$. Since the y -intercept of the graph shown is $(0, 2)$, the value of b is 2 . Since the graph also passes through the point $(4, 1)$, the slope can be calculated as $\frac{1-2}{4-0}$, or $-\frac{1}{4}$. Therefore, the value of m is $-\frac{1}{4}$. Substituting $-\frac{1}{4}$ for m and 2 for b in the equation $y = mx + b$ yields $y = -\frac{1}{4}x + 2$. It's given that an equation for the graph shown is $y = f(x) + 14$. Substituting $f(x) + 14$ for y in the equation $y = -\frac{1}{4}x + 2$ yields $f(x) + 14 = -\frac{1}{4}x + 2$. Subtracting 14 from both sides of this equation yields $f(x) = -\frac{1}{4}x - 12$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Hard

Question ID cc7ffe02

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: cc7ffe02

Keenan made **32** cups of vegetable broth. Keenan then filled x small jars and y large jars with all the vegetable broth he made. The equation $3x + 5y = 32$ represents this situation. Which is the best interpretation of $5y$ in this context?

- A. The number of large jars Keenan filled
- B. The number of small jars Keenan filled
- C. The total number of cups of vegetable broth in the large jars
- D. The total number of cups of vegetable broth in the small jars

ID: cc7ffe02 Answer

Correct Answer:

C

Rationale

Choice C is correct. It’s given that the equation $3x + 5y = 32$ represents the situation where Keenan filled x small jars and y large jars with all the vegetable broth he made, which was **32** cups. Therefore, $3x$ represents the total number of cups of vegetable broth in the small jars and $5y$ represents the total number of cups of vegetable broth in the large jars.

Choice A is incorrect. The number of large jars Keenan filled is represented by y , not $5y$.

Choice B is incorrect. The number of small jars Keenan filled is represented by x , not $5y$.

Choice D is incorrect. The total number of cups of vegetable broth in the small jars is represented by $3x$, not $5y$.

Question Difficulty:

Hard

Question ID 0b46bad5


Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 0b46bad5


$ax + by = b$

In the equation above, a and b are constants and $0 < a < b$. Which of the following could represent the graph of the equation in the xy -plane?


A.




B.



C.



D.



ID: 0b46bad5 Answer

Correct Answer:

C

Rationale

Choice C is correct. The given equation $ax + by = b$ can be rewritten in slope-intercept form, $y = mx + k$, where m represents the slope of the line represented by the equation, and k represents the y -coordinate of the y -intercept of the line. Subtracting ax from

both sides of the equation yields $by = -ax + b$, and dividing both sides of this equation by b yields $y = -\frac{a}{b}x + \frac{b}{b}$, or $y = -\frac{a}{b}x + 1$. With the equation now in slope-intercept form, it shows that $k = 1$, which means the y-coordinate of the y-intercept is 1. It's given that a and b are both greater than 0 (positive) and that $a < b$. Since $m = -\frac{a}{b}$, the slope of the line must be a value between -1 and 0. Choice C is the only graph of a line that has a y-value of the y-intercept that is 1 and a slope that is between -1 and 0.

Choices A, B, and D are incorrect because the slopes of the lines in these graphs aren't between -1 and 0.


Question Difficulty:

Hard

Question ID c362c210

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: c362c210



The points plotted in the coordinate plane above represent the possible numbers of wallflowers and cornflowers that someone can buy at the Garden Store in order to spend exactly \$24.00 total on the two types of flowers. The price of each wallflower is the same and the price of each cornflower is the same. What is the price, in dollars, of 1 cornflower?

ID: c362c210 Answer

Rationale

The correct answer is 1.5. The point (16,0) corresponds to the situation where 16 cornflowers and 0 wallflowers are purchased. Since the total spent on the two types of flowers is \$24.00, it follows that the price of 16 cornflowers is \$24.00, and the price of one cornflower is \$1.50. Note that 1.5 and 3/2 are examples of ways to enter a correct answer.

Question Difficulty:

Hard

Question ID 768f3b7c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 768f3b7c

x	y
$-2s$	24
$-s$	21
s	15

The table shows three values of x and their corresponding values of y , where s is a constant. There is a linear relationship between x and y . Which of the following equations represents this relationship?

- A. $sx + 3y = 18s$
- B. $3x + sy = 18s$
- C. $3x + sy = 18$
- D. $sx + 3y = 18$

ID: 768f3b7c Answer

Correct Answer:

B

Rationale

Choice B is correct. The linear relationship between x and y can be represented by an equation of the form $y - y_1 = m(x - x_1)$, where m is the slope of the graph of the equation in the xy -plane and (x_1, y_1) is a point on the graph. The slope of a line can be found using two points on the line and the slope formula $m = \frac{y_2 - y_1}{x_2 - x_1}$. Each value of x and its corresponding value of y in the table can be represented by a point (x, y) . Substituting the points $(-s, 21)$ and $(s, 15)$ for (x_1, y_1) and (x_2, y_2) , respectively, in the slope formula yields $m = \frac{15 - 21}{s - (-s)}$, which gives $m = \frac{-6}{2s}$, or $m = -\frac{3}{s}$. Substituting $-\frac{3}{s}$ for m and the point $(s, 15)$ for (x_1, y_1) in the equation $y - y_1 = m(x - x_1)$ yields $y - 15 = -\frac{3}{s}(x - s)$. Distributing $-\frac{3}{s}$ on the right-hand side of this equation yields $y - 15 = -\frac{3x}{s} + 3$. Adding 15 to each side of this equation yields $y = -\frac{3x}{s} + 18$. Multiplying each side of this equation by s yields $sy = -3x + 18s$. Adding $3x$ to each side of this equation yields $3x + sy = 18s$. Therefore, the equation $3x + sy = 18s$ represents this relationship.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Hard

Question ID 94b48cbf

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 94b48cbf

The graph of $7x + 2y = -31$ in the xy -plane has an x -intercept at $(a, 0)$ and a y -intercept at $(0, b)$, where a and b are constants. What is the value of $\frac{b}{a}$?

- A. $-\frac{7}{2}$
- B. $-\frac{2}{7}$
- C. $\frac{2}{7}$
- D. $\frac{7}{2}$

ID: 94b48cbf Answer

Correct Answer:

D

Rationale

Choice D is correct. The x -coordinate a of the x -intercept $(a, 0)$ can be found by substituting 0 for y in the given equation, which gives $7x + 2(0) = -31$, or $7x = -31$. Dividing both sides of this equation by 7 yields $x = -\frac{31}{7}$. Therefore, the value of a is $-\frac{31}{7}$. The y -coordinate b of the y -intercept $(0, b)$ can be found by substituting 0 for x in the given equation, which gives $7(0) + 2y = -31$, or $2y = -31$. Dividing both sides of this equation by 2 yields $y = -\frac{31}{2}$. Therefore, the value of b is $-\frac{31}{2}$. It follows that the value of $\frac{b}{a}$ is $\frac{-\frac{31}{2}}{-\frac{31}{7}}$, which is equivalent to $(\frac{31}{2})(\frac{7}{31})$, or $\frac{7}{2}$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Hard

Question ID 98d3393a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 98d3393a

Line ℓ in the xy -plane is perpendicular to the line with equation $x = 2$. What is the slope of line ℓ ?

- A. 0
- B. $-\frac{1}{2}$
- C. -2
- D. The slope of line ℓ is undefined.

ID: 98d3393a Answer

Correct Answer:
A

Rationale

Choice A is correct. It is given that line ℓ is perpendicular to a line whose equation is $x = 2$. A line whose equation is a constant value of x is vertical, so ℓ must therefore be horizontal. Horizontal lines have a slope of 0, so ℓ has a slope of 0.

Choice B is incorrect. A line with slope $-\frac{1}{2}$ is perpendicular to a line with slope 2. However, the line with equation $x = 2$ is vertical and has undefined slope (not slope of 2). Choice C is incorrect. A line with slope -2 is perpendicular to a line with slope $\frac{1}{2}$. However, the line with equation $x = 2$ has undefined slope (not slope of $\frac{1}{2}$). Choice D is incorrect; this is the slope of the line $x = 2$ itself, not the slope of a line perpendicular to it.

Question Difficulty:
Hard

Question ID cc3e9528

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: cc3e9528

The graph of $9x - 10y = 19$ is translated down 4 units in the xy -plane. What is the x -coordinate of the x -intercept of the resulting graph?

ID: cc3e9528 Answer

Correct Answer:
59/9, 6.555, 6.556

Rationale

The correct answer is $\frac{59}{9}$. When the graph of an equation in the form $Ax + By = C$, where A , B , and C are constants, is translated down k units in the xy -plane, the resulting graph can be represented by the equation $Ax + B(y + k) = C$. It's given that the graph of $9x - 10y = 19$ is translated down 4 units in the xy -plane. Therefore, the resulting graph can be represented by the equation $9x - 10(y + 4) = 19$, or $9x - 10y - 40 = 19$. Adding 40 to both sides of this equation yields $9x - 10y = 59$. The x -coordinate of the x -intercept of the graph of an equation in the xy -plane is the value of x in the equation when $y = 0$. Substituting 0 for y in the equation $9x - 10y = 59$ yields $9x - 10(0) = 59$, or $9x = 59$. Dividing both sides of this equation by 9 yields $x = \frac{59}{9}$. Therefore, the x -coordinate of the x -intercept of the resulting graph is $\frac{59}{9}$. Note that 59/9, 6.555, and 6.556 are examples of ways to enter a correct answer.

Question Difficulty:
Hard

Question ID 0366d965

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 0366d965

x	y
3	7
k	11
12	n

The table above shows the coordinates of three points on a line in the xy -plane, where k and n are constants. If the slope of the line is 2, what is the value of $k + n$?

ID: 0366d965 Answer

Rationale


The correct answer is 30. The slope of a line can be found by using the slope formula, $\frac{y_2 - y_1}{x_2 - x_1}$. It's given that the slope of the line is 2; therefore, $\frac{y_2 - y_1}{x_2 - x_1} = 2$. According to the table, the points $(3, 7)$ and $(k, 11)$ lie on the line. Substituting the coordinates of these points into the equation gives $\frac{11 - 7}{k - 3} = 2$. Multiplying both sides of this equation by $k - 3$ gives $11 - 7 = 2(k - 3)$, or $11 - 7 = 2k - 6$. Solving for k gives $k = 5$. According to the table, the points $(3, 7)$ and $(12, n)$ also lie on the line. Substituting the coordinates of these points into $\frac{y_2 - y_1}{x_2 - x_1} = 2$ gives $\frac{n - 7}{12 - 3} = 2$. Solving for n gives $n = 25$. Therefore, $k + n = 5 + 25$, or 30.

Question Difficulty:
Hard

Question ID 6d8ad460

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 6d8ad460



Line *k* is shown in the *xy*-plane. Line *j* (not shown) is perpendicular to line *k*. What is the slope of line *j*?

ID: 6d8ad460 Answer

Correct Answer:
1.2, 6/5

Rationale

The correct answer is $\frac{6}{5}$. It's given that line *j* is perpendicular to line *k* in the *xy*-plane. This means that the slope of line *j* is the opposite reciprocal of the slope of line *k*. For a line that passes through the points (x_1, y_1) and (x_2, y_2) in the *xy*-plane, the slope of the line can be calculated as $\frac{y_2 - y_1}{x_2 - x_1}$. It's shown that line *k* passes through the points $(-6, 0)$ and $(0, -5)$ in the *xy*-plane. Substituting -6 for x_1 , 0 for y_1 , 0 for x_2 , and -5 for y_2 in $\frac{y_2 - y_1}{x_2 - x_1}$ yields $\frac{-5 - 0}{0 - (-6)}$, or $-\frac{5}{6}$. The opposite reciprocal of $-\frac{5}{6}$ is $\frac{6}{5}$. Therefore, the slope of line *j* is $\frac{6}{5}$. Note that 6/5 and 1.2 are examples of ways to enter a correct answer.

Question Difficulty:
Hard

Question ID 184ce5aa

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 184ce5aa

Line h is defined by $\frac{1}{5}x + \frac{1}{7}y - 70 = 0$. Line j is perpendicular to line h in the xy -plane. What is the slope of line j ?

- A. $-\frac{7}{5}$
- B. $-\frac{5}{7}$
- C. $\frac{7}{5}$
- D. $\frac{5}{7}$

ID: 184ce5aa Answer

Correct Answer:

D

Rationale

Choice D is correct. It's given that line h is defined by $\frac{1}{5}x + \frac{1}{7}y - 70 = 0$. This equation can be written in slope-intercept form $y = mx + b$, where m is the slope of line h and b is the y -coordinate of the y -intercept of line h . Adding 70 to both sides of $\frac{1}{5}x + \frac{1}{7}y - 70 = 0$ yields $\frac{1}{5}x + \frac{1}{7}y = 70$. Subtracting $\frac{1}{5}x$ from both sides of this equation yields $\frac{1}{7}y = -\frac{1}{5}x + 70$. Multiplying both sides of this equation by 7 yields $y = -\frac{7}{5}x + 490$. Therefore, the slope of line h is $-\frac{7}{5}$. It's given that line j is perpendicular to line h in the xy -plane. Two lines are perpendicular if their slopes are negative reciprocals, meaning that the slope of the first line is equal to -1 divided by the slope of the second line. Therefore, the slope of line j is the negative reciprocal of the slope of line h . The negative reciprocal of $-\frac{7}{5}$ is $\frac{-1}{(-\frac{7}{5})}$, or $\frac{5}{7}$. Therefore, the slope of line j is $\frac{5}{7}$.

Choice A is incorrect. This is the slope of a line in the xy -plane that is parallel, not perpendicular, to line h .

Choice B is incorrect. This is the reciprocal, not the negative reciprocal, of $-\frac{7}{5}$.

Choice C is incorrect. This is the negative, not the negative reciprocal, of $-\frac{7}{5}$.

Question Difficulty:

Hard

Question ID a35c7164

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: a35c7164

$$5x + 7y = 1$$
$$ax + by = 1$$

In the given pair of equations, a and b are constants. The graph of this pair of equations in the xy -plane is a pair of perpendicular lines. Which of the following pairs of equations also represents a pair of perpendicular lines?

- A. $10x + 7y = 1$
 $ax - 2by = 1$
- B. $10x + 7y = 1$
 $ax + 2by = 1$
- C. $10x + 7y = 1$
 $2ax + by = 1$
- D. $5x - 7y = 1$
 $ax + by = 1$

ID: a35c7164 Answer

Correct Answer:
B

Rationale

Choice B is correct. Two lines are perpendicular if their slopes are negative reciprocals, meaning that the slope of the first line is equal to -1 divided by the slope of the second line. Each equation in the given pair of equations can be written in slope-intercept form, $y = mx + b$, where m is the slope of the graph of the equation in the xy -plane and $(0, b)$ is the y -intercept. For the first equation, $5x + 7y = 1$, subtracting $5x$ from both sides gives $7y = -5x + 1$, and dividing both sides of this equation by 7 gives $y = -\frac{5}{7}x + \frac{1}{7}$. Therefore, the slope of the graph of this equation is $-\frac{5}{7}$. For the second equation, $ax + by = 1$, subtracting ax from both sides gives $by = -ax + 1$, and dividing both sides of this equation by b gives $y = -\frac{a}{b}x + \frac{1}{b}$. Therefore, the slope of the graph of this equation is $-\frac{a}{b}$. Since the graph of the given pair of equations is a pair of perpendicular lines, the slope of the graph of the second equation, $-\frac{a}{b}$, must be the negative reciprocal of the slope of the graph of the first equation, $-\frac{5}{7}$. The negative reciprocal of $-\frac{5}{7}$ is $\frac{-1}{(-\frac{5}{7})}$, or $\frac{7}{5}$. Therefore, $-\frac{a}{b} = \frac{7}{5}$, or $\frac{a}{b} = -\frac{7}{5}$. Similarly, rewriting the equations in choice B in slope-intercept form yields $y = -\frac{10}{7}x + \frac{1}{7}$ and $y = -\frac{a}{2b}x + \frac{1}{2b}$. It follows that the slope of the graph of the first equation in choice B is $-\frac{10}{7}$ and the slope of the graph of the second equation in choice B is $-\frac{a}{2b}$. Since $\frac{a}{b} = -\frac{7}{5}$, $-\frac{a}{2b}$ is equal to $-\left(\frac{1}{2}\right)\left(-\frac{7}{5}\right)$, or $\frac{7}{10}$. Since $\frac{7}{10}$ is the negative reciprocal of $-\frac{10}{7}$, the pair of equations in choice B represents a pair of perpendicular lines.

- Choice A is incorrect and may result from conceptual or calculation errors.
- Choice C is incorrect and may result from conceptual or calculation errors.
- Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Question ID 2d54c272

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 2d54c272

$5G + 45R = 380$

At a school fair, students can win colored tokens that are worth a different number of points depending on the color. One student won G green tokens and R red tokens worth a total of 380 points. The given equation represents this situation. How many more points is a red token worth than a green token?

ID: 2d54c272 Answer

Correct Answer:
40

Rationale


The correct answer is **40**. It's given that $5G + 45R = 380$, where G is the number of green tokens and R is the number of red tokens won by one student and these tokens are worth a total of **380** points. Since the equation represents the situation where the student won points with green tokens and red tokens for a total of **380** points, each term on the left-hand side of the equation represents the number of points won for one of the colors. Since the coefficient of G in the given equation is **5**, a green token must be worth **5** points. Similarly, since the coefficient of R in the given equation is **45**, a red token must be worth **45** points. Therefore, a red token is worth **45** — **5** points, or **40** points, more than a green token.

Question Difficulty:
Hard

Question ID c4ea43ef

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: c4ea43ef



To earn money for college, Avery works two part-time jobs: A and B. She earns \$10 per hour working at job A and \$20 per hour working at job B. In one week, Avery earned a total of s dollars for working at the two part-time jobs. The graph above represents all possible combinations of numbers of hours Avery could have worked at the two jobs to earn s dollars. What is the value of s ?

- A. 128
- B. 160
- C. 200
- D. 320

ID: c4ea43ef Answer

Correct Answer:

B

Rationale

Choice B is correct. Avery earns \$10 per hour working at job A. Therefore, if she works a hours at job A, she will earn $10a$ dollars. Avery earns \$20 per hour working at job B. Therefore, if she works b hours at job B, she will earn $20b$ dollars. The graph shown represents all possible combinations of the number of hours Avery could have worked at the two jobs to earn s dollars. Therefore, if she worked a hours at job A, worked b hours at job B, and earned s dollars from both jobs, the following equation represents the graph: $10a + 20b = s$, where s is a constant. Identifying any point (a,b) from the graph and substituting the values of the coordinates for a and b , respectively, in this equation yield the value of s . For example, the point $(16,0)$, where $a = 16$ and $b = 0$, lies on the graph. Substituting 16 for a and 0 for b in the equation $10a + 20b = s$ yields $10(16) + 20(0) = s$, or $160 = s$. Similarly, the point $(0,8)$, where $a = 0$ and $b = 8$, lies on the graph. Substituting 0 for a and 8 for b in the equation $10a + 20b = s$ yields $10(0) + 20(8) = s$, or $160 = s$.

Choices A, C, and D are incorrect. If the value of s is 128, 200, or 320, then no points (a,b) on the graph will satisfy this equation. For example, if the value of s is 128 (choice A), then the equation $10a + 20b = s$ becomes $10a + 20b = 128$. The point $(16,0)$, where $a = 16$ and $b = 0$, lies on the graph. However, substituting 16 for a and 0 for b in $10a + 20b = s$ yields $10(16) + 20(0) = 128$, or $160 = 128$, which is false. Therefore, $(16,0)$ doesn't satisfy the equation, and so the value of s can't be

128. Similarly, if $s = 200$ (choice C) or $s = 320$ (choice D), then substituting 16 for a and 0 for b yields $160 = 200$ and $160 = 320$, respectively, which are both false.

Question Difficulty:

Hard

Question ID cb58833c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: cb58833c

The line with the equation $\frac{4}{5}x + \frac{1}{3}y = 1$ is graphed in the xy -plane. What is the x -coordinate of the x -intercept of the line?

ID: cb58833c Answer

Rationale


The correct answer is 1.25. The y -coordinate of the x -intercept is 0, so 0 can be substituted for y , giving $\frac{4}{5}x + \frac{1}{3}(0) = 1$. This simplifies to $\frac{4}{5}x = 1$. Multiplying both sides of $\frac{4}{5}x = 1$ by 5 gives $4x = 5$. Dividing both sides of $4x = 5$ by 4 gives $x = \frac{5}{4}$, which is equivalent to 1.25. Note that 1.25 and 5/4 are examples of ways to enter a correct answer.

Question Difficulty:
Hard

Question ID 9d0396d4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 9d0396d4



The point with coordinates $(d, 4)$ lies on the line shown. What is the value of d ?

- A. $\frac{7}{2}$
- B. $\frac{26}{7}$
- C. $\frac{24}{7}$
- D. $\frac{27}{8}$

ID: 9d0396d4 Answer

Correct Answer:

C

Rationale

Choice C is correct. It's given from the graph that the points $(0, 7)$ and $(8, 0)$ lie on the line. For two points on a line, (x_1, y_1) and (x_2, y_2) , the slope of the line can be calculated using the slope formula $m = \frac{y_2 - y_1}{x_2 - x_1}$. Substituting $(0, 7)$ for (x_1, y_1) and $(8, 0)$ for (x_2, y_2) in this formula, the slope of the line can be calculated as $m = \frac{0 - 7}{8 - 0}$, or $m = -\frac{7}{8}$. It's also given that the point $(d, 4)$ lies on the line. Substituting $(d, 4)$ for (x_1, y_1) , $(8, 0)$ for (x_2, y_2) , and $-\frac{7}{8}$ for m in the slope formula yields $-\frac{7}{8} = \frac{0 - 4}{8 - d}$, or $-\frac{7}{8} = \frac{-4}{8 - d}$. Multiplying both sides of this equation by $8 - d$ yields $-\frac{7}{8}(8 - d) = -4$. Expanding the left-hand side of this equation yields $-7 + \frac{7}{8}d = -4$. Adding 7 to both sides of this equation yields $\frac{7}{8}d = 3$. Multiplying both sides of this equation by $\frac{8}{7}$ yields $d = \frac{24}{7}$. Thus, the value of d is $\frac{24}{7}$.

Choice A is incorrect. This is the value of y when $x = 4$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Hard

Question ID a7a14e87

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: a7a14e87

In the xy -plane, line k is defined by $x + y = 0$. Line j is perpendicular to line k , and the y -intercept of line j is $(0,3)$. Which of the following is an equation of line j ?

- A. $x + y = 3$
- B. $x + y = -3$
- C. $x - y = 3$
- D. $x - y = -3$

ID: a7a14e87 Answer

Correct Answer:
D

Rationale

Choice D is correct. It’s given that line j is perpendicular to line k and that line k is defined by the equation $x + y = 0$. This equation can be rewritten in slope-intercept form, $y = mx + b$, where m represents the slope of the line and b represents the y -coordinate of the y -intercept of the line, by subtracting x from both sides of the equation, which yields $y = -x$. Thus, the slope of line k is -1 . Since line j and line k are perpendicular, their slopes are opposite reciprocals of each other. Thus, the slope of line j is 1 . It’s given that the y -intercept of line j is $(0,3)$. Therefore, the equation for line j in slope-intercept form is $y = x + 3$, which can be rewritten as $x - y = -3$.

Choices A, B, and C are incorrect and may result from conceptual or calculation errors.

Question Difficulty:
Hard

Question ID 9f70fd47

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 9f70fd47

What is the y-coordinate of the y-intercept of the graph of $\frac{3x}{7} = -\frac{5y}{9} + 21$ in the xy-plane?

ID: 9f70fd47 Answer

Correct Answer:
189/5, 37.8

Rationale

The correct answer is $\frac{189}{5}$. A y-intercept of a graph in the xy-plane is a point where the graph intersects the y-axis, which is a point with an x-coordinate of 0. Substituting 0 for x in the given equation yields $\frac{3(0)}{7} = -\frac{5y}{9} + 21$, or $0 = -\frac{5y}{9} + 21$. Subtracting 21 from both sides of this equation yields $-21 = -\frac{5y}{9}$. Multiplying both sides of this equation by -9 yields $189 = 5y$. Dividing both sides of this equation by 5 yields $\frac{189}{5} = y$. Therefore, the y-coordinate of the y-intercept of the graph of the given equation in the xy-plane is $\frac{189}{5}$. Note that 189/5 and 37.8 are examples of ways to enter a correct answer.

Question Difficulty:
Hard

Question ID a1fd2304

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: a1fd2304

How many liters of a 25% saline solution must be added to 3 liters of a 10% saline solution to obtain a 15% saline solution?

ID: a1fd2304 Answer

Rationale


The correct answer is 1.5. The total amount, in liters, of a saline solution can be expressed as the liters of each type of saline solution multiplied by the percent concentration of the saline solution. This gives $3(0.10)$, $x(0.25)$, and $(x + 3)(0.15)$, where x is the amount, in liters, of 25% saline solution and 10%, 15%, and 25% are represented as 0.10, 0.15, and 0.25, respectively. Thus, the equation $3(0.10) + 0.25x = 0.15(x + 3)$ must be true. Multiplying 3 by 0.10 and distributing 0.15 to $(x + 3)$ yields $0.30 + 0.25x = 0.15x + 0.45$. Subtracting $0.15x$ and 0.30 from each side of the equation gives $0.10x = 0.15$. Dividing each side of the equation by 0.10 yields $x = 1.5$. Note that 1.5 and $3/2$ are examples of ways to enter a correct answer.

Question Difficulty:
Hard

Question ID 5b7599a6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 5b7599a6



The graph shows a linear relationship between x and y . Which equation represents this relationship, where R is a positive constant?

- A. $Rx + 18y = 36$
- B. $Rx - 18y = -36$
- C. $18x + Ry = 36$
- D. $18x - Ry = -36$

ID: 5b7599a6 Answer

Correct Answer:
C

Rationale

Choice C is correct. The equation representing the linear relationship shown can be written in slope-intercept form $y = mx + b$, where m is the slope and $(0, b)$ is the y -intercept of the line. The line shown passes through the points $(0, 6)$ and $(2, 0)$. Given two points on a line, (x_1, y_1) and (x_2, y_2) , the slope of the line can be calculated using the equation $m = \frac{y_2 - y_1}{x_2 - x_1}$. Substituting $(0, 6)$ and $(2, 0)$ for (x_1, y_1) and (x_2, y_2) , respectively, in this equation yields $m = \frac{0 - 6}{2 - 0}$, which is equivalent to $m = -\frac{6}{2}$, or $m = -3$. Since $(0, 6)$ is the y -intercept, it follows that $b = 6$. Substituting -3 for m and 6 for b in the equation $y = mx + b$ yields $y = -3x + 6$. Adding $3x$ to both sides of this equation yields $3x + y = 6$. Multiplying this equation by 6 yields $18x + 6y = 36$. It follows that the equation $18x + Ry = 36$, where R is a positive constant, represents this relationship.

Choice A is incorrect. The graph of this relationship passes through the point $(0, 6)$, not $(0, 2)$.

Choice B is incorrect. The graph of this relationship passes through the point $(0, 2)$, not $(0, 6)$.

Choice D is incorrect. The graph of this relationship passes through the point $(-2, 0)$, not $(2, 0)$.

Question Difficulty:

Hard

Question ID 49800634

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	

ID: 49800634

x	y
-18	-48
7	52

The table shows two values of x and their corresponding values of y . In the xy -plane, the graph of the linear equation representing this relationship passes through the point $(\frac{1}{7}, a)$. What is the value of a ?

- A. $-\frac{4}{11}$
- B. $-\frac{4}{77}$
- C. $\frac{4}{7}$
- D. $\frac{172}{7}$

ID: 49800634 Answer

Correct Answer:
D

Rationale

Choice D is correct. The linear relationship between x and y can be represented by the equation $y = mx + b$, where m is the slope of the graph of this equation in the xy -plane and b is the y -coordinate of the y -intercept. The slope of a line between any two points (x_1, y_1) and (x_2, y_2) on the line can be calculated using the slope formula $m = \frac{y_2 - y_1}{x_2 - x_1}$. Based on the table, the graph contains the points $(-18, -48)$ and $(7, 52)$. Substituting $(-18, -48)$ and $(7, 52)$ for (x_1, y_1) and (x_2, y_2) , respectively, in the slope formula yields $m = \frac{52 - (-48)}{7 - (-18)}$, which is equivalent to $m = \frac{100}{25}$, or $m = 4$. Substituting 4 for m , -18 for x , and -48 for y in the equation $y = mx + b$ yields $-48 = 4(-18) + b$, or $-48 = -72 + b$. Adding 72 to both sides of this equation yields $24 = b$. Therefore, $m = 4$ and $b = 24$. Substituting 4 for m and 24 for b in the equation $y = mx + b$ yields $y = 4x + 24$. Thus, the equation $y = 4x + 24$ represents the linear relationship between x and y . It's also given that the graph of the linear equation representing this relationship in the xy -plane passes through the point $(\frac{1}{7}, a)$. Substituting $\frac{1}{7}$ for x and a for y in the equation $y = 4x + 24$ yields $a = 4(\frac{1}{7}) + 24$, which is equivalent to $a = \frac{4}{7} + \frac{168}{7}$, or $a = \frac{172}{7}$.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty:
Hard