




Performance



Accessibility



Best
Practices



Performance


Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100



METRICS

Expand view

First Contentful Paint

1.8 s

Largest Contentful Paint

2.0 s

Total Blocking Time

10 ms


Cumulative Layout Shift


0.004

Speed Index

1.8 s

 [View Treemap](#)



















 Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Try insights

Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

DIAGNOSTICS

 Eliminate render-blocking resources — Est savings of 980 ms	
 Reduce unused CSS — Est savings of 46 KiB	
Image elements do not have explicit width and height	
Serve images in next-gen formats — Est savings of 2,082 KiB	
Serve static assets with an efficient cache policy — 3 resources found	
Properly size images — Est savings of 1,540 KiB	
Efficiently encode images — Est savings of 413 KiB	
Avoid serving legacy JavaScript to modern browsers — Est savings of 0 KiB	
 Avoid large layout shifts — 4 layout shifts found	
 Avoid chaining critical requests — 7 chains found	
 Minimize third-party usage — Third-party code blocked the main thread for 10 ms	

- Largest Contentful Paint element — 2,000 ms

▼
- Avoid long main-thread tasks — 2 long tasks found

▼

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (25)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- ▲

The document uses `<meta http-equiv="refresh">`

▼

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (21)

Show

NOT APPLICABLE (35)

Show



Best Practices

TRUST AND SAFETY

<div><div></div><div>Ensure CSP is effective against XSS attacks</div></div>	▼
<div><div></div><div>Use a strong HSTS policy</div></div>	▼
<div><div></div><div>Ensure proper origin isolation with COOP</div></div>	▼
<div><div></div><div>Mitigate clickjacking with XFO or CSP</div></div>	▼
PASSED AUDITS (15)	Show
NOT APPLICABLE (2)	Show

Captured at Nov 1, 2025,
1:24 PM GMT

Initial page load

Emulated Moto G Power with
Lighthouse 12.6.0

Slow 4G throttling

Single page session

Using Chromium 138.0.0.0
with devtools