



Performance



Accessibility



Best  
Practices



## Performance


Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100



### METRICS

[Expand view](#)

First Contentful Paint

2.0 s

Largest Contentful Paint

2.1 s

Total Blocking Time

0 ms

Cumulative Layout Shift

0.005

Speed Index

2.0 s



View Treemap



🔊 Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Try insights

Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

▲	Eliminate render-blocking resources — Est savings of 1,020 ms	▼
▲	Reduce unused CSS — Est savings of 45 KiB	▼
	Image elements do not have explicit width and height	▼
	Serve images in next-gen formats — Est savings of 2,082 KiB	▼
	Serve static assets with an efficient cache policy — 4 resources found	▼
	Properly size images — Est savings of 1,540 KiB	▼
	Efficiently encode images — Est savings of 413 KiB	▼
	Avoid serving legacy JavaScript to modern browsers — Est savings of 0 KiB	▼
○	Avoid large layout shifts — 4 layout shifts found	▼
○	Avoid chaining critical requests — 8 chains found	▼
○	Minimize third-party usage — Third-party code blocked the main thread for 0 ms	▼

- Largest Contentful Paint element — 2,120 ms

▼
- Avoid long main-thread tasks — 2 long tasks found

▼

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (25)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (21)

Show

NOT APPLICABLE (36)

Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks

▼
- Use a strong HSTS policy

▼
- Ensure proper origin isolation with COOP

▼

Mitigate clickjacking with XFO or CSP

▼

PASSED AUDITS (15)

Show

NOT APPLICABLE (2)

Show

Captured at Nov 1, 2025, 1:18 PM GMT

Initial page load

Emulated Moto G Power with Lighthouse 12.6.0

Slow 4G throttling

Single page session

Using Chromium 138.0.0.0 with devtools

Generated by **Lighthouse** 12.6.0 | [File an issue](#)

about:blank

4/4