



Performance

Accessibility

Best Practices




Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

 0–49

50–89

90–100



METRICS

Expand view

First Contentful Paint

2.1 s

Largest Contentful Paint

2.4 s

Total Blocking Time

0 ms

Cumulative Layout Shift


0.042

Speed Index

2.1 s



View Treemap



Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Try insights

Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

▲	Eliminate render-blocking resources — Est savings of 1,110 ms	▼
▲	Reduce unused CSS — Est savings of 45 KiB	▼
	Image elements do not have explicit width and height	▼
	Serve static assets with an efficient cache policy — 2 resources found	▼
	Avoid serving legacy JavaScript to modern browsers — Est savings of 0 KiB	▼
○	Avoid large layout shifts — 4 layout shifts found	▼
○	Avoid chaining critical requests — 9 chains found	▼
○	Minimize third-party usage — Third-party code blocked the main thread for 0 ms	▼
○	Largest Contentful Paint element — 2,370 ms	▼
○	Avoid long main-thread tasks — 1 long task found	▼

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (28)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (18)

Show

NOT APPLICABLE (39)

Show



Best Practices

USER EXPERIENCE

▲

Serves images with low resolution

▼

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks

▼
- Use a strong HSTS policy

▼
- Ensure proper origin isolation with COOP

▼
- Mitigate clickjacking with XFO or CSP



▼



PASSED AUDITS (14)



Show

NOT APPLICABLE (2)

Show

 Captured at Aug 2, 2025,
9:59 PM GMT+1
 Initial page load

 Emulated Moto G Power with
Lighthouse 12.6.0
 Slow 4G throttling

 Single page session
 Using Chromium 138.0.0.0
with devtools

Generated by **Lighthouse** 12.6.0 | [File an issue](#)