



Performance



Accessibility



Best
Practices



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100



METRICS

Expand view

First Contentful Paint

0.8 s

Largest Contentful Paint

0.9 s

Total Blocking Time

0 ms

Cumulative Layout Shift

0.03

Speed Index

0.8 s



View Treemap



Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Try insights

Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

▲	Eliminate render-blocking resources — Est savings of 270 ms	▼
▲	Properly size images — Est savings of 73 KiB	▼
▲	Reduce unused CSS — Est savings of 43 KiB	▼
	Image elements do not have explicit width and height	▼
	Serve static assets with an efficient cache policy — 14 resources found	▼
	Avoid serving legacy JavaScript to modern browsers — Est savings of 0 KiB	▼
	Avoid enormous network payloads — Total size was 18,687 KiB	▼
○	Avoid large layout shifts — 2 layout shifts found	▼
○	Avoid non-composited animations — 1 animated element found	▼
○	Avoid chaining critical requests — 11 chains found	▼
○	Minimize third-party usage — Third-party code blocked the main thread for 0 ms	▼
○	Largest Contentful Paint element — 900 ms	▼

- Avoid long main-thread tasks — 1 long task found

▼

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (25)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

AUDIO AND VIDEO

- <video> elements contain a <track> element with [kind="captions"]

▼

These are opportunities to provide alternative content for audio and video. This may improve the experience for users with hearing or vision impairments.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (25)

Show

NOT APPLICABLE (31)

Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks

▼

- Use a strong HSTS policy

▼
- Ensure proper origin isolation with COOP

▼
- Mitigate clickjacking with XFO or CSP

▼

PASSED AUDITS (14)

Show

NOT APPLICABLE (3)

Show

Captured at Aug 2, 2025,
7:06 PM GMT+1

Emulated Desktop with
Lighthouse 12.6.0

Single page session

Initial page load

Custom throttling

Using Chromium 138.0.0.0
with devtools