

READ ALL

Get list of all the list in the book table

The screenshot shows a REST client interface with the following components:

- URL Bar:** Displays `localhost:8080/book/readAll`. It includes a **Save** button and a dropdown arrow.
- Method and Path:** A dropdown menu shows **GET**, followed by the path `localhost:8080/book/readAll`. A blue **Send** button is to the right.
- Navigation Tabs:** Includes **Params**, **Authorization**, **Headers (8)**, **Body** (selected with a green dot), **Pre-request Script**, **Tests**, **Settings**, and **Cookies**.
- Response Section:**
 - Body:** The selected tab, showing a JSON array of two book objects. It includes sub-tabs for **Pretty** (selected), **Raw**, **Preview**, and **Visualize**. A **JSON** dropdown and a refresh icon are also present.
 - Status Bar:** Shows a globe icon, **200 OK**, **21 ms**, **6.84 KB**, and a **Save Response** button with a dropdown arrow.
- JSON Response:**

```
1 [
2   {
3     "id": 1,
4     "title": "In Search of Lost Time",
5     "lastName": "Proust",
6     "firstName": "Marcel",
7     "iISBN": "978-0812969641",
8     "category": "SAG"
9   },
10  {
11    "id": 2,
12    "title": "Ulysses",
13    "lastName": "Joyce",
14    "firstName": "James",
15    "iISBN": "978-1840226355",
16    ...
17  }
```