

Module 2 Assignment - Setting Update Data Lake

By: Paul Thai

```
In [ ]: !pip list - checking to see python packages versions
```

Package	Version
-----	-----
alabaster	0.7.16
annotated-types	0.6.0
anyio	4.3.0
appdirs	1.4.4
archspec	0.2.2
argon2-cffi	23.1.0
argon2-cffi-bindings	21.2.0
arrow	1.3.0
asgiref	3.8.1
astroid	2.15.8
astropy	6.0.1
astropy-iers-data	0.2024.4.15.2.45.49
asttokens	2.4.1
async-lru	2.0.4
atomicwrites	1.4.1
attrs	23.2.0
Authlib	1.3.0
Automat	22.10.0
autopep8	2.0.4
autovizwidget	0.20.4
awscli	1.32.84
Babel	2.14.0
bcrypt	4.1.2
beautifulsoup4	4.12.3
binaryornot	0.4.4
black	24.4.0
bleach	6.1.0
blinker	1.7.0
bokeh	3.4.1
boltons	23.1.1
boto3	1.34.84
botocore	1.34.84
Brotli	1.1.0
brotlipy	0.7.0
cached-property	1.5.2
certifi	2024.2.2
cffi	1.16.0
chardet	5.2.0
charset-normalizer	3.3.2
click	8.1.7

cloudpickle	2.2.1
colorama	0.4.4
colorcet	3.1.0
comm	0.2.2
conda	23.11.0
conda-content-trust	0.2.0
conda-libmamba-solver	23.12.0
conda-package-handling	2.2.0
conda_package_streaming	0.9.0
constantly	15.1.0
contextlib2	21.6.0
contourpy	1.2.1
cookiecutter	2.6.0
cryptography	42.0.5
cycler	0.12.1
cytoolz	0.12.3
daal4py	2024.3.0
dask	2024.4.1
dask-expr	1.0.11
debugpy	1.8.1
decorator	5.1.1
defusedxml	0.7.1
diff-match-patch	20230430
dill	0.3.8
distributed	2024.4.1
distro	1.8.0
Django	5.0.4
docker	6.1.3
docstring-to-markdown	0.15
docutils	0.16
dparse	0.6.4b0
entrypoints	0.4
et-xmlfile	1.1.0
exceptiongroup	1.2.0
executing	2.0.1
fastapi	0.110.1
fastjsonschema	2.19.1
filelock	3.13.4
flake8	7.0.0
Flask	2.3.3
fonttools	4.51.0
fqdn	1.5.1

fsspec	2024.3.1
future	1.0.0
gevent	23.9.0.post1
gmpy2	2.1.2
google-pasta	0.2.0
greenlet	3.0.3
gssapi	1.8.3
h11	0.14.0
h2	4.1.0
h5py	3.11.0
hdijupyterutils	0.20.4
holoviews	1.18.3
hpack	4.0.0
httpcore	1.0.5
httpx	0.27.0
hyperframe	6.0.1
hyperlink	21.0.0
idna	3.6
imagecodecs	2024.1.1
imageio	2.34.0
imagesize	1.4.1
importlib-metadata	6.11.0
importlib_resources	6.4.0
incremental	22.10.0
inflection	0.5.1
iniconfig	2.0.0
intervaltree	3.1.0
ipykernel	6.29.3
ipython	8.23.0
ipython-genutils	0.2.0
ipywidgets	7.6.5
isoduration	20.11.0
isort	5.13.2
itsdangerous	2.1.2
jaraco.classes	3.4.0
jaraco.context	4.3.0
jaraco.functools	4.0.0
jedi	0.19.1
jeepney	0.8.0
jellyfish	1.0.3
Jinja2	3.1.3
jmespath	1.0.1

joblib	1.4.0
json5	0.9.25
jsonpatch	1.33
jsonpointer	2.4
jsonschema	4.21.1
jsonschema-specifications	2023.12.1
jupyter	1.0.0
jupyter_client	7.4.9
jupyter-console	6.6.3
jupyter_core	5.7.2
jupyter-events	0.10.0
jupyter-lsp	2.2.5
jupyter_server	2.14.0
jupyter_server_terminals	0.5.3
jupyterlab	4.1.6
jupyterlab_pygments	0.3.0
jupyterlab_server	2.26.0
jupyterlab_widgets	3.0.10
keyring	25.1.0
kiwisolver	1.4.5
krb5	0.5.1
lazy-object-proxy	1.10.0
libmambapy	1.5.5
lief	0.14.1
linkify-it-py	2.0.3
llvmlite	0.42.0
locket	1.0.0
lxml	5.1.0
lz4	4.3.3
mamba	1.5.5
Markdown	3.6
markdown-it-py	3.0.0
MarkupSafe	2.1.5
marshmallow	3.21.1
matplotlib	3.8.4
matplotlib-inline	0.1.6
mccabe	0.7.0
mdit-py-plugins	0.4.0
mdurl	0.1.2
menuinst	2.0.1
mistune	0.8.4
mock	5.1.0

more-itertools	10.2.0
mpmath	1.3.0
msgpack	1.0.7
multiprocess	0.70.16
munkres	1.1.4
mypy-extensions	1.0.0
nb_conda_kernels	2.3.1
nbclassic	1.0.0
nbclient	0.10.0
nbconvert	6.5.3
nbformat	5.10.4
nest-asyncio	1.5.5
nltk	3.8.1
nose	1.3.7
notebook	6.5.6
notebook_shim	0.2.4
numba	0.59.1
numexpr	2.9.0
numpy	1.26.4
numpydoc	1.7.0
openpyxl	3.1.2
overrides	7.7.0
packaging	23.2
pandas	2.2.2
pandocfilters	1.5.0
panel	1.4.1
papermill	2.5.0
param	2.1.0
parso	0.8.4
partd	1.4.1
pathos	0.3.2
pathspec	0.12.1
patsy	0.5.6
pexpect	4.9.0
pickleshare	0.7.5
pillow	10.3.0
pip	24.0
pkgutil_resolve_name	1.3.10
platformdirs	4.1.0
plotly	5.19.0
pluggy	1.4.0
ply	3.11

pox	0.3.4
ppft	1.7.6.8
prometheus_client	0.20.0
prompt-toolkit	3.0.42
protobuf	4.25.3
psutil	5.9.8
ptyprocess	0.7.0
pure-eval	0.2.2
pure-sasl	0.6.2
pyarrow	15.0.2
pyarrow-hotfix	0.6
pyasn1	0.6.0
pyasn1_modules	0.4.0
pycodestyle	2.11.1
pycosat	0.6.6
pycparser	2.21
pydantic	2.7.0
pydantic_core	2.18.1
pydocstyle	6.3.0
pyerfa	2.0.1.4
pyflakes	3.2.0
pyfunctional	1.5.0
Pygments	2.17.2
PyHive	0.7.0
pylint	2.17.7
pylint-venv	3.0.3
pyls-spyder	0.4.0
pyodbc	5.1.0
pyOpenSSL	24.0.0
pyparsing	3.1.2
PyQt5	5.15.9
PyQt5-sip	12.12.2
PyQtWebEngine	5.15.4
PySocks	1.7.1
pyspnego	0.9.1
pytest	8.1.1
python-dateutil	2.9.0
python-json-logger	2.0.7
python-lsp-black	2.0.0
python-lsp-jsonrpc	1.1.2
python-lsp-server	1.10.1
python-slugify	8.0.4

pytoolconfig	1.2.5
pytz	2024.1
pyviz_comms	3.0.1
pyxdg	0.28
PyYAML	6.0.1
pyzmq	24.0.1
QDarkStyle	3.2.3
qstylizer	0.2.2
QtAwesome	1.2.3
qtconsole	5.5.1
QtPy	2.4.1
referencing	0.34.0
regex	2023.12.25
requests	2.31.0
requests-kerberos	0.14.0
rfc3339-validator	0.1.4
rfc3986-validator	0.1.1
rich	13.7.1
rope	1.13.0
rpds-py	0.18.0
rsa	4.7.2
Rtree	1.2.0
ruamel.yaml	0.18.5
ruamel.yaml.clib	0.2.7
ruamel-yaml-conda	0.15.80
s3fs	0.4.2
s3transfer	0.10.1
safety-schemas	0.0.2
sagemaker	2.215.0
sagemaker-data-insights	0.3.3
sagemaker-datawrangler	0.4.3
sagemaker-headless-execution-driver	0.0.13
sagemaker-scikit-learn-extension	2.5.0
sagemaker-studio-analytics-extension	0.0.20
sagemaker-studio-sparkmagic-lib	0.1.4
sasl	0.3.1
schema	0.7.5
scikit-learn	1.4.2
scipy	1.13.0
seaborn	0.13.2
SecretStorage	3.3.3
Send2Trash	1.8.3

service-identity	21.1.0
setuptools	69.5.1
shellingham	1.5.4
sip	6.7.12
six	1.16.0
smclarify	0.5
smdebug-rulesconfig	1.0.1
sniffio	1.3.1
snowballstemmer	2.2.0
sortedcontainers	2.4.0
soupsieve	2.5
sparkmagic	0.20.4
Sphinx	7.2.6
sphinxcontrib-applehelp	1.0.8
sphinxcontrib-devhelp	1.0.6
sphinxcontrib-htmlhelp	2.0.5
sphinxcontrib-jsmath	1.0.1
sphinxcontrib-qthelp	1.0.7
sphinxcontrib-serializinghtml	1.1.10
spyder	5.5.3
spyder-kernels	2.5.1
SQLAlchemy	2.0.29
sqlparse	0.4.4
stack-data	0.6.2
starlette	0.37.2
statsmodels	0.14.1
sympy	1.12
tabulate	0.9.0
tblib	3.0.0
tenacity	8.2.3
terminado	0.18.1
text-unidecode	1.3
textdistance	4.5.0
threadpoolctl	3.4.0
three-merge	0.1.1
thrift	0.20.0
thrift-sasl	0.4.3
tinycss2	1.2.1
toml	0.10.2
tomli	2.0.1
tomlkit	0.12.4
toolz	0.12.1

tornado	6.4
tqdm	4.66.1
traitlets	5.14.2
truststore	0.8.0
Twisted	24.3.0
typer	0.12.3
types-python-dateutil	2.9.0.20240316
typing_extensions	4.11.0
typing-utils	0.1.0
tzdata	2024.1
uc-micro-py	1.0.3
ujson	5.9.0
unicodedata2	15.1.0
uri-template	1.3.0
urllib3	2.2.1
w3lib	2.1.2
watchdog	4.0.0
wcwidth	0.2.13
webcolors	1.13
webencodings	0.5.1
websocket-client	1.7.0
Werkzeug	2.3.8
whatthepatch	1.0.5
wheel	0.43.0
widetsnbextension	3.5.2
wrapt	1.16.0
wurlitzer	3.0.3
xlrd	2.0.1
xyzservices	2024.4.0
yapf	0.40.1
zict	3.0.0
zipp	3.17.0
zope.event	5.0
zope.interface	6.3
zstandard	0.22.0

Copying Setup from the lab

```
In [ ]: !pip install --disable-pip-version-check -q pip --upgrade > /dev/null
        !pip install --disable-pip-version-check -q wrapt --upgrade > /dev/null
```

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

```
In [ ]: !pip install --disable-pip-version-check -q awscli==1.18.216 boto3==1.16.56 botocore==1.19.56
```

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.

sagemaker 2.215.0 requires boto3<2.0,>=1.33.3, but you have boto3 1.16.56 which is incompatible.

sagemaker 2.215.0 requires PyYAML~=6.0, but you have pyyaml 5.3.1 which is incompatible.

sagemaker-studio-analytics-extension 0.0.20 requires boto3<2.0,>=1.26.49, but you have boto3 1.16.56 which is incompatible.

sphinx 7.2.6 requires docutils<0.21,>=0.18.1, but you have docutils 0.15.2 which is incompatible.

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

```
In [ ]: !pip install --disable-pip-version-check -q sagemaker==2.29.0
!pip install --disable-pip-version-check -q smdebug==1.0.1
!pip install --disable-pip-version-check -q sagemaker-experiments==0.1.26
```

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

```
In [ ]: !pip install --disable-pip-version-check -q PyAthena==2.1.0
```

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

```
In [ ]: !pip install --disable-pip-version-check -q awswrangler==2.18.0
```

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.
awscli 1.18.216 requires botocore==1.19.56, but you have botocore 1.34.109 which is incompatible.
awscli 1.18.216 requires s3transfer<0.4.0,>=0.3.0, but you have s3transfer 0.10.1 which is incompatible.
dask-expr 1.0.11 requires pandas>=2, but you have pandas 1.5.1 which is incompatible.
sagemaker-datawrangler 0.4.3 requires sagemaker-data-insights==0.4.0, but you have sagemaker-data-insights 0.3.3 which is incompatible.
WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

```
In [ ]: !conda install -y zip
```

```
Retrieving notices: ...working... done
Channels:
  - conda-forge
Platform: linux-64
Collecting package metadata (repodata.json): /
```

```
In [ ]: !pip install --disable-pip-version-check -q seaborn==0.10.0
```

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

```
In [ ]: !pip install --disable-pip-version-check -q matplotlib==3.1.3
```

error: subprocess-exited-with-error

× python setup.py bdist_wheel did not run successfully.

| exit code: 1

└> [532 lines of output]

IMPORTANT WARNING:

pkg-config is not installed.

matplotlib may not be able to find some of its dependencies

=====

Edit setup.cfg to change the build options

BUILDING MATPLOTLIB

matplotlib: yes [3.1.3]

python: yes [3.10.6 | packaged by conda-forge | (main, Aug 22 2022,
20:36:39) [GCC 10.4.0]]

platform: yes [linux]

OPTIONAL SUBPACKAGES

sample_data: yes [installing]

tests: no [skipping due to configuration]

OPTIONAL BACKEND EXTENSIONS

agg: yes [installing]

tkagg: yes [installing; run-time loading from Python Tcl/Tk]

macosx: no [Mac OS-X only]

OPTIONAL PACKAGE DATA

dlls: no [skipping due to configuration]

/opt/conda/lib/python3.10/site-packages/setuptools/__init__.py:81: _DeprecatedInstaller: setuptools.installer a
nd fetch_build_eggs are deprecated.

!!

Requirements should be satisfied by a PEP 517 installer.

If you are using pip, you can try `pip install --use-pep517`.

!!

dist.fetch_build_eggs(dist.setup_requires)

/opt/conda/lib/python3.10/site-packages/setuptools/dist.py:678: SetuptoolsDeprecationWarning: The namespace_pac
kages parameter is deprecated.

!!

```
*****
```

Please replace its usage with implicit namespaces (PEP 420).

See <https://setuptools.pypa.io/en/latest/references/keywords.html#keyword-namespace-packages> for detail

s.

```
*****
```

!!

```
    ep.load()(self, ep.name, value)
running bdist_wheel
running build
running build_py
creating build
creating build/lib.linux-x86_64-cpython-310
copying lib/pylab.py -> build/lib.linux-x86_64-cpython-310
creating build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/_animation_data.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/_cm.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/_cm_listed.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/_color_data.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/_constrained_layout.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/_layoutbox.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/_mathtext_data.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/_pylab_helpers.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/_version.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/afm.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/animation.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/artist.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/axis.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/backend_bases.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/backend_managers.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/backend_tools.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/bezier.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/blocking_input.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/category.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/cm.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/collections.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/colorbar.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/colors.py -> build/lib.linux-x86_64-cpython-310/matplotlib
```

```
copying lib/matplotlib/container.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/contour.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/dates.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/docstring.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/dviread.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/figure.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/font_manager.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/fontconfig_pattern.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/gridspec.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/hatch.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/image.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/legend.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/legend_handler.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/lines.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/markers.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/mathtext.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/mlab.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/offsetbox.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/patches.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/path.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/patheffects.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/pylab.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/pyplot.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/quiver.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/rcsetup.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/sankey.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/scale.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/spines.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/stackplot.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/streamplot.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/table.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/texmanager.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/text.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/textpath.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/ticker.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/tight_bbox.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/tight_layout.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/transforms.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/type1font.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/units.py -> build/lib.linux-x86_64-cpython-310/matplotlib
copying lib/matplotlib/widgets.py -> build/lib.linux-x86_64-cpython-310/matplotlib
creating build/lib.linux-x86_64-cpython-310/mpl_toolkits
```

```
copying lib/mpl_toolkits/__init__.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits
creating build/lib.linux-x86_64-cpython-310/matplotlib/axes
copying lib/matplotlib/axes/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/axes
copying lib/matplotlib/axes/_axes.py -> build/lib.linux-x86_64-cpython-310/matplotlib/axes
copying lib/matplotlib/axes/_base.py -> build/lib.linux-x86_64-cpython-310/matplotlib/axes
copying lib/matplotlib/axes/_secondary_axes.py -> build/lib.linux-x86_64-cpython-310/matplotlib/axes
copying lib/matplotlib/axes/_subplots.py -> build/lib.linux-x86_64-cpython-310/matplotlib/axes
creating build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/_backend_pdf_ps.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/_backend_tk.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_agg.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_cairo.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_gtk3.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_gtk3agg.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_gtk3cairo.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_macosx.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_mixed.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_nbagg.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_pdf.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_pgf.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_ps.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_qt4.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_qt4agg.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_qt4cairo.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_qt5.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_qt5agg.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_qt5cairo.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_svg.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_template.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_tkagg.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_tkcairo.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_webagg.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_webagg_core.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
```

S

```
copying lib/matplotlib/backends/backend_wx.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_wxagg.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/backend_wxcairo.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/qt_compat.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/tkagg.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/windowing.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
copying lib/matplotlib/backends/wx_compat.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends
```



```
creating build/lib.linux-x86_64-cpython-310/matplotlib/cbook
copying lib/matplotlib/cbook/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/cbook
copying lib/matplotlib/cbook/deprecation.py -> build/lib.linux-x86_64-cpython-310/matplotlib/cbook
creating build/lib.linux-x86_64-cpython-310/matplotlib/compat
copying lib/matplotlib/compat/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/compat
copying lib/matplotlib/compat/subprocess.py -> build/lib.linux-x86_64-cpython-310/matplotlib/compat
creating build/lib.linux-x86_64-cpython-310/matplotlib/projections
copying lib/matplotlib/projections/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/projections
copying lib/matplotlib/projections/geo.py -> build/lib.linux-x86_64-cpython-310/matplotlib/projections
copying lib/matplotlib/projections/polar.py -> build/lib.linux-x86_64-cpython-310/matplotlib/projections
creating build/lib.linux-x86_64-cpython-310/matplotlib/sphinxext
copying lib/matplotlib/sphinxext/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/sphinxext
copying lib/matplotlib/sphinxext/mathmpl.py -> build/lib.linux-x86_64-cpython-310/matplotlib/sphinxext
copying lib/matplotlib/sphinxext/plot_directive.py -> build/lib.linux-x86_64-cpython-310/matplotlib/sphinxext
creating build/lib.linux-x86_64-cpython-310/matplotlib/style
copying lib/matplotlib/style/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/style
copying lib/matplotlib/style/core.py -> build/lib.linux-x86_64-cpython-310/matplotlib/style
creating build/lib.linux-x86_64-cpython-310/matplotlib/testing
copying lib/matplotlib/testing/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing
copying lib/matplotlib/testing/compare.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing
copying lib/matplotlib/testing/conftest.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing
copying lib/matplotlib/testing/decorators.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing
copying lib/matplotlib/testing/determinism.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing
copying lib/matplotlib/testing/disable_internet.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing
copying lib/matplotlib/testing/exceptions.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing
creating build/lib.linux-x86_64-cpython-310/matplotlib/tri
copying lib/matplotlib/tri/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/tri
copying lib/matplotlib/tri/triangulation.py -> build/lib.linux-x86_64-cpython-310/matplotlib/tri
copying lib/matplotlib/tri/tricontour.py -> build/lib.linux-x86_64-cpython-310/matplotlib/tri
copying lib/matplotlib/tri/trifinder.py -> build/lib.linux-x86_64-cpython-310/matplotlib/tri
copying lib/matplotlib/tri/triinterpolate.py -> build/lib.linux-x86_64-cpython-310/matplotlib/tri
copying lib/matplotlib/tri/tripcolor.py -> build/lib.linux-x86_64-cpython-310/matplotlib/tri
copying lib/matplotlib/tri/triplot.py -> build/lib.linux-x86_64-cpython-310/matplotlib/tri
copying lib/matplotlib/tri/trirefine.py -> build/lib.linux-x86_64-cpython-310/matplotlib/tri
copying lib/matplotlib/tri/tritools.py -> build/lib.linux-x86_64-cpython-310/matplotlib/tri
creating build/lib.linux-x86_64-cpython-310/matplotlib/backends/qt_editor
copying lib/matplotlib/backends/qt_editor/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/qt_editor
copying lib/matplotlib/backends/qt_editor/_formlayout.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/qt_editor
copying lib/matplotlib/backends/qt_editor/figureoptions.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/qt_editor
```

```

        copying lib/matplotlib/backends/qt_editor/formlayout.py -> build/lib.linux-x86_64-cpython-310/matplotlib/backen
ds/qt_editor
        copying lib/matplotlib/backends/qt_editor/formsubplottool.py -> build/lib.linux-x86_64-cpython-310/matplotlib/b
ackends/qt_editor
        creating build/lib.linux-x86_64-cpython-310/matplotlib/testing/jpl_units
        copying lib/matplotlib/testing/jpl_units/Duration.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing/j
pl_units
        copying lib/matplotlib/testing/jpl_units/Epoch.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing/jpl_
units
        copying lib/matplotlib/testing/jpl_units/EpochConverter.py -> build/lib.linux-x86_64-cpython-310/matplotlib/tes
ting/jpl_units
        copying lib/matplotlib/testing/jpl_units/StrConverter.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testi
ng/jpl_units
        copying lib/matplotlib/testing/jpl_units/UnitDb1.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing/jp
l_units
        copying lib/matplotlib/testing/jpl_units/UnitDb1Converter.py -> build/lib.linux-x86_64-cpython-310/matplotlib/t
esting/jpl_units
        copying lib/matplotlib/testing/jpl_units/UnitDb1Formatter.py -> build/lib.linux-x86_64-cpython-310/matplotlib/t
esting/jpl_units
        copying lib/matplotlib/testing/jpl_units/__init__.py -> build/lib.linux-x86_64-cpython-310/matplotlib/testing/j
pl_units
        creating build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/__init__.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/anchored_artists.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_
grid
        copying lib/mpl_toolkits/axes_grid/angle_helper.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/axes_divider.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/axes_grid.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/axes_rgb.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/axes_size.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/axis_artist.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/axisline_style.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_gr
id
        copying lib/mpl_toolkits/axes_grid/axislines.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/clip_path.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/colorbar.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/floating_axes.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_gri
d
        copying lib/mpl_toolkits/axes_grid/grid_finder.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid
        copying lib/mpl_toolkits/axes_grid/grid_helper_curvelinear.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkit
s/axes_grid
        copying lib/mpl_toolkits/axes_grid/inset_locator.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_gri

```

```

d
    copying lib/mpl_toolkits/axes_grid/parasite_axes.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_gri
d
    creating build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/__init__.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/anchored_artists.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes
_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_divider.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_gri
d1
    copying lib/mpl_toolkits/axes_grid1/axes_grid.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_rgb.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_size.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/colorbar.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/inset_locator.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_gr
id1
    copying lib/mpl_toolkits/axes_grid1/mpl_axes.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/parasite_axes.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axes_gr
id1
    creating build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/__init__.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/angle_helper.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisarti
st
    copying lib/mpl_toolkits/axisartist/axes_divider.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisarti
st
    copying lib/mpl_toolkits/axisartist/axes_grid.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axes_rgb.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axis_artist.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisartis
t
    copying lib/mpl_toolkits/axisartist/axisline_style.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisar
tist
    copying lib/mpl_toolkits/axisartist/axislines.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/clip_path.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/floating_axes.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisart
ist
    copying lib/mpl_toolkits/axisartist/grid_finder.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisartis
t
    copying lib/mpl_toolkits/axisartist/grid_helper_curvelinear.py -> build/lib.linux-x86_64-cpython-310/mpl_toolki
ts/axisartist
    copying lib/mpl_toolkits/axisartist/parasite_axes.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/axisart
ist
    creating build/lib.linux-x86_64-cpython-310/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/__init__.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/mplot3d

```

```
copying lib/mpl_toolkits/mplot3d/art3d.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/mplot3d
copying lib/mpl_toolkits/mplot3d/axes3d.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/mplot3d
copying lib/mpl_toolkits/mplot3d/axis3d.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/mplot3d
copying lib/mpl_toolkits/mplot3d/proj3d.py -> build/lib.linux-x86_64-cpython-310/mpl_toolkits/mplot3d
creating build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data
creating build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts
creating build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
copying lib/matplotlib/mpl-data/fonts/afm/pcrb8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
creating build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/pdfcorefonts
copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica-Bold.afm -> build/lib.linux-x86_64-cpython-310/mat
plotlib/mpl-data/fonts/pdfcorefonts
copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-Bold.afm -> build/lib.linux-x86_64-cpython-310/matplot
lib/mpl-data/fonts/pdfcorefonts
creating build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/m
pl-data/fonts/ttf
creating build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
copying lib/matplotlib/mpl-data/images/help.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
creating build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
copying lib/matplotlib/mpl-data/sample_data/ada.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/s
ample_data
creating build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend
creating build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/js
copying lib/matplotlib/backends/web_backend/js/mpl.js -> build/lib.linux-x86_64-cpython-310/matplotlib/backend
s/web_backend/js
copying lib/matplotlib/mpl-data/images/help.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
copying lib/matplotlib/mpl-data/images/qt4_editor_options.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/
mpl-data/images
copying lib/matplotlib/mpl-data/fonts/afm/putb8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif-Italic.ttf -> build/lib.linux-x86_64-cpython-310/matplotl
ib/mpl-data/fonts/ttf
copying lib/matplotlib/mpl-data/images/filesave_large.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-
data/images
copying lib/matplotlib/mpl-data/fonts/afm/pagdo8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
copying lib/matplotlib/mpl-data/fonts/afm/pplb8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
copying lib/matplotlib/mpl-data/images/filesave.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/i
```

```

images
    creating build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/stylelib/seaborn-deep.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotli
b/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/LICENSE_STIX -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/ttf
    copying lib/matplotlib/mpl-data/images/zoom_to_rect_large.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/
mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/cmex10.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    creating build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1
    creating build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/ui-icons_ffffff_256x240.png -> build/lib.li
nux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerifDisplay.ttf -> build/lib.linux-x86_64-cpython-310/matplotl
ib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/subplots_large.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-
data/images
    copying lib/matplotlib/mpl-data/sample_data/s1045.ima.gz -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-d
ata/sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/pbkl18a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/pbk18a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/images/forward.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/im
ages
    copying lib/matplotlib/mpl-data/stylelib/_classic_test.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotli
b/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-ui.js -> build/lib.linux-x86_64-cpython-31
0/matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/ZapfDingbats.afm -> build/lib.linux-x86_64-cpython-310/matpl
otlib/mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/images/home.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
    copying lib/matplotlib/mpl-data/fonts/afm/pzcmi8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/LICENSE.txt -> build/lib.linux-x86_64-cpython-310/
matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/stylelib/ggplot.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-d
ata/stylelib
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-ui.theme.css -> build/lib.linux-x86_64-cpyt
hon-310/matplotlib/backends/web_backend/jquery-ui-1.12.1

```

```
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-ui.theme.min.css -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono-BoldOblique.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    creating build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data/axes_grid
    copying lib/matplotlib/mpl-data/sample_data/axes_grid/bivariate_normal.npy -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data/axes_grid
    copying lib/matplotlib/mpl-data/images/subplots.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/grace_hopper.jpg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizOneSymBol.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/stylelib/fast.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/stylelib/seaborn-white.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/readme.txt -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneralBolIta.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-ui.min.js -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/stylelib/seaborn-bright.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/afm/putbi8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/phvr8an.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/back.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/classic.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/home.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/ptmr8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/afm/ptmbi8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/back.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
```

```
S
    copying lib/matplotlib/mpl-data/stylelib/seaborn-notebook.mplstyle -> build/lib.linux-x86_64-cpython-310/matplo
tlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/stylelib/seaborn-paper.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotli
b/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier.afm -> build/lib.linux-x86_64-cpython-310/matplotli
b/mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/pcrr8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/cmr10.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/f
onts/afm
    copying lib/matplotlib/mpl-data/images/matplotlib.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/images
    copying lib/matplotlib/mpl-data/fonts/afm/cmtt10.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/tableau-colorblind10.mplstyle -> build/lib.linux-x86_64-cpython-310/ma
tplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif-BoldItalic.ttf -> build/lib.linux-x86_64-cpython-310/matp
lotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/phvlo8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier-BoldOblique.afm -> build/lib.linux-x86_64-cpython-31
0/matplotlib/mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/images/hand.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
    copying lib/matplotlib/mpl-data/images/move.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-BoldItalic.afm -> build/lib.linux-x86_64-cpython-310/m
atplotlib/mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizThreeSymBol.ttf -> build/lib.linux-x86_64-cpython-310/matplotl
ib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/phvr8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUni.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-d
ata/fonts/ttf
    copying lib/matplotlib/mpl-data/images/hand.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
    copying lib/matplotlib/mpl-data/fonts/ttf/cmtt10.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/ttf
    copying lib/matplotlib/mpl-data/images/move.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
    copying lib/matplotlib/mpl-data/images/move.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
```

```
s
    copying lib/matplotlib/mpl-data/images/filesave.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/i
images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizTwoSymBol.ttf -> build/lib.linux-x86_64-cpython-310/matplotli
b/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/phvb8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-muted.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotli
b/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/forward.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/im
ages
    copying lib/matplotlib/mpl-data/fonts/ttf/cmsy10.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUniIta.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mp
l-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/home_large.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/images
    copying lib/matplotlib/mpl-data/sample_data/ct.raw.gz -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/sample_data
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/index.html -> build/lib.linux-x86_64-cpython-310/m
atplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/phvbo8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizFourSymBol.ttf -> build/lib.linux-x86_64-cpython-310/matplotli
b/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/back.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
    copying lib/matplotlib/mpl-data/images/qt4_editor_options.png -> build/lib.linux-x86_64-cpython-310/matplotlib/
mpl-data/images
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-da
ta/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneral.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-
data/fonts/ttf
    copying lib/matplotlib/backends/web_backend/all_figures.html -> build/lib.linux-x86_64-cpython-310/matplotlib/b
ackends/web_backend
    copying lib/matplotlib/mpl-data/fonts/afm/pbkl8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneralItalic.ttf -> build/lib.linux-x86_64-cpython-310/matplotli
b/mpl-data/fonts/ttf
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/ui-icons_777620_256x240.png -> build/lib.li
nux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/mpl-data/stylelib/Solarize_Light2.mplstyle -> build/lib.linux-x86_64-cpython-310/matplot
```



```
lib/mpl-data/stylelib
  copying lib/matplotlib/mpl-data/sample_data/logo2.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
  copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizFourSymReg.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
  creating build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/css
  copying lib/matplotlib/backends/web_backend/css/fbm.css -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/css
  copying lib/matplotlib/mpl-data/sample_data/eeg.dat -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
  copying lib/matplotlib/mpl-data/images/back_large.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
  copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/package.json -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1
  copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-Italic.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/pdfcorefonts
  copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizOneSymReg.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
  copying lib/matplotlib/backends/web_backend/single_figure.html -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend
  copying lib/matplotlib/mpl-data/fonts/ttf/cmex10.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
  copying lib/matplotlib/mpl-data/images/home.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/stylelib/fivethirtyeight.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
  copying lib/matplotlib/mpl-data/images/help.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/images/filesave.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier-Oblique.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/pdfcorefonts
  copying lib/matplotlib/mpl-data/sample_data/msft.csv -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
  copying lib/matplotlib/mpl-data/fonts/afm/pncb8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
  creating build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1/external
  creating build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1/external/jquery
  copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/external/jquery/jquery.js -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1/external/jquery
  copying lib/matplotlib/backends/web_backend/ipython_inline_figure.html -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend
```

```
    copying lib/matplotlib/mpl-data/fonts/afm/pplbi8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/pncbi8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/mpl-data/images/move_large.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/images
    copying lib/matplotlib/mpl-data/images/matplotlib_large.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mp
l-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUniBolIta.ttf -> build/lib.linux-x86_64-cpython-310/matplotli
b/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/help_large.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier-Bold.afm -> build/lib.linux-x86_64-cpython-310/matpl
otlib/mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansDisplay.ttf -> build/lib.linux-x86_64-cpython-310/matplotli
b/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/sample_data/demodata.csv -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-d
ata/sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/pzdr.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fo
nts/afm
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Symbol.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/
mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/pncri8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/mpl-data/sample_data/topobathy.npz -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-
data/sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/pagk8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans-BoldOblique.ttf -> build/lib.linux-x86_64-cpython-310/matp
lotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/matplotlib.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-colorblind.mplstyle -> build/lib.linux-x86_64-cpython-310/matp
lotlib/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/nbagg_uat.ipynb -> build/lib.linux-x86_64-cpython-310/matplotlib/ba
ckends/web_backend
    copying lib/matplotlib/mpl-data/stylelib/seaborn-darkgrid.mplstyle -> build/lib.linux-x86_64-cpython-310/matplo
tlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/forward_large.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-d
ata/images
    copying lib/matplotlib/mpl-data/sample_data/data_x_x2_x3.csv -> build/lib.linux-x86_64-cpython-310/matplotlib/m
pl-data/sample_data
```

```
    copying lib/matplotlib/mpl-data/fonts/afm/pcrbo8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-talk.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/LICENSE_DEJAVU -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/stylelib/seaborn-ticks.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/embedding_in_wx3.xrc -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/ui-icons_444444_256x240.png -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    creating build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery
    creating build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery/js
    copying lib/matplotlib/backends/web_backend/jquery/js/jquery.js -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery/js
    copying lib/matplotlib/mpl-data/stylelib/seaborn-dark.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-ui.structure.min.css -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/phvl8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-poster.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/matplotlib.ppm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/Minduka_Present_Blue_Pack.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/phvb8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/subplots.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/bmh.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneralBol.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/sample_data/goog.npz -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
```

```
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif-Bold.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/stylelib/dark_background.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/afm/ptmb8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/sample_data/jacksboro_fault_dem.npz -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/ttf/cmb10.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica-BoldOblique.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/matplotlibrc -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-ui.css -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/cmmi10.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/move_large.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizTwoSymReg.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/cmss10.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-ui.structure.css -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizThreeSymReg.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/pagd8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/help_large.ppm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/pbkdi8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/cmmi10.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/phvro8an.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/back_large.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono-Bold.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/hand.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
```

```
s
    copying lib/matplotlib/mpl-data/fonts/afm/putri8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
a/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/phvro8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica.afm -> build/lib.linux-x86_64-cpython-310/matplotl
ib/mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/pcrr8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/mpl-data/images/hand_large.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/images
    copying lib/matplotlib/backends/web_backend/css/page.css -> build/lib.linux-x86_64-cpython-310/matplotlib/backe
nds/web_backend/css
    copying lib/matplotlib/mpl-data/images/move.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
    copying lib/matplotlib/mpl-data/sample_data/grace_hopper.png -> build/lib.linux-x86_64-cpython-310/matplotlib/m
pl-data/sample_data
    copying lib/matplotlib/backends/web_backend/jquery/js/jquery.min.js -> build/lib.linux-x86_64-cpython-310/matpl
otlib/backends/web_backend/jquery/js
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/AUTHORS.txt -> build/lib.linux-x86_64-cpython-310/
matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/psyr.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fo
nts/afm
    copying lib/matplotlib/mpl-data/images/forward_large.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-d
ata/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-whitegrid.mplstyle -> build/lib.linux-x86_64-cpython-310/matpl
otlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans-Oblique.ttf -> build/lib.linux-x86_64-cpython-310/matplotl
ib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-
data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/pncr8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono-Oblique.ttf -> build/lib.linux-x86_64-cpython-310/matp
lotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/qt4_editor_options.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/
mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/aapl.npz -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/pplr8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-dark-palette.mplstyle -> build/lib.linux-x86_64-cpython-310/ma
```

```
tplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/sample_data/README.txt -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica-Oblique.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/images/zoom_to_rect_large.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/help.ppm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-pastel.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/stylelib/grayscale.mplstyle -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/sample_data/None_vs_nearest-pdf.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/backends/web_backend/js/nbagg_mpl.js -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/js
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans-Bold.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/forward.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUniBol.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/subplots.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/ui-icons_cc0000_256x240.png -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/backends/web_backend/css/boilerplate.css -> build/lib.linux-x86_64-cpython-310/matplotlib/backends/web_backend/css
    copying lib/matplotlib/mpl-data/images/hand.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/qt4_editor_options_large.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/putr8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/filesave_large.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/ptmri8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/home_large.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizFiveSymReg.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/fonts/ttf
```

```
b/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/pagko8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
a/fonts/afm
    copying lib/matplotlib/mpl-data/images/back.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-ui.min.css -> build/lib.linux-x86_64-cpytho
n-310/matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-da
ta/images
    copying lib/matplotlib/mpl-data/fonts/afm/phvbo8an.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/cmsy10.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/images/forward.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/im
ages
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-Roman.afm -> build/lib.linux-x86_64-cpython-310/matplo
tlib/mpl-data/fonts/pdfcorefonts
    copying lib/matplotlib/backends/web_backend/js/mpl_tornado.js -> build/lib.linux-x86_64-cpython-310/matplotlib/
backends/web_backend/js
    copying lib/matplotlib/mpl-data/sample_data/percent_bachelors_degrees_women_usa.csv -> build/lib.linux-x86_64-c
python-310/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/images/subplots.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/i
mages
    copying lib/matplotlib/mpl-data/images/subplots_large.gif -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-
data/images
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/ui-icons_555555_256x240.png -> build/lib.li
nux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/mpl-data/fonts/ttf/cmrr10.ttf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/f
onts/ttf
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-da
ta/images
    copying lib/matplotlib/mpl-data/images/matplotlib.pdf -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/images
    copying lib/matplotlib/mpl-data/fonts/afm/pplri8a.afm -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-dat
a/fonts/afm
    copying lib/matplotlib/mpl-data/images/home.svg -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/image
s
    copying lib/matplotlib/mpl-data/images/filesave.png -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-data/i
mages
    copying lib/matplotlib/mpl-data/sample_data/membrane.dat -> build/lib.linux-x86_64-cpython-310/matplotlib/mpl-d
ata/sample_data
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/ui-icons_777777_256x240.png -> build/lib.li
```

```

nux-x86_64-cpython-310/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
  UPDATING build/lib.linux-x86_64-cpython-310/matplotlib/_version.py
  set build/lib.linux-x86_64-cpython-310/matplotlib/_version.py to '3.1.3'
  running build_ext
  building 'matplotlib.ft2font' extension
  creating build/temp.linux-x86_64-cpython-310
  creating build/temp.linux-x86_64-cpython-310/src
  gcc -pthread -B /opt/conda/compiler_compat -Wno-unused-result -Wsign-compare -DNDEBUG -fwrapv -O2 -Wall -fPIC -
O2 -isystem /opt/conda/include -fPIC -O2 -isystem /opt/conda/include -fPIC -DFREETYPE_BUILD_TYPE=system -DPY_ARRAY_UN
IQUE_SYMBOL=MPL_matplotlib_ft2font_ARRAY_API -DNPY_NO_DEPRECATED_API=NPY_1_7_API_VERSION -D__STDC_FORMAT_MACROS=1 -Ie
xtern/agg24-svn/include -I/opt/conda/lib/python3.10/site-packages/numpy/core/include -I/opt/conda/include/python3.10
-c src/checkdep_freetype2.c -o build/temp.linux-x86_64-cpython-310/src/checkdep_freetype2.o -I/opt/conda/include/free
type2
    src/checkdep_freetype2.c:7:9: note: '#pragma message: Compiling with FreeType version 2.12.1.'
      7 | #pragma message("Compiling with FreeType version " \
        |          ~~~~~
    gcc -pthread -B /opt/conda/compiler_compat -Wno-unused-result -Wsign-compare -DNDEBUG -fwrapv -O2 -Wall -fPIC -
O2 -isystem /opt/conda/include -fPIC -O2 -isystem /opt/conda/include -fPIC -DFREETYPE_BUILD_TYPE=system -DPY_ARRAY_UN
IQUE_SYMBOL=MPL_matplotlib_ft2font_ARRAY_API -DNPY_NO_DEPRECATED_API=NPY_1_7_API_VERSION -D__STDC_FORMAT_MACROS=1 -Ie
xtern/agg24-svn/include -I/opt/conda/lib/python3.10/site-packages/numpy/core/include -I/opt/conda/include/python3.10
-c src/ft2font.cpp -o build/temp.linux-x86_64-cpython-310/src/ft2font.o -I/opt/conda/include/freetype2
    gcc: fatal error: cannot execute 'cc1plus': execvp: No such file or directory
    compilation terminated.
    error: command '/usr/bin/gcc' failed with exit code 1
    [end of output]

```

note: This error originates from a subprocess, and is likely not a problem with pip.

ERROR: Failed building wheel for matplotlib

ERROR: Could not build wheels for matplotlib, which is required to install pyproject.toml-based projects

```
In [ ]: !pip install protobuf==3.20.*
```



```
Collecting protobuf==3.20.*
```

```
Using cached protobuf-3.20.3-cp310-cp310-manylinux_2_12_x86_64.manylinux2010_x86_64.whl.metadata (679 bytes)
```

```
Using cached protobuf-3.20.3-cp310-cp310-manylinux_2_12_x86_64.manylinux2010_x86_64.whl (1.1 MB)
```

```
Installing collected packages: protobuf
```

```
Attempting uninstall: protobuf
```

```
Found existing installation: protobuf 4.25.3
```

```
Uninstalling protobuf-4.25.3:
```

```
Successfully uninstalled protobuf-4.25.3
```

```
Successfully installed protobuf-3.20.3
```

WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv>

```
In [ ]: setup_dependencies_mod2_passed = True
```

```
In [ ]: %store setup_dependencies_mod2_passed
```

```
Stored 'setup_dependencies_mod2_passed' (bool)
```

```
In [ ]:
```

Setting up S3 Bucket

```
In [ ]: import boto3
import sagemaker
```

```
session = boto3.session.Session()
region = session.region_name
sagemaker_session = sagemaker.Session()
bucket = sagemaker_session.default_bucket()

s3 = boto3.Session().client(service_name="s3", region_name=region)
```

```
In [ ]: setup_s3_bucket_passed = False
```

```
In [ ]: print("Default bucket: {}".format(bucket))
```

```
Default bucket: sagemaker-us-east-1-004608622582
```

Verify S3 Bucket Creation

```
In [ ]: from botocore.client import ClientError
```

```
response = None
```

```
try:
```

```
    response = s3.head_bucket(Bucket=bucket)
```

```
    print(response)
```

```
    setup_s3_bucket_passed = True
```

```
except ClientError as e:
```

```
    print("[ERROR] Cannot find bucket {} in {} due to {}".format(bucket, response, e))
```

```
{'ResponseMetadata': {'RequestId': 'VN71QDDXC7VQTJKM', 'HostId': 'K59zidxiLzYVCEbOnrrV0GHI4iI9/deQ5T0opIPRmQwKgkHezmbXwT9YBLVBC07nLzMpMx85ZhM=', 'HTTPStatusCode': 200, 'HTTPHeaders': {'x-amz-id-2': 'K59zidxiLzYVCEbOnrrV0GHI4iI9/deQ5T0opIPRmQwKgkHezmbXwT9YBLVBC07nLzMpMx85ZhM=', 'x-amz-request-id': 'VN71QDDXC7VQTJKM', 'date': 'Tue, 21 May 2024 04:53:15 GMT', 'x-amz-bucket-region': 'us-east-1', 'x-amz-access-point-alias': 'false', 'content-type': 'application/xml', 'server': 'AmazonS3'}, 'RetryAttempts': 0}, 'BucketRegion': 'us-east-1', 'AccessPointAlias': False}
```

```
In [ ]: # Store status
```

```
%store setup_s3_bucket_passed
```

Stored 'setup_s3_bucket_passed' (bool)

```
In [ ]: %store
```

Stored variables and their in-db values:

data_path	-> '/root/AAI-540/Module2/csv'
ingest_create_athena_db_mod2_passed	-> True
ingest_create_athena_table_csv_passed	-> True
s3_private_path_csv	-> 's3://sagemaker-us-east-1-004608622582/module2_dat
setup_dependencies_mod2_passed	-> True
setup_s3_bucket_passed	-> True

```
In [ ]: %%html
```

```
<p><b>Shutting down your kernel for this notebook to release resources.</b></p>
```

```
<button class="sm-command-button" data-commandlinker-command="kernelmenu:shutdown" style="display:none;">Shutdown Ker
```

```
<script>
```

```
try {
```

```
    els = document.getElementsByClassName("sm-command-button");
```

```
    els[0].click();
```

```
}
```

```
catch(err) {  
    // NoOp  
}  
</script>
```

Shutting down your kernel for this notebook to release resources.