


LAPORAN PRAKTIKUM
POSTTEST 2
ALGORITMA PEMROGRAMAN DASAR



Disusun oleh:
Diaz Daffa Aulia (2609106030)
Kelas (A2 '26)

PROGRAM STUDI INFORMATIKA
UNIVERSITAS MULAWARMAN
SAMARINDA
2026

1. Flowchart



Gambar 1.1 Desain Flowchart

Penjelasan Flowchart

Flowchart ini digunakan untuk membuat program yang menghitung total berat bagasi kabin dari 6 orang pertama dalam satuan kilogram, menghitung kompensasi bahan bakar tambahan sebesar 5% dari total akumulasi berat seluruh bagasi kelompok tersebut, menghitung rata-rata berat bagasi, lalu membandingkan NIM saya (30) dengan rata-rata dari berat bagasi tersebut, dan juga mengkonversikan berat dari kilogram ke gram. Pendeklarasian berbagai variabel seperti, bagasi_1 sampai dengan 6, bagasi sebagai list, total_berat_akhir, total_bayar, rata_rata, nim, boolean, total_berat_akhir_gram, lalu menampilkan semuanya di akhir flowchart.

2. Deskripsi Singkat Program

Program ini dibuat untuk menghitung total berat bagasi dalam satuan kilogram, menghitung kompensasi bahan bakar sebesar 5% dari total berat bagasi, lalu menghitung rata-rata berat bagasi. Sekaligus membuat perbandingan NIM dan rata-rata berat bagasi juga mengkonversi berat total bagasi dari kilogram ke gram

3. Source Code

```
bagasi_1 = 12
bagasi_2 = 18
bagasi_3 = 7
bagasi_4 = 15
bagasi_5 = 20
bagasi_6 = 10

bagasi = [bagasi_1, bagasi_2, bagasi_3, bagasi_4, bagasi_5,
bagasi_6]

total_berat_akhir = bagasi[0] + bagasi[1] + bagasi[2] + bagasi[3]
+ bagasi[4] + bagasi[5]

total_bayar = total_berat_akhir * 5 / 100

rata_rata = total_berat_akhir / len(bagasi)

nim = 30
boolean = nim < rata_rata


total_berat_akhir_gram = total_berat_akhir * 1000
```

```

print("Bagasi 1 : ", bagasi_1,
      "\nBagasi 2 : ", bagasi_2,
      "\nBagasi 3 : ", bagasi_3,
      "\nBagasi 4 : ", bagasi_4,
      "\nBagasi 5 : ", bagasi_5,
      "\nBagasi 6 : ", bagasi_6,
      "\nList berat bagasi : ", bagasi,
      "\nSlicing bagasi : ", bagasi[2:5],
      "\nTotal berat akhir : ", total_berat_akhir,
      "\nTotal yang dibayar : ", total_bayar,
      "\nRata-rata berat bagasi : ", rata_rata,
      "\nNIM : ", nim,
      "\nBoolean : ", boolean,
      "\nTotal berat akhir gram : ", total_berat_akhir_gram
)

```

4. Hasil Output




```

lynx ~/praktikum-apd-2026/post-test/posttest-apd-2 13:08 python3 2609106030-DiazDaffaAulia-PT-2.py
Bagasi 1 : 12
Bagasi 2 : 18
Bagasi 3 : 7
Bagasi 4 : 15
Bagasi 5 : 20
Bagasi 6 : 10
List berat bagasi : [12, 18, 7, 15, 20, 10]
Slicing bagasi : [7, 15, 20]
Total berat akhir : 82
Total yang dibayar : 4.1
Rata-rata berat bagasi : 13.666666666666666
NIM : 30
Boolean : False
Total berat akhir gram : 82000

```

Gambar 4.1 Output dari source tersebut

5. Git add, commit, dan push

A terminal window with a dark background and light-colored text. The window title is ".../apd/praktikum-apd-2026/postest-apd-2". The terminal shows three commands being executed: 1. "git add ." which outputs "[PT2 30390f0] editing directory" and "1 file changed, 3 insertions(+), 3 deletions(-)". 2. "git commit -m 'editing directory'" which outputs "Enumerating objects: 7, done.", "Counting objects: 100% (7/7), done.", "Delta compression using up to 20 threads", "Compressing objects: 100% (4/4), done.", "Writing objects: 100% (4/4), 375 bytes | 375.00 KiB/s, done.", "Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)", "remote: Resolving deltas: 100% (2/2), completed with 2 local objects.", and "To https://github.com/Lynx-thelearner/praktikum-apd-2026.git 949168f..30390f0 PT2 -> PT2". 3. "git push origin PT2" which outputs nothing. The prompt "lynx" is visible at the start of each command line.

```
lynx > .../praktikum-apd-2026/postest-apd-2 PT2 x1? 19:12 git add .  
lynx > .../praktikum-apd-2026/postest-apd-2 PT2 x+? 19:12 git commit -m "editing directory"  
[PT2 30390f0] editing directory  
1 file changed, 3 insertions(+), 3 deletions(-)  
lynx > .../praktikum-apd-2026/postest-apd-2 PT2 x? 19:12 git push origin PT2  
Enumerating objects: 7, done.  
Counting objects: 100% (7/7), done.  
Delta compression using up to 20 threads  
Compressing objects: 100% (4/4), done.  
Writing objects: 100% (4/4), 375 bytes | 375.00 KiB/s, done.  
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)  
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.  
To https://github.com/Lynx-thelearner/praktikum-apd-2026.git  
949168f..30390f0 PT2 -> PT2  
lynx > .../praktikum-apd-2026/postest-apd-2 PT2 x? 19:12
```

Gambar 5.1 Proses git add, commit, dan push