EUROPEAN ORGANISATION
FOR THE SAFETY OF AIR NAVIGATION



EUROCONTROL

EUROCONTROL EXPERIMENTAL CENTRE

AIRCRAFT PERFORMANCE SUMMARY TABLES FOR THE BASE OF AIRCRAFT DATA (BADA) REVISION 3.14

EEC Technical/Scientific Report No. 17/05/29-145

Project BADA

Restricted Issued: June 2017

© European Organisation for the Safety of Air Navigation EUROCONTROL 2017

This document is published by EUROCONTROL in the interest of the exchange of information. It may be copied in whole or in part providing that the copyright notice and disclaimer are included. The information contained in this document may not be modified without prior written permission from EUROCONTROL.

EUROCONTROL makes no warranty, either implied or express, for the information contained in this document, neither does it assume any legal liability or responsibility for the accuracy, completeness or usefulness of this information.

REPORT DOCUMENTATION PAGE

Reference EEC Technical/Scientific Report No. 17/05/29-145	**Security Classification** Unclassified
Originator: ATM/RDS/VIF	**Originator (Corporate Author) Name/Location:** EUROCONTROL Experimental Centre Centre de Bois des Bordes B.P.15 F - 91222 Brétigny-sur-Orge CEDEX FRANCE Telephone: +33 (0)1 69 88 75 00 Internet: www.eurocontrol.int
Sponsor EUROCONTROL	**Sponsor (Contract Authority) Name/Location:** EUROCONTROL Agency Rue de la Fusée, 96 B -1130 BRUXELLES Telephone: +32 (0)2 729 9011 Internet: www.eurocontrol.int

TITLE:
AIRCRAFT PERFORMANCE SUMMARY TABLES FOR THE BASE OF AIRCRAFT DATA (BADA) REVISION 3.14

Author	Date	Pages	Figures	Tables	Annexes	References
V. Mouillet	06/17	viii + 237	0	1	1	3

Project	Task no. sponsor	Period
BADA	ATM/RDS/VIF	06/15 to 06/17

Distribution Statement:
(a) Controlled by: Head of section
(b) Distribution: Public ☐ Restricted ☒ Confidential ☐
(c) Copy to NTIS: YES / ~~NO~~

Descriptors (keywords):

aircraft model, total-energy model, BADA, performance table

Abstract:

A set of aircraft performance summary tables are presented for the aircraft types modelled by the Base of Aircraft Data (BADA) Revision 3.14. For each aircraft type, the performance tables specify the true air speed, rate of climb/descent and fuel flow for conditions of climb, cruise and descent at various flight levels. The performance figures contained within the tables are calculated based on a total-energy model and BADA 3.14 performance coefficients.

Page intentionally left blank

SUMMARY

A set of aircraft performance summary tables are presented for the aircraft types modelled by the Base of Aircraft Data (BADA) Revision 3.14. For each aircraft type, the performance tables specify the true air speed, rate of climb/descent and fuel flow for conditions of climb, cruise and descent at various flight levels. The performance figures contained within the tables are calculated based on a total-energy model and BADA 3.14 performance coefficients.

Page intentionally left blank

TABLE OF CONTENTS

SUMMARY V

1. INTRODUCTION 1

1.1. IDENTIFICATION AND SCOPE 1

1.2. ORGANISATION 1

1.3. REFERENCED DOCUMENTS 1

1.4. GLOSSARY OF ACRONYMS 2

2. AIRCRAFT TYPES 3

3. FILE DESCRIPTION 9

LIST OF APPENDICES

APPENDIX A PERFORMANCE TABLE FILES FOR BADA 3.14 13

LIST OF TABLES

Table 2-1: List of aircraft types modelled by BADA 3.14 3

Page intentionally left blank

1. INTRODUCTION

1.1. IDENTIFICATION AND SCOPE

This note presents a set of performance summary tables for the aircraft types which are modelled by BADA Revision 3.14.

BADA is a collection of ASCII files, which specifies operation performance parameters and operating procedure parameters for various aircraft types. These parameters are based on a total-energy model (TEM) of aircraft performance and the model is designed for use in trajectory simulation and prediction algorithms within the domain of Air Traffic Management (ATM). All files are maintained within a configuration management system at the EUROCONTROL Experimental Centre (EEC) at Brétigny-sur-Orge, France. A complete description of BADA is available in the BADA User Manual [RD1].

A Performance Table File (PTF) is provided for each aircraft type. This file contains a table of values, which specifies the true air speed, rate of climb or descent and fuel flow for conditions of climb, cruise and descent at various flight levels.

The motivation for providing the performance summary tables is that some ATM applications prefer to use table-based performance data over TEM coefficients for determining aircraft performances.

1.2. ORGANISATION

This note is presented in three sections, including Section 1, the Introduction.

Section 2 provides a list of the aircraft types modelled by BADA 3.14 and for which Performance Table Files are available. A description of the content and format of these files is given in Section 3.

Copies of all Performance Table Files are included in this document as Appendix A.

1.3. REFERENCED DOCUMENTS

RD1 User Manual for the Base of Aircraft Data (BADA) Revision 3.14; EEC Technical/Scientific Report No. 17/05/29-143, June 2017

RD2 Aircraft Type Designators; ICAO Document No. 8643; Edition 45, April 2017, http://www.icao.int/publications/DOC8643/

RD3 Revision Summary Document for the Base of Aircraft Data (BADA) Revision 3.14; EEC Technical/Scientific Report No. 17/05/29-144, June 2017

1.4. GLOSSARY OF ACRONYMS

APF	**A**irline **P**rocedure **F**ile
ASCII	**A**merican **S**tandard **C**ode for the **I**nterchange of **I**nformation
ATM	**A**ir **T**raffic **M**anagement
BADA	**B**ase of **A**ircraft **Da**ta
CAS	**C**alibrated **A**ir**s**peed
EEC	**E**urocontrol **E**xperimental **C**entre
ICAO	**I**nternational **C**ivil **A**viation **O**rganization
ISA	**I**nternational **S**tandard **A**tmosphere
OPF	**O**peration **P**erformance **F**ile
PTF	**P**erformance **T**able **F**ile
TAS	**T**rue **A**ir **S**peed
TEM	**T**otal **E**nergy **M**odel

2. AIRCRAFT TYPES

There are 220 aircraft types directly modelled by BADA Revision 3.14. These aircraft types are listed in Table 2-1 below in alphabetical order of their aircraft code. The aircraft code corresponds to the ICAO designator [RD2] with two exceptions for the generic military fighter aircraft types, with the following codes: FGTL and FGTH.

Performance Table files corresponding to each of the aircraft types mentioned below are supplied in Appendix A.

Table 2-1: List of aircraft types modelled by BADA 3.14

Aircraft Code	Aircraft Name
A10	FAIRCHILD A-10A
A124	ANTONOV AN-124-100
A140	ANTONOV AN-140
A148	ANTONOV AN-148-100
A158	ANTONOV AN-158
A20N	AIRBUS A320-200 NEO
A306	AIRBUS A300B4-600
A30B	AIRBUS A300B4-200
A310	AIRBUS A310
A318	AIRBUS A318
A319	AIRBUS A319
A320	AIRBUS A320
A321	AIRBUS A321
A332	AIRBUS A330-200
A333	AIRBUS A330-300
A342	AIRBUS A340-200
A343	AIRBUS A340-300
A345	AIRBUS A340-500
A346	AIRBUS A340-600
A359	AIRBUS A350-900
A388	AIRBUS A380-800
A3ST	AIRBUS A-300ST
AJET	DASSAULT-DORNIER ALPHA JET
AN12	ANTONOV AN-12
AN24	ANTONOV AN-24
AN28	ANTONOV AN-28
AN30	ANTONOV AN-30
AN32	ANTONOV AN-32
AN38	ANTONOV AN-38
AT43	ATR 42-300
AT45	ATR 42-500
AT72	ATR 72-200
AT73	ATR 72-210
AT75	ATR 72-500
AT76	ATR 72-600
ATP	ADVANCED TURBOPROP

Aircraft Code	Aircraft Name
B190	BEECH 1900
B350	BEECH SUPER KING AIR 350
B462	BAE 146-200/RJ
B463	BAE 146-300/RJ
B58T	BEECH BARON 58P
B703	BOEING 707-300
B712	BOEING 717-200
B722	BOEING 727-200
B732	BOEING 737-200
B733	BOEING 737-300
B734	BOEING 737-400
B735	BOEING 737-500
B736	BOEING 737-600
B737	BOEING 737-700
B738	BOEING 737-800
B739	BOEING 737-900ER
B742	BOEING 747-200
B743	BOEING 747-300
B744	BOEING 747-400
B748	BOEING 747-8
B752	BOEING 757-200
B753	BOEING 757-300
B762	BOEING 767-200
B763	BOEING 767-300ER
B764	BOEING 767-400
B772	BOEING 777-200ER
B773	BOEING 777-300
B77L	BOEING 777-200 LR
B77W	BOEING 777-300 ER
B788	BOEING 787-8
B789	BOEING 787-9
BA11	BAE 111
BE20	BEECH SUPER KING AIR 200
BE30	BEECH SUPER KING AIR 300
BE36	BEECH BONANZA 36
BE40	BEECH BEECHJET 400
BE58	BEECH BARON 58
BE99	BEECH AIRLINER 99
BE9L	BEECH KING AIR 90
BER2	BERIEV BE-200ES
C130	LOCKHEED HERCULES
C160	TRANSALL C160
C162	CESSNA 162
C172	CESSNA 172S SKYHAWP SP
C182	CESSNA 182T SKYLANE
C208	CESSNA 208B

Aircraft Code	Aircraft Name
C25A	CESSNA CITATION CJ2
C25B	CESSNA CITATION CJ3
C25C	CESSNA CITATION CJ4
C27J	ALENIA C-27J
C310	CESSNA 310
C340	CESSNA 340
C402	CESSNA 402
C414	CESSNA 414
C421	CESSNA 421
C510	CESSNA CITATION MUSTANG
C525	CESSNA CITATION CJ1
C550	CESSNA CITATION II
C551	CESSNA CITATION II/SP
C55B	CESSNA CITATION BRAVO
C560	CESSNA CITATION V
C56X	CESSNA CITATION XLS
C650	CESSNA CITATION VII
C680	CESSNA CITATION SOVEREIGN
C750	CESSNA CITATION 10
C82S	CESSNA T182T SKYLANE TC
CL30	BOMBARDIER CHALLENGER 300
CL60	CANADAIR CHALLENGER
CRJ1	CANADAIR REGIONAL JET CRJ-100
CRJ2	CANADIAN REGIONAL JET CRJ-200
CRJ9	CANADIAN REGIONAL JET CRJ-900
D228	DORNIER 228
D328	DORNIER 328
DA40	DIAMOND DA40
DA42	DIAMOND DA42 TWIN STAR
DA62	DIAMOND DA62
DC10	MCDONNELL-DOUGLAS DC-10
DC87	MCDONNELL-DOUGLAS DC-8-70
DC93	MCDONNELL-DOUGLAS C-9
DC94	MCDONNELL-DOUGLAS DC-9-40
DH8A	DE HAVILLAND CANADA DHC-8-100 DASH 8
DH8C	DE HAVILLAND CANADA DHC-8-300 DASH 8
DH8D	DE HAVILLAND CANADA DHC-8-400 DASH 8
DIMO	DIAMOND HK36 TC100
E120	EMBRAER EMB-120
E135	EMBRAER EMB-135LR
E145	EMBRAER EMB-145
E170	EMBRAER EMB-170
E190	EMBRAER EMB-190
E195	EMBRAER EMB-195
E300	EXTRA 300
E35L	EMBRAER EMB-135BJ LEGACY 600

Aircraft Code	Aircraft Name
E45X	EMBRAER EMB-145XR
E500	EXTRA 500
E50P	EMBRAER EMB-500 PHENOM 100
E550	EMBRAER EMB-550 LEGACY 500
E55P	EMBRAER EMB-505 PHENOM 300
E75L	EMBRAER EMB-175 (LONG WING)
E75S	EMBRAER EMB-175 (SHORT WING)
EA50	ECLIPSE 500
EV97	EVEKTOR EV-97 EUROSTAR
F100	FOKKER 100
F15	MCDONNELL-DOUGLAS F-15
F16	GENERAL DYNAMICS F-16
F27	FOKKER FRIENDSHIP
F28	FOKKER FOLLOWSHIP
F2TH	DASSAULT FALCON 2000
F406	CESSNA 406
F50	FOKKER 50
F70	FOKKER 70
F900	DASSAULT FALCON 900
FA10	DASSAULT FALCON 10
FA20	DASSAULT FALCON 20
FA50	DASSAULT FALCON 50
FA7X	DASSAULT FALCON 7X
FGTH	MIL FIGHTER HIGH
FGTL	MIL FIGHTER LOW
G150	GULFSTREAM G150
G280	GULFSTREAM G280
GL5T	BOMBARDIER GLOBAL 5000
GLEX	BOMBARDIER GLOBAL 6000
GLF5	GULFSTREAM G550
H25A	HAWKER DOMINE HS125
H25B	HAWKER 800XP
HA4T	HAWKER 4000
HAWK	BRITISH AEROSPACE T-45A GOSHAWK
IL76	ILYUSHIN IL-76TD
IL86	ILYUSHIN IL-86
IL96	ILYUSHIN IL-96-300
JS32	JETSTREAM SUPER 31
JS41	JETSTREAM 41
L101	LOCKHEED TRISTAR
L39	AERO L-39
L410	LET L-410 UVP-E20
LJ35	LEARJET 35
LJ45	LEARJET 45
LJ60	LEARJET 60
M20P	MOONEY M20R

Aircraft Code	Aircraft Name
M20T	MOONEY M20TN
MAGC	IBIS MAGIC GS-700
MD11	MCDONNELL-DOUGLAS MD-11
MD82	MCDONNELL-DOUGLAS MD-82
MD83	MCDONNELL-DOUGLAS MD-83
MU2	MITSUBISHI MU-2
P06T	TECNAM P2006T
P180	PIAGGIO P.180 AVANTI
P28A	PIPER PA-28-140
P28R	PIPER PA-28R-201
P28T	PIPER PA-28RT-201
P28U	PIPER PA-28RT-201T
P46T	PIPER PA-46-500TP MALIBU MERIDIAN
P750	PAC 750XL
PA27	PIPER PA23 AZTEC
PA31	PIPER NAVAJO CHIEFTAIN
PA34	PIPER PA-34-220T SENECA III
PA44	PIPER PA-44-180 SEMINOLE
PA46	PIPER PA-46-350P MALIBU MIRAGE
PAY2	PIPER CHEYENNE II
PAY3	PIPER CHEYENNE III
PC12	PILATUS PC-12
PRM1	RAYTHEON PREMIER IA
RJ1H	BAE RJ-100 AVROLINER
RJ85	BAE RJ-85 AVROLINER
S22T	CIRRUS SR22T
SB20	SAAB 2000
SF25	SCHEIBE SF-25B FALKE
SF34	SAAB SF 340
SH36	SHORT SH3-360
SR20	CIRRUS SR20
SR22	CIRRUS SR22
SU95	SUKHOI RRJ-95B SUPERJET 100
SVNH	ICP SAVANNAH
SW4	SWEARINGEN MERLIN IV
T134	TUPOLEV TU-134
T154	TUPOLEV TU-154
T204	TUPOLEV TU-204-300
TB20	SOCATA TB 20 TRINIDAD
TB21	SOCATA TB 21 TRINIDAD TC
TBM7	SOCATA TBM-700
TBM8	SOCATA TBM-850
TEX2	RAYTHEON T-6B
U2	LOCKHEED U-2
YK40	YAKOVLEV YAK-40
YK42	YAKOVLEV YAK-42

Page intentionally left blank

3. FILE DESCRIPTION

The Performance Table File (PTF) is an ASCII file, which for a particular aircraft type specifies cruise, climb and descent performance at different flight levels. For any aircraft type, the PTF file is generated, based on the total-energy model described in [RD1], from the BADA coefficients contained in the corresponding OPF and APF files.

An example of a PTF file for the Fokker F-28 aircraft (F28) is shown below.

```
BADA PERFORMANCE FILE                                        Apr 01 2010

AC/Type: F28___
                              Source OPF File:               Jan 29 2009
                              Source APF file:               Apr 30 2002

 Speeds:   CAS(LO/HI)  Mach   Mass Levels [kg]         Temperature:  ISA
 climb   - 250/270     0.65   low     -  20880
 cruise  - 250/300     0.70   nominal -  24000         Max Alt. [ft]:  35000
 descent - 250/280     0.70   high    -  33000
=============================================================================================
 FL |          CRUISE                |               CLIMB                 |       DESCENT
    |  TAS          fuel              |  TAS          ROCD         fuel     |  TAS  ROCD    fuel
    | [kts]      [kg/min]             | [kts]        [fpm]      [kg/min]   | [kts] [fpm] [kg/min]
    |          lo   nom    hi         |         lo    nom    hi     nom     |        nom    nom
=============================================================================================
  0 |                                 |  127   3086  2860  2367   108.1    |  108   906   19.5
    |                                 |                                     |
  5 |                                 |  128   3042  2817  2325   106.4    |  108   913   19.5
    |                                 |                                     |
 10 |                                 |  129   2998  2774  2283   104.6    |  114   893   19.4
    |                                 |                                     |
 15 |                                 |  135   3112  2873  2357   103.3    |  125   858   19.4
    |                                 |                                     |
 20 |                                 |  136   3066  2829  2313   101.6    |  157   815   19.4
    |                                 |                                     |
 30 |  230   16.8  18.5  24.7         |  159   3549  3257  2642   100.0    |  230  1066   19.3
    |                                 |                                     |
 40 |  233   16.9  18.6  24.8         |  193   4183  3815  3065    99.3    |  233  1079   19.2
    |                                 |                                     |
 60 |  272   19.6  21.0  26.0         |  272   5173  4572  3405    98.3    |  272  1350   19.1
    |                                 |                                     |
 80 |  280   19.7  21.1  26.1         |  280   4813  4247  3140    91.7    |  280  1379   19.0
    |                                 |                                     |
100 |  289   19.8  21.2  26.3         |  311   4600  4060  3007    87.0    |  323  1739   18.8
    |                                 |                                     |
120 |  297   19.9  21.3  26.4         |  321   4224  3720  2730    80.9    |  332  1771   18.7
    |                                 |                                     |
140 |  366   26.4  27.4  31.3         |  330   3857  3388  2459    75.1    |  342  1803   18.6
    |                                 |                                     |
160 |  377   26.5  27.5  31.4         |  340   3501  3065  2196    69.7    |  353  1834   18.4
    |                                 |                                     |
180 |  388   26.6  27.6  31.6         |  351   3156  2753  1941    64.6    |  363  1864   18.3
    |                                 |                                     |
200 |  400   26.6  27.7  31.7         |  362   2825  2453  1695    59.8    |  375  1894   18.1
    |                                 |                                     |
220 |  412   26.7  27.8  31.9         |  373   2509  2166  1459    55.3    |  386  1923   18.0
    |                                 |                                     |
240 |  423   26.6  27.7  31.9         |  385   2210  1894  1236    51.2    |  398  1951   17.9
    |                                 |                                     |
260 |  420   24.9  26.1  30.7         |  390   2497  2120  1320    47.1    |  411  1977   17.7
    |                                 |                                     |
280 |  416   23.4  24.8  29.7         |  386   2499  2024  1073    43.2    |  416  2572   17.6
    |                                 |                                     |
290 |  414   22.7  24.1  29.3         |  385   2347  1886   956    41.4    |  414  2500   17.5
    |                                 |                                     |
310 |  411   21.5  23.0  28.7         |  381   2069  1631   735    38.1    |  411  2371   17.4
    |                                 |                                     |
330 |  407   20.4  22.1  28.3         |  378   1822  1401   528    35.3    |  407  1861   17.3
    |                                 |                                     |
350 |  403   19.5  21.4  28.2         |  375   1606  1197   336    32.8    |  403  1802   17.1
    |                                 |                                     |
=============================================================================================
```

The header of each PTF file contains information as described below. Symbols used in the description are the same as those in [RD1].

file creation date: This is in the first line, at the top-right corner

aircraft type: This is in the third line.

source file dates: The last modification dates of the OPF and APF files which were used to create the PTF file are given in the 4th and 5th lines respectively.

Speeds: The speed laws for climb, cruise and descent are specified in lines 8, 9 and 10, that is:

climb	$\min(V_{cl,1},\ 250kt) / V_{cl,2}$	M_{cl}
cruise	$\min(V_{cr,1},\ 250kt) / V_{cr,2}$	M_{cr}
descent	$\min(V_{des,1},\ 250kt) / V_{des,2}$	M_{des}

Mass levels: The performance tables provide data for three different mass levels in lines 8, 9 and 10, that is:

low	$1.2\ m_{min}$
nominal	m_{ref}
high	m_{max}

Note that the low mass is not the minimum mass but 1.2 times the minimum mass.

Temperature: The temperature is mentioned in line 7. All PTF files currently provide data for ISA conditions only.

Maximum altitude: The maximum altitude as specified in the OPF file, h_{MO}, is given in line 9.

The table of performance data within the file consists of 13 columns. Each of these columns is described below:

Column 1	FL
Column 2	cruise TAS (nominal mass) [knots]
Column 3	cruise fuel consumption (low mass) [kg/min]
Column 4	cruise fuel consumption (nominal mass) [kg/min]
Column 5	cruise fuel consumption (high mass) [kg/min]
Column 6	climb TAS (nominal mass) [knots]
Column 7	rate of climb with reduced power (low mass) [ft/min]
Column 8	rate of climb with reduced power (nominal mass) [ft/min]
Column 9	rate of climb with reduced power (high mass) [ft/min]
Column 10	climb fuel consumption (nominal mass) [kg/min]
Column 11	descent TAS (nominal mass) [knots]
Column 12	rate of descent (nominal mass) [ft/min]
Column 13	descent fuel consumption (nominal mass) [kg/min]

The format for data presented in each line of the table is as follows (Fortran notation):

I3, 4X, I3, 2X, 3(1X, F5.1), 5X, I3, 2X, 3(1X, I5), 3X, F5.1, 5X, I3, 2X, I5, 2X, F5.1

Further explanatory notes on the data presented in the performance tables are given below:

(a) Cruise data are only specified for flight levels greater than or equal to 30.

(b) Performance data are specified up to the aircraft maximum altitude.

(c) True airspeed for climb, cruise and descent is determined based on the speed schedules specified in Sections 4.1, 4.2 and 4.3 respectively of [RD1].

(d) Rates of climb are calculated at each flight level assuming the energy share factors associated with constant CAS or constant Mach speed laws and using the reduced power correction as given in Section 3.8 of [RD1].

(e) The fuel consumption in climb is independent of the aircraft mass and thus only one value is given. There are three different climb rates however corresponding to low, nominal and high mass conditions.

(f) The rate of descent and fuel consumption in descent is calculated assuming the nominal mass. Values for other mass conditions are not provided.

(g) Discontinuities in climb rate can occur for the following reasons:
- change in speed between flight levels (e.g. removal of 250 kt restriction above FL100),
- transition from constant CAS to constant Mach (typically around FL300),
- transition through the tropopause (FL360),
- end of the application scope for reduced climb power (at 80% of h_{max}).

(h) Discontinuities in descent rate can occur for the following reasons:
- transition through the tropopause (FL360),
- transition from constant Mach to constant CAS,
- change in assumed descent thrust (specified by the BADA h_{des} parameter),
- change to approach or landing aerodynamic configuration,
- change in speed between flight levels (e.g. application of 250 kt limit below FL100).

(i) The PTF files are generated using "non-clean" configuration data for approach and landing when such data are available (see Section 3.6.1 of [RD1]).

(j) The performance data presented in the table are computed by using ‘point type’ calculation, that is without performing integration over time: aircraft weight is constant and does not account for consumed fuel, and speed changes take place immediately.

(k) The flight envelope limitations are not taken into account for calculation of performance parameters[1].

[1] Example: cruise fuel flow is calculated without checking, for given aircraft weight, speed and FL, that aircraft drag is lower than maximum available cruise thrust.

Page intentionally left blank

APPENDIX A

Performance table files for BADA 3.14

Page intentionally left blank

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: A10___

Source OPF File: Nov 08 2016
Source APF file: Nov 08 2016

Speeds:	CAS(LO/HI)	Mach	Mass Levels [kg]		Temperature: ISA
climb	- 200/185	0.52	low	- 15241	
cruise	- 215/215	0.56	nominal	- 19505	Max Alt. [ft]: 45000
descent	- 175/175	0.67	high	- 23133	

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					155	3164	2637	2271	38.7	150	799	6.4
5					156	3139	2611	2244	38.5	151	812	6.4
10					157	3114	2585	2217	38.2	157	1178	3.8
15					164	3198	2641	2256	38.7	169	1257	3.8
20					165	3171	2613	2227	38.5	180	1687	3.8
30	224	17.3	19.2	21.1	188	3474	2810	2362	41.0	183	1712	3.8
40	228	17.5	19.3	21.3	212	3716	2885	2335	43.4	185	1737	3.8
60	234	17.8	19.7	21.7	218	3576	2732	2192	42.3	191	1787	3.8
80	241	18.2	20.1	22.1	225	3394	2572	2044	41.2	197	1840	3.8
100	249	18.5	20.5	22.6	214	3169	2352	1819	38.0	203	1894	3.8
120	256	18.9	20.9	23.1	221	2989	2194	1670	36.9	209	1950	3.8
140	264	19.3	21.4	23.5	228	2802	2029	1515	35.8	216	2007	3.8
160	273	19.7	21.8	24.0	235	2608	1857	1354	34.6	223	2066	3.8
180	281	20.1	22.3	24.6	243	2405	1678	1186	33.5	230	2126	3.8
200	290	20.5	22.8	25.1	251	2193	1492	1011	32.3	237	2188	3.8
220	300	21.0	23.3	25.7	259	1973	1298	829	31.0	245	2251	3.8
240	310	21.4	23.8	26.3	268	1745	1157	640	29.8	254	2316	3.8
260	320	21.9	24.3	26.9	277	1508	936	444	28.5	262	2382	3.8
280	330	22.3	24.9	27.5	286	1423	707	240	27.2	271	2169	3.8
290	331	22.0	24.6	27.3	291	1281	590	136	26.5	276	2210	3.8
310	329	20.7	23.5	26.5	301	988	349	0	25.1	285	2293	3.8
330	326	19.5	22.6	25.9	302	881	152	0	23.1	296	2378	3.8
350	323	18.6	22.0	25.5	300	605	0	0	21.0	306	2465	3.8
370	321	17.8	21.5	25.4	298	302	0	0	18.9	319	2476	3.8
390	321	17.3	21.4	25.7	298	0	0	0	17.0	333	2577	3.8
410	321	17.0	21.5	26.2	298	0	0	0	15.1	348	2679	3.8
430	321	16.8	21.7	26.9	298	0	0	0	13.2	364	2781	3.8
450	321	16.7	22.2	27.9	298	0	0	0	11.4	380	2884	3.8

BADA PERFORMANCE FILE May 22 2013

AC/Type: A124__

Source OPF File: May 13 2013
Source APF file: May 13 2013

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/265 0.71 low - 206400
cruise - 250/281 0.70 nominal - 317200 Max Alt. [ft]: 39370
descent - 250/281 0.75 high - 392000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					171	2204	1385	975	476.2	156	869	116.1
5					173	2202	1380	968	473.6	157	878	115.5
10					174	2201	1375	961	470.9	163	861	114.6
15					180	2304	1440	1012	467.2	175	829	113.4
20					182	2301	1434	1004	464.5	207	1261	110.2
30	230	143.3	197.3	246.7	205	2666	1661	1183	454.6	230	1375	108.6
40	233	143.0	197.0	246.4	240	3067	1884	1343	442.4	233	1397	106.9
60	272	160.7	201.9	239.6	272	3319	1925	1313	425.6	272	1841	103.6
80	280	159.8	200.9	238.6	280	3259	1872	1259	413.6	280	1890	100.3
100	289	158.8	199.9	237.6	306	3143	1807	1218	397.8	324	2357	97.0
120	297	157.7	198.9	236.5	315	3053	1733	1146	385.0	334	2411	93.7
140	343	179.5	211.7	241.1	324	2951	1649	1066	371.8	343	2466	90.4
160	354	177.9	210.1	239.5	334	2836	1556	977	358.2	354	2520	87.1
180	365	176.1	208.3	237.8	345	2708	1454	880	344.2	365	2897	83.8
200	376	174.3	206.5	236.0	355	2567	1341	775	329.9	376	2946	80.5
220	388	172.3	204.6	234.2	366	2411	1218	660	315.3	388	2994	77.2
240	400	170.3	202.6	232.2	378	2241	1085	536	300.3	400	3041	73.9
260	412	168.1	200.6	230.2	390	2056	940	401	284.9	412	3086	70.6
280	416	161.6	195.8	227.0	403	1855	784	257	269.3	425	3129	67.3
290	414	156.9	192.7	225.4	409	1750	702	181	261.4	432	3150	65.6
310	411	148.3	187.5	223.4	417	2096	772	40	246.1	440	4305	62.3
330	407	140.8	183.9	223.3	413	2209	579	0	231.8	436	4129	59.0
350	403	134.4	181.8	225.2	409	1975	350	0	217.1	432	3989	55.7
370	401	128.9	181.2	229.0	407	1591	80	0	201.7	430	3610	52.4
390	401	124.5	182.0	234.7	407	1304	0	0	185.7	430	3580	49.1
394	401	123.8	182.4	236.0	407	1246	0	0	182.7	430	3579	48.5

BADA PERFORMANCE FILE May 22 2013

AC/Type: A140__

Source OPF File: May 15 2013
Source APF file: May 15 2013

Speeds: CAS(LO/HI) Mach
climb - 162/162 0.40
cruise - 221/221 0.42
descent - 184/184 0.44

Mass Levels [kg]
low - 15720
nominal - 18300
high - 21000

Temperature: ISA

Max Alt. [ft]: 24934

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					144	2144	1853	1586	17.1	112	598	5.8
5					155	2070	1779	1513	16.9	112	607	5.8
10					161	2013	1722	1484	16.8	118	608	5.8
15					166	1897	1671	1455	16.6	129	583	5.8
20					167	1866	1641	1425	16.5	161	597	5.8
30	188	6.9	7.7	8.6	169	1805	1581	1366	16.2	192	831	5.8
40	191	7.0	7.8	8.7	172	1743	1521	1307	15.9	195	854	5.8
60	241	10.8	11.5	12.2	177	1619	1400	1188	15.3	201	900	5.8
80	248	11.1	11.8	12.6	182	1494	1278	1068	14.7	207	948	5.8
100	256	11.4	12.1	12.9	188	1368	1156	947	14.2	213	997	5.8
120	263	11.7	12.4	13.3	194	1241	1033	825	13.6	220	1046	5.8
140	264	11.3	12.0	12.9	200	1114	909	702	13.0	227	1096	5.8
160	262	10.7	11.5	12.5	206	987	784	579	12.4	234	990	5.8
180	260	10.1	11.0	12.1	213	858	659	454	11.9	241	1049	5.8
200	258	9.7	10.6	11.7	220	876	582	328	11.3	249	1109	5.8
220	256	9.3	10.3	11.5	227	720	444	202	10.7	258	1170	5.9
240	254	8.9	10.0	11.4	235	565	304	75	10.1	266	1393	5.9
249	253	8.8	9.9	11.3	239	492	239	16	9.9	265	1380	5.9

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: A148__

Source OPF File: Jun 23 2017
Source APF file: Jun 23 2017

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/259 0.73 low - 30456
cruise - 250/270 0.78 nominal - 37000 Max Alt. [ft]: 40020
descent - 250/270 0.78 high - 42550

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					138	1862	1608	1422	64.5	129	699	20.6
5					139	1860	1605	1417	64.2	129	706	20.4
10					140	1858	1602	1413	63.9	135	689	20.3
15					146	1962	1691	1493	63.6	147	708	20.1
20					147	1959	1687	1488	63.3	179	708	20.0
30	230	19.6	22.1	24.5	170	2335	2009	1779	63.1	230	785	19.7
40	233	19.6	22.1	24.5	204	2778	2380	2105	63.1	233	802	19.3
60	272	22.9	24.8	26.8	272	3234	2695	2337	63.1	272	1117	18.7
80	280	22.9	24.9	26.8	280	3178	2642	2285	61.6	280	1159	18.1
100	289	22.9	24.9	26.9	299	3108	2583	2233	60.3	311	1461	17.5
120	297	22.9	24.9	26.9	308	3028	2509	2163	58.7	321	1510	16.9
140	330	25.6	27.3	29.1	317	2938	2426	2083	57.1	330	1560	16.3
160	340	25.6	27.4	29.1	327	2837	2334	1995	55.3	340	1611	15.7
180	351	25.6	27.4	29.1	337	2725	2232	1898	53.6	351	1898	15.1
200	362	25.6	27.4	29.1	348	2601	2119	1791	51.7	362	1947	14.5
220	373	25.5	27.3	29.1	359	2465	1996	1675	49.8	373	1996	13.8
240	385	25.5	27.3	29.1	370	2317	1861	1548	47.9	385	2045	13.2
260	397	25.5	27.3	29.2	382	2155	1715	1410	45.9	397	2095	12.6
280	410	25.4	27.3	29.2	394	1981	1558	1262	43.8	410	2144	12.0
290	416	25.4	27.3	29.1	400	1889	1475	1184	42.7	416	2168	11.7
310	430	25.3	27.2	29.1	414	1695	1299	1019	40.5	430	2216	11.1
330	444	25.3	27.2	29.1	425	2273	1598	1152	38.2	444	2263	10.5
350	450	24.5	26.5	28.6	421	2065	1402	961	35.6	450	3130	9.9
370	447	23.0	25.3	27.5	419	1700	1097	691	33.1	447	2745	9.3
390	447	21.8	24.3	26.8	419	1455	865	463	30.4	447	2656	8.6
400	447	21.3	23.9	26.5	419	1317	734	335	29.1	447	2623	8.3

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: A158__

Source OPF File: Jun 22 2017
Source APF file: Jun 22 2017

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 248/248 0.73 low - 31440
cruise - 250/270 0.78 nominal - 38000 Max Alt. [ft]: 38060
descent - 248/259 0.77 high - 43700

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					140	2147	1865	1653	69.8	134	724	16.2
5					141	2132	1850	1637	69.2	135	733	16.1
10					142	2118	1835	1621	68.6	141	720	16.0
15					148	2218	1920	1696	68.3	152	820	15.9
20					149	2203	1904	1679	67.7	184	854	15.8
30	230	22.3	25.0	27.7	173	2579	2224	1964	67.6	230	1070	15.7
40	233	22.3	25.0	27.8	207	3013	2581	2274	68.0	233	1094	15.5
60	272	26.5	28.6	30.8	270	3346	2789	2406	68.4	270	1461	15.1
80	280	26.6	28.7	31.0	278	3206	2661	2285	66.0	278	1517	14.7
100	289	26.7	28.9	31.1	286	3059	2528	2159	63.7	299	1736	14.3
120	297	26.8	29.0	31.3	295	2907	2390	2029	61.3	308	1797	13.9
140	330	30.2	32.2	34.2	304	2750	2247	1894	59.0	317	1858	13.6
160	340	30.3	32.3	34.3	313	2587	2099	1754	56.7	327	1606	13.2
180	351	30.4	32.4	34.5	323	2418	1945	1610	54.4	337	1676	12.8
200	362	30.5	32.5	34.6	333	2243	1787	1460	52.2	348	1746	12.4
220	373	30.6	32.6	34.8	344	2063	1623	1306	49.9	359	1817	12.0
240	385	30.6	32.8	34.9	355	1877	1455	1147	47.6	370	1888	11.7
260	397	30.7	32.9	35.0	366	1687	1281	983	45.4	382	1959	11.3
280	410	30.8	33.0	35.2	378	1491	1104	815	43.2	394	2029	10.9
290	416	30.8	33.0	35.3	385	1391	1013	729	42.1	400	2064	10.7
310	430	30.9	33.1	35.4	397	1328	871	555	39.9	414	2134	10.3
330	444	30.9	33.2	35.5	410	1096	673	377	37.7	427	2202	10.0
350	450	30.0	32.4	34.9	421	1197	660	281	35.4	441	2269	9.6
370	447	28.2	30.9	33.6	419	954	454	96	32.9	442	2822	9.2
381	447	27.4	30.2	33.0	419	863	361	0	31.6	442	2777	9.0

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: A20N__

Source OPF File: Jun 13 2017
Source APF file: Jun 13 2017

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.78
cruise - 250/310 0.78
descent - 250/300 0.79

Mass Levels [kg]
low - 55200
nominal - 68000
high - 79000

Temperature: ISA

Max Alt. [ft]: 41100

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					149	2641	2330	2107	93.2	136	726	31.0
5					150	2630	2318	2095	92.5	137	740	30.8
10					151	2619	2306	2081	91.8	143	774	30.7
15					158	2723	2391	2155	91.5	155	840	12.6
20					159	2710	2378	2141	90.8	187	817	12.8
30	230	23.3	26.4	29.6	182	3101	2699	2421	90.9	230	1013	9.5
40	233	23.4	26.5	29.7	216	3568	3071	2735	91.8	233	1032	9.4
60	272	27.8	30.3	32.9	272	4007	3322	2877	92.4	272	1379	9.2
80	280	27.9	30.4	33.0	280	3877	3205	2768	89.4	280	1425	9.0
100	289	28.0	30.6	33.2	357	3558	2960	2573	90.9	345	2107	8.8
120	297	28.2	30.7	33.4	367	3360	2785	2413	87.7	356	2166	8.7
140	378	40.7	42.5	44.3	378	3151	2602	2243	84.6	366	2225	8.5
160	389	40.8	42.6	44.5	389	2932	2409	2066	81.3	377	2284	8.3
180	401	40.9	42.7	44.6	401	2701	2207	1879	78.0	388	2343	8.1
200	413	40.9	42.8	44.8	413	2460	1995	1684	74.7	400	2401	7.9
220	425	41.0	42.9	44.9	425	2209	1774	1481	71.2	412	2459	7.7
240	438	41.1	43.0	45.0	438	1947	1544	1269	67.7	425	2515	7.5
260	452	41.1	43.1	45.1	452	1674	1304	1049	64.2	438	2570	7.3
280	464	40.8	42.8	44.9	464	1983	1506	1171	60.4	452	2624	7.1
290	462	39.3	41.4	43.6	462	1904	1430	1094	58.2	459	2650	7.0
310	458	36.5	38.8	41.2	458	1724	1255	918	53.8	464	3650	6.8
330	454	34.0	36.6	39.2	454	1696	1107	715	49.4	459	3425	6.6
350	450	31.8	34.6	37.5	450	1427	865	486	45.0	455	3234	6.4
370	447	29.9	33.0	36.1	447	1041	549	212	40.6	453	2832	6.2
390	447	28.3	31.7	35.1	447	741	276	0	36.3	453	2743	6.0
410	447	27.0	30.7	34.5	447	408	0	0	31.9	453	2684	5.8
411	447	26.9	30.6	34.5	447	391	0	0	31.7	453	2682	5.8

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: A306__

Source OPF File: Sep 05 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.79
cruise - 250/310 0.79
descent - 250/290 0.79

Mass Levels [kg]
low - 104400
nominal - 140000
high - 171700

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					157	2454	1925	1556	219.7	131	698	84.1
5					158	2437	1907	1536	217.8	132	714	83.3
10					159	2420	1889	1517	215.9	138	730	82.9
15					166	2530	1974	1588	214.9	149	774	82.9
20					167	2512	1955	1568	213.0	181	988	28.3
30	230	53.3	69.9	88.8	190	2940	2289	1852	212.9	230	1287	20.2
40	233	53.4	70.1	89.0	225	3474	2695	2191	214.6	233	1306	19.9
60	272	60.0	73.3	88.5	272	4081	2973	2285	213.7	272	1520	19.3
80	280	60.3	73.8	89.1	280	3932	2846	2168	206.0	280	1561	18.7
100	289	60.5	74.2	89.7	357	3897	2879	2256	208.7	334	1984	18.0
120	297	60.9	74.6	90.3	367	3687	2706	2101	200.8	344	2027	17.4
140	378	82.2	91.8	102.8	378	3472	2527	1941	193.0	354	2071	16.8
160	389	82.4	92.3	103.4	389	3250	2344	1776	185.2	365	2075	16.1
180	401	82.7	92.7	104.0	401	3023	2156	1607	177.4	376	2119	15.5
200	413	82.9	93.1	104.6	413	2790	1962	1434	169.6	387	2163	14.9
220	425	83.2	93.5	105.2	425	2551	1765	1256	161.8	399	2206	14.2
240	438	83.4	93.9	105.8	438	2308	1563	1074	154.1	412	2248	13.6
260	452	83.6	94.3	106.5	452	2059	1357	889	146.3	425	2289	13.0
280	466	83.8	94.7	107.1	466	1807	1147	700	138.6	438	2330	12.3
290	468	82.3	93.6	106.4	468	2417	1499	872	134.2	445	2349	12.0
310	464	77.5	89.8	103.8	464	2192	1359	648	124.9	459	2388	11.4
330	459	73.3	86.8	102.1	459	2214	1111	405	115.8	459	3297	10.8
350	455	69.7	84.4	101.2	455	1919	842	142	106.8	455	3198	10.1
370	453	66.8	83.0	101.4	453	1477	511	0	98.1	453	2882	9.5
390	453	64.6	82.4	102.7	453	1180	229	0	89.7	453	2873	8.9
410	453	62.9	82.6	104.9	453	859	0	0	81.5	453	2892	8.2

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: A30B__

Source OPF File: Jan 15 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.78
cruise - 250/300 0.78
descent - 250/300 0.79

Mass Levels [kg]
low - 108000
nominal - 134000
high - 165000

Temperature: ISA

Max Alt. [ft]: 39000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					143	1721	1367	1011	204.8	134	702	70.3
5					144	1709	1353	996	203.3	135	715	69.8
10					145	1697	1340	981	201.7	141	752	69.6
15					151	1804	1431	1060	201.0	152	853	37.4
20					152	1791	1417	1045	199.5	184	893	36.9
30	230	60.6	73.4	92.1	175	2196	1764	1348	199.8	230	1187	36.1
40	233	60.8	73.6	92.4	210	2685	2175	1700	201.8	233	1207	35.3
60	272	68.1	78.4	93.5	272	3248	2547	1920	204.2	272	1452	33.7
80	280	68.5	78.8	94.0	280	3135	2445	1824	197.8	280	1498	32.0
100	289	68.8	79.2	94.6	345	3002	2371	1811	199.5	345	2121	30.4
120	297	69.1	79.7	95.2	356	2843	2231	1684	192.9	356	2173	28.7
140	366	88.5	96.3	107.8	366	2677	2084	1550	186.2	366	2225	27.1
160	377	88.8	96.7	108.4	377	2503	1931	1411	179.4	377	2277	25.4
180	388	89.0	97.1	108.9	388	2322	1771	1265	172.6	388	2329	23.8
200	400	89.3	97.5	109.5	400	2133	1604	1114	165.7	400	2379	22.2
220	412	89.6	97.9	110.1	412	1937	1431	957	158.7	412	2429	20.5
240	425	89.9	98.3	110.8	425	1733	1251	794	151.6	425	2478	18.9
260	438	90.1	98.7	111.4	438	1522	1065	625	144.5	438	2526	17.2
280	452	90.3	99.1	112.0	452	1305	873	450	137.2	452	2573	15.6
290	459	90.4	99.3	112.4	459	1193	775	361	133.5	459	2757	14.8
310	458	86.1	95.7	109.8	458	1488	962	312	124.8	464	3822	13.1
330	454	81.6	92.0	107.5	454	1468	757	105	115.9	459	3653	11.5
350	450	77.7	89.2	106.1	450	1229	526	0	107.0	455	3517	9.8
370	447	74.6	87.2	105.8	447	887	248	0	98.3	453	3144	8.2
390	447	72.2	86.2	106.7	447	619	0	0	89.8	453	3108	6.5

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: A310__

Source OPF File: Jan 15 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.80
cruise - 250/310 0.80
descent - 250/300 0.80

Mass Levels [kg]
low - 97200
nominal - 120000
high - 150000

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					147	2694	2337	1961	212.4	131	677	70.3
5					148	2687	2328	1951	211.1	132	689	69.9
10					149	2680	2320	1941	209.8	138	729	69.7
15					155	2806	2425	2029	209.2	149	828	69.8
20					156	2798	2416	2018	207.9	181	885	35.9
30	230	46.7	54.8	68.0	179	3271	2813	2350	208.5	230	1026	15.8
40	233	46.8	54.9	68.2	214	3865	3301	2749	210.6	233	1044	15.9
60	272	53.8	60.3	70.9	272	4617	3777	2992	212.8	272	1314	15.9
80	280	54.1	60.6	71.3	280	4512	3684	2906	206.9	280	1355	16.0
100	289	54.3	60.9	71.7	357	4522	3728	2995	210.3	345	2021	16.1
120	297	54.5	61.2	72.1	367	4348	3575	2859	203.9	356	2070	16.2
140	378	75.6	80.3	87.9	378	4158	3410	2712	197.2	366	2119	16.3
160	389	75.8	80.5	88.2	389	3954	3231	2554	190.3	377	2168	16.4
180	401	75.9	80.7	88.6	401	3734	3039	2384	183.2	388	2217	16.5
200	413	76.1	80.9	88.9	413	3498	2833	2202	175.8	400	2059	16.6
220	425	76.2	81.1	89.2	425	3246	2613	2008	168.2	412	2114	16.7
240	438	76.3	81.3	89.6	438	2977	2379	1802	160.3	425	2169	16.8
260	452	76.3	81.5	89.9	452	2692	2131	1583	152.1	438	2224	16.9
280	466	76.4	81.6	90.2	466	2391	1869	1352	143.6	452	2278	17.0
290	473	76.4	81.7	90.3	473	2234	1732	1232	139.2	459	2305	17.0
310	469	71.6	77.3	86.8	469	2878	2185	1484	128.8	469	3305	17.1
330	465	67.1	73.4	83.7	465	2877	2009	1186	118.3	465	3139	17.2
350	461	63.2	70.1	81.4	461	2466	1647	860	107.6	461	3005	17.3
370	459	59.9	67.5	79.9	459	1855	1152	463	96.8	459	2666	17.4
390	459	57.2	65.5	79.2	459	1425	768	109	86.1	459	2627	17.5
410	459	55.0	64.2	79.3	459	955	349	0	75.2	459	2616	17.6

BADA PERFORMANCE FILE May 22 2013

AC/Type: A318__

Source OPF File: Apr 24 2013
Source APF file: Mar 17 2010

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.78
cruise - 250/300 0.78
descent - 250/290 0.78

Mass Levels [kg]
low - 46031
nominal - 59000
high - 68000

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					140	2574	2209	2002	98.0	126	669	34.3
5					141	2563	2197	1990	97.3	127	683	34.0
10					142	2552	2185	1977	96.5	133	691	33.9
15					148	2665	2275	2056	96.1	144	843	12.2
20					149	2653	2262	2042	95.3	176	852	12.3
30	230	24.8	28.1	31.0	173	3076	2599	2339	95.1	230	1239	11.5
40	233	24.8	28.2	31.0	207	3582	2988	2672	95.6	233	1258	11.3
60	272	30.0	32.7	34.9	272	4094	3277	2862	96.1	272	1672	11.0
80	280	30.1	32.8	35.1	280	3960	3161	2754	93.0	280	1718	10.6
100	289	30.2	32.9	35.2	345	3595	2882	2521	93.1	334	2038	10.3
120	297	30.2	33.0	35.3	356	3403	2718	2370	89.9	344	2099	10.0
140	366	41.6	43.6	45.3	366	3203	2547	2212	86.7	354	2161	9.7
160	377	41.6	43.7	45.4	377	2995	2369	2047	83.5	365	2222	9.3
180	388	41.6	43.7	45.5	388	2779	2184	1876	80.2	376	2283	9.0
200	400	41.7	43.8	45.5	400	2554	1992	1698	77.0	387	2343	8.7
220	412	41.7	43.8	45.6	412	2321	1793	1515	73.7	399	2403	8.3
240	425	41.7	43.8	45.7	425	2081	1588	1325	70.4	412	2461	8.0
260	438	41.6	43.8	45.7	438	1834	1377	1130	67.1	425	2519	7.7
280	452	41.6	43.8	45.7	452	1579	1159	928	63.7	438	2574	7.4
290	459	41.6	43.8	45.7	459	1449	1048	826	62.0	445	2601	7.2
310	458	39.0	41.4	43.5	458	1896	1337	1024	58.1	458	3704	6.9
330	454	36.1	38.8	41.1	454	1992	1268	891	54.1	454	3455	6.5
350	450	33.6	36.5	39.0	450	1817	1106	732	50.1	450	3240	6.2
370	447	31.4	34.6	37.3	447	1486	846	505	46.2	447	2824	5.9
390	447	29.5	33.0	36.0	447	1277	651	313	42.4	447	2715	5.6
410	447	27.8	31.8	35.1	447	1035	427	94	38.6	447	2635	5.2

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: A319__

Source OPF File: Aug 22 2014
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.78
cruise - 250/300 0.78
descent - 250/300 0.79

Mass Levels [kg]
low - 48000
nominal - 60000
high - 70000

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					140	2702	2407	2209	110.9	127	662	37.7
5					141	2686	2390	2192	109.8	128	678	37.3
10					142	2669	2373	2174	108.7	134	725	37.0
15					148	2770	2455	2244	107.9	145	720	15.9
20					149	2753	2437	2226	106.8	177	844	16.0
30	230	25.3	28.0	30.8	173	3144	2753	2499	105.8	230	1015	10.9
40	233	25.3	28.1	30.9	207	3623	3128	2814	105.3	233	1032	10.8
60	272	30.7	32.9	35.0	272	4133	3423	2992	104.1	272	1406	10.6
80	280	30.7	32.9	35.1	280	3963	3275	2856	99.9	280	1448	10.4
100	289	30.8	33.0	35.2	357	3582	2972	2603	98.9	345	2308	10.3
120	297	30.8	33.0	35.3	367	3349	2771	2419	94.6	356	2357	10.1
140	366	42.3	43.9	45.5	378	3111	2566	2232	90.5	366	2406	10.0
160	377	42.3	43.9	45.6	389	2871	2358	2042	86.4	377	2453	9.8
180	388	42.2	43.9	45.6	401	2627	2147	1850	82.4	388	2499	9.6
200	400	42.2	43.9	45.6	413	2381	1935	1656	78.5	400	2543	9.5
220	412	42.1	43.9	45.6	425	2133	1721	1461	74.6	412	2585	9.3
240	425	42.1	43.8	45.6	438	1885	1505	1264	70.7	425	2625	9.1
260	438	42.0	43.7	45.5	452	1635	1290	1067	67.0	438	2663	9.0
280	452	41.9	43.7	45.5	464	1975	1532	1242	63.2	452	2567	8.8
290	459	41.8	43.6	45.4	462	1930	1487	1196	61.2	459	2586	8.7
310	458	39.1	41.1	43.1	458	1826	1385	1091	57.1	464	3536	8.5
330	454	36.2	38.4	40.6	454	1916	1333	970	53.1	459	3278	8.4
350	450	33.6	36.0	38.4	450	1763	1192	834	49.3	455	3052	8.2
370	447	31.3	33.9	36.5	447	1470	956	631	45.6	453	2629	8.0
390	447	29.4	32.2	35.1	447	1308	805	482	42.1	453	2499	7.9
410	447	27.6	30.8	33.9	447	1128	636	316	38.6	453	2395	7.7

BADA PERFORMANCE FILE Mar 31 2011

AC/Type: A320__

Source OPF File: Mar 30 2011
Source APF file: Mar 31 2011

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.78
cruise - 250/310 0.78
descent - 250/300 0.79

Mass Levels [kg]
low - 46800
nominal - 64000
high - 77000

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					151	2687	2164	1860	113.5	137	707	44.7
5					152	2672	2147	1842	112.5	138	723	44.3
10					153	2656	2130	1825	111.4	144	788	44.0
15					159	2765	2210	1891	110.5	155	770	17.4
20					160	2748	2193	1873	109.5	187	824	17.4
30	230	26.9	32.7	38.3	184	3166	2501	2130	108.1	230	935	8.7
40	233	26.9	32.7	38.3	218	3671	2857	2418	107.1	233	956	8.6
60	272	31.5	36.1	40.6	272	4186	3078	2512	104.5	272	1266	8.4
80	280	31.5	36.2	40.6	280	4027	2946	2392	100.4	280	1316	8.2
100	289	31.5	36.2	40.7	357	3667	2710	2223	98.4	345	2072	8.0
120	297	31.5	36.2	40.7	367	3441	2527	2060	94.3	356	2131	7.8
140	378	44.2	47.4	50.5	378	3209	2340	1892	90.2	366	2190	7.6
160	389	44.1	47.3	50.4	389	2972	2148	1719	86.2	377	2248	7.4
180	401	44.0	47.3	50.4	401	2728	1951	1543	82.2	388	2306	7.2
200	413	43.9	47.2	50.3	413	2480	1750	1362	78.3	400	2363	7.0
220	425	43.7	47.0	50.2	425	2227	1545	1178	74.4	412	2418	6.8
240	438	43.6	46.9	50.2	438	1969	1337	991	70.5	425	2472	6.7
260	452	43.4	46.8	50.1	452	1708	1125	801	66.7	438	2524	6.5
280	464	42.8	46.3	49.7	464	2055	1300	870	62.9	452	2574	6.3
290	462	41.3	44.9	48.4	462	1998	1242	808	60.8	459	2598	6.2
310	458	38.4	42.4	46.2	458	1865	1108	667	56.8	464	3438	6.0
330	454	35.8	40.2	44.4	454	1940	1005	505	52.8	459	3241	5.8
350	450	33.5	38.3	42.9	450	1738	820	322	48.9	455	3077	5.6
370	447	31.5	36.8	41.9	447	1395	567	109	45.0	453	2711	5.4
390	447	29.8	35.6	41.2	447	1173	359	0	41.3	453	2643	5.2
410	447	28.3	34.7	40.9	447	926	128	0	37.6	453	2603	5.0

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: A321__

Source OPF File: Jan 15 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.78
cruise - 250/300 0.78
descent - 250/300 0.78

Mass Levels [kg]
low - 57360
nominal - 72000
high - 83000

Temperature: ISA

Max Alt. [ft]: 39100

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					158	2662	2308	2087	130.5	139	727	43.5
5					160	2641	2286	2065	129.2	140	744	43.0
10					161	2620	2265	2043	127.9	146	781	42.7
15					167	2711	2336	2104	127.0	157	857	21.7
20					168	2688	2314	2081	125.7	189	936	21.9
30	230	32.4	38.2	43.4	192	3044	2599	2329	124.9	230	1169	13.5
40	233	32.5	38.3	43.5	226	3472	2930	2610	125.0	233	1187	13.3
60	272	37.6	42.2	46.4	272	3825	3084	2662	123.0	272	1484	12.9
80	280	37.8	42.4	46.6	280	3652	2932	2520	117.9	280	1527	12.5
100	289	37.9	42.6	46.8	357	3398	2753	2388	117.8	345	2234	12.1
120	297	38.0	42.8	47.0	367	3166	2552	2202	112.7	356	2281	11.7
140	366	50.2	53.7	56.9	378	2932	2348	2014	107.8	366	2328	11.3
160	377	50.3	53.9	57.1	389	2695	2143	1823	102.8	377	2374	10.9
180	388	50.4	54.0	57.2	401	2457	1935	1631	98.0	388	2418	10.5
200	400	50.5	54.1	57.4	413	2217	1727	1438	93.3	400	2462	10.0
220	412	50.6	54.3	57.6	425	1977	1518	1244	88.7	412	2504	9.6
240	425	50.6	54.4	57.8	438	1736	1308	1050	84.1	425	2544	9.2
260	438	50.7	54.5	57.9	452	1496	1099	855	79.7	438	2582	8.8
280	452	50.7	54.6	58.1	464	1789	1269	945	75.2	452	2617	8.4
290	459	50.7	54.6	58.2	462	1725	1203	877	72.7	459	2634	8.2
310	458	47.9	52.1	56.0	458	1586	1114	729	67.7	458	3521	7.8
330	454	44.9	49.6	53.8	454	1608	951	566	63.0	454	3331	7.4
350	450	42.3	47.4	52.0	450	1422	772	389	58.4	450	3170	7.0
370	447	40.1	45.7	50.8	447	1127	535	181	54.0	447	2873	6.6
390	447	38.3	44.5	50.0	447	936	346	0	49.8	447	2800	6.1
391	447	38.2	44.4	50.0	447	926	337	0	49.6	447	2797	6.1

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: A332__

Source OPF File: Jan 15 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/310 0.82 low - 144720
cruise - 250/330 0.82 nominal - 190000 Max Alt. [ft]: 41000
descent - 250/300 0.82 high - 230000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					157	2450	2061	1794	261.7	140	727	85.7
5					158	2439	2048	1781	259.6	141	741	85.0
10					159	2426	2036	1767	257.5	147	806	84.7
15					166	2520	2107	1827	256.8	159	669	55.7
20					167	2507	2094	1812	254.7	191	901	57.0
30	230	55.9	68.2	81.8	190	2867	2372	2045	255.8	230	838	24.9
40	233	56.0	68.4	82.1	225	3316	2708	2320	259.5	233	853	24.6
60	272	65.7	75.7	86.7	272	3807	2934	2401	260.8	272	1071	23.9
80	280	66.1	76.1	87.3	280	3686	2832	2307	252.2	280	1105	23.3
100	289	66.4	76.6	87.9	357	3625	2818	2329	258.5	345	1638	22.7
120	297	66.8	77.1	88.5	367	3449	2670	2197	249.5	356	1679	22.0
140	401	107.2	113.8	121.1	378	3265	2517	2060	240.5	366	1718	21.4
160	413	107.5	114.2	121.7	389	3074	2357	1917	231.4	377	1727	20.7
180	425	107.8	114.7	122.2	401	2875	2192	1768	222.3	388	1767	20.1
200	438	108.1	115.1	122.8	413	2670	2020	1614	213.0	400	1806	19.4
220	451	108.4	115.5	123.4	425	2457	1843	1455	203.7	412	1845	18.8
240	465	108.6	115.9	123.9	438	2238	1659	1291	194.2	425	1883	18.1
260	479	108.8	116.2	124.4	452	2011	1470	1121	184.7	438	1919	17.5
280	487	106.5	114.2	122.8	466	1779	1276	947	175.0	452	1955	16.8
290	485	102.6	110.7	119.6	473	1660	1177	858	170.1	459	1972	16.5
310	481	95.4	104.2	114.0	481	2105	1449	1008	159.4	473	2005	15.8
330	477	88.9	98.6	109.2	477	2154	1334	821	147.2	477	2821	15.2
350	473	83.2	93.7	105.4	473	1903	1115	616	135.2	473	2677	14.5
370	470	78.2	89.8	102.7	470	1491	802	358	123.4	470	2340	13.9
390	470	74.1	86.9	101.1	470	1233	572	137	112.0	470	2279	13.2
410	470	70.7	84.8	100.4	470	951	320	0	100.6	470	2240	12.6

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: A333__

Source OPF File: Dec 10 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.82
cruise - 250/330 0.82
descent - 250/300 0.82

Mass Levels [kg]
low - 150120
nominal - 174000
high - 212000

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					151	2357	2167	1916	259.9	134	698	80.7
5					152	2346	2156	1904	257.9	135	710	80.1
10					153	2335	2145	1892	256.0	141	761	79.8
15					159	2424	2222	1956	255.2	152	670	49.0
20					160	2412	2210	1943	253.2	184	906	50.0
30	230	57.9	63.9	75.4	183	2750	2506	2191	254.0	230	927	20.5
40	233	58.1	64.1	75.6	218	3165	2862	2481	257.1	233	942	20.3
60	272	67.9	72.8	82.0	272	3581	3142	2610	259.4	272	1212	19.9
80	280	68.2	73.2	82.5	280	3469	3039	2515	251.0	280	1247	19.5
100	289	68.6	73.6	83.0	357	3366	2965	2482	256.1	345	1753	19.2
120	297	68.9	74.0	83.5	367	3199	2812	2345	247.3	356	1796	18.8
140	401	109.9	113.1	119.2	378	3022	2651	2200	238.3	366	1840	18.4
160	413	110.2	113.5	119.6	389	2837	2482	2048	229.2	377	1883	18.0
180	425	110.5	113.8	120.1	401	2644	2305	1889	220.0	388	1926	17.7
200	438	110.7	114.1	120.5	413	2442	2120	1724	210.6	400	1968	17.3
220	451	110.9	114.3	120.8	425	2231	1928	1551	201.0	412	2009	16.9
240	465	111.0	114.5	121.2	438	2012	1728	1372	191.3	425	2049	16.5
260	479	111.1	114.7	121.5	452	1785	1521	1186	181.4	438	2088	16.2
280	487	108.7	112.4	119.5	466	1550	1306	993	171.3	452	2125	15.8
290	485	104.8	108.7	116.0	473	1429	1196	894	166.1	459	2143	15.6
310	481	97.4	101.7	109.7	481	1766	1452	1039	155.0	473	2178	15.2
330	477	90.8	95.5	104.3	477	1753	1347	848	142.4	477	3050	14.8
350	473	84.9	90.0	99.7	473	1502	1116	636	129.9	473	2870	14.5
370	470	79.9	85.5	96.1	470	1122	789	368	117.6	470	2485	14.1
390	470	75.7	81.9	93.6	470	856	541	136	105.4	470	2396	13.7
410	470	72.2	79.0	91.9	470	562	267	0	93.3	470	2331	13.3

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: A342__

Source OPF File: Jan 19 2012
Source APF file: Jan 19 2012

Speeds: CAS(LO/HI) Mach
climb - 250/290 0.80
cruise - 250/310 0.80
descent - 250/300 0.82

Mass Levels [kg]
low - 151200
nominal - 225000
high - 275000

Temperature: ISA

Max Alt. [ft]: 41500

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					160	2147	1563	1273	272.0	150	790	99.2
5					161	2135	1550	1259	269.8	151	803	98.4
10					163	2124	1537	1246	267.7	157	833	98.1
15					169	2218	1602	1299	266.9	168	840	58.0
20					170	2205	1589	1285	264.7	200	878	59.3
30	230	61.3	85.4	107.0	193	2566	1839	1495	265.8	230	934	30.7
40	233	61.5	85.6	107.4	228	3016	2139	1740	269.6	233	949	30.3
60	272	71.5	91.0	108.6	272	3551	2317	1786	270.1	272	1124	29.4
80	280	71.9	91.6	109.3	280	3434	2225	1701	261.2	280	1158	28.5
100	289	72.3	92.2	110.2	334	3390	2232	1737	262.5	345	1601	27.5
120	297	72.7	92.9	111.0	344	3233	2111	1628	253.3	356	1638	26.6
140	378	102.8	117.0	129.9	354	3069	1985	1515	244.0	366	1675	25.7
160	389	103.2	117.7	130.8	365	2897	1854	1396	234.7	377	1712	24.8
180	401	103.6	118.3	131.6	376	2719	1717	1273	225.3	388	1748	23.9
200	413	104.0	119.0	132.5	387	2534	1574	1145	215.9	400	1784	23.0
220	425	104.3	119.6	133.4	399	2341	1427	1012	206.3	412	1819	22.1
240	438	104.7	120.3	134.3	412	2142	1274	874	196.7	425	1894	21.1
260	452	105.0	120.9	135.3	425	1935	1116	732	186.9	438	1926	20.2
280	466	105.2	121.5	136.2	438	1723	952	585	177.0	452	1957	19.3
290	473	105.4	121.8	136.7	445	1614	869	510	172.1	459	1971	18.9
310	469	98.6	116.6	132.7	459	1392	735	356	162.0	473	2000	17.9
330	465	92.3	112.0	129.6	465	1711	814	297	150.9	477	2829	17.0
350	461	86.8	108.3	127.7	461	1708	603	93	138.5	473	2717	16.1
370	459	82.1	105.7	127.0	459	1324	344	0	126.5	470	2405	15.2
390	459	78.3	104.3	127.8	459	1070	119	0	114.8	470	2372	14.3
410	459	75.3	103.9	129.7	459	793	0	0	103.1	470	2361	13.4
415	459	74.6	104.0	130.4	459	720	0	0	100.2	470	2362	13.1

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: A343__

Source OPF File: Jan 19 2012
Source APF file: Jan 19 2012

Speeds: CAS(LO/HI) Mach
climb - 250/290 0.80
cruise - 250/310 0.80
descent - 250/300 0.82

Mass Levels [kg]
low - 157200
nominal - 225000
high - 276500

Temperature: ISA

Max Alt. [ft]: 41500

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					160	2070	1551	1256	272.7	149	788	98.4
5					161	2058	1538	1242	270.5	151	801	97.6
10					162	2046	1525	1228	268.3	157	831	97.3
15					168	2136	1590	1281	267.5	168	842	57.4
20					170	2124	1576	1267	265.3	200	878	58.6
30	230	63.6	86.1	108.5	193	2469	1825	1475	266.4	230	942	30.3
40	233	63.8	86.4	108.9	228	2897	2123	1717	270.1	233	958	29.9
60	272	73.7	91.9	110.1	272	3383	2300	1761	270.5	272	1136	29.0
80	280	74.1	92.5	110.9	280	3269	2208	1676	261.5	280	1170	28.1
100	289	74.5	93.1	111.7	334	3223	2208	1707	262.7	345	1621	27.2
120	297	74.9	93.8	112.5	344	3070	2088	1599	253.4	356	1658	26.4
140	378	105.1	118.4	131.7	354	2911	1962	1485	244.1	366	1695	25.5
160	389	105.5	119.1	132.5	365	2745	1830	1367	234.8	377	1732	24.6
180	401	105.9	119.7	133.4	376	2572	1694	1244	225.4	388	1769	23.7
200	413	106.3	120.3	134.3	387	2392	1552	1117	215.9	400	1805	22.9
220	425	106.7	121.0	135.2	399	2206	1404	984	206.3	412	1840	22.0
240	438	107.0	121.6	136.1	412	2013	1252	847	196.6	425	1918	21.1
260	452	107.4	122.2	137.0	425	1814	1094	705	186.8	438	1949	20.2
280	466	107.6	122.8	138.0	438	1608	931	559	177.0	452	1980	19.4
290	473	107.8	123.1	138.4	445	1503	896	484	172.0	459	1994	18.9
310	469	101.0	117.7	134.4	459	1288	716	331	161.9	473	2023	18.0
330	465	94.7	113.0	131.3	465	1573	788	264	150.8	477	2860	17.2
350	461	89.2	109.3	129.2	461	1557	581	62	138.5	473	2744	16.3
370	459	84.6	106.6	128.6	459	1195	327	0	126.4	470	2427	15.4
390	459	80.9	105.1	129.3	459	948	104	0	114.8	470	2391	14.5
410	459	77.9	104.6	131.2	459	680	0	0	103.1	470	2378	13.7
415	459	77.3	104.6	131.9	459	609	0	0	100.2	470	2378	13.4

BADA PERFORMANCE FILE Apr 11 2012

AC/Type: A345__

Source OPF File: Mar 05 2012
Source APF file: Mar 19 2010

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.81
cruise - 250/310 0.83
descent - 250/310 0.83

Mass Levels [kg]
low - 209868
nominal - 315000
high - 372000

Temperature: ISA

Max Alt. [ft]: 41450

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					174	2451	1765	1487	390.7	165	874	121.4
5					175	2439	1751	1473	387.6	166	888	120.5
10					177	2427	1738	1458	384.6	172	905	119.9
15					183	2525	1804	1514	382.7	184	981	68.2
20					184	2512	1789	1499	379.6	216	1001	68.9
30	230	86.1	126.2	154.6	208	2888	2045	1718	378.0	230	1056	68.2
40	233	86.2	126.4	154.9	242	3355	2349	1974	378.7	233	1081	67.1
60	272	96.7	128.7	151.4	272	3834	2440	1941	371.1	272	1171	31.8
80	280	97.0	129.2	152.1	280	3722	2349	1855	358.7	280	1209	31.0
100	289	97.3	129.8	152.8	357	3726	2426	1969	359.4	357	1714	30.2
120	297	97.6	130.3	153.6	367	3560	2298	1851	346.8	367	1756	29.4
140	378	131.0	153.6	169.6	378	3387	2165	1729	334.2	378	1797	28.6
160	389	131.1	154.0	170.2	389	3207	2026	1601	321.5	389	1838	27.8
180	401	131.2	154.4	170.9	401	3019	1882	1469	308.8	401	1724	27.0
200	413	131.3	154.8	171.5	413	2825	1732	1331	296.0	413	1769	26.1
220	425	131.3	155.2	172.2	425	2624	1577	1189	283.2	425	1814	25.3
240	438	131.3	155.6	172.8	438	2415	1417	1041	270.3	438	1858	24.5
260	452	131.3	156.0	173.5	452	2201	1252	889	257.4	452	1901	23.7
280	466	131.2	156.3	174.2	466	1980	1081	733	244.3	466	1944	22.9
290	473	131.1	156.5	174.5	473	1867	995	653	237.8	473	1965	22.5
310	487	130.8	156.7	175.1	475	2435	1271	728	223.3	487	2915	21.6
330	483	122.8	151.2	171.3	471	2221	1058	517	208.1	483	2811	20.8
350	478	115.8	146.9	169.0	467	2266	823	285	193.0	478	2733	20.0
370	476	109.8	144.1	168.3	465	1810	520	29	178.2	476	2448	19.2
390	476	105.0	142.7	169.4	465	1537	269	0	163.8	476	2452	18.4
410	476	101.2	142.7	172.1	465	1238	0	0	149.3	476	2481	17.6
415	476	100.4	142.8	172.9	465	1168	0	0	146.1	476	2491	17.4

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: A346__

Source OPF File: Feb 26 2010
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/310 0.81 low - 208368
cruise - 250/310 0.83 nominal - 285000 Max Alt. [ft]: 41500
descent - 250/300 0.84 high - 365000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					165	2414	1884	1471	389.7	158	862	110.4
5					166	2402	1871	1456	386.6	160	876	109.5
10					167	2390	1857	1442	383.5	166	891	109.0
15					174	2489	1931	1500	381.6	177	965	66.1
20					175	2476	1917	1484	378.5	209	1003	66.8
30	230	87.0	115.8	155.5	198	2859	2203	1714	377.1	230	1025	32.8
40	233	87.2	116.1	155.8	233	3335	2549	1984	377.9	233	1043	32.4
60	272	97.4	120.4	152.1	272	3842	2735	1974	372.5	272	1221	31.7
80	280	97.7	120.9	152.8	280	3727	2639	1885	359.9	280	1259	30.9
100	289	98.0	121.4	153.6	357	3744	2708	2008	360.9	345	1723	30.2
120	297	98.3	121.9	154.4	367	3577	2572	1888	348.1	356	1764	29.4
140	378	131.5	147.8	170.2	378	3402	2429	1763	335.4	366	1806	28.7
160	389	131.6	148.1	170.8	389	3220	2281	1633	322.6	377	1708	27.9
180	401	131.8	148.5	171.5	401	3031	2128	1498	309.8	388	1753	27.2
200	413	131.9	148.8	172.2	413	2834	1968	1358	296.9	400	1797	26.4
220	425	131.9	149.2	172.9	425	2631	1803	1213	284.0	412	1841	25.7
240	438	132.0	149.5	173.6	438	2422	1632	1063	271.0	425	1885	24.9
260	452	132.0	149.8	174.3	452	2205	1456	908	258.0	438	1927	24.2
280	466	131.9	150.1	175.0	466	1983	1275	749	244.8	452	1969	23.4
290	473	131.9	150.2	175.4	473	1869	1183	668	238.2	459	1990	23.0
310	487	131.5	150.3	176.0	475	2434	1478	745	223.6	473	2031	22.3
330	483	123.6	144.1	172.3	471	2214	1353	529	208.3	488	2070	21.5
350	478	116.7	139.2	170.1	467	2250	1110	291	193.1	484	2924	20.8
370	476	110.8	135.6	169.5	465	1791	774	30	178.2	482	2583	20.0
390	476	106.1	133.4	170.8	465	1513	517	0	163.6	482	2557	19.2
410	476	102.4	132.4	173.6	465	1210	236	0	149.1	482	2557	18.5
415	476	101.7	132.3	174.5	465	1130	162	0	145.5	482	2561	18.3

BADA PERFORMANCE FILE May 02 2016

AC/Type: A359__

Source OPF File: May 02 2016
Source APF file: May 02 2016

Speeds: CAS(LO/HI) Mach
climb - 250/320 0.84
cruise - 250/320 0.84
descent - 250/300 0.84

Mass Levels [kg]
low - 175920
nominal - 235000
high - 275000

Temperature: ISA

Max Alt. [ft]: 43100

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					156	2116	1691	1459	242.5	151	819	21.9
5					157	2109	1682	1449	241.0	152	827	21.8
10					158	2101	1673	1439	239.4	158	820	21.8
15					165	2197	1747	1504	238.9	170	839	19.7
20					166	2189	1737	1493	237.4	202	864	19.8
30	230	61.6	77.2	90.3	189	2549	2016	1737	238.5	230	927	19.7
40	233	61.7	77.4	90.6	224	2985	2342	2016	241.9	233	944	19.8
60	272	71.5	84.1	94.7	272	3446	2560	2128	243.7	272	1166	19.8
80	280	71.8	84.6	95.3	280	3356	2481	2053	237.0	280	1205	19.8
100	289	72.2	85.1	95.9	368	3158	2375	1998	244.9	345	1768	19.8
120	297	72.5	85.5	96.5	379	3009	2251	1883	237.8	356	1812	19.9
140	390	107.8	116.5	123.8	390	2851	2119	1762	230.4	366	1628	19.9
160	401	108.1	116.9	124.3	401	2684	1979	1634	222.9	377	1678	19.9
180	413	108.4	117.4	124.9	413	2509	1833	1498	215.2	388	1728	20.0
200	425	108.7	117.8	125.4	425	2323	1678	1356	207.4	400	1778	20.0
220	438	108.9	118.2	126.0	438	2129	1516	1207	199.3	412	1829	20.0
240	451	109.1	118.6	126.5	451	1926	1347	1051	191.0	425	1879	20.1
260	465	109.2	118.9	127.0	465	1714	1170	888	182.4	438	1928	20.1
280	479	109.4	119.2	127.5	479	1493	986	719	173.6	452	1977	20.1
290	487	109.4	119.4	127.8	487	1379	891	632	169.2	459	2002	20.1
310	493	105.9	116.4	125.3	493	1777	1144	720	159.0	473	2050	20.2
330	489	98.7	110.2	119.9	489	1623	983	560	147.7	488	2097	20.2
350	484	92.3	104.9	115.5	484	1628	793	372	136.2	484	2934	20.2
370	482	86.8	100.7	112.3	482	1261	521	142	124.9	482	2565	20.3
390	482	82.3	97.5	110.4	482	1018	297	0	113.8	482	2514	20.3
410	482	78.5	95.3	109.4	482	741	42	0	102.5	482	2491	20.3
430	482	75.4	93.9	109.4	482	430	0	0	91.2	482	2494	20.3
431	482	75.3	93.9	109.5	482	414	0	0	90.6	482	2495	20.4

BADA PERFORMANCE FILE Apr 11 2012

AC/Type: A388__

Source OPF File: Mar 05 2012
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/320 0.85 low - 354000
cruise - 250/320 0.85 nominal - 482000 Max Alt. [ft]: 43100
descent - 250/300 0.85 high - 560000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					164	2288	1804	1569	572.8	153	825	191.2
5					165	2275	1790	1554	568.3	154	839	189.7
10					166	2262	1776	1539	563.8	160	851	189.1
15					172	2359	1850	1604	562.1	172	943	108.0
20					174	2345	1835	1588	557.7	204	960	110.4
30	230	127.0	170.1	202.7	197	2720	2122	1842	559.7	230	970	61.6
40	233	127.4	170.6	203.4	231	3187	2472	2147	567.0	233	987	60.7
60	272	143.0	177.8	204.3	272	3696	2671	2222	565.6	272	1147	59.0
80	280	143.8	179.0	205.7	280	3578	2570	2127	547.1	280	1184	57.3
100	289	144.7	180.2	207.2	368	3588	2643	2237	564.6	345	1609	55.5
120	297	145.5	181.5	208.8	379	3410	2496	2101	545.2	356	1650	53.8
140	390	207.9	232.0	250.3	390	3224	2342	1959	525.5	366	1691	52.1
160	401	208.7	233.2	251.8	401	3030	2183	1811	505.7	377	1732	50.4
180	413	209.5	234.4	253.3	413	2829	2017	1658	485.6	388	1772	48.6
200	425	210.2	235.6	254.9	425	2620	1845	1499	465.4	400	1813	46.9
220	438	210.9	236.8	256.4	438	2404	1667	1334	444.9	412	1853	45.2
240	451	211.6	238.0	258.0	451	2180	1483	1164	424.1	425	1892	43.5
260	465	212.2	239.1	259.6	465	1950	1293	989	403.0	438	1931	41.7
280	479	212.7	240.2	261.2	479	1714	1098	809	381.6	452	1969	40.0
290	487	212.9	240.8	262.0	487	1593	999	717	370.8	459	1987	39.2
310	499	211.2	240.0	261.9	499	2013	1245	792	348.2	473	2024	37.4
330	494	198.1	229.7	253.6	494	1789	1022	576	321.3	488	1952	35.7
350	490	186.7	221.2	247.4	490	1747	777	337	294.6	490	2835	34.0
370	488	177.1	215.0	243.8	488	1312	462	70	268.6	488	2504	32.3
390	488	169.4	211.2	242.9	488	1024	200	0	243.2	488	2485	30.5
410	488	163.3	209.3	244.2	488	710	0	0	217.9	488	2492	28.8
430	488	158.7	209.3	247.8	488	370	0	0	192.6	488	2525	27.1
431	488	158.5	209.4	248.0	488	352	0	0	191.4	488	2527	27.0

BADA PERFORMANCE FILE Apr 11 2012

AC/Type: A3ST__

Source OPF File: Mar 05 2012
Source APF file: Mar 18 2010

Speeds: CAS(LO/HI) Mach
climb - 250/280 0.68
cruise - 250/280 0.70
descent - 250/290 0.69

Mass Levels [kg]
low - 103200
nominal - 130000
high - 153000

Temperature: ISA

Max Alt. [ft]: 35000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					151	2695	2278	1982	215.2	135	711	70.6
5					152	2692	2274	1976	214.2	136	723	70.3
10					153	2689	2269	1969	213.1	142	749	70.1
15					159	2810	2366	2052	212.7	153	819	70.2
20					160	2806	2360	2045	211.6	185	939	30.2
30	230	58.6	67.1	76.0	183	3239	2706	2341	212.2	230	1112	20.4
40	233	58.7	67.2	76.1	218	3733	3083	2649	214.1	233	1134	20.1
60	272	69.7	76.5	83.6	272	4117	3287	2756	215.4	272	1558	19.6
80	280	69.9	76.8	83.9	280	4022	3202	2675	210.2	280	1615	19.1
100	289	70.1	77.0	84.2	323	3791	3027	2538	208.7	334	2427	18.6
120	297	70.3	77.2	84.5	332	3637	2892	2413	202.7	344	2497	18.1
140	342	84.3	90.1	96.1	342	3464	2740	2272	196.4	354	2325	17.6
160	353	84.4	90.3	96.3	353	3270	2570	2115	189.6	365	2403	17.1
180	363	84.5	90.5	96.6	363	3054	2382	1942	182.5	376	2484	16.6
200	375	84.7	90.6	96.9	375	2816	2175	1751	174.9	387	2567	16.1
220	386	84.7	90.8	97.1	386	2556	1948	1542	166.9	399	2651	15.6
240	398	84.8	91.0	97.4	398	2271	1701	1316	158.5	412	2737	15.1
260	411	84.9	91.1	97.6	408	2612	1910	1428	149.4	414	3499	14.6
280	416	82.2	88.8	95.7	404	2678	1779	1205	138.9	410	3307	14.2
290	414	79.6	86.4	93.6	402	2529	1646	1079	133.5	408	3224	13.9
310	411	74.6	82.1	89.9	399	2194	1349	799	122.5	405	3086	13.4
330	407	70.2	78.5	87.0	395	1812	1012	482	111.1	401	2983	12.9
350	403	66.4	75.4	84.8	392	1386	636	129	99.5	398	2915	12.4

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: AJET__

Source OPF File: Oct 13 2016
Source APF file: Oct 13 2016

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/280 0.73 low - 4260
cruise - 250/280 0.73 nominal - 6000 Max Alt. [ft]: 50000
descent - 250/280 0.73 high - 7000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					143	3601	2984	2722	21.2	143	806	4.9
5					144	3571	2954	2691	21.0	144	813	4.9
10					145	3540	2924	2661	20.8	150	815	4.9
15					151	3676	3021	2744	20.9	161	821	4.9
20					152	3643	2989	2713	20.7	193	897	4.9
30	230	5.1	6.2	7.0	175	4190	3385	3056	21.6	230	1274	4.8
40	233	5.1	6.2	7.0	210	4890	3878	3476	23.2	233	1290	4.8
60	272	6.6	7.5	8.2	272	5869	4325	3745	25.6	272	1630	4.8
80	280	6.7	7.7	8.4	280	5577	4095	3535	24.7	280	1667	4.7
100	289	6.8	7.8	8.5	323	5396	3976	3442	25.5	323	2119	4.7
120	297	6.9	7.9	8.7	332	5053	3707	3199	24.5	332	2159	4.6
140	342	8.9	9.8	10.5	342	4708	3436	2952	23.5	342	2199	4.6
160	353	9.1	10.0	10.7	353	4359	3162	2703	22.5	353	2238	4.6
180	363	9.2	10.2	10.8	363	4009	2886	2453	21.5	363	2276	4.5
200	375	9.4	10.3	11.0	375	3657	2610	2201	20.5	375	2313	4.5
220	386	9.5	10.5	11.2	386	3305	2332	1949	19.5	386	2349	4.4
240	398	9.7	10.7	11.4	398	2953	2055	1697	18.5	398	2384	4.4
260	411	9.8	10.9	11.6	411	2602	1778	1445	17.5	411	2417	4.3
280	424	9.9	11.0	11.8	424	2254	1504	1195	16.5	424	2448	4.3
290	431	10.0	11.1	11.9	431	2081	1367	1070	16.0	431	2463	4.3
310	428	9.4	10.6	11.4	428	2501	1653	1190	14.7	428	3163	4.2
330	425	8.7	10.0	11.0	425	2197	1376	933	13.4	425	1797	4.2
350	421	8.1	9.6	10.6	421	2151	1097	672	12.1	421	1768	4.1
370	419	7.6	9.2	10.4	419	1689	762	380	10.9	419	1641	4.1
390	419	7.2	9.0	10.2	419	1385	502	130	9.9	419	1666	4.1
410	419	6.9	8.8	10.2	419	1077	235	0	8.8	419	1710	4.0
430	419	6.7	8.8	10.3	419	767	0	0	7.9	419	1772	4.0
450	419	6.5	8.8	10.4	419	455	0	0	7.0	419	1852	3.9
470	419	6.3	8.9	10.7	419	142	0	0	6.1	419	1950	3.9
490	419	6.2	9.0	11.1	419	0	0	0	5.3	419	2067	3.8
500	419	6.2	9.2	11.3	419	0	0	0	4.9	419	2132	3.8

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: AN12__

Source OPF File: Apr 17 2015
Source APF file: Apr 17 2015

Speeds: CAS(LO/HI) Mach
climb - 194/194 0.57
cruise - 250/260 0.56
descent - 235/235 0.68

Mass Levels [kg]
low - 33600
nominal - 49800
high - 61000

Temperature: ISA

Max Alt. [ft]: 33465

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					160	3346	2342	1859	74.5	129	716	35.1
5					172	3401	2382	1894	73.9	129	732	34.8
10					178	3398	2377	1889	73.2	135	715	34.6
15					198	3614	2442	1872	72.5	147	678	34.3
20					200	3566	2402	1835	71.7	179	697	34.1
30	188	23.9	36.5	48.1	203	3471	2323	1760	70.0	230	883	33.6
40	191	24.0	36.8	48.4	206	3377	2244	1685	68.3	233	912	33.1
60	272	34.9	42.3	49.1	212	3189	2087	1536	65.0	256	1080	32.2
80	280	34.9	42.3	49.2	218	3004	1932	1389	61.8	264	1139	31.2
100	300	36.5	43.4	49.7	225	2822	1779	1242	58.7	272	1197	30.2
120	309	36.2	43.1	49.4	232	2643	1627	1097	55.6	280	1256	29.3
140	318	35.9	42.7	49.0	239	2466	1477	953	52.7	288	1226	28.3
160	328	35.4	42.2	48.5	246	2293	1329	811	49.8	297	1288	27.3
180	338	34.8	41.6	47.8	254	2123	1183	670	47.0	307	1349	26.4
200	344	33.7	40.7	47.1	263	1957	1040	531	44.3	316	1411	25.4
220	341	32.1	39.7	46.7	271	1795	899	393	41.6	327	1471	24.5
240	338	30.7	39.0	46.6	280	1636	761	258	39.1	337	1531	23.5
260	336	29.5	38.6	46.9	290	1483	684	125	36.6	348	1590	22.5
280	333	28.4	38.4	47.6	299	1684	540	0	34.3	360	1649	21.6
290	331	28.0	38.4	48.1	305	1592	470	0	33.1	366	1677	21.1
310	329	27.2	38.7	49.3	315	1414	331	0	30.9	378	1734	20.1
330	326	26.7	39.4	51.0	326	1243	197	0	28.7	390	1789	19.2
335	325	26.6	39.5	51.5	329	1204	166	0	28.2	393	1802	18.9

BADA PERFORMANCE FILE May 22 2013

AC/Type: AN24__

Source OPF File: May 14 2013
Source APF file: May 14 2013

Speeds: CAS(LO/HI) Mach
climb - 167/157 0.41
cruise - 220/220 0.44
descent - 216/216 0.56

Mass Levels [kg]
low - 15960
nominal - 18500
high - 21000

Temperature: ISA

Max Alt. [ft]: 27560

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					134	1662	1502	1364	17.8	106	525	17.1
5					145	1641	1480	1341	18.2	107	529	16.9
10					152	1614	1453	1313	18.3	113	528	16.8
15					171	1544	1400	1275	19.2	124	533	16.6
20					172	1518	1375	1250	19.0	156	507	16.5
30	188	7.1	7.8	8.5	174	1465	1324	1200	18.7	225	971	16.2
40	191	7.3	7.9	8.7	177	1412	1273	1150	18.4	229	986	15.9
60	240	12.4	13.0	13.6	182	1307	1172	1051	17.7	236	1016	15.3
80	247	12.8	13.4	14.2	188	1202	1070	952	17.1	243	1046	14.7
100	254	13.3	14.0	14.7	182	1124	989	866	15.9	250	1076	14.2
120	262	13.8	14.5	15.3	188	1020	889	767	15.2	258	1107	13.6
140	270	14.3	15.1	15.9	194	917	788	669	14.6	266	864	13.0
160	275	14.3	15.0	15.9	200	814	689	571	14.0	274	908	12.4
180	272	13.4	14.2	15.1	207	712	590	473	13.3	283	952	11.9
200	270	12.6	13.5	14.4	213	611	491	376	12.7	292	995	11.3
220	268	11.9	12.8	13.9	221	510	428	279	12.1	301	1038	10.7
240	266	11.2	12.2	13.4	228	491	322	183	11.4	311	1081	10.1
260	264	10.7	11.8	13.0	236	374	217	87	10.8	321	1123	9.6
276	262	10.3	11.5	12.8	242	283	136	13	10.3	330	1155	9.1

BADA PERFORMANCE FILE May 22 2013

AC/Type: AN28__

Source OPF File: May 16 2013
Source APF file: May 16 2013

Speeds: CAS(LO/HI) Mach
climb - 95/ 85 0.18
cruise - 173/173 0.32
descent - 148/133 0.26

Mass Levels [kg]
low - 4680
nominal - 5600
high - 6500

Temperature: ISA

Max Alt. [ft]: 13780

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					95	2195	1911	1703	7.8	75	407	5.3
5					96	2139	1887	1680	7.7	76	412	5.2
10					96	2113	1863	1656	7.6	81	409	5.2
15					97	2088	1838	1632	7.6	92	366	5.2
20					98	2062	1814	1608	7.5	124	326	5.2
30	181	5.6	5.8	6.1	99	2011	1765	1561	7.3	155	619	5.1
40	183	5.6	5.9	6.2	101	1959	1715	1513	7.2	157	637	5.1
60	189	5.7	5.9	6.2	104	1855	1616	1416	6.9	162	577	5.0
80	195	5.8	6.0	6.3	107	1750	1516	1318	6.5	167	620	4.9
100	201	5.8	6.1	6.4	99	1698	1452	1241	6.5	154	480	4.8
120	203	5.7	6.0	6.3	102	1931	1479	1141	6.1	159	520	4.7
138	201	5.4	5.7	6.0	105	1817	1380	1052	5.9	164	582	4.6

BADA PERFORMANCE FILE May 22 2013

AC/Type: AN30__

Source OPF File: May 17 2013
Source APF file: May 17 2013

Speeds: CAS(LO/HI) Mach
climb - 165/159 0.43
cruise - 220/212 0.40
descent - 200/185 0.37

Mass Levels [kg]
low - 18708
nominal - 21000
high - 24000

Temperature: ISA

Max Alt. [ft]: 29528

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					144	2534	2234	1885	61.2	114	616	11.2
5					155	2328	2030	1683	54.4	115	622	11.1
10					161	2205	1908	1600	50.7	121	637	11.0
15					169	1898	1751	1572	46.3	132	672	10.9
20					170	1869	1722	1544	45.5	164	941	10.8
30	188	21.8	23.3	25.5	172	1810	1664	1486	43.9	209	1449	10.6
40	191	21.6	23.0	25.2	175	1750	1605	1428	42.4	212	1469	10.4
60	240	18.8	19.5	20.5	180	1628	1485	1309	39.2	218	1510	10.1
80	247	17.0	17.6	18.5	186	1502	1361	1187	36.1	225	1552	9.7
100	245	16.5	17.2	18.2	184	1514	1367	1184	36.2	214	1367	9.3
120	253	14.6	15.2	16.0	190	1384	1240	1058	33.1	221	1407	8.9
140	252	14.2	14.8	15.8	196	1251	1108	928	30.0	228	1448	8.6
160	250	13.9	14.7	15.8	203	1114	973	794	26.9	231	1577	8.2
180	248	13.7	14.6	15.8	209	973	835	657	23.9	229	1035	7.8
200	246	13.6	14.5	15.8	216	828	692	515	20.9	227	989	7.4
220	244	13.4	14.5	16.0	223	679	599	370	18.0	225	954	7.1
240	242	13.4	14.5	16.2	231	624	433	220	15.2	224	929	6.7
260	240	13.4	14.7	16.6	239	438	264	67	12.5	222	915	6.3
280	238	13.5	14.9	17.1	247	247	89	0	10.0	220	912	6.0
290	237	13.5	15.1	17.3	251	149	1	0	8.8	219	915	5.8
295	236	13.6	15.2	17.5	254	97	0	0	8.2	218	918	5.7

BADA PERFORMANCE FILE May 22 2013

AC/Type: AN32__

Source OPF File: May 17 2013
Source APF file: May 17 2013

Speeds: CAS(LO/HI) Mach
climb - 173/176 0.49
cruise - 250/254 0.50
descent - 187/217 0.48

Mass Levels [kg]
low - 20280
nominal - 23500
high - 27000

Temperature: ISA

Max Alt. [ft]: 30840

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					154	4179	3520	2911	37.2	129	671	17.0
5					165	3823	3173	2587	35.0	129	680	16.8
10					171	3621	2975	2556	33.8	135	717	16.7
15					177	3094	2803	2525	32.8	147	800	16.5
20					178	3061	2771	2493	32.6	179	1337	16.4
30	188	11.6	12.6	13.9	181	2994	2706	2429	32.1	195	1566	16.1
40	191	11.7	12.8	14.1	183	2925	2639	2364	31.7	198	1589	15.8
60	272	23.8	24.6	25.4	189	2784	2502	2229	30.8	204	1637	15.1
80	280	24.3	25.0	25.9	195	2635	2358	2087	29.9	210	1687	14.5
100	293	25.6	26.3	27.2	204	2353	2090	1830	28.3	251	2378	13.9
120	302	26.0	26.8	27.7	210	2188	1930	1673	27.3	259	1745	13.2
140	311	26.4	27.2	28.2	217	2015	1763	1509	26.3	267	1851	12.6
160	312	25.2	26.0	27.0	224	1835	1588	1337	25.2	275	1958	12.0
180	310	23.5	24.4	25.5	231	1647	1406	1159	24.1	284	2068	11.4
200	307	21.9	22.9	24.1	239	1452	1216	972	22.9	293	2180	10.7
220	305	20.5	21.5	22.8	247	1248	1019	779	21.7	293	2371	10.1
240	302	19.2	20.4	21.8	255	1036	814	578	20.4	290	2182	9.5
260	300	18.1	19.3	20.8	264	979	658	369	19.1	288	2014	8.9
280	297	17.1	18.4	20.1	273	706	417	152	17.7	285	1867	8.2
290	296	16.6	18.0	19.7	277	566	293	41	17.0	284	1801	7.9
308	294	15.9	17.4	19.2	286	302	59	0	15.7	282	1694	7.3

BADA PERFORMANCE FILE May 22 2013

AC/Type: AN38__

Source OPF File: May 16 2013
Source APF file: May 16 2013

Speeds: CAS(LO/HI) Mach
climb - 130/130 0.26
cruise - 184/184 0.36
descent - 152/152 0.30

Mass Levels [kg]
low - 7080
nominal - 8300
high - 9500

Temperature: ISA

Max Alt. [ft]: 13780

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					127	2492	2021	1739	11.4	101	543	5.3
5					131	2165	1900	1713	11.0	102	547	5.3
10					132	2090	1874	1688	10.9	108	555	5.3
15					133	2062	1847	1662	10.8	119	517	5.4
20					134	2034	1820	1636	10.7	151	512	5.4
30	188	7.3	7.8	8.4	136	1978	1766	1582	10.5	159	589	5.5
40	191	7.4	7.9	8.5	138	1920	1710	1528	10.3	161	608	5.6
60	201	8.0	8.5	9.1	142	1801	1596	1416	9.9	166	504	5.7
80	207	8.2	8.7	9.3	146	1677	1476	1298	9.4	171	553	5.9
100	213	8.4	8.9	9.6	151	1547	1351	1176	9.0	176	603	6.0
120	220	8.6	9.2	9.8	156	1696	1331	1048	8.5	182	655	6.2
138	226	8.8	9.4	10.1	160	1545	1199	930	8.0	187	703	6.3

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: AT43__

Source OPF File: Dec 10 2008
Source APF file: Dec 10 2008

Speeds: CAS(LO/HI) Mach
climb - 160/160 0.45
cruise - 230/210 0.45
descent - 220/220 0.55

Mass Levels [kg]
low - 12342
nominal - 15000
high - 16700

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					131	2216	1877	1691	13.3	102	504	6.4
5					142	2149	1810	1624	13.1	103	514	6.3
10					148	2098	1759	1573	12.9	109	581	6.3
15					164	1885	1635	1495	12.7	120	734	6.3
20					165	1860	1611	1471	12.6	152	724	6.2
30	188	5.4	5.9	6.4	167	1809	1563	1424	12.4	230	1546	6.1
40	191	5.4	6.0	6.4	170	1758	1514	1376	12.2	233	1567	6.1
60	251	9.5	9.9	10.2	175	1656	1416	1279	11.8	240	1608	5.9
80	258	9.7	10.1	10.5	180	1553	1318	1182	11.4	247	1650	5.7
100	243	8.0	8.5	8.9	186	1450	1218	1084	11.0	254	1693	5.6
120	250	8.2	8.7	9.1	191	1345	1118	985	10.6	262	1736	5.4
140	258	8.4	8.9	9.3	197	1240	1016	885	10.2	270	1779	5.2
160	266	8.5	9.1	9.5	204	1133	914	783	9.8	279	1823	5.1
180	275	8.7	9.3	9.7	210	1026	811	681	9.4	288	1938	4.9
200	276	8.4	9.0	9.5	217	1107	757	578	9.0	297	1979	4.7
220	274	7.9	8.6	9.1	225	976	645	474	8.6	306	2019	4.6
240	272	7.5	8.2	8.7	232	845	532	370	8.2	316	2059	4.4
250	271	7.2	8.0	8.5	236	779	476	317	8.1	322	2079	4.3

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: AT45__

Source OPF File: Sep 02 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 170/160 0.45
cruise - 230/210 0.45
descent - 230/230 0.55

Mass Levels [kg]
low - 13500
nominal - 16500
high - 18600

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					133	2626	2276	2069	17.5	105	541	5.5
5					144	2583	2226	2014	17.3	106	554	5.4
10					150	2535	2175	1962	17.1	112	618	5.4
15					174	2310	2019	1847	17.0	123	744	5.3
20					175	2271	1982	1811	16.8	155	1054	5.3
30	188	6.9	7.4	7.8	178	2192	1908	1739	16.5	230	2299	5.2
40	191	6.9	7.5	7.9	180	2113	1834	1667	16.1	233	2325	5.1
60	251	11.6	12.0	12.3	186	1956	1687	1524	15.4	251	2648	5.0
80	258	11.7	12.1	12.5	191	1800	1540	1381	14.6	258	2706	4.8
100	243	9.8	10.3	10.7	186	1731	1465	1301	13.9	266	2040	4.7
120	250	9.9	10.4	10.8	191	1577	1320	1160	13.2	274	2123	4.5
140	258	10.0	10.5	10.9	197	1425	1177	1020	12.5	282	2206	4.3
160	266	10.1	10.6	11.0	204	1274	1034	880	11.8	291	2289	4.2
180	275	10.2	10.7	11.1	210	1125	892	741	11.2	300	2370	4.0
200	276	9.8	10.3	10.7	217	1181	809	604	10.6	310	2450	3.9
220	274	9.1	9.7	10.2	225	1004	659	467	9.9	320	2529	3.7
240	272	8.5	9.2	9.7	232	829	511	332	9.3	330	2607	3.5
250	271	8.3	8.9	9.4	236	742	438	265	9.1	331	3074	3.5

BADA PERFORMANCE FILE Mar 31 2011

AC/Type: AT72__

Source OPF File: Mar 31 2011
Source APF file: Mar 31 2011

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.45
cruise - 230/220 0.45
descent - 230/230 0.55

Mass Levels [kg]
low - 14760
nominal - 19000
high - 21500

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					133	2416	1950	1731	17.3	108	510	7.3
5					144	2357	1892	1673	17.1	108	525	7.2
10					150	2305	1842	1624	16.9	114	613	7.2
15					174	2049	1691	1519	16.7	125	808	7.1
20					175	2013	1659	1488	16.5	157	744	7.1
30	188	6.6	7.5	8.2	178	1943	1595	1426	16.2	230	1426	7.0
40	191	6.6	7.6	8.3	180	1872	1530	1364	15.8	233	1445	6.9
60	251	11.8	12.5	13.1	186	1731	1402	1240	15.1	251	1638	6.7
80	258	12.0	12.8	13.4	191	1590	1272	1115	14.4	258	1678	6.5
100	254	11.1	11.9	12.5	197	1448	1143	989	13.7	266	1718	6.3
120	262	11.3	12.2	12.8	203	1306	1013	863	13.1	274	1803	6.1
140	270	11.6	12.5	13.1	210	1165	883	737	12.4	282	1841	5.8
160	279	11.9	12.8	13.4	216	1023	753	611	11.7	291	1880	5.6
180	279	11.3	12.3	13.0	223	881	668	484	11.0	300	1918	5.4
200	276	10.6	11.6	12.4	231	906	529	358	10.4	310	1956	5.2
220	274	9.9	11.1	11.9	238	733	389	231	9.7	320	1994	5.0
240	272	9.3	10.6	11.5	246	561	250	105	9.1	330	2031	4.8
250	271	9.1	10.4	11.3	251	475	181	42	8.7	331	2402	4.7

BADA PERFORMANCE FILE Mar 31 2011

AC/Type: AT73__

Source OPF File: Mar 31 2011
Source APF file: Mar 31 2011

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.45
cruise - 230/220 0.45
descent - 230/230 0.55

Mass Levels [kg]
low - 15540
nominal - 19000
high - 21500

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					132	2328	1983	1775	18.2	104	497	7.9
5					143	2268	1923	1716	18.0	105	512	7.8
10					149	2216	1873	1666	17.8	110	591	7.8
15					174	1971	1710	1550	17.6	121	769	7.7
20					175	1937	1678	1519	17.4	153	709	7.7
30	188	7.0	7.8	8.5	178	1868	1613	1456	17.0	230	1425	7.6
40	191	7.1	7.9	8.6	180	1799	1549	1394	16.6	233	1443	7.4
60	251	12.6	13.2	13.7	186	1661	1419	1268	15.9	251	1639	7.2
80	258	12.8	13.5	14.1	191	1523	1289	1141	15.2	258	1679	7.0
100	254	11.8	12.5	13.1	197	1384	1159	1014	14.4	266	1719	6.8
120	262	12.1	12.8	13.5	203	1246	1028	887	13.7	274	1805	6.6
140	270	12.4	13.1	13.8	210	1107	898	760	13.0	282	1843	6.4
160	279	12.7	13.5	14.1	216	968	767	632	12.3	291	1882	6.1
180	279	12.1	12.9	13.6	223	830	636	505	11.6	300	1920	5.9
200	276	11.3	12.2	12.9	231	837	545	377	10.9	310	1958	5.7
220	274	10.6	11.6	12.4	238	670	404	249	10.2	320	1996	5.5
240	272	10.0	11.1	11.9	246	503	263	121	9.5	330	2033	5.3
250	271	9.7	10.8	11.7	251	420	193	57	9.1	331	2403	5.2

BADA PERFORMANCE FILE Mar 31 2011

AC/Type: AT75__

Source OPF File: Mar 31 2011
Source APF file: Mar 31 2011

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.45
cruise - 230/220 0.45
descent - 230/230 0.55

Mass Levels [kg]
low - 15420
nominal - 19000
high - 22000

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					133	2344	1966	1710	17.9	105	501	7.8
5					144	2284	1907	1651	17.8	106	516	7.8
10					150	2233	1858	1602	17.6	112	598	7.7
15					174	1993	1705	1505	17.6	123	782	7.7
20					175	1960	1674	1474	17.4	155	729	7.6
30	188	6.9	7.7	8.6	178	1892	1611	1414	17.0	230	1426	7.5
40	191	7.0	7.8	8.7	180	1824	1548	1353	16.7	233	1444	7.4
60	251	12.5	13.2	13.9	186	1689	1421	1231	16.0	251	1638	7.2
80	258	12.9	13.6	14.3	191	1553	1295	1109	15.3	258	1678	7.0
100	254	11.8	12.6	13.4	197	1417	1168	987	14.6	266	1718	6.8
120	262	12.1	12.9	13.7	203	1281	1040	864	14.0	274	1803	6.6
140	270	12.5	13.3	14.1	210	1144	913	740	13.3	282	1842	6.4
160	279	12.8	13.6	14.5	216	1008	785	616	12.6	291	1880	6.1
180	279	12.2	13.1	14.0	223	871	657	493	11.9	300	1918	5.9
200	276	11.4	12.4	13.4	231	896	577	368	11.3	310	1957	5.7
220	274	10.7	11.8	12.8	238	730	437	244	10.6	320	1995	5.5
240	272	10.1	11.2	12.4	246	564	298	120	10.0	330	2032	5.3
250	271	9.8	11.0	12.2	251	482	229	58	9.6	331	2402	5.2

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: AT76__

Source OPF File: Apr 08 2015
Source APF file: Apr 08 2015

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.45
cruise - 230/220 0.45
descent - 230/230 0.55

Mass Levels [kg]
low - 16200
nominal - 20000
high - 23000

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					135	2200	1830	1591	17.9	107	514	7.8
5					146	2143	1775	1536	17.8	108	528	7.8
10					152	2094	1727	1489	17.7	114	609	7.7
15					174	1877	1593	1404	17.6	125	789	7.7
20					175	1845	1563	1375	17.4	157	742	7.6
30	188	7.1	8.0	8.9	178	1780	1502	1317	17.0	230	1380	7.5
40	191	7.2	8.1	9.0	180	1715	1442	1258	16.7	233	1397	7.4
60	251	12.7	13.5	14.2	186	1586	1321	1141	16.0	251	1581	7.2
80	258	13.0	13.8	14.6	191	1455	1199	1023	15.3	258	1619	7.0
100	254	12.0	12.9	13.7	197	1325	1077	904	14.6	266	1702	6.8
120	262	12.3	13.2	14.0	203	1194	955	786	14.0	274	1739	6.5
140	270	12.6	13.6	14.4	210	1064	832	666	13.3	282	1776	6.3
160	279	13.0	13.9	14.8	216	933	709	547	12.6	291	1814	6.1
180	279	12.4	13.4	14.3	223	802	586	427	11.9	300	1851	5.9
200	276	11.6	12.7	13.7	231	817	503	307	11.3	310	1888	5.7
220	274	10.9	12.1	13.2	238	658	369	187	10.6	320	1925	5.4
240	272	10.4	11.6	12.8	246	500	235	66	10.0	330	1961	5.2
250	271	10.1	11.4	12.6	251	421	169	6	9.6	331	2321	5.1

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: ATP___

Source OPF File: Jan 14 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.36
cruise - 205/205 0.40
descent - 220/220 0.50

Mass Levels [kg]
low - 17042
nominal - 20000
high - 22930

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					128	1878	1687	1522	15.1	102	556	6.0
5					139	1854	1657	1488	15.4	103	561	6.0
10					145	1820	1621	1450	15.5	109	573	6.0
15					174	1647	1484	1345	16.5	120	607	6.0
20					175	1616	1455	1317	16.4	152	847	6.0
30	188	7.6	8.0	8.5	178	1554	1396	1260	16.1	230	1994	6.0
40	191	7.7	8.2	8.7	180	1492	1337	1202	15.8	233	2017	6.0
60	224	11.0	11.4	11.9	186	1369	1219	1089	15.2	240	2063	6.0
80	230	11.4	11.7	12.2	191	1247	1103	975	14.7	247	2109	6.0
100	237	11.7	12.1	12.6	197	1125	987	863	14.2	254	2156	6.0
120	245	12.0	12.4	12.9	203	1005	872	751	13.6	262	2204	6.0
140	252	12.3	12.7	13.2	210	886	758	640	13.1	270	2252	6.0
160	250	11.4	11.9	12.4	216	768	645	530	12.6	279	601	6.0
180	248	10.6	11.2	11.7	223	713	584	462	12.1	288	707	6.0
200	246	9.9	10.5	11.1	221	773	557	385	11.2	297	811	6.0
220	244	9.3	9.9	10.6	219	677	467	298	10.4	305	1038	6.0
240	242	8.7	9.4	10.1	218	571	368	203	9.5	302	948	6.0
250	241	8.5	9.2	9.9	217	514	315	152	9.1	301	911	6.0

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: B190__

Source OPF File: Aug 04 2014
Source APF file: Aug 04 2014

Speeds: CAS(LO/HI) Mach
climb - 160/140 0.31
cruise - 230/220 0.42
descent - 200/200 0.48

Mass Levels [kg]
low - 5816
nominal - 6804
high - 7765

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					136	3182	2913	2688	7.0	114	611	5.4
5					147	3193	2919	2690	8.0	115	619	5.4
10					153	3172	2896	2666	8.6	121	624	5.4
15					164	3174	2878	2630	9.7	132	746	5.3
20					165	3132	2838	2590	9.7	164	983	5.3
30	188	2.3	2.6	2.8	167	3048	2757	2512	9.7	209	1410	5.3
40	191	2.4	2.7	2.9	170	2964	2677	2433	9.8	212	1428	5.2
60	251	6.1	6.4	6.7	175	2798	2517	2277	9.8	218	1464	5.1
80	258	6.6	6.9	7.2	180	2633	2358	2122	9.9	225	1500	5.0
100	254	5.9	6.3	6.6	163	2406	2122	1872	7.7	232	1538	4.9
120	262	6.3	6.7	7.1	168	2242	1963	1715	7.7	239	1576	4.8
140	264	6.2	6.6	7.0	173	2079	1805	1559	7.7	246	1614	4.7
160	262	5.8	6.2	6.6	179	1917	1648	1405	7.7	254	1654	4.6
180	260	5.4	5.8	6.3	184	1758	1493	1251	7.7	262	1361	4.5
200	258	5.1	5.5	6.0	190	2048	1556	1172	7.7	271	1413	4.4
220	256	4.8	5.3	5.8	189	1799	1327	956	7.0	279	1465	4.3
240	254	4.5	5.0	5.6	187	1541	1090	732	6.4	289	1517	4.2
250	253	4.4	5.0	5.5	187	1408	968	616	6.0	289	1734	4.1

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: B350__

Source OPF File: Aug 04 2014
Source APF file: Aug 04 2014

Speeds: CAS(LO/HI) Mach
climb - 170/150 0.34
cruise - 250/240 0.50
descent - 250/250 0.58

Mass Levels [kg]
low - 4958
nominal - 5897
high - 6804

Temperature: ISA

Max Alt. [ft]: 35000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					132	3206	2871	2609	6.8	106	572	6.9
5					143	3157	2823	2562	7.2	107	576	6.8
10					149	3111	2778	2517	7.4	113	574	6.8
15					174	2943	2659	2435	8.6	124	576	6.7
20					175	2906	2625	2402	8.6	156	536	6.7
30	188	1.7	1.9	2.1	178	2833	2555	2334	8.5	230	1053	6.6
40	191	1.7	1.9	2.2	180	2759	2485	2267	8.5	233	1068	6.5
60	272	5.3	5.5	5.7	186	2611	2345	2132	8.4	272	1489	6.3
80	280	5.6	5.8	6.1	191	2463	2205	1997	8.3	280	1525	6.1
100	277	5.1	5.4	5.6	174	2417	2147	1926	7.3	289	1562	6.0
120	286	5.4	5.7	5.9	180	2270	2008	1791	7.2	297	1599	5.8
140	294	5.7	6.0	6.3	185	2124	1869	1656	7.1	306	1290	5.6
160	304	6.1	6.3	6.6	191	1978	1729	1520	6.9	316	1343	5.4
180	310	6.2	6.5	6.8	197	1831	1590	1385	6.8	326	1394	5.2
200	307	5.7	6.0	6.4	204	1685	1450	1249	6.7	336	1445	5.1
220	305	5.3	5.6	6.0	207	1674	1424	1207	6.5	347	1495	4.9
240	302	4.9	5.3	5.7	206	1540	1289	1067	6.0	351	1798	4.7
260	300	4.6	5.0	5.4	204	1401	1148	921	5.6	348	1676	4.5
280	297	4.3	4.7	5.2	202	1518	1093	767	5.2	345	1569	4.3
290	296	4.2	4.6	5.1	201	1428	1009	687	5.0	343	1522	4.2
310	293	3.9	4.4	4.9	199	1242	836	522	4.6	340	1439	4.1
330	291	3.7	4.2	4.8	198	1048	656	347	4.2	337	1370	3.9
350	288	3.6	4.1	4.7	196	847	466	163	3.8	334	1316	3.7

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: B462__

Source OPF File: Mar 27 2012
Source APF file: Mar 27 2012

Speeds: CAS(LO/HI) Mach
climb - 250/260 0.60
cruise - 250/295 0.65
descent - 250/280 0.66

Mass Levels [kg]
low - 29538
nominal - 36000
high - 42184

Temperature: ISA

Max Alt. [ft]: 31000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					132	1754	1487	1268	82.3	123	664	14.0
5					133	1760	1492	1272	82.1	124	670	14.0
10					134	1766	1496	1274	81.8	130	656	13.9
15					140	1871	1585	1352	81.2	141	643	13.6
20					141	1876	1589	1354	81.0	173	689	13.7
30	230	29.8	32.5	35.5	164	2235	1889	1615	79.1	230	970	13.9
40	233	29.7	32.4	35.3	199	2618	2193	1865	76.6	233	988	14.1
60	272	34.4	36.4	38.6	272	2732	2250	1894	71.2	272	1492	14.6
80	280	34.1	36.1	38.3	280	2696	2216	1860	69.4	280	1541	15.1
100	289	33.8	35.7	38.0	300	2552	2093	1752	66.7	323	2243	15.5
120	297	33.5	35.4	37.6	309	2469	2017	1680	64.5	332	2309	16.0
140	360	41.2	42.5	44.1	318	2363	1921	1590	62.0	342	2378	16.5
160	371	40.6	41.9	43.4	328	2232	1804	1480	59.3	353	2452	16.9
180	382	39.9	41.3	42.8	338	2075	1663	1349	56.5	363	2529	17.4
200	394	39.3	40.6	42.1	349	1892	1499	1198	53.5	375	2610	17.9
220	396	37.4	38.8	40.4	360	1680	1311	1023	50.2	386	2694	18.3
240	393	34.9	36.4	38.2	363	1903	1456	1105	47.2	398	1217	18.8
260	390	32.6	34.3	36.2	360	1960	1378	952	44.2	396	1489	19.2
280	386	30.6	32.4	34.5	357	1735	1174	759	41.0	392	1436	19.7
290	385	29.6	31.5	33.8	355	1603	1055	648	39.3	391	1426	19.9
310	381	27.8	30.0	32.4	352	1303	787	397	35.7	387	1438	20.4

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: B463__

Source OPF File: Mar 27 2012
Source APF file: Mar 27 2012

Speeds: CAS(LO/HI) Mach
climb - 250/260 0.60
cruise - 250/295 0.67
descent - 250/280 0.66

Mass Levels [kg]
low - 29802
nominal - 38000
high - 44225

Temperature: ISA

Max Alt. [ft]: 31000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					136	1793	1447	1226	85.7	125	675	16.6
5					137	1797	1449	1226	85.3	126	681	16.5
10					138	1800	1450	1226	85.0	131	665	16.4
15					144	1903	1533	1298	84.2	143	741	13.2
20					145	1906	1534	1297	83.8	175	795	12.8
30	230	32.0	35.6	38.9	168	2258	1813	1539	81.5	230	1020	10.7
40	233	31.9	35.5	38.8	203	2627	2085	1760	78.4	233	1039	11.0
60	272	36.7	39.4	41.9	272	2684	2089	1748	72.1	272	1541	11.7
80	280	36.3	39.0	41.5	280	2633	2042	1702	70.0	280	1593	12.3
100	289	35.9	38.6	41.1	300	2467	1906	1582	67.0	323	2292	13.0
120	297	35.5	38.2	40.6	309	2373	1823	1503	64.5	332	2360	13.7
140	360	43.2	45.1	46.7	318	2258	1722	1408	61.9	342	2431	14.4
160	371	42.5	44.3	46.0	328	2122	1602	1296	59.1	353	2505	15.0
180	382	41.8	43.6	45.2	338	1963	1464	1167	56.1	363	2582	15.7
200	394	41.0	42.8	44.4	349	1780	1305	1020	53.0	375	2662	16.4
220	406	40.2	42.0	43.6	360	1573	1126	854	49.8	386	2745	17.0
240	405	37.8	39.7	41.5	363	1787	1244	909	46.9	398	1328	17.7
260	402	35.3	37.4	39.3	360	1867	1171	775	44.1	396	1620	18.4
280	398	33.0	35.3	37.4	357	1673	995	604	41.1	392	1552	19.1
290	397	32.0	34.4	36.6	355	1558	892	505	39.5	391	1534	19.4
310	393	30.0	32.6	35.1	352	1294	656	280	36.2	387	1529	20.1

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: B58T__

Source OPF File: Apr 27 2015
Source APF file: Apr 27 2015

Speeds: CAS(LO/HI) Mach
climb - 130/130 0.32
cruise - 165/160 0.35
descent - 190/190 0.40

Mass Levels [kg]
low - 2191
nominal - 2495
high - 2812

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					123	1795	1578	1389	2.6	101	553	1.2
5					131	1957	1679	1395	2.6	107	549	1.2
10					132	2008	1671	1387	2.6	118	554	1.2
15					133	1999	1663	1379	2.6	194	960	1.2
20					134	1990	1655	1371	2.6	196	967	1.2
30	172	1.3	1.3	1.3	136	1973	1638	1355	2.6	198	981	1.2
40	175	1.3	1.3	1.3	138	1954	1620	1338	2.6	201	996	1.2
60	180	1.3	1.3	1.3	142	1914	1583	1301	2.6	207	1026	1.2
80	186	1.3	1.3	1.3	146	1871	1542	1262	2.6	214	1057	1.2
100	186	1.3	1.3	1.3	151	1824	1498	1220	2.6	220	1089	1.2
120	191	1.3	1.3	1.3	156	1774	1450	1174	2.6	227	1031	1.2
140	197	1.3	1.3	1.3	161	1719	1399	1125	2.6	234	1066	1.2
160	204	1.3	1.3	1.3	166	1660	1343	1072	2.6	241	1102	1.2
180	210	1.3	1.3	1.3	171	1596	1284	1015	2.6	248	1248	1.2
200	215	1.3	1.3	1.3	177	1527	1219	955	2.6	246	1194	1.2
220	213	1.3	1.3	1.3	183	1452	1150	889	2.6	244	1150	1.2
240	212	1.3	1.3	1.3	189	1372	1076	819	2.6	242	1116	1.2
250	211	1.3	1.3	1.3	193	1424	1110	837	2.6	241	1102	1.2

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B703__

Source OPF File: Jan 29 2009
Source APF file: Apr 30 2002

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/305 0.78 low - 79200
cruise - 250/300 0.80 nominal - 100000 Max Alt. [ft]: 42000
descent - 250/320 0.82 high - 140000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					154	2809	2378	1775	313.5	130	1195	28.0
5					156	2795	2364	1758	310.9	131	1203	27.7
10					157	2781	2349	1742	308.4	137	1187	27.4
15					163	2897	2442	1810	307.1	148	1158	27.2
20					164	2882	2426	1792	304.6	180	1132	26.9
30	230	66.9	81.4	118.9	187	3330	2787	2061	304.5	230	1296	26.3
40	233	67.0	81.6	119.2	222	3897	3236	2384	306.8	233	1312	25.8
60	272	75.9	87.6	117.7	272	4570	3601	2414	306.5	272	1562	24.6
80	280	76.2	88.0	118.4	280	4435	3484	2313	296.2	280	1597	23.5
100	289	76.5	88.4	119.1	351	4514	3587	2468	298.8	368	2484	22.4
120	297	76.9	88.9	119.9	361	4321	3423	2333	288.3	379	2521	21.3
140	366	99.3	108.2	131.1	372	4120	3252	2191	277.8	390	2558	20.2
160	377	99.6	108.6	131.8	383	3911	3074	2044	267.3	401	2593	19.0
180	388	99.9	109.0	132.6	395	3694	2890	1892	256.7	413	2626	17.9
200	400	100.2	109.5	133.4	406	3469	2698	1734	246.1	425	2658	16.8
220	412	100.4	109.9	134.2	419	3236	2500	1570	235.5	438	2688	15.7
240	425	100.7	110.3	135.0	432	2996	2295	1401	224.7	451	2716	14.6
260	438	100.9	110.6	135.8	445	2748	2084	1227	214.0	465	2742	13.4
280	452	101.0	111.0	136.7	459	2493	1867	1047	203.1	479	2765	12.3
290	459	101.1	111.2	137.1	462	3342	2483	1348	197.2	485	673	11.8
310	469	99.9	110.4	137.2	458	3076	2237	1106	184.0	481	681	10.6
330	465	94.1	105.5	134.9	454	2791	2148	846	171.1	477	716	9.5
350	461	89.0	101.5	133.7	450	2840	1842	566	158.2	473	777	8.4
370	459	84.8	98.6	134.0	447	2286	1400	246	145.7	470	789	7.3
390	459	81.5	96.6	135.6	447	1950	1093	0	133.5	470	901	6.2
410	459	78.9	95.6	138.5	447	1592	764	0	121.4	470	1038	5.0
420	459	77.9	95.4	140.4	447	1404	591	0	115.4	470	1116	4.5

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B712__

Source OPF File: Dec 19 2008
Source APF file: Dec 19 2008

Speeds: CAS(LO/HI) Mach
climb - 250/275 0.72
cruise - 250/275 0.75
descent - 250/260 0.74

Mass Levels [kg]
low - 36720
nominal - 46000
high - 52600

Temperature: ISA

Max Alt. [ft]: 37000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					149	2276	1929	1720	75.7	140	740	21.7
5					150	2265	1917	1707	75.2	141	752	21.5
10					151	2253	1905	1693	74.7	147	781	21.5
15					158	2363	1996	1776	74.8	159	890	11.8
20					159	2350	1983	1762	74.3	191	1044	12.3
30	230	21.1	25.4	29.1	182	2766	2332	2078	75.5	230	1329	10.2
40	233	21.1	25.5	29.3	216	3281	2756	2458	77.8	233	1345	10.1
60	272	24.5	28.1	31.1	272	3887	3123	2704	80.7	272	1607	10.0
80	280	24.7	28.3	31.4	280	3771	3019	2605	78.5	280	1644	9.8
100	289	24.9	28.6	31.7	317	3738	3007	2607	79.0	300	1779	9.7
120	297	25.1	28.9	32.1	327	3587	2873	2481	76.6	309	1817	9.5
140	336	29.0	32.3	35.1	336	3427	2731	2347	74.2	318	1855	9.3
160	347	29.3	32.6	35.5	347	3256	2580	2204	71.8	328	1768	9.2
180	357	29.5	32.9	35.8	357	3076	2420	2054	69.2	338	1810	9.0
200	368	29.8	33.3	36.2	368	2885	2251	1895	66.7	349	1851	8.9
220	380	30.1	33.6	36.6	380	2683	2073	1727	64.0	360	1893	8.7
240	392	30.3	33.9	37.0	392	2471	1886	1551	61.3	371	1935	8.6
260	404	30.6	34.3	37.4	404	2249	1689	1366	58.5	383	1977	8.4
280	417	30.8	34.6	37.8	417	2015	1483	1173	55.6	396	2018	8.3
290	423	31.0	34.8	38.0	423	1895	1377	1073	54.1	402	2038	8.2
310	437	31.2	35.2	38.5	422	2553	1670	1187	50.3	415	2078	8.0
330	436	29.9	34.2	37.7	419	2238	1386	915	46.4	429	2118	7.9
350	432	28.5	33.2	37.1	415	1901	1081	622	42.4	427	2821	7.7
370	430	27.4	32.5	36.8	413	1442	706	287	38.6	424	2572	7.6

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: B722__

Source OPF File: Dec 16 2016
Source APF file: Dec 16 2016

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.78
cruise - 250/350 0.82
descent - 250/280 0.78

Mass Levels [kg]
low - 54480
nominal - 74000
high - 86400

Temperature: ISA

Max Alt. [ft]: 42000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					157	1941	1429	1162	138.1	142	795	32.9
5					158	1928	1414	1147	137.2	143	806	32.7
10					159	1914	1400	1131	136.2	149	767	32.7
15					166	2019	1482	1204	136.3	161	1032	26.1
20					167	2005	1466	1188	135.3	193	923	25.9
30	230	39.8	54.6	66.2	190	2405	1785	1474	137.5	230	1223	25.4
40	233	40.0	54.8	66.5	225	2902	2171	1818	141.6	233	1242	25.0
60	272	44.8	56.9	66.6	272	3488	2450	1967	145.3	272	1403	24.2
80	280	45.2	57.5	67.3	280	3373	2350	1871	141.1	280	1443	23.3
100	289	45.7	58.1	68.0	345	3390	2422	1977	146.7	323	1882	22.5
120	297	46.1	58.7	68.8	356	3229	2287	1851	142.2	332	1920	21.7
140	425	78.1	85.7	91.8	366	3061	2146	1718	137.7	342	1958	20.8
160	437	78.6	86.4	92.6	377	2885	1998	1581	133.1	353	1996	20.0
180	450	79.1	87.1	93.5	388	2701	1844	1437	128.5	363	2034	19.2
200	463	79.6	87.8	94.3	400	2509	1683	1287	123.7	375	2072	18.3
220	476	80.1	88.5	95.2	412	2309	1516	1131	118.9	386	2110	17.5
240	491	80.6	89.2	96.0	425	2102	1342	969	113.9	398	2147	16.6
260	492	76.8	86.0	93.3	438	1888	1163	802	108.9	411	2183	15.8
280	487	71.9	81.9	89.9	452	1666	977	628	103.7	424	2218	15.0
290	485	69.7	80.1	88.4	459	1552	882	540	101.1	431	2236	14.5
310	481	65.6	77.0	86.1	458	1938	1055	524	94.2	444	2270	13.7
330	477	62.0	74.5	84.4	454	1692	801	273	87.1	454	3199	12.9
350	473	59.0	72.6	83.4	450	1614	525	0	80.0	450	3134	12.0
370	470	56.6	71.5	83.4	447	1191	210	0	73.2	447	2858	11.2
390	470	54.8	71.3	84.4	447	880	0	0	66.5	447	2877	10.4
410	470	53.5	71.7	86.1	447	542	0	0	59.9	447	2922	9.5
420	470	53.1	72.1	87.2	447	363	0	0	56.6	447	2955	9.1

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B732__

Source OPF File: Dec 19 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/280 0.72 low - 32640
cruise - 250/280 0.72 nominal - 44800 Max Alt. [ft]: 37000
descent - 250/280 0.70 high - 52300

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					147	2399	1901	1659	114.1	134	699	39.0
5					148	2386	1887	1644	113.1	135	713	38.6
10					149	2374	1874	1630	112.2	141	757	38.4
15					155	2487	1960	1705	111.4	152	766	19.6
20					156	2474	1945	1690	110.5	184	855	19.4
30	230	27.1	34.0	39.3	179	2906	2274	1980	109.5	230	1009	19.0
40	233	27.1	34.0	39.4	214	3439	2668	2321	109.1	233	1027	18.6
60	272	31.4	36.9	41.1	272	4096	2996	2525	107.5	272	1290	17.9
80	280	31.5	37.0	41.2	280	3961	2884	2420	103.7	280	1333	17.1
100	289	31.5	37.1	41.3	323	3861	2830	2389	101.2	323	1706	16.4
120	297	31.6	37.1	41.4	332	3687	2687	2256	97.3	332	1849	15.6
140	342	37.1	41.7	45.2	342	3504	2536	2118	93.4	342	1894	14.9
160	353	37.1	41.7	45.3	353	3312	2379	1973	89.4	353	1940	14.1
180	363	37.1	41.8	45.4	363	3112	2215	1821	85.5	363	1985	13.4
200	375	37.1	41.8	45.5	375	2903	2044	1663	81.6	375	2029	12.6
220	386	37.1	41.9	45.5	386	2685	1866	1498	77.7	386	2073	11.8
240	398	37.1	41.9	45.6	398	2459	1680	1328	73.7	398	2117	11.1
260	411	37.0	41.9	45.7	411	2224	1488	1150	69.7	411	2159	10.3
280	424	37.0	41.9	45.8	424	1981	1289	967	65.8	416	2831	9.6
290	426	36.3	41.4	45.4	426	2531	1618	1189	63.7	414	2766	9.2
310	422	34.2	39.8	44.1	422	2613	1475	979	59.3	411	2655	8.4
330	419	32.3	38.4	43.1	419	2338	1236	750	54.9	407	2567	7.7
350	415	30.6	37.3	42.5	415	2042	979	502	50.6	403	2503	6.9
370	413	29.3	36.6	42.3	413	1614	658	220	46.3	401	2312	6.2

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: B733__

Source OPF File: Mar 17 2011
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.76
cruise - 250/300 0.74
descent - 250/290 0.74

Mass Levels [kg]
low - 39480
nominal - 52500
high - 62800

Temperature: ISA

Max Alt. [ft]: 39000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					157	3045	2524	2202	115.0	143	744	35.0
5					158	3022	2500	2178	113.8	144	761	34.7
10					159	2998	2476	2153	112.6	150	810	34.5
15					166	3111	2561	2224	112.0	161	849	22.1
20					167	3086	2536	2199	110.8	193	1030	22.4
30	230	25.1	31.3	37.6	190	3531	2877	2488	110.4	230	1215	13.9
40	233	25.1	31.4	37.7	225	4088	3292	2833	111.0	233	1234	13.6
60	272	29.0	34.1	39.1	272	4688	3547	2919	109.9	272	1502	13.1
80	280	29.1	34.2	39.3	280	4490	3381	2767	105.3	280	1544	12.5
100	289	29.3	34.4	39.5	345	4401	3352	2778	105.2	334	2050	12.0
120	297	29.4	34.6	39.8	356	4144	3139	2586	100.7	344	2097	11.4
140	366	38.8	42.7	46.5	366	3883	2923	2390	96.2	354	2143	10.8
160	377	39.0	42.9	46.7	377	3618	2704	2192	91.9	365	2189	10.3
180	388	39.1	43.0	47.0	388	3350	2481	1991	87.5	376	2234	9.7
200	400	39.2	43.2	47.2	400	3079	2256	1788	83.3	387	2278	9.2
220	412	39.3	43.4	47.5	412	2806	2030	1583	79.1	399	2321	8.6
240	425	39.4	43.5	47.7	425	2530	1801	1376	75.0	412	2363	8.0
260	438	39.5	43.7	47.9	438	2254	1571	1167	71.0	425	2403	7.5
280	440	37.8	42.3	46.8	452	2738	1857	1327	67.0	438	2571	6.9
290	438	36.6	41.3	46.0	450	2623	1749	1219	64.7	438	3444	6.6
310	434	34.4	39.6	44.8	446	2386	1609	995	60.1	434	3283	6.1
330	430	32.6	38.2	43.9	442	2421	1361	757	55.6	430	3149	5.5
350	427	30.9	37.2	43.3	438	2130	1101	506	51.4	427	3042	4.9
370	424	29.6	36.5	43.2	436	1695	769	223	47.3	424	2758	4.4
390	424	28.6	36.1	43.6	436	1418	509	0	43.4	424	2735	3.8

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B734__

Source OPF File: Jan 09 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/290 0.74
cruise - 250/280 0.74
descent - 250/290 0.74

Mass Levels [kg]
low - 41784
nominal - 58000
high - 68000

Temperature: ISA

Max Alt. [ft]: 37000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					168	3226	2567	2253	123.4	147	768	36.2
5					169	3201	2541	2226	122.2	148	785	35.8
10					170	3175	2515	2200	121.0	154	824	35.6
15					176	3289	2596	2268	120.3	165	930	19.5
20					178	3262	2569	2241	119.0	197	1003	19.8
30	230	26.6	35.5	42.5	201	3713	2899	2524	118.7	230	1243	13.9
40	233	26.6	35.6	42.6	236	4276	3296	2860	119.3	233	1264	13.6
60	272	30.3	37.5	43.1	272	4826	3445	2854	117.2	272	1489	13.1
80	280	30.4	37.7	43.4	280	4622	3277	2699	112.4	280	1535	12.5
100	289	30.6	37.9	43.6	334	4578	3289	2741	111.4	334	1983	11.9
120	297	30.7	38.2	43.9	344	4324	3083	2552	106.6	344	2033	11.4
140	342	35.9	42.1	46.9	354	4064	2873	2359	101.9	354	2083	10.8
160	353	36.0	42.3	47.2	365	3800	2659	2162	97.2	365	2132	10.3
180	363	36.2	42.5	47.5	376	3532	2441	1962	92.6	376	2181	9.7
200	375	36.3	42.8	47.8	387	3259	2221	1759	88.1	387	2230	9.1
220	386	36.5	43.0	48.1	399	2984	1997	1553	83.6	399	2277	8.6
240	398	36.6	43.3	48.5	412	2705	1770	1345	79.3	412	2324	8.0
260	411	36.8	43.5	48.8	425	2424	1542	1134	74.9	425	2369	7.4
280	424	36.9	43.8	49.2	438	2142	1312	922	70.7	438	2413	6.9
290	431	37.0	43.9	49.4	438	2773	1657	1127	68.3	438	3250	6.6
310	434	35.9	43.3	49.0	434	2828	1460	862	63.3	434	3137	6.0
330	430	34.1	42.2	48.5	430	2500	1173	584	58.6	430	3252	5.5
350	427	32.6	41.5	48.4	427	2162	874	291	53.9	427	3177	4.9
370	424	31.4	41.1	48.7	424	1689	523	0	49.5	424	2914	4.3

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: B735__

Source OPF File: Nov 28 2011
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/290 0.74
cruise - 250/300 0.76
descent - 250/280 0.74

Mass Levels [kg]
low - 37824
nominal - 52000
high - 60680

Temperature: ISA

Max Alt. [ft]: 37000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					161	3004	2412	2128	110.7	139	727	33.6
5					162	2977	2385	2101	109.5	140	744	33.3
10					163	2951	2358	2074	108.3	146	781	33.1
15					170	3061	2439	2143	107.7	157	842	19.7
20					171	3034	2411	2115	106.5	189	971	20.1
30	230	22.7	29.8	35.3	194	3473	2738	2400	106.3	230	1190	13.9
40	233	22.8	29.9	35.4	229	4024	3137	2741	107.0	233	1210	13.6
60	272	26.1	31.9	36.3	272	4609	3343	2801	105.8	272	1440	13.1
80	280	26.3	32.1	36.5	280	4399	3170	2641	101.2	280	1483	12.5
100	289	26.4	32.3	36.8	334	4327	3154	2655	100.5	323	1815	11.9
120	297	26.6	32.5	37.0	344	4071	2946	2463	96.0	332	1862	11.4
140	366	34.9	39.3	42.7	354	3811	2735	2270	91.6	342	2125	10.8
160	377	35.0	39.5	42.9	365	3550	2522	2074	87.3	353	2164	10.3
180	388	35.1	39.7	43.2	376	3288	2308	1877	83.1	363	2203	9.7
200	400	35.3	39.9	43.5	387	3025	2094	1679	79.0	375	2240	9.1
220	412	35.4	40.1	43.7	399	2761	1878	1481	75.1	386	2277	8.6
240	425	35.5	40.3	44.0	412	2498	1663	1282	71.2	398	2314	8.0
260	438	35.7	40.6	44.3	425	2236	1449	1084	67.4	411	2349	7.5
280	452	35.8	40.8	44.6	438	1976	1235	887	63.7	424	2382	6.9
290	450	34.6	39.9	43.9	438	2566	1567	1094	61.6	431	2399	6.6
310	446	32.6	38.3	42.7	434	2636	1402	863	57.3	434	3218	6.1
330	442	30.8	37.1	41.8	430	2359	1156	621	53.2	430	3109	5.5
350	438	29.3	36.1	41.4	427	2077	900	370	49.3	427	3027	4.9
370	436	28.0	35.5	41.3	424	1666	592	100	45.6	424	2766	4.4

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B736__

Source OPF File: Dec 19 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/290 0.78 low - 44400
cruise - 250/280 0.78 nominal - 55000 Max Alt. [ft]: 41000
descent - 250/290 0.78 high - 65000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					144	2214	1929	1708	85.7	134	702	28.2
5					145	2214	1927	1704	85.4	135	712	28.1
10					146	2213	1925	1701	85.0	141	755	28.1
15					152	2318	2013	1777	85.2	152	730	17.1
20					153	2316	2010	1773	84.8	184	934	17.6
30	230	23.1	26.2	29.8	177	2700	2328	2049	86.1	230	1053	14.6
40	233	23.2	26.3	29.9	211	3163	2702	2365	88.4	233	1068	14.4
60	272	28.0	30.5	33.4	272	3682	3031	2576	92.0	272	1395	13.9
80	280	28.1	30.7	33.6	280	3626	2979	2526	90.3	280	1431	13.4
100	289	28.3	30.9	33.9	334	3529	2915	2488	92.6	334	2032	12.9
120	297	28.5	31.1	34.1	344	3429	2826	2405	90.7	344	2074	12.4
140	342	34.7	36.9	39.5	354	3317	2726	2313	88.6	354	2117	11.9
160	353	34.9	37.2	39.7	365	3192	2616	2211	86.4	365	2160	11.4
180	363	35.1	37.4	40.0	376	3053	2494	2098	84.1	376	2202	10.9
200	375	35.3	37.6	40.3	387	2901	2359	1975	81.7	387	2243	10.4
220	386	35.5	37.8	40.5	399	2735	2213	1840	79.1	399	2284	9.9
240	398	35.7	38.1	40.8	412	2554	2054	1695	76.4	412	2323	9.4
260	411	35.8	38.3	41.1	425	2359	1883	1538	73.5	425	2362	8.9
280	424	36.0	38.5	41.4	438	2149	1698	1369	70.5	438	2399	8.3
290	431	36.1	38.6	41.5	445	2038	1601	1280	68.9	445	2417	8.1
310	444	36.2	38.8	41.8	458	2545	1970	1541	65.5	458	3561	7.6
330	454	35.7	38.4	41.5	454	2656	1896	1365	61.0	454	3333	7.1
350	450	33.3	36.3	39.6	450	2411	1676	1158	56.5	450	3136	6.6
370	447	31.2	34.5	38.2	447	1964	1314	850	51.9	447	2740	6.1
390	447	29.6	33.2	37.2	447	1684	1060	608	47.4	447	2639	5.6
410	447	28.1	32.1	36.6	447	1365	772	335	42.7	447	2563	5.1

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B737__

Source OPF File: Dec 19 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/300 0.78 low - 45720
cruise - 250/280 0.78 nominal - 60000 Max Alt. [ft]: 41000
descent - 250/290 0.78 high - 70080

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					147	2976	2535	2290	117.7	139	727	31.5
5					148	2959	2517	2271	116.6	140	742	31.2
10					149	2941	2499	2253	115.6	146	783	31.1
15					155	3060	2591	2332	115.1	157	780	19.0
20					156	3042	2572	2313	114.0	189	951	19.3
30	230	24.6	29.1	32.9	179	3500	2929	2622	114.0	230	1076	10.1
40	233	24.7	29.1	33.0	214	4069	3360	2989	115.1	233	1095	9.9
60	272	29.5	33.1	36.2	272	4746	3712	3197	115.8	272	1418	9.5
80	280	29.6	33.3	36.4	280	4572	3564	3060	111.5	280	1462	9.2
100	289	29.8	33.4	36.6	345	4402	3457	2989	112.1	334	2060	8.8
120	297	29.9	33.6	36.8	356	4165	3259	2808	107.8	344	2110	8.5
140	342	36.1	39.2	41.9	366	3921	3055	2621	103.5	354	2159	8.1
160	353	36.3	39.4	42.1	377	3669	2844	2429	99.2	365	2207	7.7
180	363	36.4	39.6	42.3	388	3411	2629	2232	94.9	376	2255	7.4
200	375	36.5	39.7	42.6	400	3146	2407	2029	90.6	387	2302	7.0
220	386	36.6	39.9	42.8	412	2876	2181	1822	86.3	399	2348	6.7
240	398	36.7	40.1	43.0	425	2599	1949	1610	82.1	412	2392	6.3
260	411	36.8	40.2	43.2	438	2317	1713	1394	77.8	425	2435	6.0
280	424	36.9	40.4	43.4	452	2030	1473	1175	73.5	438	2476	5.6
290	431	37.0	40.5	43.5	459	1885	1351	1063	71.4	445	2495	5.4
310	444	37.1	40.6	43.7	458	2407	1680	1282	66.4	458	3634	5.1
330	454	36.4	40.1	43.4	454	2463	1543	1072	61.3	454	3415	4.7
350	450	34.0	38.1	41.6	450	2188	1303	845	56.4	450	3227	4.4
370	447	31.9	36.4	40.3	447	1747	965	554	51.6	447	2832	4.0
390	447	30.2	35.1	39.4	447	1469	716	313	47.0	447	2740	3.6
410	447	28.7	34.2	38.9	447	1168	447	52	42.4	447	2675	3.3

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B738__

Source OPF File: Dec 19 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.78
cruise - 250/280 0.78
descent - 250/290 0.78

Mass Levels [kg]
low - 49380
nominal - 65300
high - 78300

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					157	2843	2384	2093	117.8	144	754	35.7
5					158	2829	2368	2076	116.8	145	769	35.4
10					159	2814	2353	2060	115.8	151	813	35.2
15					166	2917	2429	2123	115.3	163	782	22.4
20					167	2901	2413	2106	114.3	195	943	22.7
30	230	26.5	31.6	36.8	190	3294	2708	2350	114.3	230	1001	13.5
40	233	26.5	31.6	36.9	225	3769	3051	2624	115.1	233	1020	13.3
60	272	31.5	35.6	39.8	272	4219	3235	2679	114.7	272	1327	12.9
80	280	31.7	35.8	40.0	280	4070	3110	2564	110.7	280	1371	12.5
100	289	31.8	36.0	40.2	345	3865	2977	2477	111.1	334	1882	12.0
120	297	31.9	36.1	40.4	356	3659	2805	2323	107.0	344	1935	11.6
140	342	38.4	41.9	45.5	366	3445	2628	2162	102.9	354	1987	11.2
160	353	38.5	42.1	45.7	377	3223	2443	1996	98.8	365	2040	10.7
180	363	38.6	42.2	45.9	388	2993	2252	1824	94.6	376	2091	10.3
200	375	38.7	42.4	46.1	400	2756	2055	1647	90.5	387	2143	9.9
220	386	38.8	42.5	46.3	412	2511	1852	1463	86.3	399	2193	9.5
240	398	38.9	42.7	46.5	425	2260	1643	1275	82.1	412	2243	9.0
260	411	39.0	42.8	46.8	438	2001	1428	1081	77.9	425	2291	8.6
280	424	39.1	43.0	47.0	452	1736	1208	883	73.7	438	2338	8.2
290	431	39.1	43.0	47.1	459	1602	1096	781	71.5	445	2360	7.9
310	444	39.1	43.2	47.3	458	2041	1423	910	66.6	458	3359	7.5
330	454	38.4	42.6	46.9	454	2087	1225	721	61.5	454	3167	7.1
350	450	36.0	40.5	45.2	450	1839	1006	511	56.6	450	3006	6.7
370	447	33.8	38.8	44.0	447	1445	706	259	51.7	447	2653	6.2
390	447	32.0	37.6	43.2	447	1182	468	27	47.0	447	2583	5.8
410	447	30.5	36.6	42.9	447	891	205	0	42.3	447	2541	5.4

BADA PERFORMANCE FILE Apr 10 2012

AC/Type: B739__

Source OPF File: Apr 10 2012
Source APF file: Mar 02 2010

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.79
cruise - 250/280 0.78
descent - 250/300 0.79

Mass Levels [kg]
low - 53611
nominal - 71651
high - 85139

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					166	2705	2238	1966	118.2	149	992	29.2
5					167	2691	2224	1951	117.3	150	1006	28.9
10					169	2678	2209	1936	116.3	157	1067	28.8
15					175	2768	2275	1989	115.8	168	792	21.0
20					176	2754	2259	1973	114.8	200	948	21.3
30	230	27.5	33.5	39.0	200	3098	2510	2179	114.7	230	955	12.5
40	233	27.6	33.5	39.1	234	3507	2794	2403	115.5	233	973	12.3
60	272	32.5	37.3	41.7	272	3831	2885	2391	114.1	272	1247	11.9
80	280	32.6	37.4	41.9	280	3699	2773	2288	110.2	280	1289	11.4
100	289	32.7	37.6	42.1	345	3510	2657	2214	110.5	345	1956	11.0
120	297	32.8	37.8	42.4	356	3324	2502	2074	106.4	356	2006	10.6
140	342	39.2	43.3	47.2	366	3130	2342	1928	102.4	366	2055	10.2
160	353	39.4	43.5	47.4	377	2928	2175	1776	98.3	377	2103	9.7
180	363	39.5	43.7	47.6	388	2719	2002	1618	94.2	388	2151	9.3
200	375	39.6	43.8	47.8	400	2501	1822	1455	90.1	400	2199	8.9
220	386	39.7	44.0	48.0	412	2277	1636	1286	86.0	412	2245	8.5
240	398	39.7	44.1	48.2	425	2045	1444	1112	81.8	425	2290	8.0
260	411	39.8	44.3	48.5	438	1806	1246	932	77.6	438	2334	7.6
280	424	39.9	44.4	48.7	452	1560	1042	747	73.3	452	2376	7.2
290	431	39.9	44.5	48.8	459	1434	938	652	71.2	459	2396	7.0
310	444	40.0	44.6	49.0	464	1772	1161	709	66.5	464	3308	6.6
330	454	39.3	44.1	48.7	459	1801	978	531	61.4	459	3125	6.1
350	450	36.8	42.1	47.1	455	1570	772	332	56.4	455	2972	5.7
370	447	34.7	40.6	46.0	453	1210	500	102	51.5	453	2622	5.3
390	447	33.0	39.4	45.4	453	958	272	0	46.7	453	2953	4.9
410	447	31.5	38.6	45.3	453	680	18	0	41.9	453	2875	4.4

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: B742__

Source OPF File: Feb 18 2011
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/320 0.82
cruise - 250/340 0.86
descent - 250/310 0.86

Mass Levels [kg]
low - 207120
nominal - 255800
high - 356000

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					169	2390	2008	1413	512.2	148	757	232.7
5					170	2378	1995	1398	508.3	149	773	230.9
10					171	2367	1982	1383	504.4	155	822	229.6
15					178	2462	2060	1440	501.5	167	935	228.7
20					179	2449	2047	1424	497.6	199	1064	79.2
30	230	123.2	152.1	231.0	202	2814	2347	1647	493.8	230	1253	78.8
40	233	123.3	152.4	231.4	237	3266	2709	1880	492.0	233	1280	77.6
60	272	132.4	155.4	217.8	272	3657	2882	1801	481.5	272	1517	48.1
80	280	132.7	155.8	218.6	280	3556	2791	1718	465.7	280	1554	46.2
100	289	133.0	156.2	219.4	368	3634	2908	1921	463.4	357	2168	44.2
120	297	133.2	156.6	220.3	379	3477	2772	1805	447.3	367	2206	42.3
140	413	193.2	206.7	243.4	390	3313	2628	1683	431.1	378	2244	40.4
160	425	192.9	206.6	243.8	401	3141	2478	1556	414.8	389	2281	38.5
180	438	192.6	206.4	244.1	413	2961	2321	1423	398.5	401	2317	36.6
200	450	192.2	206.2	244.4	425	2774	2158	1285	382.0	413	2352	34.6
220	464	191.7	205.9	244.7	438	2579	1988	1142	365.4	425	2386	32.7
240	478	191.1	205.6	245.0	451	2376	1811	992	348.8	438	2419	30.8
260	492	190.5	205.2	245.3	465	2167	1629	838	332.0	452	2501	28.9
280	507	189.8	204.8	245.6	479	1950	1439	678	315.0	466	2529	27.0
290	509	186.4	201.9	243.8	485	2665	1946	863	306.4	473	2542	26.0
310	505	175.3	192.2	238.0	481	2454	1740	646	287.3	487	2566	24.1
330	500	165.5	183.9	234.2	477	2219	1647	404	268.3	500	3823	22.2
350	496	157.0	177.2	232.4	473	2233	1374	139	249.3	496	3657	20.2
370	493	149.9	172.2	232.8	470	1750	984	0	230.6	493	3190	18.3
390	493	144.3	168.9	235.6	470	1449	697	0	212.0	493	3128	16.4
410	493	140.1	167.1	240.6	470	1119	382	0	193.5	493	3095	14.5
430	493	137.2	166.9	247.8	470	762	39	0	174.9	493	3091	12.6
450	493	135.5	168.2	257.2	470	377	0	0	156.4	493	3116	10.6

BADA PERFORMANCE FILE Apr 11 2012

AC/Type: B743__

Source OPF File: Mar 05 2012
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/320 0.84
cruise - 250/340 0.85
descent - 250/310 0.86

Mass Levels [kg]
low - 208476
nominal - 310000
high - 377800

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					177	2531	1696	1274	487.6	164	921	115.6
5					178	2517	1680	1257	483.8	165	933	114.7
10					179	2504	1664	1239	480.1	171	903	114.0
15					186	2617	1743	1304	477.3	182	843	113.6
20					187	2603	1726	1286	473.6	215	1152	61.8
30	230	114.5	174.3	227.3	210	3036	2030	1544	469.9	230	1176	61.1
40	233	114.6	174.6	227.7	245	3568	2388	1841	467.9	233	1200	60.2
60	272	124.0	171.3	213.2	272	4079	2476	1755	456.2	272	1327	58.9
80	280	124.2	171.8	214.0	280	3959	2375	1658	441.1	280	1390	30.5
100	289	124.5	172.4	214.8	368	3937	2481	1842	438.4	357	1902	29.4
120	297	124.7	172.9	215.7	379	3753	2336	1710	423.0	367	1959	28.4
140	413	183.0	210.8	235.4	390	3560	2185	1571	407.6	378	2017	27.4
160	425	182.7	210.8	235.7	401	3358	2028	1427	392.0	389	2075	26.4
180	438	182.3	210.8	236.0	413	3148	1863	1277	376.5	401	2133	25.4
200	450	181.8	210.7	236.3	425	2929	1692	1120	360.8	413	2192	24.4
220	464	181.3	210.6	236.6	438	2701	1514	958	345.0	425	2250	23.3
240	478	180.7	210.5	236.9	451	2465	1330	789	329.1	438	2308	22.3
260	492	180.1	210.4	237.2	465	2221	1139	615	313.1	452	2365	21.3
280	505	178.6	209.5	237.0	479	1969	942	435	297.0	466	2422	20.3
290	503	172.9	205.3	233.9	487	1840	885	342	288.9	473	2451	19.8
310	499	162.5	197.9	229.3	493	2395	1023	246	271.8	487	2507	18.8
330	494	153.3	192.1	226.5	489	2166	776	0	253.7	500	3788	17.7
350	490	145.3	187.9	225.6	484	2177	497	0	235.7	496	3701	16.7
370	488	138.7	185.5	227.0	482	1681	171	0	217.8	493	3306	15.7
390	488	133.4	184.9	230.6	482	1361	0	0	200.1	493	3327	14.7
410	488	129.4	186.1	236.4	482	1005	0	0	182.5	493	3805	13.7
430	488	126.5	189.0	244.3	482	613	0	0	164.8	493	3855	12.7
450	488	124.9	193.6	254.5	482	187	0	0	147.2	493	3941	11.6

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: B744__

Source OPF File: Feb 18 2011
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/330 0.85
cruise - 250/340 0.84
descent - 250/310 0.86

Mass Levels [kg]
low - 216528
nominal - 285700
high - 396800

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					182	3293	2705	2037	478.0	158	803	181.0
5					183	3276	2688	2018	474.2	160	822	179.6
10					184	3259	2669	1998	470.5	166	880	179.0
15					191	3361	2744	2048	468.9	177	1006	179.3
20					192	3343	2725	2028	465.2	209	1029	75.6
30	230	94.3	122.9	185.3	216	3742	3022	2234	466.5	230	1177	75.6
40	233	94.6	123.3	186.0	251	4241	3380	2309	472.1	233	1206	74.3
60	272	105.5	128.6	179.1	272	4595	3409	2209	462.5	272	1318	38.4
80	280	106.1	129.5	180.5	280	4453	3288	2103	447.0	280	1359	37.2
100	289	106.7	130.3	181.9	379	4565	3450	2352	464.8	357	1958	36.0
120	297	107.3	131.2	183.3	390	4344	3268	2201	448.6	367	2003	34.8
140	413	168.8	183.3	214.9	401	4113	3078	2044	432.3	378	2048	33.6
160	425	169.3	184.1	216.3	413	3874	2882	1882	415.8	389	2093	32.5
180	438	169.8	184.8	217.6	425	3626	2678	1714	399.2	401	2137	31.3
200	450	170.3	185.6	219.0	438	3370	2468	1540	382.4	413	2180	30.1
220	464	170.7	186.3	220.4	451	3106	2251	1360	365.4	425	2223	28.9
240	478	171.0	187.0	221.8	465	2834	2027	1175	348.3	438	2264	27.7
260	492	171.3	187.6	223.2	479	2555	1797	985	331.0	452	2305	26.6
280	499	167.0	184.1	221.4	493	2268	1562	790	313.5	466	2344	25.4
290	497	161.5	179.4	218.3	500	2123	1442	691	304.6	473	2363	24.8
310	493	151.4	170.9	213.4	499	2837	1862	761	283.2	487	2399	23.6
330	489	142.4	163.7	210.3	494	2538	1721	487	261.5	500	3594	22.4
350	484	134.6	158.0	208.9	490	2535	1401	190	240.1	496	3447	21.3
370	482	128.1	153.8	209.8	488	1946	960	0	219.1	493	3017	20.1
390	482	123.0	151.3	213.0	488	1584	633	0	198.7	493	3170	18.9
410	482	119.1	150.2	218.1	488	1192	279	0	178.5	493	3133	17.7
430	482	116.3	150.5	225.3	488	773	0	0	158.3	493	3125	16.6
450	482	114.5	152.2	234.5	488	328	0	0	138.2	493	3146	15.4

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: B748__

Source OPF File: Jun 27 2017
Source APF file: Jan 30 2012

Speeds: CAS(LO/HI) Mach
climb - 250/335 0.86
cruise - 250/320 0.84
descent - 250/335 0.86

Mass Levels [kg]
low - 229260
nominal - 366330
high - 442250

Temperature: ISA

Max Alt. [ft]: 43100

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					190	3501	2508	2129	508.0	166	1117	198.0
5					191	3482	2489	2108	503.6	167	1137	196.3
10					192	3463	2469	2088	499.3	174	1209	195.2
15					199	3572	2530	2135	496.6	185	889	118.4
20					200	3552	2509	2113	492.3	217	965	119.8
30	230	93.6	140.8	176.4	224	3973	2755	2309	490.3	230	1046	118.4
40	233	93.7	141.2	176.8	259	4495	3040	2425	491.7	233	1080	116.3
60	272	107.8	145.6	174.0	272	4924	2971	2317	475.9	272	1065	41.6
80	280	108.1	146.3	174.9	280	4760	2848	2203	458.4	280	1113	40.4
100	289	108.5	147.0	175.9	385	4642	2882	2307	467.9	385	1982	39.2
120	297	108.8	147.7	176.9	396	4386	2699	2144	450.0	396	2037	37.9
140	390	159.3	184.8	204.0	407	4122	2511	1975	432.0	407	2092	36.7
160	401	159.4	185.4	204.8	419	3851	2317	1802	414.1	419	2146	35.4
180	413	159.6	185.9	205.7	431	3572	2118	1624	396.2	431	2199	34.2
200	425	159.7	186.4	206.5	444	3286	1914	1441	378.3	444	2251	32.9
220	438	159.7	186.9	207.3	457	2994	1705	1255	360.3	457	2301	31.7
240	451	159.7	187.4	208.2	471	2696	1492	1064	342.3	471	2351	30.4
260	465	159.7	187.8	209.0	485	2392	1274	869	324.3	485	2398	29.2
280	479	159.5	188.2	209.8	500	2083	1053	670	306.3	500	2444	28.0
290	487	159.4	188.4	210.3	507	1927	941	570	297.2	507	2467	27.3
310	493	154.2	184.8	207.8	505	2624	1245	634	276.3	505	3504	26.1
330	489	143.9	177.3	202.5	500	2377	1012	407	255.3	500	3350	24.8
350	484	134.7	171.3	198.9	496	2413	756	157	234.7	496	3227	23.6
370	482	126.7	167.0	197.3	493	1879	431	0	214.6	493	2841	22.4
390	482	120.1	164.5	197.8	493	1562	158	0	195.1	493	3290	21.1
410	482	114.6	163.4	200.2	493	1216	0	0	175.7	493	3247	19.9
430	482	110.1	163.9	204.4	493	842	0	0	156.5	493	3234	18.6
431	482	110.0	164.0	204.6	493	822	0	0	155.6	493	3234	18.6

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: B752__

Source OPF File: Feb 18 2011
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.78
cruise - 250/290 0.80
descent - 250/300 0.80

Mass Levels [kg]
low - 68616
nominal - 95200
high - 115900

Temperature: ISA

Max Alt. [ft]: 42000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					162	2590	2024	1687	160.3	141	728	60.4
5					163	2575	2007	1670	158.9	143	743	59.9
10					165	2560	1991	1652	157.6	149	787	59.6
15					171	2668	2071	1719	157.0	160	888	59.7
20					172	2652	2054	1701	155.7	192	1039	12.7
30	230	35.5	48.2	61.0	196	3072	2369	1969	155.9	230	1268	12.6
40	233	35.6	48.4	61.2	230	3605	2758	2293	157.6	233	1284	12.5
60	272	40.0	50.3	60.6	272	4227	2996	2350	157.0	272	1475	12.2
80	280	40.2	50.6	61.1	280	4090	2883	2245	151.6	280	1508	11.9
100	289	40.5	51.0	61.5	345	4157	2986	2378	153.1	345	1984	11.7
120	297	40.7	51.3	62.0	356	3970	2834	2242	147.6	356	2019	11.4
140	354	49.7	58.0	66.4	366	3777	2677	2100	142.1	366	2053	11.2
160	365	49.9	58.4	66.9	377	3577	2515	1954	136.6	377	2087	10.9
180	376	50.1	58.7	67.4	388	3370	2348	1803	131.2	388	2120	10.7
200	387	50.4	59.1	67.9	400	3157	2176	1647	125.7	400	2152	10.4
220	399	50.6	59.5	68.4	412	2938	1999	1487	120.2	412	2184	10.1
240	412	50.8	59.8	68.9	425	2714	1817	1323	114.8	425	2214	9.9
260	425	51.0	60.2	69.5	438	2483	1630	1154	109.3	438	2243	9.6
280	438	51.2	60.6	70.1	452	2248	1439	981	103.8	452	2270	9.4
290	445	51.3	60.8	70.3	459	2128	1342	894	101.1	459	2283	9.2
310	459	51.5	61.2	70.9	458	2726	1647	1020	94.5	469	3251	9.0
330	465	50.3	60.6	70.8	454	2464	1481	772	87.9	465	3124	8.7
350	461	47.7	59.0	70.2	450	2488	1206	507	81.3	461	3023	8.5
370	459	45.6	58.0	70.3	447	1991	844	207	75.0	459	2709	8.2
390	459	44.0	57.6	71.2	447	1687	565	0	68.9	459	2692	8.0
410	459	42.8	57.7	72.7	447	1362	266	0	62.8	459	2699	7.7
420	459	42.4	58.0	73.7	447	1193	108	0	59.8	459	2712	7.6

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B753__

Source OPF File: Dec 19 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.78
cruise - 250/300 0.79
descent - 250/300 0.80

Mass Levels [kg]
low - 77508
nominal - 101600
high - 122500

Temperature: ISA

Max Alt. [ft]: 43000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					173	2526	2070	1756	165.9	147	742	72.7
5					174	2512	2055	1741	164.6	148	758	72.1
10					175	2499	2041	1725	163.3	154	816	71.8
15					182	2588	2108	1780	162.6	165	946	71.7
20					183	2574	2093	1764	161.2	197	992	15.9
30	230	41.1	52.2	64.3	206	2917	2355	1981	160.9	230	1092	14.7
40	233	41.1	52.3	64.4	241	3332	2661	2227	161.5	233	1110	14.7
60	272	46.2	55.1	64.7	272	3659	2748	2181	158.7	272	1317	14.9
80	280	46.3	55.3	65.0	280	3542	2646	2085	153.4	280	1357	15.0
100	289	46.5	55.6	65.4	345	3511	2663	2141	153.4	345	1884	15.1
120	297	46.7	55.8	65.7	356	3347	2525	2015	147.9	356	1928	15.3
140	366	59.6	66.3	73.6	366	3176	2380	1882	142.5	366	1971	15.4
160	377	59.8	66.6	73.9	377	2998	2229	1745	137.1	377	2014	15.5
180	388	59.9	66.8	74.3	388	2813	2072	1602	131.6	388	2057	15.7
200	400	60.0	67.0	74.6	400	2621	1909	1453	126.1	400	2099	15.8
220	412	60.1	67.2	74.9	412	2421	1740	1299	120.6	412	1969	15.9
240	425	60.2	67.4	75.2	425	2215	1565	1139	115.0	425	2016	16.1
260	438	60.2	67.6	75.6	438	2002	1384	975	109.4	438	2061	16.2
280	452	60.3	67.8	75.9	452	1782	1198	805	103.8	452	2106	16.3
290	459	60.3	67.9	76.1	459	1670	1103	718	101.0	459	2128	16.4
310	464	58.5	66.5	75.1	458	2127	1419	801	94.4	469	3051	16.5
330	459	55.2	64.0	73.5	454	1910	1194	581	87.8	465	2927	16.7
350	455	52.4	62.0	72.4	450	1893	949	341	81.2	461	2832	16.8
370	453	50.1	60.7	72.1	447	1478	629	73	74.8	459	2540	16.9
390	453	48.4	60.0	72.6	447	1200	367	0	68.5	459	2528	17.1
410	453	47.0	59.8	73.7	447	897	81	0	62.2	459	2543	17.2
430	453	46.2	60.2	75.5	447	570	0	0	55.9	459	2584	17.3

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B762__

Source OPF File: Jan 06 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/320 0.80
cruise - 250/310 0.80
descent - 250/310 0.84

Mass Levels [kg]
low - 99817
nominal - 140000
high - 160000

Temperature: ISA

Max Alt. [ft]: 43000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					161	2511	1952	1732	215.1	147	819	30.8
5					162	2500	1939	1719	213.4	148	828	30.6
10					163	2488	1926	1705	211.8	154	812	30.3
15					170	2595	2004	1774	210.8	165	782	30.1
20					171	2583	1991	1759	209.2	197	897	29.8
30	230	49.3	64.9	74.7	194	2988	2290	2025	208.6	230	872	29.3
40	233	49.4	65.1	74.8	229	3487	2643	2334	209.4	233	891	28.8
60	272	56.6	69.1	76.9	272	4030	2849	2435	207.3	272	1094	27.8
80	280	56.8	69.4	77.2	280	3912	2750	2341	200.6	280	1137	26.8
100	289	56.9	69.6	77.5	368	3766	2704	2338	202.9	357	1798	25.8
120	297	57.1	69.9	77.9	379	3582	2556	2200	195.9	367	1685	24.8
140	378	78.7	87.6	93.1	390	3389	2401	2056	189.0	378	1740	23.8
160	389	78.8	87.8	93.4	401	3188	2239	1905	181.9	389	1795	22.8
180	401	78.9	88.0	93.6	413	2979	2071	1748	174.8	401	1850	21.8
200	413	78.9	88.1	93.9	425	2762	1895	1585	167.6	413	1904	20.8
220	425	78.9	88.3	94.1	438	2536	1714	1416	160.4	425	1959	19.8
240	438	78.9	88.5	94.4	451	2302	1525	1240	153.0	438	2012	18.8
260	452	78.9	88.6	94.6	465	2061	1331	1059	145.6	452	2065	17.8
280	466	78.8	88.7	94.9	476	2623	1638	1266	137.8	466	2118	16.8
290	473	78.8	88.8	95.0	473	2539	1556	1182	133.4	473	2143	16.3
310	469	73.8	84.7	91.5	469	2350	1430	996	124.5	487	2194	15.3
330	465	69.2	81.1	88.6	465	2136	1217	787	115.7	489	3122	14.3
350	461	65.2	78.2	86.4	461	2150	978	554	106.9	484	2990	13.3
370	459	61.7	76.1	85.0	459	1702	658	273	98.3	482	2630	12.3
390	459	58.9	74.7	84.6	459	1416	398	15	89.8	482	2594	11.3
410	459	56.7	74.1	84.9	459	1101	111	0	81.3	482	2586	10.3
430	459	55.0	74.1	86.0	459	757	0	0	72.8	482	2606	9.3

BADA PERFORMANCE FILE Apr 10 2012

AC/Type: B763__

Source OPF File: Apr 10 2012
Source APF file: Mar 02 2010

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/310 0.80 low - 108013
cruise - 250/310 0.80 nominal - 154590 Max Alt. [ft]: 43100
descent - 250/310 0.80 high - 186880

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					166	2870	2235	1908	258.6	158	1025	85.0
5					167	2857	2220	1893	256.5	160	1041	84.3
10					169	2843	2206	1877	254.3	166	1125	83.8
15					175	2952	2281	1939	252.8	177	942	31.6
20					176	2937	2265	1923	250.6	209	1020	31.7
30	230	50.6	67.2	82.2	200	3354	2558	2165	248.6	230	1136	31.4
40	233	50.6	67.3	82.3	234	3871	2906	2446	247.8	233	1160	30.9
60	272	58.0	71.2	83.1	272	4420	3067	2455	242.4	272	1295	15.2
80	280	58.1	71.4	83.3	280	4285	2958	2354	233.7	280	1334	15.0
100	289	58.2	71.6	83.6	357	4226	2972	2412	231.6	357	2023	14.8
120	297	58.3	71.8	83.9	367	4027	2815	2271	222.8	367	2068	14.6
140	378	79.9	89.1	97.4	378	3819	2653	2125	214.0	378	2112	14.4
160	389	79.9	89.2	97.6	389	3603	2483	1972	205.2	389	2155	14.2
180	401	79.8	89.2	97.7	401	3378	2306	1814	196.4	401	2198	13.9
200	413	79.7	89.2	97.8	413	3144	2123	1649	187.5	413	2240	13.7
220	425	79.6	89.2	98.0	425	2901	1933	1478	178.6	425	2280	13.5
240	438	79.4	89.2	98.1	438	2650	1736	1302	169.7	438	2319	13.3
260	452	79.2	89.2	98.2	452	2392	1533	1119	160.7	452	2357	13.1
280	466	79.0	89.1	98.3	466	2125	1324	931	151.7	466	2360	12.8
290	473	78.9	89.1	98.3	473	1989	1218	835	147.1	473	2378	12.7
310	469	73.8	85.0	95.0	469	2603	1526	982	137.1	469	3218	12.5
330	465	69.2	81.4	92.4	465	2356	1369	755	127.0	465	3069	12.3
350	461	65.0	78.4	90.5	461	2377	1110	507	117.0	461	2949	12.1
370	459	61.5	76.2	89.5	459	1880	762	218	107.2	459	2625	11.9
390	459	58.6	74.8	89.4	459	1568	488	0	97.5	459	2592	11.6
410	459	56.2	74.0	90.1	459	1229	189	0	87.8	459	2585	11.4
430	459	54.3	73.9	91.6	459	863	0	0	78.1	459	2603	11.2
431	459	54.2	74.0	91.7	459	844	0	0	77.7	459	2605	11.2

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B764__

Source OPF File: Jan 06 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/320 0.80 low - 123840
cruise - 250/290 0.80 nominal - 158800 Max Alt. [ft]: 45000
descent - 250/300 0.80 high - 204100

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					166	2563	2122	1679	249.7	152	781	107.7
5					167	2546	2104	1660	247.6	153	800	106.8
10					169	2529	2085	1640	245.4	159	844	106.4
15					175	2629	2165	1703	244.5	171	943	106.5
20					176	2611	2146	1683	242.4	203	1045	20.6
30	230	51.9	67.1	92.3	200	3004	2462	1939	242.9	230	1135	20.7
40	233	52.1	67.3	92.7	234	3503	2855	2251	245.8	233	1156	20.3
60	272	56.9	69.2	89.6	272	4001	3061	2217	243.8	272	1291	18.9
80	280	57.3	69.7	90.3	280	3860	2939	2106	235.1	280	1328	18.3
100	289	57.6	70.2	91.0	368	3996	3110	2330	242.1	345	1745	17.7
120	297	58.0	70.7	91.8	379	3792	2936	2179	233.0	356	1785	17.0
140	354	69.0	79.0	95.7	390	3581	2758	2023	224.0	366	1824	16.4
160	365	69.4	79.6	96.5	401	3364	2573	1862	214.9	377	1864	15.8
180	376	69.8	80.1	97.3	413	3140	2383	1696	205.8	388	1903	15.2
200	387	70.2	80.7	98.1	425	2910	2188	1526	196.7	400	1941	14.5
220	399	70.5	81.2	99.0	438	2675	1987	1351	187.6	412	1979	13.9
240	412	70.9	81.8	99.9	451	2433	1782	1171	178.4	425	2016	13.3
260	425	71.3	82.4	100.8	465	2187	1572	988	169.2	438	2052	12.7
280	438	71.7	83.0	101.8	476	2777	1948	1146	159.5	452	2088	12.0
290	445	71.9	83.3	102.3	473	2645	1825	1023	153.8	459	2105	11.7
310	459	72.2	83.9	103.4	469	2370	1680	765	142.5	469	3013	11.1
330	465	71.0	83.3	103.8	465	2080	1386	489	131.4	465	2916	10.5
350	461	68.0	81.5	103.9	461	2017	1077	196	120.5	461	2846	9.9
370	459	65.7	80.5	105.1	459	1521	689	0	110.0	459	2574	9.2
390	459	64.1	80.4	107.5	459	1186	377	0	99.7	459	2697	8.6
410	459	63.1	81.0	110.9	459	830	45	0	89.6	459	2719	8.0
430	459	62.7	82.4	115.3	459	453	0	0	79.7	459	2765	7.3
450	459	62.8	84.6	120.8	459	57	0	0	69.8	459	2838	6.7

BADA PERFORMANCE FILE Apr 11 2012

AC/Type: B772__

Source OPF File: Mar 05 2012
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.84
cruise - 250/310 0.84
descent - 250/300 0.84

Mass Levels [kg]
low - 165720
nominal - 208700
high - 287000

Temperature: ISA

Max Alt. [ft]: 43100

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					157	2295	1921	1410	273.0	140	729	106.6
5					158	2284	1908	1396	271.0	141	743	105.8
10					159	2272	1895	1382	268.9	147	801	105.5
15					166	2367	1972	1438	268.3	159	821	32.5
20					167	2355	1959	1423	266.2	191	820	32.2
30	230	63.8	77.4	110.2	190	2720	2253	1644	267.7	230	960	31.7
40	233	64.0	77.7	110.6	225	3171	2608	1900	271.9	233	977	31.2
60	272	73.1	84.1	110.7	272	3644	2854	1906	274.0	272	1191	30.2
80	280	73.5	84.7	111.5	280	3535	2759	1822	265.6	280	1230	29.1
100	289	74.0	85.2	112.4	357	3500	2768	1903	273.1	345	1769	28.1
120	297	74.4	85.8	113.2	367	3342	2632	1789	264.6	356	1812	27.0
140	378	103.0	111.1	130.5	378	3178	2492	1670	256.0	366	1856	26.0
160	389	103.5	111.7	131.4	389	3009	2347	1548	247.4	377	1898	25.0
180	401	103.9	112.2	132.3	401	2834	2197	1422	238.8	388	1941	23.9
200	413	104.3	112.8	133.3	413	2654	2043	1292	230.2	400	1982	22.9
220	425	104.7	113.4	134.2	425	2469	1884	1158	221.5	412	2023	21.9
240	438	105.1	113.9	135.2	438	2278	1721	1020	212.8	425	2063	20.8
260	452	105.5	114.5	136.2	452	2083	1553	879	204.1	438	2101	19.8
280	466	105.8	115.0	137.2	466	1884	1382	735	195.2	452	2138	18.8
290	473	105.9	115.3	137.7	473	1782	1295	661	190.8	459	2156	18.2
310	487	106.2	115.8	138.7	487	1577	1119	512	181.9	473	2191	17.2
330	489	101.4	111.6	136.3	489	2114	1580	565	171.0	488	2224	16.2
350	484	95.2	106.4	133.5	484	2209	1392	377	159.6	484	3104	15.1
370	482	90.0	102.3	132.1	482	1806	1075	151	148.6	482	2705	14.1
390	482	85.8	99.4	132.1	482	1595	871	0	137.9	482	2639	13.1
410	482	82.4	97.3	133.4	482	1358	642	0	127.4	482	2841	12.0
430	482	79.8	96.2	135.9	482	1096	391	0	117.0	482	2807	11.0
431	482	79.7	96.2	136.0	482	1082	377	0	116.5	482	2806	10.9

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: B773__

Source OPF File: Jan 06 2009
Source APF file: Jan 06 2009

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.84
cruise - 250/310 0.84
descent - 250/310 0.84

Mass Levels [kg]
low - 191520
nominal - 237600
high - 299300

Temperature: ISA

Max Alt. [ft]: 43100

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					166	2080	1733	1356	288.0	149	767	129.9
5					167	2064	1716	1338	285.8	150	784	128.9
10					169	2048	1699	1320	283.5	157	830	128.9
15					175	2134	1770	1378	283.4	168	932	129.8
20					176	2117	1752	1359	281.1	200	1015	27.1
30	230	69.4	87.2	117.1	200	2454	2033	1592	285.2	230	1115	26.0
40	233	69.7	87.6	117.7	234	2872	2375	1870	293.4	233	1132	25.7
60	272	76.7	91.4	116.1	272	3245	2543	1851	296.2	272	1284	25.1
80	280	77.5	92.4	117.3	280	3123	2434	1750	286.6	280	1320	24.5
100	289	78.2	93.4	118.7	357	3180	2529	1896	301.3	357	1824	23.9
120	297	79.0	94.4	120.1	367	3011	2380	1764	291.3	367	1863	23.3
140	378	105.1	116.3	135.0	378	2836	2227	1627	281.2	378	1902	22.7
160	389	106.0	117.4	136.5	389	2657	2070	1486	271.1	389	1940	22.1
180	401	107.0	118.6	138.1	401	2473	1908	1341	260.9	401	1978	21.5
200	413	107.9	119.8	139.7	413	2284	1742	1193	250.7	413	2015	20.9
220	425	108.9	121.0	141.4	425	2090	1572	1041	240.4	425	2052	20.3
240	438	109.8	122.2	143.1	438	1892	1398	885	230.0	438	2087	19.7
260	452	110.7	123.5	144.9	452	1691	1220	726	219.6	452	2121	19.1
280	466	111.7	124.8	146.7	466	1485	1039	564	209.0	466	2154	18.5
290	473	112.1	125.4	147.6	473	1381	948	481	203.7	473	2170	18.2
310	487	113.1	126.7	149.5	487	1171	817	315	193.0	487	2201	17.6
330	489	109.0	123.7	148.3	489	1479	954	234	179.6	489	3148	17.0
350	484	103.9	119.9	146.8	484	1419	715	0	165.4	484	3047	16.4
370	482	99.9	117.5	147.0	482	1043	415	0	151.9	482	2840	15.8
390	482	97.0	116.4	148.8	482	785	164	0	138.9	482	2813	15.2
410	482	95.0	116.4	152.1	482	505	0	0	126.2	482	2813	14.6
430	482	93.9	117.4	156.8	482	204	0	0	113.6	482	2839	14.0
431	482	93.9	117.5	157.0	482	188	0	0	113.0	482	2841	14.0

BADA PERFORMANCE FILE Apr 10 2012

AC/Type: B77L__

Source OPF File: Apr 10 2012
Source APF file: Mar 02 2010

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/310 0.84 low - 174180
cruise - 250/310 0.84 nominal - 280010 Max Alt. [ft]: 43100
descent - 250/310 0.84 high - 347450

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					178	3285	2323	1907	375.3	158	1001	122.3
5					179	3271	2308	1891	372.5	160	1017	121.4
10					180	3257	2292	1874	369.7	166	1095	121.0
15					187	3377	2364	1930	368.7	177	1263	121.3
20					188	3362	2348	1913	365.9	209	983	33.5
30	230	66.1	99.2	128.3	212	3825	2630	2138	367.4	230	1026	32.9
40	233	66.3	99.5	128.7	247	4406	2966	2375	372.4	233	1045	32.4
60	272	77.2	104.0	127.5	272	5037	3030	2283	366.9	272	1033	31.3
80	280	77.6	104.7	128.5	280	4895	2923	2184	355.3	280	1078	30.2
100	289	78.0	105.4	129.4	357	4922	3024	2330	363.9	357	1632	29.1
120	297	78.5	106.1	130.5	367	4710	2871	2195	351.8	367	1683	28.0
140	378	111.1	130.6	147.8	378	4487	2712	2054	339.6	378	1734	26.9
160	389	111.5	131.4	148.8	389	4255	2546	1907	327.3	389	1786	25.8
180	401	111.9	132.1	149.8	401	4013	2373	1754	314.9	401	1837	24.7
200	413	112.3	132.8	150.9	413	3761	2193	1594	302.3	413	1889	23.6
220	425	112.6	133.5	152.0	425	3499	2006	1429	289.6	425	1939	22.5
240	438	113.0	134.3	153.1	438	3228	1813	1257	276.7	438	1990	21.4
260	452	113.2	135.0	154.2	452	2948	1613	1080	263.7	452	2039	20.3
280	466	113.5	135.7	155.3	466	2659	1406	897	250.5	466	2088	19.2
290	473	113.6	136.1	155.9	473	2511	1301	803	243.8	473	2112	18.7
310	487	113.8	136.8	157.1	487	2210	1085	612	230.2	487	2159	17.6
330	489	108.2	132.9	154.7	489	2916	1398	642	214.2	489	3091	16.5
350	484	101.0	128.1	152.0	484	3005	1126	379	197.4	484	2988	15.4
370	482	94.9	124.7	150.9	482	2399	754	84	181.0	482	2653	14.3
390	482	89.8	122.6	151.5	482	2056	466	0	165.0	482	3397	13.2
410	482	85.6	121.7	153.4	482	1681	151	0	149.1	482	3339	12.1
430	482	82.1	121.9	156.8	482	1277	0	0	133.2	482	3309	11.0
431	482	82.0	121.9	157.0	482	1256	0	0	132.4	482	3308	10.9

BADA PERFORMANCE FILE Apr 10 2012

AC/Type: B77W__

Source OPF File: Apr 10 2012
Source APF file: Mar 02 2010

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/310 0.84 low - 201384
cruise - 250/310 0.84 nominal - 290300 Max Alt. [ft]: 43100
descent - 250/310 0.84 high - 351530

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					186	2968	2260	1898	378.0	164	1105	120.3
5					187	2954	2245	1881	375.2	165	1122	119.4
10					188	2939	2229	1864	372.4	171	1197	119.1
15					195	3038	2295	1917	371.4	182	1359	119.3
20					196	3023	2278	1899	368.7	215	1024	33.5
30	230	75.1	106.7	135.2	220	3402	2536	2110	370.2	230	1070	32.9
40	233	75.3	107.1	135.7	255	3870	2841	2278	375.2	233	1089	32.4
60	272	84.7	110.4	133.4	272	4229	2828	2187	367.1	272	1116	31.3
80	280	85.2	111.1	134.4	280	4104	2725	2090	355.6	280	1159	30.2
100	289	85.7	111.9	135.4	357	4158	2840	2247	364.3	357	1680	29.1
120	297	86.2	112.7	136.5	367	3973	2693	2114	352.3	367	1729	28.0
140	378	117.2	135.9	152.7	378	3780	2541	1975	340.2	378	1778	26.9
160	389	117.7	136.7	153.8	389	3577	2381	1831	327.9	389	1827	25.8
180	401	118.1	137.5	154.9	401	3366	2214	1679	315.5	401	1876	24.7
200	413	118.6	138.3	156.0	413	3146	2041	1522	302.9	413	1924	23.6
220	425	119.1	139.1	157.1	425	2917	1861	1359	290.2	425	1973	22.5
240	438	119.5	139.9	158.3	438	2680	1674	1189	277.3	438	2020	21.4
260	452	119.9	140.8	159.5	452	2435	1480	1014	264.2	452	2068	20.3
280	466	120.3	141.6	160.8	466	2181	1280	833	250.9	466	2114	19.2
290	473	120.5	142.0	161.4	473	2051	1178	740	244.1	473	2137	18.6
310	487	120.8	142.8	162.7	487	1786	1019	550	230.5	487	2182	17.5
330	489	115.5	139.2	160.5	489	2323	1220	549	214.4	489	3132	16.4
350	484	108.9	134.9	158.2	484	2331	945	282	197.5	484	3040	15.3
370	482	103.4	131.9	157.6	482	1808	588	0	181.0	482	2711	14.2
390	482	99.0	130.4	158.7	482	1485	296	0	164.9	482	3572	13.1
410	482	95.6	130.1	161.2	482	1131	0	0	148.8	482	3514	12.0
430	482	93.0	131.1	165.3	482	749	0	0	132.7	482	3484	10.9
431	482	92.9	131.1	165.5	482	729	0	0	131.9	482	3483	10.9

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: B788__

Source OPF File: Apr 20 2015
Source APF file: Jan 30 2012

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/310 0.84 low - 133788
cruise - 250/310 0.84 nominal - 189110 Max Alt. [ft]: 43100
descent - 250/310 0.84 high - 227930

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					162	2640	2086	1795	230.0	149	1032	51.4
5					163	2631	2075	1783	228.3	150	1044	51.0
10					165	2621	2064	1771	226.7	157	1083	50.8
15					171	2722	2135	1829	225.9	168	934	19.7
20					172	2712	2123	1817	224.2	200	943	20.0
30	230	48.9	62.0	73.9	196	3094	2392	2038	224.4	230	1046	20.1
40	233	49.0	62.2	74.1	230	3560	2703	2287	226.2	233	1065	19.8
60	272	58.0	68.5	78.0	272	4037	2862	2321	225.0	272	1199	16.4
80	280	58.2	68.8	78.4	280	3925	2770	2236	218.1	280	1237	15.8
100	289	58.4	69.1	78.8	357	3756	2689	2203	221.1	357	1993	15.3
120	297	58.6	69.4	79.2	367	3584	2553	2080	213.9	367	2039	14.8
140	378	83.8	91.4	98.2	378	3403	2409	1951	206.6	378	2084	14.2
160	389	84.0	91.6	98.6	389	3213	2259	1816	199.2	389	2128	13.7
180	401	84.1	91.9	98.9	401	3014	2102	1674	191.8	401	2077	13.2
200	413	84.2	92.1	99.2	413	2806	1937	1527	184.2	413	2122	12.6
220	425	84.3	92.3	99.6	425	2589	1766	1373	176.5	425	2167	12.1
240	438	84.3	92.5	99.9	438	2364	1588	1212	168.7	438	2211	11.6
260	452	84.4	92.7	100.2	452	2130	1403	1046	160.8	452	2253	11.0
280	466	84.3	92.8	100.5	466	1887	1211	874	152.8	466	2294	10.5
290	473	84.3	92.9	100.6	473	1763	1113	786	148.7	473	2313	10.2
310	487	84.2	93.0	100.9	487	1509	912	605	140.4	487	2351	9.7
330	489	79.8	89.2	97.7	489	1989	1141	696	130.9	489	3311	9.2
350	484	74.2	84.5	93.8	484	2049	1014	514	120.9	484	3128	8.6
370	482	69.3	80.6	90.9	482	1639	728	279	111.1	482	2708	8.1
390	482	65.1	77.6	88.9	482	1396	512	67	101.4	482	2625	7.6
410	482	61.6	75.3	87.7	482	1120	269	0	91.8	482	2569	7.0
430	482	58.6	73.7	87.4	482	812	0	0	82.1	482	2540	6.5
431	482	58.4	73.6	87.4	482	796	0	0	81.6	482	2539	6.5

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: B789__

Source OPF File: Apr 20 2015
Source APF file: Apr 20 2015

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.84
cruise - 250/310 0.84
descent - 250/310 0.84

Mass Levels [kg]
low - 165600
nominal - 213220
high - 250830

Temperature: ISA

Max Alt. [ft]: 43100

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					178	2327	1956	1719	232.1	165	1154	58.7
5					179	2317	1945	1707	230.4	166	1168	58.3
10					180	2307	1934	1694	228.8	172	1224	58.1
15					187	2380	1988	1739	227.9	184	998	20.3
20					188	2368	1976	1726	226.2	216	1006	20.6
30	230	55.7	68.2	80.3	212	2643	2183	1898	226.2	230	1045	20.4
40	233	55.8	68.4	80.5	247	2964	2413	2080	227.7	233	1064	20.1
60	272	63.8	73.8	83.5	272	3153	2436	2018	223.6	272	1172	15.5
80	280	64.0	74.1	83.9	280	3057	2352	1938	216.6	280	1208	15.1
100	289	64.3	74.5	84.4	357	2930	2286	1913	219.2	357	1871	14.7
120	297	64.5	74.8	84.8	367	2786	2162	1799	211.9	367	1834	14.3
140	378	88.8	96.0	102.9	378	2635	2032	1680	204.6	378	1877	13.9
160	389	89.0	96.3	103.3	389	2477	1896	1555	197.2	389	1919	13.4
180	401	89.2	96.5	103.7	401	2311	1754	1424	189.7	401	1961	13.0
200	413	89.3	96.8	104.1	413	2139	1606	1287	182.1	413	2003	12.6
220	425	89.4	97.0	104.4	425	1959	1452	1145	174.3	425	2043	12.2
240	438	89.5	97.3	104.8	438	1772	1292	998	166.5	438	2082	11.8
260	452	89.6	97.5	105.1	452	1578	1126	845	158.6	452	2120	11.4
280	466	89.6	97.7	105.4	466	1378	954	687	150.5	466	2157	10.9
290	473	89.6	97.7	105.6	473	1275	866	606	146.5	473	2175	10.7
310	487	89.6	97.9	105.9	487	1065	686	440	138.2	487	2209	10.3
330	489	85.3	94.2	102.9	489	1371	826	466	128.7	489	3121	9.9
350	484	80.0	89.8	99.2	484	1360	695	294	118.8	484	2965	9.5
370	482	75.4	86.2	96.6	482	1042	451	89	109.1	482	2583	9.1
390	482	71.7	83.5	95.0	482	828	249	0	99.5	482	2519	8.6
410	482	68.6	81.6	94.2	482	585	20	0	90.0	482	2481	8.2
430	482	66.1	80.4	94.3	482	315	0	0	80.4	482	2468	7.8
431	482	66.0	80.4	94.4	482	300	0	0	79.9	482	2468	7.8

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: BA11__

Source OPF File: Jan 29 2009
Source APF file: Apr 30 2002

Speeds: CAS(LO/HI) Mach
climb - 250/280 0.70
cruise - 250/300 0.72
descent - 250/280 0.70

Mass Levels [kg]
low - 27000
nominal - 31700
high - 39463

Temperature: ISA

Max Alt. [ft]: 35000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					150	2304	2070	1751	64.9	138	1006	10.8
5					151	2294	2059	1738	64.4	139	1013	10.8
10					152	2283	2047	1725	64.0	145	1017	10.7
15					158	2372	2123	1786	63.8	156	1030	10.7
20					160	2360	2111	1773	63.3	188	1132	10.7
30	230	18.9	20.9	24.8	183	2694	2396	2001	63.4	230	1430	10.6
40	233	19.0	20.9	24.8	217	3080	2716	2247	64.1	233	1447	10.6
60	272	22.5	24.1	27.2	272	3378	2899	2307	64.6	272	1840	10.4
80	280	22.6	24.2	27.3	280	3264	2795	2212	62.6	280	1879	10.3
100	289	22.7	24.3	27.5	323	3094	2655	2112	62.2	323	2397	10.2
120	297	22.8	24.4	27.6	332	2944	2519	1990	60.2	332	2440	10.1
140	366	30.8	32.0	34.4	342	2786	2375	1861	58.1	342	2483	10.0
160	377	30.9	32.1	34.6	353	2621	2225	1726	56.0	353	2525	9.8
180	388	31.0	32.3	34.7	363	2447	2067	1585	53.9	363	2566	9.7
200	400	31.1	32.3	34.9	375	2266	1902	1438	51.7	375	2605	9.6
220	412	31.2	32.4	35.0	386	2076	1730	1284	49.6	386	2644	9.5
240	425	31.2	32.5	35.1	398	1878	1551	1123	47.4	398	2681	9.4
260	432	30.4	31.8	34.5	411	1673	1364	957	45.1	411	2715	9.2
280	428	28.4	29.9	32.8	416	2256	1730	1082	42.6	416	3523	9.1
290	426	27.5	29.0	32.1	414	2173	1651	1006	41.3	414	2661	9.1
310	422	25.8	27.4	30.8	411	1988	1477	838	38.5	411	2522	8.9
330	419	24.2	26.1	29.8	407	1779	1280	650	35.7	407	2410	8.8
350	415	22.9	24.9	29.0	403	1549	1063	442	33.0	403	2324	8.7

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: BE20__

Source OPF File: Aug 04 2014
Source APF file: Aug 04 2014

Speeds: CAS(LO/HI) Mach
climb - 160/140 0.32
cruise - 230/225 0.46
descent - 250/250 0.52

Mass Levels [kg]
low - 4387
nominal - 4990
high - 5670

Temperature: ISA

Max Alt. [ft]: 35000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					134	3145	2900	2663	8.1	105	567	5.8
5					145	3051	2809	2572	8.1	106	571	5.8
10					152	2981	2740	2504	8.1	112	569	5.7
15					164	2808	2626	2447	8.0	123	572	5.6
20					165	2769	2588	2410	8.0	155	492	5.6
30	188	2.5	2.7	2.9	167	2690	2512	2335	7.8	230	1060	5.5
40	191	2.5	2.7	3.0	170	2611	2435	2260	7.7	233	1077	5.3
60	251	4.8	4.9	5.2	175	2452	2281	2110	7.4	272	1528	5.1
80	258	4.9	5.1	5.4	180	2293	2126	1959	7.2	280	1569	4.9
100	260	4.8	5.0	5.3	163	2296	2117	1934	6.8	289	1403	4.6
120	268	5.0	5.2	5.5	168	2138	1963	1783	6.5	297	1457	4.4
140	276	5.2	5.4	5.7	173	1979	1808	1631	6.2	306	1510	4.1
160	285	5.4	5.6	5.9	179	1820	1653	1478	5.9	316	1562	3.9
180	285	5.1	5.4	5.7	184	1659	1496	1325	5.7	322	1854	3.7
200	283	4.8	5.1	5.4	191	1498	1339	1170	5.4	319	1730	3.4
220	280	4.5	4.8	5.1	195	1442	1274	1094	5.1	317	1620	3.2
240	278	4.3	4.6	4.9	193	1314	1143	958	4.7	314	1523	2.9
260	276	4.0	4.4	4.8	192	1181	1006	814	4.4	312	1439	2.7
280	273	3.8	4.2	4.6	190	1239	942	663	4.1	309	1369	2.5
290	272	3.8	4.1	4.6	189	1154	861	585	4.0	308	1338	2.3
310	270	3.6	4.0	4.5	188	978	694	423	3.7	305	1286	2.1
330	268	3.5	3.9	4.5	186	795	518	252	3.4	302	1246	1.9
350	265	3.4	3.9	4.5	184	603	334	72	3.1	300	1218	1.6

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: BE30__

Source OPF File: Aug 04 2014
Source APF file: Aug 04 2014

Speeds: CAS(LO/HI) Mach
climb - 160/140 0.32
cruise - 250/240 0.50
descent - 250/250 0.58

Mass Levels [kg]
low - 4621
nominal - 5443
high - 6350

Temperature: ISA

Max Alt. [ft]: 35000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					131	4055	3659	3309	6.8	104	578	5.8
5					142	3975	3582	3235	7.6	105	583	5.7
10					148	3906	3516	3172	7.9	110	578	5.7
15					164	3731	3399	3102	9.0	121	573	5.6
20					165	3681	3352	3057	9.0	153	541	5.6
30	188	1.5	1.7	1.9	167	3582	3258	2967	9.0	230	1041	5.5
40	191	1.5	1.7	2.0	170	3482	3163	2876	9.0	233	1056	5.5
60	272	5.1	5.3	5.6	175	3282	2974	2695	8.9	272	1461	5.3
80	280	5.4	5.7	5.9	180	3081	2784	2513	8.9	280	1497	5.2
100	277	5.0	5.2	5.5	163	3002	2693	2406	7.4	289	1534	5.0
120	286	5.3	5.5	5.9	168	2803	2504	2224	7.4	297	1571	4.9
140	294	5.6	5.9	6.3	173	2603	2314	2041	7.3	306	1607	4.8
160	304	6.0	6.3	6.7	179	2403	2124	1857	7.2	316	1644	4.6
180	310	6.1	6.4	6.8	184	2203	1933	1673	7.0	326	1336	4.5
200	307	5.7	6.0	6.4	191	2002	1742	1488	6.9	336	1396	4.3
220	305	5.3	5.6	6.1	195	1938	1667	1399	6.6	347	1454	4.2
240	302	4.9	5.3	5.8	193	1753	1483	1212	6.1	351	1760	4.1
260	300	4.6	5.0	5.5	192	1563	1293	1017	5.6	348	1653	3.9
280	297	4.3	4.7	5.3	190	1653	1206	815	5.1	345	1561	3.8
290	296	4.2	4.6	5.2	189	1532	1095	711	4.9	343	1520	3.7
310	293	3.9	4.4	5.1	188	1284	868	497	4.4	340	1450	3.6
330	291	3.8	4.3	4.9	186	1029	632	273	3.9	337	1395	3.4
350	288	3.6	4.2	4.9	184	766	386	39	3.4	334	1355	3.3

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: BE36__

Source OPF File: Apr 10 2015
Source APF file: Apr 10 2015

Speeds: CAS(LO/HI) Mach
climb - 110/110 0.23
cruise - 151/151 0.26
descent - 150/150 0.32

Mass Levels [kg]
low - 1432
nominal - 1542
high - 1656

Temperature: ISA

Max Alt. [ft]: 18500

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					100	1101	1006	916	0.9	82	455	0.4
5					111	1224	1119	987	0.9	87	439	0.4
10					112	1238	1096	964	0.9	98	487	0.4
15					112	1212	1071	941	0.9	153	710	0.4
20					113	1185	1046	918	0.9	154	718	0.4
30	158	0.6	0.6	0.6	115	1131	995	869	0.9	157	735	0.4
40	160	0.6	0.6	0.6	117	1076	943	820	0.9	159	752	0.4
60	165	0.6	0.6	0.6	120	959	833	716	0.9	164	787	0.4
80	167	0.6	0.6	0.6	124	835	716	605	0.9	169	824	0.4
100	166	0.6	0.6	0.6	128	703	592	488	0.9	174	670	0.4
120	165	0.6	0.6	0.6	132	563	460	363	0.9	180	727	0.4
140	163	0.6	0.6	0.6	136	414	319	230	0.9	185	786	0.4
160	162	0.6	0.6	0.6	141	255	170	88	0.9	191	848	0.4
180	161	0.6	0.6	0.6	142	82	3	0	0.9	197	913	0.4
185	161	0.6	0.6	0.6	142	33	0	0	0.9	198	984	0.4

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: BE40__

Source OPF File: Aug 06 2014
Source APF file: Aug 06 2014

Speeds: CAS(LO/HI) Mach
climb - 250/250 0.64
cruise - 250/280 0.76
descent - 250/250 0.70

Mass Levels [kg]
low - 5980
nominal - 6577
high - 7394

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					132	2656	2539	2393	20.3	119	642	2.5
5					133	2643	2525	2378	20.1	120	650	2.5
10					134	2629	2511	2363	20.0	126	645	2.5
15					140	2734	2607	2450	19.9	137	646	2.5
20					141	2720	2592	2434	19.7	169	696	2.5
30	230	6.8	7.0	7.4	164	3109	2950	2755	19.8	230	1293	2.5
40	233	6.8	7.0	7.4	199	3540	3336	3091	20.0	233	1320	2.5
60	272	8.4	8.6	8.9	272	3735	3475	3172	20.5	272	1940	2.5
80	280	8.4	8.6	8.9	280	3576	3323	3027	19.8	280	2007	2.5
100	289	8.5	8.7	9.0	289	3409	3163	2875	19.1	289	2075	2.5
120	297	8.5	8.7	9.0	297	3234	2996	2716	18.4	297	2143	2.5
140	342	10.5	10.6	10.9	306	3052	2822	2551	17.8	306	2213	2.5
160	353	10.5	10.7	10.9	316	2862	2640	2378	17.1	316	2283	2.5
180	363	10.5	10.7	11.0	326	2663	2451	2197	16.4	326	2353	2.5
200	375	10.6	10.7	11.0	336	2457	2254	2010	15.8	336	2424	2.5
220	386	10.6	10.8	11.1	347	2243	2049	1815	15.1	347	2494	2.4
240	398	10.6	10.8	11.1	358	2021	1837	1614	14.4	358	1743	2.4
260	411	10.6	10.8	11.1	369	1791	1617	1405	13.7	369	1842	2.4
280	424	10.6	10.8	11.1	380	1992	1783	1525	13.0	381	1941	2.4
290	431	10.7	10.9	11.2	379	1928	1718	1459	12.6	387	1991	2.4
310	444	10.7	10.9	11.2	376	1784	1573	1309	11.8	400	2090	2.4
330	442	9.9	10.2	10.5	372	1619	1407	1139	11.0	407	2787	2.4
350	438	9.2	9.5	9.8	369	1434	1285	948	10.2	403	2618	2.4
370	436	8.6	8.8	9.2	367	1278	1013	699	9.4	401	2330	2.4
390	436	8.0	8.3	8.8	367	1053	793	483	8.6	401	2257	2.4
410	436	7.6	7.9	8.4	367	803	549	244	7.8	401	2213	2.4
430	436	7.2	7.5	8.0	367	529	282	0	7.1	401	2199	2.4
450	436	6.8	7.2	7.8	367	233	0	0	6.3	401	2212	2.4

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: BE58__

Source OPF File: Apr 27 2015
Source APF file: Apr 27 2015

Speeds: CAS(LO/HI) Mach
climb - 139/139 0.28
cruise - 164/164 0.29
descent - 175/175 0.36

Mass Levels [kg]
low - 1895
nominal - 2200
high - 2450

Temperature: ISA

Max Alt. [ft]: 20688

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					120	1412	1148	965	1.7	93	500	1.1
5					131	1564	1277	1081	1.7	99	453	1.1
10					137	1612	1316	1093	1.7	110	371	1.1
15					142	1737	1333	1061	1.7	179	454	1.1
20					143	1698	1298	1029	1.7	180	472	1.1
30	171	1.0	1.0	1.0	145	1617	1227	962	1.7	183	508	1.1
40	174	1.0	1.0	1.0	147	1534	1153	894	1.7	185	545	1.1
60	179	1.0	1.0	1.0	152	1360	998	751	1.7	191	621	1.1
80	185	1.0	1.0	1.0	156	1176	834	600	1.7	197	399	1.1
100	185	1.0	1.0	1.0	161	980	660	439	1.7	203	506	1.1
120	184	1.0	1.0	1.0	166	772	475	268	1.7	209	618	1.1
140	182	1.0	1.0	1.0	172	551	280	88	1.7	216	736	1.1
160	181	1.0	1.0	1.0	175	325	65	0	1.7	223	860	1.1
180	180	1.0	1.0	1.0	173	46	0	0	1.7	223	1034	1.1
200	178	1.0	1.0	1.0	172	0	0	0	1.7	221	1128	1.1
207	178	1.0	1.0	1.0	172	0	0	0	1.7	221	1162	1.1

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: BE99__

Source OPF File: Aug 04 2014
Source APF file: Aug 04 2014

Speeds: CAS(LO/HI) Mach
climb - 160/160 0.40
cruise - 210/210 0.39
descent - 170/170 0.42

Mass Levels [kg]
low - 3128
nominal - 4082
high - 4717

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					123	2778	2183	1875	5.3	94	518	2.8
5					134	2705	2112	1804	5.4	95	528	2.7
10					140	2640	2050	1743	5.4	101	527	2.7
15					164	2298	1847	1608	5.7	111	533	2.7
20					165	2253	1807	1569	5.6	143	586	2.7
30	188	2.5	2.8	3.0	167	2164	1727	1493	5.5	178	929	2.7
40	191	2.6	2.9	3.1	170	2075	1647	1416	5.4	180	956	2.6
60	229	4.1	4.4	4.6	175	1896	1486	1262	5.2	186	1011	2.6
80	236	4.3	4.6	4.8	180	1717	1325	1107	5.0	191	1066	2.5
100	243	4.5	4.8	5.0	186	1538	1163	952	4.8	197	1123	2.4
120	247	4.5	4.8	5.0	191	1359	1002	797	4.7	203	854	2.3
140	245	4.1	4.5	4.8	197	1179	840	641	4.5	210	930	2.3
160	243	3.9	4.2	4.5	204	1000	678	485	4.3	216	1008	2.2
180	241	3.6	4.0	4.3	210	821	557	329	4.1	223	1085	2.1
200	240	3.4	3.8	4.1	217	792	382	173	3.8	231	1164	2.1
220	238	3.2	3.6	4.0	225	573	207	17	3.6	238	1243	2.0
240	236	3.0	3.5	3.9	232	354	33	0	3.4	246	1322	1.9
250	235	2.9	3.4	3.8	236	246	0	0	3.3	251	1362	1.9

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: BE9L__

Source OPF File: Jan 15 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 140/140 0.32
cruise - 215/194 0.40
descent - 200/200 0.40

Mass Levels [kg]
low - 3252
nominal - 3640
high - 4581

Temperature: ISA

Max Alt. [ft]: 31000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					123	1773	1636	1351	6.4	101	542	4.0
5					134	1804	1661	1349	6.2	102	549	4.0
10					140	1801	1657	1327	6.1	108	555	3.9
15					143	1802	1641	1305	6.0	119	446	3.9
20					144	1778	1618	1283	5.9	151	334	3.8
30	188	5.2	5.4	6.1	146	1732	1572	1239	5.7	209	1002	3.7
40	191	5.1	5.4	6.1	148	1685	1527	1195	5.6	212	1030	3.6
60	234	5.0	5.1	5.5	153	1593	1438	1108	5.3	218	1087	3.5
80	241	4.6	4.8	5.1	158	1502	1349	1022	5.0	225	1144	3.3
100	225	4.7	4.8	5.3	163	1413	1262	937	4.7	232	1202	3.1
120	232	4.4	4.6	5.0	168	1324	1176	852	4.4	239	1958	2.9
140	239	4.1	4.2	4.7	173	1238	1091	768	4.1	246	2004	2.7
160	246	3.7	3.9	4.3	179	1152	1007	686	3.9	250	2193	2.5
180	248	3.5	3.7	4.1	184	1069	925	604	3.6	248	2067	2.3
200	246	3.4	3.6	4.1	191	987	845	523	3.3	246	1954	2.1
220	244	3.3	3.5	4.0	195	966	814	467	3.1	244	1855	2.0
240	242	3.3	3.5	4.0	193	853	698	339	2.9	242	1770	1.8
260	240	3.2	3.4	4.1	192	890	656	202	2.8	240	1697	1.6
280	238	3.2	3.4	4.1	190	733	504	55	2.6	238	1638	1.4
290	237	3.1	3.4	4.2	189	651	425	0	2.5	237	1613	1.3
310	235	3.1	3.4	4.3	188	478	257	0	2.3	235	1573	1.1

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: BER2__

Source OPF File: Mar 09 2015
Source APF file: Mar 09 2015

Speeds: CAS(LO/HI) Mach
climb - 195/195 0.50
cruise - 230/230 0.51
descent - 195/195 0.50

Mass Levels [kg]
low - 33120
nominal - 35000
high - 41000

Temperature: ISA

Max Alt. [ft]: 26575

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					119	1777	1716	1536	68.0	113	608	11.8
5					120	1763	1701	1520	67.4	114	616	11.7
10					121	1748	1687	1504	66.8	120	610	11.7
15					127	1833	1768	1575	66.8	131	860	11.6
20					128	1818	1752	1559	66.2	163	1012	11.5
30	230	33.1	33.7	35.9	151	2127	2047	1815	67.2	204	1527	11.3
40	233	33.2	33.8	36.0	185	2436	2336	2052	69.2	207	1507	11.1
60	251	36.1	36.7	38.8	213	2464	2343	2005	69.0	213	1551	10.7
80	258	36.4	37.0	39.1	219	2348	2229	1897	66.6	219	1597	10.3
100	266	36.7	37.3	39.4	226	2228	2112	1786	64.2	226	1643	10.0
120	274	37.0	37.6	39.7	233	2104	1990	1670	61.9	233	1691	9.6
140	282	37.3	37.9	40.1	240	1975	1864	1551	59.5	240	1740	9.2
160	291	37.6	38.2	40.4	248	1841	1733	1426	57.2	248	1789	8.8
180	300	37.9	38.6	40.8	256	1703	1598	1298	54.9	256	1840	8.5
200	310	38.3	38.9	41.2	264	1559	1458	1165	52.6	264	1891	8.1
220	311	36.7	37.3	39.8	273	1548	1407	1027	50.3	273	1943	7.7
240	308	34.5	35.3	37.9	282	1380	1247	885	48.1	282	1996	7.3
260	306	32.7	33.5	36.3	291	1207	1082	739	45.8	291	2049	6.9
266	305	32.2	33.0	35.9	294	1157	1033	696	45.2	294	2064	6.8

BADA PERFORMANCE FILE May 22 2013

AC/Type: C130__

Source OPF File: Apr 25 2013
Source APF file: Mar 31 2011

Speeds:	CAS(LO/HI)	Mach	Mass Levels [kg]		Temperature: ISA
climb	- 180/170	0.50	low	- 38052	
cruise	- 220/220	0.61	nominal	- 58960	Max Alt. [ft]: 33000
descent	- 230/240	0.50	high	- 81540	

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					150	3168	2010	1257	65.4	122	643	17.5
5					161	3140	1962	1208	64.6	123	655	17.4
10					167	3097	1914	1179	63.8	129	895	17.3
15					184	2809	1804	1150	62.7	140	948	17.1
20					185	2767	1772	1122	62.1	172	1452	17.0
30	188	23.8	28.9	36.8	188	2683	1707	1064	60.8	230	2472	16.7
40	191	24.0	29.0	37.0	191	2599	1642	1007	59.4	233	2500	16.4
60	240	34.7	38.3	43.9	196	2433	1513	892	56.9	251	2826	15.8
80	247	34.6	38.3	44.0	202	2267	1384	778	54.3	258	2889	15.2
100	254	34.6	38.2	43.9	197	2212	1317	690	52.1	277	3253	14.6
120	262	34.4	38.1	43.8	203	2052	1191	576	49.6	286	3320	14.0
140	270	34.2	37.9	43.6	210	1893	1066	462	47.2	294	3387	13.4
160	279	33.9	37.5	43.2	216	1737	942	349	44.9	304	3454	12.8
180	288	33.5	37.1	42.8	223	1582	819	236	42.6	310	3808	12.2
200	297	33.0	36.5	42.2	231	1430	698	124	40.4	307	3554	11.6
220	306	32.3	35.9	41.4	238	1280	578	12	38.2	305	3327	11.0
240	316	31.5	35.0	40.5	246	1134	518	0	36.1	302	3125	10.4
260	327	30.6	34.0	39.4	255	990	386	0	34.0	300	2947	9.8
280	338	29.5	32.9	38.1	264	1086	257	0	32.0	297	2794	9.2
290	343	28.9	32.2	37.4	268	998	193	0	31.1	296	2726	8.9
310	355	27.6	30.7	35.7	278	826	68	0	29.1	293	2607	8.3
330	355	25.9	29.4	34.7	288	659	0	0	27.3	291	2512	7.7

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: C160__

Source OPF File: Jan 29 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 160/150 0.36
cruise - 160/160 0.38
descent - 230/230 0.50

Mass Levels [kg]
low - 34800
nominal - 40000
high - 49150

Temperature: ISA

Max Alt. [ft]: 30000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					130	1128	944	651	21.9	106	1010	7.6
5					141	1162	975	678	22.5	107	1017	7.6
10					147	1166	977	679	22.8	113	1008	7.6
15					164	1186	990	673	23.8	124	999	7.6
20					165	1172	977	659	23.7	156	1070	7.6
30	167	10.1	11.6	14.6	167	1145	950	631	23.5	230	1800	7.6
40	170	10.3	11.7	14.8	170	1118	923	603	23.3	233	1821	7.6
60	175	10.6	12.1	15.2	175	1065	869	547	23.0	251	2036	7.6
80	180	10.9	12.4	15.6	180	1012	816	490	22.7	258	2082	7.6
100	186	11.1	12.7	16.1	174	953	747	401	21.7	266	2129	7.6
120	191	11.5	13.1	16.5	180	901	693	343	21.4	274	2175	7.6
140	197	11.8	13.5	17.0	185	849	639	285	21.1	282	2222	7.6
160	204	12.1	13.9	17.5	191	797	586	227	20.9	291	2270	7.6
180	210	12.5	14.3	18.0	197	746	533	169	20.6	300	2317	7.6
200	217	12.8	14.7	18.6	204	696	481	111	20.4	307	2720	7.6
220	225	13.2	15.1	19.1	211	646	429	52	20.3	305	2577	7.6
240	230	13.4	15.4	19.6	218	790	462	0	20.1	302	2453	7.6
260	228	13.3	15.5	20.0	216	701	366	0	19.3	300	2346	7.6
280	226	13.3	15.6	20.5	214	600	258	0	18.5	297	2258	7.6
290	225	13.3	15.7	20.9	213	545	199	0	18.2	296	2221	7.6
300	224	13.3	15.9	21.2	212	486	137	0	17.8	295	2188	7.6

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: C162__

Source OPF File: Mar 23 2015
Source APF file: Mar 23 2015

Speeds: CAS(LO/HI) Mach
climb - 62/ 62 0.13
cruise - 98/ 98 0.17
descent - 110/110 0.22

Mass Levels [kg]
low - 458
nominal - 599
high - 599

Temperature: ISA

Max Alt. [ft]: 14625

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					62	1319	866	866	0.4	57	320	0.2
5					62	1290	843	843	0.4	62	311	0.2
10					63	1261	819	819	0.4	73	259	0.2
15					63	1231	796	796	0.4	112	571	0.2
20					64	1201	771	771	0.4	113	584	0.2
30	102	0.3	0.3	0.3	65	1139	722	722	0.4	115	610	0.2
40	104	0.3	0.3	0.3	66	1075	671	671	0.4	117	637	0.2
60	107	0.3	0.3	0.3	68	941	564	564	0.4	120	692	0.2
80	109	0.3	0.3	0.3	70	798	450	450	0.4	124	620	0.2
100	109	0.3	0.3	0.3	72	646	328	328	0.4	128	695	0.2
120	108	0.3	0.3	0.3	74	483	199	199	0.4	132	774	0.2
140	107	0.3	0.3	0.3	77	310	61	61	0.4	136	858	0.2
146	107	0.3	0.3	0.3	78	254	16	16	0.4	137	885	0.2

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: C172__

Source OPF File: Feb 09 2012
Source APF file: Feb 09 2012

Speeds: CAS(LO/HI) Mach
climb - 80/ 80 0.15
cruise - 107/102 0.20
descent - 140/140 0.28

Mass Levels [kg]
low - 905
nominal - 1157
high - 1157

Temperature: ISA

Max Alt. [ft]: 14000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					80	1163	841	841	0.5	67	357	0.3
5					81	1179	822	822	0.5	73	336	0.3
10					81	1155	803	803	0.5	84	327	0.3
15					82	1132	784	784	0.5	143	654	0.3
20					82	1108	764	764	0.5	144	660	0.3
30	112	0.4	0.4	0.4	84	1058	724	724	0.5	146	673	0.3
40	113	0.4	0.4	0.4	85	1008	683	683	0.5	148	685	0.3
60	117	0.4	0.4	0.4	87	901	596	596	0.5	153	711	0.3
80	121	0.4	0.4	0.4	90	787	504	504	0.5	158	621	0.3
100	119	0.4	0.4	0.4	93	665	405	405	0.5	163	659	0.3
120	122	0.4	0.4	0.4	95	534	296	296	0.5	168	699	0.3
140	126	0.4	0.4	0.4	94	361	151	151	0.5	173	741	0.3

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: C182__

Source OPF File: Apr 30 2015
Source APF file: Apr 30 2015

Speeds: CAS(LO/HI) Mach
climb - 90/ 90 0.19
cruise - 120/115 0.21
descent - 126/126 0.27

Mass Levels [kg]
low - 1048
nominal - 1406
high - 1406

Temperature: ISA

Max Alt. [ft]: 18100

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					86	1402	848	848	0.7	69	395	0.4
5					91	1326	816	816	0.7	75	385	0.4
10					91	1280	796	796	0.7	86	390	0.4
15					92	1254	775	775	0.7	129	649	0.4
20					93	1227	754	754	0.7	130	658	0.4
30	125	0.5	0.5	0.5	94	1173	711	711	0.7	132	674	0.4
40	127	0.5	0.5	0.5	95	1117	667	667	0.7	134	691	0.4
60	131	0.5	0.5	0.5	98	1000	575	575	0.7	138	726	0.4
80	135	0.5	0.5	0.5	101	877	478	478	0.7	142	762	0.4
100	134	0.5	0.5	0.5	105	747	376	376	0.7	146	800	0.4
120	133	0.5	0.5	0.5	108	610	268	268	0.7	151	748	0.4
140	132	0.5	0.5	0.5	111	465	154	154	0.7	156	806	0.4
160	131	0.5	0.5	0.5	115	311	33	33	0.7	161	867	0.4
180	130	0.5	0.5	0.5	118	172	0	0	0.7	166	931	0.4
181	130	0.5	0.5	0.5	118	167	0	0	0.7	166	934	0.4

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: C208__

Source OPF File: Apr 01 2015
Source APF file: Apr 01 2015

Speeds: CAS(LO/HI) Mach
climb - 102/102 0.20
cruise - 160/150 0.27
descent - 160/140 0.35

Mass Levels [kg]
low - 2458
nominal - 3311
high - 3969

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					96	1638	1233	999	3.3	77	419	2.1
5					103	1624	1220	982	3.3	78	425	2.1
10					103	1600	1202	965	3.3	84	419	2.1
15					104	1578	1184	948	3.3	94	429	2.1
20					105	1559	1167	931	3.3	126	476	2.1
30	167	2.1	2.3	2.5	107	1519	1131	896	3.2	167	874	2.0
40	170	2.1	2.3	2.6	108	1480	1096	862	3.2	170	892	2.0
60	175	2.2	2.4	2.6	111	1401	1024	793	3.1	175	748	1.9
80	180	2.3	2.5	2.7	115	1322	953	724	3.0	180	790	1.9
100	172	1.9	2.2	2.5	119	1243	881	654	2.9	163	579	1.8
120	171	1.8	2.1	2.4	122	1164	809	583	2.8	168	617	1.8
140	170	1.7	2.0	2.3	126	1116	758	526	2.7	173	656	1.7
160	168	1.6	2.0	2.3	125	1041	679	442	2.6	179	695	1.6
180	167	1.6	1.9	2.3	124	961	597	353	2.4	184	735	1.6
200	166	1.5	1.9	2.3	123	1092	557	259	2.3	191	776	1.5
220	165	1.4	1.9	2.3	122	984	456	158	2.2	197	817	1.4
240	163	1.4	1.8	2.3	121	870	349	51	2.0	204	860	1.4
250	163	1.4	1.8	2.3	120	811	294	0	2.0	207	881	1.4

BADA PERFORMANCE FILE May 22 2013

AC/Type: C25A__

Source OPF File: Apr 22 2013
Source APF file: Apr 22 2013

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 222/222 0.56 low - 4355
cruise - 250/275 0.71 nominal - 4990 Max Alt. [ft]: 45000
descent - 250/268 0.70 high - 5670

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					121	2825	2658	2504	17.2	114	613	5.3
5					122	2809	2642	2486	17.0	115	620	5.3
10					122	2792	2625	2469	16.8	121	621	5.2
15					128	2915	2734	2566	16.7	132	598	5.2
20					129	2897	2716	2548	16.6	164	616	5.2
30	230	6.6	6.9	7.2	152	3359	3126	2914	16.5	230	1323	5.1
40	233	6.7	6.9	7.3	186	3898	3593	3321	16.4	233	1351	5.0
60	272	8.3	8.5	8.8	242	4292	3865	3498	16.3	272	2016	4.8
80	280	8.3	8.5	8.8	249	4121	3707	3349	15.6	280	2084	4.7
100	289	8.3	8.6	8.8	257	3945	3544	3195	15.0	309	2617	4.5
120	297	8.3	8.6	8.8	265	3764	3375	3036	14.4	318	2692	4.3
140	336	10.0	10.2	10.4	273	3576	3200	2872	13.8	328	2767	4.1
160	347	10.0	10.2	10.4	281	3383	3021	2703	13.2	338	2842	4.0
180	357	10.0	10.2	10.4	290	3184	2835	2529	12.6	348	2915	3.8
200	368	10.0	10.2	10.4	299	2979	2645	2349	12.0	359	2987	3.6
220	380	10.0	10.2	10.4	309	2768	2449	2165	11.4	370	3058	3.5
240	392	10.0	10.2	10.4	319	2552	2248	1976	10.9	382	3127	3.3
260	404	10.0	10.2	10.4	330	2330	2042	1782	10.3	394	3193	3.1
280	417	10.0	10.2	10.4	333	2605	2267	1959	9.7	407	2763	3.0
290	420	9.8	10.0	10.3	331	2513	2177	1869	9.4	413	2804	2.9
310	417	9.1	9.3	9.6	329	2320	1989	1683	8.8	411	3446	2.7
330	413	8.4	8.6	9.0	326	2119	1792	1486	8.2	407	3180	2.5
350	409	7.8	8.0	8.4	323	1909	1585	1279	7.6	403	2949	2.4
370	407	7.2	7.5	7.9	321	1800	1387	1022	7.1	401	2582	2.2
390	407	6.7	7.1	7.5	321	1572	1169	811	6.5	401	2450	2.0
410	407	6.3	6.7	7.2	321	1331	938	586	6.0	401	2347	1.9
430	407	6.0	6.4	6.9	321	1078	695	347	5.5	401	2271	1.7
450	407	5.7	6.1	6.7	321	812	438	94	5.0	401	2220	1.5

BADA PERFORMANCE FILE May 22 2013

AC/Type: C25B__

Source OPF File: Apr 18 2013
Source APF file: Apr 18 2013

Speeds: CAS(LO/HI) Mach
climb - 222/222 0.56
cruise - 250/275 0.71
descent - 250/268 0.70

Mass Levels [kg]
low - 4784
nominal - 5443
high - 6291

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					118	2828	2669	2493	18.3	109	587	5.6
5					119	2814	2654	2477	18.2	110	594	5.6
10					120	2800	2639	2462	18.0	116	590	5.5
15					126	2928	2755	2564	17.9	127	572	5.5
20					127	2913	2739	2547	17.8	159	592	5.5
30	230	7.1	7.3	7.7	149	3395	3171	2929	17.8	230	1346	5.4
40	233	7.1	7.3	7.7	183	3965	3670	3359	17.9	233	1372	5.3
60	272	8.9	9.1	9.4	242	4427	4008	3579	18.0	272	2047	5.1
80	280	8.9	9.1	9.5	249	4266	3859	3440	17.4	280	2114	4.9
100	289	9.0	9.2	9.5	257	4099	3703	3294	16.7	309	2652	4.7
120	297	9.0	9.2	9.5	265	3924	3540	3143	16.1	318	2726	4.6
140	336	10.8	11.0	11.3	273	3743	3371	2985	15.4	328	2800	4.4
160	347	10.8	11.0	11.3	281	3553	3194	2820	14.8	338	2874	4.2
180	357	10.9	11.0	11.3	290	3356	3011	2649	14.2	348	2946	4.0
200	368	10.9	11.1	11.4	299	3152	2820	2472	13.5	359	3018	3.8
220	380	10.9	11.1	11.4	309	2940	2622	2288	12.9	370	3089	3.7
240	392	10.9	11.1	11.4	319	2720	2418	2097	12.3	382	3157	3.5
260	404	10.9	11.1	11.4	330	2493	2206	1899	11.7	394	3223	3.3
280	417	10.9	11.1	11.5	333	2790	2454	2092	11.0	407	2753	3.1
290	420	10.8	11.0	11.3	331	2689	2357	1997	10.7	413	2795	3.0
310	417	9.9	10.2	10.5	329	2479	2153	1796	10.0	411	3433	2.9
330	413	9.2	9.4	9.8	326	2258	1938	1584	9.3	407	3168	2.7
350	409	8.5	8.8	9.2	323	2026	1712	1360	8.6	403	2937	2.5
370	407	7.9	8.2	8.7	321	1903	1502	1082	7.9	401	2571	2.3
390	407	7.4	7.7	8.2	321	1649	1261	852	7.3	401	2441	2.1
410	407	6.9	7.3	7.9	321	1379	1005	606	6.7	401	2340	2.0
430	407	6.5	6.9	7.6	321	1094	734	345	6.0	401	2267	1.8
450	407	6.2	6.7	7.3	321	795	449	68	5.4	401	2219	1.6

BADA PERFORMANCE FILE May 22 2013

AC/Type: C25C__

Source OPF File: Apr 18 2013
Source APF file: Apr 18 2013

Speeds: CAS(LO/HI) Mach
climb - 240/240 0.64
cruise - 250/305 0.76
descent - 250/295 0.74

Mass Levels [kg]
low - 5617
nominal - 6804
high - 7761

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					123	2794	2548	2383	19.1	115	623	4.7
5					124	2784	2537	2372	19.0	116	629	4.7
10					125	2774	2526	2360	18.8	122	624	4.7
15					131	2907	2640	2462	18.9	133	603	4.6
20					132	2896	2628	2450	18.7	165	617	4.6
30	230	7.2	7.7	8.2	155	3397	3055	2833	19.0	230	1120	4.6
40	233	7.2	7.8	8.3	189	4013	3569	3287	19.6	233	1140	4.6
60	272	9.2	9.6	10.0	261	4751	4082	3672	20.9	272	1635	4.5
80	280	9.2	9.7	10.1	269	4609	3954	3552	20.3	280	1686	4.5
100	289	9.3	9.8	10.2	277	4457	3818	3425	19.7	340	2697	4.4
120	297	9.4	9.8	10.3	286	4296	3674	3290	19.1	350	2759	4.3
140	372	14.2	14.5	14.9	294	4124	3520	3146	18.5	360	2820	4.3
160	383	14.3	14.6	15.0	304	3943	3358	2994	17.8	371	2880	4.2
180	395	14.4	14.7	15.1	313	3750	3186	2834	17.2	382	2939	4.2
200	406	14.5	14.8	15.2	323	3547	3004	2664	16.6	394	2996	4.1
220	419	14.6	14.9	15.3	333	3332	2812	2485	15.9	406	3051	4.1
240	432	14.6	15.0	15.4	344	3106	2610	2296	15.2	418	3105	4.0
260	445	14.7	15.1	15.4	355	2869	2399	2099	14.6	431	3155	3.9
280	452	14.3	14.7	15.1	367	2621	2177	1891	13.9	440	3339	3.9
290	450	13.7	14.1	14.5	373	2492	2062	1784	13.5	438	3202	3.9
310	446	12.6	13.1	13.5	376	2903	2377	2034	12.7	434	2953	3.8
330	442	11.6	12.1	12.6	372	2650	2139	1802	11.7	430	2739	3.7
350	438	10.7	11.3	11.8	369	2379	1885	1554	10.8	427	2556	3.7
370	436	10.0	10.6	11.1	367	2219	1608	1224	9.9	424	2240	3.6
390	436	9.3	10.0	10.6	367	1915	1334	965	9.0	424	2149	3.6
410	436	8.7	9.4	10.1	367	1589	1040	687	8.1	424	2086	3.5
430	436	8.2	9.0	9.8	367	1241	726	389	7.2	424	2050	3.5
450	436	7.8	8.7	9.5	367	873	392	71	6.4	424	2038	3.4

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: C27J__

Source OPF File: Nov 08 2016
Source APF file: Nov 08 2016

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.47
cruise - 220/200 0.48
descent - 220/220 0.55

Mass Levels [kg]
low - 21000
nominal - 27000
high - 31800

Temperature: ISA

Max Alt. [ft]: 30000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					153	4198	3036	2331	35.4	121	656	8.1
5					164	3853	2712	2153	33.0	122	664	8.0
10					171	3658	2528	2127	31.7	128	699	7.9
15					174	2990	2444	2100	31.1	139	949	7.8
20					175	2960	2417	2074	30.9	171	1315	7.8
30	188	11.7	13.2	14.6	178	2899	2361	2019	30.5	230	2483	7.6
40	191	11.8	13.3	14.7	180	2837	2303	1964	30.0	233	2515	7.5
60	240	17.6	18.7	19.8	186	2708	2185	1849	29.1	240	2580	7.2
80	247	17.8	18.9	20.0	191	2572	2060	1729	28.2	247	2647	6.9
100	232	15.0	16.3	17.6	197	2431	1930	1603	27.2	254	2714	6.6
120	239	15.1	16.5	17.8	203	2283	1794	1471	26.2	262	2782	6.2
140	246	15.3	16.6	18.0	210	2128	1652	1334	25.2	270	2851	5.9
160	254	15.4	16.8	18.1	216	1966	1503	1190	24.1	279	2921	5.6
180	262	15.5	16.9	18.3	223	1796	1348	1040	23.0	288	2990	5.3
200	271	15.6	17.0	18.4	231	1620	1186	883	21.9	297	2857	5.0
220	279	15.7	17.1	18.5	238	1436	1017	720	20.7	306	2943	4.7
240	289	15.8	17.2	18.6	246	1534	918	551	19.5	316	3030	4.4
260	288	14.9	16.5	18.0	255	1289	719	374	18.3	327	3117	4.1
280	285	14.1	15.8	17.4	264	1034	512	191	17.0	327	3560	3.8
290	284	13.7	15.4	17.2	268	903	405	97	16.4	326	3432	3.7
300	283	13.3	15.2	17.0	273	770	297	2	15.7	324	3312	3.5

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: C310__

Source OPF File: Nov 15 2016
Source APF file: Nov 15 2016

Speeds: CAS(LO/HI) Mach
climb - 99/ 92 0.20
cruise - 159/149 0.26
descent - 170/170 0.38

Mass Levels [kg]
low - 1817
nominal - 2313
high - 2495

Temperature: ISA

Max Alt. [ft]: 20000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					99	2516	1798	1596	1.6	92	512	1.1
5					100	2475	1764	1564	1.6	98	523	1.1
10					100	2433	1730	1532	1.6	109	406	1.1
15					101	2390	1695	1499	1.6	174	424	1.1
20					102	2347	1659	1465	1.6	175	452	1.1
30	166	1.2	1.2	1.2	103	2258	1587	1397	1.6	178	510	1.1
40	169	1.2	1.2	1.2	105	2167	1513	1327	1.6	180	569	1.1
60	174	1.2	1.2	1.2	108	1977	1358	1182	1.6	186	692	1.1
80	167	1.2	1.2	1.2	112	1776	1194	1027	1.6	191	520	1.1
100	166	1.2	1.2	1.2	107	1607	1038	874	1.6	197	693	1.1
120	165	1.2	1.2	1.2	110	1395	866	711	1.6	203	874	1.1
140	163	1.2	1.2	1.2	114	1172	682	538	1.6	210	1064	1.1
160	162	1.2	1.2	1.2	118	934	488	355	1.6	216	1263	1.1
180	161	1.2	1.2	1.2	122	682	283	162	1.6	223	1471	1.1
200	160	1.2	1.2	1.2	123	462	88	0	1.6	231	1689	1.1

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: C340__

Source OPF File: Nov 16 2016
Source APF file: Nov 16 2016

Speeds: CAS(LO/HI) Mach
climb - 103/ 99 0.26
cruise - 153/153 0.34
descent - 180/180 0.49

Mass Levels [kg]
low - 2149
nominal - 2495
high - 2717

Temperature: ISA

Max Alt. [ft]: 30000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					103	2428	1972	1732	2.6	93	506	1.1
5					104	2414	1959	1719	2.6	99	532	1.1
10					105	2399	1945	1706	2.6	110	594	1.1
15					105	2384	1932	1693	2.6	184	1091	1.1
20					106	2370	1918	1680	2.6	185	1111	1.1
30	160	1.4	1.4	1.4	108	2339	1890	1653	2.6	188	1152	1.1
40	162	1.4	1.4	1.4	109	2308	1861	1625	2.6	191	1193	1.1
60	167	1.4	1.4	1.4	113	2242	1801	1567	2.6	196	1279	1.1
80	172	1.4	1.4	1.4	116	2172	1737	1506	2.6	202	1368	1.1
100	178	1.4	1.4	1.4	115	2113	1676	1444	2.6	209	1459	1.1
120	183	1.4	1.4	1.4	119	2038	1607	1377	2.6	215	1554	1.1
140	189	1.4	1.4	1.4	123	1958	1533	1307	2.6	222	1734	1.1
160	195	1.4	1.4	1.4	127	1873	1455	1232	2.6	229	1833	1.1
180	201	1.4	1.4	1.4	131	1784	1373	1153	2.6	236	1935	1.1
200	208	1.4	1.4	1.4	135	1688	1285	1069	2.6	244	2040	1.1
220	207	1.4	1.4	1.4	140	1587	1193	980	2.6	252	2149	1.1
240	206	1.4	1.4	1.4	145	1479	1094	886	2.6	261	2259	1.1
260	204	1.4	1.4	1.4	150	1365	990	786	2.6	269	2373	1.1
280	202	1.4	1.4	1.4	155	1307	924	714	2.6	279	2489	1.1
290	201	1.4	1.4	1.4	154	1266	880	668	2.6	283	2548	1.1
300	200	1.4	1.4	1.4	153	1222	833	620	2.6	288	2607	1.1

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: C402__

Source OPF File: Nov 18 2016
Source APF file: Nov 18 2016

Speeds: CAS(LO/HI) Mach
climb - 100/ 98 0.23
cruise - 142/142 0.32
descent - 170/170 0.47

Mass Levels [kg]
low - 2108
nominal - 2404
high - 2858

Temperature: ISA

Max Alt. [ft]: 30000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					100	2664	2240	1739	2.5	88	476	1.4
5					101	2639	2217	1719	2.5	94	482	1.4
10					101	2614	2195	1699	2.5	105	396	1.4
15					102	2589	2172	1679	2.5	174	408	1.4
20					103	2563	2149	1658	2.5	175	426	1.4
30	148	1.3	1.3	1.3	105	2511	2101	1616	2.5	178	463	1.4
40	151	1.3	1.3	1.3	106	2457	2052	1573	2.5	180	501	1.4
60	155	1.3	1.3	1.3	109	2344	1951	1483	2.5	186	579	1.4
80	160	1.3	1.3	1.3	113	2225	1843	1387	2.5	191	660	1.4
100	165	1.3	1.3	1.3	114	2105	1732	1286	2.5	197	745	1.4
120	170	1.3	1.3	1.3	118	1973	1613	1180	2.5	203	834	1.4
140	175	1.3	1.3	1.3	121	1834	1487	1069	2.5	210	927	1.4
160	181	1.3	1.3	1.3	125	1686	1354	951	2.5	216	1023	1.4
180	187	1.3	1.3	1.3	129	1529	1212	826	2.5	223	1123	1.4
200	193	1.3	1.3	1.3	134	1363	1062	693	2.5	231	810	1.4
220	195	1.3	1.3	1.3	138	1187	903	553	2.5	238	976	1.4
240	193	1.3	1.3	1.3	139	1074	790	436	2.5	246	1149	1.4
260	192	1.3	1.3	1.3	138	928	649	299	2.5	255	1330	1.4
280	190	1.3	1.3	1.3	137	777	503	155	2.5	264	1517	1.4
290	189	1.3	1.3	1.3	136	700	428	81	2.5	268	1614	1.4
300	189	1.3	1.3	1.3	136	621	352	5	2.5	273	1713	1.4

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: C414__

Source OPF File: Nov 16 2016
Source APF file: Nov 16 2016

Speeds: CAS(LO/HI) Mach
climb - 108/107 0.29
cruise - 147/147 0.34
descent - 180/180 0.49

Mass Levels [kg]
low - 2372
nominal - 2812
high - 3062

Temperature: ISA

Max Alt. [ft]: 30000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					108	2207	1756	1550	2.4	95	509	1.1
5					109	2193	1743	1538	2.4	100	544	1.1
10					110	2179	1730	1526	2.4	111	578	1.1
15					110	2164	1717	1513	2.4	184	889	1.1
20					111	2149	1704	1500	2.4	185	911	1.1
30	154	1.3	1.3	1.3	113	2119	1677	1475	2.4	188	955	1.1
40	156	1.3	1.3	1.3	115	2088	1649	1448	2.4	191	999	1.1
60	161	1.3	1.3	1.3	118	2022	1591	1392	2.4	196	1092	1.1
80	165	1.3	1.3	1.3	122	1953	1529	1334	2.4	202	1187	1.1
100	171	1.3	1.3	1.3	124	1888	1469	1276	2.4	209	1287	1.1
120	176	1.3	1.3	1.3	128	1812	1401	1211	2.4	215	1390	1.1
140	182	1.3	1.3	1.3	132	1730	1328	1142	2.4	222	1496	1.1
160	187	1.3	1.3	1.3	137	1644	1251	1069	2.4	229	1607	1.1
180	194	1.3	1.3	1.3	141	1553	1170	991	2.4	236	1721	1.1
200	200	1.3	1.3	1.3	146	1456	1083	909	2.4	244	1838	1.1
220	207	1.3	1.3	1.3	151	1353	992	823	2.4	252	1783	1.1
240	206	1.3	1.3	1.3	156	1244	895	731	2.4	261	1915	1.1
260	204	1.3	1.3	1.3	162	1129	793	634	2.4	269	2052	1.1
280	202	1.3	1.3	1.3	168	1007	684	531	2.4	279	2192	1.1
290	201	1.3	1.3	1.3	171	943	628	477	2.4	283	2263	1.1
300	200	1.3	1.3	1.3	171	961	627	467	2.4	288	2335	1.1

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: C421__

Source OPF File: Nov 28 2016
Source APF file: Nov 28 2016

Speeds: CAS(LO/HI) Mach
climb - 106/ 99 0.28
cruise - 162/162 0.36
descent - 180/180 0.49

Mass Levels [kg]
low - 2526
nominal - 3084
high - 3379

Temperature: ISA

Max Alt. [ft]: 30000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					106	2846	2175	1898	3.8	97	533	1.4
5					107	2827	2158	1882	3.8	103	557	1.4
10					108	2807	2140	1865	3.8	114	508	1.4
15					108	2787	2123	1849	3.8	184	743	1.4
20					109	2766	2105	1832	3.8	185	764	1.4
30	169	1.7	1.7	1.7	111	2725	2069	1797	3.8	188	807	1.4
40	172	1.7	1.7	1.7	112	2682	2031	1762	3.8	191	850	1.4
60	177	1.7	1.7	1.7	116	2593	1953	1688	3.8	196	938	1.4
80	182	1.7	1.7	1.7	119	2498	1871	1610	3.8	202	1031	1.4
100	188	1.7	1.7	1.7	115	2451	1813	1547	3.8	209	1126	1.4
120	194	1.7	1.7	1.7	119	2352	1726	1464	3.8	215	1226	1.4
140	200	1.7	1.7	1.7	123	2248	1634	1377	3.8	222	1329	1.4
160	206	1.7	1.7	1.7	127	2137	1537	1284	3.8	229	1435	1.4
180	213	1.7	1.7	1.7	131	2019	1434	1186	3.8	236	1546	1.4
200	220	1.7	1.7	1.7	135	1895	1325	1083	3.8	244	1434	1.4
220	219	1.7	1.7	1.7	140	1763	1209	973	3.8	252	1567	1.4
240	218	1.7	1.7	1.7	145	1624	1087	858	3.8	261	1704	1.4
260	216	1.7	1.7	1.7	150	1476	958	735	3.8	269	1845	1.4
280	214	1.7	1.7	1.7	155	1319	821	605	3.8	279	1990	1.4
290	213	1.7	1.7	1.7	158	1237	750	538	3.8	283	2064	1.4
300	212	1.7	1.7	1.7	161	1153	676	468	3.8	288	2140	1.4

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: C510__

Source OPF File: Sep 02 2008
Source APF file: Sep 02 2008

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.44
cruise - 190/200 0.56
descent - 240/240 0.60

Mass Levels [kg]
low - 3022
nominal - 3410
high - 3921

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min] lo	nom	hi	TAS [kts]	ROCD [fpm] lo	nom	hi	fuel [kg/min] nom	TAS [kts]	ROCD [fpm] nom	fuel [kg/min] nom
0					100	1835	1701	1543	11.2	93	515	4.5
5					101	1817	1683	1524	11.1	94	523	4.5
10					101	1799	1665	1505	11.0	100	481	4.5
15					107	1932	1789	1620	10.9	111	619	4.5
20					108	1914	1770	1601	10.8	142	836	4.4
30	198	3.9	4.3	4.8	130	2423	2245	2042	10.8	230	1401	4.4
40	201	3.9	4.3	4.8	164	3060	2833	2582	10.9	233	1417	4.3
60	207	3.9	4.3	4.8	186	3322	2981	2608	10.6	261	1721	4.2
80	214	4.0	4.3	4.8	191	3199	2864	2496	10.1	269	1758	4.2
100	220	4.0	4.3	4.9	197	3075	2746	2383	9.7	277	1796	4.1
120	227	4.0	4.4	4.9	203	2950	2628	2270	9.3	286	1834	4.0
140	246	4.2	4.6	5.1	210	2824	2508	2156	8.8	294	1873	3.9
160	254	4.3	4.6	5.1	216	2698	2388	2041	8.4	304	1911	3.8
180	262	4.3	4.6	5.1	223	2572	2268	1926	8.0	313	1949	3.7
200	271	4.3	4.7	5.2	231	2447	2148	1810	7.7	323	1987	3.6
220	279	4.3	4.7	5.2	238	2321	2028	1695	7.3	333	1731	3.5
240	289	4.4	4.7	5.2	246	2196	1908	1580	7.0	344	1777	3.4
260	298	4.4	4.8	5.3	255	2072	1790	1465	6.7	355	1823	3.3
280	308	4.4	4.8	5.3	262	2197	1882	1517	6.4	357	2193	3.2
290	314	4.4	4.8	5.3	260	2097	1783	1417	6.2	355	2134	3.1
310	324	4.5	4.8	5.4	258	1899	1586	1217	5.8	352	2028	3.0
330	326	4.4	4.8	5.3	256	1886	1470	1016	5.5	349	1941	2.9
350	323	4.2	4.7	5.3	254	1673	1263	813	5.2	346	1872	2.8
370	321	4.1	4.6	5.3	252	1429	1033	593	4.9	344	1741	2.7
390	321	4.1	4.6	5.4	252	1235	837	392	4.7	344	1725	2.6
410	321	4.1	4.6	5.5	252	1038	637	184	4.5	344	1727	2.5

BADA PERFORMANCE FILE May 22 2013

AC/Type: C525__

Source OPF File: Apr 22 2013
Source APF file: Apr 22 2013

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 220/220 0.54 low - 3821
cruise - 250/260 0.66 nominal - 4309 Max Alt. [ft]: 41000
descent - 250/253 0.68 high - 4853

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					118	2480	2344	2210	12.7	110	592	2.4
5					119	2459	2323	2189	12.6	111	599	2.4
10					120	2438	2302	2167	12.4	117	600	2.4
15					126	2542	2395	2250	12.4	128	598	2.5
20					127	2520	2373	2227	12.3	160	645	2.5
30	230	5.7	5.9	6.1	149	2911	2723	2541	12.4	230	1496	2.5
40	233	5.7	5.9	6.2	183	3337	3094	2862	12.6	233	1527	2.6
60	272	7.4	7.5	7.7	240	3497	3186	2898	12.9	272	2284	2.6
80	280	7.4	7.6	7.8	247	3306	3007	2729	12.4	280	2361	2.7
100	289	7.5	7.6	7.8	254	3114	2826	2558	11.9	292	2521	2.8
120	297	7.5	7.7	7.9	262	2921	2645	2387	11.4	301	2598	2.9
140	318	8.2	8.3	8.5	270	2728	2464	2216	10.9	310	2676	3.0
160	328	8.2	8.4	8.6	279	2535	2283	2044	10.4	320	2753	3.1
180	338	8.3	8.4	8.6	288	2343	2102	1873	10.0	330	2828	3.1
200	349	8.3	8.5	8.7	297	2152	1922	1702	9.6	340	2903	3.2
220	360	8.4	8.6	8.8	306	1962	1744	1533	9.2	351	2975	3.3
240	371	8.4	8.6	8.8	316	1775	1568	1366	8.8	362	3045	3.4
260	383	8.5	8.7	8.9	324	1938	1698	1464	8.4	373	2479	3.5
280	392	8.4	8.6	8.8	321	1846	1604	1366	7.9	386	2564	3.6
290	391	8.1	8.2	8.5	320	1798	1555	1314	7.7	392	2606	3.6
310	387	7.5	7.7	7.9	317	1700	1454	1208	7.3	399	3380	3.7
330	384	6.9	7.1	7.4	314	1762	1418	1097	6.9	395	3099	3.8
350	380	6.4	6.7	6.9	311	1647	1303	980	6.5	392	2851	3.8
370	379	6.0	6.2	6.6	310	1475	1142	828	6.2	390	2482	3.9
390	379	5.6	5.9	6.3	310	1369	1031	711	5.9	390	2330	4.0
410	379	5.3	5.6	6.0	310	1257	913	586	5.6	390	2204	4.1

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: C550__

Source OPF File: Apr 28 2015
Source APF file: Apr 28 2015

Speeds: CAS(LO/HI) Mach
climb - 220/210 0.63
cruise - 220/220 0.63
descent - 250/260 0.66

Mass Levels [kg]
low - 4844
nominal - 5670
high - 6396

Temperature: ISA

Max Alt. [ft]: 43000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					118	1454	1264	1111	12.7	110	608	4.5
5					119	1443	1252	1098	12.6	111	617	4.5
10					120	1432	1239	1085	12.5	117	575	4.5
15					126	1542	1340	1180	12.6	128	746	4.5
20					127	1530	1327	1166	12.5	160	1010	4.5
30	230	4.6	5.1	5.6	149	1944	1706	1523	13.1	230	1324	4.5
40	233	4.6	5.1	5.7	183	2450	2163	1948	14.1	233	1340	4.5
60	240	4.7	5.2	5.7	240	2999	2579	2272	15.5	272	1676	4.5
80	247	4.8	5.3	5.8	247	2896	2482	2179	15.1	280	1712	4.5
100	254	4.8	5.4	5.9	243	2719	2310	2009	14.3	300	1874	4.5
120	262	4.9	5.5	6.0	250	2608	2206	1908	13.9	309	1912	4.5
140	270	5.0	5.5	6.1	258	2489	2094	1800	13.5	318	1949	4.5
160	279	5.1	5.6	6.2	266	2363	1976	1686	13.1	328	1987	4.5
180	288	5.1	5.7	6.3	275	2228	1849	1564	12.6	338	2024	4.5
200	297	5.2	5.8	6.5	284	2085	1716	1435	12.2	349	2061	4.5
220	306	5.3	5.9	6.6	293	1934	1574	1299	11.7	360	2097	4.5
240	316	5.4	6.0	6.7	303	1774	1424	1155	11.2	371	2132	4.5
260	327	5.5	6.2	6.8	313	1604	1265	1002	10.7	383	2167	4.5
280	338	5.6	6.3	7.0	323	1425	1098	842	10.1	392	2806	4.5
290	343	5.7	6.3	7.0	329	1332	1011	758	9.9	391	2738	4.5
310	355	5.8	6.5	7.2	340	1139	830	585	9.3	387	1846	4.5
330	366	5.9	6.6	7.3	351	935	641	403	8.7	384	1818	4.5
350	363	5.7	6.5	7.3	363	1016	587	269	8.1	380	1812	4.5
370	361	5.5	6.4	7.3	361	686	295	0	7.3	379	1727	4.5
390	361	5.5	6.4	7.4	361	395	16	0	6.5	379	1777	4.5
410	361	5.5	6.5	7.6	361	83	0	0	5.7	379	1847	4.5
430	361	5.5	6.7	7.9	361	0	0	0	4.9	379	1939	4.5

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: C551__

Source OPF File: Aug 11 2014
Source APF file: Aug 11 2014

Speeds: CAS(LO/HI) Mach
climb - 220/210 0.63
cruise - 220/220 0.63
descent - 250/260 0.66

Mass Levels [kg]
low - 3917
nominal - 4990
high - 5670

Temperature: ISA

Max Alt. [ft]: 43000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					112	1816	1505	1338	12.4	104	571	4.5
5					112	1805	1493	1325	12.3	105	579	4.5
10					113	1794	1481	1312	12.3	110	537	4.5
15					119	1926	1594	1417	12.4	121	700	4.5
20					120	1915	1582	1404	12.3	153	954	4.5
30	230	4.1	4.7	5.1	143	2414	2008	1799	12.9	230	1377	4.5
40	233	4.1	4.7	5.1	177	3034	2527	2276	13.9	233	1394	4.5
60	240	4.2	4.8	5.2	240	3833	3068	2704	15.5	272	1790	4.5
80	247	4.2	4.8	5.3	247	3711	2961	2602	15.1	280	1828	4.5
100	254	4.3	4.9	5.4	243	3509	2776	2422	14.3	300	2015	4.5
120	262	4.4	5.0	5.5	250	3379	2661	2313	13.9	309	2055	4.5
140	270	4.4	5.1	5.5	258	3239	2538	2196	13.5	318	2094	4.5
160	279	4.5	5.2	5.6	266	3090	2406	2071	13.1	328	2133	4.5
180	288	4.6	5.2	5.7	275	2932	2267	1939	12.6	338	2172	4.5
200	297	4.7	5.3	5.8	284	2763	2119	1799	12.2	349	2211	4.5
220	306	4.7	5.4	5.9	293	2584	1962	1650	11.7	360	2248	4.5
240	316	4.8	5.5	6.0	303	2395	1795	1493	11.2	371	2285	4.5
260	327	4.9	5.6	6.2	313	2194	1619	1326	10.7	383	2320	4.5
280	338	5.0	5.7	6.3	323	1982	1434	1151	10.1	392	2997	4.5
290	343	5.0	5.8	6.3	329	1872	1337	1060	9.9	391	2912	4.5
310	355	5.1	5.9	6.5	340	1643	1137	871	9.3	387	1882	4.5
330	366	5.2	6.0	6.6	351	1402	926	672	8.7	384	1831	4.5
350	363	4.9	5.8	6.5	363	1638	934	587	8.1	380	1803	4.5
370	361	4.7	5.7	6.4	361	1243	611	295	7.3	379	1698	4.5
390	361	4.6	5.6	6.4	361	922	323	16	6.5	379	1728	4.5
410	361	4.5	5.7	6.5	361	581	14	0	5.7	379	1779	4.5
430	361	4.4	5.7	6.7	361	219	0	0	4.9	379	1851	4.5

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: C55B__

Source OPF File: Apr 28 2015
Source APF file: Apr 28 2015

Speeds: CAS(LO/HI) Mach
climb - 210/190 0.64
cruise - 250/275 0.68
descent - 250/250 0.70

Mass Levels [kg]
low - 5110
nominal - 5897
high - 6713

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					122	2558	2375	2209	16.9	115	617	4.3
5					123	2554	2370	2203	16.8	116	623	4.3
10					124	2549	2364	2196	16.7	122	635	4.3
15					130	2661	2462	2282	16.7	133	644	4.3
20					131	2655	2455	2275	16.5	165	751	4.3
30	230	7.5	7.7	8.0	154	3048	2793	2567	16.5	230	1789	4.3
40	233	7.5	7.7	8.0	188	3442	3111	2825	16.5	233	1820	4.3
60	272	9.4	9.6	9.8	229	3524	3136	2812	16.3	272	2756	4.3
80	280	9.4	9.6	9.8	236	3430	3049	2729	15.8	280	2836	4.4
100	289	9.4	9.6	9.8	220	3357	2969	2641	15.2	289	2917	4.4
120	297	9.4	9.6	9.9	227	3262	2880	2556	14.8	297	3000	4.4
140	336	11.3	11.5	11.6	234	3156	2781	2461	14.3	306	3083	4.4
160	347	11.3	11.4	11.6	241	3040	2671	2357	13.8	316	3167	4.5
180	357	11.3	11.4	11.6	249	2912	2552	2243	13.3	326	3252	4.5
200	368	11.3	11.4	11.6	257	2771	2421	2118	12.7	336	3337	4.5
220	380	11.2	11.4	11.6	266	2618	2278	1982	12.2	347	2567	4.5
240	392	11.2	11.4	11.6	275	2452	2122	1835	11.7	358	2675	4.5
260	404	11.2	11.4	11.6	284	2271	1954	1676	11.1	369	2785	4.6
280	404	10.5	10.7	10.9	294	2076	1772	1504	10.5	381	2896	4.6
290	402	10.1	10.3	10.5	299	1973	1676	1413	10.3	387	2952	4.6
310	399	9.3	9.5	9.8	309	1755	1474	1221	9.7	400	3064	4.6
330	395	8.6	8.8	9.1	320	1521	1256	1016	9.1	407	4030	4.6
350	392	7.9	8.2	8.5	331	1271	1077	797	8.5	403	3706	4.7
370	390	7.3	7.6	8.0	344	1074	788	543	7.8	401	3218	4.7
390	390	6.8	7.1	7.5	360	774	523	305	7.2	401	3033	4.7
410	390	6.4	6.7	7.1	367	668	379	124	6.5	401	2888	4.7
430	390	6.0	6.4	6.8	367	407	133	0	5.8	401	2782	4.8
450	390	5.7	6.1	6.6	367	109	0	0	5.1	401	2712	4.8

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: C560__

Source OPF File: Nov 30 2011
Source APF file: Nov 30 2011

Speeds: CAS(LO/HI) Mach
climb - 240/240 0.60
cruise - 250/290 0.72
descent - 250/270 0.75

Mass Levels [kg]
low - 5280
nominal - 6350
high - 7212

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					117	2084	1880	1739	13.8	108	582	4.5
5					118	2072	1867	1726	13.7	108	588	4.5
10					119	2059	1854	1712	13.6	114	579	4.5
15					124	2167	1946	1796	13.8	125	668	4.5
20					125	2154	1933	1782	13.7	157	843	4.5
30	230	6.0	6.4	6.7	148	2555	2277	2093	14.5	230	1544	4.5
40	233	6.0	6.4	6.8	182	3024	2668	2437	15.7	233	1563	4.5
60	272	8.1	8.4	8.7	261	3401	2923	2623	18.6	272	2144	4.5
80	280	8.2	8.5	8.8	269	3253	2790	2499	18.2	280	2192	4.5
100	289	8.3	8.6	9.0	277	3101	2653	2370	17.7	311	2690	4.5
120	297	8.4	8.8	9.1	286	2945	2512	2239	17.3	321	2743	4.5
140	354	12.1	12.4	12.7	294	2785	2368	2103	16.8	330	2794	4.5
160	365	12.3	12.6	12.9	304	2620	2220	1964	16.4	340	2845	4.5
180	376	12.5	12.8	13.1	313	2452	2068	1822	15.9	351	2894	4.5
200	387	12.7	13.0	13.3	323	2279	1913	1676	15.5	362	2942	4.5
220	399	12.9	13.2	13.5	333	2103	1754	1527	15.0	373	2989	4.5
240	412	13.0	13.4	13.7	344	1924	1593	1376	14.6	385	3033	4.5
260	425	13.2	13.6	13.9	355	1742	1429	1221	14.1	397	3075	4.5
280	428	12.7	13.0	13.4	357	2028	1646	1390	13.4	410	3114	4.5
290	426	12.2	12.5	12.9	355	1977	1594	1337	13.0	416	3132	4.5
310	422	11.2	11.6	12.0	352	1864	1481	1221	12.1	430	3166	4.5
330	419	10.3	10.7	11.2	349	1740	1357	1094	11.4	436	4233	4.5
350	415	9.5	10.0	10.5	346	1606	1221	955	10.6	432	3910	4.5
370	413	8.8	9.4	9.9	344	1557	1077	769	9.9	430	3367	4.5
390	413	8.2	8.8	9.4	344	1403	928	619	9.3	430	3934	4.5
410	413	7.7	8.4	9.0	344	1236	765	456	8.6	430	3709	4.5
430	413	7.3	8.0	8.7	344	1056	588	278	8.0	430	3514	4.5
450	413	7.0	7.8	8.5	344	863	399	87	7.4	430	3347	4.5

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: C56X__

Source OPF File: Aug 14 2014
Source APF file: Aug 14 2014

Speeds: CAS(LO/HI) Mach
climb - 250/250 0.65
cruise - 250/280 0.70
descent - 250/295 0.72

Mass Levels [kg]
low - 6967
nominal - 8165
high - 9163

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					124	2909	2693	2537	21.6	114	614	7.9
5					124	2897	2680	2524	21.5	115	621	7.9
10					125	2884	2667	2510	21.3	121	613	7.9
15					131	3018	2784	2616	21.3	132	776	7.8
20					132	3004	2770	2601	21.1	163	1062	7.8
30	230	7.4	7.8	8.2	155	3502	3204	2995	21.4	230	1872	7.8
40	233	7.5	7.9	8.2	189	4084	3699	3434	22.0	233	1895	7.8
60	272	9.5	9.8	10.1	272	4555	4030	3680	23.6	272	2603	7.7
80	280	9.5	9.9	10.2	280	4383	3871	3530	22.9	280	2661	7.6
100	289	9.6	9.9	10.3	289	4202	3705	3373	22.2	340	4066	7.6
120	297	9.7	10.0	10.3	297	4013	3532	3209	21.5	350	2036	7.5
140	342	12.2	12.5	12.8	306	3814	3350	3037	20.8	360	2151	7.4
160	353	12.3	12.6	12.9	316	3608	3160	2858	20.1	371	2267	7.4
180	363	12.4	12.7	13.0	326	3392	2963	2671	19.4	382	2383	7.3
200	375	12.4	12.8	13.0	336	3167	2757	2477	18.7	394	2499	7.3
220	386	12.5	12.8	13.1	347	2934	2543	2274	18.0	406	2614	7.2
240	398	12.6	12.9	13.2	358	2691	2321	2065	17.3	418	2728	7.1
260	411	12.7	13.0	13.3	369	2440	2090	1847	16.6	431	2841	7.1
280	416	12.2	12.6	12.9	381	2181	1853	1623	15.9	428	3493	7.0
290	414	11.8	12.1	12.5	385	2665	2253	1963	15.5	426	3339	7.0
310	411	10.9	11.3	11.6	381	2512	2101	1809	14.5	422	3063	6.9
330	407	10.1	10.5	10.9	378	2336	1927	1634	13.5	419	2827	6.8
350	403	9.3	9.8	10.3	375	2138	1732	1437	12.5	415	2629	6.8
370	401	8.7	9.2	9.7	373	2016	1503	1156	11.6	413	2306	6.7
390	401	8.2	8.7	9.3	373	1779	1279	937	10.7	413	2211	6.6
410	401	7.7	8.3	8.9	373	1516	1031	695	9.8	413	2149	6.6
430	401	7.3	8.0	8.7	373	1228	759	430	8.9	413	2117	6.5
450	401	7.0	7.8	8.5	373	916	464	143	8.1	413	2114	6.5

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: C650__

Source OPF File: Aug 11 2014
Source APF file: Aug 11 2014

Speeds: CAS(LO/HI) Mach
climb - 250/250 0.65
cruise - 250/300 0.80
descent - 250/290 0.81

Mass Levels [kg]
low - 7675
nominal - 9072
high - 10432

Temperature: ISA

Max Alt. [ft]: 51000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					148	2812	2567	2363	25.9	131	703	10.2
5					149	2799	2554	2349	25.7	132	710	10.2
10					150	2786	2540	2334	25.5	138	712	10.2
15					156	2882	2620	2403	25.5	149	725	10.1
20					157	2869	2606	2388	25.3	181	798	10.1
30	230	8.6	9.2	10.0	181	3224	2902	2641	25.3	230	1216	10.0
40	233	8.6	9.2	10.0	215	3617	3215	2895	25.6	233	1239	9.9
60	272	10.5	11.1	11.7	272	3815	3310	2924	25.9	272	1746	9.7
80	280	10.6	11.1	11.7	280	3673	3180	2802	25.1	280	1802	9.6
100	289	10.6	11.2	11.8	289	3523	3043	2674	24.3	334	2722	9.4
120	297	10.7	11.2	11.8	297	3365	2899	2539	23.4	344	2789	9.3
140	366	14.9	15.3	15.8	306	3199	2748	2397	22.6	354	2855	9.1
160	377	15.0	15.4	15.9	316	3026	2589	2249	21.8	365	2920	8.9
180	388	15.0	15.4	15.9	326	2844	2423	2093	21.0	376	2985	8.8
200	400	15.1	15.5	16.0	336	2654	2250	1931	20.1	387	3583	8.6
220	412	15.1	15.5	16.0	347	2456	2069	1762	19.3	399	3627	8.4
240	425	15.1	15.6	16.1	358	2249	1881	1585	18.5	412	3668	8.3
260	438	15.1	15.6	16.1	369	2034	1685	1402	17.6	425	3706	8.1
280	452	15.1	15.6	16.1	381	1812	1482	1212	16.8	438	3741	8.0
290	459	15.1	15.6	16.1	385	2205	1789	1448	16.3	445	3756	7.9
310	469	14.9	15.4	15.9	381	2045	1631	1287	15.2	459	3784	7.7
330	465	13.8	14.3	14.9	378	1866	1453	1105	14.2	471	5406	7.5
350	461	12.7	13.3	14.0	375	1667	1255	905	13.2	467	5000	7.4
370	459	11.8	12.5	13.2	373	1373	1037	648	12.2	465	4253	7.2
390	459	11.1	11.8	12.5	373	1291	809	425	11.2	465	4003	7.1
410	459	10.4	11.2	12.0	373	1028	559	179	10.2	465	3790	6.9
430	459	9.8	10.6	11.6	373	743	285	0	9.2	465	3612	6.7
450	459	9.3	10.2	11.3	373	435	0	0	8.3	465	3467	6.6
470	459	8.9	9.9	11.1	373	105	0	0	7.3	465	3354	6.4
490	459	8.6	9.7	11.0	373	0	0	0	6.4	465	3272	6.2
510	459	8.3	9.6	11.0	373	0	0	0	5.4	465	3221	6.1

BADA PERFORMANCE FILE May 22 2013

AC/Type: C680__

Source OPF File: Apr 17 2013
Source APF file: Apr 17 2013

Speeds: CAS(LO/HI) Mach
climb - 250/250 0.64
cruise - 250/305 0.78
descent - 250/295 0.77

Mass Levels [kg]
low - 9863
nominal - 12247
high - 13744

Temperature: ISA

Max Alt. [ft]: 47000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					130	2971	2680	2529	28.3	119	668	5.6
5					131	2953	2661	2509	28.1	120	674	5.6
10					132	2934	2641	2490	27.9	126	664	5.6
15					138	3064	2750	2588	28.0	137	649	5.6
20					139	3044	2730	2567	27.8	169	657	5.6
30	230	8.5	9.4	10.1	162	3548	3153	2954	28.7	230	984	5.5
40	233	8.5	9.5	10.2	196	4189	3680	3429	30.4	233	1002	5.5
60	272	10.9	11.7	12.3	272	5111	4301	3917	33.9	272	1367	5.5
80	280	11.0	11.8	12.4	280	4909	4123	3750	32.8	280	1411	5.5
100	289	11.2	12.0	12.6	289	4700	3940	3578	31.8	340	2164	5.4
120	297	11.3	12.2	12.8	297	4485	3751	3401	30.7	350	2215	5.4
140	372	17.4	18.1	18.5	306	4264	3557	3218	29.6	360	2266	5.4
160	383	17.6	18.3	18.8	316	4036	3357	3030	28.5	371	2316	5.3
180	395	17.8	18.5	19.0	326	3802	3151	2836	27.4	382	2365	5.3
200	406	18.0	18.7	19.3	336	3562	2940	2638	26.4	394	2413	5.3
220	419	18.2	19.0	19.5	347	3316	2724	2434	25.3	406	2458	5.2
240	432	18.4	19.2	19.7	358	3065	2503	2226	24.2	418	2502	5.2
260	445	18.6	19.4	20.0	369	2807	2277	2013	23.1	431	2544	5.2
280	459	18.8	19.6	20.2	380	3250	2613	2293	21.9	445	2583	5.1
290	462	18.5	19.3	20.0	379	3112	2485	2169	21.1	452	2602	5.1
310	458	17.1	18.0	18.6	376	2831	2225	1916	19.5	452	3435	5.1
330	454	15.8	16.8	17.5	372	2546	1960	1656	18.0	448	3201	5.0
350	450	14.6	15.7	16.5	369	2256	1688	1390	16.5	444	2997	5.0
370	447	13.6	14.8	15.7	367	1863	1339	1059	15.1	442	2609	5.0
390	447	12.8	14.1	15.0	367	1781	1125	799	13.7	442	2498	4.9
410	447	12.1	13.5	14.6	367	1471	844	528	12.4	442	2410	4.9
430	447	11.5	13.0	14.2	367	1150	551	245	11.2	442	2346	4.9
450	447	11.0	12.7	14.0	367	820	248	0	9.9	442	1765	4.8
470	447	10.6	12.5	13.9	367	482	0	0	8.7	442	1811	4.8

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: C750__

Source OPF File: Dec 05 2016
Source APF file: Dec 05 2016

Speeds: CAS(LO/HI) Mach
climb - 250/290 0.80
cruise - 250/330 0.88
descent - 250/340 0.88

Mass Levels [kg]
low - 11893
nominal - 14515
high - 16193

Temperature: ISA

Max Alt. [ft]: 51000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					141	2093	1731	1524	30.2	136	760	7.6
5					143	2108	1744	1535	30.2	137	765	7.6
10					144	2123	1756	1545	30.2	143	740	7.6
15					150	2259	1873	1654	30.2	155	726	7.5
20					151	2274	1885	1664	30.2	187	735	5.3
30	230	12.3	13.7	14.7	174	2734	2275	2020	30.2	230	1059	5.4
40	233	12.2	13.7	14.7	208	3227	2672	2372	30.2	233	1072	5.6
60	272	14.3	15.4	16.2	272	3498	2855	2519	30.2	272	1579	5.8
80	280	14.3	15.4	16.2	280	3541	2886	2544	30.0	280	1620	6.1
100	289	14.3	15.4	16.2	334	3100	2531	2233	29.8	390	1881	6.3
120	297	14.2	15.3	16.2	344	3092	2519	2219	29.5	402	1930	6.5
140	401	21.9	22.5	23.0	354	3064	2489	2187	29.0	413	1989	6.8
160	413	21.7	22.4	22.9	365	3015	2440	2139	28.6	425	2056	7.0
180	425	21.6	22.2	22.7	376	2943	2372	2071	28.0	438	2131	7.3
200	438	21.4	22.1	22.6	387	2848	2284	1985	27.4	450	2216	7.5
220	451	21.3	21.9	22.4	399	2729	2174	1878	26.7	464	2310	7.8
240	465	21.1	21.8	22.3	412	2584	2041	1750	26.0	478	2413	8.0
260	479	20.9	21.6	22.1	425	2414	1886	1601	25.1	492	2525	8.2
280	493	20.7	21.4	21.9	438	2217	1706	1429	24.2	507	2647	8.5
290	500	20.6	21.3	21.8	445	2108	1607	1334	23.7	514	2711	8.6
310	516	20.4	21.1	21.6	459	1869	1391	1128	22.7	516	3830	8.8
330	512	18.9	19.6	20.2	465	2451	1778	1403	21.6	512	3411	9.1
350	507	17.5	18.3	19.0	461	2393	1694	1302	20.5	507	3082	9.3
370	505	16.2	17.1	17.9	459	2069	1468	1035	19.2	505	2559	9.6
390	505	15.1	16.1	16.9	459	2094	1252	813	17.9	505	2447	9.8
410	505	14.1	15.3	16.1	459	1795	961	521	16.5	505	2411	10.1
430	505	13.3	14.5	15.5	459	1413	596	160	15.1	505	2448	10.3
450	505	12.6	13.9	15.0	459	949	159	0	13.5	505	2555	10.5
470	505	12.0	13.5	14.6	459	405	0	0	11.9	505	2731	10.8
490	505	11.5	13.1	14.4	459	0	0	0	10.3	505	2974	11.0
510	505	11.1	12.9	14.3	459	0	0	0	8.5	505	3281	11.3

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: C82S__

Source OPF File: Apr 30 2015
Source APF file: Apr 30 2015

Speeds: CAS(LO/HI) Mach
climb - 95/ 95 0.21
cruise - 128/123 0.25
descent - 127/127 0.29

Mass Levels [kg]
low - 1102
nominal - 1406
high - 1406

Temperature: ISA

Max Alt. [ft]: 20000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					86	1549	1029	1029	1.1	69	391	0.4
5					96	1463	969	969	1.1	75	385	0.4
10					96	1406	961	961	1.1	86	395	0.4
15					97	1383	953	953	1.1	130	670	0.4
20					98	1373	944	944	1.1	131	676	0.4
30	134	0.6	0.6	0.6	99	1354	927	927	1.1	133	688	0.4
40	136	0.6	0.6	0.6	101	1334	909	909	1.1	135	701	0.4
60	140	0.6	0.6	0.6	104	1292	873	873	1.1	139	726	0.4
80	144	0.6	0.6	0.6	107	1249	835	835	1.1	143	753	0.4
100	143	0.6	0.6	0.6	110	1204	795	795	1.1	147	781	0.4
120	147	0.6	0.6	0.6	114	1156	753	753	1.1	152	786	0.4
140	152	0.6	0.6	0.6	118	1106	709	709	1.1	157	817	0.4
160	156	0.6	0.6	0.6	121	1053	663	663	1.1	162	848	0.4
180	155	0.6	0.6	0.6	126	998	614	614	1.1	167	881	0.4
200	154	0.6	0.6	0.6	129	978	586	586	1.1	173	915	0.4

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: CL30__

Source OPF File: Jun 17 2016
Source APF file: Jun 17 2016

Speeds: CAS(LO/HI) Mach
climb - 250/250 0.75
cruise - 250/300 0.80
descent - 250/310 0.82

Mass Levels [kg]
low - 12982
nominal - 15422
high - 17622

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					140	3426	3162	2962	39.8	131	706	7.7
5					141	3410	3145	2944	39.5	132	713	7.7
10					142	3393	3128	2926	39.2	138	711	7.7
15					148	3524	3240	3026	39.1	149	680	7.7
20					149	3506	3222	3007	38.8	181	687	7.7
30	230	9.7	10.6	11.5	173	4010	3655	3392	39.1	230	1010	7.7
40	233	9.7	10.6	11.5	207	4634	4180	3851	39.9	233	1032	7.7
60	272	11.9	12.6	13.4	272	5353	4668	4189	41.2	272	1450	7.6
80	280	12.0	12.7	13.5	280	5170	4502	4033	39.8	280	1504	7.6
100	289	12.1	12.8	13.6	289	4978	4327	3870	38.5	357	2717	7.6
120	297	12.1	12.9	13.7	297	4776	4144	3699	37.1	367	2783	7.6
140	366	17.1	17.6	18.2	306	4565	3952	3519	35.7	378	2849	7.6
160	377	17.2	17.7	18.3	316	4343	3751	3331	34.3	389	2913	7.6
180	388	17.3	17.8	18.5	326	4112	3541	3135	33.0	401	2975	7.6
200	400	17.4	17.9	18.6	336	3870	3322	2930	31.6	413	3036	7.6
220	412	17.4	18.0	18.7	347	3618	3094	2716	30.2	425	3094	7.6
240	425	17.5	18.1	18.8	358	3355	2856	2493	28.7	438	3151	7.6
260	438	17.6	18.2	18.9	369	3082	2608	2262	27.3	452	3204	7.6
280	452	17.6	18.3	19.0	381	2800	2352	2023	25.9	466	3254	7.6
290	459	17.7	18.3	19.0	387	2654	2220	1900	25.1	473	3278	7.6
310	469	17.4	18.1	18.8	400	2357	1951	1647	23.7	481	3503	7.6
330	465	16.1	16.9	17.6	413	2050	1672	1387	22.2	477	3253	7.6
350	461	15.0	15.8	16.6	427	1733	1385	1119	20.7	473	3043	7.6
370	459	13.9	14.8	15.8	430	2103	1538	1133	19.0	470	2624	7.6
390	459	13.1	14.1	15.1	430	1775	1239	850	17.2	470	2525	7.5
410	459	12.3	13.4	14.5	430	1421	915	543	15.5	470	2458	7.5
430	459	11.7	12.9	14.1	430	1042	568	213	13.7	470	2423	7.5
450	459	11.2	12.5	13.9	430	640	198	0	12.0	470	2417	7.5

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: CL60__

Source OPF File: Nov 07 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/270 0.74
cruise - 250/280 0.77
descent - 250/300 0.82

Mass Levels [kg]
low - 11148
nominal - 15450
high - 20230

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					139	3966	3263	2720	28.9	139	735	6.4
5					140	3950	3246	2702	28.7	140	743	6.4
10					141	3933	3228	2684	28.5	146	547	6.4
15					147	4094	3341	2767	28.7	157	564	6.4
20					148	4076	3323	2747	28.5	189	384	6.4
30	230	8.6	9.7	11.3	171	4680	3748	3062	29.8	230	733	6.4
40	233	8.7	9.7	11.4	205	5410	4235	3399	31.7	233	764	6.4
60	272	11.4	12.4	13.7	272	6154	4556	3500	35.3	272	1301	6.4
80	280	11.6	12.5	13.9	280	5933	4381	3351	34.4	280	1379	6.4
100	289	11.7	12.7	14.1	311	5614	4147	3174	35.1	345	2675	6.4
120	297	11.9	12.9	14.4	321	5343	3933	2994	34.1	356	2774	6.4
140	342	15.6	16.4	17.7	330	5060	3711	2806	33.2	366	2873	6.4
160	353	15.8	16.7	18.0	340	4765	3479	2610	32.3	377	2971	6.4
180	363	16.0	16.9	18.2	351	4458	3237	2407	31.3	388	3070	6.4
200	375	16.2	17.1	18.5	362	4140	2987	2195	30.3	400	3166	6.4
220	386	16.4	17.4	18.8	373	3809	2727	1976	29.2	412	3262	6.4
240	398	16.6	17.6	19.0	385	3467	2458	1749	28.2	425	3355	6.4
260	411	16.8	17.8	19.3	397	3114	2180	1515	27.1	438	2158	6.4
280	424	17.0	18.1	19.6	410	2750	1893	1274	25.9	452	2305	6.4
290	431	17.1	18.2	19.8	416	2564	1747	1150	25.4	459	2378	6.4
310	444	17.3	18.4	20.0	430	2185	1448	898	24.2	473	2523	6.4
330	448	16.6	17.7	19.4	430	3073	1851	996	22.5	477	3560	6.4
350	444	15.2	16.5	18.4	427	2800	1621	783	20.6	473	3301	6.4
370	442	14.0	15.4	17.5	424	2319	1268	506	18.9	470	2827	6.4
390	442	13.0	14.6	16.8	424	2015	1007	261	17.2	470	2707	6.4
410	442	12.2	13.9	16.4	424	1672	715	0	15.6	470	2629	6.4

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: CRJ1__

Source OPF File: Sep 03 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/270 0.74
cruise - 250/290 0.74
descent - 250/300 0.76

Mass Levels [kg]
low - 17760
nominal - 21000
high - 24000

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					151	2807	2624	2483	39.7	145	593	6.3
5					152	2787	2603	2463	39.3	146	597	6.3
10					153	2766	2583	2442	38.9	152	618	6.3
15					160	2838	2641	2490	38.9	164	664	6.3
20					161	2816	2619	2468	38.5	196	855	6.3
30	230	11.3	12.0	12.7	184	3099	2850	2663	39.1	230	1077	6.3
40	233	11.4	12.0	12.7	218	3426	3106	2869	40.5	233	1091	6.3
60	272	14.7	15.2	15.8	272	3609	3179	2872	41.9	272	1502	6.3
80	280	14.8	15.4	16.0	280	3425	3013	2718	40.2	280	1537	6.3
100	289	15.0	15.5	16.1	311	3197	2812	2537	39.9	345	2454	6.3
120	297	15.1	15.7	16.3	321	2986	2622	2360	38.2	356	2496	6.3
140	354	20.9	21.3	21.8	330	2770	2427	2180	36.6	366	2537	6.3
160	365	21.1	21.5	22.0	340	2551	2230	1997	34.9	377	2576	6.3
180	376	21.2	21.7	22.2	351	2329	2029	1811	33.3	388	2613	6.3
200	387	21.4	21.9	22.4	362	2103	1825	1622	31.7	400	2649	6.3
220	399	21.6	22.1	22.6	373	1875	1619	1431	30.1	412	2682	6.3
240	412	21.8	22.3	22.8	385	1644	1411	1238	28.5	425	2713	6.3
260	425	22.0	22.5	23.0	397	1412	1202	1043	26.9	438	2740	6.3
280	438	22.1	22.7	23.2	410	1179	991	848	25.4	452	3826	6.3
290	438	21.4	22.0	22.6	416	1062	886	750	24.6	450	3668	6.3
310	434	19.7	20.3	21.0	430	829	709	554	23.0	446	3374	6.3
330	430	18.2	18.9	19.6	430	1062	794	598	21.1	442	3108	6.3
350	427	16.8	17.5	18.3	427	909	656	468	19.2	438	2870	6.3
370	424	15.6	16.4	17.2	424	695	473	306	17.3	436	2463	6.3
390	424	14.5	15.4	16.3	424	539	330	170	15.6	436	1756	6.3
410	424	13.6	14.6	15.6	424	371	175	22	13.9	436	1687	6.3

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: CRJ2__

Source OPF File: Sep 02 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/270 0.74 low - 17832
cruise - 250/300 0.77 nominal - 20910 Max Alt. [ft]: 41000
descent - 250/300 0.76 high - 23130

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					148	2592	2415	2303	37.4	134	720	6.7
5					149	2573	2395	2283	37.1	135	726	6.7
10					150	2554	2375	2263	36.7	142	734	6.7
15					156	2633	2442	2323	36.7	153	697	6.7
20					157	2612	2421	2301	36.4	185	708	6.7
30	230	10.6	11.4	12.0	181	2922	2685	2539	37.1	230	1010	6.7
40	233	10.6	11.4	12.1	215	3284	2983	2800	38.4	233	1028	6.7
60	272	13.3	14.0	14.6	272	3531	3118	2877	40.1	272	1409	6.7
80	280	13.5	14.1	14.7	280	3356	2958	2724	38.6	280	1452	6.7
100	289	13.6	14.3	14.9	311	3149	2776	2556	38.4	345	2326	6.7
120	297	13.7	14.4	15.0	321	2948	2592	2382	36.9	356	2377	6.7
140	366	20.0	20.5	21.0	330	2744	2405	2204	35.4	366	2426	6.7
160	377	20.1	20.7	21.2	340	2536	2215	2023	34.0	377	2475	6.7
180	388	20.3	20.9	21.4	351	2325	2021	1839	32.5	388	2522	6.7
200	400	20.5	21.1	21.6	362	2111	1825	1652	31.1	400	2568	6.7
220	412	20.7	21.3	21.8	373	1894	1626	1463	29.6	412	2611	6.7
240	425	20.9	21.5	22.0	385	1675	1426	1272	28.2	425	2652	6.7
260	438	21.0	21.7	22.2	397	1454	1223	1080	26.8	438	2690	6.7
280	452	21.2	21.8	22.4	410	1232	1020	886	25.4	452	3772	6.7
290	456	20.9	21.6	22.2	416	1121	918	789	24.7	450	3628	6.7
310	452	19.4	20.1	20.7	430	899	713	595	23.3	446	3364	6.7
330	448	17.9	18.7	19.4	430	1164	840	646	21.5	442	3129	6.7
350	444	16.6	17.5	18.2	427	1009	694	504	19.7	438	2049	6.7
370	442	15.5	16.5	17.3	424	784	499	326	18.0	436	1807	6.7
390	442	14.6	15.6	16.5	424	621	344	173	16.4	436	1755	6.7
410	442	13.8	14.9	15.9	424	445	175	6	14.9	436	1724	6.7

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: CRJ9__

Source OPF File: Sep 02 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/290 0.74
cruise - 250/300 0.80
descent - 250/290 0.74

Mass Levels [kg]
low - 26640
nominal - 33640
high - 38000

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					153	2393	2061	1887	60.2	136	736	8.2
5					154	2373	2040	1866	59.6	137	745	8.2
10					155	2352	2019	1844	59.0	143	727	8.2
15					162	2444	2093	1910	59.1	155	899	8.2
20					163	2422	2071	1888	58.5	187	893	8.2
30	230	15.3	18.4	20.7	186	2785	2368	2156	59.6	230	1218	8.1
40	233	15.3	18.5	20.8	221	3234	2727	2476	61.8	233	1233	8.1
60	272	18.2	20.8	22.7	272	3700	2970	2622	64.1	272	1485	8.1
80	280	18.4	21.0	22.9	280	3533	2823	2483	61.8	280	1518	8.0
100	289	18.6	21.2	23.2	334	3439	2770	2450	63.5	334	1983	8.0
120	297	18.8	21.5	23.5	344	3233	2590	2282	61.2	344	2018	7.9
140	366	25.8	27.9	29.5	354	3025	2408	2111	58.8	354	2053	7.9
160	377	26.1	28.2	29.8	365	2814	2224	1938	56.5	365	2087	7.8
180	388	26.3	28.5	30.2	376	2601	2039	1764	54.2	376	2120	7.8
200	400	26.6	28.8	30.5	387	2386	1852	1588	51.9	387	2153	7.8
220	412	26.8	29.2	30.9	399	2171	1664	1411	49.7	399	2184	7.7
240	425	27.1	29.5	31.2	412	1955	1475	1233	47.5	412	2214	7.7
260	438	27.4	29.8	31.6	425	1739	1286	1055	45.3	425	2243	7.6
280	452	27.6	30.1	32.0	438	1524	1098	878	43.1	438	2270	7.6
290	459	27.8	30.3	32.2	438	1978	1402	1102	41.7	438	3040	7.5
310	469	27.6	30.2	32.2	434	1792	1273	918	38.7	434	2894	7.5
330	465	25.8	28.7	30.9	430	1794	1074	724	35.9	430	2772	7.5
350	461	24.3	27.5	29.8	427	1571	867	520	33.2	427	2674	7.4
370	459	23.0	26.5	29.1	424	1248	605	285	30.7	424	2420	7.4
390	459	22.1	25.9	28.7	424	1035	398	76	28.3	424	1607	7.3
410	459	21.3	25.5	28.6	424	811	178	0	26.1	424	1667	7.3

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: D228__

Source OPF File: Nov 07 2008
Source APF file: Mar 30 2011

Speeds: CAS(LO/HI) Mach
climb - 150/150 0.32
cruise - 180/180 0.34
descent - 180/180 0.34

Mass Levels [kg]
low - 4488
nominal - 5600
high - 6400

Temperature: ISA

Max Alt. [ft]: 28000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					125	2097	1751	1551	6.5	104	488	3.4
5					136	2020	1673	1473	6.5	105	492	3.4
10					142	1965	1619	1418	6.4	110	505	3.4
15					153	1766	1522	1380	6.4	121	290	3.4
20					154	1744	1501	1360	6.3	153	480	3.3
30	188	2.8	3.0	3.1	157	1698	1459	1319	6.3	188	830	3.3
40	191	2.8	3.0	3.2	159	1653	1417	1279	6.2	191	847	3.3
60	196	2.9	3.1	3.3	164	1562	1332	1197	6.0	196	883	3.2
80	202	3.0	3.2	3.4	169	1470	1247	1114	5.8	202	918	3.2
100	209	3.1	3.3	3.4	174	1377	1161	1031	5.6	209	955	3.1
120	215	3.2	3.4	3.6	180	1284	1074	946	5.5	215	1197	3.1
140	214	3.0	3.2	3.4	185	1190	986	862	5.3	214	1225	3.0
160	212	2.8	3.0	3.2	191	1095	898	776	5.1	212	1161	3.0
180	211	2.6	2.9	3.1	197	1000	809	689	4.9	211	1105	2.9
200	209	2.5	2.8	3.0	197	1038	830	698	4.8	209	1056	2.9
220	207	2.3	2.6	2.9	195	1007	793	656	4.6	207	1015	2.8
240	206	2.2	2.6	2.8	193	1183	811	608	4.4	206	980	2.8
260	204	2.1	2.5	2.8	192	1131	758	553	4.2	204	953	2.7
280	202	2.0	2.4	2.8	190	1072	699	491	4.0	202	934	2.7

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: D328__

Source OPF File: Sep 02 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 190/190 0.59
cruise - 250/270 0.59
descent - 250/260 0.59

Mass Levels [kg]
low - 10572
nominal - 12000
high - 13640

Temperature: ISA

Max Alt. [ft]: 32800

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					162	2810	2538	2259	15.3	122	668	7.2
5					173	2726	2452	2172	15.1	123	676	7.2
10					179	2666	2391	2110	14.9	129	678	7.2
15					194	2451	2256	2053	14.6	140	688	7.2
20					196	2423	2229	2026	14.5	172	1008	7.2
30	188	4.0	4.4	5.0	198	2368	2175	1973	14.3	230	1484	7.2
40	191	4.1	4.5	5.1	201	2313	2121	1919	14.1	233	1501	7.2
60	272	7.3	7.6	8.0	207	2202	2012	1811	13.7	272	1973	7.2
80	280	7.4	7.7	8.1	214	2089	1901	1701	13.3	280	2015	7.2
100	311	8.8	9.1	9.5	220	1976	1790	1590	12.9	300	1499	7.2
120	321	8.9	9.2	9.6	227	1862	1677	1478	12.5	309	1565	7.2
140	330	9.0	9.3	9.7	234	1746	1564	1365	12.1	318	1631	7.2
160	340	9.2	9.5	9.9	241	1630	1449	1251	11.7	328	1696	7.2
180	351	9.3	9.6	10.0	249	1513	1333	1135	11.3	338	1761	7.2
200	362	9.4	9.7	10.1	257	1394	1216	1019	10.9	349	1824	7.2
220	360	8.8	9.1	9.6	266	1275	1099	901	10.5	360	2326	7.2
240	357	8.2	8.6	9.1	275	1156	980	783	10.1	357	2159	7.2
260	354	7.7	8.2	8.7	284	1231	941	663	9.7	354	2013	7.2
280	351	7.3	7.7	8.3	294	1087	810	543	9.3	351	1888	7.2
290	349	7.1	7.6	8.2	299	1015	745	483	9.1	349	1833	7.2
310	346	6.7	7.2	7.9	309	871	613	362	8.7	346	1739	7.2
328	343	6.5	7.0	7.7	319	741	494	253	8.4	343	1671	7.2

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: DA40__

Source OPF File: Feb 12 2015
Source APF file: Feb 12 2015

Speeds: CAS(LO/HI) Mach
climb - 88/ 88 0.19
cruise - 110/110 0.23
descent - 110/110 0.23

Mass Levels [kg]
low - 1056
nominal - 1150
high - 1280

Temperature: ISA

Max Alt. [ft]: 16400

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					88	943	833	703	0.4	80	423	0.2
5					89	937	828	698	0.4	85	378	0.2
10					89	932	822	693	0.4	96	343	0.2
15					90	926	817	688	0.4	112	576	0.2
20					91	920	811	683	0.4	113	584	0.2
30	115	0.3	0.3	0.3	92	908	800	672	0.4	115	600	0.2
40	117	0.3	0.3	0.3	93	896	788	660	0.4	117	616	0.2
60	120	0.3	0.3	0.3	96	870	763	636	0.4	120	650	0.2
80	124	0.3	0.3	0.3	99	841	735	610	0.4	124	685	0.2
100	128	0.3	0.3	0.3	102	810	706	582	0.4	128	650	0.2
120	132	0.3	0.3	0.3	106	778	675	552	0.4	132	689	0.2
140	136	0.3	0.3	0.3	109	742	641	520	0.4	136	730	0.2
160	141	0.3	0.3	0.3	113	704	605	486	0.4	141	773	0.2
164	141	0.3	0.3	0.3	113	696	597	479	0.4	141	782	0.2

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: DA42__

Source OPF File: Feb 15 2011
Source APF file: Feb 15 2011

Speeds: CAS(LO/HI) Mach
climb - 85/ 85 0.23
cruise - 124/124 0.27
descent - 135/135 0.29

Mass Levels [kg]
low - 1500
nominal - 1600
high - 1785

Temperature: ISA

Max Alt. [ft]: 18000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					85	1460	1339	1146	0.7	75	363	0.3
5					86	1442	1322	1131	0.7	81	366	0.3
10					86	1425	1305	1116	0.7	92	272	0.3
15					87	1407	1288	1100	0.7	138	536	0.3
20					88	1389	1271	1084	0.7	139	542	0.3
30	130	0.6	0.6	0.6	89	1352	1236	1052	0.7	141	554	0.3
40	131	0.6	0.6	0.6	90	1313	1200	1019	0.7	143	566	0.3
60	135	0.6	0.6	0.6	93	1234	1124	949	0.7	147	591	0.3
80	140	0.6	0.6	0.6	96	1149	1044	875	0.7	152	714	0.3
100	144	0.6	0.6	0.6	99	1060	959	797	0.7	157	735	0.3
120	149	0.6	0.6	0.6	102	965	869	715	0.7	162	755	0.3
140	153	0.6	0.6	0.6	105	864	774	627	0.7	167	777	0.3
160	158	0.6	0.6	0.6	109	758	673	534	0.7	172	799	0.3
180	164	0.6	0.6	0.6	112	645	565	436	0.7	178	822	0.3

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: DA62__

Source OPF File: Sep 26 2016
Source APF file: Sep 26 2016

Speeds: CAS(LO/HI) Mach
climb - 96/ 96 0.22
cruise - 149/141 0.29
descent - 140/140 0.32

Mass Levels [kg]
low - 1908
nominal - 2100
high - 2300

Temperature: ISA

Max Alt. [ft]: 20000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					96	1439	1261	1102	0.9	89	465	0.5
5					97	1428	1250	1092	0.9	95	337	0.5
10					97	1417	1239	1082	0.9	106	188	0.5
15					98	1405	1229	1071	0.9	143	404	0.5
20					99	1394	1218	1061	0.9	144	412	0.5
30	156	0.7	0.7	0.7	100	1369	1195	1039	0.9	146	428	0.5
40	158	0.7	0.7	0.7	102	1344	1171	1017	0.9	148	444	0.5
60	163	0.7	0.7	0.7	105	1291	1122	970	0.9	153	478	0.5
80	168	0.7	0.7	0.7	108	1235	1069	920	0.9	158	379	0.5
100	164	0.7	0.7	0.7	112	1174	1012	866	0.9	163	420	0.5
120	169	0.7	0.7	0.7	115	1108	950	809	0.9	168	463	0.5
140	174	0.7	0.7	0.7	119	1038	885	747	0.9	173	508	0.5
160	180	0.7	0.7	0.7	123	963	815	681	0.9	179	555	0.5
180	180	0.7	0.7	0.7	127	882	740	610	0.9	184	605	0.5
200	178	0.7	0.7	0.7	131	796	659	535	0.9	191	657	0.5

BADA PERFORMANCE FILE May 23 2013

AC/Type: DC10__

Source OPF File: May 23 2013
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/320 0.82
cruise - 250/330 0.82
descent - 250/300 0.82

Mass Levels [kg]
low - 145200
nominal - 170000
high - 250000

Temperature: ISA

Max Alt. [ft]: 42000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					169	2320	2074	1488	322.7	148	965	53.1
5					170	2308	2062	1474	320.3	149	971	52.5
10					171	2296	2049	1460	317.8	155	965	52.0
15					178	2377	2118	1506	317.1	167	954	51.4
20					179	2364	2104	1491	314.6	199	965	50.8
30	230	72.5	84.5	136.4	202	2677	2373	1676	316.3	230	1043	49.7
40	233	72.7	84.8	136.9	237	3072	2707	1832	321.2	233	1056	48.5
60	272	79.8	89.6	131.6	272	3391	2869	1758	319.7	272	1226	46.2
80	280	80.3	90.2	132.7	280	3293	2780	1681	309.7	280	1254	44.0
100	289	80.8	90.8	133.8	368	3442	2941	1897	321.5	345	1674	41.7
120	297	81.3	91.5	135.0	379	3295	2808	1790	311.1	356	1703	39.4
140	401	118.6	125.0	152.9	390	3141	2671	1678	300.7	366	1732	37.1
160	413	119.1	125.7	154.1	401	2982	2528	1563	290.2	377	1760	34.8
180	425	119.6	126.3	155.2	413	2818	2380	1444	279.7	388	1788	32.5
200	438	120.1	126.9	156.4	425	2647	2227	1320	269.1	400	1815	30.3
220	451	120.5	127.5	157.6	438	2472	2069	1193	258.4	412	1841	28.0
240	465	121.0	128.1	158.8	451	2291	1907	1061	247.6	425	1866	25.7
260	479	121.4	128.7	160.1	465	2105	1740	926	236.7	438	1890	23.4
280	487	119.4	127.0	159.8	479	1915	1569	788	225.8	452	1912	21.1
290	485	115.8	123.8	157.9	485	2633	2145	1037	220.0	459	1923	20.0
310	481	109.3	118.0	155.3	481	2425	1947	839	205.8	473	1944	17.7
330	477	103.6	113.1	153.9	477	2203	1912	626	191.8	477	2745	15.4
350	473	98.8	109.2	153.9	473	2240	1662	395	177.9	473	2636	13.1
370	470	95.0	106.4	155.5	470	1787	1276	135	164.6	470	2331	10.8
390	470	92.2	104.8	158.8	470	1526	1027	0	151.6	470	2296	8.6
410	470	90.3	104.1	163.6	470	1245	759	0	138.7	470	2282	6.3
420	470	89.6	104.2	166.6	470	1097	619	0	132.4	470	2283	5.1

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: DC87__

Source OPF File: Jan 29 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/280 0.78
cruise - 250/300 0.80
descent - 250/300 0.80

Mass Levels [kg]
low - 82800
nominal - 110000
high - 152000

Temperature: ISA

Max Alt. [ft]: 42000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					154	2453	2060	1640	180.0	132	713	70.0
5					156	2444	2050	1629	178.7	133	718	69.4
10					157	2435	2040	1618	177.5	139	715	68.7
15					163	2526	2108	1667	177.5	151	713	68.1
20					164	2516	2098	1655	176.2	183	751	67.4
30	230	37.3	44.6	59.8	187	2867	2360	1843	178.9	230	933	66.1
40	233	37.4	44.8	60.1	222	3311	2682	2064	184.1	233	945	64.8
60	272	45.5	51.5	64.0	272	3844	2929	2084	189.2	272	1181	62.2
80	280	45.9	51.9	64.6	280	3738	2841	2010	183.8	280	1206	59.6
100	289	46.2	52.4	65.3	323	3723	2843	2033	185.7	345	1751	57.0
120	297	46.6	52.8	65.9	332	3582	2728	1938	180.0	356	1779	54.4
140	366	65.4	70.1	80.1	342	3434	2606	1838	174.2	366	1807	51.9
160	377	65.8	70.7	80.8	353	3277	2478	1733	168.4	377	1835	49.3
180	388	66.3	71.2	81.6	363	3112	2344	1622	162.4	388	1861	46.7
200	400	66.7	71.7	82.3	375	2939	2203	1506	156.3	400	1886	44.1
220	412	67.1	72.3	83.1	386	2758	2055	1384	150.1	412	1910	41.5
240	425	67.6	72.8	83.9	398	2569	1901	1257	143.8	425	1932	38.9
260	438	68.0	73.4	84.7	411	2371	1740	1125	137.4	438	1953	36.3
280	452	68.3	73.9	85.5	424	2165	1573	987	130.8	452	1972	33.7
290	459	68.5	74.1	85.9	431	2060	1486	916	127.4	459	1981	32.4
310	469	67.8	73.6	85.8	444	1842	1309	770	120.5	469	2801	29.8
330	465	62.9	69.3	82.6	454	2296	1729	878	113.0	465	2625	27.2
350	461	58.6	65.5	80.1	450	2357	1506	683	103.8	461	2471	24.6
370	459	54.8	62.5	78.5	447	1912	1170	437	94.9	459	2150	22.0
390	459	51.7	60.1	77.8	447	1649	944	232	86.2	459	2070	19.4
410	459	49.1	58.4	77.8	447	1364	700	10	77.6	459	2009	16.9
420	459	48.0	57.7	78.1	447	1215	571	0	73.3	459	1985	15.6

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: DC93__

Source OPF File: Aug 22 2014
Source APF file: Aug 22 2014

Speeds: CAS(LO/HI) Mach
climb - 250/320 0.74
cruise - 250/340 0.80
descent - 250/300 0.76

Mass Levels [kg]
low - 32400
nominal - 45400
high - 49896

Temperature: ISA

Max Alt. [ft]: 37000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					151	1958	1456	1312	112.6	135	1221	47.8
5					152	1949	1445	1300	111.8	136	1229	47.8
10					153	1940	1434	1289	110.9	142	1219	47.8
15					159	2040	1509	1358	110.0	153	1202	47.8
20					160	2030	1498	1346	109.1	185	1220	47.8
30	230	31.8	40.7	44.6	183	2405	1781	1609	107.3	230	1242	47.8
40	233	31.7	40.7	44.6	218	2851	2102	1903	105.6	233	1260	47.8
60	272	36.1	43.1	46.0	272	3304	2310	2057	102.0	272	1539	47.8
80	280	36.0	43.0	46.0	280	3202	2224	1973	98.5	280	1580	47.8
100	289	35.9	43.0	46.0	368	2784	1963	1755	94.9	345	2257	47.8
120	297	35.8	42.9	45.9	379	2626	1834	1632	91.4	356	2302	47.8
140	413	55.6	59.5	61.2	390	2460	1699	1503	87.9	366	2347	47.8
160	425	55.2	59.2	60.8	401	2288	1558	1369	84.3	377	2392	47.8
180	438	54.8	58.8	60.5	413	2110	1413	1230	80.8	388	2436	47.8
200	450	54.4	58.4	60.1	425	1926	1262	1087	77.3	400	2478	47.8
220	464	53.9	58.0	59.7	438	1735	1107	938	73.7	412	2519	47.8
240	478	53.4	57.5	59.3	447	2157	1332	1108	70.2	425	2559	47.8
260	480	50.7	55.1	57.0	444	2104	1261	1030	66.7	438	1028	47.8
280	476	47.2	52.0	54.0	440	2023	1166	928	63.1	452	1553	47.8
290	473	45.6	50.6	52.7	438	1972	1143	867	61.4	450	1518	47.8
310	469	42.6	48.0	50.4	434	2092	1007	729	57.8	446	1468	47.8
330	465	39.9	45.9	48.4	430	1928	848	568	54.3	442	1447	47.8
350	461	37.5	44.0	46.8	427	1737	665	384	50.8	438	1453	47.8
370	459	35.3	42.6	45.7	424	1416	427	163	47.3	436	1378	47.8

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: DC94__

Source OPF File: Jan 29 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/320 0.74
cruise - 250/340 0.80
descent - 250/300 0.76

Mass Levels [kg]
low - 32400
nominal - 45400
high - 51700

Temperature: ISA

Max Alt. [ft]: 35000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					151	1952	1442	1242	112.6	135	1221	47.8
5					152	1943	1432	1231	111.8	136	1229	47.8
10					153	1934	1421	1219	110.9	142	1219	47.8
15					159	2034	1496	1286	110.0	153	1202	47.8
20					160	2024	1484	1273	109.1	185	1220	47.8
30	230	31.8	40.7	46.2	183	2398	1764	1526	107.3	230	1242	47.8
40	233	31.7	40.7	46.2	218	2843	2083	1807	105.6	233	1260	47.8
60	272	36.1	43.1	47.3	272	3294	2289	1940	102.0	272	1539	47.8
80	280	36.0	43.0	47.3	280	3193	2203	1858	98.5	280	1580	47.8
100	289	35.9	43.0	47.2	368	2776	1946	1659	94.9	345	2257	47.8
120	297	35.8	42.9	47.2	379	2618	1817	1539	91.4	356	2302	47.8
140	413	55.6	59.5	61.9	390	2453	1683	1413	87.9	366	2347	47.8
160	425	55.2	59.2	61.6	401	2282	1544	1283	84.3	377	2392	47.8
180	438	54.8	58.8	61.2	413	2104	1400	1148	80.8	388	2436	47.8
200	450	54.4	58.4	60.8	425	1920	1251	1009	77.3	400	2478	47.8
220	464	53.9	58.0	60.4	438	1730	1097	865	73.7	412	2519	47.8
240	478	53.4	57.5	60.0	447	2151	1320	1011	70.2	425	2559	47.8
260	480	50.7	55.1	57.7	444	2098	1250	931	66.7	438	1028	47.8
280	476	47.2	52.0	54.9	440	2285	1201	827	63.1	452	1553	47.8
290	473	45.6	50.6	53.6	438	2228	1143	766	61.4	450	1518	47.8
310	469	42.6	48.0	51.3	434	2092	1007	627	57.8	446	1468	47.8
330	465	39.9	45.9	49.5	430	1928	848	464	54.3	442	1447	47.8
350	461	37.5	44.0	48.0	427	1737	665	279	50.8	438	1453	47.8

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: DH8A__

Source OPF File: Nov 07 2008
Source APF file: Nov 07 2008

Speeds: CAS(LO/HI) Mach
climb - 160/160 0.40
cruise - 214/214 0.43
descent - 180/180 0.43

Mass Levels [kg]
low - 12000
nominal - 14500
high - 15650

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					137	2087	1741	1596	12.7	99	532	3.4
5					148	2038	1689	1543	12.5	99	541	3.4
10					154	1997	1646	1499	12.3	105	530	3.4
15					164	1856	1579	1459	12.1	116	724	3.4
20					165	1835	1558	1439	12.0	148	1060	3.4
30	188	7.3	8.1	8.6	167	1794	1517	1397	11.9	188	1392	3.4
40	191	7.3	8.2	8.7	170	1752	1475	1355	11.7	191	1411	3.4
60	233	10.0	10.7	11.1	175	1667	1392	1271	11.4	196	1448	3.3
80	240	10.1	10.8	11.2	180	1582	1307	1186	11.1	202	1487	3.3
100	248	10.2	10.9	11.3	186	1497	1221	1100	10.8	209	1526	3.3
120	255	10.3	11.1	11.4	191	1410	1135	1013	10.4	215	1567	3.2
140	263	10.4	11.2	11.5	197	1323	1048	925	10.1	222	1348	3.2
160	268	10.3	11.1	11.5	204	1235	960	836	9.8	229	1396	3.2
180	266	9.7	10.6	11.0	210	1147	871	747	9.5	236	1445	3.2
200	264	9.2	10.1	10.6	217	1261	823	656	9.2	244	1495	3.1
220	262	8.8	9.8	10.3	225	1154	728	564	8.9	252	1546	3.1
240	260	8.4	9.5	10.0	232	1047	632	472	8.6	260	1793	3.1
250	259	8.2	9.3	9.9	236	993	583	425	8.4	259	1764	3.1

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: DH8C__

Source OPF File: Nov 12 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 165/165 0.35
cruise - 245/245 0.45
descent - 230/230 0.47

Mass Levels [kg]
low - 14116
nominal - 17000
high - 19500

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					144	2282	1934	1679	16.2	102	551	3.5
5					155	2218	1868	1611	16.0	103	559	3.5
10					161	2166	1816	1571	15.8	109	556	3.5
15					169	2024	1751	1545	15.6	120	675	3.5
20					170	1997	1725	1520	15.5	152	901	3.5
30	188	6.5	7.3	8.0	172	1941	1672	1468	15.2	230	1694	3.4
40	191	6.6	7.3	8.1	175	1886	1619	1416	14.9	233	1714	3.4
60	267	12.4	12.9	13.5	180	1774	1512	1312	14.4	251	1930	3.4
80	275	12.6	13.1	13.7	186	1663	1406	1207	13.9	258	1973	3.3
100	283	12.8	13.3	13.9	191	1551	1298	1101	13.4	266	2016	3.2
120	285	12.3	12.9	13.5	197	1438	1190	995	12.8	274	2060	3.2
140	283	11.6	12.2	12.8	204	1325	1081	888	12.3	282	2104	3.1
160	281	10.8	11.5	12.2	210	1211	972	780	11.8	291	2148	3.0
180	279	10.2	10.9	11.6	217	1192	937	730	11.3	291	2361	3.0
200	276	9.6	10.4	11.2	215	1370	945	653	10.9	289	2028	2.9
220	274	9.1	9.9	10.8	213	1288	861	566	10.4	286	1918	2.9
240	272	8.6	9.5	10.4	212	1195	767	470	10.0	284	1823	2.8
250	271	8.4	9.3	10.3	211	1145	717	418	9.8	283	1781	2.8

BADA PERFORMANCE FILE Aug 10 2015

AC/Type: DH8D__

Source OPF File: Aug 10 2015
Source APF file: Oct 07 2011

Speeds: CAS(LO/HI) Mach
climb - 220/220 0.50
cruise - 246/283 0.57
descent - 235/275 0.57

Mass Levels [kg]
low - 21125
nominal - 26000
high - 29257

Temperature: ISA

Max Alt. [ft]: 27000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					147	3084	2640	2391	33.1	119	640	11.3
5					159	3058	2611	2361	32.7	120	648	11.4
10					165	3024	2576	2325	32.3	126	649	11.5
15					225	2576	2234	2042	30.7	137	756	11.5
20					226	2542	2203	2012	30.5	169	966	11.6
30	188	10.0	11.7	13.1	230	2476	2141	1951	29.9	230	1489	11.7
40	191	10.1	11.9	13.2	233	2410	2079	1890	29.4	233	1508	11.9
60	268	17.0	18.2	19.0	240	2278	1955	1769	28.4	256	1763	12.1
80	276	17.2	18.3	19.2	247	2147	1830	1648	27.4	264	1805	12.4
100	326	22.3	23.2	23.9	254	2016	1707	1527	26.4	317	2598	12.7
120	336	22.3	23.2	23.9	262	1885	1583	1406	25.4	327	2647	12.9
140	346	22.2	23.1	23.8	270	1755	1460	1286	24.4	336	1609	13.2
160	356	22.0	23.0	23.7	279	1626	1338	1166	23.4	347	1685	13.4
180	353	20.6	21.6	22.4	288	1498	1216	1046	22.4	353	2061	13.7
200	350	19.3	20.4	21.2	297	1371	1096	928	21.5	350	1889	14.0
220	347	18.1	19.3	20.2	305	1788	1245	962	20.6	347	1739	14.2
240	345	17.0	18.3	19.3	302	1759	1205	915	19.9	345	1610	14.5
260	342	16.0	17.4	18.5	300	1713	1149	853	19.2	342	1503	14.8
270	340	15.5	17.0	18.2	298	1683	1115	815	18.9	340	1457	14.9

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: DIMO__

Source OPF File: Apr 22 2015
Source APF file: Apr 22 2015

Speeds: CAS(LO/HI) Mach
climb - 59/ 59 0.25
cruise - 84/ 84 0.25
descent - 60/ 60 0.25

Mass Levels [kg]
low - 672
nominal - 770
high - 770

Temperature: ISA

Max Alt. [ft]: 16400

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					59	1077	914	914	0.2	60	225	0.0
5					59	1055	895	895	0.2	60	228	0.0
10					60	1033	875	875	0.2	61	230	0.0
15					60	1010	855	855	0.2	61	232	0.0
20					61	986	834	834	0.2	62	233	0.0
30	88	0.2	0.2	0.2	62	939	792	792	0.2	63	237	0.0
40	89	0.2	0.2	0.2	63	890	749	749	0.2	64	240	0.0
60	92	0.2	0.2	0.2	65	787	658	658	0.2	66	247	0.0
80	95	0.2	0.2	0.2	67	677	562	562	0.2	68	255	0.0
100	98	0.2	0.2	0.2	69	560	459	459	0.2	70	263	0.0
120	101	0.2	0.2	0.2	71	435	349	349	0.2	72	271	0.0
140	104	0.2	0.2	0.2	73	302	232	232	0.2	74	280	0.0
160	107	0.2	0.2	0.2	76	160	107	107	0.2	77	289	0.0
164	108	0.2	0.2	0.2	76	130	81	81	0.2	77	291	0.0

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: E120__

Source OPF File: Dec 06 2016
Source APF file: Dec 06 2016

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.37
cruise - 240/225 0.47
descent - 250/250 0.52

Mass Levels [kg]
low - 8786
nominal - 10000
high - 11500

Temperature: ISA

Max Alt. [ft]: 32000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					134	3087	2852	2592	13.8	112	589	6.7
5					145	3094	2853	2588	13.8	113	601	6.6
10					151	3068	2825	2557	13.6	119	589	6.5
15					174	3030	2787	2520	13.6	130	611	6.5
20					175	2986	2745	2478	13.4	162	708	6.4
30	188	5.1	5.5	6.1	178	2899	2660	2395	13.2	230	1717	6.2
40	191	5.2	5.5	6.1	180	2812	2575	2312	12.9	233	1754	6.0
60	261	8.4	8.7	9.0	186	2639	2407	2148	12.3	272	2632	5.7
80	269	8.4	8.7	9.0	191	2467	2240	1984	11.7	280	2718	5.4
100	260	7.6	7.9	8.3	197	2297	2075	1821	11.2	289	2803	5.0
120	268	7.6	7.9	8.3	203	2130	1911	1660	10.7	297	2888	4.7
140	276	7.6	7.9	8.3	210	1964	1749	1500	10.1	306	2971	4.4
160	285	7.6	7.9	8.3	216	1800	1589	1342	9.6	316	3054	4.0
180	291	7.4	7.7	8.1	223	1638	1431	1186	9.1	322	3602	3.7
200	289	7.0	7.3	7.8	227	1626	1399	1129	8.6	319	3344	3.4
220	286	6.6	7.0	7.4	225	1462	1230	952	8.1	317	3115	3.1
240	284	6.3	6.6	7.2	224	1286	1049	761	7.6	314	2912	2.7
260	282	6.0	6.4	7.0	222	1312	940	556	7.0	312	2736	2.4
280	279	5.7	6.2	6.8	220	1073	712	336	6.5	309	3102	2.1
290	278	5.6	6.1	6.7	219	948	593	221	6.2	308	3018	1.9
310	276	5.4	5.9	6.6	217	687	343	0	5.6	305	2870	1.6
320	275	5.3	5.8	6.6	216	550	212	0	5.3	304	2804	1.4

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: E135__

Source OPF File: Apr 28 2015
Source APF file: Apr 28 2015

Speeds: CAS(LO/HI) Mach
climb - 240/270 0.63
cruise - 240/270 0.60
descent - 240/250 0.78

Mass Levels [kg]
low - 13800
nominal - 17000
high - 19990

Temperature: ISA

Max Alt. [ft]: 37000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					145	2480	2142	1877	35.3	136	730	7.9
5					146	2456	2118	1852	34.9	137	741	7.9
10					148	2433	2094	1827	34.5	143	744	7.8
15					154	2515	2158	1879	34.2	155	802	7.8
20					155	2491	2132	1853	33.8	187	944	7.7
30	230	12.5	13.7	15.1	178	2805	2377	2051	33.5	230	1372	7.6
40	233	12.5	13.7	15.1	212	3123	2603	2217	33.3	233	1402	7.5
60	261	14.2	15.3	16.4	261	3116	2534	2117	32.6	261	1787	7.3
80	269	14.2	15.3	16.5	269	2924	2364	1960	31.2	269	1855	7.1
100	277	14.3	15.3	16.5	311	2460	1979	1632	30.3	289	2119	6.9
120	286	14.3	15.4	16.6	321	2240	1786	1455	29.0	297	2190	6.7
140	330	17.4	18.3	19.2	330	2024	1595	1280	27.7	306	2261	6.5
160	340	17.4	18.3	19.3	340	1811	1408	1107	26.5	316	2089	6.3
180	351	17.4	18.3	19.3	351	1604	1225	938	25.4	326	2165	6.1
200	362	17.4	18.3	19.3	362	1402	1046	774	24.3	336	2240	5.9
220	366	16.8	17.8	18.8	373	1207	873	614	23.3	347	2313	5.7
240	363	15.7	16.8	17.9	381	1360	951	630	22.3	358	2384	5.5
260	360	14.7	15.9	17.1	378	1373	945	605	21.2	369	2453	5.3
280	357	13.8	15.1	16.5	374	1376	927	569	20.3	381	2519	5.1
290	355	13.4	14.7	16.2	373	1374	914	547	19.8	387	2551	5.0
310	352	12.7	14.1	15.7	370	1531	931	494	18.9	400	2612	4.8
330	349	12.1	13.6	15.4	366	1509	886	429	18.1	413	2669	4.6
350	346	11.5	13.2	15.1	363	1477	830	353	17.4	427	2722	4.4
370	344	11.1	13.0	15.1	361	1367	726	252	16.7	443	2620	4.2

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: E145__

Source OPF File: Oct 06 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 240/270 0.62 low - 14520
cruise - 240/270 0.76 nominal - 18500 Max Alt. [ft]: 37000
descent - 240/300 0.78 high - 22000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					149	2638	2217	1915	38.4	139	743	8.2
5					150	2620	2198	1895	38.0	140	753	8.2
10					151	2602	2179	1875	37.7	146	755	8.1
15					157	2696	2250	1932	37.4	157	803	8.1
20					158	2677	2230	1911	37.1	189	930	8.0
30	230	12.8	14.3	16.0	181	3027	2492	2121	36.8	230	1312	7.9
40	233	12.8	14.3	16.0	216	3392	2742	2304	36.7	233	1340	7.8
60	261	14.6	15.9	17.3	261	3474	2725	2240	36.1	261	1706	7.6
80	269	14.6	15.9	17.3	269	3315	2587	2113	34.7	269	1771	7.4
100	277	14.6	15.9	17.4	311	2917	2273	1854	34.0	345	3239	7.2
120	286	14.6	16.0	17.4	321	2727	2109	1704	32.8	356	2961	7.0
140	330	17.8	18.9	20.0	330	2537	1945	1554	31.6	366	3048	6.8
160	340	17.8	18.9	20.1	340	2346	1781	1403	30.4	377	3133	6.6
180	351	17.8	18.9	20.1	351	2156	1616	1252	29.2	388	3216	6.4
200	362	17.8	18.9	20.1	362	1968	1453	1102	28.1	400	3296	6.2
220	373	17.8	18.9	20.2	373	1781	1291	953	27.1	412	3373	6.0
240	385	17.8	18.9	20.2	375	2163	1543	1112	25.9	425	3445	5.8
260	397	17.8	18.9	20.2	372	2143	1505	1056	24.8	438	3514	5.6
280	410	17.8	18.9	20.2	369	2108	1451	985	23.7	452	3577	5.4
290	416	17.7	18.9	20.2	367	2085	1418	943	23.1	459	3607	5.3
310	430	17.7	18.9	20.3	364	2287	1417	849	22.1	458	4735	5.1
330	442	17.6	18.8	20.2	361	2207	1321	738	21.1	454	4372	4.9
350	438	16.3	17.7	19.2	357	2112	1210	611	20.2	450	4053	4.7
370	436	15.2	16.8	18.4	356	1907	1032	446	19.3	447	3486	4.5

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: E170__

Source OPF File: Jun 14 2017
Source APF file: Jun 14 2017

Speeds: CAS(LO/HI) Mach
climb - 240/290 0.70
cruise - 240/290 0.74
descent - 250/310 0.77

Mass Levels [kg]
low - 25369
nominal - 32000
high - 38600

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					147	2888	2501	2193	67.7	126	680	8.5
5					148	2872	2484	2176	67.1	127	688	8.5
10					149	2856	2467	2158	66.5	133	674	8.4
15					155	2964	2552	2227	66.1	144	847	8.3
20					156	2947	2534	2208	65.5	176	898	8.3
30	230	17.8	20.1	22.8	179	3357	2857	2473	65.3	230	1293	8.1
40	233	17.9	20.1	22.9	214	3836	3218	2757	65.5	233	1315	8.0
60	261	20.2	22.2	24.5	261	4196	3379	2796	64.8	272	1765	7.8
80	269	20.3	22.3	24.6	269	4034	3238	2667	62.4	280	1817	7.5
100	277	20.4	22.3	24.7	334	3691	2978	2471	62.2	357	3106	7.3
120	286	20.4	22.4	24.8	344	3464	2783	2295	59.8	367	3169	7.0
140	354	28.1	29.5	31.3	354	3228	2581	2114	57.3	378	3230	6.8
160	365	28.1	29.6	31.4	365	2985	2371	1926	54.9	389	3291	6.5
180	376	28.2	29.6	31.5	376	2733	2155	1731	52.5	401	3349	6.3
200	387	28.2	29.7	31.5	387	2473	1931	1530	50.0	413	3405	6.0
220	399	28.2	29.7	31.6	399	2205	1701	1324	47.6	425	3459	5.8
240	412	28.2	29.8	31.7	412	1930	1465	1111	45.1	438	3510	5.5
260	425	28.2	29.8	31.7	420	2259	1680	1233	42.5	452	3557	5.3
280	438	28.2	29.8	31.8	416	2105	1531	1081	39.7	458	4828	5.0
290	438	27.4	29.1	31.1	414	2019	1448	998	38.3	456	4650	4.9
310	434	25.5	27.3	29.5	411	1831	1267	815	35.5	452	4324	4.6
330	430	23.8	25.7	28.2	407	1829	1130	612	32.7	448	4037	4.4
350	427	22.2	24.4	27.0	403	1569	896	389	30.0	444	3569	4.1
370	424	20.8	23.2	26.2	401	1209	602	137	27.3	442	3123	3.9
390	424	19.7	22.3	25.6	401	932	346	0	24.7	442	3007	3.6
410	424	18.8	21.7	25.2	401	629	67	0	22.1	442	2921	3.4

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: E190__

Source OPF File: Jun 14 2017
Source APF file: Jun 14 2017

Speeds: CAS(LO/HI) Mach
climb - 250/290 0.75
cruise - 250/290 0.75
descent - 250/290 0.77

Mass Levels [kg]
low - 33404
nominal - 43000
high - 51800

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					149	2843	2415	2105	83.1	127	691	11.5
5					150	2826	2397	2087	82.4	128	700	11.4
10					151	2808	2379	2067	81.6	134	680	11.4
15					158	2917	2464	2137	81.3	145	827	11.3
20					159	2899	2445	2117	80.5	177	830	11.2
30	230	21.4	24.9	28.8	182	3316	2770	2388	80.4	230	1144	11.1
40	233	21.5	24.9	28.9	216	3816	3145	2689	81.0	233	1166	11.0
60	272	25.7	28.5	31.7	272	4284	3373	2783	81.2	272	1537	10.7
80	280	25.8	28.6	31.8	280	4112	3226	2649	78.2	280	1587	10.4
100	289	25.9	28.7	32.0	334	3855	3039	2511	77.8	334	2275	10.2
120	297	26.0	28.9	32.2	344	3632	2850	2340	74.8	344	2332	9.9
140	354	33.4	35.7	38.3	354	3403	2655	2165	71.8	354	2390	9.6
160	365	33.5	35.8	38.4	365	3167	2455	1985	68.8	365	2447	9.4
180	376	33.6	35.9	38.6	376	2925	2250	1800	65.8	376	2503	9.1
200	387	33.7	36.1	38.7	387	2676	2039	1610	62.9	387	2558	8.8
220	399	33.8	36.2	38.9	399	2422	1823	1416	59.9	399	2611	8.6
240	412	33.9	36.3	39.1	412	2163	1603	1217	57.0	412	2663	8.3
260	425	33.9	36.4	39.2	425	1898	1379	1015	54.1	425	2714	8.0
280	438	34.0	36.5	39.4	438	1630	1150	809	51.2	438	2762	7.8
290	444	33.9	36.4	39.3	444	2064	1430	975	49.7	445	2785	7.6
310	440	31.5	34.3	37.5	440	1901	1271	811	46.2	452	3823	7.4
330	436	29.5	32.5	36.0	436	1941	1156	627	42.8	448	3344	7.1
350	432	27.6	31.0	34.8	432	1711	946	423	39.5	444	3169	6.8
370	430	26.0	29.7	33.9	430	1356	665	185	36.2	442	2800	6.6
390	430	24.7	28.8	33.4	430	1111	436	0	33.1	442	2724	6.3
410	430	23.7	28.1	33.2	430	843	184	0	30.0	442	2678	6.0

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: E195__

Source OPF File: Jun 14 2017
Source APF file: Jun 14 2017

Speeds: CAS(LO/HI) Mach
climb - 250/290 0.75
cruise - 250/290 0.75
descent - 250/290 0.77

Mass Levels [kg]
low - 34400
nominal - 44000
high - 52290

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					151	2764	2354	2070	82.4	129	699	11.4
5					152	2746	2336	2051	81.7	129	709	11.3
10					153	2729	2318	2032	80.9	135	689	11.3
15					159	2834	2399	2100	80.6	147	841	11.2
20					160	2815	2380	2080	79.8	179	846	11.1
30	230	22.0	25.5	29.3	183	3216	2695	2345	79.8	230	1164	11.0
40	233	22.0	25.6	29.4	218	3693	3055	2638	80.5	233	1185	10.9
60	272	26.3	29.2	32.2	272	4114	3257	2722	80.7	272	1553	10.6
80	280	26.4	29.3	32.4	280	3945	3111	2588	77.7	280	1603	10.4
100	289	26.5	29.5	32.6	334	3681	2916	2440	77.4	334	2285	10.1
120	297	26.7	29.6	32.8	344	3462	2728	2269	74.4	344	2342	9.9
140	354	34.2	36.6	39.0	354	3235	2535	2093	71.4	354	2399	9.6
160	365	34.4	36.7	39.2	365	3003	2336	1912	68.5	365	2456	9.4
180	376	34.5	36.8	39.4	376	2764	2132	1727	65.5	376	2512	9.1
200	387	34.6	37.0	39.6	387	2518	1922	1536	62.5	387	2566	8.9
220	399	34.7	37.1	39.7	399	2268	1708	1341	59.6	399	2620	8.6
240	412	34.7	37.2	39.9	412	2011	1489	1142	56.7	412	2672	8.3
260	425	34.8	37.4	40.1	425	1750	1265	938	53.7	425	2722	8.1
280	438	34.9	37.5	40.3	438	1485	1038	731	50.8	438	2770	7.8
290	444	34.8	37.4	40.2	444	1866	1277	868	49.3	445	2793	7.7
310	440	32.4	35.3	38.4	440	1708	1120	705	45.8	452	3835	7.5
330	436	30.3	33.5	36.8	436	1724	995	523	42.3	448	3363	7.2
350	432	28.4	31.9	35.6	432	1498	787	320	38.9	444	3192	7.0
370	430	26.9	30.7	34.7	430	1161	519	90	35.7	442	2823	6.7
390	430	25.5	29.7	34.2	430	919	290	0	32.5	442	2751	6.5
410	430	24.5	29.1	34.0	430	651	38	0	29.4	442	2707	6.2

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: E300__

Source OPF File: Apr 16 2015
Source APF file: Apr 16 2015

Speeds: CAS(LO/HI) Mach
climb - 98/ 98 0.21
cruise - 150/150 0.29
descent - 140/140 0.29

Mass Levels [kg]
low - 798
nominal - 870
high - 950

Temperature: ISA

Max Alt. [ft]: 16000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					94	2757	2442	2145	0.9	79	419	0.4
5					99	2700	2392	2096	0.9	85	515	0.4
10					99	2642	2338	2047	0.9	95	506	0.4
15					100	2584	2284	1996	0.9	143	721	0.4
20					101	2524	2229	1945	0.9	144	733	0.4
30	157	0.6	0.6	0.6	102	2403	2117	1841	0.9	146	756	0.4
40	159	0.6	0.6	0.6	104	2279	2001	1734	0.9	148	780	0.4
60	164	0.6	0.6	0.6	107	2019	1761	1511	0.9	153	830	0.4
80	169	0.6	0.6	0.6	110	1745	1506	1274	0.9	158	883	0.4
100	174	0.6	0.6	0.6	114	1454	1237	1025	0.9	163	937	0.4
120	180	0.6	0.6	0.6	118	1147	952	760	0.9	168	853	0.4
140	182	0.6	0.6	0.6	121	822	650	481	0.9	173	955	0.4
160	181	0.6	0.6	0.6	125	477	331	185	0.9	179	1062	0.4

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: E35L__

Source OPF File: Apr 28 2015
Source APF file: Apr 28 2015

Speeds: CAS(LO/HI) Mach
climb - 240/290 0.65
cruise - 250/300 0.75
descent - 240/310 0.78

Mass Levels [kg]
low - 16320
nominal - 19000
high - 22500

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					151	2831	2608	2364	41.9	142	756	8.9
5					152	2806	2584	2338	41.5	143	764	8.9
10					153	2782	2559	2313	41.0	149	775	8.8
15					159	2863	2627	2368	40.8	161	766	8.8
20					160	2838	2601	2341	40.4	193	821	8.7
30	230	12.6	13.5	15.0	183	3158	2871	2562	40.5	230	1121	8.6
40	233	12.6	13.6	15.0	218	3518	3162	2786	41.0	233	1145	8.5
60	272	15.4	16.2	17.4	261	3667	3211	2747	40.8	261	1446	8.4
80	280	15.5	16.3	17.5	269	3477	3037	2587	39.0	269	1500	8.2
100	289	15.6	16.4	17.6	334	3080	2697	2306	39.5	357	2932	8.0
120	297	15.7	16.5	17.7	344	2839	2477	2106	37.8	367	2999	7.8
140	366	22.0	22.6	23.6	354	2599	2258	1907	36.2	378	3065	7.6
160	377	22.1	22.7	23.7	365	2360	2040	1708	34.6	389	3129	7.4
180	388	22.2	22.8	23.8	376	2123	1824	1511	33.1	401	3190	7.2
200	400	22.3	22.9	23.9	387	1888	1610	1315	31.6	413	3248	7.0
220	412	22.4	23.0	24.0	396	2170	1833	1473	30.1	425	3303	6.8
240	425	22.5	23.1	24.2	393	2073	1736	1371	28.3	438	3354	6.6
260	438	22.5	23.2	24.3	390	1970	1631	1262	26.7	452	3401	6.5
280	446	22.0	22.7	23.8	386	1859	1519	1145	25.1	464	3713	6.3
290	444	21.2	21.9	23.1	385	1802	1461	1083	24.3	462	3561	6.2
310	440	19.7	20.5	21.7	381	1683	1340	955	22.8	458	3281	6.0
330	436	18.3	19.2	20.5	378	1742	1289	820	21.5	454	3036	5.8
350	432	17.0	18.0	19.5	375	1599	1148	677	20.2	450	2821	5.6
370	430	16.0	17.1	18.7	373	1375	948	498	19.0	447	2435	5.4
390	430	15.1	16.3	18.1	373	1241	809	351	17.9	447	2317	5.2
410	430	14.4	15.6	17.6	373	1099	662	192	16.9	447	2226	5.0

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: E45X__

Source OPF File: Jul 18 2016
Source APF file: Jul 18 2016

Speeds: CAS(LO/HI) Mach
climb - 240/290 0.60
cruise - 240/290 0.78
descent - 240/250 0.80

Mass Levels [kg]
low - 15109
nominal - 20000
high - 24100

Temperature: ISA

Max Alt. [ft]: 37000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					144	2388	1990	1731	37.7	138	733	9.4
5					145	2382	1982	1722	37.4	139	740	9.3
10					146	2376	1975	1714	37.1	145	764	9.2
15					152	2459	2033	1757	36.9	156	682	9.2
20					153	2452	2024	1748	36.7	188	646	9.1
30	230	13.9	15.0	16.2	177	2744	2220	1891	36.3	230	1117	9.0
40	233	13.9	15.0	16.2	211	3024	2374	1977	36.0	233	1141	8.8
60	261	16.1	17.0	18.0	261	2931	2253	1863	35.3	261	1546	8.5
80	269	16.1	17.0	18.0	269	2828	2166	1784	34.3	269	1602	8.3
100	277	16.1	17.0	18.0	334	1939	1469	1193	33.6	289	1874	8.0
120	286	16.1	17.0	18.0	344	1784	1340	1078	32.6	297	1936	7.7
140	354	22.5	23.2	23.9	354	1624	1208	960	31.5	306	1998	7.4
160	365	22.5	23.1	23.9	365	1458	1071	837	30.5	316	1801	7.2
180	376	22.4	23.1	23.8	372	1707	1240	955	29.4	326	1868	6.9
200	387	22.3	23.0	23.7	369	1816	1317	1012	28.2	336	1936	6.6
220	399	22.2	22.9	23.6	366	1894	1368	1046	27.1	347	2005	6.3
240	412	22.1	22.8	23.5	363	1943	1394	1056	25.9	358	2073	6.1
260	425	22.0	22.7	23.4	360	1965	1397	1045	24.8	369	2141	5.8
280	438	21.8	22.6	23.3	357	1962	1378	1014	23.7	381	2208	5.5
290	445	21.8	22.5	23.3	355	1951	1361	990	23.1	387	2242	5.4
310	458	21.5	22.2	23.0	352	2166	1384	928	22.0	400	2307	5.1
330	454	19.8	20.6	21.4	349	2096	1310	847	20.9	413	2372	4.8
350	450	18.2	19.1	20.0	346	2003	1215	747	19.7	427	2434	4.6
370	447	16.7	17.7	18.8	344	1804	1052	601	18.6	443	2359	4.3

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: E500__

Source OPF File: Mar 24 2015
Source APF file: Mar 24 2015

Speeds: CAS(LO/HI) Mach
climb - 110/110 0.28
cruise - 160/160 0.32
descent - 200/185 0.41

Mass Levels [kg]
low - 1734
nominal - 1920
high - 2130

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					101	1914	1773	1623	2.0	76	414	1.1
5					111	1847	1712	1583	2.0	77	421	1.1
10					112	1807	1688	1559	1.9	83	414	1.1
15					112	1783	1664	1535	1.9	94	424	1.1
20					113	1759	1641	1511	1.9	125	471	1.1
30	167	1.1	1.2	1.2	115	1711	1593	1463	1.9	209	1851	1.1
40	170	1.1	1.2	1.2	117	1663	1545	1415	1.8	212	1883	1.1
60	175	1.1	1.2	1.3	120	1566	1448	1318	1.8	218	1949	1.1
80	180	1.2	1.2	1.3	124	1468	1350	1219	1.7	225	2017	1.1
100	186	1.2	1.2	1.3	128	1370	1252	1120	1.6	214	1679	1.1
120	191	1.2	1.3	1.3	132	1270	1152	1020	1.6	221	1741	1.1
140	197	1.2	1.3	1.4	136	1169	1051	918	1.5	228	1803	1.1
160	200	1.2	1.3	1.4	141	1068	950	815	1.4	235	1867	1.0
180	198	1.2	1.2	1.3	145	966	847	712	1.4	243	1932	1.0
200	197	1.1	1.2	1.3	150	1008	805	606	1.3	251	1876	1.0
220	195	1.1	1.1	1.2	155	886	691	500	1.2	250	1975	1.0
240	193	1.0	1.1	1.2	161	762	576	392	1.2	248	1846	1.0
250	193	1.0	1.1	1.2	163	700	518	338	1.1	247	1787	1.0

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: E50P__

Source OPF File: Mar 24 2011
Source APF file: Mar 24 2011

Speeds: CAS(LO/HI) Mach
climb - 240/200 0.55
cruise - 250/260 0.60
descent - 250/250 0.68

Mass Levels [kg]
low - 3708
nominal - 4300
high - 4750

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					129	2377	2211	2099	11.2	104	556	2.5
5					129	2374	2207	2094	11.2	105	561	2.5
10					130	2370	2202	2089	11.1	110	571	2.5
15					136	2454	2272	2150	11.1	121	595	2.5
20					137	2449	2267	2144	11.0	153	690	2.5
30	230	5.5	5.6	5.7	160	2726	2491	2336	11.0	230	1975	2.5
40	233	5.5	5.6	5.7	194	2945	2639	2440	11.0	233	2005	2.5
60	272	7.0	7.1	7.1	261	2480	2211	2042	11.0	272	3006	2.5
80	280	7.0	7.1	7.2	269	2369	2108	1944	10.7	280	3084	2.6
100	289	7.0	7.1	7.2	232	2725	2418	2225	10.2	289	3163	2.6
120	297	7.0	7.1	7.2	239	2630	2330	2140	9.9	297	3243	2.6
140	318	7.5	7.6	7.7	246	2525	2232	2046	9.6	306	3324	2.6
160	328	7.5	7.6	7.7	254	2410	2124	1942	9.3	316	3405	2.6
180	338	7.5	7.6	7.7	262	2283	2006	1829	8.9	326	3486	2.7
200	349	7.5	7.6	7.7	271	2145	1877	1706	8.6	336	2882	2.7
220	360	7.5	7.6	7.7	279	1994	1737	1572	8.2	347	2979	2.7
240	363	7.1	7.3	7.3	289	1830	1585	1426	7.9	358	3077	2.7
260	360	6.6	6.7	6.8	298	1652	1421	1269	7.5	369	3175	2.7
280	357	6.1	6.2	6.3	308	1461	1243	1099	7.1	381	3274	2.8
290	355	5.8	6.0	6.1	314	1360	1150	1010	6.9	387	3323	2.8
310	352	5.4	5.6	5.7	323	1404	1167	1007	6.5	399	4443	2.8
330	349	5.0	5.2	5.3	320	1436	1107	900	6.1	395	4057	2.8
350	346	4.6	4.8	5.0	317	1292	971	768	5.6	392	3718	2.8
370	344	4.3	4.5	4.7	315	1079	780	590	5.2	390	3225	2.9
390	344	4.0	4.2	4.4	315	893	605	419	4.7	390	3018	2.9
410	344	3.8	4.0	4.2	315	677	402	222	4.2	390	2849	2.9

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: E550__

Source OPF File: Apr 14 2015
Source APF file: Apr 14 2015

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.70
cruise - 250/300 0.78
descent - 250/300 0.78

Mass Levels [kg]
low - 12900
nominal - 14500
high - 17200

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					136	3233	3062	2817	39.0	125	671	8.7
5					137	3220	3049	2803	38.7	126	678	8.7
10					138	3208	3036	2788	38.4	131	671	8.7
15					144	3337	3153	2890	38.3	143	628	8.6
20					145	3324	3139	2875	38.0	175	611	8.6
30	230	10.2	10.8	12.0	168	3816	3585	3261	38.1	230	971	8.5
40	233	10.2	10.8	12.0	203	4424	4127	3719	38.5	233	993	8.5
60	272	12.4	12.9	13.8	272	5125	4675	4077	39.2	272	1426	8.4
80	280	12.4	12.9	13.9	280	4972	4531	3944	38.0	280	1480	8.2
100	289	12.5	13.0	13.9	345	4764	4352	3806	38.3	345	2502	8.1
120	297	12.5	13.0	14.0	356	4542	4145	3617	37.0	356	2568	8.0
140	366	17.3	17.7	18.4	366	4309	3927	3418	35.7	366	2633	7.8
160	377	17.3	17.7	18.4	377	4065	3699	3210	34.4	377	2698	7.7
180	388	17.4	17.8	18.5	388	3810	3461	2993	33.1	388	2762	7.6
200	400	17.4	17.8	18.6	400	3545	3213	2767	31.7	400	2824	7.4
220	412	17.4	17.8	18.6	412	3268	2955	2531	30.3	412	2886	7.3
240	425	17.5	17.9	18.7	423	3980	3588	3053	28.9	425	2371	7.2
260	438	17.5	17.9	18.7	420	3769	3385	2856	27.2	438	2452	7.1
280	452	17.5	17.9	18.7	416	3534	3158	2636	25.5	452	2531	6.9
290	459	17.5	17.9	18.8	414	3408	3036	2518	24.6	459	2570	6.9
310	458	16.4	16.9	17.8	411	3138	2776	2266	22.9	458	3396	6.7
330	454	15.3	15.8	16.7	407	2847	2495	1993	21.2	454	3159	6.6
350	450	14.2	14.7	15.8	403	2536	2194	1700	19.5	450	2958	6.5
370	447	13.3	13.9	15.1	401	2301	1877	1302	17.9	447	2577	6.3
390	447	12.5	13.2	14.5	401	1953	1550	999	16.2	447	2482	6.2
410	447	11.8	12.6	14.0	401	1579	1199	672	14.6	447	2417	6.1
430	447	11.3	12.1	13.7	401	1181	823	321	13.0	447	2381	5.9
450	447	10.8	11.7	13.4	401	757	424	0	11.4	447	2374	5.8

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: E55P__

Source OPF File: Mar 24 2011
Source APF file: Mar 24 2011

Speeds: CAS(LO/HI) Mach
climb - 200/225 0.60
cruise - 250/280 0.70
descent - 250/250 0.75

Mass Levels [kg]
low - 6104
nominal - 7000
high - 8150

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					126	3360	3184	2995	21.8	115	612	3.8
5					127	3338	3161	2972	21.6	116	617	3.8
10					128	3315	3138	2949	21.4	122	736	3.8
15					134	3439	3247	3043	21.3	133	764	3.8
20					135	3415	3223	3018	21.1	165	1135	3.8
30	230	6.3	6.5	6.9	158	3896	3646	3384	21.3	230	1946	3.8
40	233	6.3	6.6	6.9	192	4478	4148	3809	21.7	233	1962	3.8
60	272	8.1	8.3	8.6	218	4728	4253	3776	21.4	272	2622	3.8
80	280	8.1	8.3	8.6	225	4545	4084	3619	20.5	280	2663	3.8
100	289	8.2	8.4	8.7	260	4527	4075	3621	20.4	289	2703	3.7
120	297	8.2	8.5	8.8	268	4305	3870	3431	19.5	297	2743	3.7
140	342	10.5	10.6	10.9	276	4077	3660	3238	18.7	306	2783	3.7
160	353	10.5	10.7	11.0	285	3846	3446	3041	17.8	316	2822	3.7
180	363	10.6	10.8	11.0	294	3610	3229	2840	17.0	326	2860	3.7
200	375	10.6	10.8	11.1	303	3371	3008	2637	16.2	336	2897	3.7
220	386	10.7	10.9	11.2	313	3129	2784	2430	15.4	347	2933	3.6
240	398	10.8	11.0	11.3	323	2883	2557	2221	14.7	358	2967	3.6
260	411	10.8	11.0	11.3	334	2635	2328	2009	13.9	369	3000	3.6
280	416	10.4	10.7	11.0	345	2385	2097	1796	13.2	381	3030	3.6
290	414	10.0	10.2	10.6	351	2259	1981	1688	12.8	387	3044	3.6
310	411	9.2	9.5	9.9	352	2562	2230	1877	12.0	400	3070	3.6
330	407	8.5	8.8	9.2	349	2340	2017	1670	11.1	413	3094	3.6
350	403	7.9	8.2	8.6	346	2116	1802	1459	10.3	427	3114	3.5
370	401	7.3	7.7	8.1	344	2008	1603	1189	9.5	430	2822	3.5
390	401	6.9	7.2	7.7	344	1781	1390	986	8.7	430	2648	3.5
410	401	6.5	6.8	7.4	344	1547	1170	776	8.0	430	2502	3.5
430	401	6.1	6.5	7.2	344	1308	943	558	7.4	430	2383	3.5
450	401	5.8	6.3	7.0	344	1063	709	332	6.7	430	2290	3.5

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: E75L__

Source OPF File: Jun 14 2017
Source APF file: Jun 14 2017

Speeds: CAS(LO/HI) Mach
climb - 240/290 0.70
cruise - 240/290 0.74
descent - 250/310 0.77

Mass Levels [kg]
low - 26268
nominal - 33000
high - 40370

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					149	2811	2427	2093	68.0	129	690	8.5
5					150	2795	2410	2075	67.4	129	699	8.4
10					151	2779	2393	2057	66.8	135	686	8.4
15					158	2881	2474	2121	66.4	147	859	8.3
20					159	2864	2455	2102	65.8	179	914	8.3
30	230	17.3	19.6	22.6	182	3252	2760	2347	65.6	230	1297	8.1
40	233	17.4	19.6	22.6	216	3701	3097	2602	65.7	233	1319	8.0
60	261	19.6	21.5	24.1	261	4004	3220	2607	64.9	272	1761	7.8
80	269	19.7	21.6	24.2	269	3846	3082	2481	62.5	280	1813	7.5
100	277	19.7	21.7	24.3	334	3498	2818	2288	62.2	357	3080	7.3
120	286	19.8	21.8	24.4	344	3277	2627	2117	59.8	367	3142	7.0
140	354	27.1	28.5	30.4	354	3047	2430	1941	57.3	378	3204	6.8
160	365	27.1	28.6	30.5	365	2810	2225	1759	54.9	389	3264	6.5
180	376	27.2	28.6	30.6	376	2564	2014	1571	52.4	401	3322	6.3
200	387	27.2	28.7	30.7	387	2311	1796	1376	50.0	413	3378	6.0
220	399	27.2	28.7	30.7	399	2051	1572	1177	47.5	425	3432	5.8
240	412	27.2	28.7	30.8	412	1784	1342	971	45.1	438	3482	5.5
260	425	27.2	28.8	30.9	420	2076	1525	1055	42.5	452	3530	5.3
280	438	27.2	28.8	30.9	416	1931	1383	909	39.6	458	4793	5.0
290	438	26.5	28.1	30.3	414	1849	1304	828	38.2	456	4619	4.9
310	434	24.6	26.4	28.8	411	1670	1202	651	35.4	452	4300	4.6
330	430	23.0	24.9	27.6	407	1659	995	453	32.7	448	4019	4.4
350	427	21.5	23.6	26.5	403	1410	767	234	29.9	444	3776	4.1
370	424	20.2	22.6	25.8	401	1068	487	0	27.2	442	3101	3.9
390	424	19.1	21.7	25.3	401	799	237	0	24.6	442	2992	3.6
410	424	18.3	21.1	25.0	401	505	0	0	22.0	442	2914	3.4

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: E75S__

Source OPF File: Jun 14 2017
Source APF file: Jun 14 2017

Speeds: CAS(LO/HI) Mach
climb - 240/290 0.70
cruise - 240/290 0.74
descent - 250/310 0.77

Mass Levels [kg]
low - 26268
nominal - 33000
high - 40370

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					149	2811	2427	2093	68.0	129	690	8.5
5					150	2795	2410	2075	67.4	129	699	8.4
10					151	2779	2393	2057	66.8	135	686	8.4
15					158	2881	2474	2121	66.4	147	859	8.3
20					159	2864	2455	2102	65.8	179	914	8.3
30	230	18.4	20.8	24.0	182	3252	2760	2347	65.6	230	1297	8.1
40	233	18.5	20.8	24.1	216	3701	3097	2602	65.7	233	1319	8.0
60	261	20.9	22.9	25.7	261	4004	3220	2607	64.9	272	1761	7.8
80	269	20.9	23.0	25.8	269	3846	3082	2481	62.5	280	1813	7.5
100	277	21.0	23.1	25.9	334	3498	2818	2288	62.2	357	3080	7.3
120	286	21.0	23.1	26.0	344	3277	2627	2117	59.8	367	3142	7.0
140	354	28.8	30.3	32.4	354	3047	2430	1941	57.3	378	3204	6.8
160	365	28.9	30.4	32.5	365	2810	2225	1759	54.9	389	3264	6.5
180	376	28.9	30.5	32.6	376	2564	2014	1571	52.4	401	3322	6.3
200	387	28.9	30.5	32.6	387	2311	1796	1376	50.0	413	3378	6.0
220	399	28.9	30.5	32.7	399	2051	1572	1177	47.5	425	3432	5.8
240	412	29.0	30.6	32.8	412	1784	1342	971	45.1	438	3482	5.5
260	425	29.0	30.6	32.8	420	2076	1525	1055	42.5	452	3530	5.3
280	438	29.0	30.6	32.9	416	1931	1383	909	39.6	458	4793	5.0
290	438	28.1	29.9	32.2	414	1849	1304	828	38.2	456	4619	4.9
310	434	26.2	28.1	30.7	411	1670	1202	651	35.4	452	4300	4.6
330	430	24.4	26.5	29.3	407	1659	995	453	32.7	448	4019	4.4
350	427	22.9	25.1	28.2	403	1410	767	234	29.9	444	3776	4.1
370	424	21.5	24.0	27.4	401	1068	487	0	27.2	442	3101	3.9
390	424	20.4	23.1	26.9	401	799	237	0	24.6	442	2992	3.6
410	424	19.4	22.5	26.6	401	505	0	0	22.0	442	2914	3.4

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: EA50__

Source OPF File: Sep 03 2008
Source APF file: Sep 03 2008

Speeds: CAS(LO/HI) Mach
climb - 172/172 0.50
cruise - 204/190 0.63
descent - 232/214 0.64

Mass Levels [kg]
low - 1975
nominal - 2500
high - 2719

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					109	1881	1652	1571	6.4	100	544	1.8
5					110	1866	1637	1555	6.4	101	549	1.8
10					111	1851	1621	1540	6.3	106	531	1.8
15					117	1963	1716	1628	6.3	117	679	1.8
20					117	1947	1699	1612	6.3	149	1716	1.8
30	213	2.3	2.5	2.7	140	2374	2061	1954	6.5	230	2684	1.8
40	216	2.3	2.6	2.7	174	2905	2500	2365	6.8	233	2681	1.7
60	222	2.3	2.6	2.7	188	3096	2509	2316	6.7	253	2881	1.7
80	229	2.3	2.6	2.8	193	2983	2408	2219	6.5	260	2873	1.7
100	236	2.4	2.7	2.8	199	2866	2305	2119	6.2	248	2562	1.7
120	243	2.4	2.7	2.8	206	2747	2198	2016	6.0	255	2555	1.6
140	234	2.2	2.5	2.7	212	2625	2089	1911	5.7	263	2916	1.6
160	241	2.2	2.5	2.7	219	2499	1978	1803	5.5	271	2896	1.6
180	249	2.2	2.6	2.8	226	2371	1863	1692	5.3	280	2875	1.5
200	257	2.3	2.6	2.8	233	2239	1746	1578	5.0	289	2853	1.5
220	266	2.3	2.7	2.8	241	2104	1625	1462	4.8	298	2830	1.5
240	275	2.3	2.7	2.9	249	1967	1502	1342	4.6	308	2806	1.5
260	284	2.4	2.7	2.9	258	1826	1376	1221	4.4	318	2781	1.4
280	294	2.4	2.8	3.0	267	1682	1248	1096	4.1	329	2754	1.4
290	299	2.4	2.8	3.0	271	1610	1183	1033	4.0	335	2741	1.4
310	309	2.5	2.9	3.1	281	1462	1051	905	3.8	346	2712	1.4
330	320	2.5	2.9	3.1	291	1465	946	775	3.6	358	2682	1.3
350	331	2.5	3.0	3.2	288	1498	914	720	3.3	369	3368	1.3
370	344	2.6	3.0	3.2	287	1244	697	513	3.1	367	3000	1.3
390	360	2.6	3.1	3.3	287	1043	509	328	2.8	367	2851	1.2
410	361	2.6	3.0	3.3	287	837	316	135	2.6	367	2723	1.2

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: EV97__

Source OPF File: Apr 24 2015
Source APF file: Apr 24 2015

Speeds: CAS(LO/HI) Mach
climb - 63/ 63 0.13
cruise - 88/ 88 0.14
descent - 59/ 59 0.13

Mass Levels [kg]
low - 342
nominal - 450
high - 450

Temperature: ISA

Max Alt. [ft]: 16500

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					63	1264	856	856	0.2	51	296	0.0
5					63	1238	835	835	0.2	56	295	0.0
10					64	1211	814	814	0.2	60	302	0.0
15					64	1183	792	792	0.2	60	306	0.0
20					65	1155	770	770	0.2	61	310	0.0
30	92	0.2	0.2	0.2	66	1098	725	725	0.2	62	330	0.0
40	91	0.2	0.2	0.2	67	1040	679	679	0.2	63	338	0.0
60	91	0.2	0.2	0.2	69	917	583	583	0.2	65	355	0.0
80	90	0.2	0.2	0.2	71	788	481	481	0.2	67	368	0.0
100	89	0.2	0.2	0.2	73	650	373	373	0.2	69	344	0.0
120	89	0.2	0.2	0.2	76	505	258	258	0.2	71	370	0.0
140	88	0.2	0.2	0.2	78	350	137	137	0.2	73	397	0.0
160	87	0.2	0.2	0.2	81	186	8	8	0.2	76	425	0.0
165	87	0.2	0.2	0.2	81	151	0	0	0.2	76	432	0.0

BADA PERFORMANCE FILE Apr 11 2012

AC/Type: F100__

Source OPF File: Mar 05 2012
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/280 0.70
cruise - 250/280 0.70
descent - 250/300 0.72

Mass Levels [kg]
low - 29520
nominal - 38000
high - 43090

Temperature: ISA

Max Alt. [ft]: 35000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					148	2074	1726	1551	64.6	139	727	21.2
5					149	2064	1715	1539	64.1	140	740	21.0
10					150	2054	1704	1527	63.7	146	787	21.0
15					156	2145	1775	1590	63.6	157	851	11.0
20					157	2134	1763	1578	63.2	189	1045	11.0
30	230	20.1	23.4	25.8	180	2470	2029	1814	63.9	230	1307	11.0
40	233	20.2	23.5	25.9	215	2857	2320	2066	65.3	233	1325	11.0
60	272	24.5	27.2	29.1	272	3155	2467	2155	67.2	272	1695	11.0
80	280	24.6	27.3	29.3	280	3044	2370	2062	65.4	280	1736	11.0
100	289	24.8	27.5	29.5	323	2823	2203	1921	65.8	345	2595	11.0
120	297	25.0	27.7	29.7	332	2679	2079	1804	63.8	356	2643	11.0
140	342	30.6	32.9	34.6	342	2530	1949	1682	61.9	366	2689	11.0
160	353	30.8	33.1	34.8	353	2374	1814	1555	59.9	377	2735	11.0
180	363	30.9	33.3	35.1	363	2212	1674	1423	58.0	388	2779	11.0
200	375	31.1	33.6	35.3	375	2044	1529	1286	56.0	400	2821	11.0
220	386	31.3	33.8	35.6	386	1870	1379	1145	53.9	412	2862	11.0
240	398	31.5	34.0	35.9	398	1691	1223	998	51.9	425	2901	11.0
260	411	31.6	34.2	36.1	411	1506	1063	848	49.8	432	3832	11.0
280	416	30.7	33.5	35.4	416	2053	1308	971	47.4	428	3586	11.0
290	414	29.7	32.6	34.6	414	2001	1255	917	46.0	426	1668	11.0
310	411	27.8	30.9	33.2	411	1879	1135	794	43.2	422	1586	11.0
330	407	26.1	29.6	32.0	407	1733	993	651	40.4	419	1530	11.0
350	403	24.7	28.4	31.1	403	1564	831	488	37.7	415	1500	11.0

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: F15___

Source OPF File: Oct 27 2016
Source APF file: Oct 27 2016

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/350 0.90 low - 20412
cruise - 250/360 0.90 nominal - 30845 Max Alt. [ft]: 65000
descent - 250/300 0.90 high - 36741

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					197	8911	7210	6560	175.2	197	1073	19.7
5					199	8876	7174	6522	173.8	199	1085	19.6
10					200	8839	7137	6484	172.4	205	1270	19.6
15					207	9054	7260	6578	171.7	217	1353	19.5
20					208	9015	7220	6537	170.3	226	1646	19.5
30	230	23.1	29.8	34.8	232	9860	7716	6921	170.3	230	1671	19.4
40	233	23.1	29.9	34.9	265	10933	8262	7025	171.4	233	1696	19.3
60	272	27.9	33.3	37.4	272	11643	8031	6816	165.6	272	2127	19.2
80	280	28.0	33.5	37.6	280	11318	7787	6595	159.8	280	2184	19.0
100	289	28.1	33.7	37.8	402	11566	8087	6937	167.5	345	3204	18.8
120	297	28.2	33.8	38.0	413	11013	7681	6576	161.4	356	3269	18.7
140	436	55.8	58.9	61.2	425	10440	7261	6203	155.2	366	3333	18.5
160	449	55.9	59.0	61.3	437	9848	6827	5817	149.0	377	3396	18.3
180	462	55.9	59.1	61.4	450	9238	6380	5419	142.8	388	3457	18.1
200	475	55.9	59.1	61.5	463	8611	5920	5010	136.6	400	3517	18.0
220	489	55.8	59.1	61.6	476	7966	5447	4589	130.2	412	3574	17.8
240	503	55.8	59.1	61.7	491	7306	4962	4158	123.9	425	3630	17.6
260	518	55.7	59.1	61.7	505	6630	4466	3717	117.4	438	3682	17.5
280	533	55.5	59.1	61.7	520	5941	3960	3266	110.9	452	3732	17.3
290	533	53.6	57.3	60.0	528	5592	3703	3038	107.7	459	3756	17.2
310	528	49.3	53.3	56.3	528	7843	5115	4139	100.0	473	3800	17.0
330	523	45.4	49.8	53.0	523	7191	4813	3652	92.2	488	3841	16.9
350	519	41.8	46.6	50.2	519	6494	4231	3129	84.4	504	3878	16.7
370	516	38.6	43.9	47.9	516	5157	3237	2304	76.8	516	3778	16.5
390	516	35.9	41.7	46.0	516	4499	2672	1789	69.4	516	3666	16.4
410	516	33.5	39.9	44.7	516	4330	2065	1233	62.0	516	3601	16.2
430	516	31.4	38.4	43.7	516	3473	1418	639	54.7	516	3581	16.0
450	516	29.6	37.3	43.1	516	2570	731	7	47.5	516	3605	15.9
470	516	28.0	36.6	42.9	516	1622	6	0	40.2	516	3670	15.7
490	516	26.7	36.1	43.2	516	634	0	0	33.1	516	3777	15.5
510	516	25.7	36.1	43.8	516	0	0	0	25.9	516	3924	15.3
530	516	24.9	36.3	44.8	516	0	0	0	18.9	516	4112	15.2
550	516	24.3	36.9	46.2	516	0	0	0	11.8	516	4341	15.0
570	516	24.0	37.8	48.1	516	0	0	0	4.8	516	4611	14.8
590	516	23.9	39.1	50.4	516	0	0	0	0.0	516	4924	14.7

610	516	24.0	40.7	53.2	516	0	0	0	0.0	516	5281	14.5
630	516	24.3	42.7	56.5	516	0	0	0	0.0	516	5684	14.3
650	516	24.8	45.1	60.3	516	0	0	0	0.0	516	6135	14.2

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: F16___

Source OPF File: Jun 27 2017
Source APF file: Jun 27 2017

Speeds: CAS(LO/HI) Mach
climb - 250/445 0.84
cruise - 250/330 0.84
descent - 250/300 0.95

Mass Levels [kg]
low - 10996
nominal - 12701
high - 21773

Temperature: ISA

Max Alt. [ft]: 60000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					155	5828	5211	2989	52.3	149	545	12.7
5					156	5767	5150	2927	51.8	150	574	12.6
10					157	5705	5089	2865	51.4	156	478	12.8
15					164	5943	5299	2999	52.0	168	275	13.2
20					165	5879	5236	2936	51.6	200	1788	9.5
30	230	11.0	13.5	32.9	188	6864	6111	3529	54.8	230	1706	9.4
40	233	11.2	13.7	33.3	222	8197	7291	4136	59.9	233	1741	9.4
60	272	11.8	14.0	31.1	272	9846	8397	3844	65.8	272	1789	9.3
80	280	12.0	14.3	31.8	280	9417	8009	3546	63.6	280	1861	9.3
100	289	12.3	14.6	32.6	507	11862	10341	5918	96.6	345	2134	9.2
120	297	12.6	15.0	33.5	520	11097	9660	5452	93.1	356	2208	9.1
140	401	17.1	18.9	32.6	528	15168	13177	7297	88.8	366	2283	9.1
160	413	17.4	19.3	33.4	524	14114	12223	6573	82.9	377	2357	9.0
180	425	17.8	19.7	34.3	520	13080	11286	5851	77.2	388	2432	9.0
200	438	18.2	20.1	35.2	516	12069	10366	5131	71.8	400	2507	8.9
220	451	18.6	20.6	36.2	512	11080	9464	4410	66.6	412	2581	8.8
240	465	19.0	21.1	37.2	508	10113	8579	3687	61.6	425	2656	8.8
260	479	19.4	21.5	38.3	504	9168	7711	2962	56.9	438	2729	8.7
280	493	19.8	22.0	39.5	499	8246	6860	2231	52.4	452	2802	8.6
290	497	19.8	22.1	40.0	497	7793	6440	1863	50.2	459	2839	8.6
310	493	19.2	21.7	41.2	493	6902	5611	1119	46.0	473	2911	8.5
330	489	18.8	21.5	42.7	489	6031	4795	363	42.1	488	2102	8.5
350	484	18.5	21.5	44.6	484	5179	3992	0	38.4	504	2233	8.4
370	482	18.4	21.7	47.0	482	3953	2910	0	35.0	522	2195	8.3
390	482	18.6	22.2	50.1	482	3238	2217	0	31.9	543	2321	8.3
410	482	19.0	23.0	53.6	482	2524	1519	0	29.0	545	3704	8.2
430	482	19.5	23.9	57.7	482	1812	815	0	26.3	545	3914	8.2
450	482	20.3	25.1	62.3	482	1099	104	0	23.8	545	4163	8.1
470	482	21.2	26.5	67.4	482	385	0	0	21.4	545	4453	8.0
490	482	22.3	28.1	73.2	482	0	0	0	19.1	545	4786	8.0
510	482	23.6	30.0	79.6	482	0	0	0	17.1	545	5163	7.9
530	482	25.1	32.2	86.8	482	0	0	0	15.2	545	5588	7.8
550	482	26.9	34.7	94.8	482	0	0	0	13.4	545	6064	7.8
570	482	28.9	37.5	103.7	482	0	0	0	11.9	545	6593	7.7
590	482	31.2	40.6	113.5	482	0	0	0	10.5	545	7182	7.6

600	482	32.4	42.3	118.8	482	0	0	0	9.8	545	7499	7.6	

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: F27___

Source OPF File: Nov 07 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 150/140 0.50
cruise - 170/170 0.50
descent - 210/210 0.50

Mass Levels [kg]
low - 14400
nominal - 17000
high - 20000

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					123	1666	1439	1218	20.2	99	532	8.5
5					134	1621	1394	1175	19.8	99	536	8.5
10					140	1583	1357	1137	19.4	105	535	8.5
15					153	1463	1283	1102	19.0	116	573	8.5
20					154	1440	1260	1081	18.8	148	676	8.5
30	178	6.8	7.4	8.4	157	1393	1216	1037	18.4	219	1294	8.5
40	180	6.8	7.5	8.4	159	1346	1171	994	17.9	222	1310	8.5
60	186	7.0	7.7	8.6	164	1252	1081	906	17.2	229	1341	8.5
80	191	7.1	7.8	8.8	169	1157	990	818	16.4	236	1372	8.5
100	197	7.2	8.0	9.0	163	1121	947	766	15.8	243	1404	8.5
120	203	7.4	8.1	9.1	168	1027	857	677	15.0	250	1437	8.5
140	210	7.5	8.3	9.3	173	932	766	588	14.2	258	1470	8.5
160	216	7.7	8.4	9.5	179	838	674	498	13.5	266	1504	8.5
180	223	7.8	8.6	9.7	184	742	582	408	12.7	275	1537	8.5
200	231	7.9	8.7	9.9	191	784	541	317	11.9	284	1224	8.5
220	238	8.1	8.9	10.0	197	668	439	226	11.2	293	1277	8.5
240	246	8.2	9.1	10.2	204	551	336	134	10.5	302	1552	8.5
250	251	8.3	9.1	10.3	207	493	284	88	10.1	301	1503	8.5

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: F28___

Source OPF File: Jan 29 2009
Source APF file: Apr 30 2002

Speeds: CAS(LO/HI) Mach
climb - 250/270 0.65
cruise - 250/300 0.70
descent - 250/280 0.70

Mass Levels [kg]
low - 20880
nominal - 24000
high - 33000

Temperature: ISA

Max Alt. [ft]: 35000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					127	3086	2860	2367	108.1	108	906	19.5
5					128	3042	2817	2325	106.4	108	913	19.5
10					129	2998	2774	2283	104.6	114	893	19.4
15					135	3112	2873	2357	103.3	125	858	19.4
20					136	3066	2829	2313	101.6	157	815	19.4
30	230	16.8	18.5	24.7	159	3549	3257	2642	100.0	230	1066	19.3
40	233	16.9	18.6	24.8	193	4183	3815	3065	99.3	233	1079	19.2
60	272	19.6	21.0	26.0	272	5173	4572	3405	98.3	272	1350	19.1
80	280	19.7	21.1	26.1	280	4813	4247	3140	91.7	280	1379	19.0
100	289	19.8	21.2	26.3	311	4600	4060	3007	87.0	323	1739	18.8
120	297	19.9	21.3	26.4	321	4224	3720	2730	80.9	332	1771	18.7
140	366	26.4	27.4	31.3	330	3857	3388	2459	75.1	342	1803	18.6
160	377	26.5	27.5	31.4	340	3501	3065	2196	69.7	353	1834	18.4
180	388	26.6	27.6	31.6	351	3156	2753	1941	64.6	363	1864	18.3
200	400	26.6	27.7	31.7	362	2825	2453	1695	59.8	375	1894	18.1
220	412	26.7	27.8	31.9	373	2509	2166	1459	55.3	386	1923	18.0
240	423	26.6	27.7	31.9	385	2210	1894	1236	51.2	398	1951	17.9
260	420	24.9	26.1	30.7	390	2497	2120	1320	47.1	411	1977	17.7
280	416	23.4	24.8	29.7	386	2499	2024	1073	43.2	416	2572	17.6
290	414	22.7	24.1	29.3	385	2347	1886	956	41.4	414	2500	17.5
310	411	21.5	23.0	28.7	381	2069	1631	735	38.1	411	2371	17.4
330	407	20.4	22.1	28.3	378	1822	1401	528	35.3	407	1861	17.3
350	403	19.5	21.4	28.2	375	1606	1197	336	32.8	403	1802	17.1

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: F2TH__

Source OPF File: Feb 14 2011
Source APF file: Mar 12 2010

Speeds: CAS(LO/HI) Mach
climb - 250/260 0.74
cruise - 250/300 0.80
descent - 250/300 0.80

Mass Levels [kg]
low - 12170
nominal - 16329
high - 19142

Temperature: ISA

Max Alt. [ft]: 47000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					141	3438	2906	2629	34.3	135	724	6.2
5					143	3429	2896	2618	34.1	136	731	6.2
10					144	3420	2885	2606	33.9	142	735	6.2
15					150	3563	2992	2697	33.9	153	636	6.2
20					151	3553	2980	2685	33.7	185	554	6.1
30	230	8.6	9.7	10.6	174	4083	3375	3020	34.3	230	897	6.1
40	233	8.6	9.8	10.7	208	4720	3826	3390	35.3	233	921	6.0
60	272	10.9	11.8	12.6	272	5363	4138	3574	37.0	272	1403	5.9
80	280	11.0	11.9	12.7	280	5217	4016	3461	36.0	280	1464	5.8
100	289	11.1	12.0	12.8	300	5041	3878	3340	35.6	345	2620	5.7
120	297	11.2	12.1	12.9	309	4861	3729	3203	34.6	356	2696	5.6
140	366	16.2	16.9	17.5	318	4668	3569	3057	33.6	366	2773	5.5
160	377	16.3	17.0	17.6	328	4463	3399	2901	32.6	377	2850	5.4
180	388	16.4	17.1	17.8	338	4245	3219	2736	31.6	388	2926	5.3
200	400	16.5	17.2	17.9	349	4013	3028	2560	30.5	400	3001	5.2
220	412	16.6	17.3	18.0	360	3768	2825	2375	29.5	412	3075	5.1
240	425	16.7	17.4	18.1	371	3510	2612	2180	28.4	425	3148	5.0
260	438	16.7	17.5	18.2	383	3237	2387	1974	27.2	438	3218	4.9
280	452	16.8	17.6	18.3	396	2951	2151	1758	26.1	452	3286	4.8
290	459	16.8	17.7	18.4	402	2803	2029	1647	25.5	459	3319	4.8
310	469	16.6	17.5	18.2	415	2496	1776	1416	24.2	469	4454	4.7
330	465	15.3	16.2	17.0	429	2176	1512	1174	23.0	465	4112	4.6
350	461	14.1	15.1	16.0	427	2720	1836	1379	21.3	461	3816	4.5
370	459	13.0	14.1	15.1	424	2290	1558	1061	19.7	459	3274	4.4
390	459	12.1	13.3	14.4	424	2301	1304	817	18.1	459	3114	4.3
410	459	11.3	12.7	13.8	424	1971	1017	542	16.5	459	2992	4.2
430	459	10.6	12.1	13.4	424	1603	697	236	14.8	459	2905	4.1
450	459	10.0	11.7	13.1	424	1199	345	0	13.2	459	2852	4.0
470	459	9.5	11.3	12.9	424	761	0	0	11.6	459	2832	3.9

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: F406__

Source OPF File: Nov 17 2016
Source APF file: Nov 17 2016

Speeds: CAS(LO/HI) Mach
climb - 112/112 0.31
cruise - 180/180 0.36
descent - 180/180 0.49

Mass Levels [kg]
low - 2740
nominal - 3765
high - 4246

Temperature: ISA

Max Alt. [ft]: 30000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					112	2949	2336	2118	5.6	104	557	3.4
5					113	2917	2303	2087	5.6	105	562	3.4
10					114	2879	2270	2055	5.5	110	573	3.4
15					114	2842	2237	2023	5.5	121	447	3.4
20					115	2805	2205	1992	5.4	153	311	3.4
30	188	2.6	2.9	3.0	117	2730	2139	1929	5.3	188	631	3.4
40	191	2.6	2.9	3.1	119	2656	2074	1866	5.2	191	654	3.4
60	196	2.7	3.0	3.2	122	2508	1944	1741	5.0	196	699	3.3
80	202	2.8	3.1	3.3	126	2362	1815	1616	4.8	202	745	3.3
100	209	2.9	3.2	3.4	130	2217	1687	1492	4.7	209	792	3.3
120	215	3.0	3.4	3.5	134	2073	1559	1368	4.5	215	838	3.2
140	222	3.1	3.5	3.7	139	1930	1433	1245	4.3	222	885	3.2
160	225	3.1	3.5	3.7	143	1788	1307	1123	4.1	229	539	3.2
180	223	2.9	3.3	3.5	148	1649	1182	1002	3.9	236	600	3.2
200	221	2.7	3.1	3.4	153	1511	1059	881	3.7	244	661	3.1
220	219	2.5	3.0	3.2	158	1374	937	762	3.6	252	721	3.1
240	218	2.4	2.9	3.1	163	1534	869	643	3.4	261	781	3.1
260	216	2.3	2.8	3.1	169	1370	741	526	3.2	269	840	3.0
280	214	2.2	2.7	3.0	175	1209	616	410	3.1	279	899	3.0
290	213	2.1	2.7	3.0	178	1130	553	353	3.0	283	928	3.0
300	212	2.1	2.7	3.0	182	1051	492	296	2.9	288	957	3.0

BADA PERFORMANCE FILE Apr 12 2012

AC/Type: F50___

Source OPF File: Apr 12 2012
Source APF file: Mar 06 2012

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.36
cruise - 224/224 0.46
descent - 220/220 0.50

Mass Levels [kg]
low - 15600
nominal - 18000
high - 20820

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					132	2274	2052	1825	17.9	103	557	6.4
5					143	2218	1991	1760	17.6	104	563	6.4
10					149	2166	1938	1705	17.3	110	577	6.4
15					174	1916	1747	1574	16.8	121	611	6.4
20					175	1881	1714	1542	16.6	152	326	6.4
30	188	7.3	7.7	8.2	178	1813	1648	1478	16.2	230	1513	6.3
40	191	7.4	7.8	8.3	180	1744	1582	1414	15.8	233	1550	6.3
60	244	11.3	11.6	11.9	186	1607	1450	1287	15.1	240	1623	6.2
80	251	11.3	11.6	12.0	191	1470	1319	1159	14.3	247	1696	6.1
100	259	11.3	11.6	12.0	197	1334	1187	1032	13.6	254	1266	6.0
120	267	11.3	11.6	12.0	203	1198	1057	904	12.9	262	1358	5.9
140	275	11.3	11.6	12.0	210	1062	926	778	12.1	270	1450	5.8
160	284	11.3	11.6	12.0	216	928	796	651	11.4	279	1542	5.7
180	285	10.8	11.1	11.5	223	870	731	576	10.8	288	1633	5.7
200	283	10.1	10.4	10.8	221	966	728	502	10.2	297	1723	5.6
220	280	9.4	9.8	10.3	219	876	642	417	9.5	305	2081	5.5
240	278	8.8	9.2	9.8	218	775	544	322	8.9	302	1922	5.4
250	277	8.6	9.0	9.5	217	720	492	270	8.6	301	1851	5.3

BADA PERFORMANCE FILE May 22 2013

AC/Type: F70___

Source OPF File: Apr 25 2013
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/280 0.70
cruise - 250/280 0.70
descent - 250/290 0.70

Mass Levels [kg]
low - 27360
nominal - 34000
high - 39900

Temperature: ISA

Max Alt. [ft]: 37000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					140	2323	2032	1820	43.9	130	701	11.0
5					141	2309	2017	1804	43.6	131	708	11.0
10					142	2294	2002	1788	43.4	137	705	11.0
15					148	2389	2079	1854	43.9	149	793	11.0
20					149	2374	2063	1837	43.6	181	969	11.0
30	230	15.0	16.8	18.7	172	2737	2359	2092	46.1	230	1323	11.0
40	233	15.2	17.0	18.9	206	3166	2698	2375	50.1	233	1340	11.0
60	272	19.7	21.3	22.9	272	3550	2919	2503	57.1	272	1749	11.0
80	280	20.1	21.6	23.3	280	3400	2787	2382	55.7	280	1789	11.0
100	289	20.4	22.0	23.7	323	3154	2589	2216	58.7	334	2516	11.0
120	297	20.8	22.4	24.2	332	2970	2429	2069	57.2	344	2562	11.0
140	342	27.0	28.4	30.0	342	2783	2265	1919	55.7	354	2606	11.0
160	353	27.4	28.9	30.5	353	2591	2098	1766	54.2	365	2650	11.0
180	363	27.9	29.4	31.1	363	2396	1927	1609	52.7	376	2692	11.0
200	375	28.4	29.9	31.6	375	2198	1754	1450	51.2	387	2733	11.0
220	386	28.8	30.5	32.2	386	1997	1578	1288	49.6	399	2772	11.0
240	398	29.3	31.0	32.8	398	1793	1399	1125	48.0	412	2809	11.0
260	411	29.8	31.5	33.4	411	1587	1219	959	46.4	420	3683	11.0
280	416	29.0	30.8	32.8	416	1916	1444	1107	44.2	416	3436	11.0
290	414	27.9	29.9	31.9	414	1865	1392	1052	42.7	414	3324	11.0
310	411	26.0	28.1	30.3	411	1966	1346	931	39.9	411	1064	11.0
330	407	24.2	26.5	28.9	407	1821	1208	795	37.2	407	1031	11.0
350	403	22.7	25.2	27.8	403	1661	1056	644	34.5	403	1018	11.0
370	401	21.4	24.1	27.0	401	1394	835	450	32.0	401	963	11.0

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: F900__

Source OPF File: Feb 11 2011
Source APF file: Mar 12 2010

Speeds: CAS(LO/HI) Mach
climb - 250/260 0.74
cruise - 250/300 0.80
descent - 250/300 0.80

Mass Levels [kg]
low - 12995
nominal - 18597
high - 22226

Temperature: ISA

Max Alt. [ft]: 51000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					147	3417	2727	2399	41.8	136	751	5.5
5					148	3402	2712	2382	41.5	137	760	5.4
10					149	3388	2696	2366	41.1	143	752	5.4
15					155	3529	2795	2448	41.0	154	743	5.4
20					156	3513	2778	2430	40.7	186	723	5.4
30	230	9.9	11.9	13.6	179	4049	3152	2743	40.9	230	987	5.4
40	233	10.0	11.9	13.6	214	4705	3587	3095	41.4	233	1010	5.4
60	272	12.3	13.9	15.2	272	5448	3893	3250	42.0	272	1407	5.4
80	280	12.3	13.9	15.3	280	5270	3752	3121	40.7	280	1464	5.3
100	289	12.4	14.0	15.4	300	5091	3621	3010	39.7	345	2420	5.3
120	297	12.4	14.1	15.5	309	4883	3458	2861	38.4	356	2488	5.3
140	366	17.5	18.7	19.8	318	4665	3286	2705	37.0	366	2557	5.3
160	377	17.5	18.8	19.9	328	4437	3106	2543	35.6	377	2624	5.2
180	388	17.6	18.9	20.0	338	4198	2919	2373	34.3	388	2691	5.2
200	400	17.7	19.0	20.0	349	3950	2724	2196	32.9	400	2757	5.2
220	412	17.7	19.0	20.1	360	3691	2520	2012	31.5	412	2822	5.2
240	425	17.7	19.1	20.2	371	3422	2309	1821	30.1	425	2884	5.1
260	438	17.8	19.2	20.3	383	3142	2089	1622	28.7	438	2808	5.1
280	452	17.8	19.2	20.4	396	2853	1862	1417	27.3	452	2872	5.1
290	459	17.8	19.2	20.4	402	2705	1746	1311	26.6	459	2903	5.1
310	469	17.5	19.0	20.2	415	2402	1508	1096	25.1	469	4142	5.1
330	465	16.2	17.8	19.2	429	2090	1262	873	23.7	465	3864	5.0
350	461	15.0	16.7	18.2	427	2583	1557	954	22.0	461	3626	5.0
370	459	13.9	15.8	17.5	424	2149	1204	654	20.2	459	3147	5.0
390	459	13.0	15.1	16.9	424	2148	944	401	18.6	459	3029	5.0
410	459	12.2	14.5	16.5	424	1818	658	122	16.9	459	2943	4.9
430	459	11.5	14.1	16.3	424	1460	346	0	15.3	459	2890	4.9
450	459	10.9	13.8	16.2	424	1074	8	0	13.6	459	2867	4.9
470	459	10.4	13.6	16.2	424	662	0	0	12.0	459	2875	4.8
490	459	10.1	13.5	16.4	424	224	0	0	10.4	459	2913	4.8
510	459	9.8	13.6	16.8	424	0	0	0	8.8	459	2981	4.8

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: FA10__

Source OPF File: Jan 28 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/280 0.74
cruise - 250/300 0.75
descent - 250/330 0.80

Mass Levels [kg]
low - 6000
nominal - 7250
high - 8755

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					127	2611	2274	1935	17.1	119	1322	13.9
5					128	2598	2260	1920	17.0	120	1331	13.7
10					129	2585	2246	1904	16.9	126	1329	13.6
15					135	2724	2364	2005	16.8	137	1335	13.5
20					136	2710	2350	1989	16.7	169	1089	13.4
30	230	5.9	6.5	7.2	159	3221	2784	2360	16.8	230	1704	13.1
40	233	5.9	6.5	7.2	193	3808	3268	2759	17.1	233	1732	12.9
60	272	7.3	7.7	8.4	272	4247	3559	2939	17.7	272	2382	12.4
80	280	7.3	7.8	8.4	280	4089	3417	2809	17.2	280	2451	11.9
100	289	7.4	7.8	8.4	323	3645	3044	2501	17.2	379	5059	11.4
120	297	7.4	7.8	8.5	332	3443	2864	2338	16.7	390	2622	11.0
140	366	10.4	10.7	11.2	342	3235	2678	2169	16.2	401	2759	10.5
160	377	10.4	10.8	11.3	353	3020	2487	1995	15.7	413	2895	10.0
180	388	10.5	10.8	11.3	363	2799	2289	1816	15.2	425	3029	9.5
200	400	10.5	10.9	11.4	375	2571	2086	1632	14.7	438	3162	9.0
220	412	10.5	10.9	11.4	386	2338	1878	1443	14.2	451	3291	8.6
240	425	10.6	10.9	11.4	398	2099	1665	1249	13.6	465	3418	8.1
260	438	10.6	10.9	11.5	411	1855	1447	1051	13.1	479	3540	7.6
280	446	10.3	10.7	11.3	424	1607	1225	849	12.6	476	4596	7.1
290	444	9.9	10.3	10.9	431	1481	1112	747	12.4	473	4377	6.9
310	440	9.2	9.6	10.3	434	1872	1373	872	11.8	469	3981	6.4
330	436	8.5	9.0	9.7	430	1839	1321	797	11.1	465	3641	5.9
350	432	7.9	8.5	9.2	427	1770	1314	689	10.4	461	3354	5.4
370	430	7.4	8.0	8.8	424	1743	1105	510	9.8	459	2864	4.9
390	430	7.0	7.6	8.5	424	1610	962	350	9.2	459	2721	4.4
410	430	6.6	7.3	8.3	424	1440	783	157	8.6	459	2622	4.0
430	430	6.3	7.1	8.2	424	1233	571	0	8.0	459	2566	3.5
450	430	6.0	6.9	8.1	424	992	326	0	7.4	459	2549	3.0

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: FA20__

Source OPF File: Feb 14 2011
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/260 0.70
cruise - 250/320 0.76
descent - 250/300 0.70

Mass Levels [kg]
low - 8808
nominal - 10000
high - 12000

Temperature: ISA

Max Alt. [ft]: 42000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					138	2697	2522	2272	45.7	129	675	9.4
5					139	2681	2505	2255	45.3	129	682	9.3
10					140	2665	2489	2237	44.8	135	688	9.3
15					146	2761	2573	2307	44.4	147	792	9.3
20					147	2744	2555	2288	43.9	179	1057	9.2
30	230	12.1	12.8	14.0	170	3105	2872	2549	43.1	230	1612	9.2
40	233	12.1	12.7	14.0	204	3510	3217	2817	42.2	233	1633	9.1
60	272	14.5	15.0	15.9	272	3717	3344	2855	40.4	272	2221	9.0
80	280	14.5	15.0	15.9	280	3544	3182	2708	38.7	280	2273	8.9
100	289	14.4	14.9	15.9	300	3315	2974	2525	37.0	345	3591	8.8
120	297	14.4	14.9	15.8	309	3118	2791	2358	35.3	356	3652	8.7
140	390	21.5	21.8	22.4	318	2914	2601	2186	33.6	366	3712	8.6
160	401	21.4	21.7	22.3	328	2702	2405	2008	32.0	377	3769	8.4
180	413	21.2	21.6	22.2	338	2484	2203	1824	30.3	388	3824	8.3
200	425	21.1	21.4	22.0	349	2259	1994	1635	28.7	400	3877	8.2
220	438	20.9	21.2	21.8	360	2028	1780	1440	27.1	412	3926	8.1
240	451	20.7	21.1	21.7	371	1790	1559	1239	25.5	423	5218	8.0
260	456	19.8	20.1	20.8	383	1547	1333	1033	24.0	420	4818	7.9
280	452	18.3	18.7	19.4	396	1297	1101	823	22.4	416	4456	7.8
290	450	17.6	18.0	18.8	402	1171	984	716	21.6	414	4289	7.7
310	446	16.3	16.7	17.6	411	1269	1039	704	20.1	411	3980	7.6
330	442	15.2	15.6	16.5	407	1134	904	564	18.6	407	1515	7.5
350	438	14.1	14.6	15.6	403	1091	800	404	17.2	403	1465	7.4
370	436	13.1	13.7	14.8	401	841	576	211	15.7	401	1352	7.2
390	436	12.3	12.9	14.1	401	642	384	24	14.3	401	1369	7.1
410	436	11.6	12.2	13.6	401	419	169	0	12.9	401	1410	7.0
420	436	11.3	12.0	13.3	401	298	54	0	12.2	401	1440	7.0

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: FA50__

Source OPF File: Feb 09 2011
Source APF file: Mar 12 2010

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/260 0.72 low - 11524
cruise - 250/300 0.80 nominal - 14969 Max Alt. [ft]: 49000
descent - 250/300 0.80 high - 18008

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					127	3038	2618	2333	38.9	123	662	3.9
5					127	3031	2610	2323	38.6	124	668	4.0
10					128	3024	2602	2314	38.4	130	671	4.0
15					134	3170	2716	2411	38.3	141	585	4.0
20					135	3162	2707	2400	38.0	173	515	4.0
30	230	10.4	11.3	12.3	158	3699	3127	2753	38.2	230	1029	4.0
40	233	10.4	11.3	12.4	192	4344	3610	3144	38.7	233	1053	4.1
60	272	13.1	13.9	14.7	272	4989	3979	3374	40.1	272	1627	4.1
80	280	13.2	13.9	14.7	280	4846	3858	3264	39.0	280	1690	4.2
100	289	13.2	14.0	14.8	300	4640	3691	3120	38.2	345	3033	4.2
120	297	13.3	14.0	14.9	309	4462	3541	2985	37.0	356	3113	4.3
140	366	19.0	19.6	20.2	318	4271	3381	2840	35.9	366	3193	4.4
160	377	19.1	19.6	20.3	328	4067	3209	2686	34.7	377	3272	4.4
180	388	19.1	19.7	20.3	338	3850	3026	2521	33.5	388	3350	4.5
200	400	19.1	19.7	20.4	349	3618	2831	2346	32.2	400	3427	4.5
220	412	19.2	19.8	20.4	360	3372	2625	2161	31.0	412	3503	4.6
240	425	19.2	19.8	20.5	371	3112	2407	1965	29.7	425	2826	4.7
260	438	19.2	19.8	20.5	383	2837	2176	1758	28.4	438	2925	4.7
280	452	19.2	19.8	20.5	396	2548	1933	1540	27.0	452	3022	4.8
290	459	19.2	19.8	20.5	402	2398	1808	1428	26.3	459	3070	4.8
310	469	18.9	19.5	20.3	415	2087	1547	1194	24.9	469	4399	4.9
330	465	17.3	18.0	18.9	419	2523	1832	1373	23.3	465	4032	4.9
350	461	15.9	16.7	17.6	415	2320	1643	1186	21.5	461	3714	5.0
370	459	14.7	15.5	16.5	413	1946	1406	906	19.8	459	3164	5.0
390	459	13.6	14.5	15.6	413	1929	1168	681	18.1	459	2989	5.1
410	459	12.6	13.7	14.8	413	1615	894	425	16.4	459	2855	5.2
430	459	11.7	12.9	14.2	413	1263	588	138	14.6	459	2758	5.2
450	459	11.0	12.3	13.7	413	874	250	0	12.9	459	2698	5.3
470	459	10.3	11.8	13.3	413	450	0	0	11.1	459	2671	5.3
490	459	9.8	11.4	13.1	413	0	0	0	9.3	459	2678	5.4

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: FA7X__

Source OPF File: Feb 09 2011
Source APF file: Mar 12 2010

Speeds: CAS(LO/HI) Mach
climb - 250/260 0.78
cruise - 250/300 0.80
descent - 250/300 0.80

Mass Levels [kg]
low - 18071
nominal - 26309
high - 31751

Temperature: ISA

Max Alt. [ft]: 51000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					143	3422	2741	2420	53.6	132	734	6.1
5					144	3407	2725	2403	53.2	133	742	6.1
10					145	3391	2708	2386	52.8	139	733	6.1
15					151	3538	2811	2471	52.8	150	721	6.2
20					152	3521	2793	2453	52.4	182	905	6.2
30	230	10.9	13.3	15.4	175	4087	3190	2787	53.4	230	1063	6.2
40	233	10.9	13.3	15.4	209	4808	3678	3187	55.3	233	1081	6.2
60	272	13.7	15.7	17.4	272	5847	4144	3452	58.3	272	1422	6.2
80	280	13.8	15.8	17.6	280	5657	3997	3320	56.5	280	1465	6.2
100	289	13.9	16.0	17.8	300	5507	3890	3229	55.6	345	2266	6.2
120	297	14.1	16.2	18.0	309	5288	3721	3078	53.7	356	2317	6.2
140	366	20.4	22.0	23.4	318	5060	3545	2920	51.9	366	2367	6.2
160	377	20.6	22.2	23.6	328	4822	3362	2756	50.1	377	2416	6.3
180	388	20.7	22.4	23.8	338	4575	3172	2586	48.3	388	2465	6.3
200	400	20.9	22.6	24.1	349	4319	2975	2409	46.4	400	2512	6.3
220	412	21.0	22.8	24.3	360	4053	2770	2226	44.5	412	2557	6.3
240	425	21.2	23.0	24.5	371	3778	2558	2036	42.7	425	2601	6.3
260	438	21.3	23.2	24.8	383	3493	2339	1840	40.8	438	2643	6.3
280	452	21.5	23.4	25.0	396	3200	2113	1638	38.8	452	2682	6.4
290	459	21.5	23.5	25.1	402	3050	1998	1534	37.9	459	2701	6.4
310	469	21.3	23.3	25.0	415	2745	1762	1323	35.9	469	3831	6.4
330	465	19.7	21.8	23.7	429	2431	1521	1106	33.9	465	3580	6.4
350	461	18.2	20.6	22.6	443	2110	1273	884	31.9	461	3361	6.4
370	459	16.9	19.5	21.8	447	2398	1444	885	29.5	459	2322	6.4
390	459	15.8	18.7	21.1	447	2115	1178	634	26.9	459	2259	6.4
410	459	14.8	18.0	20.7	447	2064	891	362	24.4	459	2222	6.5
430	459	14.0	17.5	20.5	447	1692	583	68	22.0	459	2212	6.5
450	459	13.3	17.2	20.5	447	1299	254	0	19.5	459	2228	6.5
470	459	12.8	17.0	20.7	447	884	0	0	17.1	459	2268	6.5
490	459	12.3	17.0	21.0	447	450	0	0	14.7	459	2332	6.5
510	459	12.0	17.1	21.6	447	0	0	0	12.4	459	2421	6.5

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: FGTH__

Source OPF File: Apr 30 2002
Source APF file: Apr 30 2002

Speeds: CAS(LO/HI) Mach
climb - 250/400 0.95
cruise - 250/400 0.95
descent - 250/380 0.90

Mass Levels [kg]
low - 9600
nominal - 10000
high - 12000

Temperature: ISA

Max Alt. [ft]: 50000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					250	13896	13429	11431	0.0	220	2899	0.0
5					252	13889	13421	11419	0.0	222	2917	0.0
10					254	13881	13412	11407	0.0	223	2936	0.0
15					255	13873	13403	11395	0.0	225	2954	0.0
20					257	13864	13393	11382	0.0	226	2973	0.0
30	230	0.0	0.0	0.0	261	13844	13372	11354	0.0	230	3011	0.0
40	233	0.0	0.0	0.0	265	13821	13348	11323	0.0	233	3050	0.0
60	272	0.0	0.0	0.0	272	13768	13292	11254	0.0	272	3192	0.0
80	280	0.0	0.0	0.0	280	13703	13225	11174	0.0	280	3269	0.0
100	289	0.0	0.0	0.0	457	18101	17580	15412	0.0	435	5169	0.0
120	297	0.0	0.0	0.0	470	17845	17328	15175	0.0	447	5229	0.0
140	483	0.0	0.0	0.0	483	17572	17059	14922	0.0	460	5287	0.0
160	496	0.0	0.0	0.0	496	17282	16773	14654	0.0	473	5341	0.0
180	510	0.0	0.0	0.0	510	16974	16471	14369	0.0	486	5392	0.0
200	524	0.0	0.0	0.0	524	16649	16151	14069	0.0	500	5439	0.0
220	539	0.0	0.0	0.0	539	16307	15815	13754	0.0	514	5483	0.0
240	554	0.0	0.0	0.0	554	15948	15462	13423	0.0	529	5522	0.0
260	569	0.0	0.0	0.0	569	24775	24012	20803	0.0	540	8407	0.0
280	565	0.0	0.0	0.0	565	23996	23238	20037	0.0	535	8044	0.0
290	562	0.0	0.0	0.0	562	23587	22831	19633	0.0	533	7886	0.0
310	557	0.0	0.0	0.0	557	22729	21979	18784	0.0	528	7618	0.0
330	553	0.0	0.0	0.0	553	21821	21075	17881	0.0	523	7414	0.0
350	548	0.0	0.0	0.0	548	20863	20121	16923	0.0	519	7274	0.0
370	545	0.0	0.0	0.0	545	17541	16888	14054	0.0	516	6449	0.0
390	545	0.0	0.0	0.0	545	16760	16103	13230	0.0	516	6501	0.0
410	545	0.0	0.0	0.0	545	17497	16497	12341	0.0	516	6613	0.0
430	545	0.0	0.0	0.0	545	16513	15522	11387	0.0	516	6786	0.0
450	545	0.0	0.0	0.0	545	15465	14482	10365	0.0	516	7022	0.0
470	545	0.0	0.0	0.0	545	14352	13377	9272	0.0	516	7323	0.0
490	545	0.0	0.0	0.0	545	13172	12203	8105	0.0	516	7691	0.0
500	545	0.0	0.0	0.0	545	12555	11590	7492	0.0	516	7902	0.0

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: FGTL__

Source OPF File: Apr 30 2002
Source APF file: Apr 30 2002

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/350 0.80 low - 103200
cruise - 250/350 0.80 nominal - 180000 Max Alt. [ft]: 41000
descent - 250/350 0.80 high - 214600

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					250	5576	3208	2460	407.0	220	1544	22.2
5					252	5526	3168	2424	402.1	222	1554	22.1
10					254	5477	3129	2387	397.2	223	1564	22.0
15					255	5526	3089	2350	392.3	225	1574	21.9
20					257	5475	3049	2313	387.5	226	1584	21.8
30	230	73.2	143.0	186.8	261	5716	2969	2238	377.9	230	1604	21.6
40	233	73.2	143.1	186.9	265	5610	2888	2163	368.4	233	1625	21.4
60	272	76.7	131.0	165.2	272	5378	2725	2010	350.0	272	1699	21.0
80	280	76.6	131.1	165.4	280	5144	2558	1855	332.0	280	1740	20.6
100	289	76.5	131.3	165.6	402	5420	2954	2322	314.7	402	2414	20.2
120	297	76.4	131.4	165.9	413	5077	2725	2115	297.9	413	2450	19.8
140	425	108.8	137.6	155.6	425	4736	2497	1909	281.6	425	2484	19.4
160	437	108.2	137.1	155.3	437	4396	2269	1704	265.9	437	2518	19.0
180	450	107.5	136.7	155.0	450	4058	2043	1499	250.8	450	2550	18.6
200	463	106.7	136.2	154.7	463	3724	1818	1295	236.2	463	2581	18.2
220	476	105.9	135.7	154.4	476	3395	1596	1093	222.1	476	2611	17.8
240	484	102.9	133.9	153.4	484	4424	1977	1277	208.6	484	3692	17.4
260	480	96.9	130.8	152.1	480	4097	1702	1000	195.7	480	3576	17.0
280	476	91.7	128.7	151.9	476	3771	1422	714	183.3	476	3488	16.5
290	473	89.3	128.0	152.3	473	3608	1279	567	177.3	473	3454	16.3
310	469	84.9	127.4	154.0	469	3283	987	265	165.8	469	3408	15.9
330	465	81.3	127.8	157.0	465	3401	716	0	154.8	465	3390	15.5
350	461	78.3	129.4	161.5	461	3029	393	0	144.3	461	3401	15.1
370	459	75.9	132.2	167.5	459	2443	54	0	134.4	459	3163	14.7
390	459	74.3	136.2	175.1	459	2122	0	0	125.1	459	3259	14.3
410	459	73.3	141.5	184.3	459	1796	0	0	116.3	459	3386	13.9

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: G150__

Source OPF File: Jun 22 2016
Source APF file: Jun 22 2016

Speeds: CAS(LO/HI) Mach
climb - 250/250 0.75
cruise - 250/300 0.78
descent - 250/250 0.75

Mass Levels [kg]
low - 8219
nominal - 9979
high - 11839

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					140	3385	3055	2770	27.7	130	693	3.3
5					141	3371	3039	2754	27.4	131	701	3.3
10					142	3356	3024	2738	27.2	137	708	3.3
15					148	3480	3125	2821	27.2	148	731	3.3
20					149	3464	3108	2804	26.9	180	824	3.3
30	230	8.1	8.6	9.4	172	3924	3481	3112	27.1	230	1377	3.3
40	233	8.1	8.7	9.4	206	4447	3887	3430	27.5	233	1404	3.3
60	272	10.1	10.6	11.2	272	4774	4054	3493	28.1	272	2041	3.3
80	280	10.2	10.6	11.2	280	4594	3893	3346	27.2	280	2108	3.3
100	289	10.2	10.7	11.3	289	4404	3725	3192	26.3	289	2176	3.4
120	297	10.3	10.8	11.4	297	4206	3549	3032	25.4	297	2244	3.4
140	366	14.7	15.1	15.5	306	3998	3364	2863	24.5	306	2313	3.4
160	377	14.7	15.1	15.6	316	3781	3172	2687	23.6	316	2383	3.4
180	388	14.8	15.2	15.6	326	3555	2971	2504	22.7	326	2453	3.4
200	400	14.8	15.2	15.7	336	3319	2761	2313	21.8	336	2523	3.4
220	412	14.9	15.3	15.7	347	3074	2543	2114	20.9	347	2593	3.4
240	425	14.9	15.3	15.8	358	2819	2317	1908	20.0	358	2662	3.5
260	438	14.9	15.3	15.8	369	2555	2083	1694	19.1	369	2730	3.5
280	452	14.9	15.3	15.9	381	2281	1840	1473	18.2	381	2797	3.5
290	459	14.9	15.4	15.9	387	2141	1716	1359	17.7	387	2830	3.5
310	458	13.9	14.4	15.0	400	1855	1462	1127	16.8	400	2895	3.5
330	454	12.8	13.3	13.9	413	1561	1200	889	15.9	413	1940	3.5
350	450	11.8	12.4	13.1	427	1258	987	644	14.9	427	2054	3.5
370	447	11.0	11.5	12.3	430	1557	1041	620	13.8	430	2546	3.6
390	447	10.2	10.8	11.7	430	1368	861	443	12.7	430	2438	3.6
410	447	9.5	10.2	11.1	430	1142	648	234	11.6	430	2366	3.6
430	447	8.9	9.7	10.7	430	881	404	0	10.5	430	2327	3.6
450	447	8.4	9.3	10.4	430	587	130	0	9.4	430	2321	3.6

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: G280__

Source OPF File: Jun 10 2016
Source APF file: Jun 10 2016

Speeds: CAS(LO/HI) Mach
climb - 250/250 0.75
cruise - 250/300 0.82
descent - 250/250 0.75

Mass Levels [kg]
low - 13145
nominal - 15422
high - 17962

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					144	3603	3345	3106	40.6	138	735	6.3
5					145	3590	3332	3091	40.3	139	742	6.3
10					146	3577	3318	3076	40.0	145	750	6.3
15					152	3707	3429	3172	39.9	156	692	6.2
20					153	3693	3414	3156	39.5	188	822	6.2
30	230	9.9	10.7	11.6	177	4182	3834	3519	39.6	230	888	6.1
40	233	10.0	10.7	11.7	211	4774	4330	3934	39.9	233	912	6.1
60	272	12.2	12.8	13.5	272	5358	4717	4167	40.3	272	1374	6.0
80	280	12.2	12.8	13.6	280	5200	4572	4033	39.1	280	1433	5.9
100	289	12.2	12.8	13.6	289	5031	4419	3890	37.8	289	1493	5.7
120	297	12.3	12.9	13.7	297	4853	4255	3738	36.5	297	1555	5.6
140	366	17.1	17.5	18.1	306	4664	4083	3578	35.2	306	1617	5.5
160	377	17.1	17.6	18.2	316	4464	3900	3409	33.9	316	1681	5.4
180	388	17.2	17.6	18.2	326	4253	3708	3230	32.6	326	1746	5.3
200	400	17.2	17.7	18.3	336	4031	3505	3042	31.3	336	1811	5.2
220	412	17.2	17.7	18.3	347	3797	3291	2845	30.0	347	1877	5.1
240	425	17.2	17.7	18.3	358	3552	3067	2638	28.7	358	1943	5.0
260	438	17.2	17.7	18.4	369	3295	2833	2421	27.3	369	2010	4.8
280	452	17.2	17.7	18.4	381	3026	2588	2194	25.9	381	2076	4.7
290	459	17.2	17.7	18.4	387	2887	2461	2077	25.3	387	2109	4.7
310	473	17.2	17.7	18.4	400	2601	2200	1835	23.9	400	2175	4.6
330	477	16.4	17.0	17.7	413	2304	1929	1584	22.5	413	2240	4.4
350	473	15.2	15.8	16.6	427	1995	1648	1324	21.1	427	2303	4.3
370	470	14.1	14.8	15.6	430	2500	1920	1413	19.5	430	2841	4.2
390	470	13.1	13.9	14.8	430	2198	1641	1149	17.9	430	2723	4.1
410	470	12.3	13.1	14.2	430	1863	1333	858	16.2	430	2207	4.0
430	470	11.6	12.5	13.7	430	1499	996	540	14.6	430	2192	3.9
450	470	11.0	12.0	13.3	430	1105	632	196	13.0	430	2205	3.8

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: GL5T__

Source OPF File: Aug 05 2013
Source APF file: Aug 05 2013

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.80
cruise - 250/320 0.85
descent - 250/300 0.80

Mass Levels [kg]
low - 27673
nominal - 36288
high - 41957

Temperature: ISA

Max Alt. [ft]: 51000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					141	2621	2232	2028	68.0	132	713	7.5
5					142	2612	2222	2018	67.5	133	719	7.5
10					143	2603	2212	2007	67.1	139	714	7.5
15					149	2720	2304	2088	66.9	151	778	7.5
20					150	2710	2293	2076	66.4	183	838	7.5
30	230	17.0	19.7	21.9	173	3151	2639	2381	66.6	230	1022	7.5
40	233	17.1	19.8	21.9	207	3694	3052	2738	67.5	233	1039	7.5
60	272	20.7	22.9	24.6	272	4363	3430	2994	68.8	272	1380	7.5
80	280	20.8	23.0	24.7	280	4247	3330	2901	66.8	280	1421	7.5
100	289	20.9	23.1	24.8	345	4053	3198	2801	67.7	345	2222	7.5
120	297	20.9	23.2	25.0	356	3881	3054	2668	65.7	356	2270	7.5
140	390	32.9	34.4	35.6	366	3702	2903	2529	63.6	366	2317	7.5
160	401	33.0	34.5	35.7	377	3514	2745	2384	61.5	377	2364	7.5
180	413	33.0	34.6	35.8	388	3318	2581	2232	59.4	388	2409	7.5
200	425	33.1	34.6	35.9	400	3114	2409	2074	57.2	400	2454	7.5
220	438	33.1	34.7	36.0	412	2902	2231	1909	55.1	412	2497	7.5
240	451	33.1	34.8	36.1	425	2682	2046	1739	52.9	425	2538	7.5
260	465	33.2	34.8	36.1	438	2454	1855	1563	50.7	438	2577	7.5
280	479	33.1	34.8	36.2	452	2219	1658	1381	48.5	452	2613	7.5
290	487	33.1	34.9	36.2	459	2099	1557	1288	47.3	459	2631	7.5
310	499	32.7	34.5	35.9	469	2686	1959	1593	44.9	469	3729	7.5
330	494	30.2	32.1	33.7	465	2543	1819	1451	42.0	465	3473	7.5
350	490	27.9	30.0	31.7	461	2372	1655	1285	39.2	461	3250	7.5
370	488	25.9	28.2	30.1	459	1997	1410	1005	36.4	459	2810	7.5
390	488	24.1	26.7	28.7	459	1807	1215	815	33.7	459	2035	7.5
410	488	22.6	25.4	27.7	459	1793	994	600	31.0	459	1994	7.5
430	488	21.3	24.4	26.9	459	1518	747	360	28.3	459	1979	7.5
450	488	20.2	23.6	26.3	459	1217	476	97	25.6	459	1990	7.5
470	488	19.2	23.0	26.0	459	889	180	0	22.9	459	2025	7.5
490	488	18.5	22.6	26.0	459	536	0	0	20.2	459	2085	7.5
510	488	17.9	22.5	26.1	459	158	0	0	17.5	459	2169	7.5

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: GLEX__

Source OPF File: Aug 05 2013
Source APF file: Aug 05 2013

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.80
cruise - 250/320 0.85
descent - 250/300 0.80

Mass Levels [kg]
low - 28429
nominal - 38556
high - 45132

Temperature: ISA

Max Alt. [ft]: 51000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					145	2563	2114	1887	68.3	137	737	7.5
5					146	2555	2104	1876	67.9	138	743	7.5
10					148	2546	2094	1865	67.4	144	739	7.5
15					154	2659	2179	1939	67.2	155	799	7.5
20					155	2649	2168	1927	66.7	187	856	7.5
30	230	17.3	20.6	23.3	178	3073	2489	2205	66.9	230	1014	7.5
40	233	17.3	20.6	23.3	212	3596	2869	2527	67.7	233	1031	7.5
60	272	20.9	23.6	25.7	272	4220	3183	2721	68.7	272	1346	7.5
80	280	21.0	23.7	25.9	280	4107	3088	2633	66.7	280	1385	7.5
100	289	21.1	23.8	26.0	345	3922	2973	2552	67.6	345	2131	7.5
120	297	21.2	23.9	26.2	356	3755	2836	2427	65.5	356	2177	7.5
140	390	33.0	34.9	36.4	366	3581	2693	2296	63.4	366	2223	7.5
160	401	33.1	35.0	36.5	377	3399	2544	2159	61.3	377	2268	7.5
180	413	33.2	35.1	36.6	388	3208	2388	2017	59.2	388	2312	7.5
200	425	33.2	35.1	36.7	400	3010	2226	1868	57.1	400	2354	7.5
220	438	33.3	35.2	36.8	412	2804	2057	1714	54.9	412	2396	7.5
240	451	33.3	35.3	36.9	425	2591	1882	1554	52.7	425	2436	7.5
260	465	33.3	35.3	37.0	438	2370	1701	1389	50.5	438	2474	7.5
280	479	33.3	35.4	37.1	452	2142	1515	1218	48.3	452	2510	7.5
290	487	33.3	35.4	37.1	459	2025	1419	1130	47.2	459	2527	7.5
310	499	32.9	35.0	36.8	469	2589	1776	1382	44.8	469	3584	7.5
330	494	30.3	32.7	34.7	465	2448	1638	1240	41.9	465	3350	7.5
350	490	28.1	30.7	32.8	461	2280	1477	1075	39.1	461	3147	7.5
370	488	26.0	28.9	31.2	459	1916	1243	815	36.3	459	2733	7.5
390	488	24.3	27.5	30.0	459	1729	1051	626	33.6	459	2013	7.5
410	488	22.8	26.3	29.1	459	1716	833	412	30.9	459	1985	7.5
430	488	21.5	25.3	28.5	459	1446	590	174	28.2	459	1982	7.5
450	488	20.4	24.6	28.1	459	1148	323	0	25.5	459	2004	7.5
470	488	19.5	24.2	27.9	459	825	31	0	22.8	459	2050	7.5
490	488	18.8	23.9	28.0	459	476	0	0	20.1	459	2121	7.5
510	488	18.2	23.9	28.4	459	103	0	0	17.5	459	2216	7.5

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: GLF5__

Source OPF File: Aug 07 2013
Source APF file: Aug 07 2013

Speeds: CAS(LO/HI) Mach
climb - 250/260 0.75
cruise - 250/320 0.85
descent - 250/260 0.75

Mass Levels [kg]
low - 26291
nominal - 35381
high - 41277

Temperature: ISA

Max Alt. [ft]: 51000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					160	3000	2542	2313	61.0	149	799	7.3
5					161	2991	2532	2303	60.6	150	805	7.2
10					162	2982	2521	2292	60.2	157	813	7.2
15					168	3088	2600	2358	60.2	168	812	7.2
20					170	3078	2589	2346	59.9	200	875	7.2
30	230	14.8	17.5	19.8	193	3480	2884	2597	60.7	230	1045	7.2
40	233	14.8	17.6	19.8	227	3973	3232	2885	62.2	233	1060	7.1
60	272	18.2	20.4	22.2	272	4488	3439	2971	63.4	272	1364	7.1
80	280	18.3	20.6	22.4	280	4376	3344	2884	61.7	280	1399	7.0
100	289	18.4	20.7	22.6	300	4293	3281	2829	60.8	300	1550	6.9
120	297	18.5	20.9	22.8	309	4157	3167	2724	59.1	309	1587	6.9
140	390	29.8	31.4	32.7	318	4011	3046	2612	57.3	318	1624	6.8
160	401	29.9	31.6	32.9	328	3857	2918	2493	55.5	328	1661	6.8
180	413	30.1	31.7	33.1	338	3693	2781	2367	53.7	338	1699	6.7
200	425	30.2	31.9	33.3	349	3519	2637	2234	51.9	349	1736	6.6
220	438	30.3	32.1	33.5	360	3336	2485	2093	50.0	360	1773	6.6
240	451	30.5	32.3	33.7	371	3142	2324	1945	48.1	371	1809	6.5
260	465	30.6	32.4	33.9	383	2939	2155	1790	46.2	383	1845	6.4
280	479	30.7	32.6	34.1	396	2725	1978	1627	44.2	396	1880	6.4
290	487	30.7	32.6	34.2	402	2614	1887	1542	43.1	402	1897	6.4
310	499	30.4	32.4	34.0	415	2385	1697	1368	41.1	415	1931	6.3
330	494	28.1	30.2	32.0	429	2147	1500	1185	39.0	429	1963	6.2
350	490	25.9	28.3	30.2	432	2665	1813	1392	36.4	432	2635	6.2
370	488	24.1	26.7	28.7	430	2232	1460	1073	33.7	430	2336	6.1
390	488	22.5	25.3	27.6	430	1986	1230	842	31.0	430	2269	6.0
410	488	21.1	24.2	26.7	430	1944	1026	590	28.3	430	2224	6.0
430	488	19.9	23.3	26.1	430	1617	740	316	25.6	430	1840	5.9
450	488	18.9	22.7	25.7	430	1266	433	20	22.9	430	1876	5.9
470	488	18.1	22.2	25.6	430	893	104	0	20.2	430	1933	5.8
490	488	17.4	22.0	25.7	430	497	0	0	17.5	430	2011	5.7
510	488	16.9	22.0	26.0	430	79	0	0	14.8	430	2111	5.7

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: H25A__

Source OPF File: Nov 09 2008
Source APF file: Nov 09 2008

Speeds: CAS(LO/HI) Mach
climb - 250/250 0.63
cruise - 250/270 0.75
descent - 250/275 0.67

Mass Levels [kg]
low - 7457
nominal - 8165
high - 9848

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					124	1690	1585	1364	48.8	122	656	8.6
5					125	1703	1598	1375	48.8	123	660	8.6
10					126	1716	1610	1385	48.8	129	665	8.6
15					132	1820	1707	1468	48.5	140	592	8.6
20					133	1833	1719	1479	48.4	172	543	8.6
30	230	18.5	19.0	20.5	156	2176	2035	1746	47.2	230	1168	8.7
40	233	18.4	18.9	20.4	190	2530	2353	1997	45.3	233	1182	8.7
60	272	21.2	21.6	22.7	272	2535	2341	1966	40.7	272	1826	8.8
80	280	20.9	21.3	22.4	280	2555	2359	1979	39.9	280	1870	8.8
100	289	20.6	21.0	22.1	289	2556	2359	1976	39.0	317	2591	8.9
120	297	20.3	20.7	21.8	297	2538	2340	1955	37.9	327	2649	9.0
140	330	21.9	22.3	23.1	306	2498	2301	1917	36.8	336	2712	9.0
160	340	21.5	21.8	22.7	316	2435	2240	1859	35.4	347	2777	9.1
180	351	21.1	21.4	22.3	326	2348	2157	1781	34.0	357	2846	9.2
200	362	20.7	21.0	21.8	336	2236	2049	1682	32.4	368	2918	9.2
220	373	20.2	20.5	21.4	347	2096	1916	1559	30.8	380	2994	9.3
240	385	19.7	20.0	20.9	358	1929	1757	1413	29.0	392	3072	9.4
260	397	19.2	19.5	20.3	369	1732	1569	1242	27.1	402	4036	9.4
280	410	18.7	19.0	19.8	374	1999	1800	1395	25.4	398	3708	9.5
290	416	18.4	18.7	19.5	373	1941	1741	1334	24.7	397	3561	9.5
310	430	17.9	18.2	19.0	370	1784	1586	1177	23.1	393	840	9.6
330	436	17.0	17.3	18.2	366	1748	1484	974	21.5	390	830	9.7
350	432	15.9	16.2	17.2	363	1462	1212	726	19.6	386	868	9.7
370	430	14.8	15.2	16.2	361	1068	848	413	17.6	384	900	9.8
390	430	13.8	14.2	15.4	361	700	499	95	15.4	384	1036	9.9
410	430	13.0	13.4	14.6	361	277	99	0	13.1	384	1219	9.9

BADA PERFORMANCE FILE May 22 2013

AC/Type: H25B__

Source OPF File: Apr 11 2013
Source APF file: Apr 11 2013

Speeds: CAS(LO/HI) Mach
climb - 250/250 0.70
cruise - 250/280 0.75
descent - 250/285 0.76

Mass Levels [kg]
low - 8856
nominal - 10886
high - 12701

Temperature: ISA

Max Alt. [ft]: 43000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					136	2967	2620	2361	27.5	131	705	3.2
5					137	2951	2603	2343	27.3	132	714	3.2
10					138	2934	2585	2325	27.1	138	706	3.2
15					144	3064	2692	2418	27.0	149	668	3.3
20					145	3046	2674	2399	26.8	181	661	3.0
30	230	9.4	10.4	11.5	168	3534	3080	2753	27.1	230	999	3.1
40	233	9.4	10.5	11.6	203	4116	3549	3152	27.7	233	1026	3.2
60	272	11.6	12.5	13.4	272	4682	3902	3380	28.9	272	1495	3.3
80	280	11.7	12.6	13.5	280	4495	3737	3227	28.0	280	1561	3.5
100	289	11.8	12.7	13.6	289	4300	3564	3066	27.1	328	2322	3.6
120	297	11.9	12.8	13.7	297	4096	3383	2898	26.1	338	2401	3.8
140	342	14.7	15.5	16.2	306	3882	3193	2723	25.2	348	2480	3.9
160	353	14.8	15.6	16.4	316	3658	2995	2539	24.2	359	2558	4.1
180	363	14.9	15.7	16.5	326	3425	2788	2348	23.2	370	2637	4.2
200	375	15.0	15.8	16.6	336	3181	2572	2148	22.3	381	2715	4.3
220	386	15.1	15.9	16.7	347	2928	2348	1941	21.3	393	2792	4.5
240	398	15.2	16.0	16.8	358	2665	2115	1725	20.3	405	2868	4.6
260	411	15.3	16.1	17.0	369	2392	1874	1502	19.3	418	2943	4.8
280	424	15.3	16.2	17.1	381	2110	1623	1271	18.3	431	3015	4.9
290	431	15.4	16.2	17.2	387	1965	1495	1152	17.8	438	3051	5.0
310	440	15.2	16.1	17.0	400	1669	1233	910	16.7	446	4195	5.1
330	436	14.1	15.1	16.1	407	1874	1327	914	15.6	442	3924	5.3
350	432	13.1	14.2	15.3	403	1817	1140	667	14.3	438	3692	5.4
370	430	12.3	13.5	14.7	401	1416	806	373	13.0	436	1135	5.6
390	430	11.6	12.9	14.3	401	1113	524	100	11.8	436	1220	5.7
410	430	11.0	12.5	14.0	401	782	216	0	10.6	436	1336	5.9
430	430	10.6	12.1	13.8	401	424	0	0	9.4	436	1483	6.0

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: HA4T__

Source OPF File: Mar 16 2015
Source APF file: Mar 16 2015

Speeds:	CAS(LO/HI)	Mach	Mass Levels [kg]		Temperature: ISA
climb	- 250/280	0.76	low	- 12791	
cruise	- 250/300	0.78	nominal	- 15422	Max Alt. [ft]: 45000
descent	- 250/300	0.82	high	- 17917	

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					146	2973	2711	2507	29.5	133	723	5.8
5					147	2977	2714	2508	29.4	134	728	5.8
10					148	2980	2715	2508	29.3	140	740	5.8
15					154	3097	2813	2593	29.5	152	770	5.8
20					155	3099	2814	2593	29.5	184	695	5.8
30	230	9.1	9.7	10.5	178	3517	3160	2888	30.4	230	1094	5.8
40	233	9.1	9.8	10.5	212	4005	3548	3208	32.0	233	1111	5.8
60	272	11.7	12.3	12.9	272	4443	3819	3375	34.5	272	1593	5.9
80	280	11.8	12.4	13.0	280	4389	3769	3327	34.1	280	1637	5.9
100	289	11.9	12.5	13.1	323	4225	3635	3215	35.3	345	2754	5.9
120	297	12.1	12.6	13.3	332	4121	3541	3127	34.8	356	2810	5.9
140	366	17.9	18.3	18.8	342	3999	3432	3026	34.2	366	2867	5.9
160	377	18.0	18.5	19.0	353	3860	3307	2910	33.6	377	2923	6.0
180	388	18.2	18.7	19.2	363	3702	3165	2779	32.9	388	2978	6.0
200	400	18.3	18.8	19.4	375	3524	3007	2633	32.1	400	3032	6.0
220	412	18.5	19.0	19.5	386	3327	2831	2470	31.2	412	3086	6.0
240	425	18.6	19.2	19.7	398	3109	2636	2291	30.3	425	3137	6.0
260	438	18.8	19.3	19.9	411	2870	2423	2095	29.3	438	3187	6.1
280	452	18.9	19.5	20.1	424	2610	2191	1882	28.1	452	3235	6.1
290	459	19.0	19.5	20.1	431	2472	2068	1769	27.6	459	3258	6.1
310	458	17.7	18.3	19.0	444	2178	1807	1529	26.3	473	2770	6.1
330	454	16.3	17.0	17.7	442	2791	2292	1913	24.4	477	3849	6.1
350	450	15.0	15.7	16.5	438	2543	2059	1687	22.5	473	3550	6.2
370	447	13.9	14.7	15.5	436	2333	1745	1318	20.5	470	3013	6.2
390	447	13.0	13.8	14.8	436	2002	1451	1047	18.6	470	2849	6.2
410	447	12.1	13.1	14.1	436	1620	1113	736	16.6	470	2722	6.2
430	447	11.4	12.4	13.6	436	1190	733	386	14.5	470	2631	6.2
450	447	10.8	11.9	13.2	436	713	312	0	12.4	470	2574	6.3

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: HAWK__

Source OPF File: Jul 06 2016
Source APF file: Jul 06 2016

Speeds: CAS(LO/HI) Mach
climb - 250/300 0.75
cruise - 250/375 0.80
descent - 250/250 0.70

Mass Levels [kg]
low - 5663
nominal - 5897
high - 6577

Temperature: ISA

Max Alt. [ft]: 40000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					144	4387	4330	4176	35.1	136	717	3.8
5					145	4335	4277	4122	34.6	137	730	3.8
10					146	4282	4224	4067	34.2	143	717	3.8
15					152	4411	4349	4181	33.9	155	942	3.7
20					153	4356	4294	4125	33.4	187	1307	3.7
30	230	7.8	8.0	8.7	177	4900	4822	4612	33.1	230	1644	3.7
40	233	7.8	8.0	8.7	211	5584	5483	5216	33.1	233	1668	3.6
60	272	9.0	9.2	9.7	272	6202	6035	5600	32.7	272	2127	3.6
80	280	9.0	9.2	9.8	280	5822	5661	5242	30.9	280	2182	3.5
100	289	9.1	9.2	9.8	345	5609	5460	5074	30.5	289	2237	3.4
120	297	9.1	9.3	9.9	356	5154	5014	4647	28.8	297	2213	3.4
140	454	18.2	18.3	18.6	366	4705	4573	4226	27.1	306	2273	3.3
160	467	18.2	18.3	18.6	377	4265	4140	3813	25.5	316	2331	3.2
180	480	18.2	18.3	18.6	388	3834	3717	3408	24.0	326	2390	3.1
200	491	18.0	18.1	18.4	400	3414	3304	3014	22.6	336	2448	3.1
220	488	16.7	16.8	17.2	412	3007	2904	2631	21.2	347	2506	3.0
240	484	15.5	15.6	16.0	425	2614	2518	2261	19.9	358	2562	2.9
260	480	14.4	14.6	15.0	438	2238	2149	1907	18.6	369	2617	2.9
280	476	13.4	13.6	14.0	446	2653	2536	2217	17.4	381	2671	2.8
290	473	13.0	13.1	13.6	444	2515	2399	2079	16.8	387	2697	2.7
310	469	12.1	12.3	12.8	440	2250	2133	1810	15.5	400	2748	2.7
330	465	11.4	11.6	12.1	436	2156	1988	1550	14.4	407	3627	2.6
350	461	10.7	10.9	11.6	432	1898	1732	1300	13.4	403	3478	2.5
370	459	10.2	10.4	11.1	430	1535	1383	984	12.5	401	3155	2.5
390	459	9.7	10.0	10.7	430	1331	1177	774	11.7	401	3104	2.4
400	459	9.6	9.8	10.6	430	1231	1077	670	11.4	401	3089	2.4

BADA PERFORMANCE FILE May 22 2013

AC/Type: IL76__

Source OPF File: Apr 26 2013
Source APF file: Apr 26 2013

Speeds: CAS(LO/HI) Mach
climb - 250/270 0.70
cruise - 250/270 0.70
descent - 230/260 0.68

Mass Levels [kg]
low - 107400
nominal - 156000
high - 190000

Temperature: ISA

Max Alt. [ft]: 39700

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					144	1675	1145	860	278.7	132	719	57.7
5					145	1662	1131	845	276.2	133	729	57.2
10					146	1649	1117	830	273.7	139	698	56.9
15					152	1747	1190	892	272.4	151	840	53.3
20					153	1734	1175	877	270.0	183	758	53.3
30	230	80.9	110.5	137.8	177	2108	1455	1121	269.6	230	1016	53.2
40	233	81.1	110.8	138.2	211	2569	1788	1406	271.4	233	1033	53.1
60	272	93.4	117.2	139.1	272	3167	2080	1576	272.8	251	1111	53.0
80	280	93.8	117.8	139.9	280	3046	1982	1485	263.0	258	1147	52.9
100	289	94.2	118.4	140.7	311	2952	1930	1455	257.6	300	1374	52.8
120	297	94.6	119.1	141.6	321	2810	1817	1351	247.9	309	1413	52.7
140	330	105.4	127.1	147.1	330	2663	1700	1244	238.4	318	1452	52.6
160	340	105.8	127.8	148.0	340	2512	1580	1134	229.0	328	1492	52.5
180	351	106.2	128.5	148.9	351	2357	1457	1021	219.7	338	1532	52.4
200	362	106.6	129.2	149.9	362	2198	1330	906	210.5	349	1572	52.3
220	373	107.0	129.9	150.9	373	2036	1201	787	201.3	360	1612	52.1
240	385	107.3	130.6	152.0	385	1870	1068	665	192.3	371	1651	52.0
260	397	107.7	131.4	153.1	397	1701	933	541	183.4	383	1691	51.9
280	410	108.0	132.1	154.2	410	1528	838	415	174.5	396	1730	51.8
290	414	107.5	132.0	154.5	414	1923	1019	467	169.9	402	1185	51.8
310	411	101.9	128.7	153.2	411	1764	853	298	159.3	399	1554	51.6
330	407	97.1	126.4	153.3	407	1818	673	115	149.0	395	1572	51.5
350	403	93.1	125.2	154.7	403	1611	479	0	139.0	392	1609	51.4
370	401	90.1	125.3	157.8	401	1306	253	0	129.3	390	1569	51.3
390	401	87.9	126.8	162.5	401	1098	45	0	120.0	390	1655	51.2
397	401	87.4	127.5	164.5	401	1021	0	0	116.8	390	1690	51.2

BADA PERFORMANCE FILE May 22 2013

AC/Type: IL86__

Source OPF File: May 13 2013
Source APF file: May 13 2013

Speeds: CAS(LO/HI) Mach
climb - 250/297 0.80
cruise - 250/323 0.82
descent - 250/280 0.80

Mass Levels [kg]
low - 139680
nominal - 181500
high - 215000

Temperature: ISA

Max Alt. [ft]: 37402

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					166	1887	1460	1175	381.4	157	847	70.5
5					167	1870	1442	1156	377.7	158	858	69.8
10					169	1853	1423	1137	374.1	164	836	69.2
15					175	1938	1491	1195	371.2	176	1065	58.8
20					176	1920	1472	1175	367.6	208	1027	58.8
30	230	115.2	151.9	188.2	200	2252	1740	1411	363.4	230	1064	58.9
40	233	115.3	152.1	188.5	234	2657	2059	1687	360.8	233	1085	58.9
60	272	123.1	152.1	180.8	272	3015	2200	1704	351.0	272	1320	59.0
80	280	123.3	152.6	181.5	280	2892	2090	1599	337.2	280	1361	59.1
100	289	123.6	153.0	182.1	342	2871	2121	1670	330.3	323	1603	59.3
120	297	123.9	153.5	182.8	352	2714	1986	1543	317.0	332	1647	59.4
140	393	164.6	183.3	201.9	362	2556	1848	1415	304.0	342	1692	59.5
160	405	164.5	183.5	202.2	373	2395	1709	1286	291.3	353	1736	59.6
180	417	164.4	183.6	202.6	385	2234	1569	1155	278.9	363	1781	59.7
200	429	164.2	183.6	202.9	396	2071	1427	1022	266.8	375	1825	59.8
220	442	164.0	183.7	203.2	408	1907	1285	889	255.0	386	1869	59.9
240	455	163.7	183.7	203.5	421	1743	1142	755	243.6	398	1912	60.0
260	469	163.4	183.7	203.9	434	1579	998	621	232.4	411	1955	60.2
280	483	163.0	183.7	204.2	448	1416	855	486	221.6	424	1998	60.3
290	485	160.2	181.5	202.6	455	1334	826	419	216.3	431	1690	60.3
310	481	151.7	175.0	198.1	469	1325	676	284	205.9	444	1743	60.4
330	477	144.3	169.9	195.1	465	1728	799	232	194.6	459	1795	60.5
350	473	138.1	166.2	193.9	461	1557	620	41	183.6	461	2563	60.7
370	470	133.2	164.0	194.5	459	1259	390	0	173.2	459	2345	60.8
374	470	132.4	163.8	194.9	459	1225	353	0	171.2	459	2351	60.8

BADA PERFORMANCE FILE May 22 2013

AC/Type: IL96__

Source OPF File: Apr 29 2013
Source APF file: Apr 29 2013

Speeds: CAS(LO/HI) Mach
climb - 250/302 0.78
cruise - 250/310 0.80
descent - 250/302 0.80

Mass Levels [kg]
low - 144480
nominal - 205000
high - 250000

Temperature: ISA

Max Alt. [ft]: 42979

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					170	2204	1646	1330	294.9	162	871	40.2
5					171	2201	1641	1324	293.3	163	879	40.1
10					173	2198	1635	1317	291.8	170	875	40.1
15					179	2293	1703	1372	291.2	181	979	40.0
20					180	2289	1697	1365	289.6	213	1029	40.0
30	230	77.0	103.0	128.2	204	2637	1944	1568	290.0	230	1092	39.9
40	233	77.2	103.2	128.5	238	3054	2225	1792	292.0	233	1108	39.8
60	272	88.1	108.8	128.8	272	3450	2344	1792	289.8	272	1244	39.7
80	280	88.3	109.2	129.4	280	3390	2291	1740	283.0	280	1281	39.5
100	289	88.5	109.6	130.0	348	3329	2296	1788	284.9	348	1827	39.3
120	297	88.8	110.0	130.6	358	3224	2211	1709	277.5	358	1868	39.2
140	378	121.6	136.2	150.4	368	3108	2116	1622	269.9	368	1909	39.0
160	389	121.7	136.5	150.9	379	2982	2014	1528	262.0	379	1951	38.8
180	401	121.7	136.8	151.3	391	2844	1902	1426	253.8	391	1992	38.7
200	413	121.8	137.0	151.8	403	2695	1782	1316	245.4	403	2033	38.5
220	425	121.7	137.2	152.2	415	2534	1652	1198	236.6	415	2073	38.3
240	438	121.7	137.4	152.7	428	2361	1513	1071	227.5	428	2113	38.1
260	452	121.6	137.6	153.1	441	2176	1365	936	218.0	441	2152	38.0
280	466	121.5	137.7	153.5	455	1979	1207	793	208.2	455	2191	37.8
290	473	121.4	137.8	153.7	462	1876	1124	718	203.2	462	2209	37.7
310	469	113.8	131.7	149.1	458	2472	1496	839	191.1	469	2615	37.6
330	465	106.8	126.4	145.4	454	2279	1299	643	178.9	465	2514	37.4
350	461	100.6	122.2	143.0	450	2342	1072	420	166.4	461	2442	37.2
370	459	95.4	119.1	142.0	447	1896	754	156	153.9	459	2205	37.0
390	459	91.2	117.2	142.4	447	1614	497	0	141.3	459	2213	36.9
410	459	87.8	116.4	144.2	447	1297	209	0	128.4	459	2249	36.7
430	459	85.2	116.7	147.3	447	950	0	0	115.5	459	2311	36.5

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: JS32__

Source OPF File: Nov 09 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 160/160 0.32
cruise - 200/200 0.41
descent - 250/250 0.52

Mass Levels [kg]
low - 5494
nominal - 6200
high - 7350

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					134	2048	1818	1488	7.1	114	612	3.4
5					145	1992	1763	1435	7.0	115	620	3.4
10					152	1945	1717	1389	7.0	121	622	3.4
15					164	1820	1636	1361	6.9	132	757	3.4
20					165	1793	1610	1335	6.9	164	1009	3.4
30	188	2.6	2.9	3.3	167	1739	1557	1283	6.8	230	1622	3.4
40	191	2.7	2.9	3.4	170	1685	1503	1230	6.7	233	1641	3.4
60	218	3.3	3.5	4.0	175	1576	1396	1124	6.4	272	2188	3.4
80	225	3.4	3.7	4.1	180	1466	1288	1017	6.2	280	2234	3.4
100	232	3.5	3.8	4.2	186	1355	1179	909	6.0	289	2280	3.4
120	239	3.6	3.9	4.4	191	1243	1069	799	5.8	297	2326	3.4
140	246	3.7	4.0	4.5	197	1131	958	689	5.6	306	2372	3.4
160	254	3.8	4.1	4.6	200	1116	929	634	5.4	316	1098	3.4
180	254	3.7	4.0	4.6	198	1041	847	538	5.2	322	1352	3.4
200	252	3.6	3.9	4.5	197	1151	844	433	5.0	319	1242	3.4
220	250	3.5	3.8	4.4	195	1043	735	318	4.8	317	1150	3.4
240	248	3.4	3.7	4.4	193	926	616	193	4.6	314	1077	3.4
250	247	3.3	3.7	4.4	193	864	552	127	4.5	313	1047	3.4

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: JS41__

Source OPF File: Jan 26 2009
Source APF file: Jan 26 2009

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.35
cruise - 200/200 0.42
descent - 190/190 0.39

Mass Levels [kg]
low - 7620
nominal - 9000
high - 10433

Temperature: ISA

Max Alt. [ft]: 26000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					158	2884	2528	2214	11.9	136	720	4.6
5					169	2802	2441	2167	11.8	137	729	4.6
10					172	2733	2387	2127	11.7	143	761	4.5
15					174	2637	2346	2087	11.6	155	976	4.5
20					175	2594	2305	2047	11.5	187	1366	4.5
30	188	3.8	4.1	4.6	178	2507	2223	1968	11.2	198	1503	4.4
40	191	3.8	4.2	4.6	180	2421	2140	1888	11.0	201	1522	4.4
60	218	4.8	5.2	5.6	186	2248	1976	1729	10.5	207	1560	4.3
80	225	4.9	5.3	5.7	191	2076	1812	1570	10.1	214	1357	4.2
100	232	5.0	5.4	5.8	197	1905	1649	1411	9.6	220	1407	4.1
120	239	5.2	5.5	6.0	203	1734	1486	1252	9.2	227	1458	4.0
140	246	5.3	5.6	6.1	210	1564	1323	1094	8.7	234	1510	3.9
160	254	5.4	5.8	6.2	216	1395	1161	936	8.3	241	1562	3.8
180	260	5.4	5.8	6.3	217	1373	1118	871	7.8	241	1683	3.7
200	258	5.1	5.6	6.1	215	1237	979	725	7.3	240	1625	3.6
220	256	4.9	5.3	5.9	213	1320	910	568	6.8	238	1580	3.5
240	254	4.6	5.1	5.7	212	1133	735	400	6.3	236	1548	3.4
260	252	4.4	5.0	5.6	210	936	550	220	5.8	234	1528	3.3

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: L101__

Source OPF File: Jan 29 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/310 0.81
cruise - 250/300 0.82
descent - 250/320 0.84

Mass Levels [kg]
low - 120000
nominal - 154500
high - 200000

Temperature: ISA

Max Alt. [ft]: 42000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					168	2719	2275	1831	143.7	140	1178	38.0
5					169	2693	2250	1805	142.8	141	1186	37.8
10					170	2668	2224	1779	142.0	147	1173	37.6
15					176	2757	2292	1830	144.7	159	1149	37.4
20					178	2731	2266	1803	143.9	191	1132	37.2
30	230	39.1	49.6	67.5	201	3092	2548	2024	156.4	230	1235	36.7
40	233	39.6	50.3	68.4	236	3546	2895	2287	175.6	233	1251	36.3
60	272	49.1	58.7	74.9	272	3943	3024	2197	190.1	272	1444	35.5
80	280	50.4	60.2	76.9	280	3760	2867	2059	185.3	280	1477	34.6
100	289	51.7	61.8	79.0	357	3766	2918	2167	219.2	368	2202	33.7
120	297	53.0	63.5	81.3	367	3529	2719	1995	213.2	379	2236	32.9
140	366	77.4	86.3	101.5	378	3290	2518	1822	207.1	390	2270	32.0
160	377	79.2	88.5	104.1	389	3052	2317	1649	201.1	401	2302	31.2
180	388	81.1	90.6	106.9	401	2814	2116	1475	194.9	413	2333	30.3
200	400	83.0	92.9	109.7	413	2577	1916	1302	188.8	425	2363	29.4
220	412	84.9	95.2	112.6	425	2341	1717	1129	182.6	438	2391	28.6
240	425	86.9	97.5	115.6	438	2108	1519	958	176.5	451	2418	27.7
260	438	88.9	99.9	118.7	452	1877	1324	788	170.3	465	2442	26.9
280	452	90.9	102.4	122.0	466	1651	1132	620	164.1	479	2465	26.0
290	459	91.9	103.6	123.6	473	1539	1037	537	161.0	487	2476	25.6
310	473	93.9	106.1	127.0	475	1971	1365	561	151.2	493	3557	24.7
330	477	91.4	104.5	126.7	471	1775	1159	358	139.9	489	2711	23.8
350	473	86.2	100.4	124.7	467	1789	945	146	129.3	484	2618	23.0
370	470	82.1	97.7	124.2	465	1426	664	0	119.7	482	2320	22.1
390	470	79.1	96.3	125.5	465	1218	457	0	111.2	482	2305	21.3
410	470	76.9	95.8	128.0	465	1001	239	0	103.2	482	2313	20.4
420	470	76.1	95.9	129.7	465	890	126	0	99.4	482	2325	20.0

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: L39___

Source OPF File: Jun 20 2017
Source APF file: Jun 20 2017

Speeds: CAS(LO/HI) Mach
climb - 216/216 0.45
cruise - 250/250 0.50
descent - 162/162 0.55

Mass Levels [kg]
low - 3965
nominal - 4600
high - 5220

Temperature: ISA

Max Alt. [ft]: 39370

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					130	2513	2289	2094	13.6	126	678	3.7
5					131	2482	2257	2061	13.5	127	690	3.7
10					132	2450	2225	2028	13.4	133	675	3.7
15					138	2558	2319	2114	13.5	144	814	3.7
20					139	2525	2286	2079	13.3	167	993	3.7
30	230	5.2	5.7	6.2	162	2949	2663	2420	14.0	169	1014	3.7
40	233	5.3	5.7	6.2	196	3443	3090	2800	15.1	172	1036	3.7
60	272	6.8	7.2	7.6	236	3690	3215	2830	16.0	177	1081	3.6
80	280	6.9	7.3	7.7	243	3450	2992	2620	15.3	182	1127	3.6
100	289	7.0	7.4	7.9	250	3205	2766	2406	14.6	188	1175	3.6
120	297	7.2	7.6	8.0	258	2957	2536	2189	14.0	194	1224	3.6
140	306	7.3	7.7	8.2	266	2706	2303	1969	13.3	200	1115	3.6
160	312	7.2	7.7	8.1	274	2452	2067	1746	12.7	206	1174	3.6
180	310	6.8	7.3	7.8	279	2500	2080	1726	11.9	213	1234	3.6
200	307	6.5	7.0	7.5	276	2212	1803	1453	11.0	220	1296	3.5
220	305	6.2	6.7	7.3	274	1926	1527	1180	10.1	227	1359	3.5
240	302	5.9	6.5	7.1	272	1644	1251	907	9.2	235	1424	3.5
260	300	5.7	6.3	7.0	270	1364	1026	631	8.4	243	1490	3.5
280	297	5.5	6.2	7.0	267	1086	737	354	7.7	252	1558	3.5
290	296	5.4	6.1	6.9	266	1050	593	214	7.3	256	1593	3.5
310	293	5.3	6.1	7.0	264	744	302	0	6.6	265	1663	3.5
330	291	5.2	6.1	7.0	262	439	9	0	5.9	275	1734	3.5
350	288	5.2	6.1	7.2	259	133	0	0	5.3	284	1806	3.4
370	287	5.2	6.2	7.4	258	0	0	0	4.7	296	1830	3.4
390	287	5.3	6.5	7.7	258	0	0	0	4.1	310	1914	3.4
394	287	5.3	6.5	7.8	258	0	0	0	4.1	312	1930	3.4

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: L410__

Source OPF File: Mar 04 2015
Source APF file: Mar 04 2015

Speeds: CAS(LO/HI) Mach
climb - 135/135 0.30
cruise - 165/165 0.31
descent - 167/167 0.37

Mass Levels [kg]
low - 4752
nominal - 6000
high - 6600

Temperature: ISA

Max Alt. [ft]: 20000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					110	2524	1930	1696	6.0	86	464	4.5
5					121	2283	1713	1488	6.5	86	470	4.5
10					127	2145	1587	1367	6.7	92	459	4.5
15					138	1629	1342	1222	6.9	103	367	4.5
20					139	1601	1316	1196	6.9	134	248	4.5
30	172	3.1	3.7	4.0	141	1545	1263	1144	6.9	174	541	4.6
40	175	3.2	3.8	4.1	143	1487	1209	1091	6.9	177	561	4.6
60	180	3.5	4.1	4.4	147	1369	1098	982	6.9	182	602	4.6
80	186	3.7	4.4	4.8	152	1246	983	868	6.8	188	644	4.6
100	191	4.0	4.7	5.1	157	1119	863	751	6.7	194	536	4.6
120	196	4.2	5.0	5.4	162	987	739	629	6.5	200	603	4.6
140	195	4.0	4.9	5.3	167	850	611	502	6.3	206	673	4.6
160	193	3.9	4.8	5.3	172	859	506	371	6.1	213	745	4.6
180	192	3.7	4.7	5.2	178	680	359	235	5.8	220	819	4.7
200	190	3.6	4.7	5.2	184	495	207	94	5.4	227	896	4.7

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: LJ35__

Source OPF File: Nov 10 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/260 0.70
cruise - 250/300 0.77
descent - 250/320 0.83

Mass Levels [kg]
low - 5508
nominal - 6800
high - 8300

Temperature: ISA

Max Alt. [ft]: 45000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					145	3629	3222	2848	23.2	132	714	2.4
5					146	3611	3203	2828	23.0	133	723	2.4
10					148	3593	3184	2808	22.8	139	708	2.4
15					154	3734	3301	2904	22.7	151	904	1.8
20					155	3715	3280	2883	22.5	183	1223	1.8
30	230	5.9	6.7	7.8	178	4261	3731	3259	22.7	230	1566	1.8
40	233	5.9	6.7	7.9	212	4944	4281	3708	23.1	233	1585	1.9
60	272	7.1	7.8	8.7	272	5755	4773	3960	23.7	272	2010	1.9
80	280	7.1	7.8	8.7	280	5560	4602	3806	22.9	280	2055	2.0
100	289	7.2	7.9	8.8	300	5409	4475	3700	22.3	368	3498	2.1
120	297	7.2	7.9	8.9	309	5182	4277	3521	21.5	379	3549	2.1
140	366	10.0	10.5	11.2	318	4945	4068	3333	20.7	390	3599	2.2
160	377	10.0	10.6	11.3	328	4696	3850	3137	19.9	401	3646	2.3
180	388	10.1	10.6	11.4	338	4435	3622	2932	19.1	413	3691	2.3
200	400	10.1	10.7	11.4	349	4163	3383	2718	18.2	425	3733	2.4
220	412	10.2	10.7	11.5	360	3879	3135	2495	17.4	438	3772	2.5
240	425	10.2	10.8	11.6	371	3584	2876	2263	16.5	451	3807	2.5
260	438	10.3	10.8	11.7	383	3277	2608	2022	15.7	465	3839	2.6
280	452	10.3	10.9	11.7	396	2959	2329	1772	14.8	479	3866	2.7
290	456	10.2	10.8	11.6	402	2796	2186	1643	14.4	487	3878	2.7
310	452	9.5	10.1	11.1	411	3293	2531	1843	13.5	487	5340	2.8
330	448	8.8	9.6	10.6	407	2934	2198	1521	12.4	483	3206	2.8
350	444	8.3	9.1	10.2	403	2558	1966	1179	11.3	478	3039	2.9
370	442	7.8	8.6	9.9	401	2292	1478	769	10.3	476	2654	3.0
390	442	7.4	8.3	9.7	401	1876	1103	418	9.3	476	2598	3.0
410	442	7.1	8.1	9.6	401	1436	705	42	8.3	476	2576	3.1
430	442	6.8	7.9	9.6	401	972	283	0	7.3	476	2587	3.2
450	442	6.6	7.9	9.7	401	486	0	0	6.3	476	2630	3.2

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: LJ45__

Source OPF File: Nov 10 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/260 0.72
cruise - 250/300 0.76
descent - 250/310 0.76

Mass Levels [kg]
low - 7560
nominal - 8000
high - 9300

Temperature: ISA

Max Alt. [ft]: 51000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					134	2629	2556	2361	22.5	125	671	3.4
5					135	2619	2547	2350	22.3	126	678	3.4
10					136	2610	2537	2339	22.2	131	673	3.4
15					142	2721	2643	2433	22.1	143	888	3.4
20					143	2711	2632	2421	21.9	175	1248	3.4
30	230	7.2	7.3	8.0	166	3119	3022	2764	22.0	230	1880	3.4
40	233	7.2	7.4	8.0	200	3583	3460	3138	22.3	233	1901	3.4
60	272	8.7	8.9	9.3	272	3912	3746	3326	22.9	272	2532	3.4
80	280	8.7	8.9	9.4	280	3791	3628	3215	22.2	280	2585	3.4
100	289	8.8	8.9	9.4	300	3630	3473	3074	21.8	357	4318	3.4
120	297	8.8	9.0	9.5	309	3485	3332	2941	21.1	367	4381	3.4
140	366	12.2	12.3	12.7	318	3333	3183	2801	20.5	378	4441	3.4
160	377	12.2	12.3	12.7	328	3172	3026	2653	19.8	389	4499	3.4
180	388	12.3	12.4	12.8	338	3002	2861	2497	19.2	401	4554	3.4
200	400	12.3	12.4	12.8	349	2823	2687	2333	18.5	413	4605	3.4
220	412	12.3	12.4	12.8	360	2636	2504	2162	17.9	425	4652	3.4
240	425	12.3	12.4	12.8	371	2440	2313	1982	17.2	438	4694	3.4
260	438	12.3	12.5	12.9	383	2235	2113	1794	16.5	452	4731	3.4
280	452	12.3	12.5	12.9	396	2022	1905	1599	15.8	452	6156	3.4
290	450	11.9	12.0	12.4	402	1912	1798	1498	15.4	450	5914	3.4
310	446	11.0	11.2	11.6	415	1685	1578	1291	14.7	446	5464	3.4
330	442	10.2	10.4	10.9	419	2062	1920	1536	13.9	442	5059	3.4
350	438	9.5	9.7	10.3	415	1914	1770	1378	13.0	438	4699	3.4
370	436	8.9	9.1	9.8	413	1624	1487	1113	12.2	436	4061	3.4
390	436	8.4	8.6	9.3	413	1582	1395	919	11.3	436	2440	3.4
410	436	8.0	8.2	9.0	413	1351	1168	695	10.5	436	2363	3.4
430	436	7.6	7.9	8.7	413	1090	910	442	9.6	436	2320	3.4
450	436	7.4	7.6	8.6	413	799	622	160	8.8	436	2309	3.4
470	436	7.1	7.4	8.5	413	478	305	0	7.9	436	2330	3.4
490	436	7.0	7.3	8.4	413	128	0	0	7.1	436	2381	3.4
510	436	6.9	7.3	8.5	413	0	0	0	6.2	436	2462	3.4

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: LJ60__

Source OPF File: Aug 13 2014
Source APF file: Aug 13 2014

Speeds: CAS(LO/HI) Mach
climb - 250/250 0.70
cruise - 250/300 0.79
descent - 250/300 0.76

Mass Levels [kg]
low - 8108
nominal - 9526
high - 10659

Temperature: ISA

Max Alt. [ft]: 51000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					140	3332	3057	2864	26.2	131	707	3.4
5					141	3319	3043	2850	26.0	132	716	3.4
10					142	3307	3030	2835	25.8	138	702	3.4
15					148	3449	3154	2948	25.7	149	818	3.3
20					149	3435	3139	2933	25.5	181	1025	3.3
30	230	8.1	8.8	9.5	173	3967	3604	3356	25.5	230	1433	3.4
40	233	8.1	8.9	9.5	207	4603	4147	3842	25.8	233	1459	3.4
60	272	9.7	10.3	10.9	272	5240	4591	4172	26.1	272	1978	3.5
80	280	9.8	10.4	10.9	280	5085	4448	4035	25.3	280	2039	3.5
100	289	9.8	10.4	11.0	289	4920	4295	3889	24.5	345	3258	3.6
120	297	9.8	10.4	11.0	297	4743	4131	3732	23.7	356	3331	3.7
140	366	13.4	13.9	14.3	306	4554	3956	3566	22.9	366	3403	3.7
160	377	13.5	13.9	14.3	316	4352	3771	3389	22.1	377	3474	3.8
180	388	13.5	14.0	14.4	326	4139	3573	3201	21.3	388	3544	3.9
200	400	13.5	14.0	14.4	336	3912	3364	3001	20.5	400	3612	3.9
220	412	13.5	14.0	14.5	347	3672	3143	2791	19.6	412	3678	4.0
240	425	13.6	14.0	14.5	358	3419	2910	2569	18.8	425	3742	4.1
260	438	13.6	14.1	14.5	369	3152	2664	2335	17.9	438	3802	4.1
280	452	13.6	14.1	14.5	381	2872	2406	2089	17.0	452	5341	4.2
290	459	13.6	14.1	14.5	387	2726	2272	1962	16.6	450	5146	4.3
310	464	13.0	13.6	14.1	400	2425	1995	1698	15.6	446	4789	4.3
330	459	12.1	12.7	13.2	407	2854	2306	1923	14.7	442	2769	4.4
350	455	11.3	11.9	12.5	403	2551	2008	1624	13.6	438	2637	4.5
370	453	10.6	11.3	11.9	401	2083	1651	1217	12.5	436	2359	4.5
390	453	10.0	10.7	11.5	401	1953	1316	892	11.4	436	2333	4.6
410	453	9.4	10.3	11.1	401	1562	948	534	10.4	436	2344	4.7
430	453	9.0	10.0	10.8	401	1137	547	145	9.3	436	2391	4.7
450	453	8.7	9.7	10.7	401	680	115	0	8.3	436	2472	4.8
470	453	8.4	9.5	10.6	401	190	0	0	7.2	436	2587	4.9
490	453	8.2	9.5	10.6	401	0	0	0	6.1	436	2736	4.9
510	453	8.1	9.5	10.8	401	0	0	0	5.0	436	2919	5.0

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: M20P__

Source OPF File: Apr 09 2015
Source APF file: Apr 09 2015

Speeds: CAS(LO/HI) Mach
climb - 105/105 0.24
cruise - 160/160 0.29
descent - 150/150 0.34

Mass Levels [kg]
low - 1230
nominal - 1361
high - 1528

Temperature: ISA

Max Alt. [ft]: 20000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					99	1480	1331	1169	0.7	77	431	0.4
5					106	1627	1403	1163	0.7	83	414	0.4
10					107	1603	1380	1142	0.7	94	447	0.4
15					107	1578	1357	1121	0.7	153	713	0.4
20					108	1553	1334	1100	0.7	154	721	0.4
30	167	0.6	0.6	0.6	110	1501	1286	1056	0.7	157	738	0.4
40	170	0.6	0.6	0.6	111	1447	1236	1011	0.7	159	756	0.4
60	175	0.6	0.6	0.6	115	1335	1133	915	0.7	164	792	0.4
80	180	0.6	0.6	0.6	118	1215	1022	814	0.7	169	829	0.4
100	185	0.6	0.6	0.6	122	1087	904	706	0.7	174	868	0.4
120	184	0.6	0.6	0.6	126	951	779	592	0.7	180	674	0.4
140	182	0.6	0.6	0.6	130	806	645	469	0.7	185	734	0.4
160	181	0.6	0.6	0.6	134	651	503	339	0.7	191	798	0.4
180	180	0.6	0.6	0.6	139	486	351	200	0.7	197	864	0.4
200	178	0.6	0.6	0.6	143	311	189	53	0.7	204	933	0.4

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: M20T__

Source OPF File: Apr 10 2015
Source APF file: Apr 10 2015

Speeds: CAS(LO/HI) Mach
climb - 104/104 0.26
cruise - 180/180 0.37
descent - 170/170 0.42

Mass Levels [kg]
low - 1280
nominal - 1361
high - 1528

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					102	1554	1460	1252	1.5	79	440	0.6
5					105	1637	1496	1246	1.5	84	424	0.6
10					106	1630	1489	1239	1.5	95	419	0.6
15					106	1623	1482	1232	1.5	174	900	0.6
20					107	1615	1475	1225	1.5	175	909	0.6
30	188	0.9	0.9	0.9	109	1600	1460	1210	1.5	178	925	0.6
40	191	0.9	0.9	0.9	110	1584	1444	1195	1.5	180	942	0.6
60	196	0.9	0.9	0.9	114	1551	1411	1163	1.5	186	977	0.6
80	202	0.9	0.9	0.9	117	1514	1376	1128	1.5	191	1013	0.6
100	209	0.9	0.9	0.9	121	1475	1337	1091	1.5	197	1050	0.6
120	215	0.9	0.9	0.9	125	1432	1295	1050	1.5	203	1088	0.6
140	222	0.9	0.9	0.9	129	1385	1250	1007	1.5	210	1128	0.6
160	229	0.9	0.9	0.9	133	1335	1201	960	1.5	216	883	0.6
180	229	0.9	0.9	0.9	137	1281	1148	909	1.5	223	930	0.6
200	227	0.9	0.9	0.9	142	1222	1091	855	1.5	231	979	0.6
220	225	0.9	0.9	0.9	147	1159	1030	796	1.5	238	1030	0.6
240	224	0.9	0.9	0.9	152	1091	964	734	1.5	246	1082	0.6
250	223	0.9	0.9	0.9	155	1055	929	700	1.5	251	1109	0.6

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: MAGC__

Source OPF File: Mar 24 2015
Source APF file: Mar 24 2015

Speeds: CAS(LO/HI) Mach
climb - 56/ 52 0.10
cruise - 83/ 83 0.15
descent - 90/ 90 0.17

Mass Levels [kg]
low - 383
nominal - 599
high - 599

Temperature: ISA

Max Alt. [ft]: 12000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					56	1455	675	675	0.2	48	289	0.2
5					56	1433	660	660	0.2	53	243	0.2
10					57	1412	644	644	0.2	64	361	0.2
15					57	1390	628	628	0.2	92	475	0.2
20					58	1367	611	611	0.2	93	483	0.2
30	87	0.2	0.2	0.2	59	1321	578	578	0.2	94	499	0.2
40	88	0.2	0.2	0.2	59	1274	544	544	0.2	95	516	0.2
60	91	0.2	0.2	0.2	61	1173	471	471	0.2	98	551	0.2
80	94	0.2	0.2	0.2	63	1067	394	394	0.2	101	517	0.2
100	96	0.2	0.2	0.2	60	863	232	232	0.2	105	561	0.2
120	95	0.2	0.2	0.2	62	749	149	149	0.2	108	616	0.2

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: MD11__

Source OPF File: Jan 08 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/340 0.82
cruise - 250/345 0.83
descent - 250/310 0.82

Mass Levels [kg]
low - 157824
nominal - 240000
high - 285990

Temperature: ISA

Max Alt. [ft]: 43000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					205	3245	2372	2018	369.2	170	918	50.4
5					207	3223	2350	1995	365.7	171	929	50.0
10					208	3202	2327	1971	362.3	178	913	49.6
15					215	3290	2379	2012	360.0	189	1122	27.0
20					216	3267	2355	1988	356.6	221	1099	26.9
30	230	80.7	127.0	161.2	240	3618	2571	2161	354.0	230	1122	26.7
40	233	80.8	127.2	161.6	265	4053	2731	2123	351.3	233	1142	26.5
60	272	87.8	124.7	152.0	272	4251	2614	2013	337.9	272	1370	26.1
80	280	88.1	125.3	152.8	280	4099	2494	1900	324.7	280	1409	25.7
100	289	88.4	125.9	153.6	390	4180	2683	2151	328.9	357	1842	25.3
120	297	88.7	126.5	154.5	402	3950	2509	1993	315.7	367	1883	24.9
140	419	135.2	156.9	172.9	413	3715	2333	1833	302.7	378	1923	24.5
160	431	135.2	157.2	173.5	425	3477	2153	1670	289.8	389	1964	24.1
180	444	135.2	157.5	174.0	438	3235	1971	1504	277.0	401	2003	23.7
200	457	135.1	157.8	174.6	450	2990	1786	1336	264.4	413	2043	23.3
220	470	135.0	158.0	175.1	464	2742	1599	1165	252.0	425	2081	22.9
240	484	134.8	158.3	175.6	478	2493	1410	993	239.7	438	2119	22.5
260	498	134.1	158.1	175.9	492	3242	1764	1185	227.6	452	2156	22.1
280	493	125.7	151.9	171.3	487	3024	1561	976	213.6	466	2192	21.7
290	491	121.9	149.2	169.5	485	2909	1522	865	206.7	473	2210	21.5
310	487	114.8	144.7	166.9	481	2669	1284	630	193.3	481	3193	21.1
330	483	108.7	141.4	165.6	477	2416	1031	379	180.1	477	3114	20.7
350	478	103.4	139.3	165.9	473	2454	761	108	167.3	473	3064	20.3
370	476	99.1	138.5	167.7	470	1951	432	0	155.0	470	2781	19.9
390	476	95.8	139.2	171.4	470	1660	155	0	143.1	470	2223	19.5
410	476	93.4	141.2	176.6	470	1350	0	0	131.6	470	2329	19.1
430	476	91.8	144.5	183.5	470	1022	0	0	120.3	470	2462	18.7

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: MD82__

Source OPF File: Oct 16 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 250/310 0.76 low - 42443
cruise - 250/290 0.76 nominal - 58000 Max Alt. [ft]: 37000
descent - 250/290 0.76 high - 67810

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					161	2841	2285	2011	125.6	147	752	48.2
5					162	2815	2259	1984	124.3	148	772	47.6
10					163	2789	2233	1958	123.0	154	860	47.4
15					170	2892	2308	2022	122.3	165	764	26.5
20					171	2865	2281	1994	120.9	197	1008	27.1
30	230	28.9	37.5	44.3	194	3276	2588	2259	120.8	230	1453	27.2
40	233	29.0	37.6	44.4	229	3786	2956	2573	121.8	233	1494	26.7
60	272	33.4	40.3	45.8	272	4302	3134	2617	120.6	272	1610	13.0
80	280	33.5	40.6	46.2	280	4098	2966	2461	115.3	280	1648	13.0
100	289	33.7	40.9	46.5	357	3959	2913	2454	116.9	334	2116	13.0
120	297	33.9	41.1	46.8	367	3692	2696	2256	111.7	344	2156	13.0
140	354	42.4	48.1	52.6	378	3423	2477	2056	106.6	354	2195	13.0
160	365	42.6	48.4	52.9	389	3153	2258	1855	101.6	365	2234	13.0
180	376	42.8	48.6	53.3	401	2882	2037	1653	96.7	376	2272	13.0
200	387	43.0	48.9	53.7	413	2612	1817	1451	91.9	387	2309	13.0
220	399	43.2	49.2	54.1	425	2343	1597	1249	87.2	399	2345	13.0
240	412	43.4	49.6	54.4	438	2075	1379	1049	82.7	412	2380	13.0
260	425	43.5	49.9	54.8	452	1810	1162	849	78.2	425	2414	13.0
280	438	43.7	50.2	55.3	452	2270	1395	966	73.1	438	2446	13.0
290	445	43.8	50.3	55.5	450	2168	1298	867	70.5	445	2461	13.0
310	446	42.0	49.0	54.5	446	2220	1149	662	65.5	446	1430	13.0
330	442	39.6	47.3	53.3	442	1976	929	446	60.7	442	1447	13.0
350	438	37.6	46.0	52.6	438	1726	700	218	56.1	438	1483	13.0
370	436	36.0	45.2	52.4	436	1362	427	0	51.8	436	1427	13.0

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: MD83__

Source OPF File: Oct 23 2008
Source APF file: Mar 05 2009

Speeds:	CAS(LO/HI)	Mach	Mass Levels [kg]		Temperature: ISA
climb	- 250/310	0.76	low	- 43385	
cruise	- 250/290	0.76	nominal	- 63500	Max Alt. [ft]: 37000
descent	- 250/290	0.76	high	- 72575	

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					165	2841	2139	1896	131.1	149	769	51.4
5					166	2817	2114	1871	129.7	150	789	50.9
10					167	2793	2090	1845	128.4	157	868	50.7
15					174	2902	2165	1911	127.8	168	823	27.5
20					175	2876	2139	1885	126.5	200	1036	28.1
30	230	28.7	40.8	47.7	198	3311	2447	2159	126.7	230	1397	28.4
40	233	28.8	40.9	47.8	233	3858	2821	2488	128.3	233	1436	27.8
60	272	33.0	42.8	48.4	272	4465	2988	2533	127.2	272	1591	13.0
80	280	33.2	43.1	48.8	280	4267	2830	2385	121.9	280	1628	13.0
100	289	33.4	43.4	49.2	357	4214	2865	2455	124.5	334	2025	13.0
120	297	33.7	43.8	49.6	367	3950	2660	2265	119.1	344	2062	13.0
140	354	41.8	49.9	54.5	378	3683	2453	2073	113.9	354	2100	13.0
160	365	42.1	50.2	54.9	389	3412	2243	1878	108.7	365	2137	13.0
180	376	42.3	50.6	55.4	401	3139	2031	1681	103.6	376	2173	13.0
200	387	42.6	51.0	55.9	413	2864	1817	1482	98.6	387	2209	13.0
220	399	42.8	51.4	56.3	425	2587	1602	1282	93.6	399	2244	13.0
240	412	43.0	51.8	56.8	438	2310	1385	1081	88.7	412	2278	13.0
260	425	43.3	52.2	57.4	452	2032	1169	879	83.9	425	2311	13.0
280	438	43.5	52.6	57.9	452	2540	1379	982	78.2	438	2343	13.0
290	445	43.6	52.8	58.2	450	2416	1264	867	75.3	445	2358	13.0
310	446	41.9	51.8	57.5	446	2457	1068	627	69.7	446	1486	13.0
330	442	39.6	50.5	56.7	442	2160	811	376	64.2	442	1530	13.0
350	438	37.7	49.6	56.4	438	1854	543	112	59.0	438	1595	13.0
370	436	36.2	49.3	56.7	436	1428	244	0	54.1	436	1559	13.0

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: MU2___

Source OPF File: Dec 09 2016
Source APF file: Dec 09 2016

Speeds: CAS(LO/HI) Mach
climb - 150/145 0.34
cruise - 250/240 0.48
descent - 200/200 0.56

Mass Levels [kg]
low - 4164
nominal - 4536
high - 5250

Temperature: ISA

Max Alt. [ft]: 31000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					125	2751	2589	2301	6.5	110	561	2.7
5					136	2754	2592	2301	6.6	110	574	2.7
10					142	2730	2566	2275	6.5	116	787	2.7
15					153	2700	2537	2241	6.5	127	796	2.7
20					154	2663	2500	2204	6.5	159	1262	2.7
30	188	2.5	2.6	2.9	157	2587	2425	2129	6.4	209	1879	2.7
40	191	2.5	2.7	3.0	159	2512	2351	2055	6.3	212	1904	2.7
60	272	4.8	4.9	5.2	164	2362	2201	1905	6.0	218	1954	2.6
80	280	4.9	5.0	5.2	169	2212	2052	1756	5.8	225	2005	2.6
100	277	4.6	4.7	4.9	168	2064	1901	1597	5.6	232	2058	2.6
120	286	4.7	4.8	5.0	174	1915	1753	1447	5.3	239	2111	2.6
140	294	4.7	4.9	5.1	179	1767	1604	1298	5.1	246	2166	2.5
160	300	4.7	4.8	5.1	185	1619	1457	1149	4.9	254	2221	2.5
180	297	4.4	4.5	4.8	191	1472	1310	1000	4.7	262	1798	2.5
200	295	4.1	4.3	4.6	197	1325	1163	851	4.5	271	1869	2.5
220	293	3.9	4.1	4.4	204	1180	1018	703	4.3	279	1941	2.4
240	290	3.7	3.9	4.2	206	1112	932	580	4.1	289	2012	2.4
260	288	3.5	3.7	4.1	204	1106	833	379	3.9	298	2083	2.4
280	285	3.4	3.6	4.0	202	886	615	162	3.6	308	2153	2.4
290	284	3.3	3.5	3.9	201	770	501	48	3.5	314	2188	2.4
310	282	3.2	3.4	3.9	199	527	260	0	3.2	324	2258	2.3

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: P06T__

Source OPF File: Mar 26 2015
Source APF file: Mar 26 2015

Speeds: CAS(LO/HI) Mach
climb - 80/ 80 0.16
cruise - 130/130 0.21
descent - 125/125 0.25

Mass Levels [kg]
low - 960
nominal - 1080
high - 1230

Temperature: ISA

Max Alt. [ft]: 14000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					80	1495	1276	1053	0.6	72	389	0.4
5					81	1470	1253	1033	0.6	78	405	0.4
10					81	1445	1230	1012	0.6	88	459	0.4
15					82	1419	1206	991	0.6	128	647	0.4
20					82	1393	1183	970	0.6	129	658	0.4
30	136	0.3	0.3	0.3	84	1339	1134	926	0.6	131	680	0.4
40	137	0.3	0.3	0.3	85	1283	1084	881	0.6	133	703	0.4
60	136	0.3	0.3	0.3	87	1167	979	787	0.6	137	750	0.4
80	135	0.3	0.3	0.3	90	1043	867	686	0.6	141	799	0.4
100	134	0.3	0.3	0.3	93	911	747	579	0.6	145	741	0.4
120	133	0.3	0.3	0.3	96	770	620	465	0.6	150	806	0.4
140	132	0.3	0.3	0.3	99	620	485	344	0.6	155	873	0.4

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: P180__

Source OPF File: Dec 07 2016
Source APF file: Dec 07 2016

Speeds: CAS(LO/HI) Mach
climb - 160/160 0.50
cruise - 250/260 0.63
descent - 250/260 0.67

Mass Levels [kg]
low - 4192
nominal - 4990
high - 5489

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					149	3758	3302	3053	9.2	126	685	4.5
5					160	3667	3211	2994	8.9	127	694	4.4
10					162	3599	3169	2961	8.8	133	705	4.4
15					164	3509	3137	2929	8.8	144	877	4.4
20					165	3476	3104	2897	8.7	176	1192	4.3
30	188	3.2	3.7	4.0	167	3408	3039	2832	8.6	230	1769	4.2
40	191	3.3	3.7	4.0	170	3341	2973	2766	8.4	233	1790	4.2
60	272	5.5	5.8	6.0	175	3205	2841	2634	8.1	272	2377	4.0
80	280	5.5	5.8	6.0	180	3068	2707	2501	7.9	280	2427	3.8
100	300	5.9	6.1	6.3	186	2930	2572	2366	7.6	300	2696	3.7
120	309	5.9	6.1	6.3	191	2791	2435	2230	7.3	309	2748	3.5
140	318	5.8	6.1	6.3	197	2650	2297	2093	7.0	318	2800	3.3
160	328	5.8	6.1	6.3	204	2508	2157	1953	6.7	328	2851	3.2
180	338	5.8	6.0	6.2	210	2364	2017	1812	6.4	338	2901	3.0
200	349	5.7	6.0	6.1	217	2220	1874	1670	6.2	349	2950	2.8
220	360	5.6	5.9	6.1	225	2074	1730	1526	5.9	360	2647	2.7
240	371	5.5	5.8	6.0	232	1926	1585	1380	5.6	371	2707	2.5
260	378	5.3	5.6	5.8	240	1778	1438	1233	5.3	383	2765	2.3
280	374	5.0	5.3	5.5	249	1628	1290	1085	5.1	396	2821	2.2
290	373	4.9	5.2	5.4	253	1553	1216	1010	4.9	397	3594	2.1
310	370	4.6	4.9	5.2	262	1402	1137	859	4.7	393	3347	1.9
330	366	4.3	4.7	5.0	271	1492	976	707	4.4	390	3132	1.8
350	363	4.1	4.5	4.8	281	1310	814	554	4.1	386	2946	1.6
370	361	4.0	4.4	4.7	287	1317	762	469	3.9	384	2637	1.4
390	361	3.8	4.3	4.7	287	1191	621	319	3.8	384	2545	1.3
410	361	3.7	4.2	4.6	287	1046	461	148	3.6	384	2481	1.1

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: P28A__

Source OPF File: Nov 10 2008
Source APF file: Nov 10 2008

Speeds: CAS(LO/HI) Mach
climb - 79/ 79 0.24
cruise - 110/110 0.24
descent - 126/126 0.24

Mass Levels [kg]
low - 736
nominal - 1055
high - 1106

Temperature: ISA

Max Alt. [ft]: 12000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					79	877	541	496	0.4	61	335	0.3
5					80	916	529	484	0.4	66	242	0.3
10					80	900	517	472	0.4	77	252	0.3
15					81	883	504	460	0.4	129	680	0.3
20					81	866	492	448	0.4	130	689	0.3
30	115	0.4	0.4	0.4	83	832	466	423	0.4	132	707	0.3
40	117	0.4	0.4	0.4	84	796	439	397	0.4	134	725	0.3
60	120	0.4	0.4	0.4	86	721	383	344	0.4	138	960	0.3
80	124	0.4	0.4	0.4	89	641	324	286	0.4	142	987	0.3
100	128	0.4	0.4	0.4	92	556	261	225	0.4	146	1016	0.3
120	132	0.4	0.4	0.4	95	465	193	160	0.4	151	1045	0.3

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: P28R__

Source OPF File: Mar 19 2015
Source APF file: Mar 19 2015

Speeds: CAS(LO/HI) Mach
climb - 90/ 90 0.19
cruise - 129/129 0.21
descent - 146/146 0.30

Mass Levels [kg]
low - 978
nominal - 1247
high - 1247

Temperature: ISA

Max Alt. [ft]: 18400

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					90	1184	793	793	0.8	76	405	0.4
5					91	1173	776	776	0.8	82	349	0.4
10					91	1152	758	758	0.8	93	297	0.4
15					92	1130	740	740	0.8	149	918	0.4
20					93	1108	722	722	0.8	150	934	0.4
30	135	0.6	0.6	0.6	94	1063	684	684	0.8	153	967	0.4
40	137	0.6	0.6	0.6	95	1016	645	645	0.8	155	1001	0.4
60	136	0.6	0.6	0.6	98	918	564	564	0.8	159	1071	0.4
80	135	0.6	0.6	0.6	101	814	477	477	0.8	164	1145	0.4
100	134	0.6	0.6	0.6	105	703	385	385	0.8	169	848	0.4
120	133	0.6	0.6	0.6	108	585	287	287	0.8	175	953	0.4
140	132	0.6	0.6	0.6	111	458	183	183	0.8	180	1063	0.4
160	131	0.6	0.6	0.6	115	324	72	72	0.8	186	1178	0.4
180	130	0.6	0.6	0.6	118	186	0	0	0.8	186	1248	0.4
184	130	0.6	0.6	0.6	117	156	0	0	0.8	185	1244	0.4

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: P28T__

Source OPF File: Mar 19 2015
Source APF file: Mar 19 2015

Speeds: CAS(LO/HI) Mach
climb - 90/ 90 0.19
cruise - 130/130 0.22
descent - 146/146 0.30

Mass Levels [kg]
low - 893
nominal - 1247
high - 1247

Temperature: ISA

Max Alt. [ft]: 18400

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					90	1302	807	807	0.6	74	392	0.6
5					91	1356	789	789	0.6	79	352	0.6
10					91	1332	770	770	0.6	90	320	0.6
15					92	1308	751	751	0.6	149	962	0.6
20					93	1283	732	732	0.6	150	978	0.6
30	136	0.5	0.5	0.5	94	1233	693	693	0.6	153	1011	0.6
40	138	0.5	0.5	0.5	95	1180	653	653	0.6	155	1045	0.6
60	142	0.5	0.5	0.5	98	1071	569	569	0.6	159	1114	0.6
80	141	0.5	0.5	0.5	101	954	479	479	0.6	164	1186	0.6
100	140	0.5	0.5	0.5	105	829	383	383	0.6	169	830	0.6
120	139	0.5	0.5	0.5	108	696	282	282	0.6	175	939	0.6
140	138	0.5	0.5	0.5	111	555	173	173	0.6	180	1053	0.6
160	137	0.5	0.5	0.5	115	404	58	58	0.6	186	1173	0.6
180	136	0.5	0.5	0.5	118	251	0	0	0.6	186	1247	0.6
184	136	0.5	0.5	0.5	117	218	0	0	0.6	185	1244	0.6

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: P28U__

Source OPF File: Aug 14 2014
Source APF file: Aug 14 2014

Speeds: CAS(LO/HI) Mach
climb - 97/ 97 0.22
cruise - 122/122 0.27
descent - 130/130 0.29

Mass Levels [kg]
low - 1032
nominal - 1315
high - 1315

Temperature: ISA

Max Alt. [ft]: 20000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					97	1497	1055	1055	1.0	84	443	0.6
5					98	1506	1041	1041	1.0	89	484	0.6
10					98	1489	1027	1027	1.0	100	554	0.6
15					99	1472	1012	1012	1.0	133	892	0.6
20					100	1454	998	998	1.0	134	901	0.6
30	127	0.5	0.5	0.5	101	1419	967	967	1.0	136	920	0.6
40	129	0.5	0.5	0.5	103	1382	936	936	1.0	138	939	0.6
60	133	0.5	0.5	0.5	106	1304	871	871	1.0	142	979	0.6
80	137	0.5	0.5	0.5	109	1220	800	800	1.0	146	1021	0.6
100	142	0.5	0.5	0.5	113	1131	725	725	1.0	151	1064	0.6
120	146	0.5	0.5	0.5	116	1035	645	645	1.0	156	1110	0.6
140	151	0.5	0.5	0.5	120	932	559	559	1.0	161	942	0.6
160	156	0.5	0.5	0.5	124	822	467	467	1.0	166	1001	0.6
180	161	0.5	0.5	0.5	128	704	369	369	1.0	171	1062	0.6
200	166	0.5	0.5	0.5	132	578	264	264	1.0	177	1126	0.6

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: P46T__

Source OPF File: Jul 31 2014
Source APF file: Jul 31 2014

Speeds: CAS(LO/HI) Mach
climb - 125/125 0.35
cruise - 160/160 0.36
descent - 175/175 0.48

Mass Levels [kg]
low - 1868
nominal - 2041
high - 2310

Temperature: ISA

Max Alt. [ft]: 30000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					103	2514	2342	2098	3.9	84	453	1.8
5					114	2348	2179	1938	3.6	85	459	1.8
10					120	2250	2081	1841	3.5	91	463	1.8
15					128	2045	1945	1800	3.3	101	506	1.7
20					129	2029	1929	1783	3.3	133	622	1.7
30	167	1.5	1.6	1.7	131	1996	1896	1750	3.2	183	1286	1.7
40	170	1.5	1.6	1.7	133	1962	1862	1716	3.2	185	1307	1.7
60	175	1.5	1.6	1.7	137	1892	1792	1645	3.1	191	1350	1.6
80	180	1.5	1.6	1.7	141	1819	1720	1572	3.0	197	1351	1.5
100	186	1.6	1.6	1.7	145	1744	1644	1496	2.9	203	1398	1.4
120	191	1.6	1.6	1.7	150	1665	1566	1416	2.8	209	1446	1.4
140	197	1.6	1.6	1.7	155	1583	1483	1334	2.7	216	1495	1.3
160	204	1.6	1.6	1.7	160	1497	1398	1247	2.6	223	1546	1.2
180	210	1.6	1.6	1.8	165	1408	1309	1157	2.5	230	1597	1.1
200	217	1.6	1.6	1.8	170	1315	1216	1064	2.4	237	1650	1.1
220	219	1.5	1.6	1.7	176	1218	1119	966	2.2	245	1704	1.0
240	218	1.5	1.5	1.7	182	1309	1117	864	2.1	254	1758	0.9
260	216	1.4	1.5	1.6	189	1185	1002	758	2.0	262	1814	0.9
280	214	1.4	1.4	1.6	195	1057	881	647	1.9	271	1870	0.8
290	213	1.3	1.4	1.6	199	990	819	590	1.8	276	1898	0.7
300	212	1.3	1.4	1.6	202	923	756	532	1.7	281	1926	0.7

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: P750__

Source OPF File: Apr 24 2015
Source APF file: Apr 24 2015

Speeds: CAS(LO/HI) Mach
climb - 88/ 88 0.20
cruise - 140/140 0.23
descent - 140/140 0.32

Mass Levels [kg]
low - 1687
nominal - 2948
high - 3402

Temperature: ISA

Max Alt. [ft]: 20000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					88	2545	1370	1124	3.3	76	466	2.1
5					89	2403	1353	1108	3.2	77	471	2.1
10					89	2382	1337	1092	3.2	83	463	2.1
15					90	2361	1321	1076	3.2	94	503	2.1
20					91	2340	1304	1060	3.2	125	606	2.1
30	146	1.5	2.0	2.2	92	2299	1271	1027	3.1	146	759	2.1
40	148	1.5	2.0	2.2	93	2256	1237	994	3.1	148	772	2.1
60	149	1.5	2.0	2.2	96	2170	1169	927	3.0	153	799	2.1
80	148	1.4	1.9	2.2	99	2083	1099	858	3.0	158	827	2.1
100	147	1.3	1.9	2.2	102	1993	1027	788	2.9	163	855	2.1
120	146	1.3	1.9	2.2	106	1902	953	715	2.8	168	885	2.1
140	145	1.2	1.9	2.2	109	1809	878	641	2.7	173	718	2.0
160	144	1.1	1.9	2.2	113	2182	849	565	2.6	179	761	2.0
180	142	1.1	1.9	2.3	116	2057	765	486	2.5	184	806	2.0
200	141	1.1	1.9	2.3	120	1930	678	405	2.4	191	851	2.0

BADA PERFORMANCE FILE Mar 31 2011

AC/Type: PA27__

Source OPF File: Jan 29 2009
Source APF file: Mar 31 2011

Speeds: CAS(LO/HI) Mach
climb - 120/120 0.37
cruise - 140/140 0.37
descent - 120/120 0.37

Mass Levels [kg]
low - 1200
nominal - 2180
high - 2360

Temperature: ISA

Max Alt. [ft]: 20000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					120	3296	1911	1706	1.8	96	726	1.1
5					121	3533	1880	1678	1.8	102	751	1.1
10					122	3608	1849	1649	1.8	113	562	1.1
15					123	3776	1817	1619	1.8	123	627	1.1
20					124	3721	1785	1589	1.8	124	636	1.1
30	146	1.8	1.8	1.8	125	3609	1719	1527	1.8	125	654	1.1
40	148	1.8	1.8	1.8	127	3493	1652	1464	1.8	127	672	1.1
60	153	1.8	1.8	1.8	131	3249	1510	1331	1.8	131	711	1.1
80	158	1.8	1.8	1.8	135	2989	1358	1189	1.8	135	751	1.1
100	163	1.8	1.8	1.8	139	2713	1197	1038	1.8	139	793	1.1
120	168	1.8	1.8	1.8	144	2418	1026	878	1.8	144	630	1.1
140	173	1.8	1.8	1.8	148	2104	843	708	1.8	148	691	1.1
160	179	1.8	1.8	1.8	153	1769	650	526	1.8	153	755	1.1
180	184	1.7	1.7	1.7	158	1413	443	333	1.7	158	823	1.1
200	191	1.8	1.8	1.8	164	1034	224	128	1.8	164	895	1.1

BADA PERFORMANCE FILE Mar 30 2011

AC/Type: PA31__

Source OPF File: Mar 17 2011
Source APF file: Apr 30 2002

Speeds: CAS(LO/HI) Mach
climb - 130/130 0.44
cruise - 160/160 0.44
descent - 165/165 0.44

Mass Levels [kg]
low - 1848
nominal - 2490
high - 2950

Temperature: ISA

Max Alt. [ft]: 26300

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					115	2875	1963	1518	2.8	95	876	0.8
5					126	2848	1901	1465	2.8	100	934	0.8
10					132	2801	1840	1445	2.8	111	624	0.8
15					133	2640	1817	1425	2.8	169	2022	0.8
20					134	2611	1794	1405	2.8	170	2041	0.8
30	167	2.8	2.8	2.8	136	2550	1746	1363	2.8	172	2080	0.8
40	170	2.8	2.8	2.8	138	2487	1698	1321	2.8	175	2120	0.8
60	175	2.8	2.8	2.8	142	2356	1596	1232	2.8	180	2201	0.8
80	180	2.8	2.8	2.8	146	2217	1488	1137	2.8	186	2285	0.8
100	186	2.8	2.8	2.8	151	2069	1374	1037	2.8	191	2372	0.8
120	191	2.8	2.8	2.8	156	1913	1253	931	2.8	197	2461	0.8
140	197	2.8	2.8	2.8	161	1747	1125	819	2.8	204	2554	0.8
160	204	2.8	2.8	2.8	166	1571	989	701	2.8	210	2334	0.8
180	210	2.8	2.8	2.8	171	1385	845	575	2.8	217	2444	0.8
200	217	2.8	2.8	2.8	177	1188	693	443	2.8	224	2557	0.8
220	225	2.8	2.8	2.8	183	979	532	302	2.8	232	2674	0.8
240	232	2.8	2.8	2.8	189	758	362	154	2.8	239	2794	0.8
260	240	2.8	2.8	2.8	196	525	183	0	2.8	248	2918	0.8
263	241	2.8	2.8	2.8	197	489	155	0	2.8	249	2937	0.8

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: PA34__

Source OPF File: Apr 06 2012
Source APF file: Apr 06 2012

Speeds: CAS(LO/HI) Mach
climb - 95/ 95 0.25
cruise - 155/150 0.31
descent - 130/130 0.31

Mass Levels [kg]
low - 1750
nominal - 1814
high - 1999

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					95	1741	1661	1455	1.7	82	429	0.9
5					96	1717	1637	1433	1.7	87	436	0.9
10					96	1693	1614	1412	1.7	98	462	0.9
15					97	1668	1591	1390	1.7	133	672	0.9
20					98	1644	1567	1368	1.7	134	676	0.9
30	162	1.1	1.1	1.1	99	1594	1518	1323	1.7	136	685	0.9
40	164	1.1	1.1	1.1	101	1542	1468	1277	1.7	138	695	0.9
60	169	1.1	1.1	1.1	104	1436	1365	1182	1.7	142	714	0.9
80	174	1.1	1.1	1.1	107	1324	1257	1082	1.7	146	735	0.9
100	174	1.1	1.1	1.1	110	1207	1143	977	1.7	151	756	0.9
120	180	1.1	1.1	1.1	114	1085	1024	867	1.7	156	777	0.9
140	185	1.1	1.1	1.1	118	956	899	752	1.7	161	800	0.9
160	191	1.1	1.1	1.1	121	820	768	630	1.7	166	823	0.9
180	192	1.1	1.1	1.1	126	678	630	503	1.7	171	847	0.9
200	190	1.1	1.1	1.1	130	528	485	369	1.7	177	872	0.9
220	189	1.1	1.1	1.1	134	371	332	228	1.7	183	897	0.9
240	187	1.1	1.1	1.1	139	206	172	81	1.7	187	967	0.9
250	187	1.1	1.1	1.1	141	120	89	4	1.7	187	948	0.9

BADA PERFORMANCE FILE May 22 2013

AC/Type: PA44__

Source OPF File: May 02 2013
Source APF file: May 02 2013

Speeds: CAS(LO/HI) Mach
climb - 88/ 88 0.17
cruise - 135/135 0.27
descent - 165/165 0.33

Mass Levels [kg]
low - 1433
nominal - 1542
high - 1724

Temperature: ISA

Max Alt. [ft]: 15000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					88	1689	1536	1284	1.4	73	385	0.7
5					89	1674	1500	1250	1.4	78	314	0.7
10					89	1634	1463	1217	1.4	89	243	0.7
15					90	1594	1425	1182	1.4	169	370	0.7
20					91	1553	1387	1147	1.4	170	395	0.7
30	141	0.8	0.8	0.8	92	1469	1308	1075	1.4	172	447	0.7
40	143	0.8	0.8	0.8	93	1382	1226	1001	1.4	175	500	0.7
60	147	0.8	0.8	0.8	96	1197	1052	843	1.4	180	610	0.7
80	152	0.8	0.8	0.8	99	998	866	673	1.4	186	359	0.7
100	157	0.8	0.8	0.8	102	784	665	490	1.4	191	501	0.7
120	162	0.8	0.8	0.8	106	554	449	293	1.4	197	651	0.7
140	167	0.8	0.8	0.8	107	213	127	0	1.4	204	809	0.7
150	169	0.8	0.8	0.8	106	0	0	0	1.4	207	957	0.7

BADA PERFORMANCE FILE May 22 2013

AC/Type: PA46__

Source OPF File: May 06 2013
Source APF file: May 06 2013

Speeds: CAS(LO/HI) Mach
climb - 125/125 0.31
cruise - 155/145 0.33
descent - 165/165 0.41

Mass Levels [kg]
low - 1722
nominal - 1969
high - 1969

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					101	1702	1399	1399	1.6	80	441	1.0
5					112	1677	1374	1374	1.6	86	439	1.0
10					118	1650	1348	1348	1.6	97	465	1.0
15					128	1564	1298	1298	1.6	169	727	1.0
20					129	1553	1287	1287	1.6	170	736	1.0
30	162	0.8	0.8	0.8	131	1528	1265	1265	1.6	172	755	1.0
40	164	0.8	0.8	0.8	133	1503	1242	1242	1.6	175	773	1.0
60	169	0.8	0.8	0.8	137	1451	1194	1194	1.6	180	811	1.0
80	174	0.8	0.8	0.8	141	1396	1144	1144	1.6	186	851	1.0
100	168	0.8	0.8	0.8	145	1338	1091	1091	1.6	191	892	1.0
120	174	0.8	0.8	0.8	150	1277	1035	1035	1.6	197	695	1.0
140	179	0.8	0.8	0.8	155	1212	976	976	1.6	204	744	1.0
160	185	0.8	0.8	0.8	160	1145	914	914	1.6	210	796	1.0
180	191	0.8	0.8	0.8	165	1073	849	849	1.6	217	849	1.0
200	197	0.8	0.8	0.8	170	997	780	780	1.6	224	905	1.0
220	201	0.8	0.8	0.8	176	918	707	707	1.6	232	962	1.0
240	199	0.8	0.8	0.8	182	834	631	631	1.6	239	1020	1.0
250	199	0.8	0.8	0.8	185	790	591	591	1.6	243	1050	1.0

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: PAY2__

Source OPF File: Jan 29 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 150/140 0.47
cruise - 240/220 0.44
descent - 214/214 0.47

Mass Levels [kg]
low - 2736
nominal - 3620
high - 4080

Temperature: ISA

Max Alt. [ft]: 29000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					129	3847	3271	3029	5.9	100	1177	3.5
5					140	3955	3347	3094	6.1	101	1186	3.5
10					146	3970	3350	3082	6.2	106	1194	3.5
15					153	4130	3352	3033	6.3	117	1227	3.4
20					154	4074	3301	2984	6.2	149	501	3.4
30	188	2.4	2.6	2.8	157	3961	3200	2886	6.1	223	1859	3.4
40	191	2.4	2.7	2.9	159	3849	3099	2788	6.0	227	1910	3.3
60	261	5.1	5.3	5.4	164	3629	2900	2595	5.8	233	2011	3.2
80	269	5.2	5.4	5.6	169	3413	2705	2406	5.6	240	763	3.1
100	254	4.3	4.5	4.6	163	3094	2399	2099	5.1	248	891	3.1
120	262	4.4	4.6	4.8	168	2884	2207	1911	4.9	255	1018	3.0
140	270	4.5	4.7	4.9	173	2678	2019	1728	4.7	263	1143	2.9
160	275	4.4	4.7	4.8	179	2477	1834	1547	4.6	271	1265	2.8
180	272	4.1	4.4	4.6	184	2281	1654	1371	4.4	280	1386	2.7
200	270	3.8	4.1	4.3	191	2092	1479	1198	4.2	289	1724	2.6
220	268	3.5	3.9	4.1	197	1908	1309	1031	4.1	286	1589	2.5
240	266	3.3	3.7	3.9	204	2129	1222	867	3.9	284	1482	2.5
260	264	3.1	3.5	3.7	211	1919	1051	709	3.8	282	1405	2.4
280	262	2.9	3.3	3.6	218	1719	887	556	3.7	279	1356	2.3
290	260	2.8	3.2	3.5	222	1623	807	482	3.6	278	1341	2.2

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: PAY3__

Source OPF File: Jan 29 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 160/150 0.46
cruise - 240/220 0.46
descent - 240/220 0.46

Mass Levels [kg]
low - 3919
nominal - 4128
high - 5080

Temperature: ISA

Max Alt. [ft]: 33000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					121	2994	2909	2573	8.3	106	625	5.3
5					132	2940	2853	2510	8.3	107	630	5.3
10					138	2888	2801	2455	8.3	113	653	5.2
15					164	2692	2622	2348	8.5	124	711	5.2
20					165	2656	2586	2313	8.4	156	990	5.1
30	188	2.9	3.0	3.2	167	2583	2514	2245	8.2	230	2354	5.0
40	191	3.0	3.0	3.3	170	2510	2442	2176	8.1	233	2381	4.9
60	261	6.3	6.3	6.5	175	2364	2299	2038	7.8	261	3048	4.7
80	269	6.4	6.5	6.7	180	2219	2155	1901	7.6	269	3112	4.5
100	254	5.3	5.3	5.5	174	2157	2092	1830	7.2	254	2546	4.3
120	262	5.4	5.4	5.6	180	2014	1951	1694	6.9	262	2602	4.1
140	270	5.5	5.6	5.8	185	1871	1810	1558	6.7	270	2658	4.0
160	279	5.6	5.7	5.9	191	1729	1669	1423	6.4	279	2715	3.8
180	285	5.6	5.7	5.9	197	1588	1530	1288	6.1	285	3096	3.6
200	283	5.2	5.3	5.5	204	1447	1390	1153	5.9	283	2869	3.4
220	280	4.8	4.9	5.2	211	1307	1252	1019	5.6	280	2662	3.2
240	278	4.5	4.6	4.9	218	1167	1114	886	5.4	278	2474	3.0
260	276	4.2	4.2	4.6	226	1029	978	753	5.2	276	2304	2.8
280	273	3.9	4.0	4.3	233	1063	970	621	4.9	273	2152	2.6
290	272	3.8	3.8	4.2	238	982	892	556	4.8	272	2083	2.5
310	270	3.5	3.6	4.0	246	822	739	426	4.6	270	1957	2.3
330	268	3.3	3.4	3.9	255	664	588	297	4.4	268	1847	2.1

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: PC12__

Source OPF File: Jul 28 2014
Source APF file: Jul 28 2014

Speeds: CAS(LO/HI) Mach
climb - 163/153 0.32
cruise - 210/200 0.41
descent - 240/240 0.48

Mass Levels [kg]
low - 2976
nominal - 3850
high - 4500

Temperature: ISA

Max Alt. [ft]: 30000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					111	1480	1272	1145	3.7	83	451	3.6
5					122	1575	1352	1217	3.8	84	457	3.6
10					128	1607	1377	1239	3.9	89	446	3.5
15					167	1885	1559	1373	4.5	100	398	3.5
20					168	1867	1543	1357	4.4	132	348	3.5
30	188	2.3	2.5	2.7	170	1832	1511	1326	4.4	230	1373	3.4
40	191	2.4	2.6	2.7	173	1797	1479	1295	4.3	233	1397	3.3
60	229	3.3	3.5	3.6	178	1729	1417	1235	4.2	261	1877	3.2
80	236	3.3	3.5	3.6	183	1664	1357	1177	4.1	269	1930	3.0
100	232	3.0	3.2	3.4	178	1567	1262	1080	3.9	277	1984	2.8
120	239	3.1	3.3	3.4	183	1505	1204	1023	3.8	286	2037	2.7
140	246	3.1	3.3	3.5	189	1446	1149	969	3.7	294	2089	2.5
160	254	3.1	3.3	3.5	195	1390	1096	916	3.6	300	2384	2.4
180	254	3.0	3.2	3.3	198	1417	1105	912	3.5	297	2189	2.2
200	252	2.8	3.0	3.2	197	1321	1010	815	3.3	295	2012	2.1
220	250	2.6	2.8	3.0	195	1219	909	711	3.1	293	1854	1.9
240	248	2.4	2.7	2.9	193	1368	870	599	2.9	290	2176	1.8
260	246	2.3	2.6	2.8	192	1225	745	480	2.7	288	2030	1.6
280	244	2.2	2.5	2.7	190	1074	611	352	2.5	285	1900	1.4
290	243	2.1	2.4	2.7	189	995	541	285	2.4	284	1841	1.4
300	242	2.0	2.4	2.7	189	915	469	216	2.3	283	1786	1.3

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: PRM1__

Source OPF File: Aug 06 2014
Source APF file: Aug 06 2014

Speeds: CAS(LO/HI) Mach
climb - 240/240 0.64
cruise - 250/290 0.77
descent - 250/250 0.70

Mass Levels [kg]
low - 4681
nominal - 4990
high - 5670

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					125	2860	2791	2651	15.3	117	623	3.3
5					126	2852	2783	2642	15.2	118	629	3.3
10					126	2845	2774	2633	15.1	124	645	3.3
15					132	2956	2879	2726	15.0	135	646	3.3
20					133	2947	2870	2716	14.9	167	714	3.3
30	230	5.8	5.9	6.1	156	3343	3242	3043	15.0	230	1676	3.3
40	233	5.8	5.9	6.1	190	3756	3621	3359	15.2	233	1706	3.2
60	272	7.4	7.5	7.6	261	3798	3635	3326	15.5	272	2585	3.2
80	280	7.4	7.5	7.7	269	3661	3502	3199	15.1	280	2662	3.2
100	289	7.5	7.5	7.7	277	3513	3358	3063	14.6	289	2740	3.2
120	297	7.5	7.5	7.7	286	3354	3203	2917	14.2	297	2819	3.1
140	354	10.1	10.1	10.2	294	3182	3037	2759	13.7	306	2899	3.1
160	365	10.1	10.1	10.3	304	2998	2858	2591	13.2	316	2980	3.1
180	376	10.1	10.2	10.3	313	2802	2668	2410	12.7	326	3061	3.1
200	387	10.1	10.2	10.3	323	2592	2465	2218	12.2	336	3143	3.0
220	399	10.1	10.2	10.3	333	2369	2248	2014	11.7	347	3224	3.0
240	412	10.1	10.2	10.3	344	2133	2019	1798	11.2	358	3305	3.0
260	425	10.1	10.2	10.3	355	1882	1776	1569	10.7	369	2520	2.9
280	438	10.1	10.2	10.4	367	1618	1520	1327	10.1	381	2633	2.9
290	445	10.1	10.2	10.4	373	1481	1387	1201	9.8	387	2690	2.9
310	452	9.8	9.9	10.0	376	1683	1568	1336	9.2	400	2804	2.9
330	448	9.0	9.1	9.2	372	1688	1518	1197	8.5	407	3700	2.8
350	444	8.3	8.3	8.5	369	1503	1339	1027	7.9	403	3411	2.8
370	442	7.6	7.7	7.9	367	1221	1072	786	7.2	401	2971	2.8
390	442	7.0	7.1	7.4	367	991	848	574	6.5	401	2808	2.8
410	442	6.5	6.6	6.9	367	725	591	330	5.8	401	2684	2.7

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: RJ1H__

Source OPF File: Mar 27 2012
Source APF file: Mar 27 2012

Speeds:	CAS(LO/HI)	Mach	Mass Levels [kg]		Temperature: ISA
climb	- 250/270	0.64	low	- 31360	
cruise	- 250/305	0.70	nominal	- 40000	Max Alt. [ft]: 35000
descent	- 250/290	0.68	high	- 44999	

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					140	1744	1401	1229	93.3	128	692	18.8
5					141	1750	1405	1232	93.0	129	698	18.8
10					142	1757	1409	1235	92.7	135	682	18.6
15					148	1858	1491	1310	91.9	146	776	14.4
20					149	1864	1495	1312	91.5	178	828	13.8
30	230	35.1	39.4	42.3	173	2208	1769	1557	88.7	230	1072	8.3
40	233	34.9	39.2	42.1	207	2569	2036	1786	84.7	233	1089	8.6
60	272	39.4	42.6	44.8	272	2657	2068	1802	76.9	272	1562	9.1
80	280	38.9	42.0	44.2	280	2630	2040	1773	74.8	280	1610	9.6
100	289	38.4	41.5	43.7	311	2391	1850	1604	70.3	334	2507	10.2
120	297	37.8	40.9	43.1	321	2316	1782	1538	67.7	344	2570	10.7
140	372	46.5	48.4	49.7	330	2219	1695	1455	64.9	354	2636	11.2
160	383	45.4	47.3	48.6	340	2100	1590	1355	62.0	365	2704	11.8
180	395	44.4	46.3	47.5	351	1958	1465	1236	58.9	376	2775	12.3
200	406	43.3	45.1	46.4	362	1791	1319	1098	55.6	387	2848	12.9
220	419	42.1	44.0	45.2	373	1599	1152	939	52.2	399	2924	13.4
240	423	40.1	42.0	43.4	385	1380	962	760	48.6	411	1558	13.9
260	420	37.5	39.6	41.1	384	1647	1111	850	45.9	408	1442	14.5
280	416	35.1	37.4	39.0	380	1698	1016	709	43.0	404	1373	15.0
290	414	34.0	36.4	38.1	379	1602	928	623	41.6	402	1355	15.3
310	411	31.9	34.6	36.4	376	1371	718	419	38.4	399	1352	15.8
330	407	30.1	33.0	35.0	372	1087	464	175	35.1	395	1392	16.3
350	403	28.4	31.6	33.9	369	753	168	0	31.5	392	1473	16.9

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: RJ85__

Source OPF File: Mar 27 2012
Source APF file: Mar 27 2012

Speeds:	CAS(LO/HI)	Mach	Mass Levels [kg]		Temperature: ISA
climb	- 250/280	0.66	low	- 30078	
cruise	- 250/300	0.70	nominal	- 38000	Max Alt. [ft]: 35000
descent	- 250/290	0.68	high	- 43999	

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					136	1779	1456	1248	92.4	126	682	16.4
5					137	1788	1462	1252	92.2	127	687	16.3
10					138	1796	1468	1257	92.0	133	673	16.2
15					144	1903	1556	1335	91.2	144	762	12.4
20					145	1910	1561	1338	90.9	176	823	12.0
30	230	33.0	36.7	40.0	168	2274	1855	1596	88.2	230	1072	8.7
40	233	32.9	36.5	39.9	203	2666	2153	1845	84.4	233	1088	8.9
60	272	37.3	40.0	42.5	272	2824	2236	1897	76.6	272	1570	9.4
80	280	36.8	39.5	42.0	280	2806	2217	1877	74.6	280	1615	9.8
100	289	36.3	39.0	41.5	323	2463	1943	1642	69.2	334	2524	10.3
120	297	35.8	38.5	40.9	332	2389	1876	1578	66.7	344	2585	10.8
140	366	43.5	45.2	46.7	342	2291	1789	1496	64.1	354	2649	11.2
160	377	42.6	44.2	45.8	353	2168	1680	1394	61.2	365	2716	11.7
180	388	41.6	43.3	44.8	363	2019	1550	1273	58.1	376	2785	12.2
200	400	40.6	42.3	43.8	375	1844	1397	1130	54.9	387	2857	12.6
220	412	39.6	41.2	42.7	386	1640	1220	966	51.5	399	2931	13.1
240	423	38.4	40.0	41.5	398	1407	1018	779	47.9	411	1526	13.6
260	420	35.8	37.6	39.3	396	1729	1222	907	45.2	408	1408	14.1
280	416	33.5	35.5	37.3	392	1792	1142	768	42.4	404	1338	14.5
290	414	32.4	34.5	36.4	391	1693	1052	682	40.9	402	1320	14.8
310	411	30.4	32.7	34.8	387	1450	835	475	37.7	399	1317	15.2
330	407	28.6	31.1	33.4	384	1149	570	224	34.3	395	1358	15.7
350	403	26.9	29.7	32.3	380	793	258	0	30.6	392	1441	16.2

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: S22T__

Source OPF File: Nov 25 2016
Source APF file: Nov 25 2016

Speeds: CAS(LO/HI) Mach
climb - 120/120 0.30
cruise - 145/135 0.30
descent - 178/178 0.38

Mass Levels [kg]
low - 1278
nominal - 1463
high - 1633

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					102	1337	1174	1050	1.6	80	419	0.6
5					113	1476	1294	1155	1.6	85	417	0.6
10					119	1536	1344	1184	1.6	96	370	0.6
15					123	1631	1371	1177	1.6	182	434	0.6
20					124	1624	1364	1171	1.6	183	441	0.6
30	151	0.7	0.7	0.7	125	1610	1351	1158	1.6	186	457	0.6
40	154	0.7	0.7	0.7	127	1594	1337	1145	1.6	189	472	0.6
60	158	0.7	0.7	0.7	131	1562	1307	1117	1.6	194	504	0.6
80	163	0.7	0.7	0.7	135	1527	1275	1086	1.6	200	538	0.6
100	157	0.7	0.7	0.7	139	1489	1240	1053	1.6	206	573	0.6
120	162	0.7	0.7	0.7	144	1448	1202	1018	1.6	213	406	0.6
140	167	0.7	0.7	0.7	148	1404	1161	980	1.6	219	447	0.6
160	172	0.7	0.7	0.7	153	1356	1117	938	1.6	226	490	0.6
180	178	0.7	0.7	0.7	158	1304	1070	894	1.6	234	534	0.6
200	184	0.7	0.7	0.7	164	1248	1019	846	1.6	233	561	0.6
220	183	0.7	0.7	0.7	169	1188	964	794	1.6	232	526	0.6
240	181	0.7	0.7	0.7	175	1123	904	739	1.6	230	500	0.6
250	181	0.7	0.7	0.7	178	1088	873	710	1.6	229	490	0.6

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: SB20__

Source OPF File: Nov 10 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 210/210 0.52
cruise - 250/265 0.62
descent - 250/270 0.61

Mass Levels [kg]
low - 16560
nominal - 20000
high - 22800

Temperature: ISA

Max Alt. [ft]: 31000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					156	3229	2800	2505	25.0	127	674	6.2
5					167	3186	2752	2452	24.8	127	683	6.2
10					173	3144	2706	2405	24.6	133	695	6.2
15					215	2741	2408	2179	24.3	145	886	6.1
20					216	2708	2377	2149	24.1	177	1227	6.1
30	188	7.4	8.4	9.4	219	2643	2315	2088	23.8	230	1854	6.0
40	191	7.5	8.5	9.5	222	2578	2253	2027	23.4	233	1875	6.0
60	272	13.9	14.6	15.2	229	2447	2129	1906	22.8	272	2511	5.8
80	280	14.1	14.7	15.4	236	2317	2005	1785	22.1	280	2563	5.7
100	306	16.0	16.6	17.2	243	2187	1881	1664	21.4	311	3108	5.5
120	315	16.1	16.8	17.4	250	2057	1758	1543	20.8	321	3165	5.4
140	324	16.2	16.9	17.5	258	1929	1635	1422	20.1	330	3221	5.2
160	334	16.3	17.0	17.7	266	1801	1513	1302	19.5	340	3276	5.1
180	345	16.4	17.1	17.7	275	1673	1391	1182	18.9	351	3329	5.0
200	355	16.5	17.2	17.8	284	1547	1270	1063	18.3	362	3382	4.8
220	366	16.5	17.2	17.9	293	1422	1150	945	17.6	372	4259	4.7
240	375	16.2	17.0	17.6	303	1299	1031	828	17.0	369	3482	4.5
260	372	15.1	15.9	16.7	312	1699	1183	850	16.5	366	3236	4.4
280	369	14.1	15.0	15.8	309	1687	1154	810	15.9	363	3018	4.2
290	367	13.7	14.6	15.4	308	1673	1133	783	15.6	361	2919	4.2
310	364	12.8	13.8	14.7	305	1630	1075	714	15.1	358	2742	4.0

BADA PERFORMANCE FILE May 13 2015

AC/Type: SF25__

Source OPF File: May 13 2015
Source APF file: May 13 2015

Speeds: CAS(LO/HI) Mach
climb - 46/ 46 0.21
cruise - 54/ 54 0.21
descent - 43/ 43 0.21

Mass Levels [kg]
low - 414
nominal - 540
high - 540

Temperature: ISA

Max Alt. [ft]: 14800

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					46	548	375	375	0.1	43	206	0.0
5					46	538	368	368	0.1	43	208	0.0
10					47	529	360	360	0.1	44	209	0.0
15					47	519	352	352	0.1	44	211	0.0
20					47	509	345	345	0.1	44	212	0.0
30	56	0.1	0.1	0.1	48	489	328	328	0.1	45	215	0.0
40	57	0.1	0.1	0.1	49	468	312	312	0.1	46	219	0.0
60	59	0.1	0.1	0.1	50	424	276	276	0.1	47	225	0.0
80	61	0.1	0.1	0.1	52	377	239	239	0.1	48	232	0.0
100	63	0.1	0.1	0.1	54	327	199	199	0.1	50	240	0.0
120	65	0.1	0.1	0.1	55	274	156	156	0.1	52	247	0.0
140	67	0.1	0.1	0.1	57	217	111	111	0.1	53	255	0.0
148	68	0.1	0.1	0.1	58	193	92	92	0.1	54	258	0.0

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: SF34__

Source OPF File: Nov 23 2011
Source APF file: Nov 23 2011

Speeds: CAS(LO/HI) Mach
climb - 170/170 0.34
cruise - 250/245 0.46
descent - 240/240 0.50

Mass Levels [kg]
low - 10421
nominal - 11340
high - 13155

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					134	2123	2009	1801	10.3	111	593	4.8
5					145	2097	1981	1769	10.4	112	600	4.8
10					151	2064	1947	1732	10.4	118	610	4.8
15					174	1946	1847	1665	10.6	129	741	4.7
20					175	1918	1819	1637	10.5	161	998	4.7
30	188	4.5	4.7	5.2	178	1861	1763	1582	10.4	230	1929	4.7
40	191	4.6	4.8	5.2	180	1805	1707	1527	10.2	233	1951	4.7
60	272	9.8	10.0	10.3	186	1692	1596	1417	9.9	261	2448	4.6
80	280	10.0	10.2	10.5	191	1580	1485	1307	9.6	269	2500	4.6
100	283	9.7	9.9	10.2	197	1468	1374	1198	9.3	277	2552	4.5
120	291	9.9	10.1	10.5	203	1357	1264	1089	9.0	286	2604	4.4
140	289	9.3	9.4	9.8	210	1246	1155	980	8.7	294	2657	4.4
160	287	8.6	8.8	9.2	212	1249	1149	957	8.4	304	2244	4.3
180	285	8.1	8.3	8.7	211	1167	1064	865	7.9	310	2621	4.3
200	283	7.6	7.8	8.3	209	1272	1081	763	7.5	307	2430	4.2
220	280	7.1	7.3	7.8	207	1157	968	652	7.1	305	2260	4.1
240	278	6.7	6.9	7.5	206	1032	845	532	6.7	302	2109	4.1
250	277	6.5	6.8	7.3	205	966	780	468	6.5	301	2041	4.1

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: SH36__

Source OPF File: Nov 10 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 140/140 0.32
cruise - 180/180 0.33
descent - 160/160 0.36

Mass Levels [kg]
low - 9444
nominal - 11300
high - 12290

Temperature: ISA

Max Alt. [ft]: 20000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					134	1395	1129	999	9.5	114	606	5.9
5					141	1298	1066	976	9.3	115	612	5.8
10					142	1232	1048	958	9.2	121	638	5.8
15					143	1210	1030	939	9.2	132	517	5.8
20					144	1191	1012	921	9.1	164	415	5.8
30	188	6.6	7.0	7.3	146	1154	975	885	8.9	167	449	5.7
40	191	6.6	7.1	7.3	148	1116	938	848	8.8	170	474	5.7
60	196	6.7	7.2	7.4	153	1041	864	774	8.5	175	524	5.5
80	202	6.8	7.3	7.5	158	964	788	698	8.2	180	575	5.4
100	209	6.9	7.4	7.6	163	887	712	622	7.9	186	627	5.3
120	209	6.6	7.1	7.4	168	808	635	544	7.6	191	377	5.2
140	208	6.3	6.8	7.1	173	729	556	465	7.3	197	440	5.1
160	206	6.0	6.5	6.9	179	773	505	385	7.0	204	505	5.0
180	204	5.7	6.3	6.7	184	675	419	304	6.7	210	570	4.9
200	203	5.5	6.1	6.5	191	577	333	222	6.4	217	637	4.8

BADA PERFORMANCE FILE Apr 30 2015

AC/Type: SR20__

Source OPF File: Apr 17 2015
Source APF file: Apr 17 2015

Speeds: CAS(LO/HI) Mach
climb - 94/ 90 0.18
cruise - 130/127 0.24
descent - 160/160 0.34

Mass Levels [kg]
low - 1132
nominal - 1236
high - 1383

Temperature: ISA

Max Alt. [ft]: 17500

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					94	1095	978	820	0.6	76	376	0.4
5					95	1087	957	801	0.6	81	377	0.4
10					95	1064	936	782	0.6	92	368	0.4
15					96	1041	914	762	0.6	164	439	0.4
20					97	1017	892	742	0.6	165	451	0.4
30	136	0.5	0.5	0.5	98	969	847	701	0.6	167	477	0.4
40	138	0.5	0.5	0.5	100	919	801	659	0.6	170	503	0.4
60	142	0.5	0.5	0.5	103	814	704	570	0.6	175	557	0.4
80	146	0.5	0.5	0.5	106	703	601	476	0.6	180	614	0.4
100	147	0.5	0.5	0.5	105	557	463	349	0.6	186	440	0.4
120	152	0.5	0.5	0.5	108	436	351	247	0.6	191	529	0.4
140	151	0.5	0.5	0.5	111	307	231	138	0.6	197	623	0.4
160	150	0.5	0.5	0.5	112	165	98	13	0.6	204	722	0.4
175	149	0.5	0.5	0.5	112	49	0	0	0.6	209	799	0.4

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: SR22__

Source OPF File: Jan 31 2012
Source APF file: Jan 31 2012

Speeds: CAS(LO/HI) Mach
climb - 98/ 93 0.20
cruise - 155/150 0.28
descent - 178/178 0.38

Mass Levels [kg]
low - 1225
nominal - 1542
high - 1542

Temperature: ISA

Max Alt. [ft]: 17500

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					98	1737	1330	1330	1.0	82	428	0.7
5					99	1782	1309	1309	1.0	87	426	0.7
10					99	1756	1287	1287	1.0	98	377	0.7
15					100	1730	1265	1265	1.0	182	434	0.7
20					101	1703	1243	1243	1.0	183	447	0.7
30	162	0.7	0.7	0.7	102	1648	1198	1198	1.0	186	474	0.7
40	164	0.7	0.7	0.7	104	1591	1151	1151	1.0	189	501	0.7
60	169	0.7	0.7	0.7	107	1472	1053	1053	1.0	194	558	0.7
80	174	0.7	0.7	0.7	110	1345	948	948	1.0	200	368	0.7
100	174	0.7	0.7	0.7	108	1168	797	797	1.0	206	450	0.7
120	177	0.7	0.7	0.7	112	1031	684	684	1.0	213	536	0.7
140	176	0.7	0.7	0.7	115	885	564	564	1.0	219	626	0.7
160	175	0.7	0.7	0.7	119	730	436	436	1.0	226	721	0.7
175	174	0.7	0.7	0.7	122	607	335	335	1.0	232	794	0.7

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: SU95__

Source OPF File: Aug 13 2014
Source APF file: Aug 13 2014

Speeds: CAS(LO/HI) Mach
climb - 250/280 0.78
cruise - 250/280 0.78
descent - 250/280 0.78

Mass Levels [kg]
low - 33306
nominal - 40000
high - 45880

Temperature: ISA

Max Alt. [ft]: 40000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					154	2653	2367	2152	84.7	144	777	10.6
5					155	2637	2350	2134	83.9	146	786	10.5
10					156	2620	2333	2115	83.2	152	776	10.5
15					162	2722	2419	2192	82.9	163	916	10.5
20					163	2705	2401	2173	82.2	195	954	10.4
30	230	21.8	25.0	28.3	187	3098	2736	2471	82.3	230	1197	10.4
40	233	21.9	25.1	28.4	221	3576	3134	2818	83.2	233	1216	10.3
60	272	25.3	27.9	30.5	272	4022	3399	2966	83.5	272	1522	10.1
80	280	25.4	28.0	30.7	280	3873	3263	2838	80.6	280	1566	10.0
100	289	25.5	28.2	30.9	323	3776	3194	2790	79.9	323	1989	9.8
120	297	25.7	28.3	31.1	332	3589	3024	2631	76.9	332	2038	9.7
140	342	30.3	32.6	34.9	342	3393	2847	2465	73.9	342	2086	9.5
160	353	30.5	32.7	35.1	353	3191	2664	2294	71.0	353	2134	9.4
180	363	30.6	32.9	35.3	363	2981	2474	2115	68.0	363	2182	9.3
200	375	30.7	33.1	35.5	375	2763	2277	1931	65.0	375	2230	9.1
220	386	30.9	33.2	35.7	386	2538	2074	1741	62.0	386	2276	9.0
240	398	31.0	33.4	35.9	398	2306	1865	1544	59.0	398	2322	8.8
260	411	31.1	33.6	36.1	411	2068	1649	1342	56.0	411	2367	8.7
280	424	31.2	33.7	36.3	424	1822	1427	1134	53.0	424	2410	8.5
290	431	31.3	33.8	36.4	431	1697	1314	1028	51.5	431	2431	8.4
310	444	31.4	34.0	36.6	444	1443	1139	812	48.4	444	2472	8.3
330	454	31.0	33.7	36.4	454	1896	1283	853	45.2	454	3137	8.1
350	450	29.2	32.2	35.2	450	1630	1035	613	41.6	450	3003	8.0
370	447	27.8	31.0	34.4	447	1239	707	325	38.0	447	2676	7.8
390	447	26.7	30.2	33.9	447	960	443	66	34.6	447	2634	7.7
400	447	26.2	29.9	33.8	447	812	301	0	32.9	447	2623	7.6

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: SVNH__

Source OPF File: Mar 03 2017
Source APF file: Mar 03 2017

Speeds: CAS(LO/HI) Mach
climb - 52/ 52 0.11
cruise - 70/ 60 0.12
descent - 70/ 70 0.14

Mass Levels [kg]
low - 326
nominal - 454
high - 454

Temperature: ISA

Max Alt. [ft]: 14000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					52	1562	984	984	0.2	39	254	0.0
5					52	1499	945	945	0.2	44	252	0.0
10					53	1446	906	906	0.2	55	155	0.0
15					53	1392	867	867	0.2	72	358	0.0
20					54	1338	826	826	0.2	72	374	0.0
30	73	0.2	0.2	0.2	54	1226	744	744	0.2	73	407	0.0
40	74	0.2	0.2	0.2	55	1111	660	660	0.2	74	441	0.0
60	77	0.2	0.2	0.2	57	871	483	483	0.2	77	277	0.0
80	79	0.2	0.2	0.2	59	617	296	296	0.2	79	416	0.0
100	70	0.2	0.2	0.2	60	347	98	98	0.2	81	563	0.0
120	72	0.2	0.2	0.2	62	61	0	0	0.2	84	718	0.0
140	74	0.2	0.2	0.2	64	0	0	0	0.2	87	883	0.0

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: SW4___

Source OPF File: Dec 20 2016
Source APF file: Dec 20 2016

Speeds: CAS(LO/HI) Mach
climb - 180/170 0.36
cruise - 210/210 0.42
descent - 240/240 0.52

Mass Levels [kg]
low - 5042
nominal - 6350
high - 7258

Temperature: ISA

Max Alt. [ft]: 31000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					140	2810	2320	2037	8.2	116	637	4.2
5					151	2789	2291	2004	8.1	117	649	4.2
10					158	2750	2250	1960	8.1	123	661	4.1
15					184	2556	2119	1866	8.2	134	642	4.1
20					185	2513	2080	1828	8.1	166	680	4.0
30	188	3.2	3.6	3.9	188	2429	2002	1752	7.9	230	1628	3.9
40	191	3.2	3.6	4.0	191	2345	1924	1676	7.8	233	1667	3.8
60	229	4.3	4.7	5.0	196	2177	1768	1525	7.5	261	2247	3.7
80	236	4.4	4.8	5.1	202	2010	1613	1375	7.2	269	2333	3.5
100	243	4.5	4.8	5.2	197	1920	1514	1267	6.8	277	2418	3.3
120	250	4.5	4.9	5.2	203	1757	1362	1118	6.5	286	2038	3.1
140	258	4.6	5.0	5.3	210	1596	1210	970	6.2	294	2136	2.9
160	262	4.5	4.9	5.3	216	1436	1060	823	5.9	304	2234	2.7
180	260	4.3	4.7	5.1	223	1395	995	738	5.6	313	2329	2.6
200	258	4.0	4.5	4.9	221	1266	859	594	5.3	319	2780	2.4
220	256	3.8	4.3	4.8	219	1125	710	437	4.9	317	2588	2.2
240	254	3.6	4.2	4.7	218	973	593	265	4.6	314	2422	2.0
260	252	3.5	4.1	4.6	216	988	405	80	4.3	312	2283	1.8
280	250	3.4	4.0	4.6	214	772	203	0	3.9	309	2169	1.6
290	249	3.3	4.0	4.5	213	659	96	0	3.7	308	2121	1.6
310	246	3.2	4.0	4.6	211	422	0	0	3.4	305	2045	1.4

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: T134__

Source OPF File: Dec 14 2009
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/270 0.74
cruise - 250/297 0.80
descent - 250/270 0.82

Mass Levels [kg]
low - 36000
nominal - 42000
high - 47000

Temperature: ISA

Max Alt. [ft]: 39000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					159	1649	1501	1391	106.7	150	757	12.9
5					160	1642	1493	1382	105.8	152	762	13.2
10					161	1634	1484	1373	105.0	158	766	13.5
15					168	1696	1538	1422	104.2	169	543	13.8
20					169	1687	1529	1412	103.3	201	227	14.2
30	230	28.0	31.5	34.9	192	1922	1735	1599	101.8	230	276	14.8
40	233	28.0	31.5	34.9	227	2201	1973	1811	100.4	233	291	15.5
60	272	31.2	33.9	36.5	272	2423	2107	1888	97.3	272	761	16.8
80	280	31.1	33.9	36.5	280	2349	2038	1821	93.9	280	793	18.1
100	289	31.1	33.9	36.5	311	2302	2001	1792	90.6	311	968	19.5
120	297	31.1	33.9	36.5	321	2211	1916	1710	87.2	321	1003	20.8
140	362	38.3	40.3	42.2	330	2114	1826	1624	83.8	330	1038	22.1
160	373	38.2	40.2	42.1	340	2013	1731	1533	80.3	340	1074	23.4
180	385	38.0	40.1	42.0	351	1906	1631	1438	76.9	351	1110	24.8
200	396	37.9	39.9	41.9	362	1793	1527	1338	73.5	362	1147	26.1
220	408	37.7	39.8	41.8	373	1676	1417	1233	70.1	373	1183	27.4
240	421	37.5	39.6	41.6	385	1553	1303	1124	66.7	385	1220	28.7
260	434	37.3	39.4	41.5	397	1425	1184	1010	63.3	397	1257	30.0
280	448	37.1	39.2	41.3	410	1291	1060	891	59.8	410	1293	31.4
290	455	37.0	39.1	41.2	416	1222	996	830	58.1	416	1312	32.0
310	469	36.7	38.9	41.0	430	1081	904	704	54.7	430	1348	33.3
330	465	34.6	37.0	39.3	430	1464	1076	809	51.2	444	1383	34.7
350	461	32.8	35.4	37.9	427	1296	916	653	47.8	458	1419	36.0
370	459	31.2	34.1	36.8	424	1036	690	448	44.3	470	1889	37.3
390	459	29.9	33.1	36.1	424	859	518	278	40.8	470	1840	38.6

BADA PERFORMANCE FILE Apr 01 2010

AC/Type: T154__

Source OPF File: Sep 05 2008
Source APF file: Mar 05 2009

Speeds: CAS(LO/HI) Mach
climb - 250/280 0.81
cruise - 250/297 0.80
descent - 250/290 0.85

Mass Levels [kg]
low - 66360
nominal - 85000
high - 100000

Temperature: ISA

Max Alt. [ft]: 41000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					165	2823	2374	2079	224.5	152	820	35.7
5					166	2818	2368	2072	223.1	154	828	35.8
10					167	2814	2361	2064	221.8	160	819	35.9
15					173	2927	2451	2140	220.5	171	956	36.0
20					175	2922	2444	2132	219.2	203	1000	36.1
30	230	57.1	69.0	80.7	198	3339	2772	2413	216.9	230	1196	36.3
40	233	57.1	69.0	80.7	233	3837	3151	2728	214.8	233	1215	36.5
60	272	64.2	73.5	82.7	272	4287	3353	2800	209.8	272	1509	36.9
80	280	64.2	73.5	82.7	280	4209	3282	2731	204.0	280	1553	37.3
100	289	64.1	73.5	82.7	323	4186	3287	2756	198.6	334	2121	37.7
120	297	64.0	73.4	82.7	332	4066	3182	2657	192.5	344	2172	38.1
140	362	79.8	86.6	93.3	342	3934	3066	2548	186.2	354	2223	38.5
160	373	79.5	86.3	93.1	353	3789	2939	2429	179.8	365	2274	38.8
180	385	79.2	86.1	92.9	363	3631	2800	2300	173.2	376	2325	39.2
200	396	78.8	85.8	92.7	375	3458	2649	2159	166.4	387	2375	39.6
220	408	78.5	85.5	92.4	386	3271	2487	2008	159.5	399	2426	40.0
240	421	78.1	85.2	92.2	398	3070	2311	1845	152.4	412	1222	40.4
260	434	77.6	84.8	91.9	411	2853	2123	1671	145.2	425	1311	40.8
280	448	77.2	84.4	91.6	424	2621	1923	1485	137.8	438	1402	41.2
290	455	76.9	84.2	91.4	431	2500	1817	1387	134.0	445	1449	41.4
310	469	76.4	83.8	91.1	444	2245	1597	1183	126.4	459	1544	41.8
330	465	71.9	80.0	87.9	459	2226	1435	967	118.5	473	1642	42.1
350	461	67.7	76.6	85.4	467	2788	1721	1082	110.5	489	1742	42.5
370	459	64.2	74.0	83.6	465	2251	1302	726	102.2	488	2282	42.9
390	459	61.3	72.0	82.7	465	1925	1002	432	93.7	488	2272	43.3
410	459	58.9	70.8	82.4	465	1555	662	102	85.1	488	2300	43.7

BADA PERFORMANCE FILE May 22 2013

AC/Type: T204__

Source OPF File: Apr 25 2013
Source APF file: Apr 25 2013

Speeds: CAS(LO/HI) Mach
climb - 250/297 0.78
cruise - 250/297 0.78
descent - 250/270 0.78

Mass Levels [kg]
low - 72000
nominal - 89700
high - 105000

Temperature: ISA

Max Alt. [ft]: 39700

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					165	2413	2084	1848	134.2	141	789	19.3
5					166	2403	2072	1835	133.4	143	797	19.3
10					167	2392	2061	1822	132.5	149	784	19.3
15					174	2480	2131	1883	132.7	160	760	19.2
20					175	2468	2119	1869	131.8	192	900	19.2
30	230	34.1	40.6	47.2	198	2800	2387	2100	134.1	230	936	19.2
40	233	34.3	40.7	47.5	233	3198	2698	2360	138.3	233	953	19.1
60	272	40.2	45.5	51.0	272	3522	2841	2394	140.7	272	1191	19.1
80	280	40.5	45.9	51.5	280	3418	2747	2306	137.0	280	1231	19.0
100	289	40.9	46.3	52.0	342	3345	2714	2303	142.3	311	1462	18.9
120	297	41.3	46.8	52.5	352	3196	2583	2182	138.3	321	1506	18.8
140	362	54.9	59.2	63.7	362	3040	2445	2054	134.3	330	1550	18.7
160	373	55.3	59.7	64.3	373	2876	2300	1920	130.2	340	1595	18.6
180	385	55.8	60.2	64.9	385	2703	2149	1779	126.0	351	1640	18.5
200	396	56.2	60.8	65.5	396	2523	1990	1632	121.7	362	1685	18.5
220	408	56.7	61.3	66.2	408	2335	1824	1479	117.3	373	1730	18.4
240	421	57.1	61.9	66.8	421	2138	1651	1319	112.7	385	1776	18.3
260	434	57.5	62.4	67.5	434	1934	1471	1152	108.1	397	1719	18.2
280	448	58.0	62.9	68.1	448	1722	1285	980	103.3	410	1768	18.1
290	455	58.2	63.2	68.5	455	1613	1189	891	100.9	416	1792	18.1
310	458	56.0	61.4	67.0	458	2036	1457	1044	94.8	430	1840	18.0
330	454	52.7	58.6	64.7	454	2069	1333	848	88.0	444	1888	17.9
350	450	49.7	56.2	62.9	450	1824	1108	629	81.2	450	2642	17.8
370	447	47.3	54.4	61.8	447	1435	793	359	74.7	447	2366	17.7
390	447	45.4	53.2	61.3	447	1175	548	117	68.3	447	2341	17.6
397	447	44.9	52.9	61.3	447	1078	456	27	66.0	447	2338	17.6

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: TB20__

Source OPF File: Aug 21 2014
Source APF file: Aug 21 2014

Speeds: CAS(LO/HI) Mach
climb - 90/ 90 0.20
cruise - 135/125 0.23
descent - 150/150 0.34

Mass Levels [kg]
low - 960
nominal - 1335
high - 1400

Temperature: ISA

Max Alt. [ft]: 20000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					90	1857	1134	1042	0.8	80	423	0.5
5					91	1823	1109	1017	0.8	85	389	0.5
10					91	1789	1083	992	0.8	96	375	0.5
15					92	1754	1056	967	0.8	153	485	0.5
20					93	1719	1030	941	0.8	154	495	0.5
30	141	0.5	0.5	0.5	94	1648	975	889	0.8	157	515	0.5
40	143	0.5	0.5	0.5	95	1574	919	834	0.8	159	536	0.5
60	147	0.5	0.5	0.5	98	1419	801	721	0.8	164	485	0.5
80	152	0.5	0.5	0.5	101	1255	677	601	0.8	169	540	0.5
100	145	0.5	0.5	0.5	105	1081	544	473	0.8	174	597	0.5
120	146	0.5	0.5	0.5	108	896	404	338	0.8	180	657	0.5
140	145	0.5	0.5	0.5	111	699	255	195	0.8	185	720	0.5
160	144	0.5	0.5	0.5	115	491	97	42	0.8	191	786	0.5
180	142	0.5	0.5	0.5	119	269	0	0	0.8	197	855	0.5
200	141	0.5	0.5	0.5	123	35	0	0	0.8	204	927	0.5

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: TB21__

Source OPF File: Aug 21 2014
Source APF file: Aug 21 2014

Speeds: CAS(LO/HI) Mach
climb - 95/ 95 0.24
cruise - 142/132 0.28
descent - 150/150 0.37

Mass Levels [kg]
low - 1013
nominal - 1335
high - 1400

Temperature: ISA

Max Alt. [ft]: 25000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					95	1856	1295	1197	1.2	80	423	0.6
5					96	1912	1283	1186	1.2	85	428	0.6
10					96	1898	1271	1174	1.2	96	408	0.6
15					97	1884	1259	1162	1.2	153	607	0.6
20					98	1869	1246	1150	1.2	154	612	0.6
30	148	0.6	0.6	0.6	99	1838	1221	1125	1.2	157	624	0.6
40	151	0.6	0.6	0.6	101	1807	1194	1099	1.2	159	636	0.6
60	155	0.6	0.6	0.6	104	1740	1138	1045	1.2	164	661	0.6
80	160	0.6	0.6	0.6	107	1669	1079	986	1.2	169	686	0.6
100	153	0.6	0.6	0.6	110	1592	1015	924	1.2	174	713	0.6
120	158	0.6	0.6	0.6	114	1509	946	857	1.2	180	740	0.6
140	163	0.6	0.6	0.6	118	1421	872	786	1.2	185	769	0.6
160	168	0.6	0.6	0.6	121	1326	794	709	1.2	191	538	0.6
180	173	0.6	0.6	0.6	126	1224	709	627	1.2	197	581	0.6
200	172	0.6	0.6	0.6	130	1114	619	540	1.2	204	626	0.6
220	171	0.6	0.6	0.6	134	997	523	446	1.2	211	673	0.6
240	169	0.6	0.6	0.6	139	871	419	346	1.2	218	722	0.6
250	169	0.6	0.6	0.6	141	805	365	293	1.2	222	747	0.6

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: TBM7__

Source OPF File: Jan 19 2012
Source APF file: Jan 19 2012

Speeds: CAS(LO/HI) Mach
climb - 130/130 0.37
cruise - 220/205 0.49
descent - 230/230 0.64

Mass Levels [kg]
low - 2268
nominal - 2500
high - 2984

Temperature: ISA

Max Alt. [ft]: 31000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					107	2553	2361	2009	4.2	79	416	2.5
5					118	2517	2326	1978	4.1	80	425	2.5
10					124	2482	2292	1946	4.0	85	563	2.5
15					133	2407	2240	1927	3.9	96	525	2.5
20					134	2388	2222	1908	3.9	128	875	2.5
30	188	1.9	2.0	2.2	136	2349	2183	1869	3.9	230	2073	2.5
40	191	1.9	2.0	2.3	138	2311	2145	1830	3.8	233	2097	2.5
60	240	2.8	2.9	3.1	142	2233	2068	1752	3.7	251	2377	2.5
80	247	2.9	2.9	3.1	146	2154	1989	1672	3.6	258	2429	2.4
100	237	2.5	2.6	2.8	151	2074	1909	1591	3.5	266	2482	2.4
120	245	2.6	2.6	2.9	156	1993	1828	1508	3.5	274	2535	2.4
140	252	2.6	2.7	2.9	161	1911	1746	1424	3.4	282	2589	2.4
160	260	2.6	2.7	2.9	166	1827	1662	1338	3.3	291	2642	2.4
180	268	2.6	2.7	3.0	171	1742	1576	1250	3.2	300	2278	2.4
200	277	2.7	2.8	3.0	177	1655	1490	1161	3.1	310	2342	2.4
220	286	2.7	2.8	3.0	183	1567	1401	1070	3.0	320	2406	2.4
240	296	2.7	2.8	3.0	189	1478	1312	978	2.9	330	2468	2.4
260	294	2.6	2.7	2.9	196	1658	1372	883	2.8	341	2530	2.4
280	291	2.4	2.5	2.8	203	1548	1267	787	2.7	352	2590	2.4
290	290	2.4	2.5	2.8	207	1492	1214	738	2.7	358	2619	2.4
310	288	2.2	2.4	2.7	214	1378	1107	638	2.6	370	2677	2.4

BADA PERFORMANCE FILE Apr 06 2012

AC/Type: TBM8__

Source OPF File: Jan 19 2012
Source APF file: Jan 19 2012

Speeds: CAS(LO/HI) Mach
climb - 130/130 0.37
cruise - 230/220 0.53
descent - 230/230 0.64

Mass Levels [kg]
low - 2592
nominal - 2984
high - 3354

Temperature: ISA

Max Alt. [ft]: 31000

FL	CRUISE				CLIMB					DESCENT		
	TAS [kts]	fuel [kg/min]			TAS [kts]	ROCD [fpm]			fuel [kg/min]	TAS [kts]	ROCD [fpm]	fuel [kg/min]
		lo	nom	hi		lo	nom	hi	nom		nom	nom
0					114	2624	2339	2098	4.4	84	444	2.4
5					124	2603	2320	2080	4.3	85	453	2.4
10					130	2577	2295	2063	4.3	91	629	2.4
15					133	2537	2275	2046	4.3	101	585	2.4
20					134	2520	2259	2029	4.2	133	998	2.4
30	188	2.1	2.3	2.4	136	2488	2225	1994	4.2	230	2071	2.4
40	191	2.1	2.3	2.5	138	2455	2192	1960	4.2	233	2094	2.4
60	251	3.3	3.4	3.5	142	2388	2124	1890	4.1	251	2361	2.4
80	258	3.3	3.4	3.6	146	2320	2055	1819	4.0	258	2414	2.3
100	254	3.1	3.2	3.4	151	2252	1985	1746	3.9	266	2467	2.3
120	262	3.1	3.2	3.4	156	2182	1913	1672	3.9	274	2520	2.3
140	270	3.1	3.3	3.4	161	2111	1840	1596	3.8	282	2574	2.3
160	279	3.2	3.3	3.5	166	2039	1766	1519	3.7	291	2628	2.3
180	288	3.2	3.3	3.5	171	1965	1690	1441	3.6	300	2682	2.2
200	297	3.2	3.3	3.5	177	1890	1613	1360	3.5	310	2305	2.2
220	306	3.2	3.3	3.5	183	1814	1534	1278	3.5	320	2365	2.2
240	316	3.2	3.4	3.5	189	1736	1454	1194	3.4	330	2425	2.2
260	318	3.1	3.2	3.4	196	1972	1487	1108	3.3	341	2484	2.2
280	315	2.9	3.1	3.3	203	1876	1397	1020	3.2	352	2542	2.1
290	314	2.8	3.0	3.2	207	1827	1350	976	3.2	358	2570	2.1
310	311	2.7	2.9	3.1	214	1728	1257	885	3.1	370	2625	2.1

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: TEX2__

Source OPF File: Nov 09 2016
Source APF file: Nov 09 2016

Speeds: CAS(LO/HI) Mach
climb - 140/140 0.40
cruise - 230/200 0.47
descent - 220/220 0.61

Mass Levels [kg]
low - 2743
nominal - 2858
high - 3130

Temperature: ISA

Max Alt. [ft]: 31000

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					123	3398	3324	3152	5.6	104	533	2.8
5					134	3243	3166	2987	5.4	105	543	2.8
10					140	3137	3059	2915	5.3	110	581	2.8
15					143	3033	2988	2881	5.2	121	896	2.8
20					144	3000	2955	2847	5.2	153	1464	2.8
30	188	2.6	2.7	2.8	146	2933	2888	2779	5.1	230	3769	2.7
40	191	2.6	2.7	2.8	148	2865	2820	2710	5.0	233	3815	2.7
60	251	4.0	4.1	4.1	153	2729	2683	2572	4.8	240	3907	2.7
80	258	4.0	4.0	4.1	158	2591	2545	2431	4.6	247	4001	2.6
100	232	3.2	3.2	3.3	163	2452	2404	2289	4.5	254	4095	2.6
120	239	3.2	3.2	3.3	168	2311	2263	2146	4.3	262	4190	2.6
140	246	3.2	3.2	3.3	173	2168	2119	2000	4.1	270	4286	2.5
160	254	3.2	3.2	3.3	179	2023	1974	1852	3.9	279	4382	2.5
180	262	3.1	3.2	3.2	184	1877	1826	1703	3.8	288	4478	2.5
200	271	3.1	3.1	3.2	191	1729	1677	1551	3.6	297	3664	2.4
220	279	3.0	3.1	3.1	197	1579	1527	1398	3.4	306	3790	2.4
240	284	2.9	3.0	3.0	204	1427	1374	1243	3.2	316	3915	2.4
260	282	2.8	2.8	2.9	211	1439	1326	1085	3.1	327	4037	2.3
280	279	2.6	2.6	2.7	218	1263	1156	926	2.9	338	4157	2.3
290	278	2.5	2.6	2.7	222	1175	1071	846	2.8	343	4216	2.3
310	276	2.4	2.4	2.5	230	997	898	684	2.6	355	4331	2.2

BADA PERFORMANCE FILE Jun 29 2017

AC/Type: U2____

Source OPF File: Oct 06 2016
Source APF file: Oct 06 2016

Speeds: CAS(LO/HI) Mach Mass Levels [kg] Temperature: ISA
climb - 160/160 0.69 low - 7712
cruise - 170/220 0.72 nominal - 10410 Max Alt. [ft]: 76000
descent - 200/200 0.75 high - 11009

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					119	7409	6725	6611	82.5	114	611	5.9
5					120	7360	6676	6562	81.5	115	617	5.9
10					121	7310	6628	6513	80.4	121	661	5.9
15					127	7583	6826	6700	79.3	132	1054	5.9
20					128	7530	6774	6648	78.3	164	1565	5.9
30	178	12.0	12.8	13.0	151	8597	7554	7381	75.9	209	2683	5.9
40	180	12.0	12.8	13.0	170	9911	8010	7697	73.7	212	2711	5.9
60	186	11.9	12.7	13.0	175	9628	7723	7420	69.7	218	2767	5.9
80	191	11.9	12.7	12.9	180	9275	7433	7139	66.0	225	2824	5.8
100	197	11.9	12.7	12.9	186	8917	7138	6853	62.3	232	2882	5.8
120	203	11.8	12.6	12.9	191	8553	6838	6564	58.7	239	2942	5.8
140	270	18.4	18.8	19.0	197	8185	6535	6270	55.3	246	3001	5.7
160	279	18.3	18.7	18.9	204	7812	6227	5973	52.0	254	3062	5.7
180	288	18.2	18.6	18.8	210	7435	5916	5672	48.8	262	3123	5.7
200	297	18.0	18.5	18.7	217	7054	5602	5367	45.8	271	3184	5.6
220	306	17.9	18.4	18.5	225	6670	5285	5061	42.8	279	3245	5.6
240	316	17.8	18.3	18.4	232	6284	4966	4751	40.0	289	3306	5.6
260	327	17.7	18.2	18.3	240	5895	4645	4440	37.3	298	3367	5.6
280	338	17.5	18.0	18.1	249	5505	4322	4128	34.7	308	3426	5.5
290	343	17.4	17.9	18.1	253	5310	4161	3972	33.5	314	3455	5.5
310	355	17.3	17.8	17.9	262	4921	3839	3660	31.1	324	3513	5.5
330	367	17.1	17.6	17.7	271	4533	3518	3349	28.8	336	3568	5.5
350	380	16.9	17.4	17.6	281	4148	3199	3040	26.7	347	3621	5.4
370	395	16.7	17.2	17.4	293	3671	2809	2664	24.6	361	3530	5.4
390	412	16.5	17.0	17.1	306	3326	2522	2385	22.7	377	3595	5.4
410	413	15.2	15.7	15.9	320	2983	2235	2107	20.9	394	3655	5.3
430	413	13.9	14.5	14.7	335	2644	1952	1832	19.2	411	3711	5.3
450	413	12.8	13.5	13.6	350	2312	1674	1562	17.6	429	2995	5.3
470	413	11.8	12.5	12.7	366	1990	1404	1299	16.2	430	3765	5.2
490	413	10.9	11.7	11.9	382	1680	1144	1046	14.8	430	3509	5.2
510	413	10.1	10.9	11.2	396	1833	1188	1068	13.6	430	3288	5.2
530	413	9.3	10.3	10.6	396	1660	1016	895	12.6	430	3097	5.2
550	413	8.7	9.8	10.1	396	1500	852	728	11.7	430	2936	5.1
570	413	8.2	9.4	9.7	396	1355	696	569	10.8	430	2801	5.1
590	413	7.7	9.0	9.4	396	1227	551	418	10.1	430	2692	5.1

610	413	7.3	8.7	9.1	396	1252	425	277	9.5	430	2607	5.0
630	413	7.0	8.6	9.0	396	1151	299	146	9.0	430	2545	5.0
650	413	6.7	8.4	8.9	396	1073	185	24	8.7	430	2504	5.0
670	413	6.5	8.4	8.9	396	1010	83	0	8.4	431	2460	5.0
690	414	6.4	8.5	9.0	397	982	0	0	8.2	431	2465	4.9
710	415	6.3	8.6	9.2	397	978	0	0	8.2	432	2492	4.9
730	415	6.2	8.8	9.5	398	999	0	0	8.3	432	2539	4.9
750	416	6.3	9.1	9.8	398	1044	0	0	8.4	433	2608	4.8
760	416	6.3	9.2	10.0	399	1075	0	0	8.5	433	2650	4.8

BADA PERFORMANCE FILE Aug 25 2014

AC/Type: YK40__

Source OPF File: Aug 22 2014
Source APF file: May 07 2013

Speeds: CAS(LO/HI) Mach
climb - 184/184 0.35
cruise - 210/210 0.46
descent - 243/243 0.54

Mass Levels [kg]
low - 12612
nominal - 14925
high - 17200

Temperature: ISA

Max Alt. [ft]: 26575

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					112	1078	926	793	37.2	105	568	15.3
5					113	1069	916	783	36.9	106	574	15.4
10					114	1059	906	772	36.5	112	566	15.4
15					120	1126	965	824	36.0	123	446	15.4
20					121	1116	954	812	35.6	155	304	15.5
30	219	18.4	19.5	20.8	143	1354	1159	994	34.5	230	904	15.6
40	222	18.4	19.5	20.7	177	1578	1340	1143	33.2	233	932	15.7
60	229	18.3	19.4	20.6	201	1585	1316	1098	31.4	265	1376	15.8
80	236	18.2	19.3	20.5	207	1504	1241	1027	30.0	273	1442	16.0
100	243	18.1	19.2	20.4	213	1420	1163	952	28.6	281	1510	16.2
120	250	18.0	19.1	20.3	220	1333	1082	875	27.2	289	1578	16.4
140	258	17.9	19.0	20.2	220	1357	1087	862	25.9	298	1648	16.6
160	266	17.8	18.8	20.1	218	1267	997	770	24.7	307	1013	16.7
180	275	17.6	18.7	19.9	217	1172	902	672	23.5	317	1103	16.9
200	283	17.4	18.5	19.7	215	1073	801	568	22.3	327	1194	17.1
220	280	16.5	17.7	19.0	213	1079	733	458	21.2	329	1402	17.3
240	278	15.7	16.9	18.4	212	958	616	342	20.0	326	1303	17.4
260	276	14.9	16.3	17.9	210	831	493	219	18.9	324	1222	17.6
266	275	14.7	16.2	17.8	209	793	456	183	18.6	323	1203	17.7

BADA PERFORMANCE FILE May 22 2013

AC/Type: YK42__

Source OPF File: May 07 2013
Source APF file: May 07 2013

Speeds: CAS(LO/HI) Mach
climb - 227/227 0.61
cruise - 250/275 0.68
descent - 243/213 0.60

Mass Levels [kg]
low - 41400
nominal - 47400
high - 54000

Temperature: ISA

Max Alt. [ft]: 31496

FL	CRUISE TAS [kts]	CRUISE fuel [kg/min] lo	CRUISE fuel [kg/min] nom	CRUISE fuel [kg/min] hi	CLIMB TAS [kts]	CLIMB ROCD [fpm] lo	CLIMB ROCD [fpm] nom	CLIMB ROCD [fpm] hi	CLIMB fuel [kg/min] nom	DESCENT TAS [kts]	DESCENT ROCD [fpm] nom	DESCENT fuel [kg/min] nom
0					122	2135	1949	1765	90.2	115	622	18.5
5					123	2118	1932	1747	89.3	116	631	18.3
10					124	2101	1914	1729	88.5	122	622	18.1
15					130	2204	2005	1810	87.9	133	744	17.9
20					131	2187	1987	1791	87.0	165	861	17.8
30	230	36.0	37.6	39.7	154	2560	2317	2083	86.3	230	1260	17.4
40	233	36.0	37.7	39.8	188	2941	2638	2354	86.2	233	1297	17.0
60	272	44.5	45.8	47.5	247	2962	2619	2306	85.4	265	1875	16.3
80	280	44.6	45.9	47.6	255	2805	2473	2168	82.2	273	1961	15.6
100	289	44.6	46.0	47.7	262	2648	2326	2029	79.1	246	1965	14.9
120	297	44.7	46.1	47.8	270	2491	2179	1889	76.2	254	2028	14.2
140	336	53.1	54.2	55.7	279	2333	2031	1749	73.3	262	2092	13.5
160	347	53.1	54.3	55.7	288	2176	1884	1610	70.6	270	2157	12.7
180	357	53.1	54.3	55.8	297	2020	1737	1470	68.0	279	2222	12.0
200	368	53.1	54.3	55.8	306	1865	1592	1332	65.4	288	2287	11.3
220	380	53.1	54.3	55.8	316	1712	1448	1195	63.0	297	2352	10.6
240	392	53.1	54.3	55.8	326	1561	1306	1059	60.8	307	2417	9.9
260	404	53.0	54.2	55.8	337	1565	1229	926	58.6	317	2482	9.2
280	404	50.0	51.3	53.0	348	1405	1085	796	56.5	328	2545	8.4
290	402	48.1	49.5	51.3	354	1327	1015	732	55.5	333	2577	8.1
310	399	44.7	46.2	48.1	358	1580	1189	833	53.4	344	2638	7.4
315	398	43.9	45.4	47.4	357	1585	1189	829	52.9	347	2653	7.2