EUROPEAN ORGANISATION
FOR THE SAFETY OF AIR NAVIGATION



EUROCONTROL

EUROCONTROL EXPERIMENTAL CENTRE

MODEL ACCURACY SUMMARY REPORT FOR THE BASE OF Aircraft DATA (BADA) REVISION 3.14

EEC Technical/Scientific Report No. 17/05/29-146

Project BADA

Restricted Issued: June 2017

© European Organisation for the Safety of Air Navigation EUROCONTROL 2017

This document is published by EUROCONTROL in the interest of the exchange of information. It may be copied in whole or in part providing that the copyright notice and disclaimer are included. The information contained in this document may not be modified without prior written permission from EUROCONTROL.

EUROCONTROL makes no warranty, either implied or express, for the information contained in this document, neither does it assume any legal liability or responsibility for the accuracy, completeness or usefulness of this information.

REPORT DOCUMENTATION PAGE

Reference EEC Technical/Scientific Report No. 17/05/29-146	**Security Classification** Unclassified
Originator: ATM/RDS/VIF	**Originator (Corporate Author) Name/Location:** EUROCONTROL Experimental Centre Centre de Bois des Bordes B.P.15 F - 91222 Brétigny-sur-Orge CEDEX FRANCE Telephone: +33 (0)1 69 88 75 00 Internet: www.eurocontrol.int
Sponsor EUROCONTROL	**Sponsor (Contract Authority) Name/Location:** EUROCONTROL Agency Rue de la Fusée, 96 B -1130 BRUXELLES Telephone: +32 (0)2 729 9011 Internet: www.eurocontrol.int

TITLE:

MODEL ACCURACY SUMMARY REPORT FOR THE BASE OF Aircraft DATA (BADA) REVISION 3.14

Author	Date	Pages	Figures	Tables	Annexes	References
V. Mouillet	06/17	viii+221	0	1	1	3

	Project	Task no. sponsor	Period
	BADA	ATM/RDS/VIF	06/15 to 06/17

Distribution Statement:

(a) Controlled by: Head of section

(b) Distribution: Public ☐ Restricted ☒ Confidential ☐

(c) Copy to NTIS: ~~YES~~ / NO

Descriptors (keywords):

Aircraft model, total-energy model, BADA, accuracy

Abstract:

This document provides model accuracy summary report for the Base of Aircraft Data Revision 3.14. It presents error between the reference data set used in the identification process and the computed data set based on identified model parameters for each aircraft type. Accuracy data for all newly developed and redeveloped aircraft are presented.

Page intentionally left blank

SUMMARY

This document provides accuracy reports for the aircraft types modelled by the Base of Aircraft Data (BADA) Revision 3.14, with respect to the aircraft performance reference data used in the identification process.

Page intentionally left blank

TABLE OF CONTENTS

SUMMARY V

1. INTRODUCTION 1

1.1. IDENTIFICATION AND SCOPE 1

1.2. ORGANISATION 1

1.3. REFERENCED DOCUMENTS 1

1.4. GLOSSARY OF ACRONYMS 2

2. AIRCRAFT TYPES 3

3. ACCURACY TABLES DESCRIPTION 9

LIST OF APPENDICES

APPENDIX A ACCURACY TABLES FOR BADA 3.14 11

LIST OF TABLES

Table 2-1: List of aircraft types modelled by BADA 3.14 3

Page intentionally left blank

1. INTRODUCTION

1.1. IDENTIFICATION AND SCOPE

This basic table accuracy report shows the accuracy of the identified BADA aircraft models with respect to the aircraft performance reference data. As described in [RD3], each BADA aircraft model is based on an input data set. In general, the input set contains climb trajectory data, descent trajectory data and cruise trajectory data. The data point set computed using the identified model (computed data point set) was compared with the data point set used in the identification process (reference data point set) for each trajectory of each model identified in BADA. The accuracy results are provided for vertical speed and fuel flow: average results are given for each trajectory of each aircraft in table format. Those results are obtained from the BADA modelling process, which is described in detail in [RD3].

It is worth mentioning that:

- BADA Revision 3.14 contains 17 aircraft models that were taken from BADA Revision 3.6 without being remodelled. The accuracy data for these models are not part of this document.
- The accuracy data for BADA Revision 3.14 have been established using the new BADA atmosphere model introduced with BADA Revision 3.8: please refer to the BADA User Manual [RD1] for more details.

1.2. ORGANISATION

This note is presented in three sections, including Section 1, the Introduction.

Section 2 provides a list of the aircraft types modelled by BADA 3.14 and for which accuracy tables are available. A description of the content of these tables is given in Section 3.

Copies of all accuracy tables are included in this document as Appendix A.

1.3. REFERENCED DOCUMENTS

RD1 User Manual for the Base of Aircraft Data (BADA) Revision 3.14; EEC Technical/Scientific Report No. 17/05/29-143, June 2017

RD2 Aircraft Type Designators; ICAO Document No. 8643; Edition 45, April 2017, http://www.icao.int/publications/DOC8643/

RD3 Base of Aircraft Data (BADA) Aircraft Performance Modelling Report, EEC Technical/Scientific Report 2009-009, 2009

1.4. GLOSSARY OF ACRONYMS

BADA	Base of Aircraft Data
CAS	Calibrated Air Speed
CMB	Climb
CRZ	Cruise
DES	Descent
FL	Flight Level
ft/min	feet per minute
ICAO	International Civil Aviation Organisation
ID	Identifier
ISA	International Standard Atmosphere
kg/min	kilogram per minute
M	Mach number
RMS	Root Mean Square
STD	Standard Deviation
TRJ	Trajectory

2. AIRCRAFT TYPES

There are 220 aircraft types directly modelled by BADA Revision 3.14. These aircraft types are listed in Table 2-1 below in alphabetical order of their aircraft code. The aircraft code corresponds to the ICAO designator [RD2] with two exceptions for the generic military fighter aircraft types, with the following codes: FGTL and FGTH.

Accuracy tables corresponding to each of the aircraft types mentioned below are supplied in Appendix A, except for 17 aircraft models that were taken from BADA Revision 3.6 without being remodelled: those models are highlighted in orange in the table.

Table 2-1: List of aircraft types modelled by BADA 3.14

Aircraft Code	Aircraft Name
A10	FAIRCHILD A-10A
A124	ANTONOV AN-124-100
A140	ANTONOV AN-140
A148	ANTONOV AN-148-100
A158	ANTONOV AN-158
A20N	AIRBUS A320-200 NEO
A306	AIRBUS A300B4-600
A30B	AIRBUS A300B4-200
A310	AIRBUS A310
A318	AIRBUS A318
A319	AIRBUS A319
A320	AIRBUS A320
A321	AIRBUS A321
A332	AIRBUS A330-200
A333	AIRBUS A330-300
A342	AIRBUS A340-200
A343	AIRBUS A340-300
A345	AIRBUS A340-500
A346	AIRBUS A340-600
A359	AIRBUS A350-900
A388	AIRBUS A380-800
A3ST	AIRBUS A-300ST
AJET	DASSAULT-DORNIER ALPHA JET
AN12	ANTONOV AN-12
AN24	ANTONOV AN-24
AN28	ANTONOV AN-28
AN30	ANTONOV AN-30
AN32	ANTONOV AN-32
AN38	ANTONOV AN-38
AT43	ATR 42-300
AT45	ATR 42-500
AT72	ATR 72-200
AT73	ATR 72-210

Aircraft Code	Aircraft Name
AT75	ATR 72-500
AT76	ATR 72-600
ATP	ADVANCED TURBOPROP
B190	BEECH 1900
B350	BEECH SUPER KING AIR 350
B462	BAE 146-200/RJ
B463	BAE 146-300/RJ
B58T	BEECH BARON 58P
B703	BOEING 707-300
B712	BOEING 717-200
B722	BOEING 727-200
B732	BOEING 737-200
B733	BOEING 737-300
B734	BOEING 737-400
B735	BOEING 737-500
B736	BOEING 737-600
B737	BOEING 737-700
B738	BOEING 737-800
B739	BOEING 737-900ER
B742	BOEING 747-200
B743	BOEING 747-300
B744	BOEING 747-400
B748	BOEING 747-8
B752	BOEING 757-200
B753	BOEING 757-300
B762	BOEING 767-200
B763	BOEING 767-300ER
B764	BOEING 767-400
B772	BOEING 777-200ER
B773	BOEING 777-300
B77L	BOEING 777-200 LR
B77W	BOEING 777-300 ER
B788	BOEING 787-8
B789	BOEING 787-9
BA11	BAE 111
BE20	BEECH SUPER KING AIR 200
BE30	BEECH SUPER KING AIR 300
BE36	BEECH BONANZA 36
BE40	BEECH BEECHJET 400
BE58	BEECH BARON 58
BE99	BEECH AIRLINER 99
BE9L	BEECH KING AIR 90
BER2	BERIEV BE-200ES
C130	LOCKHEED HERCULES
C160	TRANSALL C160
C162	CESSNA 162

Aircraft Code	Aircraft Name
C172	CESSNA 172S SKYHAWP SP
C182	CESSNA 182T SKYLANE
C208	CESSNA 208B
C25A	CESSNA CITATION CJ2
C25B	CESSNA CITATION CJ3
C25C	CESSNA CITATION CJ4
C27J	ALENIA C-27J
C310	CESSNA 310
C340	CESSNA 340
C402	CESSNA 402
C414	CESSNA 414
C421	CESSNA 421
C510	CESSNA CITATION MUSTANG
C525	CESSNA CITATION CJ1
C550	CESSNA CITATION II
C551	CESSNA CITATION II/SP
C55B	CESSNA CITATION BRAVO
C560	CESSNA CITATION V
C56X	CESSNA CITATION XLS
C650	CESSNA CITATION VII
C680	CESSNA CITATION SOVEREIGN
C750	CESSNA CITATION 10
C82S	CESSNA T182T SKYLANE TC
CL30	BOMBARDIER CHALLENGER 300
CL60	CANADAIR CHALLENGER
CRJ1	CANADAIR REGIONAL JET CRJ-100
CRJ2	CANADIAN REGIONAL JET CRJ-200
CRJ9	CANADIAN REGIONAL JET CRJ-900
D228	DORNIER 228
D328	DORNIER 328
DA40	DIAMOND DA40
DA42	DIAMOND DA42 TWIN STAR
DA62	DIAMOND DA62
DC10	MCDONNELL-DOUGLAS DC-10
DC87	MCDONNELL-DOUGLAS DC-8-70
DC93	MCDONNELL-DOUGLAS C-9
DC94	MCDONNELL-DOUGLAS DC-9-40
DH8A	DE HAVILLAND CANADA DHC-8-100 DASH 8
DH8C	DE HAVILLAND CANADA DHC-8-300 DASH 8
DH8D	DE HAVILLAND CANADA DHC-8-400 DASH 8
DIMO	DIAMOND HK36 TC100
E120	EMBRAER EMB-120
E135	EMBRAER EMB-135LR
E145	EMBRAER EMB-145
E170	EMBRAER EMB-170
E190	EMBRAER EMB-190

Aircraft Code	Aircraft Name
E195	EMBRAER EMB-195
E300	EXTRA 300
E35L	EMBRAER EMB-135BJ LEGACY 600
E45X	EMBRAER EMB-145XR
E500	EXTRA 500
E50P	EMBRAER EMB-500 PHENOM 100
E550	EMBRAER EMB-550 LEGACY 500
E55P	EMBRAER EMB-505 PHENOM 300
E75L	EMBRAER EMB-175 (LONG WING)
E75S	EMBRAER EMB-175 (SHORT WING)
EA50	ECLIPSE 500
EV97	EVEKTOR EV-97 EUROSTAR
F100	FOKKER 100
F15	MCDONNELL-DOUGLAS F-15
F16	GENERAL DYNAMICS F-16
F27	FOKKER FRIENDSHIP
F28	FOKKER FOLLOWSHIP
F2TH	DASSAULT FALCON 2000
F406	CESSNA 406
F50	FOKKER 50
F70	FOKKER 70
F900	DASSAULT FALCON 900
FA10	DASSAULT FALCON 10
FA20	DASSAULT FALCON 20
FA50	DASSAULT FALCON 50
FA7X	DASSAULT FALCON 7X
FGTH	MIL FIGHTER HIGH
FGTL	MIL FIGHTER LOW
G150	GULFSTREAM G150
G280	GULFSTREAM G280
GL5T	BOMBARDIER GLOBAL 5000
GLEX	BOMBARDIER GLOBAL 6000
GLF5	GULFSTREAM G550
H25A	HAWKER DOMINE HS125
H25B	HAWKER 800XP
HA4T	HAWKER 4000
HAWK	BRITISH AEROSPACE T-45A GOSHAWK
IL76	ILYUSHIN IL-76TD
IL86	ILYUSHIN IL-86
IL96	ILYUSHIN IL-96-300
JS32	JETSTREAM SUPER 31
JS41	JETSTREAM 41
L101	LOCKHEED TRISTAR
L39	AERO L-39
L410	LET L-410 UVP-E20
LJ35	LEARJET 35

Aircraft Code	Aircraft Name
LJ45	LEARJET 45
LJ60	LEARJET 60
M20P	MOONEY M20R
M20T	MOONEY M20TN
MAGC	IBIS MAGIC GS-700
MD11	MCDONNELL-DOUGLAS MD-11
MD82	MCDONNELL-DOUGLAS MD-82
MD83	MCDONNELL-DOUGLAS MD-83
MU2	MITSUBISHI MU-2
P06T	TECNAM P2006T
P180	PIAGGIO P.180 AVANTI
P28A	PIPER PA-28-140
P28R	PIPER PA-28R-201
P28T	PIPER PA-28RT-201
P28U	PIPER PA-28RT-201T
P46T	PIPER PA-46-500TP MALIBU MERIDIAN
P750	PAC 750XL
PA27	PIPER PA23 AZTEC
PA31	PIPER NAVAJO CHIEFTAIN
PA34	PIPER PA-34-220T SENECA III
PA44	PIPER PA-44-180 SEMINOLE
PA46	PIPER PA-46-350P MALIBU MIRAGE
PAY2	PIPER CHEYENNE II
PAY3	PIPER CHEYENNE III
PC12	PILATUS PC-12
PRM1	RAYTHEON PREMIER IA
RJ1H	BAE RJ-100 AVROLINER
RJ85	BAE RJ-85 AVROLINER
S22T	CIRRUS SR22T
SB20	SAAB 2000
SF25	SCHEIBE SF-25B FALKE
SF34	SAAB SF 340
SH36	SHORT SH3-360
SR20	CIRRUS SR20
SR22	CIRRUS SR22
SU95	SUKHOI RRJ-95B SUPERJET 100
SVNH	ICP SAVANNAH
SW4	SWEARINGEN MERLIN IV
T134	TUPOLEV TU-134
T154	TUPOLEV TU-154
T204	TUPOLEV TU-204-300
TB20	SOCATA TB 20 TRINIDAD
TB21	SOCATA TB 21 TRINIDAD TC
TBM7	SOCATA TBM-700
TBM8	SOCATA TBM-850
TEX2	RAYTHEON T-6B

Aircraft Code	Aircraft Name
U2	LOCKHEED U-2
YK40	YAKOVLEV YAK-40
YK42	YAKOVLEV YAK-42

3. ACCURACY TABLES DESCRIPTION

The accuracy is presented in terms of RMS, MEAN, STD and MAX values for both vertical speed and fuel flow. RMS, MEAN, STD and MAX are defined for errors (differences) between computed trajectories and reference trajectories. The results are shown in table format.

The accuracy tables are organized per trajectory for each aircraft and consist of:

- TRJ ID: trajectory identifier;
- TRJ Type: trajectory type, either climb (CMB), descent (DES), or cruise (CRZ);
- CAS < FL100: standard CAS below 10000ft;
- CAS > FL100: standard CAS above 10000ft;
- M: standard Mach above transition altitude;
- Aircraft mass: initial mass in kg; for climb this is the mass at first altitude, for descent the mass at the top of descent, and for cruise the starting mass;
- Delta ISA: temperature difference from ISA conditions;
- RMS, MEAN, STD and MAX: error values provided for both vertical speed and fuel flow.

Page intentionally left blank

APPENDIX A

Accuracy tables for BADA 3.14

Page intentionally left blank

A10 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	200	185	0.52	13608	0		360.61	16.23	360.24	708.91	4.41	-0.7	4.35	7.76
2	CMB	200	185	0.52	19505	0		185.69	-29.13	183.39	-315.15	2.46	0.09	2.46	4.89
3	CMB	200	185	0.52	22680	0		144.62	-1.11	144.62	-271.22	2.64	1.14	2.38	4.44
4	CMB	200	185	0.52	19505	10		175.07	-48.85	168.12	-314.14	2.92	-0.49	2.88	-5.64
5	CMB	200	185	0.52	19505	20		213.96	51.93	207.56	321.58	3.92	-0.02	3.92	-7.11
6	DES	147	147	/	13608	0		117.35	60.94	100.29	233.64	0.17	-0.02	0.17	-0.34
7	DES	176	176	/	19505	0		90.78	-19.78	88.6	-174.15	0.12	-0.02	0.12	0.18
8	DES	190	190	/	22680	0		82.31	-32.7	75.53	-139.36	0.13	0.04	0.12	0.23
9	CRZ	215	215	0.56	19505	0						1.31	0.08	1.3	1.89

A124 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	265	265	0.71	298280	0		178.86	-6.43	178.74	477.62	35.76	-0.23	35.76	114.72
2	CMB	265	265	0.71	318250	0		198.01	2.03	198.00	-717.32	46.28	-1.88	46.25	-149.20
3	CMB	265	265	0.71	353220	0		136.50	48.42	127.63	478.49	26.36	0.65	26.35	104.72
4	CMB	265	265	/	383140	0		96.94	-21.43	94.54	216.62	21.34	-2.62	21.18	-39.06
5	CMB	265	265	/	390100	0		110.05	-18.77	108.44	227.87	49.07	-6.99	48.57	-170.28
6	CMB	265	265	/	383300	10		110.41	-45.26	100.71	201.45	48.73	9.24	47.85	96.51
7	CMB	265	259	/	383150	20		223.05	24.53	221.69	604.24	98.12	33.88	92.08	253.71
8	DES	281	281	0.75	330000	0		283.87	-2.13	283.86	701.77	11.26	0.00	11.26	21.34
9	CRZ	281	281	0.7	300000	0						6.30	1.68	6.07	25.04
10	CRZ	281	281	0.69	355000	0						5.17	-1.71	4.88	15.04

A140 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	162	162	/	15000	0		138.66	45.87	130.85	292.76	0.83	0.02	0.83	1.90
2	CMB	162	162	/	18000	0		88.41	5.90	88.21	-245.41	0.53	-0.07	0.52	-1.67
3	CMB	162	162	/	20000	0		78.32	-4.45	78.20	-282.18	0.66	-0.06	0.66	-2.67
4	CMB	151	151	/	15000	0		150.31	-1.26	150.31	-352.67	1.12	-0.09	1.11	-3.36
5	CMB	151	151	/	18000	0		103.12	-34.91	97.03	-315.95	0.60	-0.12	0.59	-1.70
6	CMB	157	157	/	20000	0		84.57	-18.27	82.57	-309.70	0.67	-0.06	0.67	-2.68
7	CMB	162	162	/	18000	10		86.86	7.71	86.51	164.89	0.80	0.07	0.80	-1.53
8	CMB	162	162	/	18000	30		45.34	-2.22	45.28	-85.41	0.52	0.46	0.24	0.87
9	CMB	151	151	/	18000	10		93.30	-18.67	91.42	-151.64	0.68	0.21	0.64	1.07
10	CMB	151	151	/	18000	30		92.88	-9.77	92.37	145.01	1.16	0.71	0.91	2.77
11	DES	184	184	/	18000	0		35.55	-0.89	35.54	-72.12	1.40	0.00	1.40	-5.78
12	DES	184	184	/	20000	0		34.15	3.42	33.98	62.05	1.40	0.00	1.40	-5.78
13	CRZ	221	221	0.42	18000	0						0.33	-0.02	0.33	-0.67
14	CRZ	221	221	0.44	18000	0						0.38	-0.02	0.38	-0.69

A148 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	259	259	0.73	27992	0		109.12	18.08	107.61	309.04	0.83	-0.07	0.82	3.17
2	CMB	259	259	0.73	31990	0		85.83	5.06	85.68	235.03	0.71	-0.25	0.67	2.51
3	CMB	259	259	0.73	35989	0		59.41	-4.42	59.24	177.58	0.79	-0.05	0.78	2.59
4	CMB	259	259	0.73	37988	0		57.78	-10.16	56.88	172.19	0.6	-0.17	0.58	2.37
5	CMB	259	259	0.73	41986	0		55.85	-25.85	49.51	-135.41	0.49	-0.19	0.45	1.61
6	CMB	259	259	0.73	35745	10		115.61	40.07	108.44	203.67	1.13	0.81	0.79	1.82
7	CMB	259	259	0.73	35724	20		79.51	-15.89	77.9	-129.84	1.27	1.05	0.71	2.07
8	DES	270	270	0.78	26000	0		296.81	20.04	296.13	878.72	1.41	-0.02	1.4	3.04
9	DES	270	270	0.78	34000	0		223.87	-8.92	223.69	758.28	1.41	0.01	1.41	-2.83
10	DES	270	270	0.78	42000	0		223.77	-44.6	219.28	651.11	1.39	0.01	1.39	4.05
11	CRZ	293	293	/	36000	0						0.1	-0.01	0.1	-0.11
12	CRZ	274	274	0.73	36000	0						0.46	0.04	0.45	0.64
13	CRZ	/	/	0.76	36000	0						0.25	-0.25	0	-0.25
14	CRZ	/	/	0.78	36000	0						0.13	0.13	0	0.13

A158 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	248	248	0.73	27875	0		150.81	-28.79	148.04	-521.99	2.16	-0.31	2.14	-7.15
2	CMB	248	248	0.73	33875	0		98.88	7.14	98.62	283.52	1.92	-0.3	1.89	4.48
3	CMB	248	248	0.73	37875	0		64.16	11.81	63.07	163.01	1.37	-0.35	1.32	-3.32
4	CMB	248	248	0.73	43575	0		51.81	11.3	50.56	-171.49	1.43	-0.34	1.39	-3.81
5	CMB	248	248	0.73	37875	10		97.02	32.61	91.38	277.26	1.24	0.69	1.03	3.2
6	CMB	248	248	0.73	37875	20		86.6	-20.96	84.02	214.56	2.3	1.77	1.46	4.62
7	DES	248	259	0.77	28000	0		143.31	5.08	143.22	330.82	0.84	0.02	0.84	2.18
8	DES	248	259	0.77	36000	0		168.6	21.48	167.23	-513.93	0.87	-0.05	0.87	-3.44
9	DES	248	259	0.77	42000	0		150.89	-21.17	149.4	-606.28	0.62	0.03	0.62	1.58
10	CRZ	300	300	0.79	38000	0						1.29	1.2	0.47	2.28
11	CRZ	243	243	0.74	38000	0						1.21	-1.08	0.53	-1.5
12	CRZ	250	250	0.69	38000	0						1.57	-1.56	0.21	-1.79
13	CRZ	259	259	0.65	38000	0						0.86	-0.79	0.35	-1.22

A20N accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	260	260	0.7	50000	0		92.18	21.53	89.64	274.53	1.32	-0.11	1.31	3.91
2	CMB	260	260	0.7	68000	0		74.07	4.59	73.93	201.66	1.52	-0.1	1.51	4.42
3	CMB	260	260	0.7	78000	0		73.67	-5.04	73.49	171.83	1.4	-0.08	1.4	4.1
4	CMB	300	300	0.78	50000	0		106.91	46.54	96.25	239.97	1.38	-0.29	1.35	-2.81
5	CMB	300	300	0.78	68000	0		67.44	36.25	56.87	143.04	1.25	-0.41	1.18	-3.02
6	CMB	300	300	0.78	78000	0		51.35	25.51	44.56	102.79	1.27	-0.41	1.2	3.86
7	CMB	330	330	0.82	50000	0		121.17	-44.41	112.74	203.25	1.87	-0.55	1.79	-5.14
8	CMB	330	330	0.82	68000	0		134.42	-37.87	128.97	-263.59	1.71	-0.83	1.5	-5.14
9	CMB	330	330	0.82	78000	0		123.65	-17.94	122.35	-314.28	1.56	-0.9	1.28	-2.94
10	CMB	260	260	0.7	68000	10		77.74	7.22	77.4	208.78	2.19	1.48	1.61	6.21
11	CMB	300	300	0.78	68000	10		67.1	36.46	56.33	140.97	1.77	1.32	1.18	4.76
12	CMB	300	300	0.78	68000	20		91.46	9.02	91.02	-156.06	1.78	1.31	1.21	6.29
13	CMB	330	330	0.82	68000	10		137.82	-40.58	131.71	-275.13	1.5	0.92	1.19	3.2
14	DES	260	260	0.7	68000	0		106.14	-56.57	89.81	-216.56	0.6	0.03	0.6	2.09
15	DES	300	300	0.78	68000	0		121.9	49.29	111.49	237.76	0.81	-0.1	0.8	-1.89
16	DES	330	330	0.82	68000	0		180.71	-21.87	179.38	-601.04	0.8	0.05	0.8	-1.61
17	DES	260	260	0.7	60000	0		127.46	-38.05	121.65	-244.7	0.72	0.1	0.72	3.23
18	DES	300	300	0.78	60000	0		154.53	68.88	138.34	290.99	0.65	-0.03	0.65	1.67
19	DES	330	330	0.82	60000	0		136.47	-1.01	136.46	-401.82	0.99	-0.06	0.99	-3.79
20	CRZ	300	300	0.78	68000	0						0.98	0.02	0.98	2.04

A306 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	330	330	0.79	95000	0		139.99539	-39.62529	134.27042	-237.02868	3.99951	-2.19964	3.34031	-12.97110
2	CMB	330	330	0.79	140000	0		54.15625	-21.64745	49.64159	-125.23502	3.42855	-2.43871	2.40990	-6.37069
3	CMB	330	330	0.79	171700	0		39.51485	-12.93995	37.33606	-121.70720	3.58435	-2.89920	2.10766	-6.54183
4	CMB	300	300	0.78	95000	0		87.45060	-5.19940	87.29590	-156.25078	2.59145	-0.63626	2.51213	9.30256
5	CMB	300	300	0.78	140000	0		60.16002	17.82986	57.45715	-113.53165	1.87540	-1.02951	1.56755	-3.69336
6	CMB	300	300	0.78	171700	0		68.44773	21.59120	64.95316	107.61726	1.94619	-1.23508	1.50408	-4.05802
7	CMB	270	270	0.65	95000	0		157.82356	-25.43054	155.76124	-253.28482	3.74830	1.12496	3.57550	14.91347
8	CMB	270	270	0.65	140000	0		137.18498	52.91693	126.56823	195.31164	3.25995	1.04795	3.08693	11.06732
9	CMB	270	270	0.65	171700	0		136.10211	79.87789	110.19667	192.03402	3.02605	0.89261	2.89140	7.47208
10	CMB	330	330	0.79	95000	10		131.39024	-1.44643	131.38228	-199.82307	3.14752	2.11281	2.33301	5.62718
11	CMB	330	330	0.79	140000	10		49.33565	5.63506	49.01278	-107.45778	2.84945	1.87487	2.14575	6.73841
12	CMB	330	330	0.79	171700	10		40.12490	10.15285	38.81916	-103.66241	2.29545	1.56667	1.67769	6.68994
13	CMB	330	330	0.79	140000	20		63.58568	2.43901	63.53889	114.83611	4.41982	3.93307	2.01638	9.17361
14	DES	300	300	0.78	140000	0		59.27141	2.69132	59.21027	-188.24403	1.68358	0.48748	1.61146	4.38594
15	DES	330	330	0.79	140000	0		64.49940	-1.07027	64.49052	-218.61413	2.74538	-0.06074	2.74471	7.27788
16	DES	275	275	0.78	140000	0		55.20730	-3.03171	55.12399	-188.24403	2.43097	-0.21357	2.42157	-5.71555
17	CRZ	310	310	0.79	140000	0						3.76426	-0.24748	3.75612	9.27788

A30B accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	300	300	0.78	105000	0		76.02895	6.83293	75.72128	-183.55641	2.76609	0.07611	2.76504	5.19383
2	CMB	300	300	0.78	134000	0		49.71787	10.7341	48.5453	-156.76541	2.69783	-0.00608	2.69782	5.62852
3	CMB	300	300	0.78	165000	0		26.81232	6.55097	25.99972	84.86156	2.17927	-0.67396	2.07243	6.05865
4	CMB	340	340	0.8	105000	0		118.19173	-36.84866	112.30076	-203.34991	6.29733	-3.14262	5.45713	-12.37039
5	CMB	340	340	0.8	134000	0		81.15721	-37.91325	71.75708	-163.02556	6.44238	-3.61174	5.33475	-11.12465
6	CMB	340	340	0.8	165000	0		63.8752	-43.16529	47.0829	-111.08177	6.68549	-5.21572	4.18234	-10.93281
7	CMB	270	270	0.65	105000	0		117.81517	13.75714	117.00921	-307.70265	3.58575	2.42169	2.64444	14.38875
8	CMB	270	270	0.65	134000	0		82.22551	46.67545	67.69371	191.95115	2.96675	2.49533	1.60465	6.10881
9	CMB	270	270	0.65	165000	0		85.16602	63.00326	57.3048	168.08666	3.13457	2.86591	1.2697	6.59654
10	CMB	300	300	0.78	105000	10		76.20435	0.82357	76.19989	-192.46938	3.91082	3.22249	2.21587	8.12533
11	CMB	300	300	0.78	134000	10		49.41873	6.2644	49.02008	-164.4406	3.89941	3.18997	2.24266	7.56626
12	CMB	300	300	0.78	165000	10		26.99043	3.21503	26.79826	83.58408	3.03597	2.44791	1.79578	8.35394
13	CMB	300	300	0.78	134000	20		78.26391	1.24388	78.25403	115.06536	4.74393	2.59178	3.97335	12.40786
14	DES	300	300	0.78	134000	0		48.33023	-4.84601	48.08666	123.10844	2.4759	-0.43261	2.43781	8.25367
15	DES	330	330	0.8	134000	0		59.08218	-1.30159	59.06784	-190.99087	1.14508	0.1195	1.13883	2.05627
16	CRZ	300	300	0.78	134000	0						1.78449	1.01602	1.46701	3.55081

A310 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	320	320	0.8	100000	0		166.39423	-15.74063	165.64804	-455.16158	4.98447	-1.13747	4.85295	-16.97182
2	CMB	320	320	0.8	120000	0		122.57288	-11.8843	121.99539	-352.32564	4.51225	-1.28946	4.32408	-13.37452
3	CMB	320	320	0.8	150000	0		126.41972	-29.31095	122.97485	-384.34769	5.04515	-2.09519	4.58952	-18.22182
4	CMB	330	330	0.81	100000	0		188.24038	-50.61805	181.30707	-508.25417	5.54372	-1.71079	5.27314	-18.61584
5	CMB	330	330	0.81	120000	0		140.13509	-42.84998	133.42309	-399.39375	5.13034	-1.81907	4.79702	-13.61584
6	CMB	330	330	0.81	150000	0		129.13325	-40.27278	122.69271	-335.96576	5.52898	-2.85684	4.73372	-19.86584
7	CMB	270	270	0.65	100000	0		177.73408	44.55185	172.05968	364.7897	4.77004	2.6343	3.97665	12.35206
8	CMB	270	270	0.65	120000	0		152.84406	53.21111	143.28254	304.74403	5.00886	2.64663	4.25253	-12.07924
9	CMB	270	270	0.65	150000	0		123.04505	57.95599	108.54118	242.15305	5.41349	2.99888	4.50695	10.68926
10	CMB	300	300	0.79	100000	0		146.11839	41.08156	140.22442	-313.83127	3.89701	0.71375	3.83109	8.61908
11	CMB	300	300	0.79	120000	0		111.33065	29.51496	107.34701	246.76451	4.4642	0.17628	4.46072	-17.01593
12	CMB	300	300	0.79	150000	0		111.37014	-3.23046	111.32327	-299.28781	3.78964	-0.06591	3.78907	-8.56784
13	CMB	320	320	0.82	100000	10		224.79198	17.05564	224.14401	903.90365	4.49119	1.72001	4.14878	9.85249
14	CMB	320	320	0.82	120000	10		172.60968	11.87825	172.20049	739.92614	4.34384	1.66161	4.01348	10.91265
15	CMB	320	320	0.82	150000	10		154.13417	-14.98967	153.40355	534.76466	4.01088	1.10552	3.85551	9.60829
16	CMB	320	320	0.8	120000	20		119.64499	1.08214	119.6401	-375.52621	4.57484	2.8852	3.55032	9.99123
17	DES	310	310	0.8	120000	0		85.41613	14.20307	84.22701	-255.48839	1.53216	0.56234	1.42523	4.21529
18	DES	320	320	0.8	120000	0		88.75933	22.90078	85.75414	-255.48839	1.40132	0.31601	1.36523	3.14318
19	DES	270	270	0.78	120000	0		87.72047	-38.09116	79.01864	-161.03756	2.17301	-1.71545	1.33387	-4.40761
20	CRZ	310	310	0.8	120000	0						2.76409	2.59491	0.95217	4.24183

A318 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	290	290	0.78	39000	0		162.78	34.08	159.18	367.23	2.45	-0.03	2.45	6.75
2	CMB	290	290	0.78	59300	0		124.47	54.10	112.10	273.28	2.09	-0.18	2.09	-5.55
3	CMB	290	290	0.78	68000	0		110.00	44.38	100.65	242.88	2.34	-0.05	2.34	7.58
4	CMB	260	260	0.7	39000	0		146.75	-5.31	146.66	-348.69	2.57	0.37	2.54	8.75
5	CMB	260	260	0.7	59300	0		109.43	-3.51	109.37	-238.22	2.12	0.25	2.10	-4.73
6	CMB	260	260	0.7	68000	0		95.53	-12.20	94.74	-197.71	2.12	0.24	2.11	5.72
7	CMB	330	330	0.82	39000	0		206.62	-88.94	186.50	-477.17	2.96	-1.00	2.79	-7.85
8	CMB	330	330	0.82	59300	0		165.16	-38.86	160.52	-421.65	2.88	-1.20	2.61	-7.67
9	CMB	330	330	0.82	68000	0		153.89	-20.56	152.51	-386.13	2.96	-1.28	2.67	-6.71
10	CMB	290	290	0.78	39000	10		161.16	12.67	160.66	-341.59	2.70	1.26	2.39	6.69
11	CMB	290	290	0.78	59300	10		120.10	40.69	113.00	252.76	2.60	1.27	2.27	9.30
12	CMB	290	290	0.78	68000	10		106.21	32.55	101.10	225.08	2.48	1.23	2.15	7.24
13	CMB	290	290	0.78	59300	20		123.82	4.21	123.74	-229.40	2.12	0.89	1.92	5.40
14	DES	250	250	0.75	53000	0		94.60	-29.54	89.87	201.79	1.80	-0.03	1.79	4.24
15	DES	250	250	0.75	59000	0		85.03	-36.62	76.74	177.41	1.83	-0.07	1.83	3.64
16	DES	285	285	0.8	59000	0		125.12	60.99	109.24	346.66	2.23	0.10	2.23	4.65
17	CRZ	290	290	0.78	59300	0						1.01	0.03	1.01	2.39

A319 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	310	310	0.78	45000	0		96.07742	-29.59718	91.40503	180.24462	2.00127	-0.37938	1.96498	4.6912
2	CMB	310	310	0.78	60000	0		66.27394	-4.73766	66.10438	-249.27347	1.73363	-0.56472	1.63907	-3.57812
3	CMB	310	310	0.78	70000	0		58.2253	-10.64105	57.24469	-266.18087	1.92274	-0.6731	1.80107	-4.19769
4	CMB	250	250	0.6	45000	0		228.3291	75.06287	215.63799	-458.15377	2.40581	0.24126	2.39368	6.45876
5	CMB	250	250	0.6	60000	0		163.05745	50.57795	155.01485	-325.37007	2.23915	0.65607	2.14088	5.64243
6	CMB	250	250	0.6	70000	0		126.70266	16.12381	125.67254	-251.10932	2.40259	0.69562	2.29969	6.51763
7	CMB	340	340	0.78	45000	0		173.66219	-96.90881	144.10843	-338.23075	2.32115	-0.89589	2.14129	-4.78085
8	CMB	340	340	0.78	60000	0		105.70821	-51.66308	92.22338	-246.76213	2.40461	-1.04542	2.16547	-6.51574
9	CMB	340	340	0.78	70000	0		80.1794	-42.52073	67.9759	-263.16907	2.54361	-1.21028	2.23723	-7.51991
10	CMB	280	280	0.76	45000	0		108.92569	62.65697	89.10056	235.20504	2.00407	0.11253	2.00091	5.51488
11	CMB	280	280	0.76	60000	0		96.42343	40.66345	87.42975	-265.29215	1.38474	0.14363	1.37727	-2.4386
12	CMB	280	280	0.76	70000	0		84.56154	8.44674	84.13862	-274.48794	1.61696	0.20119	1.6044	5.65239
13	CMB	310	310	0.78	45000	10		88.5208	-8.35072	88.12603	196.05099	2.3971	1.31008	2.00743	-7.26798
14	CMB	310	310	0.78	60000	10		67.38551	11.63869	66.37279	-245.19984	1.96453	1.36808	1.40987	3.85515
15	CMB	310	310	0.78	70000	10		59.10487	3.7925	58.98307	-262.44868	1.90248	1.39715	1.29128	3.9287
16	CMB	310	310	0.78	60000	20		48.22811	2.29922	48.17327	-112.58197	2.36609	2.03278	1.21087	4.64922
17	DES	300	300	0.78	60000	0		50.22349	38.36642	32.41014	88.9561	1.13109	0.10414	1.12628	3.82074
18	DES	340	340	0.8	60000	0		88.90037	-71.81957	52.39489	-144.92407	1.07204	0.04859	1.07094	-2.21948
19	DES	250	250	0.76	60000	0		76.77015	54.0622	54.50628	132.25602	1.45609	-0.49975	1.36765	-3.36806
20	CRZ	300	300	0.78	60000	0						1.10801	0.78709	0.77986	2.89932

A320 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.6	47400	0		95.46238	-19.50276	93.44897	-267.16163	1.82251	-0.97692	1.53856	-3.9835
2	CMB	250	250	0.6	65900	0		53.85403	0.42777	53.85233	-106.7547	1.32019	-0.68519	1.12846	-2.68895
3	CMB	250	250	0.6	77000	0		51.5305	-5.19022	51.26845	-98.46809	1.21749	-0.7473	0.96116	-2.87238
4	CMB	340	340	0.8	47400	0		112.77173	-36.66326	106.64553	-351.67168	1.9895	-0.62706	1.88809	-8.16375
5	CMB	340	340	0.8	65900	0		76.44849	-6.29307	76.18904	-234.42772	1.46273	-0.39887	1.4073	2.74534
6	CMB	340	340	0.8	77000	0		65.60937	-5.15927	65.4062	-167.07799	1.41206	-0.50975	1.31684	-2.45286
7	CMB	310	310	0.78	47400	0		65.67395	12.70318	64.43366	167.88802	1.65015	-0.37061	1.608	3.83497
8	CMB	310	310	0.78	65900	0		50.25753	27.47948	42.07966	108.42289	1.6033	-0.39591	1.55365	5.26354
9	CMB	310	310	0.78	77000	0		36.8917	18.69244	31.8055	-78.95411	1.31089	-0.4663	1.22515	-2.71884
10	CMB	310	310	0.78	47400	10		63.46123	-0.35359	63.46025	154.54491	1.8501	1.2859	1.33016	4.5214
11	CMB	310	310	0.78	65900	10		45.58419	18.47384	41.67296	-113.29937	1.81013	1.17683	1.37537	3.5012
12	CMB	310	310	0.78	77000	10		33.56252	11.00403	31.70732	-86.13185	1.70065	1.22063	1.18418	3.61904
13	CMB	310	310	0.78	65900	20		37.59368	1.03798	37.57935	99.28708	2.1887	1.8089	1.2322	4.7528
14	DES	310	310	0.78	47400	0		75.48633	-4.50696	75.35166	175.76834	1.83428	0.08875	1.83213	6.99055
15	DES	310	310	0.78	65900	0		33.53863	14.34174	30.31756	80.42327	1.41548	-0.00908	1.41546	3.2487
16	DES	310	310	0.78	77000	0		39.952	8.22195	39.09683	-84.69529	1.49947	-0.08423	1.4971	5.48679
17	CRZ	/	/	0.78	64000	0						0.46342	0.02711	0.46262	1.39843

A321 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	300	300	0.78	55000	0		47.03981	3.02063	46.94272	144.6318	1.62564	-0.73288	1.45107	3.80931
2	CMB	300	300	0.78	72000	0		40.48274	20.71751	34.77984	-96.78034	1.82797	-0.57993	1.73354	6.55654
3	CMB	300	300	0.78	83000	0		26.20749	13.99369	22.15873	54.62803	1.47951	-0.76023	1.26925	-2.98817
4	CMB	320	320	0.8	55000	0		64.99912	-40.53461	50.81172	-164.73108	1.68916	-0.58979	1.58285	-5.21219
5	CMB	320	320	0.8	72000	0		37.69264	-6.33795	37.15596	-103.14316	1.81835	-0.68877	1.68285	-5.72489
6	CMB	320	320	0.8	83000	0		47.96803	-4.67832	47.73934	-115.8778	1.6308	-0.61706	1.50955	-4.72024
7	CMB	250	250	0.6	55000	0		120.01258	8.89551	119.68245	-305.14888	2.45671	-1.30118	2.08383	-4.98895
8	CMB	250	250	0.6	72000	0		73.3966	20.57908	70.45255	149.17333	2.69541	-0.4765	2.65296	11.16489
9	CMB	250	250	0.6	83000	0		56.06168	0.86435	56.05502	-122.7563	1.7251	-0.4795	1.65712	2.87518
10	CMB	300	300	0.78	55000	10		50.26152	-8.28923	49.57327	139.81497	1.92257	1.36476	1.35415	5.64382
11	CMB	300	300	0.78	72000	10		38.67585	12.4243	36.62592	-101.42555	1.85664	1.38463	1.23689	5.48562
12	CMB	300	300	0.78	83000	10		24.35397	6.6158	23.43815	-53.83678	1.87498	1.431	1.21153	3.88629
13	CMB	300	300	0.78	72000	20		58.40468	6.65904	58.02382	-121.17755	2.22754	1.9836	1.01353	4.90798
14	DES	300	300	0.78	72000	0		54.84797	28.8337	46.65745	111.56437	1.03178	0.25302	1.00028	2.19227
15	DES	320	320	0.8	72000	0		44.62351	4.54967	44.39097	-169.80326	1.08546	0.43193	0.99582	2.59326
16	DES	250	250	0.76	72000	0		82.75496	-34.99848	74.98993	-224.28715	1.15893	-0.66692	0.9478	-2.36243

A332 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	330	330	0.82	140000	0		88.36487	-49.1536	73.43211	-189.48916	5.45478	-2.9105	4.61342	-15.12947
2	CMB	330	330	0.82	190000	0		57.63521	-29.39617	49.57502	-170.14257	6.08074	-3.37592	5.05753	-21.13238
3	CMB	330	330	0.82	230000	0		61.11557	-33.42193	51.16725	-195.94262	5.36138	-3.8344	3.74723	-10.53919
4	CMB	300	300	0.8	140000	0		55.0103	3.02595	54.92702	142.77885	3.58948	-0.59679	3.53952	7.92671
5	CMB	300	300	0.8	190000	0		36.0924	5.79617	35.62395	-113.41373	2.90156	-0.6113	2.83643	7.24087
6	CMB	300	300	0.8	230000	0		37.09572	-6.34662	36.54878	-125.40482	2.87088	-1.21771	2.59984	7.68385
7	CMB	280	280	0.78	140000	0		52.98203	20.46924	48.86825	131.6672	2.73267	1.07352	2.51298	6.28503
8	CMB	280	280	0.78	190000	0		41.59477	16.35369	38.24502	-74.70988	2.61622	1.03367	2.40335	6.32548
9	CMB	280	280	0.78	230000	0		42.03743	2.45952	41.96542	-69.72893	2.41754	0.5792	2.34713	7.03125
10	CMB	250	250	0.82	140000	0		134.34378	133.73874	12.73577	156.64264	7.65641	7.24991	2.46156	11.2722
11	CMB	250	250	0.82	190000	0		110.29926	109.89723	9.40878	126.67865	8.3433	7.44216	3.7716	15.75273
12	CMB	250	250	0.82	230000	0		93.50152	93.19954	7.50866	106.45039	8.4898	7.39963	4.16198	15.90154
13	CMB	330	330	0.82	140000	10		67.29547	0.31642	67.29472	133.74573	4.55323	2.71063	3.65847	9.93796
14	CMB	330	330	0.82	190000	10		45.1548	11.32462	43.71166	-72.80915	4.33392	2.62696	3.44702	10.73642
15	CMB	330	330	0.82	230000	10		53.31667	-1.72277	53.28883	-178.00609	4.05804	2.15487	3.43864	11.2389
16	CMB	330	330	0.82	190000	20		60.93093	5.68607	60.66504	126.35944	4.58336	3.20804	3.27348	11.07944
17	DES	300	300	0.8	190000	0		23.52076	1.63367	23.46396	-82.1525	2.53474	0.15656	2.5299	9.51564
18	DES	330	330	0.82	190000	0		42.57141	5.42112	42.22483	-155.81755	1.68341	0.28197	1.65962	4.07634
19	DES	280	280	0.78	190000	0		29.88386	-10.7313	27.89058	-63.72222	2.25337	0.06085	2.25255	7.92235
20	CRZ	330	330	0.82	190000	0						1.87469	-0.6403	1.76195	-3.27734

A333 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	Ma	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	330	330	0.82	150000	0		40.17142	7.15549	39.529	-125.27394	3.87079	-2.24591	3.1526	-13.93379
2	CMB	330	330	0.82	174000	0		31.18039	5.23461	30.73786	-99.32807	3.69588	-2.20379	2.96696	-11.55284
3	CMB	330	330	0.82	212000	0		34.54045	-6.57532	33.90882	-78.86777	3.25697	-2.52213	2.06076	-6.70455
4	CMB	300	300	0.8	150000	0		32.75715	9.98292	31.19892	108.86451	2.71463	-0.68611	2.62649	9.96167
5	CMB	300	300	0.8	174000	0		20.51541	4.31689	20.05609	41.88202	1.96307	-0.85158	1.76875	5.29146
6	CMB	300	300	0.8	212000	0		24.52221	-11.26781	21.78016	-83.75327	1.94055	-1.22075	1.50848	-3.59956
7	CMB	280	280	0.78	150000	0		39.15524	5.36284	38.78624	83.66666	2.41974	-0.00394	2.41974	5.74517
8	CMB	280	280	0.78	174000	0		30.98484	-3.49742	30.78682	-57.46488	2.22994	0.00168	2.22994	7.09138
9	CMB	280	280	0.78	212000	0		41.25646	-19.89367	36.14329	-111.53121	2.05941	-0.32549	2.03353	4.00643
10	CMB	330	330	0.82	150000	10		41.9702	6.5192	41.4608	-134.24151	3.70702	2.67527	2.56611	9.20361
11	CMB	330	330	0.82	174000	10		32.66506	4.71403	32.32312	-106.97151	3.32927	2.84244	1.73337	8.98574
12	CMB	330	330	0.82	212000	10		35.5946	-7.14831	34.86943	-84.82146	3.09377	2.48612	1.84136	6.65452
13	CMB	330	330	0.82	174000	20		54.13243	0.62805	54.12879	-126.75976	4.30725	3.26914	2.80447	8.78489
14	DES	330	330	0.82	174000	0		51.08862	5.20564	50.82271	100.83055	1.61005	0.0504	1.60927	4.86752
15	DES	300	300	0.8	174000	0		66.5401	8.09582	66.04576	135.85721	0.74275	-0.01512	0.74259	1.54395
16	CRZ	330	330	0.82	174000	0						0.66617	0.16925	0.64431	1.54716

A342 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	300	300	0.78	150000	0		59.95	14.89	58.07	136.80	3.58	-0.95	3.45	-8.48
2	CMB	300	300	0.78	210000	0		54.76	16.27	52.29	-125.57	3.11	-1.10	2.91	-7.32
3	CMB	300	300	0.78	255000	0		43.42	1.81	43.38	-134.47	3.88	-1.08	3.72	11.17
4	CMB	280	280	0.74	150000	0		68.10	-1.38	68.09	197.32	3.15	-0.64	3.08	10.71
5	CMB	280	280	0.74	210000	0		61.55	-1.65	61.53	-183.60	2.97	-0.22	2.96	8.39
6	CMB	280	280	0.74	255000	0		48.43	-10.23	47.33	-164.02	2.83	-0.10	2.83	7.21
7	CMB	320	320	0.82	150000	0		76.95	-31.10	70.38	-195.33	4.91	-2.09	4.45	-13.80
8	CMB	320	320	0.82	210000	0		49.82	5.78	49.48	-120.28	4.54	-2.36	3.87	-10.07
9	CMB	320	320	0.82	255000	0		42.75	3.07	42.64	-108.29	4.86	-2.90	3.90	-10.16
10	CMB	300	300	0.78	150000	10		60.20	3.11	60.12	-132.60	4.25	3.18	2.82	9.12
11	CMB	300	300	0.78	210000	10		52.90	7.52	52.36	-128.36	4.51	3.21	3.16	13.49
12	CMB	300	300	0.78	255000	10		43.78	-6.23	43.34	-136.78	4.36	3.13	3.04	9.70
13	CMB	300	300	0.78	210000	20		59.96	3.96	59.83	-123.04	5.58	4.30	3.57	12.54
14	DES	300	300	0.78	180000	0		106.94	26.85	103.51	-259.71	3.54	0.24	3.53	-9.21
15	DES	280	280	0.74	180000	0		97.75	17.70	96.13	-228.22	3.97	-0.48	3.94	-7.29
16	DES	320	320	0.82	180000	0		153.68	-25.73	151.51	-328.62	4.60	0.24	4.59	9.98
17	CRZ	310	310	0.80	210000	0						3.06	0.09	3.06	7.59

A343 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	300	300	0.78	150000	0		59.64	14.71	57.80	137.17	3.37	-1.04	3.21	7.45
2	CMB	300	300	0.78	210000	0		54.84	15.68	52.55	-128.21	3.26	-1.15	3.05	-8.29
3	CMB	300	300	0.78	255000	0		43.64	1.06	43.62	-136.52	3.84	-1.12	3.67	10.80
4	CMB	280	280	0.74	150000	0		68.82	-1.14	68.82	197.97	3.42	-0.47	3.39	10.33
5	CMB	280	280	0.74	210000	0		62.08	-1.91	62.05	-185.95	2.93	-0.33	2.91	7.65
6	CMB	280	280	0.74	255000	0		48.82	-10.76	47.62	-165.96	2.93	-0.21	2.92	9.18
7	CMB	320	320	0.82	150000	0		76.89	-31.80	70.01	-196.09	4.52	-1.92	4.10	-10.26
8	CMB	320	320	0.82	210000	0		46.36	8.32	45.61	-87.31	4.67	-2.35	4.03	-9.70
9	CMB	320	320	0.82	255000	0		42.90	2.10	42.85	-109.99	5.09	-2.77	4.27	10.38
10	CMB	300	300	0.78	150000	10		59.80	2.79	59.74	-132.17	4.39	3.12	3.08	10.10
11	CMB	300	300	0.78	210000	10		53.03	6.84	52.59	-131.11	4.64	3.21	3.35	13.13
12	CMB	300	300	0.78	255000	10		37.71	-3.06	37.58	-84.11	4.20	3.01	2.92	8.67
13	CMB	300	300	0.78	210000	20		59.54	3.90	59.41	-122.70	5.68	4.36	3.65	12.45
14	DES	300	300	0.78	180000	0		108.72	26.80	105.36	-258.61	3.43	0.37	3.41	-7.89
15	DES	280	280	0.74	180000	0		99.60	17.27	98.09	-226.63	4.24	-0.37	4.23	-8.39
16	DES	320	320	0.82	180000	0		156.05	-24.64	154.09	-328.34	4.66	0.00	4.66	11.22
17	CRZ	310	310	0.8	210000	0						3.05	0.09	3.04	7.75

A345 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	310	310	0.81	175000	0		91.99	18.08	90.19	259.50	5.95	-0.49	5.92	12.25
2	CMB	310	310	0.81	315000	0		51.85	30.77	41.74	106.72	5.91	-1.08	5.81	-12.75
3	CMB	310	310	0.81	370000	0		24.48	5.66	23.82	42.05	5.17	-1.99	4.77	13.82
4	CMB	270	270	0.74	175000	0		146.99	18.59	145.81	-312.68	4.68	0.37	4.67	16.20
5	CMB	270	270	0.74	315000	0		64.76	-10.93	63.83	-146.69	4.06	1.09	3.91	11.97
6	CMB	270	270	0.74	370000	0		81.70	-35.10	73.78	-131.49	4.43	1.28	4.24	10.72
7	CMB	330	330	0.83	175000	0		116.22	-69.14	93.42	218.06	8.76	-2.83	8.29	-18.03
8	CMB	330	330	0.83	315000	0		48.65	-1.76	48.61	-147.93	8.39	-3.91	7.43	13.06
9	CMB	330	330	0.83	370000	0		42.42	-14.23	39.96	-106.53	8.01	-5.09	6.18	15.03
10	CMB	310	310	0.81	175000	10		91.11	7.54	90.80	251.14	8.03	5.33	6.01	23.51
11	CMB	310	310	0.81	315000	10		48.67	25.43	41.50	100.46	7.16	5.02	5.10	16.04
12	CMB	310	310	0.81	370000	10		23.47	0.92	23.45	-43.21	6.35	4.36	4.62	19.37
13	CMB	310	310	0.81	315000	20		35.11	2.03	35.05	59.13	5.40	3.84	3.79	13.36
14	DES	265	265	0.8	235000	0		76.89	-39.51	65.96	-267.51	1.97	-0.35	1.94	4.59
15	DES	285	285	0.82	235000	0		41.84	1.76	41.81	101.86	1.89	-0.15	1.88	4.40
16	DES	306	306	0.82	235000	0		70.14	39.75	57.78	201.73	2.98	0.50	2.94	7.83
17	CRZ	310	310	0.83	255000	0						4.39	0.21	4.38	14.06

A346 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	310	310	0.81	185000	0		86.46109	-4.49079	86.34439	241.9885	6.58599	-1.61886	6.38393	-14.8279
2	CMB	310	310	0.81	255000	0		78.01781	20.08239	75.38883	196.9338	6.48786	-1.67693	6.26739	-14.8279
3	CMB	310	310	0.81	305000	0		56.87054	25.50506	50.8306	127.6552	5.89566	-1.56816	5.68328	11.76386
4	CMB	310	310	0.81	365000	0		30.22717	8.83576	28.90694	52.60356	5.83551	-2.9183	5.05339	13.13093
5	CMB	330	330	0.83	185000	0		136.3563	-94.1415	98.64287	208.7819	8.66182	-3.89912	7.7346	-14.1598
6	CMB	330	330	0.83	255000	0		89.42768	-34.6507	82.44174	-250.378	8.63718	-3.9432	7.68453	-13.8513
7	CMB	330	330	0.83	305000	0		63.16652	-16.1705	61.06163	-189.735	8.921	-4.16994	7.88643	-12.9886
8	CMB	330	330	0.83	365000	0		42.35041	-18.474	38.10864	-98.3521	9.05375	-6.18412	6.61264	14.80539
9	CMB	250	250	0.7	185000	0		204.1009	-0.1461	204.1009	426.8908	6.21483	-0.41447	6.201	17.89159
10	CMB	250	250	0.7	255000	0		134.6184	7.75233	134.395	289.9221	5.33547	0.70574	5.28859	14.53807
11	CMB	250	250	0.7	305000	0		116.9959	-2.58564	116.9673	229.5287	6.21184	1.43358	6.04415	18.12494
12	CMB	250	250	0.7	365000	0		96.59252	72.57608	63.74031	173.3475	7.35283	5.42598	4.96214	16.72338
13	CMB	290	290	0.79	185000	0		87.38527	26.4246	83.29422	193.6062	4.74818	-0.50939	4.72077	-10.1541
14	CMB	290	290	0.79	255000	0		79.32364	24.17031	75.55155	-230.551	4.27277	-0.51436	4.2417	-10.0958
15	CMB	290	290	0.79	305000	0		44.74984	25.00014	37.11524	98.93145	4.03187	-0.23106	4.02524	8.74834
16	CMB	290	290	0.79	365000	0		21.09892	-5.26129	20.4324	-41.8775	3.68066	-1.06096	3.52444	9.31427
17	CMB	310	310	0.81	185000	10		88.0114	-14.8338	86.75233	233.9129	4.31995	-0.35633	4.30523	-8.17905
18	CMB	310	310	0.81	255000	10		76.91113	13.03621	75.79828	191.7457	4.35107	-0.49963	4.32229	8.87031
19	CMB	310	310	0.81	305000	10		54.44364	19.85789	50.69294	122.8235	4.46665	0.05914	4.46626	9.46821
20	CMB	310	310	0.81	365000	10		28.78084	4.07078	28.4915	-48.8547	4.09621	-0.58394	4.05437	10.44979
21	CMB	310	310	0.81	185000	20		76.81451	-22.0384	73.58518	193.3141	16.56414	-11.9277	11.4935	-32.7642
22	CMB	310	310	0.81	255000	20		58.17567	16.66087	55.73889	163.1037	15.03017	-10.7037	10.5516	-24.7851
23	CMB	310	310	0.81	305000	20		44.38608	19.83907	39.70561	101.9382	13.64547	-9.63186	9.66572	-20.5265
24	CMB	310	310	0.81	365000	20		26.33466	-1.46226	26.29403	-48.7842	12.92351	-7.93736	10.1988	-20.2645
25	DES	310	310	0.84	185000	0		90.59528	37.38284	82.52289	262.4217	4.28916	0.57201	4.25084	18.32874
26	DES	310	310	0.84	265000	0		121.4342	22.00646	119.4235	-365.812	3.2058	1.72453	2.70244	7.70182
27	DES	250	250	0.75	185000	0		96.92178	-40.1645	88.20796	-236.436	3.22689	0.40147	3.20182	7.52913
28	DES	250	250	0.75	265000	0		92.84983	-75.0992	54.60035	-196.422	2.59337	-1.00394	2.39117	5.63739
29	DES	285	285	0.82	185000	0		65.61268	24.70635	60.78338	143.7809	2.40369	-0.6358	2.31807	5.57114
30	DES	285	285	0.82	265000	0		50.29798	15.20893	47.94346	104.3735	2.06651	-0.69723	1.94534	-4.82169
31	CRZ	310	310	0.83	305000	0						2.15112	-0.49432	2.09355	-3.61271

A359 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	320.0	320.0	0.84	155000	0.0		47.63	-6.86	47.14	108.91	3.56	-1.05	3.40	-9.99
2	CMB	320.0	320.0	0.84	185000	0.0		39.62	1.10	39.60	93.62	3.15	-0.95	3.01	6.36
3	CMB	320.0	320.0	0.84	235000	0.0		34.22	16.30	30.09	99.30	3.10	-1.29	2.82	-5.98
4	CMB	320.0	320.0	0.84	275000	0.0		34.22	18.99	28.46	94.64	3.36	-1.63	2.94	-6.95
5	CMB	300.0	300.0	0.80	185000	0.0		87.68	-15.56	86.29	-167.41	3.70	0.94	3.58	14.08
6	CMB	300.0	300.0	0.80	235000	0.0		77.70	8.60	77.22	-190.19	3.41	1.13	3.22	12.00
7	CMB	300.0	300.0	0.80	275000	0.0		67.14	12.41	65.98	-187.79	2.77	1.21	2.49	6.26
8	CMB	330.0	330.0	0.86	155000	0.0		71.23	-11.65	70.27	-163.03	5.11	-1.82	4.78	-12.17
9	CMB	330.0	330.0	0.86	185000	0.0		61.77	-7.58	61.31	-148.02	4.83	-1.54	4.58	-10.91
10	CMB	330.0	330.0	0.86	235000	0.0		46.91	7.82	46.25	103.39	5.33	-2.68	4.60	-14.69
11	CMB	330.0	330.0	0.86	275000	0.0		36.10	11.87	34.10	88.52	5.21	-3.21	4.10	-12.17
12	CMB	320.0	320.0	0.84	155000	10.0		49.61	-12.57	47.99	109.11	3.91	2.87	2.65	9.11
13	CMB	320.0	320.0	0.84	185000	10.0		40.03	-3.60	39.86	93.82	3.82	2.90	2.48	8.21
14	CMB	320.0	320.0	0.84	235000	10.0		33.65	13.01	31.03	99.83	3.91	2.56	2.96	9.03
15	CMB	320.0	320.0	0.84	275000	10.0		34.13	16.39	29.93	95.30	3.88	2.72	2.77	9.49
16	CMB	320.0	320.0	0.84	185000	20.0		51.37	-10.85	50.21	110.19	3.59	1.62	3.20	8.96
17	CMB	320.0	320.0	0.84	235000	20.0		43.00	12.04	41.28	113.29	3.68	1.90	3.15	10.08
18	DES	320.0	320.0	0.84	185000	0.0		63.87	15.63	61.92	-132.66	7.65	-0.63	7.62	-26.86
19	DES	280.0	280.0	0.76	185000	0.0		91.07	-46.94	78.04	-265.03	3.47	1.25	3.24	5.39
20	DES	330.0	330.0	0.86	185000	0.0		77.37	26.74	72.61	200.50	9.44	-1.48	9.33	-27.22
21	DES	320.0	320.0	0.84	235000	0.0		55.42	25.04	49.44	129.74	7.88	0.03	7.88	-27.64
22	DES	280.0	280.0	0.76	235000	0.0		87.61	-53.95	69.03	-236.50	3.29	1.88	2.70	4.87
23	DES	330.0	330.0	0.86	235000	0.0		79.04	34.34	71.19	184.79	9.54	-0.97	9.49	-25.97
24	CRZ	310.0	310.0	0.82	185000	0.0						1.64	0.10	1.64	4.88
25	CRZ	310.0	310.0	0.82	235000	0.0						2.45	0.29	2.44	6.76
26	CRZ	320.0	320.0	0.84	235000	0.0						1.77	-0.02	1.77	5.13

A388 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	320	320	0.85	326000	0		93.52	43.98	82.53	235.04	12.11	-1.34	12.04	-35.69
2	CMB	320	320	0.85	482000	0		44.49	26.24	35.93	107.13	10.06	-2.67	9.70	22.20
3	CMB	320	320	0.85	560000	0		26.84	-11.05	24.46	-87.37	10.90	-4.93	9.72	-29.90
4	CMB	340	340	0.89	326000	0		427.03	-277.43	324.64	-1227.75	16.61	-9.60	13.56	-35.30
5	CMB	340	340	0.89	482000	0		108.10	-55.47	92.79	-452.93	18.89	-17.16	7.89	-37.96
6	CMB	340	340	0.89	560000	0		69.37	-54.06	43.47	-173.16	18.12	-17.13	5.92	-31.28
7	CMB	250	250	0.7	326000	0		233.59	-1.67	233.59	387.81	16.23	3.82	15.77	44.84
8	CMB	250	250	0.7	482000	0		156.13	-3.21	156.10	-294.18	16.02	8.47	13.60	39.18
9	CMB	250	250	0.7	560000	0		121.33	-5.78	121.19	-205.22	17.27	11.98	12.44	35.89
10	CMB	300	300	0.85	326000	0		99.51	76.80	63.28	235.03	11.01	3.58	10.42	-34.67
11	CMB	300	300	0.85	482000	0		56.30	44.59	34.36	114.11	8.15	2.97	7.59	21.73
12	CMB	300	300	0.85	560000	0		36.91	5.42	36.51	85.27	7.79	1.44	7.65	25.01
13	CMB	310	310	0.83	326000	0		86.23	58.63	63.23	207.61	9.21	-0.11	9.21	-40.18
14	CMB	310	310	0.83	482000	0		48.04	36.38	31.38	82.71	7.18	-0.52	7.16	16.23
15	CMB	310	310	0.83	560000	0		27.57	-1.67	27.52	56.51	7.89	-1.91	7.65	-29.66
16	CMB	310	310	0.83	560000	10		29.54	-10.09	27.77	-57.32	8.91	6.60	5.97	25.28
17	CMB	320	320	0.85	326000	10		88.26	29.44	83.20	221.28	12.06	6.32	10.27	25.22
18	CMB	320	320	0.85	482000	10		39.29	16.24	35.78	-107.25	11.28	4.74	10.23	28.64
19	CMB	320	320	0.85	560000	10		31.91	-20.23	24.68	-95.65	9.01	3.49	8.30	31.36
20	CMB	320	320	0.85	326000	20		124.18	15.95	123.15	275.11	8.47	3.69	7.63	19.09
21	CMB	320	320	0.85	482000	20		67.06	8.38	66.53	-153.41	8.01	2.34	7.66	24.97
22	CMB	320	320	0.85	560000	20		48.74	-33.68	35.23	-135.67	5.30	-0.72	5.25	-18.98
23	CMB	310	310	0.83	326000	10		77.72	45.30	63.15	194.25	10.75	7.69	7.51	19.98
24	CMB	310	310	0.83	482000	10		41.29	27.22	31.05	72.69	10.66	7.03	8.01	-24.41
25	CMB	310	310	0.83	482000	20		62.04	25.53	56.55	139.13	7.30	4.88	5.42	20.68
26	DES	250	250	0.73	320000	0		69.10	-52.76	44.62	-115.30	5.55	-3.46	4.34	-10.97
27	DES	250	250	0.73	400000	0		83.34	-76.21	33.75	-123.63	5.52	-3.48	4.28	-10.65
28	DES	250	250	0.73	350000	0		69.31	-59.38	35.74	-107.76	5.54	-3.44	4.35	-10.94
29	DES	300	300	0.85	320000	0		61.81	11.61	60.71	150.77	5.41	0.07	5.41	-9.41
30	DES	300	300	0.85	350000	0		53.91	14.54	51.91	144.68	5.38	0.04	5.38	-8.46
31	DES	300	300	0.85	400000	0		42.32	10.31	41.05	129.22	5.40	0.01	5.40	-9.19
32	DES	315	315	0.85	320000	0		65.19	28.18	58.78	182.33	5.26	1.07	5.15	-8.43

33	DES	315	315	0.85	350000	0		58.02	29.29	50.08	168.05	5.20	1.01	5.10	-8.28
34	DES	315	315	0.85	400000	0		49.31	24.44	42.83	150.14	5.24	1.01	5.14	-8.30
35	DES	330	330	0.86	320000	0		182.49	47.34	176.24	1133.17	6.28	2.61	5.72	20.64
36	DES	330	330	0.86	350000	0		54.43	25.74	47.96	-132.98	5.30	2.30	4.77	8.81
37	DES	330	330	0.86	400000	0		52.98	20.64	48.79	-97.36	5.25	2.27	4.73	7.33
38	CRZ	330	330	0.83	482000	0						5.39	0.23	5.38	17.97

A3ST accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	280	280	0.68	90000	0		129.58	-11.46	129.07	-247.41	3.66	1.02	3.52	-7.05
2	CMB	280	280	0.68	130000	0		124.06	-18.26	122.71	-318.80	4.10	-0.32	4.09	9.20
3	CMB	280	280	0.68	150000	0		89.46	18.02	87.63	189.07	3.45	-0.91	3.33	-7.92
4	CMB	250	250	0.7	90000	0		93.17	12.61	92.31	180.43	3.74	-1.28	3.51	-9.75
5	CMB	250	250	0.7	130000	0		99.21	-17.09	97.73	151.28	3.42	1.03	3.26	7.69
6	CMB	250	250	0.7	150000	0		120.93	-29.55	117.26	-193.48	3.25	0.57	3.20	6.70
7	CMB	295	295	0.7	90000	0		143.70	-12.07	143.19	-343.92	5.19	-1.69	4.91	-12.33
8	CMB	295	295	0.7	130000	0		95.73	34.60	89.26	210.83	4.69	-2.14	4.18	-12.33
9	CMB	295	295	0.7	150000	0		96.45	38.67	88.36	200.16	4.96	-2.92	4.00	-15.67
10	CMB	280	280	0.68	90000	10		127.71	-18.54	126.36	-336.72	4.77	2.77	3.87	11.57
11	CMB	280	280	0.68	130000	10		91.26	18.20	89.42	191.16	4.83	2.56	4.10	-10.34
12	CMB	280	280	0.68	150000	10		94.37	12.58	93.52	182.60	4.51	2.28	3.88	8.86
13	CMB	280	280	0.68	130000	20		85.40	0.93	85.39	-277.16	3.92	1.04	3.78	9.26
14	DES	270	270	0.7	130000	0		83.13	-47.95	67.90	-182.18	0.79	-0.26	0.74	2.74
15	DES	280	280	0.68	130000	0		71.28	-25.06	66.73	-132.61	0.75	-0.08	0.74	2.30
16	DES	290	290	0.69	130000	0		70.64	20.34	67.65	150.21	0.79	0.10	0.79	2.74
17	DES	295	295	0.7	130000	0		80.50	46.63	65.62	181.23	1.00	0.24	0.97	2.74
18	CRZ	280	280	0.7	110000	0						1.49	0.08	1.48	4.23

AJET accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	280	280	0.73	7000	0		172.35	-10.73	172.02	-401.67	1.15	0.38	1.09	2.78
2	CMB	280	280	0.73	6000	0		173.35	85.59	150.75	308.87	1.1	-0.14	1.09	2.24
3	CMB	280	280	0.73	4000	0		270.86	-30.35	269.15	-730.81	1.6	-1.01	1.24	-2.63
4	CMB	280	280	0.73	6000	10		201.75	9.13	201.55	-351.75	1.47	0.27	1.45	2.65
5	CMB	280	280	0.73	6000	20		163.53	-4.45	163.47	-351.35	1.56	1.22	0.97	2.68
6	DES	250	250	0.7	6000	0		182.81	29.59	180.4	459.83	0.45	0	0.45	1.12
7	CRZ	280	280	0.73	5000	0						0.86	0.02	0.86	1.57

AN12 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	189	189	/	45800	0		210.11	-10.91	209.83	561.25	8.2	-1.23	8.11	20.28
2	CMB	189	189	/	50790	0		116.96	25.66	114.11	350.28	5.91	-0.41	5.9	-13.37
3	CMB	194	194	/	53780	0		108.8	-1.11	108.79	274.15	5.77	0.86	5.7	14.92
4	CMB	194	194	/	55770	0		85.48	-7.21	85.18	172.63	4.54	-0.29	4.53	11.57
5	CMB	200	200	/	57760	0		134.92	-5.94	134.79	465.17	6.45	0.37	6.44	27.41
6	CMB	200	200	/	60750	0		75.47	-1.78	75.45	-170.2	4.5	0.71	4.44	9.53
7	DES	235	235	/	50000	0		97.76	-8.89	97.35	-209.49	2.2	0	2.2	5.37
8	DES	235	235	/	55000	0		98.16	11.13	97.53	-189.52	2.2	0	2.2	5.37
9	CRZ	/	/	0.56	50000	0						3.04	-0.05	3.04	-6.08

AN24 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	167	157	/	19000	0		36.46	-19.77	30.63	-74.37	0.30	-0.18	0.25	-0.58
2	CMB	167	157	/	20000	0		47.16	18.84	43.23	96.72	0.51	-0.11	0.50	-1.31
3	CMB	167	157	/	21000	0		87.07	58.76	64.25	171.74	0.28	-0.08	0.27	-0.62
4	CMB	167	157	/	19000	10		53.55	-18.71	50.18	-93.41	0.69	-0.66	0.22	-1.01
5	CMB	167	157	/	19000	20		85.47	-50.69	68.82	-182.67	1.71	1.59	0.63	2.27
6	DES	216	216	/	19000	0		72.86	29.12	66.78	129.28	1.64	0.00	1.64	-3.13
7	DES	216	216	/	21000	0		66.33	-19.56	63.38	-112.02	1.64	0.00	1.64	-3.13
8	CRZ	220	220	0.44	19000	0						0.53	-0.01	0.53	0.79

AN28 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	93	84	/	5000	0		63.60	-13.34	62.18	-98.09	0.50	0.00	0.50	-0.90
2	CMB	101	90	/	6500	0		79.10	16.12	77.44	-122.82	0.83	-0.02	0.83	-1.48
3	CMB	93	84	/	5000	10		80.37	33.26	73.17	130.03	1.40	-0.32	1.36	-3.21
4	CMB	93	84	/	5000	20		123.54	73.80	99.07	179.69	1.11	-0.19	1.09	-2.47
5	CMB	101	90	/	6500	10		75.83	-41.67	63.35	-154.79	1.02	-0.06	1.02	-2.01
6	CMB	101	90	/	6500	20		120.42	-105.18	58.62	-177.07	1.24	0.34	1.20	2.35
7	DES	148	133	0.26	6300	0		29.72	-0.13	29.72	54.09	0.27	0.00	0.27	-0.45
8	CRZ	173	173	0.32	6400	0						0.28	0.00	0.28	0.49

AN30 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	165	159	/	20000	0		75.46	6.59	75.18	-159.68	4.26	-0.75	4.20	7.94
2	CMB	165	159	/	21000	0		72.09	-13.60	70.79	-141.97	2.50	-1.10	2.25	-4.56
3	CMB	165	159	/	22100	0		77.81	-37.45	68.20	-122.82	5.32	0.56	5.29	15.61
4	CMB	165	159	/	21000	10		83.14	44.27	70.38	190.99	3.44	0.37	3.42	5.51
5	CMB	165	159	/	21000	20		71.40	-1.89	71.38	143.47	6.52	1.20	6.41	15.47
6	DES	200	185	0.37	19000	0		166.45	35.41	162.64	376.07	1.45	0.00	1.45	3.13
7	DES	200	185	0.37	21000	0		164.01	-20.04	162.78	282.39	1.45	0.00	1.45	3.13
8	CRZ	212	212	0.4	21000	0						1.53	-0.02	1.53	2.30

AN32 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	173	176	/	21929	0		133.60	16.22	132.61	332.40	1.61	0.07	1.60	4.55
2	CMB	173	176	/	22928	0		183.77	-14.29	183.22	-677.01	1.55	-0.27	1.53	-5.07
3	CMB	173	176	/	23927	0		141.24	18.87	139.97	-366.42	2.03	0.26	2.02	7.43
4	CMB	173	176	/	24926	0		145.90	-11.61	145.44	-339.42	1.49	-0.07	1.49	4.82
5	CMB	173	176	/	25924	0		104.52	3.19	104.47	213.58	1.31	0.19	1.30	3.75
6	CMB	173	176	/	26923	0		92.49	-3.53	92.42	213.41	1.29	0.15	1.28	3.15
7	CMB	170	170	/	23740	25		106.93	-73.76	77.42	-146.88	2.29	-1.90	1.28	-3.49
8	DES	187	217	0.48	22000	0		334.21	42.04	331.56	-1102.23	3.28	0.00	3.28	10.28
9	DES	187	217	0.48	24000	0		324.98	-29.53	323.63	-1165.96	3.28	0.00	3.28	10.28
10	CRZ	/	/	0.5	23000	0						0.29	-0.01	0.29	-0.57

AN38 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	130	130	/	6000	0		75.01	-70.61	25.30	-115.00	1.37	-0.42	1.31	-3.04
2	CMB	130	130	/	8000	0		63.50	41.04	48.45	95.38	1.42	0.15	1.41	2.77
3	CMB	130	130	/	9500	0		75.68	64.47	39.64	112.85	2.02	-0.42	1.98	-3.87
4	CMB	130	130	/	8000	10		27.38	2.33	27.28	61.78	1.22	0.26	1.20	-1.86
5	CMB	130	130	/	8000	20		46.91	2.11	46.87	82.12	0.93	0.43	0.83	2.14
6	DES	152	152	/	8000	0		51.19	4.33	51.01	93.47	0.36	0.00	0.36	-0.72
7	CRZ	184	184	/	8000	0						0.38	0.02	0.38	0.69

AT43 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	160	0.45	11000	0		146.34959	18.49806	145.17584	-264.37921	0.61957	0.11781	0.60827	1.60232
2	CMB	160	160	0.45	15000	0		109.94622	26.18547	106.78246	191.96546	0.34426	0.05952	0.33907	0.86243
3	CMB	160	160	0.45	17000	0		97.16326	26.93053	93.35655	168.56027	0.33792	0.06133	0.33231	0.70284
4	CMB	140	140	0.45	11000	0		135.07447	-14.69749	134.27247	-281.15226	0.85898	-0.36369	0.77819	-2.90134
5	CMB	140	140	0.45	15000	0		99.82787	-16.1739	98.50893	-210.77008	0.50748	-0.23516	0.44971	-0.93477
6	CMB	140	140	0.45	17000	0		90.20216	-24.52285	86.80472	-195.02478	0.61969	-0.32052	0.53037	-2.09053
7	CMB	160	160	0.45	11000	10		117.59977	-26.2455	114.63368	-266.72	0.49485	0.11917	0.48028	1.49198
8	CMB	160	160	0.45	15000	10		71.84908	7.61884	71.44399	139.8924	0.43381	0.116	0.41801	1.05722
9	CMB	160	160	0.45	17000	10		57.64272	16.46507	55.24115	122.56362	0.36053	0.1733	0.31615	0.87146
10	CMB	160	160	0.45	15000	20		82.55864	-8.04312	82.16592	-138.81523	0.55758	0.24671	0.50003	1.47728
11	DES	220	220	0.55	15000	0		23.39057	-5.03569	22.84208	-57.13891	0.29501	0.00207	0.29501	-0.60073
12	CRZ	180	180	0.55	15000	0						0.23705	0.0054	0.23699	0.37285

AT45 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	160	0.45	14000	0		44.78457	6.23025	44.34909	-84.86379	0.47911	-0.10156	0.46822	-1.20662
2	CMB	160	160	0.45	16500	0		38.08845	-3.40459	37.93599	-82.34950	0.30738	-0.05922	0.30163	-0.59417
3	CMB	160	160	0.45	18000	0		33.58234	-10.05298	32.04233	-74.08773	0.39822	-0.12952	0.37657	-1.61148
4	CMB	170	170	0.45	14000	0		51.25895	-0.31567	51.25798	-120.02500	0.35624	-0.13301	0.33048	-1.22826
5	CMB	170	170	0.45	16500	0		39.38170	0.58563	39.37735	-89.38357	0.24472	-0.10476	0.22116	-0.45610
6	CMB	170	170	0.45	18000	0		32.58535	-0.85112	32.57423	-72.82121	0.60687	-0.14521	0.58924	-2.20292
7	CMB	190	190	0.55	14000	0		52.25929	-14.30472	50.26339	-136.57902	0.40507	0.00467	0.40504	1.16536
8	CMB	190	190	0.55	16500	0		36.94203	0.61332	36.93694	-83.11018	0.54997	-0.11199	0.53845	-2.20164
9	CMB	190	190	0.55	18000	0		30.33513	4.97476	29.92443	-69.85636	0.22972	-0.00913	0.22954	-0.45593
10	CMB	160	160	0.45	14000	10		37.46371	8.23815	36.54671	73.76396	0.46551	0.12871	0.44737	-1.48808
11	CMB	160	160	0.45	16500	10		29.68333	0.52229	29.67873	53.86687	0.35235	0.14522	0.32103	-0.95898
12	CMB	160	160	0.45	18000	10		26.93033	-5.58727	26.34435	-46.82343	0.36230	0.20801	0.29663	0.89287
13	CMB	160	160	0.45	16500	20		36.01004	3.90388	35.79780	54.64988	0.56803	0.49389	0.28061	1.18455
14	DES	220	220	0.55	16500	0		493.27966	372.64365	323.20508	860.35581	0.70563	0.11582	0.69606	2.61024
15	DES	220	220	0.55	16500	0		486.18233	-411.37583	259.12002	-716.09914	1.59297	0.53342	1.50101	2.50088
16	DES	220	220	0.55	16500	0		162.49982	29.25556	159.84462	360.35581	1.22960	-0.84647	0.89185	-2.64235
17	CRZ	200	200	0.55	16500	0						0.75897	0.28110	0.70500	1.73396

AT72 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	170	170	0.45	14000	0		95.30	12.18	94.52	-185.96	0.44	-0.14	0.42	-1.70
2	CMB	170	170	0.45	19000	0		76.88	39.31	66.07	-120.14	0.28	-0.09	0.26	-0.80
3	CMB	170	170	0.45	21500	0		71.78	41.89	58.30	108.51	0.31	-0.05	0.30	0.71
4	CMB	190	190	0.45	14000	0		112.54	-41.17	104.74	-271.62	0.40	0.09	0.39	-1.01
5	CMB	190	190	0.45	19000	0		77.43	10.78	76.68	-170.39	0.60	0.00	0.60	-1.97
6	CMB	190	190	0.45	21500	0		72.50	23.57	68.57	-140.40	0.26	0.11	0.23	0.54
7	CMB	140	140	0.45	14000	0		80.97	-1.91	80.95	-245.23	0.47	-0.19	0.42	-0.94
8	CMB	140	140	0.45	19000	0		61.53	-17.13	59.09	-193.14	0.44	-0.15	0.41	1.12
9	CMB	140	140	0.45	21500	0		62.43	-32.16	53.51	-186.83	0.43	-0.16	0.40	0.91
10	CMB	170	170	0.45	14000	10		49.36	-24.81	42.67	-130.26	0.54	-0.03	0.54	-1.54
11	CMB	170	170	0.45	19000	10		21.88	9.81	19.56	-37.69	0.25	0.06	0.25	0.70
12	CMB	170	170	0.45	21500	10		20.99	16.97	12.35	28.45	0.30	0.07	0.29	0.86
13	CMB	170	170	0.45	19000	20		8.09	-0.21	8.09	-16.68	0.60	0.50	0.33	1.39
14	DES	220	220	0.55	19000	0		135.18	-126.41	47.91	-239.08	0.71	-0.64	0.30	-1.18
15	DES	240	240	0.55	19000	0		123.53	94.65	79.37	352.60	0.84	0.64	0.55	1.93
16	CRZ	200	200	0.45	15000	0						0.72	0.04	0.72	1.33

AT73 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	170	170	0.45	14000	0		58.91	16.25	56.62	-101.90	0.49	-0.20	0.45	-1.77
2	CMB	170	170	0.45	19000	0		47.59	29.32	37.49	66.38	0.34	-0.19	0.28	-0.90
3	CMB	170	170	0.45	21500	0		43.60	30.64	31.02	58.90	0.32	-0.17	0.27	-0.82
4	CMB	190	190	0.45	14000	0		68.65	-39.14	56.40	-178.87	0.36	-0.05	0.35	-0.92
5	CMB	190	190	0.45	19000	0		39.47	3.43	39.32	-107.66	0.50	-0.15	0.48	-1.90
6	CMB	190	190	0.45	21500	0		37.99	13.69	35.44	-88.16	0.51	-0.17	0.48	-1.73
7	CMB	140	140	0.45	14000	0		50.17	0.74	50.16	-151.82	4.15	1.09	4.01	8.83
8	CMB	140	140	0.45	19000	0		46.25	-29.08	35.97	-134.79	2.29	0.07	2.28	4.40
9	CMB	140	140	0.45	21500	0		56.57	-45.65	33.42	-140.01	1.60	-0.56	1.50	-4.10
10	CMB	170	170	0.45	14000	10		32.98	-12.35	30.58	-89.69	0.47	0.14	0.45	1.83
11	CMB	170	170	0.45	19000	10		17.36	9.85	14.30	37.95	0.32	0.05	0.31	-0.72
12	CMB	170	170	0.45	21500	10		16.24	10.14	12.68	33.86	0.25	0.05	0.24	-0.56
13	CMB	170	170	0.45	19000	20		16.95	1.86	16.85	28.75	0.56	0.51	0.23	0.84
14	DES	220	220	0.55	19000	0		143.99	-135.76	47.98	-223.77	1.30	-0.48	1.20	2.30
15	DES	240	240	0.55	19000	0		145.92	110.59	95.19	357.42	1.05	0.52	0.91	1.77
16	CRZ	220	220	0.45	15000	0						0.23	-0.02	0.23	0.57

AT75 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	170	170	0.45	14000	0		77.96	15.89	76.32	-142.22	0.50	-0.10	0.49	-1.76
2	CMB	170	170	0.45	19000	0		64.27	38.01	51.83	91.82	0.43	-0.05	0.43	-0.91
3	CMB	170	170	0.45	22000	0		58.67	40.27	42.66	81.02	0.21	-0.08	0.19	-0.41
4	CMB	190	190	0.45	14000	0		89.82	-42.84	78.94	-212.04	0.34	-0.05	0.33	-1.05
5	CMB	190	190	0.45	19000	0		53.84	8.90	53.10	-130.55	0.58	-0.15	0.56	-2.02
6	CMB	190	190	0.45	22000	0		52.23	22.86	46.96	-102.33	0.31	-0.09	0.30	-0.80
7	CMB	140	140	0.45	14000	0		62.92	-0.38	62.92	-191.98	0.49	-0.06	0.48	0.90
8	CMB	140	140	0.45	19000	0		49.56	-19.24	45.67	-157.00	0.33	-0.01	0.33	1.10
9	CMB	140	140	0.45	22000	0		54.01	-36.20	40.09	-155.16	0.31	0.00	0.31	-0.74
10	CMB	170	170	0.45	14000	10		47.00	-22.49	41.27	-131.52	0.59	0.15	0.57	2.55
11	CMB	170	170	0.45	19000	10		19.87	13.75	14.35	37.88	0.27	0.05	0.26	0.51
12	CMB	170	170	0.45	22000	10		18.72	16.60	8.65	34.61	0.30	0.06	0.29	-0.71
13	CMB	170	170	0.45	19000	20		12.52	0.99	12.48	26.15	0.48	0.44	0.20	0.78
14	DES	220	220	0.55	19000	0		135.03	-126.28	47.82	-238.86	0.91	-0.79	0.45	-1.66
15	DES	240	240	0.55	19000	0		123.89	95.14	79.36	353.18	0.91	0.79	0.45	2.02
16	CRZ	220	220	0.45	15000	0						0.54	0.02	0.53	0.96

AT76 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	170	170	/	14000	0		77.94	15.9	76.3	-142.18	0.5	-0.1	0.49	-1.77
2	CMB	170	170	/	19000	0		64.3	38.08	51.82	91.89	0.43	-0.05	0.43	-0.92
3	CMB	170	170	/	22000	0		58.73	40.38	42.65	81.12	0.21	-0.08	0.19	-0.42
4	CMB	190	190	/	14000	0		89.84	-42.92	78.92	-212.08	0.34	-0.04	0.33	-1.05
5	CMB	190	190	/	19000	0		53.82	8.9	53.08	-130.52	0.58	-0.14	0.56	-2.02
6	CMB	190	190	/	22000	0		52.24	22.9	46.95	-102.27	0.31	-0.08	0.3	-0.8
7	CMB	140	140	/	14000	0		62.9	-0.49	62.9	-192.03	0.49	-0.07	0.48	0.89
8	CMB	140	140	/	19000	0		49.54	-19.23	45.66	-156.96	0.32	-0.02	0.32	1.08
9	CMB	140	140	/	22000	0		53.96	-36.13	40.08	-155.07	0.31	-0.01	0.31	-0.76
10	CMB	170	170	/	14000	10		46.99	-22.54	41.24	-131.49	0.59	0.16	0.57	2.54
11	CMB	170	170	/	19000	10		19.88	13.77	14.34	37.9	0.27	0.05	0.26	0.5
12	CMB	170	170	/	22000	10		18.78	16.67	8.65	34.67	0.3	0.06	0.29	-0.71
13	CMB	170	170	/	19000	20		12.51	0.99	12.47	26.14	0.48	0.44	0.19	0.77
14	DES	220	220	/	19000	0		135.95	-126.68	49.33	-241.52	0.89	-0.77	0.45	-1.63
15	DES	240	240	0.55	19000	0		125.14	99.71	75.61	349.3	0.92	0.8	0.45	1.99
16	CRZ	220	220	0.45	15000	0						0.53	0.02	0.53	0.96

ATP accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	160	0.34	15993	0		238.98652	-28.21257	237.31542	-560.76579	3.96569	0.03595	3.96553	11.4827
2	CMB	160	160	0.34	20000	0		108.16266	23.89802	105.48955	-163.51951	2.028	0.41514	1.98505	6.79618
3	CMB	160	160	0.34	23000	0		55.4454	0.91944	55.43777	-117.03865	2.4435	0.57136	2.37576	8.31223
4	CMB	180	180	0.38	16000	0		184.24528	28.49558	182.02836	303.12932	3.04869	0.00404	3.04869	10.16602
5	CMB	180	180	0.38	20000	0		84.10767	-19.06489	81.91844	-141.30113	2.57373	-0.3682	2.54726	7.68574
6	CMB	180	180	0.38	23000	0		59.51667	-2.57842	59.4608	110.77315	2.37878	0.00281	2.37878	6.7296
7	CMB	160	160	0.34	15992	10		83.06404	-11.5739	82.25376	-239.92646	2.71261	0.05313	2.71208	9.17641
8	CMB	160	160	0.34	20000	10		73.59226	16.30844	71.76249	133.75385	2.31667	0.45781	2.27099	7.60793
9	CMB	160	160	0.34	23000	10		42.08881	-4.08099	41.8905	64.041	2.28223	0.52108	2.22195	7.47281
10	CMB	160	160	0.34	20000	20		56.82539	-4.38093	56.65626	102.37309	1.75691	0.4486	1.69867	5.48057
11	DES	215	215	0.5	19200	0		351.98952	-11.59986	351.79833	814.55608	3.59749	0.15997	3.59393	8.26553
12	CRZ	205	205	0.4	18000	0						1.13997	-0.99958	0.54806	-1.56068

B190 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	145	0.31	4980	0		211.1	-6.69	210.99	-367.13	1.25	0.6	1.09	2.4
2	CMB	160	145	0.31	5433	0		150.55	8.09	150.33	261.17	1.16	0.5	1.05	2.05
3	CMB	160	145	0.31	5886	0		154.1	48.19	146.38	327.09	1.14	0.42	1.06	2.05
4	CMB	160	145	0.31	6338	0		88.12	8.41	87.72	198.24	0.84	0.11	0.83	-1.87
5	CMB	160	145	0.31	6790	0		120.14	16.81	118.96	355.16	0.79	-0.09	0.78	-1.86
6	CMB	160	145	0.31	7242	0		126.29	-21.12	124.51	-318.56	0.85	-0.34	0.78	-1.87
7	CMB	160	145	0.31	7749	0		114.59	-24.56	111.92	-294.34	0.96	-0.58	0.76	-1.8
8	CMB	160	145	0.31	5885	10		223.01	-25.85	221.51	516.24	0.84	0.01	0.84	-2.03
9	CMB	160	145	0.31	6790	10		159.69	-11.15	159.3	325.9	0.86	-0.39	0.77	-2.02
10	CMB	160	145	0.31	5884	20		200.73	-10.69	200.45	-526.93	0.9	0.52	0.74	1.47
11	CMB	160	145	0.31	6788	20		104.13	17.35	102.68	-227.71	0.74	0.06	0.74	1.41
12	DES	200	200	0.48	6804	0		107.63	4.94	107.52	234.97	0.16	0	0.16	0.26
13	CRZ	/	/	0.45	6804	0						0.23	-0.22	0.07	-0.37
14	CRZ	/	/	0.42	6804	0						0.33	0.26	0.21	0.51

B350 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	170	150	0.34	4528	0		201.98	2.63	201.96	464.05	0.85	0.68	0.52	1.36
2	CMB	170	150	0.34	4979	0		190.45	-15.21	189.84	450.14	0.65	0.47	0.46	1.25
3	CMB	170	150	0.34	5431	0		101.88	-1.35	101.87	189.79	0.47	0.26	0.39	1.03
4	CMB	170	150	0.34	5884	0		124.24	13.03	123.55	272.69	0.32	0.02	0.32	-0.69
5	CMB	170	150	0.34	6335	0		112.26	6.07	112.1	-257.46	0.34	-0.23	0.25	-0.87
6	CMB	170	150	0.34	6787	0		95.22	19.34	93.24	-219.13	0.59	-0.54	0.25	-1.06
7	CMB	170	150	0.34	5431	10		133	-1.87	132.98	-363.23	0.36	0.25	0.26	0.81
8	CMB	170	150	0.34	6334	10		131.53	3.42	131.49	-346.09	0.41	-0.32	0.25	-0.68
9	CMB	170	150	0.34	5427	20		69.09	7.22	68.71	113.91	0.27	0.19	0.19	0.49
10	CMB	170	150	0.34	6330	20		91.29	-11.37	90.58	-147.97	0.6	-0.46	0.38	-1.04
11	DES	250	250	0.58	5897	0		127.5	-3.97	127.44	303.77	0.31	0	0.31	0.63
12	CRZ	/	/	0.51	5897	0						0.24	0.02	0.24	-0.49
13	CRZ	/	/	0.5	5897	0						0.25	-0.07	0.24	-0.55

B462 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.6	29920	0		326.74	44.04	323.76	-648.53	1.68	-1.35	1.00	-2.40
2	CMB	250	250	0.6	37890	0		207.38	-12.74	206.99	-506.30	2.65	-2.22	1.45	-3.65
3	CMB	250	250	0.6	42870	0		169.41	-40.48	164.51	405.19	3.03	-2.18	2.11	-4.63
4	CMB	250	280	0.6	29920	0		319.25	0.20	319.25	-728.29	2.21	-0.27	2.20	-4.77
5	CMB	250	280	0.6	37890	0		225.79	34.49	223.14	609.20	3.32	0.88	3.20	7.72
6	CMB	250	280	0.6	42870	0		159.29	-27.17	156.96	470.69	3.44	-0.10	3.44	7.39
7	CMB	250	250	0.6	29910	10		266.27	38.14	263.52	770.37	1.38	0.07	1.38	3.34
8	CMB	250	250	0.6	37880	10		172.11	-18.69	171.10	-431.80	1.66	-0.87	1.41	-2.58
9	CMB	250	250	0.6	42860	10		151.67	-4.66	151.60	405.45	2.76	0.76	2.65	9.19
10	CMB	250	250	0.6	29900	20		179.55	16.27	178.81	381.51	0.63	0.03	0.63	-1.53
11	CMB	250	250	0.6	37860	20		120.25	1.14	120.24	285.97	1.37	0.32	1.33	3.00
12	CMB	250	250	0.6	42830	20		128.45	8.35	128.18	401.62	2.43	1.08	2.18	7.72
13	CMB	250	280	0.6	29910	10		226.55	5.17	226.50	855.81	1.85	0.78	1.68	3.37
14	CMB	250	280	0.6	37880	10		164.45	-24.47	162.61	-417.90	1.28	0.32	1.24	3.80
15	CMB	250	280	0.6	42860	10		150.57	-12.80	150.03	435.58	2.92	1.60	2.44	9.18
16	CMB	250	280	0.6	29900	20		169.96	-14.41	169.35	-350.12	2.05	0.62	1.95	4.58
17	CMB	250	280	0.6	37860	20		127.15	14.50	126.32	354.39	1.98	1.76	0.90	4.11
18	CMB	250	280	0.6	42830	20		119.56	-10.18	119.13	358.25	1.30	1.05	0.75	1.92
19	DES	250	250	0.6	34000	0		208.15	-15.83	207.55	482.33	4.18	0.01	4.18	-9.63
20	DES	250	250	0.6	38000	0		178.27	27.60	176.12	383.79	4.41	-0.01	4.41	-10.23
21	CRZ	/	/	0.65	36000	0						0.34	0.02	0.33	0.70

B463 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.6	29920	0		307.99	7.94	307.88	-661.36	1.97	-1.78	0.84	-2.78
2	CMB	250	250	0.6	37890	0		226.57	23.88	225.30	510.64	2.81	-1.54	2.35	4.16
3	CMB	250	250	0.6	45860	0		174.24	-48.79	167.27	-436.69	2.64	-1.94	1.80	-4.29
4	CMB	250	280	0.6	29920	0		302.01	36.99	299.73	604.69	2.93	0.46	2.90	7.30
5	CMB	250	280	0.6	37890	0		213.58	-8.01	213.43	562.67	1.56	-0.90	1.28	-2.89
6	CMB	250	280	0.6	45860	0		149.23	-29.59	146.27	360.45	1.51	0.16	1.50	4.77
7	CMB	250	250	0.6	29910	10		251.01	69.39	241.23	774.85	4.59	1.22	4.43	13.95
8	CMB	250	250	0.6	37880	10		184.75	-33.78	181.64	-526.46	1.97	-1.63	1.11	-3.22
9	CMB	250	250	0.6	45840	10		161.90	-22.24	160.36	335.09	2.50	0.07	2.50	7.86
10	CMB	250	250	0.6	29900	20		167.63	-1.19	167.63	436.09	1.44	0.45	1.37	3.57
11	CMB	250	250	0.6	37860	20		136.61	13.59	135.93	374.65	2.48	1.00	2.27	8.12
12	CMB	250	250	0.6	45810	20		119.79	2.69	119.76	255.15	2.48	0.95	2.29	7.16
13	CMB	250	280	0.6	29910	10		213.90	-7.01	213.78	820.43	0.95	0.41	0.85	2.30
14	CMB	250	280	0.6	37880	10		152.19	-12.46	151.68	-376.79	1.58	0.58	1.47	4.38
15	CMB	250	280	0.6	45840	10		160.39	-20.01	159.14	357.41	2.27	0.81	2.12	7.71
16	CMB	250	280	0.6	29900	20		191.28	-10.70	190.98	407.10	1.49	0.83	1.23	4.04
17	CMB	250	280	0.6	37860	20		141.26	16.49	140.29	383.53	2.18	1.91	1.06	4.78
18	CMB	250	280	0.6	45810	20		109.25	-3.48	109.20	-231.11	1.52	1.34	0.72	3.07
19	DES	250	250	0.6	34000	0		347.42	18.29	346.94	1052.10	4.89	-0.31	4.88	-15.37
20	DES	250	250	0.6	38000	0		329.87	-16.03	329.48	897.13	4.77	0.31	4.76	-15.03
21	CRZ	295	295	0.67	38000	0						0.22	0.01	0.22	-0.38

B58T accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	130	130	0.32	2041	0		103.99	-3.71	103.92	-175.17	0.53	0.08	0.53	0.96
2	CMB	130	130	0.32	2495	0		62.28	1.46	62.26	-99.92	0.37	-0.01	0.37	-0.72
3	CMB	130	130	0.32	2812	0		92.09	3.86	92.01	207.15	0.39	-0.01	0.39	0.76
4	CMB	130	130	0.32	2041	10		105.9	-13.53	105.03	197.38	0.39	-0.05	0.39	-1.1
5	CMB	130	130	0.32	2495	10		41.82	-4.19	41.61	-66.41	0.37	0.04	0.37	0.97
6	CMB	130	130	0.32	2812	10		37.96	15.46	34.67	68.52	0.25	-0.03	0.25	-0.45
7	CMB	130	130	0.32	2495	20		36.17	5.96	35.67	79.26	0.58	-0.04	0.58	1.16
8	DES	190	190	0.4	2495	0		55.29	-1.43	55.27	140.38	0.12	0	0.12	0.28
9	CRZ	165	160	0.35	2631	0						0.03	0	0.03	-0.07

B712 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	275	275	0.72	30600	0		91.36184	15.04601	90.11439	-243.25281	0.68594	-0.26532	0.63254	2.11505
2	CMB	275	275	0.72	46000	0		45.94261	8.59232	45.13198	98.86009	0.66678	-0.26476	0.61196	2.07711
3	CMB	275	275	0.72	52600	0		57.13807	-11.79673	55.90703	-120.76853	0.62076	-0.3517	0.51152	1.7982
4	CMB	290	290	0.76	30600	0		182.13179	-139.1102	117.55995	-361.41381	1.54404	-1.11612	1.06693	2.37965
5	CMB	290	290	0.76	46000	0		83.93743	-69.2878	47.37819	-170.78974	1.52942	-1.11238	1.04964	2.39833
6	CMB	290	290	0.76	52600	0		84.43163	-78.00896	32.30018	-136.67793	1.54326	-1.19101	0.9814	2.36443
7	CMB	260	260	0.7	30600	0		164.59159	145.34046	77.2434	277.12727	0.79988	0.63659	0.48432	2.13221
8	CMB	260	260	0.7	46000	0		104.61823	78.61969	69.02115	189.66115	0.76538	0.61727	0.45252	2.1224
9	CMB	260	260	0.7	52600	0		94.88964	55.19472	77.1854	155.92317	0.70467	0.56978	0.41462	1.68239
10	CMB	275	275	0.72	30600	10		92.68543	9.21728	92.22597	-256.05369	0.89086	0.70535	0.54415	2.74132
11	CMB	275	275	0.72	46000	10		45.65726	4.80622	45.40359	-96.09567	0.87899	0.69453	0.53875	2.78811
12	CMB	275	275	0.72	52600	10		58.15721	-15.50345	56.05269	-123.94438	0.78024	0.62801	0.463	2.50034
13	CMB	275	275	0.72	46000	20		67.9936	1.97888	67.9648	-170.38804	1.73643	1.57007	0.74166	4.18674
14	DES	240	240	0.7	45997	0		41.73215	13.1143	39.61802	-74.91979	0.4189	-0.21005	0.36244	-1.00621
15	DES	250	250	0.72	46000	0		46.74091	0.66486	46.73618	-109.13448	0.43252	-0.04221	0.43045	-1.18664
16	DES	260	260	0.74	46000	0		53.60638	-10.78269	52.51074	-167.60356	0.55326	0.12075	0.53992	-1.19398
17	CRZ	275	275	0.75	46000	0						0.6062	0.39672	0.45836	1.05007

B722 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	300	300	0.78	73570	0		91.24	-0.68	91.23	207.82	4.79	-0.36	4.77	-14.53
2	CMB	300	300	0.78	57690	0		132.37	5.17	132.27	437.29	7.03	2.08	6.72	19.21
3	CMB	300	300	0.78	85471	0		121.73	27.48	118.59	497.56	8.34	2.03	8.09	19.4
4	CMB	280	280	0.75	73555	0		103.6	-21.58	101.33	235.85	5.83	-1.27	5.69	-20.65
5	CMB	280	280	0.75	57667	0		166.53	-16.82	165.68	487.79	10.86	1.87	10.7	37.02
6	CMB	280	280	0.75	85465	0		90.52	4.17	90.42	320.44	6.03	0.04	6.03	16.56
7	CMB	300	300	0.78	73544	10		105.74	1.67	105.72	346.76	5.02	-1.67	4.74	-10.01
8	CMB	280	280	0.75	73562	10		89.85	-4.46	89.74	-210.21	4.69	-1.97	4.26	-15.3
9	CMB	280	280	0.75	57665	10		188.82	0.81	188.82	-480.17	5.47	-0.87	5.4	-24.55
10	CMB	280	280	0.75	85461	10		80.6	22.81	77.3	301.8	5.36	0.75	5.3	11.79
11	DES	280	280	0.78	60000	0		167.33	-15.1	166.65	452.2	2.38	0.29	2.36	5.73
12	DES	250	250	0.78	60000	0		176.74	106.67	140.92	379.99	2	-0.89	1.79	-4.62
13	DES	300	300	0.78	60000	0		226.62	-87.1	209.21	597.19	1.44	0.39	1.39	2.81
14	CRZ	350	350	/	74000	0						2.94	2.77	0.97	4.55
15	CRZ	/	/	0.82	74000	0						2.17	-1.75	1.28	-3.32

B732 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	280	280	0.7	27200	0		42.84857	-11.81791	41.18661	89.51603	0.59769	-0.30887	0.51169	-1.17805
2	CMB	280	280	0.7	44800	0		49.45558	11.878	48.00799	-144.43519	0.59638	-0.32471	0.50022	-1.28578
3	CMB	280	280	0.7	52300	0		70.82296	2.47221	70.7798	-263.56702	0.59928	-0.31106	0.51223	-1.35465
4	CMB	300	300	0.72	27200	0		46.95506	-16.59741	43.92383	-107.20888	0.49274	0.04879	0.49032	1.02133
5	CMB	300	300	0.72	44800	0		43.60768	5.99267	43.19395	-144.9964	0.48885	0.03328	0.48771	0.94477
6	CMB	300	300	0.72	52300	0		71.65471	-3.89304	71.54887	-289.53929	0.51149	0.04728	0.5093	1.06284
7	CMB	260	260	0.68	27200	0		75.94893	-7.63791	75.56389	161.25812	0.92595	-0.65886	0.65061	-1.74281
8	CMB	260	260	0.68	44800	0		66.99637	9.7931	66.27676	-165.25347	0.92004	-0.68436	0.61493	-1.81164
9	CMB	260	260	0.68	52300	0		78.92091	-1.86974	78.89876	-261.30498	0.90573	-0.6721	0.60714	-1.91104
10	CMB	280	280	0.7	27200	10		146.14394	-4.21793	146.08306	248.30018	1.27638	0.57178	1.14115	2.81501
11	CMB	280	280	0.7	44800	10		70.24884	17.00016	68.1608	140.55679	1.26325	0.56349	1.13061	2.82247
12	CMB	280	280	0.7	52300	10		48.15761	3.70768	48.01467	-99.80449	1.22645	0.51805	1.11166	2.88923
13	CMB	280	280	0.7	44800	20		98.67614	12.96134	97.82119	204.91627	2.1493	1.54999	1.48897	4.61779
14	DES	260	260	0.68	44796	0		38.42757	7.53241	37.6821	77.38606	1.08332	-0.13832	1.07446	2.51456
15	DES	280	280	0.7	44796	0		32.23837	7.1002	31.44677	60.47412	1.17844	-0.16582	1.16671	2.51924
16	DES	300	300	0.72	44796	0		40.42994	-13.42329	38.13653	-100.43478	1.0843	0.09021	1.08054	2.51398
17	CRZ	280	280	0.72	44800	0						1.09678	0.43493	1.00686	2.30896

B733 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	280	280	0.74	32900	0		53.14279	-9.06175	52.3645	-221.59961	1.0543	-0.43545	0.96017	-2.04581
2	CMB	280	280	0.74	52500	0		35.8952	24.03075	26.66436	-80.57688	1.03636	-0.42191	0.94659	-2.03156
3	CMB	280	280	0.74	62800	0		50.42896	8.2499	49.74956	-202.08477	1.04486	-0.46473	0.93582	2.02025
4	CMB	300	300	0.76	32900	0		95.18642	-64.67563	69.83923	-310.4874	1.06991	-0.36781	1.0047	2.10782
5	CMB	300	300	0.76	52500	0		52.87504	-14.48073	50.8535	-211.38821	1.06192	-0.37865	0.99212	2.10589
6	CMB	300	300	0.76	62800	0		79.14833	-24.50278	75.26003	-297.50117	1.0523	-0.46732	0.94285	2.21779
7	CMB	260	260	0.72	32900	0		77.87844	41.0008	66.21168	153.87814	1.06049	-0.40758	0.97905	-1.89014
8	CMB	260	260	0.72	52500	0		58.36176	43.87631	38.4833	108.48254	1.05632	-0.43172	0.96407	-1.91604
9	CMB	260	260	0.72	62800	0		55.78875	19.31202	52.33957	-167.99515	1.07296	-0.45288	0.97269	-1.9291
10	CMB	280	280	0.74	62800	10		49.70533	5.23594	49.42878	-206.03656	1.29448	0.9592	0.86925	3.01687
11	CMB	280	280	0.74	32900	10		54.97828	-15.62356	52.71163	-247.80163	1.33794	1.00207	0.88653	2.80898
12	CMB	280	280	0.74	52500	10		33.36587	20.50649	26.32043	-85.07537	1.31841	0.99178	0.86866	2.77378
13	CMB	280	280	0.74	52500	20		50.71412	5.45791	50.41957	-129.00122	1.77685	1.59725	0.77844	3.7325
14	DES	260	260	0.72	52500	0		37.27346	9.06546	36.15423	-82.92874	0.50256	-0.03274	0.50149	1.3666
15	DES	280	280	0.74	52500	0		30.08961	6.7514	29.3224	77.35199	0.57333	-0.0051	0.5733	1.41963
16	DES	300	300	0.76	52500	0		61.3189	-21.90074	57.27447	-194.00622	0.55445	0.01559	0.55423	1.43104
17	CRZ	280	280	0.74	52500	0						0.57155	0.04922	0.56943	1.47061

B734 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	280	0.74	45000	0		50.89822	-2.23049	50.84932	-109.09497	1.03877	-0.32005	0.98824	-1.74419
2	CMB	250	280	0.74	58000	0		45.67647	15.73347	42.8812	-144.72249	1.03764	-0.34402	0.97895	-1.66533
3	CMB	250	280	0.74	68000	0		48.11881	12.72984	46.40443	-191.52501	1.07829	-0.38427	1.00749	2.49176
4	CMB	250	300	0.76	45000	0		80.19479	-32.95254	73.11179	-185.26235	1.39418	-0.39068	1.33832	2.31117
5	CMB	250	300	0.76	58000	0		69.81465	-22.63487	66.04353	-257.95924	1.38741	-0.41881	1.32268	2.2829
6	CMB	250	300	0.76	68000	0		67.72045	-16.92471	65.57144	-241.5351	1.40384	-0.56259	1.28617	3.04646
7	CMB	250	260	0.72	45000	0		35.88427	15.16106	32.52419	-97.4538	0.74954	-0.27689	0.69652	-1.32453
8	CMB	250	260	0.72	58000	0		45.18968	25.86999	37.05201	-137.34881	0.74888	-0.30028	0.68605	-1.37128
9	CMB	250	260	0.72	68000	0		43.49955	17.18452	39.96127	-177.78498	0.7923	-0.30034	0.73316	1.91294
10	CMB	250	280	0.74	45000	10		53.36333	-11.01166	52.21483	-118.08842	1.43399	1.09869	0.92152	2.63165
11	CMB	250	280	0.74	58000	10		44.23306	9.32929	43.23804	-150.70837	1.39204	1.06743	0.89351	2.59293
12	CMB	250	280	0.74	68000	10		46.88433	7.29504	46.31331	-196.37485	1.39887	1.03255	0.94376	3.52865
13	CMB	250	280	0.74	58000	20		54.07218	3.28949	53.97203	101.68833	1.92976	1.36726	1.36183	4.62027
14	DES	250	280	0.76	58000	0		102.38601	-10.34858	101.86168	446.41046	0.72798	0.06383	0.72517	1.93758
15	DES	250	250	0.74	58000	0		47.31052	-0.27826	47.30971	-185.53479	0.57997	0.00336	0.57997	1.43057
16	DES	250	250	0.72	58000	0		49.26723	4.55466	49.05625	140.69859	0.59526	-0.01492	0.59507	1.43057
17	CRZ	280	280	0.74	58000	0						0.59354	-0.08375	0.5876	1.43057

B735 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	280	0.74	40000	0		105.66	-91.73	52.44	-200.69	3.73	-3.61	0.94	-4.73
2	CMB	250	280	0.74	52000	0		44.25	-31.05	31.53	-104.48	3.73	-3.61	0.93	-4.71
3	CMB	250	280	0.74	60000	0		30.32	-16.34	25.54	-75.15	3.81	-3.72	0.83	-4.77
4	CMB	250	300	0.76	40000	0		114.27	89.13	71.51	180.45	8.64	8.42	1.94	12.09
5	CMB	250	300	0.76	52000	0		120.59	84.81	85.73	-243.54	8.70	8.50	1.87	12.18
6	CMB	250	300	0.76	60000	0		73.75	6.31	73.48	-247.69	8.91	8.71	1.88	12.05
7	CMB	250	260	0.72	40000	0		57.54	-46.65	33.69	-190.64	3.64	-3.55	0.78	-4.49
8	CMB	250	260	0.72	52000	0		25.08	1.16	25.06	-73.55	3.63	-3.55	0.75	-4.55
9	CMB	250	260	0.72	60000	0		24.59	10.79	22.10	-72.39	3.66	-3.59	0.73	-4.48
10	CMB	250	280	0.74	40000	10		58.07	-29.10	50.25	-130.20	1.63	-1.42	0.79	-2.50
11	CMB	250	280	0.74	52000	10		35.99	17.96	31.20	70.48	1.63	-1.42	0.79	-2.55
12	CMB	250	280	0.74	60000	10		39.74	24.11	31.60	-85.32	1.66	-1.46	0.79	-2.54
13	CMB	250	280	0.74	52000	20		48.26	3.12	48.15	-98.26	0.81	-0.31	0.74	-1.35
14	DES	250	250	0.74	52000	0		67.92	20.54	64.73	131.36	0.60	-0.02	0.60	1.46
15	DES	250	280	0.74	52000	0		135.95	31.45	132.26	588.23	0.57	0.02	0.57	1.46
16	DES	250	300	0.76	52000	0		160.54	-55.70	150.57	703.48	0.51	0.00	0.51	1.36
17	CRZ	300	300	0.76	58000	0						0.54	-0.02	0.54	-0.93

B736 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	280	280	0.78	44000	0		165.87452	-2.49921	165.85569	-385.65278	3.00692	-0.20867	2.99967	-6.30515
2	CMB	280	280	0.78	55000	0		135.84642	21.50454	134.13353	-282.62736	2.99832	-0.21798	2.99038	-6.29203
3	CMB	280	280	0.78	65000	0		125.25888	22.07026	123.29919	-228.44614	3.01656	-0.26262	3.0051	-6.30519
4	CMB	300	300	0.8	44000	0		195.71635	-72.93825	181.61746	-481.46851	3.39838	-1.16975	3.19071	-7.80297
5	CMB	300	300	0.8	55000	0		151.44135	-24.22692	149.49093	-346.99424	3.38829	-1.18525	3.17422	-7.74354
6	CMB	300	300	0.8	65000	0		146.47649	-15.50028	145.65406	-349.77002	3.43328	-1.24327	3.20026	-7.76663
7	CMB	260	260	0.76	44000	0		153.06434	33.78726	149.2887	346.46224	2.95744	0.68205	2.87772	7.47327
8	CMB	260	260	0.76	55000	0		129.7865	40.38643	123.34291	294.54474	2.94995	0.67718	2.87117	7.38441
9	CMB	260	260	0.76	65000	0		123.13758	34.85227	118.10242	261.77604	2.98185	0.66714	2.90626	7.411
10	CMB	280	280	0.78	44000	10		166.88334	-15.51476	166.16059	-397.29963	3.11988	1.08496	2.92515	7.14037
11	CMB	280	280	0.78	55000	10		134.80694	11.59318	134.30752	-291.46305	3.14361	1.08749	2.94951	7.5341
12	CMB	280	280	0.78	65000	10		124.65021	13.93875	123.86842	-235.74428	3.14455	1.05434	2.96252	7.22052
13	CMB	280	280	0.78	55000	20		163.78075	6.06803	163.66831	-348.8001	3.1393	1.1032	2.93908	6.88177
14	DES	280	280	0.78	55000	0		21.24938	8.4699	19.48838	62.45041	0.39709	-0.01062	0.39695	1.66159
15	DES	260	260	0.76	55000	0		33.02043	15.27706	29.27389	77.1291	0.35885	0.01584	0.3585	1.0734
16	DES	300	300	0.8	55000	0		44.89689	-23.2596	38.40211	-128.65188	0.33161	0.00659	0.33155	0.8261
17	CRZ	280	280	0.78	55000	0						0.28235	-0.00304	0.28233	0.61768

B737 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	280	0.78	46000	0		55.39065	-7.53045	54.87637	-137.41441	1.31829	-0.2084	1.30172	2.86763
2	CMB	250	280	0.78	60000	0		52.62362	16.04293	50.11855	-172.06856	1.31011	-0.23271	1.28927	2.87487
3	CMB	250	280	0.78	70000	0		40.79502	17.27859	36.95516	-159.24801	1.28837	-0.38279	1.23019	3.19122
4	CMB	250	260	0.76	46000	0		47.09286	-10.64826	45.87322	-137.41441	0.80176	-0.07273	0.79846	2.34226
5	CMB	250	260	0.76	60000	0		51.7749	5.048	51.52822	-191.29798	0.79789	-0.09706	0.79197	2.34459
6	CMB	250	260	0.76	70000	0		44.98018	-1.98077	44.93654	-188.34244	0.76045	-0.19121	0.73602	2.24958
7	CMB	250	300	0.8	46000	0		57.00567	-26.57927	50.43003	-137.41441	1.69193	-0.52608	1.60806	2.8257
8	CMB	250	300	0.8	60000	0		64.05132	4.78111	63.87263	-258.35653	1.67627	-0.5537	1.58218	2.847
9	CMB	250	300	0.8	70000	0		56.48583	9.55624	55.6716	-252.92813	1.69055	-0.72555	1.52694	3.06834
10	CMB	250	280	0.78	46000	10		55.47373	-16.77991	52.87503	-146.27875	1.76927	1.36797	1.12204	3.72585
11	CMB	250	280	0.78	60000	10		50.9593	9.49367	50.06716	-184.13643	1.73865	1.34104	1.10657	3.74613
12	CMB	250	280	0.78	70000	10		39.52865	12.08728	37.63524	-171.09472	1.67602	1.25512	1.11073	4.19219
13	CMB	250	280	0.78	60000	20		69.29865	5.17368	69.10525	155.82205	1.55649	0.90066	1.26943	3.42113
14	DES	250	280	0.78	60000	0		79.14793	6.82561	78.85306	453.58095	0.88897	-0.13377	0.87885	3.46744
15	DES	250	260	0.76	60000	0		42.10927	6.5022	41.60423	99.75026	0.46857	-0.03711	0.4671	1.34367
16	DES	250	300	0.8	60000	0		142.40834	-15.33854	141.57989	842.13931	0.61401	0.1294	0.60022	2.01452
17	CRZ	280	280	0.78	60000	0						0.33487	0.16649	0.29055	0.77903

B738 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	280	280	0.78	41400	0		55.61465	-7.20795	55.14558	-169.94429	1.29358	-0.19545	1.27873	3.14861
2	CMB	280	280	0.78	65300	0		52.19612	22.1323	47.27152	-179.76806	1.25101	-0.25228	1.22531	3.08467
3	CMB	280	280	0.78	78300	0		39.23838	21.0779	33.09642	-124.84863	1.1701	-0.5044	1.0558	3.15832
4	CMB	300	300	0.8	41400	0		73.73339	-43.77916	59.32957	-255.59207	1.65053	-0.67406	1.50662	3.12766
5	CMB	300	300	0.8	65300	0		65.811	19.78129	62.76774	-266.54439	1.62165	-0.78647	1.41817	2.83756
6	CMB	300	300	0.8	78300	0		52.37007	21.15917	47.90526	-210.46471	1.6191	-1.05952	1.2243	3.15564
7	CMB	260	260	0.76	41400	0		68.03218	-3.02336	67.96497	-108.93955	0.95182	0.12741	0.94325	2.55376
8	CMB	260	260	0.76	65300	0		68.48014	9.66242	67.79504	-214.51956	0.92634	0.0878	0.92217	2.4077
9	CMB	260	260	0.76	78300	0		76.55915	-13.98809	75.27042	-256.97856	0.88035	-0.01823	0.88016	2.0556
10	CMB	280	280	0.78	41400	10		55.94426	-19.09017	52.58636	-182.70583	1.78147	1.41252	1.08555	3.97844
11	CMB	280	280	0.78	65300	10		50.08179	15.36714	47.66589	-191.42687	1.72422	1.36174	1.05764	4.00472
12	CMB	280	280	0.78	78300	10		38.26794	16.00913	34.75835	-135.56446	1.56471	1.19945	1.00481	4.27823
13	CMB	280	280	0.78	65300	20		60.79456	5.86525	60.51097	144.32068	1.43485	0.75007	1.22318	3.82233
14	DES	260	260	0.76	65300	0		39.68592	-18.81251	34.94369	-146.65106	0.99142	0.00985	0.99137	4.31605
15	DES	280	280	0.78	65300	0		35.71603	2.96323	35.59289	-165.3469	0.40649	0.01863	0.40606	1.30566
16	DES	300	300	0.8	65300	0		66.58069	9.77854	65.8587	-305.75645	0.40394	-0.03446	0.40247	1.17147
17	CRZ	280	280	0.78	65300	0						0.26227	0.08789	0.24711	0.60052

B739 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	260	260	0.76	44665	0		76.44	2.38	76.40	124.70	1.18	0.47	1.08	3.10
2	CMB	280	280	0.78	44665	0		46.30	1.27	46.28	85.19	1.37	0.22	1.35	3.69
3	CMB	300	300	0.79	44665	0		48.89	-17.95	45.48	-90.94	1.53	-0.19	1.52	3.69
4	CMB	320	320	0.8	44664	0		87.88	-53.60	69.64	-203.69	1.83	-0.56	1.74	3.66
5	CMB	260	260	0.76	71633	0		77.89	-3.58	77.81	-267.62	1.08	0.36	1.01	2.53
6	CMB	280	280	0.78	71633	0		56.85	21.91	52.46	-225.28	1.24	0.08	1.23	3.37
7	CMB	300	300	0.79	71632	0		61.93	27.85	55.32	-249.14	1.42	-0.37	1.37	3.30
8	CMB	320	320	0.8	71632	0		53.58	30.23	44.23	-167.19	1.76	-0.80	1.56	3.61
9	CMB	260	260	0.76	85116	0		81.92	-27.56	77.14	-210.24	1.06	0.25	1.03	2.53
10	CMB	280	280	0.78	85116	0		44.32	5.01	44.04	-157.78	1.06	-0.18	1.04	3.27
11	CMB	300	300	0.79	85116	0		48.32	25.21	41.22	-176.26	1.31	-0.67	1.13	3.36
12	CMB	320	320	0.8	85115	0		69.27	30.11	62.38	-250.61	1.69	-1.10	1.28	3.24
13	CMB	300	300	0.79	44664	10		47.28	-24.39	40.50	-94.24	1.95	1.51	1.24	4.63
14	CMB	300	300	0.79	71631	10		61.45	25.12	56.08	-256.20	1.79	1.38	1.13	4.34
15	CMB	300	300	0.79	85115	10		49.12	23.52	43.12	-184.02	1.51	1.15	0.98	4.43
16	CMB	300	300	0.79	71629	20		53.89	3.18	53.80	115.59	1.52	0.68	1.36	4.18
17	DES	260	260	0.76	71649	0		57.95	-29.31	49.99	146.05	0.56	0.11	0.55	1.56
18	DES	280	280	0.78	71649	0		45.65	0.83	45.64	136.84	0.47	0.01	0.47	1.42
19	DES	300	300	0.79	71649	0		50.18	15.01	47.88	-157.13	0.44	-0.04	0.44	1.38
20	DES	320	320	0.8	71649	0		75.30	9.33	74.72	-281.77	0.45	-0.08	0.44	1.38
21	CRZ	280	280	0.78	71651	0						1.70	0.05	1.70	5.62

B742 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	340	340	0.82	172600	0		148.93	-100.23	110.15	-212.07	4.20	-1.91	3.74	-7.52
2	CMB	340	340	0.82	255800	0		118.38	94.67	71.07	191.99	4.06	-1.56	3.75	-7.49
3	CMB	340	340	0.82	356000	0		121.71	111.90	47.85	179.70	4.33	-1.76	3.95	8.01
4	CMB	360	360	0.84	172600	0		245.81	-198.14	145.46	-440.77	3.66	-0.06	3.66	6.19
5	CMB	360	360	0.84	255800	0		92.39	57.33	72.45	-210.52	3.65	0.12	3.64	6.21
6	CMB	360	360	0.84	356000	0		123.15	118.79	32.50	166.65	3.89	0.21	3.88	10.37
7	CMB	300	300	0.8	172600	0		101.05	19.28	99.19	208.43	6.82	-5.41	4.15	-11.67
8	CMB	300	300	0.8	255800	0		141.88	96.72	103.81	-272.75	6.81	-5.26	4.32	-11.80
9	CMB	300	300	0.8	356000	0		98.20	72.73	65.98	202.35	7.41	-5.95	4.41	-11.64
10	CMB	340	340	0.82	172600	10		154.00	-107.21	110.56	-221.30	7.09	5.66	4.26	15.00
11	CMB	340	340	0.82	255800	10		116.72	92.11	71.70	188.76	7.46	6.30	4.01	14.25
12	CMB	340	340	0.82	356000	10		122.09	116.95	35.07	182.31	7.87	6.57	4.33	15.21
13	CMB	340	340	0.82	255800	20		72.64	2.20	72.60	191.49	3.99	2.26	3.29	9.61
14	DES	290	290	0.82	255795	0		159.48	-73.30	141.63	-785.86	3.74	-1.33	3.49	7.10
15	DES	310	310	0.84	255795	0		134.68	-53.95	123.41	-662.34	3.11	-0.03	3.11	7.10
16	DES	330	330	0.86	255796	0		208.94	-94.13	186.54	-858.37	3.21	1.35	2.91	8.14
17	CRZ	340	340	0.86	255800	0						3.66	0.17	3.66	-8.73

B743 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	330	0.84	210000	0		113.99	-89.41	70.70	-211.25	3.03	-0.89	2.89	6.55
2	CMB	250	330	0.84	310000	0		101.51	88.74	49.30	184.85	3.28	-0.89	3.15	-6.67
3	CMB	250	330	0.84	350000	0		126.98	116.86	49.67	227.66	3.29	-1.13	3.09	6.65
4	CMB	250	300	0.8	210000	0		140.87	-126.96	61.04	-206.43	5.02	-3.77	3.32	-8.11
5	CMB	250	300	0.8	310000	0		55.03	46.41	29.58	108.40	4.92	-3.43	3.53	-7.79
6	CMB	250	300	0.8	350000	0		75.92	72.74	21.74	121.57	5.01	-3.47	3.61	-7.66
7	CMB	250	350	0.86	210000	0		116.97	-90.70	73.86	-242.79	3.47	0.97	3.33	7.89
8	CMB	250	350	0.86	310000	0		112.28	101.80	47.38	164.86	3.83	0.81	3.75	10.36
9	CMB	250	350	0.86	350000	0		141.76	130.90	54.41	209.27	3.55	0.50	3.52	9.68
10	CMB	250	330	0.84	210000	10		126.74	-104.46	71.78	-225.49	5.93	5.05	3.11	14.72
11	CMB	250	330	0.84	310000	10		95.03	84.28	43.90	169.38	6.44	5.63	3.13	13.54
12	CMB	250	330	0.84	350000	10		120.76	111.58	46.19	215.06	6.34	5.48	3.19	12.87
13	CMB	250	330	0.84	310000	20		124.34	-3.21	124.30	-211.78	7.88	-3.54	7.04	-16.50
14	DES	250	300	0.85	280000	0		261.48	-62.89	253.80	-1081.71	3.32	0.03	3.32	7.12
15	DES	250	290	0.85	280000	0		254.81	-76.73	242.98	-1081.71	3.28	0.06	3.28	7.12
16	DES	250	330	0.85	280000	0		298.15	-22.60	297.30	1123.29	3.43	-0.09	3.42	7.12
17	CRZ	340	340	0.85	310000	0						6.64	0.27	6.64	14.48

B744 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	340	340	0.84	178800	0		112.66	-41.92	104.57	-409.75	4.33	-1.93	3.88	-10.58
2	CMB	340	340	0.84	285700	0		104.74	64.47	82.55	-184.16	4.27	-2.43	3.51	-9.26
3	CMB	340	340	0.84	396800	0		79.74	44.66	66.06	-187.49	4.32	-2.11	3.77	-11.05
4	CMB	350	350	0.86	178800	0		148.90	-101.89	108.58	-445.64	4.68	-2.15	4.16	-15.33
5	CMB	350	350	0.86	285700	0		104.18	51.93	90.31	-238.24	4.41	-2.67	3.51	-11.05
6	CMB	350	350	0.86	396800	0		90.35	42.61	79.67	-245.90	4.45	-2.42	3.74	-10.73
7	CMB	320	320	0.82	178800	0		97.85	12.26	97.08	-340.24	4.10	-0.99	3.97	10.20
8	CMB	320	320	0.82	285700	0		98.11	56.45	80.24	-186.17	4.13	-1.51	3.84	-9.18
9	CMB	320	320	0.82	396800	0		68.84	31.52	61.20	-188.24	4.09	-0.99	3.97	-8.93
10	CMB	340	340	0.84	178800	10		116.02	-48.32	105.48	-413.22	6.33	4.91	4.01	13.33
11	CMB	340	340	0.84	285700	10		104.42	62.14	83.92	-190.41	6.17	4.69	4.01	13.09
12	CMB	340	340	0.84	396800	10		80.06	43.35	67.31	-193.14	6.72	5.62	3.70	12.31
13	CMB	340	340	0.84	285700	20		55.73	-2.62	55.66	-155.50	4.06	1.37	3.82	10.32
14	DES	320	320	0.82	285695	0		82.08	8.56	81.64	-365.26	0.80	-0.10	0.80	1.91
15	DES	340	340	0.84	285695	0		85.67	-9.73	85.12	-362.83	0.77	0.01	0.77	1.91
16	DES	350	350	0.86	285696	0		132.92	-56.23	120.44	-494.84	0.79	0.10	0.78	1.95
17	CRZ	340	340	0.84	285700	0						4.78	0.26	4.78	13.44

B748 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	300	300	0.82	214471	0		94.76	-15.24	93.52	-182.19	6.33	-3.19	5.47	-12.40
2	CMB	320	320	0.84	214471	0		93.77	22.80	90.95	171.65	4.82	-1.78	4.47	-10.34
3	CMB	335	335	0.86	214470	0		62.56	18.77	59.68	118.53	4.19	-0.54	4.15	-8.87
4	CMB	350	350	0.88	214469	0		196.40	-104.33	166.40	-559.46	4.41	0.28	4.40	9.72
5	CMB	300	300	0.82	366267	0		68.22	8.95	67.63	167.11	6.55	-3.21	5.71	-12.14
6	CMB	320	320	0.84	366267	0		91.84	53.49	74.66	253.98	4.97	-1.93	4.58	-10.42
7	CMB	335	335	0.86	366267	0		110.64	62.52	91.29	-280.64	4.24	-1.00	4.13	-8.83
8	CMB	350	350	0.88	366266	0		172.51	3.60	172.47	-496.12	4.33	-0.51	4.30	11.08
9	CMB	300	300	0.82	442159	0		68.48	-48.35	48.50	-126.54	6.75	-2.97	6.06	-11.96
10	CMB	320	320	0.84	442160	0		51.95	-2.19	51.90	-158.88	5.20	-2.04	4.78	-10.03
11	CMB	335	335	0.86	442159	0		62.03	11.98	60.86	-212.07	4.59	-1.40	4.37	8.72
12	CMB	350	350	0.88	442158	0		143.78	-4.23	143.72	-452.75	4.10	-1.51	3.81	9.13
13	CMB	335	335	0.86	214469	10		67.48	10.54	66.65	119.53	7.60	6.59	3.79	12.34
14	CMB	335	335	0.86	366264	10		110.58	58.39	93.91	-285.49	7.44	6.33	3.92	10.69
15	CMB	335	335	0.86	442155	10		62.69	7.27	62.27	-212.94	7.53	6.21	4.26	15.25
16	CMB	335	335	0.86	366256	20		72.93	4.72	72.77	-125.62	4.43	1.77	4.07	13.02
17	DES	300	300	0.82	366331	0		135.25	38.56	129.64	426.34	2.03	0.17	2.02	4.52
18	DES	320	320	0.84	366331	0		131.29	65.50	113.79	418.02	2.03	0.04	2.03	4.31
19	DES	335	335	0.86	366332	0		97.68	28.55	93.42	-250.42	2.04	-0.06	2.04	4.23
20	DES	350	350	0.88	366333	0		306.58	-116.70	283.51	-808.71	2.09	-0.16	2.08	4.13
21	CRZ	320	320	0.84	366339	0						4.60	0.17	4.60	13.68

B752 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	290	290	0.78	62100	0		64.35	-37.22	52.49	-155.86	1.82	-0.47	1.76	2.97
2	CMB	290	290	0.78	95200	0		68.49	43.90	52.57	152.13	1.86	-0.53	1.78	2.87
3	CMB	290	290	0.78	115900	0		64.87	60.34	23.84	97.46	1.96	-0.75	1.81	4.61
4	CMB	310	310	0.8	62100	0		174.73	-154.46	81.67	-363.36	2.52	-1.21	2.21	-3.92
5	CMB	310	310	0.8	95200	0		67.60	-28.21	61.43	-241.84	2.56	-1.32	2.19	-3.82
6	CMB	310	310	0.8	115900	0		30.67	2.52	30.56	-142.14	2.69	-1.62	2.15	4.87
7	CMB	270	270	0.76	62100	0		78.38	55.47	55.37	138.87	1.63	0.26	1.61	2.73
8	CMB	270	270	0.76	95200	0		111.66	95.26	58.25	162.66	1.64	0.21	1.63	2.84
9	CMB	270	270	0.76	115900	0		102.37	94.42	39.56	146.86	1.74	0.11	1.73	4.36
10	CMB	290	290	0.78	95200	10		63.85	36.16	52.62	-161.05	2.41	1.76	1.65	4.68
11	CMB	290	290	0.78	62100	10		74.02	-51.15	53.50	-166.90	2.40	1.78	1.61	4.71
12	CMB	290	290	0.78	115900	10		59.62	54.51	24.16	92.81	2.41	1.65	1.76	6.36
13	CMB	290	290	0.78	95200	20		77.73	3.84	77.64	209.65	3.33	2.46	2.25	6.32
14	DES	270	270	0.76	95197	0		35.46	-13.27	32.88	-151.23	0.82	0.03	0.81	1.74
15	DES	290	290	0.78	95197	0		74.95	-65.72	36.05	-184.62	0.86	0.00	0.86	1.78
16	DES	310	310	0.8	95197	0		157.80	-144.35	63.75	-368.53	0.92	-0.03	0.92	1.89
17	CRZ	290	290	0.8	95200	0						1.03	0.01	1.03	3.05

B753 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	290	290	0.78	64600	0		66.36096	0.0433	66.36094	163.70728	2.09121	-0.42785	2.04698	3.16548
2	CMB	290	290	0.78	101600	0		61.766	10.13796	60.92833	-271.83796	2.1057	-0.61328	2.01442	3.36041
3	CMB	290	290	0.78	122500	0		40.91609	14.07745	38.41812	-125.8264	2.07929	-1.05849	1.7897	4.26573
4	CMB	310	310	0.8	64600	0		87.77529	-61.92206	62.21062	-167.01794	2.38786	-0.72108	2.27639	3.48287
5	CMB	310	310	0.8	101600	0		53.80856	-19.00995	50.33868	-255.40501	2.44549	-0.97558	2.24247	4.14933
6	CMB	310	310	0.8	122500	0		55.39914	-13.66641	53.687	-213.21442	2.38658	-1.45368	1.89276	4.58588
7	CMB	270	270	0.76	64600	0		79.3847	38.88234	69.21051	179.30635	1.96719	-0.18229	1.95873	-3.34989
8	CMB	270	270	0.76	101600	0		77.99617	29.66506	72.1345	-273.40137	1.99363	-0.32767	1.96652	-3.24693
9	CMB	270	270	0.76	122500	0		55.71528	17.2554	52.97588	-126.01022	1.9926	-0.67954	1.87315	3.85642
10	CMB	290	290	0.78	64600	10		66.60537	-12.00801	65.51399	150.23358	2.7589	2.02938	1.86899	5.0544
11	CMB	290	290	0.78	101600	10		42.67858	10.35638	41.40298	-183.67747	2.72032	1.91004	1.93699	5.64056
12	CMB	290	290	0.78	122500	10		41.18146	8.35366	40.32529	-135.6192	2.41967	1.58991	1.824	6.31693
13	CMB	290	290	0.78	101600	20		50.90335	1.86792	50.86907	125.76801	3.8359	2.92679	2.47953	8.26231
14	DES	270	270	0.76	101600	0		69.19569	35.62703	59.31912	157.42089	1.03879	0.0346	1.03821	3.87139
15	DES	290	290	0.78	101600	0		59.53804	11.27692	58.46032	-220.80978	0.85495	0.09667	0.84946	2.32306
16	DES	310	310	0.8	101600	0		103.52682	-45.61336	92.93667	-569.61497	0.91194	-0.15127	0.89931	2.21052
17	CRZ	300	300	0.79	101600	0						0.83849	0.12882	0.82853	1.59611

B762 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	290	0.78	110000	0		61.84396	-10.22283	60.99319	123.52301	2.49039	-0.37924	2.46135	4.12605
2	CMB	250	290	0.78	140000	0		56.90936	5.70401	56.62278	-143.32064	2.56734	-0.62922	2.48904	4.1981
3	CMB	250	290	0.78	160000	0		43.60921	15.36723	40.81191	108.187	2.6625	-0.8743	2.51486	5.79478
4	CMB	250	280	0.76	110000	0		61.9381	-23.6163	57.25905	123.52301	2.12953	-0.56518	2.05316	3.41088
5	CMB	250	280	0.76	140000	0		51.86388	-2.6834	51.79442	-160.31888	2.2232	-0.75474	2.09117	-3.30392
6	CMB	250	280	0.76	160000	0		40.53152	8.12957	39.70786	108.187	2.35545	-0.91147	2.17195	4.60772
7	CMB	250	310	0.8	110000	0		66.6237	-6.63264	66.29273	123.52301	3.16637	-0.31855	3.15031	4.88004
8	CMB	250	310	0.8	140000	0		61.79646	8.14869	61.25685	-150.70282	3.21491	-0.64599	3.14935	5.27665
9	CMB	250	310	0.8	160000	0		49.39081	15.29818	46.96188	108.187	3.26537	-0.9962	3.1097	6.96312
10	CMB	250	290	0.78	110000	10		62.89625	-13.36124	61.46068	125.04104	3.29096	2.42548	2.2243	7.10621
11	CMB	250	290	0.78	140000	10		57.26028	3.59815	57.14712	-148.29217	3.24994	2.30273	2.29337	6.79694
12	CMB	250	290	0.78	160000	10		43.48638	13.82212	41.23123	109.64972	3.21346	2.16214	2.37728	8.03729
13	CMB	250	290	0.78	140000	20		65.52341	0.9166	65.517	150.00648	3.59323	2.56197	2.51945	7.44024
14	DES	250	290	0.78	120000	0		86.83457	-7.38251	86.52018	413.42359	0.81376	0.02793	0.81328	3.41716
15	DES	250	280	0.76	119996	0		69.74574	-18.43729	67.26466	247.85593	0.72849	-0.09246	0.72259	2.29071
16	DES	250	310	0.8	120000	0		132.60247	10.12198	132.21558	764.29086	0.78378	0.0638	0.78118	2.29021
17	CRZ	310	310	0.8	140000	0						0.97821	0.04505	0.97717	2.2912

B763 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	270	270	0.76	89992	0		90.46	-19.54	88.33	156.18	2.56	-1.49	2.08	-4.18
2	CMB	290	290	0.78	89992	0		90.79	-19.65	88.64	205.99	2.78	-1.25	2.48	-5.54
3	CMB	310	310	0.8	89992	0		105.90	-16.75	104.57	258.92	3.33	-0.81	3.23	-6.80
4	CMB	340	340	0.82	89991	0		108.89	-39.33	101.54	236.68	3.82	-0.43	3.80	-7.53
5	CMB	270	270	0.76	154555	0		89.52	16.32	88.02	-292.33	2.68	-1.57	2.17	-4.86
6	CMB	290	290	0.78	154555	0		77.83	22.23	74.59	-246.54	2.88	-1.33	2.55	-5.55
7	CMB	310	310	0.8	154555	0		86.66	15.48	85.26	-296.07	3.45	-0.95	3.31	-6.93
8	CMB	340	340	0.82	154554	0		99.46	-11.62	98.78	-402.28	3.94	-0.70	3.87	-7.46
9	CMB	270	270	0.76	186835	0		72.85	35.74	63.48	-233.25	2.41	-1.25	2.06	-4.19
10	CMB	290	290	0.78	186835	0		80.09	32.91	73.02	-298.85	2.87	-1.20	2.61	-5.53
11	CMB	310	310	0.8	186835	0		94.77	27.75	90.62	-395.16	3.57	-0.97	3.44	-6.78
12	CMB	340	340	0.82	186834	0		76.53	25.06	72.31	-312.53	4.23	-0.82	4.15	-7.58
13	CMB	310	310	0.8	89991	10		106.83	-20.95	104.75	254.71	4.50	3.19	3.17	8.96
14	CMB	310	310	0.8	154553	10		87.12	13.51	86.06	-302.83	4.60	3.22	3.28	9.04
15	CMB	310	310	0.8	186833	10		95.25	26.70	91.43	-401.07	4.73	3.29	3.39	8.94
16	CMB	310	310	0.8	154551	20		83.83	-4.31	83.72	-302.71	5.30	4.35	3.03	9.12
17	DES	270	270	0.76	154584	0		86.69	63.60	58.91	192.15	1.72	0.50	1.64	3.85
18	DES	290	290	0.78	154585	0		86.89	37.56	78.35	-302.17	1.74	0.19	1.73	3.64
19	DES	310	310	0.8	154585	0		119.69	-9.98	119.27	-577.03	1.83	-0.12	1.83	3.38
20	DES	340	340	0.82	154586	0		205.19	-108.01	174.46	-1004.62	2.05	-0.57	1.97	3.02
21	CRZ	310	310	0.8	154590	0						3.22	0.18	3.21	9.31

B764 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	290	290	0.78	103200	0		89.06758	-50.06409	73.6656	-309.2966	1.88355	-0.58861	1.78922	5.99547
2	CMB	290	290	0.78	158800	0		71.17375	48.09612	52.46396	-133.05792	1.73639	-0.95427	1.45067	-5.01295
3	CMB	290	290	0.78	204100	0		97.34206	83.88375	49.38617	132.37973	1.82465	-0.88895	1.59346	-5.45801
4	CMB	310	310	0.8	103200	0		148.35864	-112.776	96.39429	-433.28512	2.73629	-1.26589	2.42586	6.73252
5	CMB	310	310	0.8	158800	0		57.08713	11.90718	55.83153	-148.64051	2.71572	-1.8298	2.00673	-6.87553
6	CMB	310	310	0.8	204100	0		71.08953	55.59756	44.30161	108.32028	2.96363	-2.05568	2.13478	-7.44016
7	CMB	270	270	0.76	103200	0		85.57495	-1.79729	85.55607	-198.20825	2.02422	-0.01695	2.02415	5.35319
8	CMB	270	270	0.76	158800	0		99.2813	75.87276	64.03203	168.22553	2.02908	-0.2377	2.01511	-3.92632
9	CMB	270	270	0.76	204100	0		121.00913	106.34496	57.74045	174.91505	1.93434	0.06464	1.93326	-3.41883
10	CMB	290	290	0.78	103200	10		95.30295	-57.69751	75.85282	-316.53713	3.11223	2.59551	1.71735	7.57569
11	CMB	290	290	0.78	158800	10		68.86665	44.48219	52.57328	-136.26597	2.94815	2.38815	1.72867	5.58831
12	CMB	290	290	0.78	204100	10		94.9847	81.54674	48.70547	131.93426	3.12203	2.63847	1.669	5.39544
13	CMB	290	290	0.78	158800	20		65.17832	5.009	64.98557	-158.9819	1.63079	0.9886	1.29698	3.38319
14	DES	270	270	0.76	158798	0		160.33808	-5.59928	160.24028	-832.41912	1.24658	-0.15699	1.23666	5.69297
15	DES	290	290	0.78	158798	0		182.50187	-40.565	177.93655	-957.88925	1.06041	0.14913	1.04987	3.29108
16	DES	310	310	0.8	158798	0		223.83574	-90.96929	204.51656	-1133.3729	1.29381	0.14508	1.28565	3.6783
17	CRZ	290	290	0.8	158800	0						1.77079	-0.32728	1.74028	-4.29045

B772 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	310	310	0.84	138100	0		126.44	-38.58	120.41	278.32	7.15	-0.87	7.10	11.02
2	CMB	310	310	0.84	208700	0		100.74	3.18	100.69	-314.85	7.17	-1.00	7.10	11.09
3	CMB	310	310	0.84	286900	0		55.58	8.22	54.97	-171.19	7.46	-2.11	7.15	14.09
4	CMB	320	320	0.85	138100	0		140.28	-72.94	119.82	-276.68	7.65	-1.89	7.41	-12.10
5	CMB	320	320	0.85	208700	0		97.20	-14.89	96.06	-330.66	7.83	-2.11	7.54	-12.13
6	CMB	320	320	0.85	286900	0		51.00	-11.59	49.66	-178.10	8.02	-3.64	7.14	13.84
7	CMB	280	280	0.82	138100	0		140.93	40.92	134.86	309.06	7.04	2.02	6.75	17.81
8	CMB	280	280	0.82	208700	0		123.01	53.90	110.58	-276.41	6.99	1.93	6.71	15.58
9	CMB	280	280	0.82	286900	0		86.08	44.54	73.66	195.53	7.17	1.07	7.09	15.93
10	CMB	310	310	0.84	138100	10		127.30	-24.10	125.00	307.89	7.82	3.77	6.86	15.55
11	CMB	310	310	0.84	208700	10		104.40	13.32	103.55	-309.03	7.87	3.71	6.95	15.51
12	CMB	310	310	0.84	286900	10		57.68	15.62	55.52	-159.33	7.73	2.82	7.20	18.50
13	CMB	310	310	0.84	208700	20		125.58	2.07	125.56	309.02	7.91	2.34	7.55	14.45
14	DES	280	280	0.82	208700	0		47.67	19.84	43.34	167.83	1.11	0.61	0.93	3.21
15	DES	310	310	0.84	208700	0		60.82	1.04	60.82	-176.38	0.97	-0.17	0.96	2.97
16	DES	320	320	0.85	208700	0		112.67	-32.96	107.74	-459.47	1.07	-0.44	0.98	2.85
17	CRZ	310	310	0.84	208700	0						3.34	0.16	3.34	10.76

B773 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	310	310	0.84	159600	0		76.62316	-54.6296	53.72816	-187.36953	4.30312	0.09568	4.30206	-9.35832
2	CMB	310	310	0.84	237600	0		71.5611	56.32898	44.13657	158.74036	4.32347	-0.47915	4.29684	-9.22628
3	CMB	310	310	0.84	299300	0		85.81828	82.46981	23.73835	121.04008	4.2791	-1.28801	4.08065	-9.39156
4	CMB	320	320	0.86	159600	0		118.56308	-104.07464	56.79501	-240.85374	5.39607	-1.73554	5.10936	-12.61633
5	CMB	320	320	0.86	237600	0		54.0049	15.0687	51.86004	-175.90508	5.70927	-2.67419	5.04425	-12.7191
6	CMB	320	320	0.86	299300	0		74.70492	64.28288	38.05964	111.19517	5.96126	-3.7327	4.64796	-12.7075
7	CMB	300	300	0.82	159600	0		51.3669	-25.62855	44.51669	-136.715	4.07756	1.9091	3.60303	8.63397
8	CMB	300	300	0.82	237600	0		85.5522	76.19892	38.89605	165.90928	3.95163	1.46441	3.67027	7.84316
9	CMB	300	300	0.82	299300	0		91.33114	88.03053	24.33112	135.9799	3.76279	0.984	3.63185	9.98155
10	CMB	310	310	0.84	159600	10		82.8059	-63.28874	53.39805	-198.00078	5.42073	3.66965	3.98973	9.95081
11	CMB	310	310	0.84	237600	10		68.47963	52.36476	44.12926	152.78439	5.35625	3.3401	4.18726	9.65233
12	CMB	310	310	0.84	299300	10		83.86524	80.31929	24.12862	118.61955	4.90594	2.65004	4.12863	12.09931
13	CMB	310	310	0.84	237600	20		36.91752	-3.49329	36.75188	-79.35915	5.48891	-1.22073	5.35144	-8.99334
14	DES	300	300	0.82	237595	0		101.65687	20.83783	99.49826	-415.61637	1.81722	0.39821	1.77305	6.97538
15	DES	310	310	0.84	237596	0		144.02968	-17.67547	142.94099	-693.81463	1.23351	0.10088	1.22938	-2.20207
16	DES	320	320	0.86	237594	0		356.25723	-129.15453	332.02156	-1660.2118	1.21115	-0.21524	1.19187	-2.43753
17	CRZ	310	310	0.84	237600	0						1.05282	-1.00415	0.31638	-1.31157

B77L accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	270	270	0.80	145124	0		100.14	4.88	100.02	189.29	5.72	4.65	3.35	15.08
2	CMB	290	290	0.82	145124	0		75.85	-9.34	75.28	-152.72	4.16	1.53	3.88	11.80
3	CMB	310	310	0.84	145124	0		87.69	-26.09	83.72	-167.71	5.20	-1.56	4.96	-9.90
4	CMB	320	320	0.86	145124	0		92.72	-56.52	73.50	-205.57	6.49	-2.64	5.93	-11.69
5	CMB	270	270	0.80	279962	0		90.95	33.61	84.51	-291.46	5.88	4.82	3.37	15.09
6	CMB	290	290	0.82	279963	0		88.89	48.90	74.23	-250.85	4.07	1.30	3.86	9.94
7	CMB	310	310	0.84	279963	0		130.70	50.61	120.50	-409.65	5.31	-2.09	4.88	-9.93
8	CMB	320	320	0.86	279964	0		138.51	36.13	133.72	-479.92	6.79	-3.82	5.62	-12.31
9	CMB	270	270	0.80	347376	0		105.72	-16.60	104.41	-241.00	6.20	5.12	3.50	14.77
10	CMB	290	290	0.82	347378	0		73.04	10.54	72.28	-302.70	4.19	1.12	4.04	9.60
11	CMB	310	310	0.84	347379	0		87.97	20.22	85.62	-344.95	5.62	-2.83	4.86	-9.63
12	CMB	320	320	0.86	347380	0		148.30	9.17	148.02	-612.29	6.93	-5.06	4.73	-11.89
13	CMB	310	310	0.84	145123	10		91.93	-24.94	88.48	-178.26	5.87	3.86	4.42	11.04
14	CMB	310	310	0.84	279961	10		133.43	52.32	122.74	-411.98	5.68	3.49	4.48	11.12
15	CMB	310	310	0.84	347376	10		88.45	20.83	85.96	-344.30	5.51	2.97	4.63	13.73
16	CMB	310	310	0.84	279956	20		126.44	7.10	126.24	271.66	7.57	-4.22	6.29	-11.48
17	DES	270	270	0.80	280014	0		131.81	-2.78	131.78	536.81	0.99	0.64	0.76	3.08
18	DES	290	290	0.82	280014	0		136.16	33.45	131.98	570.60	0.87	0.17	0.86	2.86
19	DES	310	310	0.84	280014	0		146.74	29.35	143.78	-538.99	0.95	-0.26	0.91	2.67
20	DES	320	320	0.86	280013	0		301.47	-59.11	295.62	-1302.38	0.98	-0.56	0.81	-2.01
21	CRZ	310	310	0.84	280018	0						10.36	0.31	10.36	29.72

B77W accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	270	270	0.8	167798	0		86.77	5.43	86.60	181.08	5.85	4.74	3.43	16.31
2	CMB	290	290	0.82	167798	0		66.22	-7.96	65.73	-130.48	4.11	1.49	3.83	10.47
3	CMB	310	310	0.84	167798	0		77.39	-27.38	72.38	-160.56	5.39	-1.57	5.15	-10.35
4	CMB	320	320	0.86	167798	0		84.81	-50.71	67.97	-196.57	6.66	-2.71	6.08	-11.62
5	CMB	270	270	0.8	290240	0		96.21	21.73	93.73	-318.76	6.05	4.91	3.54	15.80
6	CMB	290	290	0.82	290241	0		79.58	35.82	71.06	-265.23	4.12	1.19	3.94	9.58
7	CMB	310	310	0.84	290242	0		99.25	36.69	92.22	-318.85	5.51	-2.30	5.01	-9.50
8	CMB	320	320	0.86	290242	0		141.38	-0.46	141.38	-540.27	6.91	-3.98	5.65	-12.39
9	CMB	270	270	0.8	351457	0		119.74	-8.15	119.46	-263.19	6.33	5.15	3.69	15.61
10	CMB	290	290	0.82	351459	0		65.21	19.56	62.21	-217.31	4.35	1.00	4.24	9.83
11	CMB	310	310	0.84	351460	0		78.56	33.28	71.16	-281.35	5.79	-2.93	5.00	-9.99
12	CMB	320	320	0.86	351460	0		98.85	35.31	92.32	-400.47	7.18	-5.43	4.70	-12.36
13	CMB	310	310	0.84	167797	10		80.82	-25.64	76.64	-168.75	6.04	3.93	4.59	11.25
14	CMB	310	310	0.84	290239	10		101.88	38.56	94.31	-319.06	5.82	3.47	4.68	11.22
15	CMB	310	310	0.84	351457	10		79.34	34.69	71.35	-278.68	5.60	2.96	4.76	13.96
16	CMB	310	310	0.84	290233	20		114.62	7.64	114.36	264.62	6.88	-3.08	6.15	-9.95
17	DES	270	270	0.8	290296	0		136.03	-13.67	135.34	511.44	1.00	0.65	0.76	3.14
18	DES	290	290	0.82	290296	0		141.21	25.31	138.92	566.55	0.87	0.18	0.85	2.91
19	DES	310	310	0.84	290297	0		167.50	24.65	165.68	-675.57	0.94	-0.25	0.91	2.69
20	DES	320	320	0.86	290292	0		246.84	-43.36	243.00	-874.55	0.94	-0.61	0.72	-1.99
21	CRZ	310	310	0.84	290300	0						7.97	0.17	7.97	23.44

B788 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	270	270	0.8	111473	0		126.48	1.65	126.47	292.14	2.66	0.35	2.64	6.24
2	CMB	290	290	0.82	111473	0		53.64	2.02	53.60	158.92	1.30	0.29	1.27	4.42
3	CMB	310	310	0.84	111472	0		59.68	-18.32	56.80	-103.18	1.75	-0.49	1.68	5.14
4	CMB	330	330	0.86	111471	0		126.45	-70.28	105.12	-280.31	3.67	-1.91	3.13	-7.03
5	CMB	270	270	0.8	189082	0		87.92	13.75	86.84	187.70	2.65	0.24	2.64	6.29
6	CMB	290	290	0.82	189082	0		65.30	39.95	51.65	141.79	1.16	0.17	1.15	3.52
7	CMB	310	310	0.84	189082	0		71.39	53.46	47.31	136.83	1.59	-0.68	1.44	3.69
8	CMB	330	330	0.86	189080	0		89.70	52.05	73.05	160.46	3.70	-2.30	2.90	-6.64
9	CMB	270	270	0.8	227884	0		95.12	-23.38	92.20	-195.49	2.82	0.31	2.81	6.20
10	CMB	290	290	0.82	227884	0		60.55	-7.96	60.02	-174.91	1.28	0.13	1.27	3.85
11	CMB	310	310	0.84	227884	0		40.25	3.16	40.13	-124.16	1.66	-0.90	1.39	3.94
12	CMB	330	330	0.86	227883	0		56.87	-11.82	55.63	-200.93	3.89	-2.79	2.72	-6.74
13	CMB	310	310	0.84	111471	10		62.11	-26.47	56.19	-112.75	3.23	3.05	1.07	6.94
14	CMB	310	310	0.84	189080	10		71.25	50.82	49.94	128.84	3.12	2.96	0.98	5.80
15	CMB	310	310	0.84	227882	10		41.04	0.96	41.03	-129.41	3.08	2.89	1.06	6.66
16	CMB	310	310	0.84	189075	20		114.45	8.53	114.13	190.81	3.31	1.24	3.06	5.86
17	DES	270	270	0.8	189114	0		68.99	-42.00	54.73	-131.12	0.77	-0.03	0.77	1.58
18	DES	290	290	0.82	189115	0		46.81	-5.98	46.42	-92.43	0.72	-0.01	0.72	1.41
19	DES	310	310	0.84	189115	0		48.32	18.61	44.59	-121.40	0.70	0.00	0.70	1.35
20	DES	330	330	0.86	189115	0		91.09	18.66	89.16	-386.16	0.70	0.04	0.70	1.38
21	CRZ	310	310	0.84	189118	0						2.85	0.18	2.84	7.60

B789 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	270	270	0.8	111473	0		129.02	5.72	128.90	314.18	2.70	0.41	2.67	6.87
2	CMB	290	290	0.82	111473	0		61.06	8.48	60.47	171.59	1.69	0.48	1.62	5.69
3	CMB	310	310	0.84	111472	0		61.04	-11.43	59.96	117.64	2.15	-0.25	2.13	6.17
4	CMB	330	330	0.86	111471	0		118.80	-81.97	85.99	-252.29	3.70	-1.79	3.24	6.31
5	CMB	270	270	0.8	204349	0		79.85	6.43	79.59	-212.21	2.70	0.24	2.69	6.49
6	CMB	290	290	0.82	204349	0		63.90	37.79	51.53	-165.60	1.50	0.28	1.48	3.68
7	CMB	310	310	0.84	204349	0		77.94	59.78	50.01	130.56	1.93	-0.53	1.86	4.36
8	CMB	330	330	0.86	204348	0		96.24	59.99	75.26	-188.03	3.70	-2.37	2.85	-5.97
9	CMB	270	270	0.8	250784	0		83.16	-38.85	73.53	-153.11	2.88	0.19	2.87	6.44
10	CMB	290	290	0.82	250784	0		43.20	-10.74	41.85	-167.26	1.51	0.13	1.51	3.89
11	CMB	310	310	0.84	250784	0		35.00	4.90	34.66	-137.19	1.92	-0.86	1.72	4.76
12	CMB	330	330	0.86	250782	0		49.32	6.17	48.93	-123.58	3.87	-3.10	2.32	-5.86
13	CMB	310	310	0.84	111471	10		65.13	-24.55	60.32	-113.06	3.64	3.23	1.67	8.20
14	CMB	310	310	0.84	204347	10		74.95	54.55	51.40	-135.20	3.33	2.99	1.47	6.63
15	CMB	310	310	0.84	250781	10		35.51	-0.08	35.51	-141.82	3.14	2.78	1.47	7.52
16	CMB	310	310	0.84	204342	20		97.95	8.21	97.60	149.05	3.16	1.05	2.98	6.86
17	DES	270	270	0.8	204385	0		74.99	-44.45	60.39	-162.88	1.04	0.16	1.03	2.62
18	DES	290	290	0.82	204385	0		56.13	-11.66	54.90	-171.70	0.97	0.01	0.97	2.43
19	DES	310	310	0.84	204385	0		61.03	20.59	57.46	-246.02	0.91	-0.06	0.91	2.21
20	DES	330	330	0.86	204386	0		134.21	18.19	132.97	-597.65	0.86	-0.11	0.85	2.01
21	CRZ	310	310	0.84	204389	0						3.33	0.18	3.33	8.78

BE9L accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	150	150	0.32	3600	0		193.09271	-54.0523	185.37298	-339.74322	0.66327	0.00136	0.66327	1.14975
2	CMB	150	150	0.32	4200	0		166.22313	81.95232	144.61655	280.13755	0.36551	-0.15056	0.33306	-0.48661
3	CMB	150	150	0.32	4600	0		78.23262	-10.30729	77.55065	-141.59544	0.91524	-0.4231	0.81158	-1.18812
4	CMB	150	150	0.32	3600	10		271.20999	-85.2461	257.46449	458.02476	1.1043	0.3335	1.05274	2.60093
5	CMB	150	150	0.32	4200	10		70.15433	0.25754	70.15386	144.83093	0.65263	0.03401	0.65175	-0.97077
6	CMB	150	150	0.32	4600	10		135.33296	1.56259	135.32394	259.92652	0.62086	0.02641	0.62029	1.13427
7	CMB	150	150	0.32	4300	20		97.2235	-27.62834	93.21526	-189.7446	0.46442	-0.34226	0.31393	-0.69942
8	DES	200	160	0.36	4200	0		98.05189	-26.22527	94.47967	-156.75468	0.5692	-0.33861	0.45753	-1.02809
9	CRZ	194	194	0.4	4100	0						0.44056	0.07737	0.43371	0.70795

BE20 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	140	0.32	4075	0		127.97	-8.68	127.67	-258.91	0.65	0.55	0.36	0.98
2	CMB	160	140	0.32	4528	0		131.59	18.33	130.31	232.59	0.45	0.34	0.28	0.78
3	CMB	160	140	0.32	4980	0		132.78	7.4	132.57	-324.25	0.25	0.12	0.21	0.47
4	CMB	160	140	0.32	5433	0		122.96	8.11	122.69	-339.95	0.15	-0.09	0.12	-0.34
5	CMB	160	140	0.32	5659	0		112.29	-2.61	112.26	-337.27	0.24	-0.22	0.1	-0.35
6	CMB	160	140	0.32	4966	10		97.28	-3.02	97.24	228.52	0.17	0.03	0.17	-0.47
7	CMB	160	140	0.32	5418	10		82.79	0.35	82.79	-160.56	0.23	-0.2	0.13	-0.48
8	CMB	160	140	0.32	4963	20		94.21	-1.52	94.2	228.49	0.16	-0.08	0.14	-0.42
9	CMB	160	140	0.32	5415	20		78.77	-15.06	77.31	197.64	0.32	-0.3	0.12	-0.47
10	DES	250	250	0.52	4990	0		156.88	-19.22	155.7	361.57	0.17	0	0.17	-0.35
11	CRZ	/	/	0.46	4990	0						0.31	-0.01	0.31	-0.6
12	CRZ	/	/	0.47	4990	0						0.28	-0.04	0.28	-0.58

BE30 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	140	0.32	4071	0		293.18	48.56	289.13	654.89	1.44	0.89	1.13	2.96
2	CMB	160	140	0.32	4523	0		176.21	17.12	175.38	-394.82	1.09	0.61	0.9	1.78
3	CMB	160	140	0.32	4974	0		121.95	-13.24	121.23	-246.09	0.85	0.37	0.77	1.48
4	CMB	160	140	0.32	5426	0		131.43	-16.78	130.35	267.42	0.62	0.09	0.61	-0.99
5	CMB	160	140	0.32	5878	0		142.06	-0.06	142.06	-268.58	0.48	-0.18	0.45	-1
6	CMB	160	140	0.32	6329	0		158.99	-20.98	157.6	-464.72	0.55	-0.45	0.31	-0.99
7	CMB	160	140	0.32	4969	10		209.35	-12.41	208.98	-510.07	0.69	0.32	0.6	1.27
8	CMB	160	140	0.32	5872	10		186.07	11.61	185.71	418.13	0.43	-0.27	0.34	-0.84
9	CMB	160	140	0.32	4967	20		406.68	-17.46	406.31	1334.58	0.47	0.14	0.44	0.75
10	CMB	160	140	0.32	5869	20		308.3	-11.86	308.07	999.54	0.59	-0.51	0.29	-0.85
11	DES	250	250	0.58	5443	0		113.85	1.43	113.84	265.4	0.46	0	0.46	0.7
12	CRZ	/	/	0.52	5443	0						0.27	-0.14	0.23	-0.64
13	CRZ	/	/	0.5	5443	0						0.3	0.08	0.29	-0.49

BE36 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	110	110	/	1361	0		82.93	12.11	82.04	158.59	0.13	0.02	0.13	0.23
2	CMB	110	110	/	1542	0		28.85	-8.22	27.66	-48.76	0.12	-0.01	0.12	-0.2
3	CMB	110	110	/	1656	0		47.03	-11.43	45.62	64.55	0.16	-0.03	0.16	-0.25
4	CMB	110	110	/	1542	10		66.5	2.17	66.47	108.47	0.12	0.01	0.12	0.18
5	CMB	110	110	/	1542	20		64.8	2.23	64.76	-111.52	0.16	0.01	0.16	0.33
6	DES	150	150	/	1542	0		57.52	5.67	57.24	97.88	0.03	0	0.03	0.05
7	CRZ	151	151	0.26	1542	0						0.02	0	0.02	-0.03

BE40 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	220	220	0.64	5421	0		128.15	12.96	127.49	374.99	0.47	0.04	0.47	1.16
2	CMB	220	220	0.64	5873	0		116.59	-27.85	113.22	-396.73	0.62	-0.04	0.62	-2.05
3	CMB	220	220	0.64	6324	0		120	8.56	119.69	256.77	0.49	0.08	0.48	1.09
4	CMB	220	220	0.64	6775	0		157.75	46.73	150.68	405.8	0.77	0.34	0.69	1.82
5	CMB	220	220	0.64	7272	0		64.5	-18.89	61.67	126.79	0.32	-0.02	0.32	0.73
6	CMB	250	250	0.64	5421	0		146.85	1.12	146.84	-376.85	0.52	-0.02	0.52	-1.3
7	CMB	250	250	0.64	5873	0		124.68	14.65	123.82	-371.24	0.46	0.13	0.44	-1.35
8	CMB	250	250	0.64	6323	0		116.02	45.52	106.72	309.86	0.58	0.29	0.5	1.56
9	CMB	250	250	0.64	6775	0		123.01	-32.61	118.6	-424.97	0.64	-0.12	0.63	-2.31
10	CMB	250	250	0.64	7271	0		76.22	-33.42	68.5	-223.97	0.42	-0.18	0.38	-1.19
11	CMB	220	220	0.64	6322	10		119.54	-23.46	117.22	-353.21	0.59	-0.26	0.54	-2.02
12	CMB	250	250	0.64	6321	10		124.04	-20.17	122.39	-375.81	0.42	-0.1	0.4	-1.36
13	CMB	220	220	0.64	6321	20		113.59	42.64	105.28	292.41	0.56	0.15	0.54	1.14
14	DES	250	250	0.7	6804	0		252.17	-9.64	251.99	685.29	0.17	0	0.17	0.55
15	CRZ	/	/	0.73	6350	0						0.3	-0.2	0.22	-0.44
16	CRZ	/	/	0.79	6350	0						0.45	0.36	0.26	0.81

BE58 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	139	139	/	1800	0		154.16	-8.68	153.92	-243.67	0.22	0.07	0.21	-0.3
2	CMB	139	139	/	2200	0		89.86	-13.68	88.81	173.65	0.12	-0.01	0.12	-0.22
3	CMB	139	139	/	2450	0		212.5	-1.54	212.49	494.46	0.27	-0.08	0.25	-0.45
4	CMB	139	139	/	1800	10		107.32	13.9	106.42	-209	0.29	0.1	0.27	0.42
5	CMB	139	139	/	2200	10		85.46	17.28	83.7	-120.81	0.1	0.03	0.1	0.21
6	CMB	139	139	/	2450	10		58.6	-11.35	57.49	97.15	0.22	-0.11	0.19	-0.36
7	DES	175	175	/	2200	0		86.63	5.65	86.45	118.44	0.06	0	0.06	0.13
8	CRZ	164	164	0.29	2359	0						0.1	0	0.1	-0.19

BE99 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	160	/	3629	0		101.45	-26.44	97.95	-233.72	0.28	0.05	0.27	0.67
2	CMB	160	160	/	3825	0		67.41	3.01	67.34	122.49	0.36	-0.05	0.36	-0.7
3	CMB	160	160	/	4048	0		63.56	-0.9	63.55	98.58	0.25	-0.08	0.23	-0.53
4	CMB	160	160	/	4272	0		32.51	-3.86	32.28	-50.82	0.29	0.02	0.29	0.56
5	CMB	160	160	/	4496	0		36.03	-9.99	34.61	-63.33	0.39	-0.25	0.31	-1.1
6	CMB	160	160	/	4717	0		81.77	-34.02	74.36	-219.59	0.35	-0.09	0.34	0.76
7	CMB	160	160	/	3824	10		44.48	21.63	38.87	88.26	0.26	0.03	0.26	-0.49
8	CMB	160	160	/	4046	10		51.49	19.86	47.51	132.4	0.2	0.03	0.19	0.41
9	CMB	160	160	/	3820	20		70.54	45.87	53.59	129.71	0.3	0.16	0.25	0.51
10	CMB	160	160	/	4042	20		82.64	45.16	69.21	183.1	0.55	0.38	0.39	1.24
11	DES	170	170	/	4082	0		102.23	8.84	101.84	163.73	0.3	0	0.3	0.85
12	CRZ	/	/	0.39	4082	0						0.13	-0.07	0.11	-0.29
13	CRZ	155	155	0.33	4082	0						0.29	0.19	0.22	0.5

BER2 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	195	195	/	29955	0		91.6	0.2	91.6	-186.64	1.18	-0.5	1.07	-2.25
2	CMB	195	195	/	34945	0		77.51	5.4	77.32	-160.37	1.56	-0.64	1.42	-3.28
3	CMB	195	195	/	39935	0		73.95	4.44	73.82	-147.27	1.5	-0.68	1.34	-2.9
4	CMB	195	195	/	44921	0		71.23	-0.48	71.23	-147.61	1.79	-0.83	1.58	-3.77
5	CMB	195	195	/	34944	10		122.59	13.76	121.82	186.29	3.34	1.41	3.03	7.51
6	CMB	195	195	/	39934	10		66.78	-21.22	63.32	-123.29	2	0.01	2	4.28
7	CMB	195	195	/	34944	20		127.05	5.81	126.92	-174.17	5.5	1.1	5.39	10.69
8	CMB	195	195	/	39934	20		75.94	-17.72	73.84	-139.77	5.21	0.32	5.2	8.54
9	DES	195	195	/	28000	0		15.42	-7.43	13.51	-23.81	0.21	0	0.21	-0.34
10	DES	195	195	/	34000	0		11.3	1.74	11.16	26.44	0.18	0.01	0.18	-0.23
11	DES	195	195	/	40000	0		17.33	10.48	13.81	46.27	0.19	-0.01	0.19	-0.3
12	CRZ	260	260	0.57	35000	0						0.85	0.35	0.77	1.7
13	CRZ	230	230	0.51	35000	0						1.35	-0.1	1.35	2.1
14	CRZ	260	260	0.57	40000	0						0.67	0.04	0.66	1.31
15	CRZ	230	230	0.51	40000	0						1.44	-0.45	1.36	-2.11

C130 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	170	170	0.5	36400	0		43.54805	-7.23595	42.94267	134.96697	2.58945	-0.28375	2.57385	-8.6477
2	CMB	170	170	0.5	59100	0		65.84592	14.01039	64.33812	238.86763	4.88501	-0.14211	4.88294	-12.98175
3	CMB	170	170	0.5	72700	0		18.61335	-7.50025	17.03535	39.63831	0.9345	-0.09794	0.92936	2.57652
4	CMB	170	170	0.5	36400	10		42.00463	1.09644	41.99032	107.90155	4.16726	-0.21704	4.16161	12.51812
5	CMB	170	170	0.5	59100	10		31.88146	6.30505	31.25179	98.07585	1.08048	-0.28922	1.04105	-2.54507
6	CMB	170	170	0.5	72700	10		24.33553	-14.39573	19.62093	-51.95882	9.61292	0.21384	9.61054	25.74877
7	CMB	170	170	0.5	59100	20		21.99383	0.91409	21.97483	-46.39113	2.16127	-0.56871	2.08511	-6.01556
8	DES	179	179	0.5	63600	0		45.93481	-2.40567	45.87178	-60.8291	1.39081	1.2096	0.68645	1.98634
9	CRZ	251	251	0.5	59600	0						0.94806	0.55805	0.76642	2.21017

C162 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	62	62	/	599	0		11.38	0.61	11.36	25.32	0.04	0	0.04	0.07
2	CMB	62	62	/	599	10		11.06	-0.46	11.05	23.54	0.04	0	0.04	0.07
3	CMB	62	62	/	599	20		13.6	-1.43	13.52	31.34	0.04	0	0.04	0.07
4	DES	110	110	/	599	0		41.08	3.59	40.92	75.05	0	0	0	0
5	CRZ	98	98	0.17	599	0						0	0	0	0

C172 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	73	72	/	1157	0		9.68	3.76	8.93	22.99	0.14	0.00	0.14	0.29
2	CMB	73	72	/	1157	10		20.96	-4.91	20.37	-42.86	0.14	0.00	0.14	0.29
3	CMB	73	72	/	1157	20		19.54	2.63	19.37	-37.38	0.14	0.00	0.14	0.29
4	DES	140	140	/	1157	0		43.20	-22.35	36.97	-77.93	0.01	0.00	0.01	-0.02
5	DES	140	140	/	1024	0		48.51	26.96	40.33	94.00	0.01	0.00	0.01	-0.02
6	CRZ	102	102	/	1157	0						0.00	0.00	0.00	0.00

C182 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	78	73	/	1406	0		32.46	18.99	26.32	63.13	0.1	0.01	0.1	0.15
2	CMB	90	90	/	1406	0		98.3	-80.75	56.06	-171.33	0.05	-0.03	0.04	-0.08
3	CMB	78	73	/	1406	10		35.35	21.74	27.87	69.32	0.1	0.01	0.1	0.15
4	CMB	78	73	/	1406	20		37.23	22.45	29.7	72.9	0.1	0.01	0.1	0.15
5	DES	126	126	/	1338	0		30.48	6.38	29.8	65.19	0	0	0	0
6	CRZ	115	115	/	1406	0						0	0	0	0

C208 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	104	102	0.2	3969	0		47.66	21.81	42.38	104.61	0.11	0	0.11	-0.18
2	CMB	103	101	0.19	3765	0		47.35	17	44.19	102.56	0.11	0.02	0.11	0.17
3	CMB	101	101	0.19	3538	0		46.26	14.37	43.97	105.65	0.07	-0.01	0.07	-0.14
4	CMB	99	99	0.18	3311	0		48.42	14.06	46.33	106.43	0.09	0.03	0.09	0.16
5	CMB	115	115	/	3969	0		35.45	0.85	35.44	-57.44	0.11	0.01	0.11	0.2
6	CMB	115	115	/	3765	0		38.73	-7.86	37.92	-71.59	0.21	-0.11	0.18	-0.39
7	CMB	115	115	/	3538	0		44.04	-18.46	39.99	-85.5	0.42	0.06	0.42	0.77
8	CMB	115	115	/	3311	0		51.61	-29.79	42.14	-99.21	0.16	0.07	0.14	0.25
9	CMB	103	101	0.19	3765	20		38.45	-0.9	38.44	-60.88	0.13	-0.05	0.12	-0.2
10	CMB	101	101	0.19	3538	20		40.57	-7.91	39.79	-62.07	0.14	-0.08	0.12	-0.25
11	DES	140	140	/	3969	0		67.8	-26.27	62.5	-102.32	0.12	-0.1	0.06	-0.18
12	DES	160	160	/	3969	0		57.56	17.46	54.84	107.04	0.13	0.06	0.12	0.27
13	CRZ	/	/	0.27	3969	0						0.29	-0.01	0.29	-0.51

C25A accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	222	222	0.56	5602	0		163.73	6.41	163.60	378.32	0.63	-0.22	0.59	1.36
2	CMB	222	222	0.56	5378	0		207.22	56.13	199.48	-521.48	0.51	0.03	0.51	-1.20
3	CMB	222	222	0.56	4931	0		194.47	53.17	187.07	485.06	0.51	0.10	0.50	1.61
4	CMB	222	222	0.56	4483	0		229.65	-76.48	216.55	-619.49	0.59	-0.35	0.47	-1.09
5	CMB	222	222	0.56	3587	0		469.67	9.87	469.56	1162.25	1.52	0.19	1.51	3.28
6	DES	268	268	0.7	4536	0		343.56	-45.95	340.48	690.98	0.55	0.00	0.55	0.86
7	CRZ	275	275	0.71	4763	0						0.34	0.03	0.34	-0.79
8	CRZ	170	170	/	4763	0						0.45	-0.26	0.37	-0.77

C25B accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	222	222	0.56	6217	0		156.77	17.38	155.81	-369.28	0.51	-0.32	0.40	-1.31
2	CMB	222	222	0.56	5828	0		189.45	58.04	180.34	442.52	0.90	-0.01	0.90	1.79
3	CMB	222	222	0.56	5380	0		195.80	95.14	171.13	582.88	0.85	0.23	0.82	2.04
4	CMB	222	222	0.56	4933	0		207.87	-94.22	185.29	-516.64	0.80	-0.50	0.63	-1.28
5	CMB	222	222	0.56	4484	0		294.79	-43.04	291.64	-862.45	0.96	-0.17	0.94	-2.43
6	CMB	222	222	0.56	4036	0		355.53	14.20	355.24	693.18	1.07	0.24	1.04	2.40
7	DES	268	268	0.7	4990	0		366.71	-39.52	364.57	692.39	0.59	0.00	0.59	1.01
8	CRZ	275	275	0.71	5443	0						0.44	-0.04	0.44	-1.22
9	CRZ	175	175	/	4990	0						0.48	-0.07	0.47	-0.71

C25C accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	240	240	0.64	7602	0		193.48	-81.61	175.43	-545.46	0.82	-0.14	0.81	-2.30
2	CMB	240	240	0.64	7178	0		179.84	-36.90	176.02	334.82	0.91	0.06	0.91	1.60
3	CMB	240	240	0.64	6730	0		211.98	67.06	201.09	567.64	0.81	0.38	0.71	2.42
4	CMB	240	240	0.64	6281	0		267.09	-7.33	266.99	-767.16	1.07	-0.05	1.07	-2.92
5	CMB	240	240	0.64	5385	0		379.71	72.60	372.71	997.84	1.32	0.01	1.32	3.17
6	DES	295	295	0.74	6350	0		166.73	-0.12	166.73	-284.68	0.45	0.00	0.45	0.78
7	CRZ	305	305	0.76	6804	0						0.60	-0.05	0.60	-1.38
8	CRZ	165	165	/	6350	0						0.62	-0.04	0.62	0.91

C27J accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	170	170	/	20000	0		148.7	1.57	148.69	-240.94	0.89	0.12	0.89	1.37
2	CMB	170	170	/	27000	0		93.13	-7.07	92.86	-150.3	0.73	-0.02	0.73	-1.43
3	CMB	170	170	/	32000	0		72.02	2.8	71.97	95.65	0.58	0.03	0.58	-0.9
4	CMB	170	170	/	27000	10		88.77	0.21	88.77	-132.58	0.79	-0.06	0.79	-1.25
5	CMB	170	170	/	27000	20		89.74	3.62	89.66	-142.66	0.76	0.02	0.76	-1.04
6	DES	220	220	0.55	20412	0		225.45	-25.6	223.99	654.41	0.47	0.03	0.47	1.35
7	DES	220	220	0.55	27216	0		165.6	64.09	152.7	586.22	0.34	-0.06	0.34	0.74
8	DES	250	250	0.55	20412	0		322.09	-20.91	321.41	-668.96	0.73	0.1	0.72	1.66
9	DES	250	250	0.55	27216	0		158.87	5.74	158.76	352.51	0.51	-0.03	0.51	1.28
10	CRZ	180	180	/	27216	0						1.37	0.22	1.35	2.73
11	CRZ	220	220	/	27216	0						0.78	-0.15	0.77	1.14

C310 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	95	88	0.19	2132	0		76.8	10.93	76.02	162.57	0.32	0.03	0.32	0.43
2	CMB	99	92	0.2	2313	0		66.83	5.46	66.61	132.19	0.34	-0.02	0.34	-0.47
3	CMB	103	95	0.2	2495	0		58	-0.32	58	144.34	0.36	-0.07	0.35	-0.51
4	CMB	99	92	0.2	2313	10		69.99	-12.62	68.85	116.35	0.31	0.05	0.31	0.43
5	CMB	99	92	0.2	2313	20		96.95	-14.58	95.84	-175.93	0.33	0.02	0.33	0.43
6	DES	170	170	/	2132	0		121.66	10.42	121.21	207.42	0.06	0	0.06	0.09
7	CRZ	159	159	/	2495	0						0.04	0	0.04	-0.04

C340 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	98	94	/	2268	0		68.53	-2.64	68.48	-123.99	0.04	0.03	0.02	0.08
2	CMB	103	99	/	2495	0		45.06	-9.37	44.07	-86.89	0.07	0.01	0.07	-0.18
3	CMB	108	104	/	2717	0		52.86	14.56	50.81	104.98	0.1	-0.02	0.1	-0.23
4	CMB	103	99	/	2495	10		41.75	-4.74	41.48	-86.56	0.09	-0.01	0.09	-0.23
5	CMB	103	99	/	2495	20		33.34	3.47	33.16	76.8	0.09	-0.01	0.09	-0.23
6	DES	180	180	/	2359	0		41.92	0.24	41.92	-135.95	0.05	0	0.05	-0.1
7	CRZ	153	153	/	2717	0						0.07	0	0.07	-0.09

C402 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	90	88	0.2	1950	0		108.04	25.59	104.96	-211.32	0.22	0.11	0.19	0.34
2	CMB	100	98	0.23	2404	0		85.51	-10.93	84.81	-158.04	0.24	0.01	0.24	-0.37
3	CMB	109	108	0.25	2858	0		78.88	-33.8	71.28	-172.33	0.35	-0.11	0.33	-0.68
4	CMB	100	98	0.23	2404	10		66.64	8.64	66.08	142.69	0.24	0.01	0.24	-0.34
5	CMB	100	98	0.23	2404	20		66.61	-1.89	66.59	126.53	0.25	-0.02	0.25	-0.38
6	DES	170	170	/	2404	0		125.96	10.04	125.56	238.46	0.08	0	0.08	0.14
7	CRZ	142	142	/	2858	0						0.08	0	0.08	0.1

C414 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	108	107	/	2586	0		65.84	-8.77	65.25	-106.28	0.13	0.06	0.12	0.28
2	CMB	108	107	/	2812	0		55.37	5.23	55.12	89.03	0.19	0	0.19	-0.48
3	CMB	108	107	/	3062	0		64.84	-0.89	64.84	-119.17	0.19	-0.02	0.19	-0.38
4	CMB	108	107	/	2812	10		45.28	5.45	44.95	74.03	0.2	-0.01	0.2	-0.42
5	CMB	108	107	/	2812	20		42.99	-1.75	42.96	-69.11	0.2	-0.03	0.2	-0.4
6	DES	180	180	/	2722	0		42.38	0.73	42.38	113.68	0.03	0	0.03	0.08
7	CRZ	147	147	/	3062	0						0.07	0	0.07	-0.09

C421 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	99	95	/	2812	0		125.71	1.33	125.7	269.94	0.25	0.04	0.24	0.56
2	CMB	106	99	/	3084	0		59.35	-12.79	57.96	-97.11	0.24	0	0.24	0.57
3	CMB	111	105	/	3379	0		70.26	5.3	70.06	127.47	0.25	-0.04	0.24	0.5
4	CMB	106	99	/	3084	10		62.67	24.06	57.86	109.21	0.21	0	0.21	0.53
5	CMB	106	99	/	3084	20		123.18	-19.36	121.65	-191.99	0.18	0.01	0.18	0.42
6	DES	180	180	/	2858	0		56.49	4.63	56.29	127.41	0.07	0	0.07	-0.11
7	CRZ	162	162	/	3379	0						0.08	0	0.08	-0.11

C510 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	170	170	0.44	3930	0		127.37036	87.36981	92.68076	-220.38613	1.14930	-0.68606	0.92207	-2.98733
2	CMB	170	170	0.44	3410	0		96.22091	18.08951	94.50520	-298.25639	1.81527	-0.06198	1.81421	3.95590
3	CMB	170	170	0.44	2950	0		119.64197	-59.43349	103.83574	-392.88747	1.90547	0.00925	1.90545	3.62792
4	CMB	170	170	0.44	3930	10		111.47253	79.48015	78.16029	222.07105	0.75722	-0.17595	0.73649	1.36112
5	CMB	170	170	0.44	3410	10		80.83242	10.64060	80.12901	158.42370	0.99542	-0.29908	0.94943	-2.40495
6	CMB	170	170	0.44	2950	10		114.83475	-68.56700	92.11724	-228.22699	1.87016	0.29806	1.84626	4.76962
7	CMB	170	170	0.44	3930	20		133.35968	67.07157	115.26582	343.70576	0.83729	0.39414	0.73872	2.46768
8	CMB	170	170	0.44	3410	20		136.76081	-0.13099	136.76074	339.20459	0.68262	0.27737	0.62373	1.46707
9	CMB	170	170	0.44	2950	20		179.20621	-74.59318	162.94393	335.35205	0.92022	0.30201	0.86925	1.69440
10	DES	240	240	0.6	3640	0		225.64842	-165.16193	153.74897	-433.73469	0.59243	-0.08878	0.58574	-1.19382
11	DES	240	240	0.6	3180	0		186.81401	-54.90073	178.56479	352.39802	0.50448	-0.18440	0.46957	-0.91043
12	DES	240	240	0.6	2730	0		255.35732	113.49490	228.74936	586.30731	0.43973	0.00538	0.43969	0.75414
13	CRZ	200	200	0.56	3410	0						0.86921	0.30480	0.81402	2.53113

C525 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	220	220	0.54	4784	0		130.97	-70.58	110.32	-190.13	0.56	-0.39	0.40	-0.96
2	CMB	220	220	0.54	4472	0		144.69	3.25	144.65	302.54	0.66	0.01	0.66	1.05
3	CMB	220	220	0.54	4026	0		215.45	-53.30	208.75	-636.87	0.76	-0.21	0.73	-2.16
4	CMB	220	220	0.54	3580	0		317.22	32.25	315.58	624.63	1.23	0.14	1.23	2.19
5	CMB	220	220	0.54	3132	0		403.22	81.79	394.83	688.47	0.65	0.15	0.64	1.27
6	DES	253	253	0.68	4082	0		385.11	-31.24	383.84	737.52	0.32	0.00	0.32	0.69
7	CRZ	260	260	0.66	4309	0						0.37	-0.06	0.36	-0.81
8	CRZ	150	150	/	4082	0						0.36	0.07	0.35	0.57

C550 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	220	210	0.63	6025	0		69.48	1.65	69.46	-130.7	0.4	-0.23	0.33	-0.95
2	CMB	220	210	0.63	6025	10		37	-0.9	36.99	-66.81	0.46	0.25	0.39	0.94
3	DES	262	262	0.7	6000	0		129.7	-9.51	129.35	-321.74	0	0	0	0

C551 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	220	210	0.63	6025	0		69.48	1.65	69.46	-130.7	0.4	-0.23	0.33	-0.95
2	CMB	220	210	0.63	6025	10		37	-0.9	36.99	-66.81	0.46	0.25	0.39	0.94
3	DES	262	262	0.7	6000	0		129.7	-9.51	129.35	-321.74	0	0	0	0

C55B accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	165	165	0.53	6630	0		101.65	4.74	101.54	204.85	0.54	-0.2	0.5	-1.54
2	CMB	165	165	0.53	6272	0		156.44	27.62	153.99	374.11	0.58	-0.03	0.58	1.25
3	CMB	165	165	0.53	5826	0		179.59	44.61	173.96	452.31	0.62	0.13	0.6	1.54
4	CMB	165	165	0.53	5379	0		131.29	-29.99	127.82	206.79	0.6	-0.16	0.57	-1.45
5	CMB	165	165	0.53	4932	0		299.55	45.32	296.11	669.28	0.96	0.18	0.95	2.21
6	CMB	190	190	0.64	6626	0		112.44	30.95	108.1	275	0.52	0.19	0.48	1.44
7	CMB	190	190	0.64	6269	0		144.53	-41.56	138.42	-399.94	0.59	-0.18	0.56	-1.78
8	CMB	190	190	0.64	5823	0		122.1	11.21	121.59	-281.99	0.5	0.19	0.46	-0.99
9	CMB	190	190	0.64	5375	0		128.02	34.52	123.27	330.02	0.58	0.28	0.51	1.51
10	CMB	190	190	0.64	4929	0		175.09	-82.26	154.56	-468.95	0.54	-0.11	0.53	-1.56
11	DES	250	250	0.7	6123	0		334.99	-28.92	333.74	-825.94	0.39	0	0.39	0.79
12	CRZ	275	275	0.68	5897	0						0.38	-0.17	0.34	-0.65
13	CRZ	160	160	/	5216	0						1	0.71	0.7	1.74

C560 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.55	5417	0		165.33	-4.46	165.27	-431.67	0.36	0.00	0.36	1.06
2	CMB	250	250	0.55	6319	0		142.60	-10.00	142.24	-361.22	0.62	-0.07	0.61	1.48
3	CMB	250	250	0.55	7176	0		127.29	-15.70	126.32	-309.33	0.55	-0.35	0.43	-0.96
4	CMB	250	250	0.55	5413	10		187.88	21.06	186.70	-469.79	0.37	0.07	0.36	-0.85
5	CMB	250	250	0.55	6314	10		157.77	11.58	157.35	-394.18	0.37	0.12	0.35	1.02
6	CMB	250	250	0.55	7169	10		137.92	9.05	137.62	-338.06	0.28	0.10	0.26	0.78
7	DES	250	250	0.62	4990	0		335.31	-1.40	335.31	880.08	0.00	0.00	0.00	0.00
8	CRZ	292	292	0.72	6124	0						0.60	0.01	0.60	-1.07

C56X accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.65	6328	0		182.25	21.95	180.93	-620.13	0.72	0.08	0.71	-1.73
2	CMB	250	250	0.65	7234	0		155.48	10.85	155.1	-532.78	0.61	-0.18	0.58	-1.95
3	CMB	250	250	0.65	8131	0		136.02	-4.48	135.95	-468.33	0.61	-0.3	0.53	-1.26
4	CMB	250	250	0.65	9126	0		122.41	-16.01	121.36	-408.63	0.66	-0.34	0.57	-1.12
5	CMB	250	250	0.65	6326	10		209.7	24.43	208.28	-564.4	0.71	0.26	0.67	-1.75
6	CMB	250	250	0.65	7232	10		177.51	13.05	177.03	-483.4	0.6	0.12	0.58	1.36
7	CMB	250	250	0.65	9124	10		128.51	-3.88	128.46	-367.78	0.62	0.17	0.6	1.28
8	CMB	250	250	0.65	8122	20		167.8	3.59	167.77	-428.18	0.81	0.66	0.47	1.48
9	DES	250	295	0.72	6800	0		534.96	-81.95	528.64	1224.17	2.26	0	2.26	-3.89
10	CRZ	280	280	0.7	8160	0						0.35	-0.01	0.35	0.95

C650 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.65	10066	0		172.93	89.36	148.05	433.63	0.93	0.04	0.93	1.81
2	CMB	250	250	0.65	9864	0		141.82	73.34	121.39	387.75	0.84	-0.1	0.83	1.29
3	CMB	250	250	0.65	8969	0		123.08	32.6	118.69	314.41	0.56	-0.27	0.5	-1.45
4	CMB	250	250	0.65	8074	0		206.54	41.84	202.26	491.23	0.91	-0.04	0.91	1.56
5	CMB	250	250	0.65	7179	0		168.19	-31.89	165.14	-386.56	0.94	-0.47	0.81	-2.79
6	CMB	300	300	0.68	10052	0		107.27	-28.86	103.32	-288.58	0.62	-0.25	0.57	-1.45
7	CMB	300	300	0.68	9851	0		149.95	-5.95	149.83	-369.89	1.21	-0.1	1.2	-2.37
8	CMB	300	300	0.68	8958	0		79.84	-19.83	77.34	150.05	1.2	0.11	1.2	2.43
9	CMB	300	300	0.68	8064	0		96.02	-55.03	78.69	-159.71	0.85	-0.12	0.85	1.9
10	CMB	300	300	0.68	7170	0		104.43	-19.13	102.66	174.5	1.33	0.28	1.3	3.41
11	DES	250	290	0.81	9072	0		672.88	-79.86	668.13	-1090.09	0.74	0	0.74	1.76
12	CRZ	/	/	0.8	9072	0						0.09	-0.09	0.01	-0.1
13	CRZ	/	/	0.77	9072	0						0.39	-0.38	0.07	-0.44
14	CRZ	200	200	/	8165	0						1.03	0.55	0.87	1.92

C680 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.64	13035	0		228.51	-50.92	222.76	-663.00	2.11	-0.35	2.08	-5.64
2	CMB	250	250	0.64	13618	0		159.90	81.06	137.83	301.98	1.28	0.73	1.05	2.98
3	CMB	250	250	0.64	12586	0		126.61	-33.33	122.15	-330.14	1.00	-0.31	0.95	-2.58
4	CMB	250	250	0.64	12137	0		183.87	-21.38	182.62	-518.47	1.60	-0.03	1.60	-4.12
5	CMB	250	250	0.64	10789	0		435.41	134.53	414.11	1183.12	2.83	1.03	2.63	8.20
6	CMB	250	250	0.64	8993	0		206.10	-78.19	190.69	-551.53	1.24	-0.42	1.16	-3.44
7	DES	295	295	0.77	10886	0		277.35	-18.08	276.76	-566.25	1.11	0.00	1.11	2.06
8	CRZ	305	305	0.78	12247	0						0.65	-0.13	0.64	-1.57
9	CRZ	176	176	/	11794	0						1.25	0.50	1.15	2.30

C750 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	300	300	0.8	16071	0		207.03	6.1	206.94	423.3	1.63	-0.6	1.51	-4.81
2	CMB	300	300	0.8	14410	0		221.55	-24.71	220.17	424.5	1.2	-0.05	1.2	-3
3	CMB	300	300	0.8	11713	0		272.73	-62.98	265.36	-496.26	0.75	-0.21	0.72	-2.47
4	CMB	270	270	0.78	16140	0		190.41	77.2	174.06	597.92	0.49	-0.03	0.49	0.95
5	CMB	270	270	0.78	14469	0		201.36	48.5	195.43	646.17	0.67	-0.44	0.5	-2
6	CMB	270	270	0.78	11758	0		250.93	16.17	250.41	759.42	2.37	0.96	2.17	6.05
7	CMB	300	300	0.8	14387	10		216.68	-77.73	202.25	-390.31	1.13	-0.23	1.1	-3.11
8	CMB	270	270	0.78	14461	10		200.55	19.02	199.65	513.68	0.86	-0.24	0.83	-2.49
9	CMB	270	270	0.78	14450	20		198.53	29.02	196.39	458.13	1.13	0.52	1.01	2.72
10	DES	339	339	0.89	10886	0		643.98	-87.23	638.05	1783.06	0.88	0	0.88	2.33
11	CRZ	/	/	0.91	13608	0						2.92	2.89	0.39	3.24
12	CRZ	/	/	0.86	13608	0						0.2	-0.2	0.02	-0.22
13	CRZ	/	/	0.84	13608	0						0.46	-0.44	0.12	-0.59
14	CRZ	180	180	/	13608	0						1.72	-1.45	0.92	-2.63

C82S accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	83	81	0.18	1406	0		7.42	-4.17	6.14	10.89	0.02	0	0.02	0.05
2	CMB	83	81	0.18	1406	10		6.21	1.42	6.05	12.8	0.02	0	0.02	0.05
3	CMB	83	81	0.18	1406	20		9.82	2.57	9.48	20.74	0.02	0	0.02	0.05
4	DES	127	127	/	1338	0		7.31	0.26	7.31	11.88	0	0	0	0
5	DES	123	123	0.25	1406	0						0	0	0	0
6	CRZ	83	81	0.18	1406	0		7.42	-4.17	6.14	10.89	0.02	0	0.02	0.05

CL30 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.75	11000	0		296.14	-52.82	291.39	-647.97	1.45	-0.27	1.42	-3.84
2	CMB	250	250	0.75	13000	0		177.14	-7.09	176.99	312.95	0.95	-0.32	0.9	-1.82
3	CMB	250	250	0.75	15000	0		138.73	20.34	137.23	317.61	0.84	-0.3	0.79	-1.58
4	CMB	250	250	0.75	17000	0		188.9	32.34	186.11	473.16	1.27	-0.36	1.22	-2.54
5	CMB	250	250	0.75	11000	10		126.03	-28.01	122.88	212.15	0.81	0.22	0.78	-1.33
6	CMB	250	250	0.75	13000	10		160.1	5.42	160.01	-398.88	0.79	0.15	0.78	-1.95
7	CMB	250	250	0.75	15000	10		102.36	35.23	96.1	282.42	0.6	0.19	0.57	1.12
8	CMB	250	250	0.75	17000	10		120.35	38.48	114.03	-221.31	0.95	0.06	0.95	-2.23
9	CMB	250	250	0.75	15000	20		87.39	1.16	87.38	180.28	0.89	0.64	0.62	1.78
10	CMB	250	250	0.75	17000	20		93.41	25.61	89.84	185.08	0.87	0.63	0.6	1.61
11	DES	250	310	0.82	15000	0		363.51	-44.95	360.72	715.86	1.1	0	1.1	2.44
12	CRZ	/	/	0.8	15000	0						0.2	-0.02	0.2	0.36

CL60 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	300	300	0.72	21800	0		237.86023	-18.02722	237.17612	534.87034	0.70734	0.04907	0.70563	1.32015
2	CMB	250	250	0.72	12700	0		269.18705	216.24824	160.3071	419.93719	0.81404	0.30256	0.75572	2.04864
3	CMB	300	300	0.72	12700	0		416.83821	-185.09934	373.48672	719.63998	0.82944	0.266	0.78563	-1.86544
4	CMB	250	250	0.72	20910	5		192.85569	123.68932	147.96712	386.77477	0.8818	0.11107	0.87478	2.00693
5	CMB	250	250	0.72	12700	10		243.02355	156.99132	185.51058	453.58218	0.51991	-0.08394	0.51309	1.04967
6	CMB	250	250	0.72	20000	10		182.92437	124.0554	134.43059	267.36201	0.87358	0.04213	0.87256	-1.25387
7	CMB	250	250	0.72	22700	10		147.04098	101.64939	106.24712	271.96194	0.60315	0.07343	0.59867	1.23106
8	CMB	300	300	0.72	16400	10		285.86615	-172.04552	228.2976	-487.20804	1.07732	-0.05866	1.07572	-2.84261
9	CMB	300	300	0.72	20000	10		238.0416	-121.87498	204.47565	414.77688	0.86497	-0.112	0.85769	-2.21647
10	DES	250	300	0.78	15500	0		317.85916	-3.5662	317.83915	-521.75862	0.65766	0	0.65766	1.15227

CRJ1 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	290	0.74	17000	0		123.41018	66.23762	104.12804	222.19225	1.13996	0.32712	1.09202	-2.21308
2	CMB	250	290	0.74	21000	0		78.08301	-2.73300	78.03517	146.08955	1.04015	0.16228	1.02741	-2.12948
3	CMB	250	290	0.74	24000	0		96.25663	-56.97733	77.58172	-177.29688	0.88391	-0.08099	0.88019	-1.54614
4	CMB	250	320	0.77	17000	0		125.32404	30.07529	121.66179	222.19225	1.34011	0.25249	1.31611	-2.67652
5	CMB	250	320	0.77	21000	0		88.23431	-28.25846	83.58680	146.08955	1.25655	0.08836	1.25344	-2.48868
6	CMB	250	320	0.77	24000	0		109.93495	-77.93024	77.54077	-155.53245	1.25150	-0.18280	1.23808	-2.32930
7	CMB	250	290	0.74	17000	10		128.33122	64.21951	111.10696	206.04976	1.27200	0.34642	1.22392	2.21777
8	CMB	250	290	0.74	21000	10		76.98986	-20.62293	74.17636	-173.96732	1.21395	0.35624	1.16051	2.78237
9	CMB	250	290	0.74	24000	10		105.95916	-77.04524	72.74184	-190.15000	0.99089	0.01372	0.99080	2.02277
10	CMB	250	290	0.74	21000	20		86.23867	-1.15193	86.23098	155.24567	1.15496	0.45826	1.06015	2.57477
11	DES	250	290	0.74	20000	0		221.88379	99.92582	198.10918	522.83577	1.87824	0.64761	1.76306	4.33581
12	DES	250	290	0.74	21000	0		161.81567	9.90915	161.51198	-317.94440	1.11334	-0.01475	1.11325	2.99653
13	DES	250	290	0.74	22000	0		196.74657	-77.49174	180.84315	-475.31118	0.54348	-0.24581	0.48471	-0.95585
14	CRZ	290	290	0.74	21000	0						0.64450	-0.56248	0.31464	-0.95585

CRJ2 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.7	17273	0		191.98894	137.21879	134.27865	421.08092	0.94389	0.35679	0.87386	2.34357
2	CMB	250	250	0.7	20910	0		135.34035	66.40474	117.92973	360.68691	1.06529	0.00640	1.06527	2.21412
3	CMB	250	250	0.7	24545	0		116.54502	22.45525	114.36129	302.97482	1.20945	-0.05405	1.20824	-2.80643
4	CMB	250	290	0.74	17273	0		156.66493	46.21223	149.69412	385.65457	1.11947	-0.00338	1.11947	2.34357
5	CMB	250	290	0.74	20910	0		79.50472	6.98048	79.19769	160.30195	1.12084	-0.18390	1.10565	2.77816
6	CMB	250	290	0.74	24545	0		75.83406	-31.53527	68.96616	-132.10466	1.40153	-0.37786	1.34963	-2.80643
7	CMB	250	320	0.77	17273	0		230.39452	-66.31477	220.64448	-530.29328	1.28269	-0.06961	1.28080	-2.48486
8	CMB	250	320	0.77	20910	0		158.28775	-91.19776	129.37534	-384.82620	1.20386	-0.34297	1.15397	2.47993
9	CMB	250	320	0.77	24545	0		144.58702	-109.89410	93.96111	-287.65018	1.41686	-0.51672	1.31928	2.70104
10	CMB	250	290	0.74	19090	10		129.63944	35.10468	124.79601	247.59442	1.26894	0.67569	1.07408	2.77641
11	CMB	250	290	0.74	21818	10		87.41177	-11.16819	86.69538	-160.17257	1.03864	0.52426	0.89663	2.58476
12	CMB	250	290	0.74	24545	10		69.03153	-22.30926	65.32724	-130.80537	1.24241	0.30070	1.20547	2.63900
13	CMB	250	290	0.74	20910	20		94.33595	9.26382	93.87999	-147.20681	1.51213	1.07149	1.06699	3.00416
14	DES	250	250	0.7	20909	0		239.70311	-77.51220	226.82469	-408.99251	0.37857	-0.15251	0.34649	0.76414
15	DES	250	290	0.74	20910	0		272.26510	-75.19566	261.67517	-548.10807	1.11907	-0.37195	1.05545	3.16919
16	DES	250	320	0.77	20909	0		420.76413	174.53969	382.85552	826.19117	2.74556	0.98435	2.56304	5.60422
17	CRZ	335	335	0.77	21000	0						0.88135	-0.86522	0.16784	-1.17235

CRJ9 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.7	27270	0		183.04421	113.35132	143.72426	440.03632	1.99727	0.57426	1.91293	5.98128
2	CMB	250	250	0.7	39090	0		107.51987	63.25868	86.94172	207.97246	1.25052	0.17595	1.23808	-2.59806
3	CMB	250	290	0.74	27270	0		177.73248	3.41679	177.69964	440.03632	1.97347	0.10525	1.97066	5.98128
4	CMB	250	290	0.74	39090	0		91.53333	19.49149	89.43396	-151.91648	1.39921	-0.27607	1.37171	-2.59806
5	CMB	250	320	0.77	27270	0		284.86914	-88.17965	270.87779	-746.17738	2.14356	-0.19566	2.13462	5.98128
6	CMB	250	320	0.77	39090	0		164.99293	-38.45262	160.44956	-376.81272	1.91384	-0.60999	1.81403	-3.80270
7	CMB	250	250	0.7	33640	0		170.04268	51.61660	162.01926	-302.75469	1.58843	0.08654	1.58607	-3.70418
8	CMB	250	290	0.74	33640	0		134.53246	-16.95128	133.46025	-245.59450	1.60909	-0.33132	1.57461	-3.70685
9	CMB	250	320	0.77	33640	0		205.72400	-79.12200	189.90016	-485.89105	2.00550	-0.61694	1.90825	-3.70685
10	CMB	250	290	0.74	36360	10		108.53600	-17.78674	107.06865	-184.76003	1.67371	0.01632	1.67363	-3.36732
11	CMB	250	290	0.74	39090	10		107.38166	28.96495	103.40141	-174.79169	1.46108	0.72509	1.26847	3.90468
12	CMB	250	290	0.74	33640	10		145.60722	-7.38586	145.41977	299.22368	1.83442	0.65316	1.71420	5.72318
13	CMB	250	290	0.74	33640	20		129.74063	8.88472	129.43605	-260.27702	1.57737	1.07168	1.15741	2.53214
14	DES	250	250	0.7	33640	0		275.71856	-144.36360	234.90397	-753.19243	1.21121	-0.75366	0.94817	1.73926
15	DES	250	290	0.74	33640	0		187.25385	-49.14051	180.69093	377.10313	2.83999	0.32589	2.82123	8.03902
16	DES	250	320	0.77	33640	0		274.76802	156.42604	225.89457	531.80156	2.99103	0.42776	2.96029	7.91006

D228 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	165	165	0.32	5600	0		431.53698	25.63273	430.77504	716.4627	1.771	0.00863	1.77098	3.00863
2	CMB	165	165	0.32	5000	0		445.31527	-22.93264	444.72439	-791.18438	1.51745	-0.29907	1.48768	-2.52172
3	CMB	165	165	0.32	6400	0		351.44672	25.18199	350.54339	810.28531	1.77555	-0.11958	1.77152	3.74345
4	CMB	165	165	0.32	5600	10		145.90811	-46.33206	138.35649	-237.0976	0.87283	-0.21097	0.84694	-1.84319
5	CMB	165	165	0.32	5000	10		364.92138	8.32685	364.82637	787.96844	1.55349	0.18646	1.54226	3.45129
6	CMB	165	165	0.32	6400	10		142.6755	5.87249	142.55459	281.3151	1.28353	0.05826	1.28221	3.34324
7	CMB	165	165	0.32	5600	20		150.14774	18.842	148.96081	280.47089	1.03164	0.50533	0.8994	2.29591
8	DES	165	165	0.32	5600	0		99.09165	-0.11432	99.09159	-302.70377	0.26446	-0.06209	0.25707	-0.49725
9	CRZ	180	180	0.34	5700	0						0.57348	0.10668	0.56347	1.25641

D328 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	180	180	0.59	12000	0		178.76994	-2.52039	178.75217	316.02920	1.01786	-0.09056	1.01383	1.96117
2	CMB	180	180	0.59	11000	0		214.98302	-1.57389	214.97726	385.35756	1.11543	0.05267	1.11418	2.43411
3	CMB	180	180	0.59	13640	0		199.69911	55.56950	191.81179	422.74964	1.12409	0.08971	1.12050	2.35388
4	CMB	155	155	0.59	12000	0		287.31174	-18.62297	286.70755	-586.46021	1.47579	-0.53593	1.37504	-2.87026
5	CMB	155	155	0.59	11000	0		309.69883	-37.23006	307.45290	-659.94379	1.42258	-0.46343	1.34498	-3.28202
6	CMB	155	155	0.59	13640	0		241.16162	47.51869	236.43372	648.73809	1.67030	-0.25732	1.65036	4.34889
7	CMB	180	180	0.59	12000	10		179.66310	-9.60721	179.40605	-316.59009	1.15018	0.26454	1.11934	3.07958
8	CMB	180	180	0.59	11000	10		233.01396	-39.82263	229.58585	-499.17044	1.45873	0.13974	1.45202	-3.21101
9	CMB	180	180	0.59	13640	10		148.29043	28.23419	145.57775	252.44736	1.07967	0.23207	1.05443	1.99276
10	CMB	180	180	0.59	12000	20		232.01987	-14.82510	231.54576	370.46394	1.10020	0.46169	0.99864	2.37601
11	DES	250	270	0.59	12000	0		152.39392	-28.00765	149.79813	-345.86759	1.02756	-0.02526	1.02725	-2.24748
12	DES	250	270	0.59	11000	0		177.66166	75.72034	160.71744	450.49646	0.98276	0.46972	0.86323	1.84352
13	DES	250	270	0.59	13000	0		180.53732	-110.23334	142.97670	-388.49741	0.93830	-0.44446	0.82636	-1.79248

DA40 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	88	88	/	1280	0		20.04	1.76	19.96	-29.52	0	0	0	0
2	CMB	88	88	/	1150	0		22.98	1.34	22.94	-35.09	0	0	0	0
3	CMB	88	88	/	1000	0		26.9	-2.5	26.78	-44.81	0	0	0	0
4	CMB	88	88	/	1280	10		17.37	-0.33	17.36	-35.74	0	0	0	0
5	CMB	88	88	/	1150	10		19.94	0.99	19.91	-38.44	0	0	0	0
6	CMB	88	88	/	1000	10		23.65	-0.67	23.64	-46.34	0	0	0	0
7	CMB	88	88	/	1280	20		24.19	-2.67	24.04	-58.62	0	0	0	0
8	CMB	88	88	/	1150	20		27.21	0.55	27.21	-61.75	0	0	0	0
9	CMB	88	88	/	1000	20		31.92	1.26	31.9	-72.36	0	0	0	0
10	DES	110	110	/	1150	0		19.95	0.14	19.95	-33.23	0	0	0	0
11	CRZ	110	110	/	1150	0						0	0	0	0

DA42 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	85	85	/	1400	0		65.09	-9.43	64.40	-125.64	0.12	0.00	0.12	-0.22
2	CMB	85	85	/	1600	0		60.59	5.87	60.30	-101.97	0.12	0.00	0.12	-0.22
3	CMB	85	85	/	1785	0		46.34	-12.20	44.71	-94.23	0.12	0.00	0.12	-0.22
4	CMB	77	77	/	1400	0		65.61	4.53	65.45	-127.94	0.12	0.00	0.12	-0.22
5	CMB	77	77	/	1600	0		57.39	7.44	56.91	-114.68	0.12	0.00	0.12	-0.22
6	CMB	77	77	/	1785	0		48.42	-2.56	48.36	-96.28	0.12	0.00	0.12	-0.22
7	CMB	85	85	/	1400	10		60.11	-2.30	60.07	-121.11	0.12	0.00	0.12	-0.22
8	CMB	85	85	/	1600	10		54.19	17.19	51.39	-95.43	0.12	0.00	0.12	-0.22
9	CMB	85	85	/	1785	10		41.10	-14.16	38.58	-86.36	0.12	0.00	0.12	-0.22
10	CMB	85	85	/	1600	20		58.17	6.58	57.80	-118.15	0.12	0.00	0.12	-0.22
11	DES	135	135	/	1400	0		75.29	-17.08	73.33	174.13	0.03	0.00	0.03	0.10
12	DES	135	135	/	1600	0		64.03	2.14	63.99	170.82	0.03	0.00	0.03	0.10
13	DES	135	135	/	1785	0		59.83	16.20	57.60	169.11	0.03	0.00	0.03	0.10
14	CRZ	124	124	/	1600	0						0.14	0.00	0.14	0.22

DA62 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	96	96	/	2300	0		40.33	-6.41	39.81	-73.61	0.07	0.01	0.07	-0.13
2	CMB	96	96	/	2100	0		44.66	-9.29	43.69	-83.62	0.07	0.01	0.07	-0.13
3	CMB	93	93	/	1800	0		52.07	15.93	49.57	100.75	0.07	0.01	0.07	-0.13
4	CMB	96	96	/	2300	10		40.16	-10.59	38.73	-70.64	0.08	0	0.08	-0.19
5	CMB	96	96	/	2100	10		43.87	-12.48	42.06	-82.17	0.08	0	0.08	-0.19
6	CMB	93	93	/	1800	10		51.53	19.37	47.75	99.29	0.08	0	0.08	-0.19
7	CMB	96	96	/	2300	20		42.04	-12.94	40	-87.57	0.1	-0.02	0.1	-0.2
8	CMB	96	96	/	2100	20		43.98	-13.42	41.88	-94.71	0.1	-0.02	0.1	-0.2
9	CMB	93	93	/	1800	20		51.51	19.28	47.76	95.69	0.1	-0.02	0.1	-0.2
10	DES	140	140	/	2300	0		44.72	-0.83	44.71	92.05	0.03	0	0.03	-0.04
11	CRZ	141	141	0.29	2100	0						0	0	0	0

DH8A accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	160	0.4	12000	0		397.02961	48.61891	394.04151	903.63479	3.47347	1.19559	3.26122	7.37596
2	CMB	160	160	0.4	14500	0		233.70191	-40.04502	230.24548	-478.35277	1.42257	-0.48909	1.33585	2.42072
3	CMB	160	160	0.4	15600	0		215.73029	11.44747	215.42636	502.93017	1.80766	0.17479	1.79919	4.08739
4	CMB	125	125	0.32	12000	0		206.28782	28.68827	204.28325	423.96259	0.92059	0.25534	0.88447	-1.71312
5	CMB	125	125	0.32	14500	0		150.35514	-34.12264	146.43194	-331.2516	1.69612	-0.52049	1.61428	-3.56423
6	CMB	125	125	0.32	15600	0		280.8915	-4.53603	280.85487	613.72361	2.48496	-0.50972	2.43212	-4.51646
7	CMB	160	160	0.4	12000	10		309.779	7.76993	309.68154	650.67239	1.90804	0.17968	1.89957	3.82456
8	CMB	160	160	0.4	14500	10		165.1249	-40.0885	160.1848	538.7422	1.84989	-0.3958	1.80705	-5.015
9	CMB	160	160	0.4	15600	10		190.70636	2.48091	190.69022	647.46772	1.9971	0.24479	1.98204	6.06222
10	CMB	125	125	0.32	15650	20		146.0771	7.35336	145.8919	300.39651	1.10654	-0.71152	0.84745	-2.1121
11	DES	135	135	0.4	13325	0		85.82838	44.23921	73.54864	167.39565	0.64524	-0.29087	0.57596	-1.20373
12	DES	180	180	0.43	14500	0		120.23936	-41.42559	112.87791	254.15715	0.52096	0.26235	0.45009	-1.38727
13	CRZ	214	214	0.43	14500	0						0.26863	0.2652	0.04273	0.30504

DH8C accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	165	165	0.33	13000	0		122.89237	-11.40721	122.3618	-310.33255	0.81583	0.06875	0.81293	-2.15638
2	CMB	165	165	0.33	17000	0		137.17585	-4.93758	137.08696	-280.452	0.61048	-0.11207	0.60011	-1.45448
3	CMB	165	165	0.33	19500	0		124.92175	14.71904	124.05157	214.38632	0.97826	0.08243	0.97478	-1.81689
4	CMB	135	135	0.33	13000	0		188.31083	-31.01014	185.73998	-438.92021	1.28692	-0.03486	1.28644	2.93935
5	CMB	135	135	0.33	17000	0		134.67826	2.59589	134.65324	-292.7067	0.99361	-0.16461	0.97988	-1.73118
6	CMB	135	135	0.33	19500	0		218.84451	65.38448	208.84873	532.32983	2.66322	0.54315	2.60724	5.73305
7	CMB	165	165	0.33	17000	10		114.13253	3.14154	114.08929	175.88513	1.113	-0.07399	1.11054	-1.97285
8	CMB	165	165	0.33	19500	10		111.50693	-7.34242	111.26493	-208.06771	1.34078	-0.03343	1.34036	4.18424
9	CMB	165	165	0.33	17000	20		103.67998	-3.28718	103.62786	171.56458	0.82867	-0.10586	0.82188	1.78104
10	DES	135	135	0.33	16300	0		105.43928	-57.49559	88.38382	-181.25163	0.41488	-0.12009	0.39712	-0.66018
11	CRZ	245	245	0.45	17000	0						0.15206	0.05597	0.14138	0.25454

DH8D accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	210	210	0.41	20000	0		414.34	-5.39	414.30	971.40	2.97	0.48	2.93	9.24
2	CMB	210	210	0.41	26000	0		196.12	-27.71	194.16	371.63	2.60	-0.25	2.58	-4.61
3	CMB	210	210	0.41	29257	0		120.33	-2.14	120.31	239.88	1.48	-0.28	1.45	-3.00
4	CMB	185	185	0.4	20000	0		416.30	36.33	414.72	-841.55	2.04	0.38	2.01	4.90
5	CMB	185	185	0.4	26000	0		220.74	-22.03	219.64	341.56	2.06	-0.71	1.93	-3.48
6	CMB	185	185	0.4	29257	0		150.65	27.71	148.08	-317.80	1.37	-0.21	1.35	-3.59
7	CMB	160	160	/	20000	0		469.76	-43.15	467.78	-1020.00	2.60	-0.52	2.55	-5.42
8	CMB	160	160	/	26000	0		220.72	16.06	220.14	392.48	1.58	-0.59	1.47	-3.05
9	CMB	160	160	/	29257	0		166.11	54.25	157.00	366.67	1.51	-0.25	1.49	3.66
10	CMB	210	210	0.41	20000	10		262.30	-23.47	261.25	-511.42	1.24	0.37	1.19	3.13
11	CMB	210	210	0.41	26000	10		174.13	7.48	173.97	374.75	2.05	0.22	2.03	4.12
12	CMB	210	210	0.41	29257	10		186.86	12.70	186.43	483.00	2.23	0.07	2.23	5.85
13	CMB	210	210	0.41	26000	20		189.53	-8.17	189.35	457.09	1.75	0.37	1.71	4.67
14	DES	235	275	0.57	23350	0		299.48	-0.41	299.48	882.57	1.01	0.00	1.01	-2.12
15	CRZ	283	283	0.57	26000	0						0.26	-0.01	0.26	-0.48

DIMO accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	59	59	/	770	0		21.81	-1.45	21.76	50.66	0.05	0	0.05	0.08
2	CMB	59	59	/	770	10		19.3	-2.74	19.1	36.33	0.05	0	0.05	0.08
3	CMB	59	59	/	770	20		19.72	4.03	19.31	49.02	0.05	0	0.05	0.08
4	DES	60	60	/	770	0		12.02	9.79	6.96	20.42	0	0	0	0
5	DES	70	70	/	770	0		22.83	21.15	8.58	34.25	0	0	0	0
6	DES	80	80	/	770	0		14.47	9.44	10.96	26.16	0	0	0	0
7	DES	90	90	/	770	0		19.53	-13.47	14.14	-34.33	0	0	0	0
8	DES	100	100	/	770	0		41.41	-37.23	18.13	-63.99	0	0	0	0
9	DES	84	84	/	770	0						0	0	0	0
10	CRZ	59	59	/	770	0		21.81	-1.45	21.76	50.66	0.05	0	0.05	0.08

E120 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	150	150	0.37	11500	0		97.85	22.93	95.13	-323.18	0.27	-0.09	0.26	1.16
2	CMB	150	150	0.37	10000	0		127.76	-18.75	126.38	-511.03	0.33	-0.28	0.18	-0.96
3	CMB	150	150	0.37	8500	0		158.1	4.92	158.02	-363.93	0.24	-0.05	0.23	1.04
4	CMB	150	150	0.37	11500	10		61.96	22.18	57.86	200.95	0.36	0.09	0.35	1.61
5	CMB	150	150	0.37	10000	10		74.87	9.31	74.28	221.35	0.29	0.08	0.28	1.34
6	CMB	150	150	0.37	8500	10		144.72	-23.14	142.85	-567.81	0.3	0.01	0.3	-1.3
7	CMB	150	150	0.37	10000	20		59.5	0.35	59.5	177.04	0.39	0.3	0.24	1.44
8	DES	250	250	0.52	10000	0		197.99	-49.1	191.81	341.9	0.68	0	0.68	1.19
9	CRZ	233	233	0.5	10000	0						0.48	0.33	0.36	0.89
10	CRZ	172	172	0.46	10000	0						0.7	-0.69	0.1	-0.85

E135 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	240	270	0.56	14000	0		105.41	8.95	105.03	221.69	0.76	-0.52	0.55	-1.67
2	CMB	240	270	0.56	17000	0		81.32	-3.36	81.25	153.35	0.76	-0.51	0.55	-1.69
3	CMB	240	270	0.56	20000	0		77.27	-0.23	77.27	-150.03	0.72	-0.49	0.53	-1.69
4	CMB	240	270	0.56	14000	15		99.56	4.1	99.48	268.74	0.5	0.09	0.49	1.05
5	CMB	240	270	0.56	17000	15		73.74	-8.34	73.27	187.52	0.5	0.1	0.49	0.93
6	CMB	240	270	0.56	20000	15		65.52	-8.26	64.99	131.72	0.45	0.2	0.41	0.88
7	CMB	240	270	0.56	14000	25		59.74	13.78	58.13	210.49	0.53	0.44	0.3	1.13
8	CMB	240	270	0.56	17000	25		66.92	-4.9	66.74	137.7	0.54	0.46	0.29	1.14
9	CMB	240	270	0.56	20000	25		55.22	-12.38	53.82	-120.05	0.77	0.72	0.27	1.11
10	DES	240	250	/	14000	0		86.83	21.2	84.21	207.08	0.27	-0.01	0.27	0.62
11	DES	240	250	/	17000	0		84.28	-3.48	84.21	199.3	0.27	0	0.27	0.62
12	DES	240	250	/	20000	0		86.6	-8.01	86.23	182.12	0.27	0.01	0.27	0.63
13	CRZ	/	/	0.6	17000	0						0.39	-0.06	0.38	-0.77

E145 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	240	270	0.56	15000	0		105.7428	6.50884	105.5423	250.5941	0.8629	-0.47167	0.72258	-1.95557
2	CMB	240	270	0.56	18500	0		75.60688	-6.50941	75.32615	152.5981	0.81113	-0.45386	0.67226	-1.84088
3	CMB	240	270	0.56	22000	0		67.20972	-4.23585	67.07611	-141.56	0.71588	-0.43556	0.56813	-1.71429
4	CMB	240	270	0.56	15000	15		77.52489	6.76022	77.22958	139.8099	0.71505	0.06523	0.71207	1.81157
5	CMB	240	270	0.56	18500	15		60.23003	-7.18773	59.79961	-158.411	0.59949	0.08941	0.59278	1.55817
6	CMB	240	270	0.56	22000	15		64.71452	-4.16918	64.58009	-153.163	0.5074	0.11296	0.49466	0.97254
7	CMB	240	270	0.56	15000	25		79.03247	43.83206	65.76383	232.9885	0.71595	0.41642	0.5824	1.89196
8	CMB	240	270	0.56	18000	25		78.68875	-59.5395	51.44869	-200.652	0.63912	0.44628	0.4575	1.55384
9	CMB	240	270	0.56	22000	25		64.10138	10.68569	63.20445	-132.333	0.70609	0.47976	0.51806	2.15724
10	DES	240	250	0.78	15000	0		89.7168	24.1582	86.40304	244.0744	0.2728	-0.01783	0.27221	-0.57377
11	DES	240	250	0.78	18500	0		89.34843	-4.68801	89.22536	233.1305	0.23206	-0.01004	0.23184	0.47013
12	DES	240	250	0.78	22000	0		93.30119	-5.85521	93.11728	221.8221	0.2237	0.00547	0.22363	0.46947
13	CRZ	240	320	0.6	18500	0						0.22969	-0.0134	0.2293	0.50351

E170 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	/	21129	0		143.82	101.08	102.31	273.84	1.15	0.11	1.15	2.83
2	CMB	250	250	/	28550	0		146.55	126.06	74.74	253.71	0.97	0.14	0.96	2.15
3	CMB	250	250	/	35970	0		131.79	106.42	77.74	217.32	0.71	-0.02	0.71	1.33
4	CMB	280	280	0.6	21128	0		112.38	-96.2	58.09	-244.49	1.18	-0.91	0.76	-4.32
5	CMB	280	280	0.6	28549	0		86.94	-48.24	72.33	-260.6	1.06	-0.91	0.54	-3.17
6	CMB	280	280	0.6	35969	0		89.88	-28.62	85.2	-294.3	0.96	-0.88	0.38	-1.91
7	CMB	310	310	0.75	20992	0		166.53	4.03	166.49	-380.17	1.03	-0.11	1.03	-3.51
8	CMB	310	310	0.75	28362	0		89.14	12.65	88.24	-243.61	0.89	-0.09	0.89	-2.28
9	CMB	310	310	0.75	35725	0		34.9	4.85	34.56	-99.33	0.88	-0.23	0.85	-1.9
10	CMB	250	250	/	28549	10		111.85	98.41	53.15	199.62	1.38	1.12	0.8	2.92
11	CMB	250	250	/	28548	20		51.77	25.86	44.84	104	1.34	1.11	0.75	2.48
12	CMB	280	280	0.6	28548	10		103.78	-66.55	79.63	-280.12	0.49	0.05	0.49	1.38
13	CMB	280	280	0.6	28547	20		84.76	-19.43	82.5	-120.95	0.87	0.74	0.47	1.94
14	CMB	310	310	0.75	28350	10		96.53	12.65	95.7	-238.34	1.05	0.8	0.68	1.66
15	CMB	310	310	0.75	28326	20		131.26	25.5	128.76	-232.63	1.38	1.07	0.87	2.07
16	DES	250	250	/	28516	0		49.22	39.25	29.69	105.59	0.49	0.07	0.48	1.06
17	DES	250	250	/	21095	0		44.86	-9.41	43.86	90.86	0.49	0.06	0.49	0.99
18	DES	300	300	0.7	28565	0		121.34	41.54	114.01	673.84	0.56	-0.04	0.56	1.14
19	DES	300	300	0.7	21140	0		121.97	-12.38	121.34	206.74	0.57	0.02	0.57	1.14
20	DES	320	320	0.78	28565	0		130.15	-26	127.52	-482.2	0.56	-0.19	0.53	1.16
21	DES	320	320	0.78	21140	0		94.67	3.23	94.62	-156.54	0.72	0.43	0.58	1.19
22	CRZ	/	/	0.75	28565	0						0.4	-0.08	0.39	1.11
23	CRZ	/	/	0.78	28565	0						0.3	0.17	0.25	0.91

E190 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	/	27686	0		91.16	83.99	35.42	174.48	1.37	-0.52	1.27	-2.55
2	CMB	250	250	/	37731	0		82.02	77.41	27.1	145.24	1.06	-0.5	0.94	1.83
3	CMB	250	250	/	47775	0		58.35	51.68	27.08	109.56	1.15	-0.56	1	2.05
4	CMB	280	280	0.6	27686	0		70.88	-23.79	66.76	-204.57	1.2	-0.81	0.88	-2.93
5	CMB	280	280	0.6	37731	0		78.6	-23.07	75.14	-360.19	1.2	-0.88	0.82	-2.62
6	CMB	280	280	0.6	47774	0		101.71	-39.19	93.86	-434.77	1.13	-0.86	0.74	-2.03
7	CMB	310	310	0.75	27533	0		134.43	-3.87	134.37	-465.7	1.16	-0.18	1.15	-2.43
8	CMB	310	310	0.75	37516	0		90.65	-18.58	88.73	-392.91	1.16	-0.18	1.15	-2.63
9	CMB	310	310	0.75	47489	0		71.04	-32.11	63.37	-283.95	1.28	-0.35	1.23	-2.6
10	CMB	250	250	/	37730	10		74.62	71.23	22.24	129.14	1.32	0.91	0.96	2.89
11	CMB	250	250	/	37728	20		39.71	34.72	19.27	89.39	1.96	1.74	0.9	3.87
12	CMB	280	280	0.6	37730	10		80.99	-26.83	76.42	-365.59	0.95	0.45	0.83	2.81
13	CMB	280	280	0.6	37727	20		83.84	-3.58	83.76	-237.86	1.43	1.27	0.66	2.89
14	CMB	310	310	0.75	37504	10		92.13	-19.37	90.07	-394.1	1.4	0.85	1.11	-2.32
15	CMB	310	310	0.75	37468	20		119.17	-2.53	119.15	-307.38	1.78	1.44	1.04	2.72
16	DES	250	250	/	37659	0		68.28	-34.41	58.97	-116.52	0.41	-0.18	0.37	0.73
17	DES	250	250	/	27610	0		103.63	-63.33	82.02	-161.1	0.41	-0.19	0.37	0.66
18	DES	300	300	0.7	37750	0		106.82	24.91	103.88	535.43	0.64	0.12	0.62	1.55
19	DES	300	300	0.7	27700	0		177.71	38.29	173.54	794.25	0.65	0.13	0.64	1.71
20	DES	320	320	0.78	37750	0		122.25	-6.79	122.06	-419.99	0.41	-0.07	0.4	0.97
21	DES	320	320	0.78	27700	0		102.36	18.46	100.68	-300.16	0.42	-0.02	0.42	0.87
22	CRZ	/	/	0.75	37750	0						0.45	-0.3	0.34	-0.67
23	CRZ	/	/	0.78	37750	0						0.25	0	0.25	0.51
24	CRZ	/	/	0.8	37750	0						0.6	0.39	0.46	1.44

E195 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	/	28786	0		88.49	83.08	30.48	166.97	1.79	-0.35	1.75	5.61
2	CMB	250	250	/	38780	0		82.57	79.23	23.27	142.03	1.15	-0.53	1.02	-2.28
3	CMB	250	250	/	48774	0		59.23	54.14	24.04	108.3	1.19	-0.51	1.07	2.02
4	CMB	280	280	0.6	28785	0		68.45	-24.54	63.9	-195.41	1.28	-0.69	1.08	-2.99
5	CMB	280	280	0.6	38780	0		94.18	-26.05	90.5	-398.93	1.18	-0.72	0.94	-2.83
6	CMB	280	280	0.6	48774	0		109.49	-42.14	101.06	-367.39	1.23	-0.76	0.97	-2.29
7	CMB	310	310	0.75	28624	0		129.69	-7.3	129.49	-460.34	1.53	-0.2	1.51	-4.2
8	CMB	310	310	0.75	38556	0		86.39	-14.91	85.09	-364.2	1.49	-0.19	1.47	-4.02
9	CMB	310	310	0.75	48478	0		47.11	-24.54	40.21	-73.95	1.39	-0.32	1.35	-2.48
10	CMB	250	250	/	38779	10		74.62	72.3	18.45	124.75	1.32	0.85	1.01	2.66
11	CMB	250	250	/	38777	20		38.77	33.39	19.71	93.43	1.93	1.7	0.9	3
12	CMB	280	280	0.6	38779	10		97.33	-31.21	92.19	-408.55	0.86	0.43	0.74	2.05
13	CMB	280	280	0.6	38776	20		81.19	-2.95	81.13	-198.86	1.48	1.28	0.76	3.04
14	CMB	310	310	0.75	38544	10		87.34	-16.3	85.81	-365.39	1.52	0.94	1.19	2.49
15	CMB	310	310	0.75	38505	20		121.4	0.13	121.4	-275.87	1.91	1.48	1.2	3.23
16	DES	250	250	/	38708	0		64.65	-29.21	57.67	-103.28	0.43	-0.19	0.39	0.74
17	DES	250	250	/	28709	0		97.32	-60.94	75.88	-163.12	0.44	-0.18	0.4	0.81
18	DES	300	300	0.7	38800	0		99.82	26.7	96.18	463.7	0.66	0.13	0.65	1.62
19	DES	300	300	0.7	28800	0		163.45	35.59	159.53	725.9	0.66	0.14	0.65	1.6
20	DES	320	320	0.78	38800	0		122.3	-5.3	122.19	-432.25	0.41	-0.09	0.4	0.91
21	DES	320	320	0.78	28800	0		96.27	12.99	95.39	-226.41	0.47	-0.03	0.46	1.08
22	CRZ	/	/	0.75	38800	0						0.72	-0.23	0.68	-1.23
23	CRZ	/	/	0.78	38800	0						0.54	-0.01	0.54	0.81
24	CRZ	/	/	0.8	38800	0						1.06	0.36	1	2.48

E300 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	104	104	/	950	0		42.38	-29.49	30.44	-64.63	0.12	0	0.12	0.2
2	CMB	98	98	/	850	0		40.79	-16.03	37.5	72.16	0.12	0	0.12	0.2
3	CMB	92	92	/	750	0		69.25	47.46	50.43	153.86	0.12	0	0.12	0.2
4	CMB	98	98	/	850	10		37.13	-5.37	36.74	73.8	0.12	0	0.12	0.2
5	CMB	98	98	/	850	20		42.26	-3.73	42.09	94.65	0.12	0.01	0.11	0.2
6	DES	140	140	/	850	0		54.37	13.53	52.66	119.63	0	0	0	0
7	CRZ	150	150	/	950	0						0.02	0	0.02	0.04

E35L accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	240	290	0.65	15491	0		146.9	-17.07	145.91	-315.52	0.68	-0.12	0.67	-1.61
2	CMB	240	290	0.65	18988	0		120.25	-16.94	119.05	-264.25	0.69	-0.13	0.68	-1.42
3	CMB	240	290	0.65	22485	0		96.33	-11.74	95.62	189.76	0.7	-0.12	0.69	-1.62
4	CMB	240	290	0.65	15490	5		152.27	24.05	150.36	334.68	0.66	0.07	0.66	-1.47
5	CMB	240	290	0.65	18988	5		123.19	12.79	122.52	263.66	0.69	0.06	0.69	1.37
6	CMB	240	290	0.65	22485	5		98.11	9.97	97.6	213.11	0.73	0.05	0.73	-1.49
7	CMB	240	290	0.65	15490	15		158.61	6.56	158.48	-349.8	0.61	0.09	0.6	1.42
8	CMB	240	290	0.65	18987	15		130.96	-9.47	130.62	-316.66	0.57	0.05	0.57	1.05
9	CMB	240	290	0.65	22484	15		99.18	-6.76	98.95	-158.76	0.54	0.09	0.54	0.89
10	CMB	240	290	0.65	18986	25		157.45	3.08	157.42	230.14	0.75	0.51	0.55	1.58
11	DES	240	310	0.78	15500	0		263.57	-20.61	262.77	1283.16	0.48	0	0.48	1.09
12	DES	240	310	0.78	19000	0		208.89	-1.81	208.88	1012.71	0.48	0	0.48	0.99
13	DES	240	310	0.78	22500	0		177.33	14.26	176.75	830.67	0.49	0	0.49	1.06
14	CRZ	/	/	0.75	19000	0						0.04	0	0.04	0.13

E45X accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.55	12591	0		113.99	11.06	113.45	208.59	0.55	-0.32	0.45	-1.22
2	CMB	250	250	0.55	18337	0		126.04	53.65	114.06	-322.85	0.55	-0.3	0.46	-0.97
3	CMB	250	250	0.55	24082	0		164.41	-0.7	164.41	-467.42	0.52	-0.27	0.45	-0.97
4	CMB	280	280	0.6	12590	0		191.63	-96.41	165.61	-380.01	0.58	-0.03	0.58	1.15
5	CMB	280	280	0.6	18335	0		117.77	36.34	112.02	-230.79	0.57	-0.03	0.57	1.23
6	CMB	280	280	0.6	24080	0		126.56	37.51	120.87	-325.17	0.49	-0.04	0.49	-0.89
7	CMB	300	300	/	18332	0		114.82	-53.48	101.6	-191.72	0.59	0.13	0.58	1.1
8	CMB	300	300	/	24076	0		91.33	47.56	77.97	177.57	0.6	0.15	0.58	1.18
9	CMB	280	280	0.6	18334	10		89.82	-4.42	89.71	-207.14	0.51	0.2	0.47	1.3
10	CMB	280	280	0.6	18331	20		90.04	-0.47	90.04	-171.81	0.67	0.4	0.54	1.78
11	DES	300	300	/	18321	0		133.31	53.28	122.2	-259.22	0.76	0.69	0.3	1.15
12	DES	240	250	/	18350	0		155	-29.51	152.17	286.76	0.63	-0.44	0.45	-1.13
13	CRZ	/	/	0.75	18350	0						0.34	-0.07	0.34	0.78
14	CRZ	/	/	0.78	18350	0						0.07	-0.04	0.05	-0.12
15	CRZ	/	/	0.8	18350	0						0.16	0.15	0.05	0.23

E500 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	110	110	/	1769	0		192.47	-1.32	192.46	332.19	0.2	0	0.2	-0.46
2	CMB	110	110	/	2130	0		165.32	25.03	163.42	299.27	0.13	0.01	0.13	0.28
3	CMB	110	110	/	1769	-20		221.23	-15.36	220.69	-433.59	0.18	0.04	0.18	0.55
4	CMB	110	110	/	1769	30		131.8	-16.1	130.82	-252.44	0.15	-0.04	0.14	-0.36
5	CMB	110	110	/	2130	-20		195.2	27	193.32	345.27	0.17	0.04	0.16	-0.37
6	CMB	110	110	/	2130	30		102.1	-10.33	101.58	-197.47	0.13	-0.04	0.12	0.38
7	DES	200	185	0.41	1769	0		108.55	-0.56	108.55	228.17	0.15	0	0.15	0.24
8	CRZ	180	180	0.35	1769	0						0.01	0.01	0	0.02
9	CRZ	160	160	0.33	1769	0						0.06	-0.01	0.05	0.1

E50P accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	240	200	0.55	3796	0		120.81	11.50	120.26	-367.77	0.24	-0.10	0.22	-0.89
2	CMB	240	200	0.55	4295	0		106.90	4.88	106.79	-333.37	0.24	-0.10	0.21	-0.85
3	CMB	240	200	0.55	4745	0		98.18	4.76	98.06	-307.87	0.24	-0.10	0.21	-0.86
4	CMB	240	200	0.55	3796	5		111.19	9.16	110.82	-339.43	0.20	-0.06	0.19	-0.79
5	CMB	240	200	0.55	4295	5		98.24	0.87	98.23	-309.51	0.20	-0.06	0.19	-0.73
6	CMB	240	200	0.55	4745	5		86.96	1.79	86.94	-287.29	0.21	-0.06	0.20	-0.73
7	CMB	240	200	0.55	3795	15		86.11	-4.28	86.00	237.07	0.23	0.10	0.21	0.71
8	CMB	240	200	0.55	4294	15		72.87	-7.69	72.46	198.77	0.24	0.11	0.22	0.73
9	CMB	240	200	0.55	4744	15		67.17	-12.09	66.08	173.40	0.23	0.10	0.21	0.62
10	CMB	240	200	0.55	4292	25		132.18	-11.91	131.64	252.05	0.52	0.38	0.35	1.08
11	DES	250	250	0.68	4300	0		222.98	0.35	222.98	672.06	0.03	0.00	0.03	0.08
12	CRZ	/	/	0.6	4300	0						0.05	0.01	0.04	-0.10

E550 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.55	14492	0		233.22	145.68	182.12	-549.81	0.81	0.01	0.81	-3.19
2	CMB	280	280	0.6	11793	0		239.74	43.04	235.85	-961.05	1	-0.21	0.98	-4.18
3	CMB	280	280	0.6	14492	0		188.44	22.73	187.07	-762.89	0.88	-0.22	0.85	-3.73
4	CMB	280	280	0.6	17190	0		157.05	13.63	156.46	-607.32	0.81	-0.22	0.78	-3.19
5	CMB	300	300	0.7	14491	0		288.45	-153.33	244.33	-991.96	0.93	-0.31	0.88	-3.08
6	CMB	280	280	0.6	14491	10		214.86	-6.28	214.77	470.67	1.04	0.28	1	2.93
7	CMB	280	280	0.6	14491	20		233.4	-16.52	232.81	464.44	1.49	0.84	1.24	3.21
8	DES	250	250	/	14400	0		169.27	-109.96	128.69	-413.97	0.97	-0.92	0.33	-1.57
9	DES	300	300	0.7	14500	0		255.61	-170.93	190.05	-649.02	0.86	-0.49	0.71	1.85
10	DES	320	320	0.78	14500	0		356.76	190.17	301.84	1097.2	1.83	0.91	1.59	4.94
11	CRZ	/	/	0.78	14500	0						0.33	-0.04	0.33	0.78

E55P accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	200	225	0.6	5896	0		92.82	17.96	91.07	206.03	0.27	0.00	0.27	-0.78
2	CMB	200	225	0.6	6995	0		77.39	6.59	77.11	157.25	0.24	0.02	0.24	-0.57
3	CMB	200	225	0.6	8144	0		72.73	-4.35	72.60	-136.10	0.23	0.02	0.23	-0.47
4	CMB	200	225	0.6	5896	5		116.12	-1.06	116.12	-231.10	0.37	-0.10	0.35	-1.00
5	CMB	200	225	0.6	6995	5		100.80	-12.48	100.02	-209.38	0.33	-0.08	0.32	-0.76
6	CMB	200	225	0.6	8144	5		94.73	-23.67	91.73	-193.98	0.32	-0.08	0.31	-0.74
7	CMB	200	225	0.6	5895	15		148.92	13.04	148.35	317.65	0.29	0.03	0.29	-0.58
8	CMB	200	225	0.6	6994	15		127.57	-7.91	127.32	257.35	0.30	0.02	0.30	-0.65
9	CMB	200	225	0.6	8143	15		109.76	-15.03	108.72	202.33	0.29	0.04	0.29	-0.54
10	CMB	200	225	0.6	6994	25		121.61	-7.78	121.36	-230.40	0.56	0.46	0.33	1.17
11	DES	250	250	0.75	7000	0		167.75	25.25	165.84	-427.15	0.17	0.00	0.17	0.45
12	CRZ	/	/	0.7	7000	0						0.08	-0.02	0.08	0.18

E75L accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	/	21799	0		136.17	98.07	94.47	255.99	1.49	0.13	1.49	4.66
2	CMB	250	250	/	29639	0		139.19	119.94	70.63	240.81	0.91	0.05	0.91	2.25
3	CMB	250	250	/	37479	0		123.17	96.04	77.11	207.56	0.8	-0.01	0.8	1.56
4	CMB	280	280	0.6	21798	0		108.85	-91.03	59.68	-246.61	0.97	-0.85	0.48	-1.64
5	CMB	280	280	0.6	29638	0		86.57	-45.96	73.36	-278.16	1.09	-0.96	0.51	-2.7
6	CMB	280	280	0.6	37478	0		90.92	-29.33	86.06	-290.8	0.97	-0.9	0.36	-1.48
7	CMB	310	310	0.75	21655	0		156.31	7.84	156.11	-366.69	1	-0.08	0.99	-2.83
8	CMB	310	310	0.75	29440	0		82.34	11.99	81.47	-223.57	0.87	-0.07	0.87	-1.86
9	CMB	310	310	0.75	37217	0		34.39	-0.67	34.39	-91.11	1	-0.31	0.95	-2.76
10	CMB	250	250	/	29638	10		105.6	93.29	49.47	189.52	1.37	1.14	0.75	2.48
11	CMB	250	250	/	29637	20		47.15	25.13	39.89	102.91	1.25	1.08	0.63	2.24
12	CMB	280	280	0.6	29637	10		102.18	-63.67	79.92	-294.43	0.6	0.01	0.6	-2.17
13	CMB	280	280	0.6	29636	20		78.13	-17.73	76.09	-111.58	0.95	0.79	0.53	2.38
14	CMB	310	310	0.75	29427	10		89.44	12.6	88.55	-225.98	1.05	0.86	0.61	1.99
15	CMB	310	310	0.75	29401	20		122.5	22.62	120.4	-218.38	1.44	1.09	0.95	2.43
16	DES	250	250	/	29606	0		43.43	34	27.03	87.53	0.5	0.07	0.49	1.08
17	DES	250	250	/	21765	0		50.91	-10.99	49.71	138.31	0.5	0.07	0.5	1.05
18	DES	300	300	0.7	29655	0		109.66	40.38	101.95	611.34	0.56	-0.03	0.56	1.13
19	DES	300	300	0.7	21810	0		112.06	-12.26	111.38	224.9	0.55	0.04	0.55	1.16
20	DES	320	320	0.78	29655	0		111.34	-22.28	109.09	-437.72	0.56	-0.19	0.52	1.1
21	DES	320	320	0.78	21810	0		84.71	-0.58	84.71	140.6	0.68	0.21	0.64	1.04
22	CRZ	/	/	0.75	29655	0						0.36	-0.12	0.34	0.89
23	CRZ	/	/	0.78	29655	0						0.28	0.2	0.19	0.79

E75S accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	/	21799	0		136.17	98.07	94.47	255.99	1.49	0.13	1.49	4.66
2	CMB	250	250	/	29639	0		139.19	119.94	70.63	240.81	0.91	0.05	0.91	2.25
3	CMB	250	250	/	37479	0		123.17	96.04	77.11	207.56	0.8	-0.01	0.8	1.56
4	CMB	280	280	0.6	21798	0		108.85	-91.03	59.68	-246.61	0.97	-0.85	0.48	-1.64
5	CMB	280	280	0.6	29638	0		86.57	-45.96	73.36	-278.16	1.09	-0.96	0.51	-2.7
6	CMB	280	280	0.6	37478	0		90.92	-29.33	86.06	-290.8	0.97	-0.9	0.36	-1.48
7	CMB	310	310	0.75	21655	0		156.31	7.84	156.11	-366.69	1	-0.08	0.99	-2.83
8	CMB	310	310	0.75	29440	0		82.34	11.99	81.47	-223.57	0.87	-0.07	0.87	-1.86
9	CMB	310	310	0.75	37217	0		34.39	-0.67	34.39	-91.11	1	-0.31	0.95	-2.76
10	CMB	250	250	/	29638	10		105.6	93.29	49.47	189.52	1.37	1.14	0.75	2.48
11	CMB	250	250	/	29637	20		47.15	25.13	39.89	102.91	1.25	1.08	0.63	2.24
12	CMB	280	280	0.6	29637	10		102.18	-63.67	79.92	-294.43	0.6	0.01	0.6	-2.17
13	CMB	280	280	0.6	29636	20		78.13	-17.73	76.09	-111.58	0.95	0.79	0.53	2.38
14	CMB	310	310	0.75	29427	10		89.44	12.6	88.55	-225.98	1.05	0.86	0.61	1.98
15	CMB	310	310	0.75	29401	20		122.5	22.62	120.4	-218.38	1.44	1.09	0.95	2.43
16	DES	250	250	/	29606	0		43.43	34	27.03	87.53	0.5	0.07	0.49	1.08
17	DES	250	250	/	21765	0		50.91	-10.99	49.71	138.31	0.5	0.07	0.5	1.05
18	DES	300	300	0.7	29655	0		109.66	40.38	101.95	611.34	0.56	-0.03	0.56	1.13
19	DES	300	300	0.7	21810	0		112.06	-12.26	111.38	224.9	0.55	0.04	0.55	1.16
20	DES	320	320	0.78	29655	0		111.34	-22.28	109.09	-437.72	0.56	-0.19	0.52	1.1
21	DES	320	320	0.78	21810	0		84.71	-0.58	84.71	140.6	0.68	0.21	0.64	1.04
22	CRZ	/	/	0.75	29655	0						0.38	-0.13	0.36	0.95
23	CRZ	/	/	0.78	29655	0						0.29	0.21	0.21	0.84

EA50 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	172	172	0.5	2719	0		77.80395	33.35259	70.29267	167.70941	0.20596	-0.15043	0.14068	-0.44214
2	CMB	172	172	0.5	2270	0		77.84419	11.22130	77.03117	154.17854	0.21729	-0.17234	0.13234	-0.38514
3	CMB	172	172	0.5	1818	0		89.70934	-13.05018	88.75505	-152.16940	0.22917	-0.16553	0.15849	-0.30752
4	CMB	167	167	0.46	2719	10		124.52014	-16.39025	123.43673	-317.57757	0.14047	0.00124	0.14046	0.21410
5	CMB	167	167	0.46	2270	10		72.11528	-0.07660	72.11524	136.35174	0.12322	0.01288	0.12255	0.21629
6	CMB	167	167	0.46	1818	10		88.50429	-15.82575	87.07787	-135.70483	0.11398	0.02466	0.11128	0.27476
7	CMB	163	163	0.44	2719	20		69.14703	25.68264	64.20057	132.58490	0.31970	0.28257	0.14955	0.49963
8	CMB	163	163	0.44	2270	20		80.31067	3.87158	80.21730	141.51122	0.26834	0.23612	0.12749	0.45533
9	CMB	163	163	0.44	1818	20		113.22851	-21.25965	111.21476	-189.50598	0.26178	0.23769	0.10970	0.43479
10	DES	232	214	0.64	2500	0		213.45260	-85.97871	195.37061	340.15733	0.28741	-0.01913	0.28677	0.69127
11	DES	232	214	0.64	2270	0		256.97552	60.16319	249.83356	571.23649	0.13577	0.02377	0.13368	0.30187
12	CRZ	190	190	0.5	2500	0						0.11194	-0.00246	0.11192	-0.18964

EV97 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	53	53	/	450	0		25.37	-11.84	22.43	-36.59	0.02	0	0.02	0.03
2	CMB	58	58	/	450	0		11.39	5.2	10.14	26.4	0.02	0	0.02	0.03
3	CMB	63	63	/	450	0		11.7	11.01	3.96	18.78	0.02	0	0.02	-0.03
4	CMB	68	68	/	450	0		6.56	4.53	4.74	11.79	0.02	0	0.02	0.03
5	CMB	73	73	/	450	0		13.44	-11.96	6.12	-20.23	0.02	0	0.02	0.03
6	CMB	63	63	/	450	10		14.85	1.19	14.8	37.03	0.02	0	0.02	0.03
7	DES	63	63	/	450	20		19.21	1.7	19.14	44.8	0.02	0	0.02	-0.03
8	CRZ	59	59	/	450	0		12.78	1.55	12.69	24.95	0	0	0	0

F15 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	350	350	0.9	18144	0		838.18	262.86	795.9	1622.58	7.39	0.96	7.32	16
2	CMB	350	350	0.9	24948	0		741.78	-84.79	736.92	-1237.21	5.54	-0.64	5.5	-9.87
3	CMB	350	350	0.9	31752	0		542.74	-232.83	490.26	-1265.15	5.58	0.02	5.58	10.03
4	CMB	350	350	0.9	24948	10		721.52	62.07	718.85	1170.46	5.41	0.28	5.41	-9.46
5	CMB	350	350	0.9	24948	20		816.21	87.36	811.52	-1424.54	6.99	-0.72	6.95	-13.06
6	DES	220	220	/	22680	0		343.52	101.97	328.04	831.94	2.02	0.1	2.01	3.52
7	DES	300	300	0.9	22680	0		212.7	-31.42	210.36	-340.03	2.41	-0.1	2.4	4.17
8	CRZ	360	360	0.9	27216	0						4.05	0.29	4.04	7.4

F16 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	445	445	0.84	9072	0		1447.67	-56.21	1446.58	2517.06	5.2	0.25	5.19	9.89
2	CMB	445	445	0.84	12701	0		1517.9	94.38	1514.97	3327.4	9.51	0.35	9.5	16.79
3	CMB	445	445	0.84	16329	0		1032.47	94.33	1028.15	2011.56	6	-1.79	5.73	10.31
4	CMB	445	445	0.84	19958	0		785.68	282.83	733	1127.9	4.18	-0.89	4.08	-7.95
5	DES	215	215	/	12701	0		102.16	14.33	101.15	207.25	1.32	0	1.32	2.18
6	CRZ	/	/	0.84	12701	0						2.29	-0.14	2.29	3.31

F27 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	150	150	0.5	16000	0		252.86308	25.98581	251.5243	786.21173	3.28002	-0.14312	3.27689	8.64172
2	CMB	150	150	0.5	17000	0		143.28169	-11.3848	142.82867	-322.28266	2.73668	-0.23439	2.72663	6.35868
3	CMB	150	150	0.5	20000	0		142.89302	5.63375	142.78192	299.29294	2.97492	0.00596	2.97492	4.8175
4	CMB	140	140	0.5	16000	0		212.04835	-7.09526	211.92961	828.09746	3.17982	-0.40848	3.15347	10.19919
5	CMB	140	140	0.5	18000	0		108.91163	-11.23425	108.33067	328.70169	3.15268	-0.25814	3.14209	10.48638
6	CMB	140	140	0.5	20000	0		106.86309	0.95374	106.85883	262.01923	2.40609	-0.32382	2.3842	5.92341
7	CMB	140	140	0.5	16000	10		83.78791	-11.25394	83.02868	198.07498	1.77877	0.06645	1.77753	4.91986
8	CMB	140	140	0.5	18000	10		74.52487	-3.18632	74.45673	156.7202	1.46718	0.30669	1.43477	2.54005
9	CMB	140	140	0.5	20000	10		72.2583	14.22507	70.84426	148.62957	1.38388	0.40376	1.32367	3.9607
10	CMB	150	150	0.5	16000	10		145.40914	8.74039	145.14622	-322.20208	2.03026	0.87266	1.83315	4.71041
11	DES	198	198	0.5	17000	0		77.4993	-6.31108	77.2419	-169.71884	1.20275	0	1.20275	2.64947

F2TH accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	260	0.74	10878	0		202.43	-53.44	195.25	504.16	0.82	0.01	0.82	2.57
2	CMB	250	260	0.74	16308	0		153.40	-10.18	153.06	346.40	0.87	-0.03	0.87	2.65
3	CMB	250	260	0.74	19027	0		120.88	23.40	118.59	290.65	0.91	0.10	0.91	2.64
4	CMB	250	300	0.8	10878	0		177.39	-16.88	176.58	504.16	0.80	-0.41	0.69	1.26
5	CMB	250	300	0.8	16308	0		142.53	5.49	142.42	346.40	0.86	-0.48	0.72	-1.34
6	CMB	250	300	0.8	19027	0		137.40	3.13	137.36	-325.00	0.88	-0.46	0.75	-1.32
7	CMB	250	260	0.74	10875	10		310.20	0.08	310.20	-744.17	1.05	0.42	0.97	-2.38
8	CMB	250	260	0.74	16304	10		225.20	21.15	224.20	-459.38	1.01	0.36	0.94	-2.26
9	CMB	250	260	0.74	19021	10		200.80	36.52	197.45	-385.14	1.12	0.43	1.04	-2.30
10	CMB	250	260	0.74	16298	20		277.07	16.03	276.61	-499.48	1.05	0.40	0.98	-2.06
11	DES	250	250	0.8	16360	0		144.12	-8.91	143.85	-385.44	0.19	0.00	0.19	-0.37
12	CRZ	/	/	0.8	15910	0						0.31	0.05	0.31	0.79

F50 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	160	/	14000	0		78.61	29.54	72.85	240.03	0.36	0.17	0.31	1.51
2	CMB	160	160	/	18000	0		67.05	-36.08	56.52	-272.35	0.50	-0.33	0.37	-1.23
3	CMB	160	160	/	20820	0		66.18	33.37	57.15	167.77	0.58	0.28	0.50	1.96
4	CMB	150	150	/	14000	0		81.87	-7.86	81.49	280.50	0.52	-0.16	0.49	1.74
5	CMB	150	150	/	18000	0		97.05	-24.73	93.84	-378.08	0.63	-0.32	0.54	-2.14
6	CMB	150	150	/	20820	0		44.16	2.11	44.11	-121.52	0.31	-0.03	0.31	1.22
7	CMB	170	170	/	14000	0		135.32	2.50	135.30	-465.04	0.71	-0.04	0.71	-2.18
8	CMB	170	170	/	18000	0		68.31	-16.12	66.38	-284.40	0.33	-0.16	0.29	-1.14
9	CMB	170	170	/	20820	0		68.34	19.41	65.53	-222.23	0.33	0.20	0.26	-0.76
10	CMB	160	160	/	14000	10		65.71	9.64	65.00	201.47	0.25	0.11	0.23	1.08
11	CMB	160	160	/	18000	10		75.00	-18.08	72.79	-302.30	0.42	-0.15	0.39	-1.63
12	CMB	160	160	/	20820	10		75.44	12.58	74.38	-247.44	0.71	0.22	0.67	-1.92
13	CMB	160	160	/	18000	20		63.76	-1.89	63.73	240.86	0.83	0.34	0.75	2.63
14	DES	220	220	/	18000	0		149.53	3.13	149.50	293.89	0.92	-0.06	0.91	-1.90
15	DES	205	205	/	18000	0		69.69	16.44	67.73	144.52	0.22	0.15	0.16	0.37
16	CRZ	224	224	0.46	18000	0						0.18	0.00	0.18	0.31

F70 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	280	0.7	25992	0		74.65899	-37.99103	64.27011	-162.01874	13.64093	-8.53961	10.63720	-36.84995
2	CMB	250	280	0.7	33945	0		49.85481	-19.96446	45.68285	-106.04748	10.91623	0.85496	10.88269	22.37134
3	CMB	250	280	0.7	39986	0		47.05008	-18.73984	43.15702	-134.96665	14.41164	3.14336	14.06466	35.54092
4	CMB	250	255	0.65	25992	0		127.26647	50.70111	116.73111	519.51953	15.19579	-11.81264	9.55895	-35.84995
5	CMB	250	255	0.65	33945	0		53.81876	22.66755	48.81231	155.78113	10.46204	-0.12224	10.46132	20.80900
6	CMB	250	255	0.65	39986	0		53.70218	13.14334	52.06896	-160.57455	11.95347	3.33384	11.47916	34.15910
7	CMB	250	280	0.7	25991	10		68.50255	4.13221	68.37781	157.94415	11.24809	-3.48724	10.69386	-30.05177
8	CMB	250	280	0.7	33964	10		55.22500	3.49051	55.11458	133.40514	12.97212	4.50073	12.16632	39.58197
9	CMB	250	280	0.7	39985	10		39.82834	-1.56817	39.79746	83.26281	14.50730	5.67311	13.35206	41.02679
10	CMB	250	280	0.7	33986	20		74.38073	3.46365	74.30004	189.41602	9.92917	3.97151	9.10031	28.95341
11	DES	280	280	0.7	28000	0		168.00168	46.84462	161.33861	603.57581	5.08062	-0.10207	5.07959	9.20904
12	DES	250	280	0.7	28000	0		64.25204	-61.33493	19.14028	-83.84107	2.58002	-2.54096	0.44721	-3.04096
13	DES	280	280	0.7	34000	0		41.87636	28.41307	30.76243	88.74923	5.14163	0.78642	5.08113	9.70904
14	DES	250	280	0.7	34000	0		55.66158	-53.42109	15.63323	-71.78023	1.39935	-1.34096	0.40000	-2.04096
15	DES	280	280	0.7	38000	0		119.47014	70.60185	96.37683	411.63430	5.69091	1.00904	5.60074	9.95904
16	DES	250	280	0.7	38000	0		355.49936	-351.46570	53.40090	-426.54097	1.25841	-1.04096	0.70711	-2.04096

F100 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	280	0.7	33955	0		484.17	-67.38	479.45	1071.94	11.66	-2.50	11.39	27.33
2	CMB	250	280	0.7	38000	0		287.00	-171.52	230.11	-622.41	8.03	-3.50	7.23	-18.19
3	CMB	250	280	0.7	44000	0		216.05	-69.78	204.48	538.13	9.11	-1.08	9.04	21.05
4	CMB	250	255	0.65	34000	0		708.84	239.83	667.04	1557.21	17.73	6.08	16.65	40.93
5	CMB	250	255	0.65	38000	0		689.23	63.02	686.34	1793.26	19.25	1.68	19.18	49.01
6	CMB	250	255	0.65	44000	0		152.17	-7.88	151.97	342.64	5.71	-0.29	5.71	10.93
7	CMB	250	280	0.7	34000	10		232.38	0.93	232.38	-460.98	6.40	-0.03	6.40	14.61
8	CMB	250	280	0.7	38000	10		227.32	-21.72	226.28	-609.78	5.99	-1.07	5.89	13.62
9	CMB	250	280	0.7	44000	10		139.73	30.22	136.42	327.70	5.34	0.57	5.31	13.93
10	DES	250	280	0.7	38000	0		746.70	51.36	744.93	-1693.68	5.98	0.33	5.97	12.30
11	DES	230	230	0.65	38000	0		353.64	-29.49	352.41	-593.19	3.68	-0.33	3.67	11.47
12	CRZ	280	280	0.7	38000	0						0.31	-0.01	0.31	0.59

F406 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	112	112	/	3311	0		91.48	13.84	90.43	-224.49	0.32	0.19	0.26	0.56
2	CMB	112	112	/	3765	0		67.44	15.5	65.63	123.9	0.23	0	0.23	0.39
3	CMB	112	112	/	4246	0		113.7	-10.33	113.23	-303.37	0.28	-0.17	0.22	-0.6
4	CMB	112	112	/	3765	10		94.08	-8.59	93.69	200.73	0.22	-0.03	0.22	-0.41
5	CMB	112	112	/	3765	20		146.29	-16.47	145.36	372.23	0.24	0	0.24	-0.43
6	DES	180	180	/	3538	0		123.55	9.75	123.16	225.42	0.04	0	0.04	0.08
7	CRZ	203	203	0.39	3765	0						0.16	-0.05	0.15	-0.36
8	CRZ	152	152	0.33	3765	0						0.26	0.07	0.25	0.53

F900 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	260	0.74	10854	0		127.26	-3.12	127.23	248.86	0.99	-0.25	0.95	2.59
2	CMB	250	260	0.74	18538	0		141.74	19.30	140.42	-311.64	1.05	-0.39	0.98	2.72
3	CMB	250	260	0.74	22149	0		110.36	36.13	104.28	-226.66	1.05	-0.28	1.02	2.62
4	CMB	250	300	0.8	10854	0		153.78	-30.80	150.66	-298.53	0.84	-0.35	0.77	1.71
5	CMB	250	300	0.8	18538	0		185.56	-28.99	183.28	-509.04	0.90	-0.49	0.76	1.71
6	CMB	250	300	0.8	22149	0		127.97	-22.41	125.99	-338.65	0.92	-0.41	0.82	1.64
7	CMB	250	260	0.74	10853	10		152.10	4.49	152.04	284.43	0.79	0.07	0.78	2.55
8	CMB	250	260	0.74	18534	10		134.52	28.26	131.52	274.52	0.85	-0.09	0.85	2.40
9	CMB	250	260	0.74	22145	10		98.10	38.63	90.18	217.16	0.87	0.01	0.87	2.35
10	CMB	250	300	0.8	10853	10		201.27	-26.94	199.45	-371.90	0.59	-0.04	0.59	1.58
11	CMB	250	300	0.8	18534	10		182.76	-21.62	181.48	-439.33	0.69	-0.18	0.66	1.45
12	CMB	250	300	0.8	22145	10		123.36	-21.90	121.40	-286.62	0.73	-0.10	0.72	1.43
13	CMB	250	260	0.74	10850	20		111.02	-8.92	110.66	228.89	0.88	0.46	0.75	3.00
14	CMB	250	260	0.74	18528	20		101.12	57.68	83.06	195.47	0.95	0.48	0.82	2.90
15	CMB	250	260	0.74	22135	20		73.46	65.51	33.24	119.77	1.06	0.64	0.85	2.88
16	CMB	250	300	0.8	10850	20		191.07	-48.97	184.69	-423.51	0.63	0.33	0.54	1.85
17	CMB	250	300	0.8	18528	20		84.11	23.68	80.71	-138.65	0.78	0.47	0.62	1.79
18	CMB	250	300	0.8	22135	20		49.53	-0.69	49.53	86.82	0.76	0.41	0.64	1.79
19	DES	250	250	0.8	18597	0		97.80	-0.75	97.80	230.58	0.30	0.00	0.30	0.52
20	CRZ	/	/	0.8	18597	0						0.65	0.07	0.65	1.56

FA50 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	260	0.72	9945	0		113.38	-1.68	113.37	286.53	0.88	0.46	0.75	2.29
2	CMB	250	260	0.72	14915	0		89.86	-9.73	89.33	-181.03	0.82	0.36	0.73	2.43
3	CMB	250	260	0.72	17623	0		113.71	-19.53	112.02	-312.17	0.81	0.26	0.76	2.33
4	CMB	250	300	0.8	9945	0		106.68	-0.94	106.67	203.70	0.70	0.14	0.69	1.80
5	CMB	250	300	0.8	14915	0		132.37	-16.43	131.35	-348.69	0.63	0.00	0.63	1.40
6	CMB	250	300	0.8	17623	0		94.97	7.09	94.70	-266.55	0.73	0.05	0.73	1.37
7	CMB	250	260	0.72	9943	10		141.66	40.52	135.74	294.20	0.75	0.34	0.67	1.92
8	CMB	250	260	0.72	14912	10		111.76	42.42	103.39	239.59	0.72	0.28	0.67	1.92
9	CMB	250	260	0.72	17619	10		94.68	37.94	86.75	192.56	0.76	0.29	0.70	1.95
10	CMB	250	300	0.8	9943	10		137.48	-75.85	114.66	-226.87	0.68	-0.28	0.62	-1.20
11	CMB	250	300	0.8	14912	10		85.26	-21.41	82.53	-222.24	0.72	-0.36	0.63	-1.12
12	CMB	250	300	0.8	17619	10		38.60	3.84	38.41	75.33	0.83	-0.32	0.77	-1.19
13	CMB	250	260	0.72	9940	20		113.57	-32.69	108.76	201.65	0.62	-0.06	0.62	1.78
14	CMB	250	260	0.72	14906	20		85.33	22.20	82.39	180.25	0.66	-0.06	0.66	1.78
15	CMB	250	260	0.72	17612	20		68.95	28.87	62.61	150.06	0.68	-0.05	0.68	1.71
16	CMB	250	300	0.8	14906	20		45.45	-10.29	44.27	81.94	0.94	-0.68	0.65	-1.43
17	CMB	250	300	0.8	17612	20		37.81	10.23	36.40	80.76	1.06	-0.78	0.71	-1.72
18	DES	250	250	0.8	14969	0		175.54	-0.72	175.54	-341.87	0.45	-0.00	0.45	-0.79
19	CRZ	/	/	0.8	14515	0						1.15	0.22	1.13	2.75

FA7X accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	260	0.78	15343	0		146.46	22.96	144.65	279.70	1.28	0.49	1.18	2.98
2	CMB	250	260	0.78	26164	0		137.35	22.60	135.47	-267.42	1.38	0.46	1.30	3.15
3	CMB	250	260	0.78	31568	0		155.13	16.52	154.25	-342.06	1.48	0.61	1.36	3.07
4	CMB	250	300	0.8	15343	0		240.86	-52.28	235.11	-378.78	1.33	-0.45	1.25	-2.23
5	CMB	250	300	0.8	26164	0		170.11	-13.83	169.55	-277.89	1.47	-0.66	1.31	2.14
6	CMB	250	300	0.8	31568	0		182.15	-14.18	181.60	-350.02	1.55	-0.63	1.42	-2.13
7	CMB	250	260	0.78	31555	10		126.03	12.35	125.42	-275.80	1.21	0.67	1.01	-2.04
8	CMB	250	260	0.78	15338	10		171.15	49.80	163.74	-397.13	1.15	0.74	0.88	2.26
9	CMB	250	260	0.78	26154	10		120.32	29.58	116.63	-192.10	1.13	0.61	0.95	-2.10
10	CMB	250	300	0.8	15338	10		146.65	-5.38	146.55	339.32	1.30	-0.08	1.30	-4.39
11	CMB	250	300	0.8	26154	10		109.86	7.39	109.61	-195.08	1.27	-0.35	1.22	-4.14
12	CMB	250	300	0.8	31555	10		125.08	-5.59	124.96	-279.83	1.38	-0.42	1.32	-4.20
13	CMB	250	260	0.78	15332	20		166.01	43.29	160.26	-412.28	0.92	0.45	0.81	1.97
14	CMB	250	260	0.78	26142	20		141.66	67.92	124.32	211.38	1.01	0.44	0.91	1.99
15	CMB	250	260	0.78	31537	20		122.70	61.64	106.09	184.35	1.10	0.61	0.91	1.97
16	CMB	250	300	0.8	15332	20		133.99	-60.74	119.43	-423.70	1.11	-0.42	1.03	-3.77
17	CMB	250	300	0.8	26142	20		101.20	12.32	100.45	-174.63	1.31	-0.62	1.15	-4.05
18	CMB	250	300	0.8	31537	20		89.80	13.32	88.81	-137.68	1.35	-0.59	1.22	-3.93
19	DES	250	270	0.8	26309	0		145.06	13.04	144.47	236.78	0.73	-0.00	0.73	1.25
20	CRZ	/	/	0.8	25855	0						0.25	0.00	0.25	0.86

G150 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	210	210	0.7	8108	0		89.2	55.8	69.6	218.38	0.58	0.48	0.31	1.26
2	CMB	210	210	0.7	9915	0		132.32	-11.39	131.83	-504.34	0.8	-0.09	0.8	-3.3
3	CMB	210	210	0.7	11768	0		87.31	17.03	85.63	228.94	0.52	0.1	0.51	1.45
4	CMB	250	250	0.75	6751	0		224.02	10.17	223.78	595.72	1.33	0.49	1.24	4.14
5	CMB	250	250	0.75	9915	0		140.12	-58.19	127.47	-542.32	0.77	-0.49	0.59	-2.94
6	CMB	250	250	0.75	11767	0		120.92	-20.68	119.13	-418.38	0.87	-0.32	0.81	-2.94
7	CMB	250	250	0.75	9911	10		102.9	7.99	102.59	-328.42	0.28	-0.15	0.23	-1.06
8	CMB	250	250	0.75	9904	20		53.79	6.79	53.36	122.84	0.47	0.23	0.41	1.17
9	DES	250	250	0.75	6804	0		400.89	46.93	398.13	768.57	0.27	-0.06	0.26	-0.58
10	DES	250	250	0.75	11794	0		232.91	-26.12	231.45	435.51	0.25	0.06	0.24	0.7
11	CRZ	300	300	0.78	9979	0						0.19	-0.1	0.16	-0.31
12	CRZ	300	300	0.8	9526	0						0.15	0.1	0.12	0.36

G280 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250.0	250.0	0.75	12667	0		199.41	52.04	192.5	492.5	1.24	0.28	1.21	3.26
2	CMB	250.0	250.0	0.75	14476	0		232.51	50.7	226.92	744.9	2.04	0.39	2	6.16
3	CMB	250.0	250.0	0.75	16285	0		94.29	-47.38	81.52	-272.19	1.04	-0.38	0.96	1.81
4	CMB	250.0	250.0	0.75	17913	0		156.05	-72.31	138.28	-576.97	1.32	-0.56	1.19	-5.02
5	CMB	250.0	250.0	0.75	16283	10		114.1	1.66	114.09	-340.96	0.7	0.34	0.61	-2.13
6	CMB	250.0	250.0	0.75	16280	20		114.6	1.77	114.59	-312.96	0.88	0.19	0.86	-2.25
7	DES	250.0	250.0	0.75	11340	0		162.61	-1.01	162.61	382.18	0.28	0.01	0.28	0.53
8	DES	250.0	250.0	0.75	17690	0		192.76	18.41	191.88	611.07	0.33	-0.01	0.33	-0.54
9	CRZ	300.0	300.0	0.82	15422	0						0.59	-0.26	0.53	0.97
10	CRZ	330.0	330.0	0.83	15422	0						0.65	0.34	0.56	1.44

GL5T accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.8	27216	0		186.99	-23.90	185.45	534.20	6.15	0.69	6.11	22.92
2	CMB	250	250	0.8	31752	0		164.79	-0.84	164.79	433.47	4.55	0.79	4.48	11.58
3	CMB	250	250	0.8	36288	0		144.75	16.80	143.77	381.56	3.82	0.75	3.75	9.51
4	CMB	250	250	0.8	40824	0		133.36	23.11	131.34	345.53	4.10	0.65	4.05	10.32
5	CMB	300	300	0.8	27048	0		182.87	-37.60	178.96	431.93	3.82	0.18	3.82	-12.26
6	CMB	300	300	0.8	31548	0		162.31	-11.14	161.93	399.14	3.22	0.30	3.20	-7.92
7	CMB	300	300	0.8	36052	0		156.26	-9.42	155.97	346.53	3.20	-0.37	3.18	-8.37
8	CMB	300	300	0.8	40552	0		140.54	10.10	140.17	364.04	2.06	-0.34	2.03	-3.84
9	CMB	300	300	0.8	36043	10		116.85	-1.02	116.85	-263.53	2.44	-0.31	2.42	-5.28
10	CMB	300	300	0.8	36011	20		130.56	-3.34	130.51	222.33	2.03	-0.14	2.03	-5.60
11	DES	250	250	0.8	29484	0		168.18	-19.42	167.05	-353.12	1.37	0.29	1.34	3.13
12	DES	250	250	0.8	38556	0		97.26	-17.80	95.61	-209.63	1.11	0.06	1.11	2.49
13	DES	300	300	0.8	29484	0		257.67	56.77	251.34	700.35	1.21	-0.08	1.21	2.37
14	DES	300	300	0.8	38556	0		188.46	16.45	187.74	510.08	1.00	-0.39	0.92	-1.87
15	CRZ	/	/	0.85	29484	0						0.78	0.12	0.77	1.88

GLEX accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.8	27216	0		188.17	-29.85	185.79	530.09	6.16	0.78	6.11	23.02
2	CMB	250	250	0.8	36288	0		144.54	12.54	143.99	378.48	3.83	0.85	3.74	9.59
3	CMB	250	250	0.8	40824	0		133.04	19.42	131.62	342.79	4.11	0.75	4.04	10.40
4	CMB	250	250	0.8	45360	0		117.24	36.31	111.48	313.15	2.81	0.23	2.80	7.07
5	CMB	300	300	0.8	27048	0		183.74	-44.84	178.18	423.03	3.81	0.30	3.80	-12.09
6	CMB	300	300	0.8	36052	0		156.02	-14.69	155.32	339.85	3.17	-0.24	3.16	-8.21
7	CMB	300	300	0.8	40552	0		139.68	5.48	139.57	358.09	2.02	-0.21	2.01	-3.67
8	CMB	300	300	0.8	45047	0		122.90	12.04	122.31	319.65	2.66	-0.44	2.62	-6.05
9	CMB	300	300	0.8	36043	10		116.88	-6.32	116.71	-270.34	2.41	-0.17	2.40	-5.11
10	CMB	300	300	0.8	36011	20		130.08	-3.49	130.04	220.97	2.01	0.04	2.01	-5.38
11	DES	250	250	0.8	29484	0		168.05	-19.47	166.92	-353.04	1.37	0.29	1.34	3.13
12	DES	250	250	0.8	38556	0		97.21	-17.81	95.57	-209.58	1.11	0.06	1.11	2.49
13	DES	300	300	0.8	29484	0		257.53	56.68	251.22	700.21	1.21	-0.08	1.21	2.37
14	DES	300	300	0.8	38556	0		188.39	16.42	187.67	509.97	1.00	-0.39	0.92	-1.87
15	CRZ	/	/	0.85	29484	0						0.78	0.12	0.77	1.88

GLF5 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	260	0.75	22627	0		171.29	-35.75	167.52	-341.58	1.12	0.09	1.12	2.54
2	CMB	250	260	0.75	27151	0		123.59	-0.68	123.59	268.50	1.17	0.18	1.15	2.46
3	CMB	250	260	0.75	31675	0		104.83	-12.66	104.06	190.18	1.15	-0.26	1.12	2.17
4	CMB	250	260	0.75	36199	0		95.10	-0.07	95.10	178.28	1.10	-0.14	1.10	2.03
5	CMB	250	260	0.75	40721	0		85.01	0.20	85.01	157.21	1.12	-0.19	1.11	2.30
6	CMB	250	260	0.75	31674	10		120.98	59.29	105.45	274.76	1.12	0.43	1.04	2.54
7	CMB	250	260	0.75	36198	10		117.33	62.12	99.54	248.73	1.19	0.58	1.04	2.45
8	CMB	250	260	0.75	31669	20		120.32	-3.23	120.28	262.10	0.85	-0.01	0.85	1.79
9	CMB	250	260	0.75	36191	20		124.94	-3.13	124.90	253.44	0.98	0.09	0.97	1.53
10	DES	250	260	0.75	27216	0		178.39	52.14	170.60	403.34	0.81	0.12	0.80	2.01
11	DES	250	260	0.75	31752	0		133.16	-5.63	133.04	-277.26	0.59	-0.02	0.58	1.28
12	DES	250	260	0.75	36288	0		110.35	-37.43	103.81	-281.20	0.48	-0.12	0.47	-0.68
13	CRZ	/	/	0.85	29484	0						0.73	0.08	0.73	1.47

H25A accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.63	8160	0		208.12045	4.80555	208.06496	-358.51797	3.52129	-1.1227	3.33752	-9.12227
2	CMB	250	250	0.63	6350	0		461.92823	6.22498	461.88629	-880.11065	5.36359	-0.55978	5.3343	-13.34476
3	CMB	250	250	0.63	9843	0		272.0151	39.05847	269.19631	827.5871	2.65965	-0.50687	2.6109	-5.41601
4	CMB	250	250	0.63	9843	10		329.52827	1.59602	329.5244	817.16779	6.67973	-0.47069	6.66312	14.32924
5	CMB	250	250	0.63	8160	10		443.49943	15.52712	443.22754	1085.5273	7.82367	0.69767	7.7925	-17.06262
6	CMB	250	250	0.63	6350	10		563.22098	12.83901	563.07462	1273.1945	7.09241	1.37858	6.95714	13.37894
7	CMB	250	250	0.63	6350	20		594.59699	34.55668	593.59196	1176.8965	7.51295	1.49839	7.36201	22.71023
8	DES	275	250	0.67	7711	0		631.75053	3.81996	631.73898	1093.3061	1.15538	-0.0017	1.15538	-2.36543
9	DES	275	250	0.67	9848	0		622.64893	28.08885	622.01503	1086.067	1.64819	0.06364	1.64696	-2.73948
10	CRZ	220	220	0.68	8180	0						0.47767	-0.30996	0.36345	-0.81463

H25B accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.7	8558	0		192.67	-17.88	191.83	-464.02	0.48	0.24	0.42	0.81
2	CMB	250	250	0.7	9909	0		114.52	-44.33	105.59	-288.51	0.52	-0.15	0.50	1.35
3	CMB	250	250	0.7	10809	0		234.87	128.79	196.41	544.86	1.74	0.90	1.49	4.10
4	CMB	250	250	0.7	11710	0		130.39	-27.95	127.36	-433.77	0.82	-0.38	0.72	-1.66
5	CMB	250	250	0.7	12609	0		169.37	-12.67	168.89	-557.49	1.04	-0.54	0.89	-2.85
6	DES	250	285	0.76	9979	0		336.58	-3.81	336.56	-667.97	1.22	0.00	1.22	2.59
7	CRZ	/	/	0.78	9979	0						0.34	-0.02	0.34	-0.60

HA4T accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	280	280	0.76	12240	0		298.5	68.14	290.62	-665.23	2.19	0.35	2.16	-6.12
2	CMB	280	280	0.76	15413	0		207.49	-2.78	207.48	597.68	1.65	0.21	1.64	3.46
3	CMB	280	280	0.76	16773	0		235.73	-5.06	235.67	660.41	1.92	0.54	1.84	4.79
4	CMB	280	280	0.76	17907	0		165.92	-53.32	157.12	-325.89	0.87	0.28	0.82	1.93
5	CMB	300	300	0.8	12240	0		287.88	2.57	287.87	-695.36	2.72	-0.47	2.68	-8.33
6	CMB	300	300	0.8	15413	0		126.08	-17.61	124.84	-342.38	1.04	-0.29	1	-2.02
7	CMB	300	300	0.8	16773	0		144.92	-30.78	141.61	379.68	0.89	-0.18	0.87	-1.74
8	CMB	300	300	0.8	17907	0		281.3	-26.47	280.05	866.03	2.07	-0.05	2.07	5.18
9	CMB	280	280	0.76	15412	10		187.06	6.11	186.96	-485.55	1.52	0.38	1.47	2.89
10	CMB	280	280	0.76	15412	20		279.95	17.82	279.38	-570.91	1.9	0.51	1.83	-4.44
11	CMB	300	300	0.8	15412	10		232.54	34.68	229.94	-633.35	1.88	0.19	1.87	3.49
12	CMB	300	300	0.8	15412	20		300.48	14.77	300.12	-690.57	2.16	0.06	2.16	-5.26
13	DES	300	300	0.82	13608	0		448.93	123.9	431.49	1148.62	0.57	0.03	0.57	-1
14	DES	300	300	0.82	15422	0		261.44	-87	246.54	-602.26	0.82	0.44	0.69	2.44
15	DES	300	300	0.82	16783	0		217.58	-23.28	216.33	448.49	0.45	0.14	0.43	-1.09
16	DES	250	250	0.7	13608	0		283.02	49.64	278.63	568.05	0.4	-0.15	0.37	-1.02
17	DES	250	250	0.7	15422	0		243.89	14	243.49	-429.34	0.43	-0.2	0.38	-0.97
18	DES	250	250	0.7	16783	0		105.07	-49.68	92.58	-298.41	0.54	-0.18	0.51	-1.21
19	CRZ	/	/	0.76	15422	0						0.77	0.22	0.74	1.67
20	CRZ	/	/	0.78	15422	0						0.72	0.06	0.72	1.42

HAWK accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	300	300	0.75	6532	0		230.9	4.98	230.85	377.66	1.36	-0.02	1.36	2.57
2	CMB	300	300	0.75	5897	0		228.23	-42.49	224.24	385.28	0.8	0.11	0.8	-1.55
3	CMB	300	300	0.75	4990	0		323.3	19.81	322.69	651.13	1.82	0.55	1.74	4
4	CMB	300	300	0.75	5897	10		210.35	17.98	209.58	531.74	0.74	-0.12	0.73	-1.25
5	CMB	300	300	0.75	5897	20		195.18	16.24	194.51	453.6	0.72	-0.27	0.66	-1.44
6	DES	250	250	0.7	5897	0		153.51	-17.44	152.51	353.8	0.07	0.04	0.06	0.14
7	DES	180	180	/	5897	0		47.89	12.32	46.27	83.36	0.06	-0.04	0.05	-0.12
8	CRZ	240	240	0.71	5897	0						0.67	-0.62	0.26	-0.89
9	CRZ	/	/	0.8	5897	0						0.6	0.35	0.49	0.75

IL76 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	270	270	0.7	99750	0		109.01	-44.84	99.36	-200.17	19.29	-4.02	18.87	51.56
2	CMB	270	270	0.7	149600	0		85.57	43.08	73.93	-146.36	17.08	-8.46	14.84	-47.18
3	CMB	270	270	0.7	189450	0		99.77	89.22	44.65	156.89	11.55	0.35	11.55	23.37
4	CMB	270	270	0.7	99750	10		122.08	-51.88	110.51	-282.07	24.53	2.65	24.39	42.85
5	CMB	270	270	0.7	149600	10		72.27	48.07	53.96	182.39	15.39	3.45	15.00	-35.58
6	CMB	270	270	0.7	189400	10		63.42	45.55	44.13	159.72	7.45	0.16	7.44	13.90
7	CMB	270	270	0.7	149500	20		57.97	13.58	56.36	114.85	17.52	7.24	15.95	60.91
8	DES	230	260	0.68	110000	0		217.39	17.45	216.69	-457.98	3.56	0.00	3.56	8.47
9	CRZ	/	/	0.7	130000	0						1.53	-0.05	1.53	2.27

IL86 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	297	297	0.8	139650	0		169.12	-59.05	158.48	-400.26	18.57	-4.35	18.05	-39.07
2	CMB	297	297	0.8	179510	0		86.49	35.81	78.73	182.30	11.80	-1.01	11.76	28.15
3	CMB	297	297	0.8	209400	0		99.74	64.80	75.82	234.62	22.12	3.44	21.85	56.64
4	CMB	297	297	0.8	179480	10		36.27	-14.76	33.13	-70.88	11.92	-3.66	11.34	-27.02
5	CMB	297	297	0.8	209350	10		84.44	17.29	82.65	241.11	21.42	3.16	21.18	61.87
6	CMB	297	297	0.8	179470	20		80.01	1.50	79.99	-211.26	15.99	2.10	15.85	34.25
7	CMB	297	297	0.8	209300	20		59.97	-0.95	59.96	100.43	13.29	2.15	13.11	28.97
8	DES	280	280	0.8	140000	0		205.42	-11.46	205.10	481.90	2.96	0.13	2.96	-4.81
9	DES	280	280	0.8	170000	0		168.93	11.01	168.57	375.00	3.03	-0.15	3.02	6.02
10	CRZ	/	/	0.82	180000	0						1.35	0.01	1.35	2.60

IL96 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	302	302	0.78	148600	0		256.51	-83.48	242.55	-610.76	26.74	-3.62	26.50	-63.39
2	CMB	302	302	0.78	168400	0		202.42	-50.91	195.92	-422.13	14.46	-1.75	14.35	-28.67
3	CMB	302	302	0.78	188200	0		105.83	3.98	105.75	-196.09	13.32	1.52	13.23	26.89
4	CMB	302	302	0.78	207950	0		110.63	41.92	102.38	172.61	13.49	2.90	13.17	32.56
5	CMB	302	302	0.78	227650	0		123.98	86.56	88.76	175.51	8.95	3.60	8.19	21.84
6	CMB	302	302	0.78	247360	0		125.13	95.31	81.07	165.15	9.57	-2.45	9.25	-22.32
7	CMB	302	302	0.78	188200	10		118.61	44.33	110.01	216.14	13.21	0.58	13.20	25.87
8	CMB	302	302	0.78	207950	10		132.91	77.99	107.62	219.70	13.30	1.94	13.16	31.54
9	CMB	302	302	0.78	187900	20		160.84	-3.41	160.80	-289.52	7.98	0.66	7.95	16.66
10	CMB	302	302	0.78	207550	20		118.82	14.83	117.89	-202.88	15.11	-4.24	14.50	25.40
11	DES	302	302	0.8	130000	0		163.08	-11.55	162.67	309.72	7.35	1.04	7.28	18.55
12	DES	302	302	0.8	150000	0		150.24	0.47	150.24	312.68	2.37	-0.48	2.32	4.43
13	DES	302	302	0.8	170000	0		141.86	33.15	137.94	-247.88	3.96	-0.61	3.91	6.04
14	CRZ	/	/	0.8	190000	0						1.30	0.00	1.30	-2.15

JS32 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	160	0.32	6200	0		80.67247	22.97992	77.33027	162.62387	0.58448	-0.15932	0.56235	1.51707
2	CMB	160	160	0.32	5000	0		143.77556	-64.55999	128.46564	-333.58336	0.53609	-0.28647	0.45313	-1.10071
3	CMB	160	160	0.32	7000	0		102.89304	71.31275	74.1719	208.07621	0.51111	-0.13493	0.49298	1.19839
4	CMB	160	160	0.32	6200	10		71.02965	-3.28872	70.95347	128.29166	0.32237	0.0002	0.32237	0.72839
5	CMB	160	160	0.32	6200	20		70.42452	20.71884	67.30782	137.01925	0.42209	0.30048	0.29643	0.76616
6	CMB	160	160	0.32	5000	20		87.6083	-61.21584	62.67244	-154.23875	0.42009	0.25673	0.33251	1.10954
7	CMB	160	160	0.32	7000	20		81.19423	65.77145	47.60904	155.90551	0.42044	0.37255	0.19487	0.64434
8	DES	250	250	0.52	6200	0		462.84566	-160.12734	434.26414	-1055.8796	1.51255	0	1.51255	3.55441

JS41 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	170	170	0.35	9000	0		92.32102	-1.29391	92.31196	-207.03731	0.31564	-0.18509	0.25568	-0.80782
2	CMB	170	170	0.35	7000	0		122.21659	5.55333	122.09036	323.14881	0.44775	-0.10545	0.43516	-0.92089
3	CMB	170	170	0.35	10500	0		62.18374	3.68907	62.07421	181.90962	0.34983	-0.16115	0.3105	-0.73206
4	CMB	170	170	0.35	7000	10		96.58584	-18.00754	94.89232	-200.72121	0.48921	-0.01692	0.48892	-1.03135
5	CMB	170	170	0.35	9000	10		80.98828	14.48129	79.68308	190.66482	0.25168	0.12426	0.21887	0.63532
6	CMB	170	170	0.35	10500	10		50.5826	1.28725	50.56621	132.09766	0.25076	0.09549	0.23187	-0.48439
7	CMB	170	170	0.35	9000	20		51.3561	0.86032	51.3489	136.64822	0.38376	0.30652	0.23091	0.7763
8	DES	190	190	0.39	8000	0		84.14817	-11.24657	83.39322	160.56625	0.50242	0	0.50242	-1.31631

L39 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	216	216	0.45	5000	0		74.04	2.07	74.01	-143.47	0.77	-0.03	0.77	1.63
2	CMB	216	216	0.45	4800	0		79.08	7.72	78.71	-149.02	0.56	-0.04	0.56	-1
3	CMB	216	216	0.45	4600	0		89.39	2.1	89.37	-170.4	0.74	0.13	0.73	1.71
4	CMB	216	216	0.45	4200	0		105.66	8.94	105.28	-191.66	0.47	0.06	0.47	-0.76
5	CMB	216	216	0.45	4600	10		84.27	-3.13	84.22	-157.97	0.53	0.14	0.51	1.07
6	CMB	216	216	0.45	4600	20		85.15	-5.32	84.98	-158.09	0.8	0.37	0.71	1.82
7	DES	162	162	/	4500	0		53.11	-25.84	46.4	-115.99	0.24	0.19	0.14	0.42
8	DES	162	162	/	3700	0		81.58	18.32	79.49	-184.73	0.25	-0.19	0.17	-0.43
9	CRZ	/	/	0.5	4300	0						0.37	-0.05	0.37	-0.42
10	CRZ	/	/	0.6	4300	0						0.33	-0.05	0.33	-0.38

L410 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	172	172	0.28	4800	0		76.61	-25.37	72.28	-121.68	1.53	0.85	1.28	3.86
2	CMB	170	170	0.28	5200	0		61.28	-16.15	59.12	-89.95	1.48	0.7	1.3	3.76
3	CMB	167	167	0.28	5600	0		51.56	-13.45	49.78	-87.3	1.42	0.55	1.31	3.64
4	CMB	165	165	0.27	6000	0		41.43	4.75	41.16	79.76	1.4	0.43	1.34	3.57
5	CMB	163	163	0.27	6400	0		44	26.08	35.44	103.12	1.39	0.32	1.36	3.5
6	CMB	135	135	/	6400	0		32.14	-27.41	16.79	-48.86	0.63	-0.53	0.35	-0.88
7	CMB	135	135	/	6000	0		12.16	-0.41	12.16	31.87	0.63	-0.53	0.35	-0.88
8	CMB	135	135	/	5600	0		19.67	18.53	6.61	37.17	0.63	-0.52	0.35	-0.88
9	CMB	135	135	/	5200	0		24.29	22.9	8.11	34.75	0.63	-0.52	0.35	-0.88
10	CMB	135	135	/	4800	0		8.79	3.09	8.23	16.78	0.63	-0.52	0.35	-0.88
11	CMB	135	135	/	6000	10		9.06	0.24	9.05	21.75	0.39	0.21	0.33	0.86
12	CMB	135	135	/	6000	20		20.3	-2.94	20.08	-31.71	1.06	1.01	0.32	1.57
13	DES	167	167	/	6000	0		45.53	5.16	45.23	76.78	0.06	0	0.06	-0.12
14	CRZ	165	165	0.31	6000	0						0.44	0.01	0.44	0.92

LJ35 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.7	5000	0		592.5278	54.26828	590.03741	2129.5442	1.98498	-0.04644	1.98444	7.14881
2	CMB	250	250	0.7	6820	0		266.45284	-33.57948	264.32846	-553.78431	1.2653	-0.48825	1.1673	-2.62119
3	CMB	250	250	0.7	8300	0		174.61586	9.26531	174.36988	621.4461	1.11491	-0.34781	1.05927	3.46881
4	CMB	250	250	0.7	5000	10		401.77169	-62.46987	396.88538	-1560.6279	1.25852	0.08409	1.25571	-4.54067
5	CMB	250	250	0.7	6820	10		195.55536	24.08675	194.06629	456.39796	1.08483	0.29387	1.04427	3.41433
6	CMB	250	250	0.7	8300	10		110.60894	9.49122	110.20097	-238.99638	0.53606	0.13241	0.51945	1.27206
7	CMB	250	250	0.7	6820	20		150.72456	57.84246	139.18385	-284.4378	0.95893	0.90273	0.32347	1.71433
8	DES	250	300	0.83	5450	0		327.92023	-20.14848	327.30066	764.90831	0.59761	0.01991	0.59728	1.4015
9	CRZ	/	/	0.77	7270	0						0.14918	-0.108	0.10291	-0.29511

LJ45 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.7	7000	0		513.63461	-35.66496	512.39489	-1723.4423	1.52263	-0.35191	1.4814	-6.06142
2	CMB	250	250	0.7	8500	0		358.98148	24.62473	358.13591	-705.23329	0.982	-0.21212	0.95882	1.84032
3	CMB	250	250	0.7	9299	0		361.51156	25.54718	360.60775	-1121.2026	1.28342	-0.35727	1.23268	-5.22809
4	CMB	250	250	0.7	7000	10		275.47811	-39.50005	272.6315	-939.91165	1.19512	-0.00483	1.19511	-3.08746
5	CMB	250	250	0.7	8000	10		135.50247	4.77377	135.41836	-303.60477	0.70406	0.11748	0.69419	1.98091
6	CMB	250	250	0.7	9299	10		164.54062	32.83437	161.23126	-528.62751	0.90826	0.08159	0.90459	2.36553
7	CMB	250	250	0.7	8000	20		106.70282	-1.32372	106.6946	-259.84535	1.07166	0.60914	0.88171	3.23891
8	DES	250	300	0.76	8000	0		474.4036	-37.45691	472.92257	963.43121	0.39732	0	0.39732	-1.14118

LJ60 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.7	6800	0		488.93	-25.69	488.26	1188.25	1.75	-0.26	1.73	3.91
2	CMB	250	250	0.7	8160	0		241.53	39.19	238.33	658.07	1	0	1	2.73
3	CMB	250	250	0.7	9521	0		123.38	2.38	123.36	250.12	0.63	-0.22	0.59	-1.41
4	CMB	250	250	0.7	10653	0		160.92	-20.6	159.6	-479.04	0.98	-0.36	0.91	-3.19
5	CMB	250	250	0.7	8160	10		166.55	2.53	166.53	374.85	0.71	0.05	0.7	1.87
6	CMB	250	250	0.7	9520	10		138.85	-32.31	135.03	-344.73	0.71	-0.11	0.7	-1.75
7	CMB	250	250	0.7	10652	10		129.25	9.56	128.89	349.74	0.88	0.16	0.86	2.53
8	CMB	250	250	0.7	8160	20		128.02	-19.13	126.58	-320.55	0.6	0.25	0.55	1.94
9	CMB	250	250	0.7	9519	20		126.61	23.97	124.32	471.14	1.01	0.5	0.87	3.7
10	CMB	250	250	0.7	10651	20		85.94	4.8	85.8	276.84	0.83	0.42	0.72	2.77
11	DES	250	300	0.76	7258	0		528.71	85.93	521.68	-883.09	0.24	0	0.24	0.5
12	CRZ	/	/	0.76	8618	0						0.73	-0.6	0.42	-1.08
13	CRZ	/	/	0.81	8618	0						1.02	1	0.2	1.24
14	CRZ	175	175	/	7258	0						0.61	0.29	0.54	1.01

M20P accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	105	105	/	1179	0		29.33	3.97	29.06	74.21	0.19	-0.03	0.18	-0.32
2	CMB	105	105	/	1528	0		36.26	1.8	36.21	61.32	0.21	0.01	0.21	0.3
3	CMB	105	105	/	1528	10		37.02	-3.16	36.88	66.57	0.19	0.02	0.19	0.3
4	CMB	105	105	/	1528	20		41.56	-3.61	41.41	75.3	0.2	0.01	0.2	-0.31
5	DES	150	150	/	1528	0		61.35	5.67	61.09	96.23	0.03	0	0.03	0.04
6	CRZ	160	160	0.29	1528	0						0	0	0	0

M20T accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	104	104	/	1270	0		76.1	-69.63	30.7	-111.16	0.06	-0.02	0.05	-0.15
2	CMB	104	104	/	1361	0		29.5	-5.54	28.98	47.08	0.31	0.06	0.31	1.14
3	CMB	104	104	/	1528	0		101.05	97.35	27.11	165.4	0.03	-0.01	0.03	-0.07
4	CMB	104	104	/	1361	15		33.41	0.04	33.41	66.16	0.07	-0.01	0.07	-0.15
5	CMB	104	104	/	1361	30		37.73	-0.12	37.73	78.92	0.08	-0.02	0.08	0.2
6	DES	170	170	/	1361	0		81.06	2.54	81.02	131.33	0.09	0	0.09	0.15
7	CRZ	180	180	0.37	1406	0						0.05	0	0.05	-0.1

MAGC accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	56	52	/	597	0		26.31	0.72	26.3	47.29	0	0	0	0.01
2	CMB	56	52	/	597	10		25.85	0.43	25.84	43.86	0	0	0	0.01
3	CMB	56	52	/	597	20		25.83	0.02	25.83	38.29	0	0	0	0.01
4	DES	90	90	0.17	599	0		22.19	1.11	22.17	43.98	0	0	0	0
5	CRZ	83	83	0.15	599	0						0	0	0	0

MD11 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	/	154454	0		203.129	104.619	174.116	560.008	6.118	1.306	5.977	19.279
2	CMB	250	250	/	181818	0		181.487	105.163	147.913	491.875	6.181	1.303	6.042	19.444
3	CMB	259	259	/	236142	0		126.157	38.849	120.026	318.747	4.765	0.661	4.719	15.590
4	CMB	288	288	0.81	284318	0		63.844	-26.636	58.023	-231.652	3.244	-1.758	2.727	-6.566
5	CMB	300	300	0.8	154454	0		77.710	-55.457	54.437	-172.837	2.953	-1.321	2.641	-6.178
6	CMB	300	300	0.8	181706	0		98.266	-49.377	84.959	-380.677	3.163	-1.251	2.905	-6.797
7	CMB	300	300	0.8	236231	0		44.356	-10.200	43.167	-173.206	3.100	-1.165	2.873	-5.645
8	CMB	300	300	0.8	284262	0		51.895	-30.377	42.076	-193.598	3.202	-1.705	2.710	-5.261
9	CMB	330	330	0.82	154391	0		126.027	-57.739	112.023	-187.466	4.438	-0.983	4.328	-9.266
10	CMB	330	330	0.82	181631	0		124.057	-49.545	113.735	-346.495	4.135	-0.764	4.064	-8.512
11	CMB	330	330	0.82	236125	0		97.980	-29.257	93.510	-315.229	4.619	-0.919	4.526	-7.850
12	CMB	330	330	0.82	284262	0		58.105	-34.986	46.391	-146.317	4.614	-1.599	4.328	8.108
13	CMB	340	340	0.84	154369	0		151.622	-74.376	132.127	-235.887	5.336	0.321	5.327	8.923
14	CMB	340	340	0.84	181603	0		141.943	-67.323	124.961	-379.028	5.614	0.070	5.614	-8.680
15	CMB	340	340	0.84	236087	0		101.096	-51.137	87.209	-315.947	5.824	0.297	5.817	8.206
16	CMB	340	340	0.84	284070	0		100.250	-72.258	69.490	-331.965	5.897	-1.022	5.808	10.807
17	CMB	330	330	0.82	181623	10		135.669	43.383	128.545	-346.300	5.122	3.165	4.028	9.346
18	CMB	330	330	0.82	154385	10		135.841	63.037	120.329	258.112	5.131	3.582	3.673	10.306
19	CMB	330	330	0.82	236125	10		105.760	34.673	99.915	-318.219	5.413	3.872	3.782	9.215
20	CMB	330	330	0.82	284111	10		46.259	9.744	45.221	-136.247	5.058	3.206	3.912	11.925
21	CMB	330	330	0.82	154375	20		148.588	20.701	147.139	275.162	4.615	0.786	4.547	9.037
22	CMB	330	330	0.82	181610	20		143.021	-2.489	142.999	-387.511	4.552	0.694	4.499	8.279
23	CMB	330	330	0.82	236096	20		81.773	-8.156	81.366	-147.044	5.138	0.527	5.111	10.055
24	CMB	330	330	0.82	284092	20		66.039	-52.030	40.669	-183.108	4.604	-0.643	4.559	10.142
25	DES	300	300	0.82	155250	0		396.811	176.171	355.560	906.952	15.301	4.015	14.765	36.513
26	DES	250	300	/	154745	0		87.972	-85.388	21.165	-125.934	1.810	0.290	1.787	-2.988
27	DES	300	300	0.82	182345	0		263.192	15.112	262.758	954.270	9.290	-0.224	9.288	39.957
28	DES	250	300	/	182027	0		62.479	-59.706	18.409	-94.610	1.858	0.390	1.816	-2.960
29	DES	300	300	0.82	205025	0		158.499	19.361	157.312	-490.867	4.056	-2.513	3.184	-5.896
30	DES	250	300	/	204758	0		45.636	-42.447	16.762	-74.283	1.836	0.464	1.776	-2.618
31	DES	250	260	0.82	155103	0		194.324	-59.876	184.869	-558.109	2.362	-0.728	2.247	-4.028
32	DES	250	260	0.82	182386	0		159.806	-26.870	157.531	-476.547	2.419	-0.753	2.298	3.858

33	DES	250	260	/	205102	0		91.269	14.576	90.098	-347.329	2.466	-0.696	2.366	-3.849
34	CRZ	350	350	0.83	236000	0						3.330	3.304	0.412	3.693

MD82 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.68	45454	0		67.472	-2.161	67.437	-202.682	1.633	0.736	1.457	3.923
2	CMB	250	250	0.68	54545	0		72.709	10.057	72.010	-225.419	1.576	0.751	1.386	3.255
3	CMB	250	250	0.68	63636	0		68.754	25.415	63.884	-205.140	1.443	0.937	1.098	2.965
4	CMB	250	250	0.68	72727	0		60.910	38.764	46.982	-116.635	1.438	1.209	0.778	3.022
5	CMB	290	290	0.72	45424	0	FL>100	75.888	-19.638	73.303	153.208	1.319	0.274	1.290	2.614
6	CMB	290	290	0.72	54507	0	FL>100	67.166	0.302	67.165	150.157	1.331	0.195	1.316	-2.493
7	CMB	290	290	0.72	63590	0	FL>100	62.377	17.825	59.776	154.426	1.199	0.427	1.120	2.568
8	CMB	290	290	0.72	72670	0	FL>100	54.766	28.961	46.483	135.464	1.384	0.539	1.275	2.819
9	CMB	310	310	0.74	45407	0	FL>100	98.815	-25.852	95.373	189.515	1.424	0.342	1.382	3.059
10	CMB	310	310	0.74	54487	0	FL>100	84.639	-3.453	84.568	182.288	1.398	0.434	1.329	3.354
11	CMB	310	310	0.74	61706	0	FL>100	114.648	-83.292	78.783	-170.037	1.375	0.472	1.292	3.216
12	CMB	310	310	0.74	72638	0	FL>100	72.691	24.062	68.593	164.071	1.534	0.528	1.440	3.099
13	CMB	310	310	0.74	45404	10	FL>100	86.928	41.758	76.241	179.117	1.610	1.045	1.225	3.290
14	CMB	310	310	0.74	54483	10	FL>100	79.664	44.473	66.095	166.372	1.572	1.058	1.163	3.389
15	CMB	310	310	0.74	63559	10	FL>100	74.576	44.204	60.062	152.527	1.620	1.165	1.126	3.166
16	CMB	310	310	0.74	72633	10	FL>100	73.572	50.546	53.460	142.622	1.739	1.302	1.152	3.119
17	CMB	310	310	0.74	45402	20	FL>100	100.613	-34.069	94.669	159.167	1.549	-0.591	1.431	-4.816
18	CMB	310	310	0.74	54480	20	FL>100	81.781	-27.491	77.023	129.417	1.360	-0.507	1.262	-3.239
19	CMB	310	310	0.74	63555	20	FL>100	67.987	-27.292	62.269	105.114	1.413	-0.541	1.306	-3.237
20	CMB	310	310	0.74	72627	20	FL>100	53.698	-31.005	43.842	-70.846	1.583	-0.708	1.416	-3.655
21	CMB	250	250	0.68	45454	10		91.784	-60.869	68.697	-195.316	2.498	-1.455	2.031	-5.351
22	CMB	250	250	0.68	54545	10		80.268	-47.561	64.660	-193.422	2.439	-1.456	1.957	-4.854
23	CMB	250	250	0.68	63636	10		67.435	-33.091	58.758	-123.546	2.544	-1.423	2.109	-5.153
24	CMB	250	250	0.68	72727	10		73.175	-27.177	67.942	-119.938	2.663	-1.518	2.188	-4.829
25	CMB	250	250	0.68	45454	20		97.923	28.886	93.565	-242.578	1.492	-0.422	1.431	-2.961
26	CMB	250	250	0.68	54545	20		95.732	18.422	93.943	-237.500	1.656	-0.474	1.587	-5.539
27	CMB	250	250	0.68	63636	20		79.577	22.859	76.224	-168.988	1.565	-0.322	1.531	-5.564
28	CMB	250	250	0.68	72727	20		75.588	19.129	73.128	-127.294	1.542	-0.294	1.514	-4.226
29	DES	290	290	0.76	54961	0	FL>100	297.970	94.172	282.698	634.264	10.879	3.883	10.162	23.232
30	DES	250	290	/	54622	0	FL<100	19.626	-7.643	18.077	26.939	2.252	-2.175	0.581	-2.750
31	DES	250	250	/	54846	0		298.017	-36.136	295.818	-1267.251	5.230	-0.595	5.196	13.944
32	DES	250	250	/	59312	0		337.376	-67.454	330.564	-1173.584	3.899	-1.766	3.476	12.942

33	CRZ	290	290	0.76	51800	0						1.148	0.851	0.771	1.741

MD83 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.68	45454	0		85.919	-20.216	83.507	-207.673	2.186	0.957	1.965	3.903
2	CMB	250	250	0.68	54545	0		84.042	-0.031	84.042	-218.189	2.184	0.966	1.959	3.876
3	CMB	250	250	0.68	63636	0		92.278	13.721	91.253	-252.992	2.088	1.034	1.814	-3.431
4	CMB	250	250	0.68	72727	0		85.400	34.399	78.166	-197.136	1.973	1.412	1.378	3.076
5	CMB	290	290	0.72	45424	0	FL>100	74.409	-18.368	72.106	172.332	1.745	0.509	1.669	3.750
6	CMB	290	290	0.72	54507	0	FL>100	66.022	7.852	65.554	176.486	1.774	0.501	1.702	3.861
7	CMB	290	290	0.72	63590	0	FL>100	72.679	20.221	69.810	181.061	1.844	0.460	1.785	3.813
8	CMB	290	290	0.72	72670	0	FL>100	72.282	40.108	60.133	186.291	1.653	0.852	1.417	3.465
9	CMB	310	310	0.74	45407	0	FL>100	115.859	-53.819	102.600	-205.378	1.970	0.264	1.952	-4.051
10	CMB	310	310	0.74	54487	0	FL>100	93.881	-22.072	91.249	169.336	1.835	0.329	1.805	3.432
11	CMB	310	310	0.74	61706	0	FL>100	85.273	-3.762	85.190	170.219	1.897	0.269	1.878	-3.789
12	CMB	310	310	0.74	72638	0	FL>100	80.754	16.078	79.137	176.485	1.878	0.527	1.802	3.546
13	CMB	310	310	0.74	45404	10	FL>100	106.815	37.382	100.060	221.067	2.094	1.262	1.671	5.017
14	CMB	310	310	0.74	54483	10	FL>100	98.255	45.645	87.009	206.259	2.056	1.197	1.672	4.441
15	CMB	310	310	0.74	63559	10	FL>100	93.797	45.136	82.223	192.534	2.097	1.123	1.771	4.027
16	CMB	310	310	0.74	72633	10	FL>100	89.434	47.754	75.618	183.839	2.036	1.348	1.526	4.032
17	CMB	310	310	0.74	45402	20	FL>100	174.133	-47.047	167.657	249.289	2.986	-1.169	2.748	-6.571
18	CMB	310	310	0.74	54480	20	FL>100	142.439	-33.439	138.458	210.816	2.910	-1.118	2.687	-5.540
19	CMB	310	310	0.74	63555	20	FL>100	115.879	-31.727	111.451	186.481	2.771	-1.060	2.560	-4.571
20	CMB	310	310	0.74	72627	20	FL>100	94.566	-35.996	87.447	139.508	2.928	-1.258	2.644	-4.723
21	CMB	250	250	0.68	45454	10		103.213	-64.106	80.891	-206.096	2.442	-1.352	2.034	-5.071
22	CMB	250	250	0.68	54545	10		87.751	-45.286	75.163	-192.345	2.427	-1.381	1.996	-4.387
23	CMB	250	250	0.68	63636	10		86.455	-35.606	78.782	-243.336	2.435	-1.349	2.027	-4.427
24	CMB	250	250	0.68	72727	10		78.369	-22.219	75.153	-183.796	2.452	-1.283	2.089	-4.238
25	CMB	250	250	0.68	45454	20		75.864	43.622	62.069	136.580	1.493	-0.302	1.462	-5.260
26	CMB	250	250	0.68	54545	20		74.036	35.738	64.839	-148.758	1.252	-0.285	1.219	-2.505
27	CMB	250	250	0.68	63636	20		78.228	25.585	73.926	-214.517	1.233	-0.242	1.209	-2.448
28	CMB	250	250	0.68	72727	20		71.003	24.303	66.715	-153.193	1.508	-0.288	1.480	-4.491
29	DES	290	290	0.76	54961	0	FL>100	299.322	80.214	288.373	649.408	10.884	3.878	10.169	23.232
30	DES	250	290	/	54622	0	FL<100	19.622	-0.297	19.620	36.813	2.252	-2.175	0.581	-2.750
31	DES	250	250	/	54846	0		297.942	-32.780	296.133	-1266.373	5.230	-0.595	5.196	13.944
32	DES	250	250	/	59312	0		336.088	-62.444	330.236	-1169.925	3.899	-1.766	3.476	12.942

33	CRZ	290	290	0.76	51800	0						1.148	0.851	0.771	1.741

MU2 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	147	141	0.33	4082	0		179.98	30.12	177.45	-461.21	0.34	0.01	0.34	-0.74
2	CMB	150	145	0.34	4536	0		158.98	12.03	158.52	-425.32	0.3	-0.01	0.3	0.71
3	CMB	153	148	0.35	4990	0		148.03	-11.86	147.55	-397.99	0.33	-0.05	0.32	0.79
4	CMB	155	150	0.36	5250	0		146.7	-20.79	145.22	-367.87	0.54	-0.12	0.53	-1.29
5	CMB	150	145	0.34	4536	10		160.23	-5.63	160.13	393.15	0.36	0.04	0.36	0.9
6	CMB	150	145	0.34	4536	20		171.87	-6.13	171.76	393.9	0.51	0.12	0.5	1.22
7	DES	200	200	/	4536	0		137.26	9.77	136.91	221.14	0.1	0	0.1	-0.24
8	CRZ	/	/	0.48	4763	0						0.1	0.07	0.07	0.14
9	CRZ	/	/	0.46	4763	0						0.16	-0.14	0.07	-0.25

P06T accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	80	80	/	1180	0		16.98	-1.17	16.94	32.81	0.07	-0.01	0.07	-0.12
2	CMB	80	80	/	1080	0		18.65	0.04	18.65	37.81	0.07	-0.01	0.07	-0.12
3	CMB	80	80	/	980	0		23.38	2.7	23.22	49.04	0.07	-0.01	0.07	-0.12
4	CMB	72	72	/	1230	0		22.55	2.53	22.41	40.92	0.06	0.04	0.04	0.1
5	CMB	72	72	/	1080	0		24.5	-3.68	24.22	37.81	0.06	0.04	0.04	0.1
6	CMB	80	80	/	1080	15		16.6	0.09	16.6	29.42	0.07	-0.01	0.07	-0.12
7	CMB	80	80	/	1080	30		15.84	-0.49	15.83	32.94	0.07	-0.01	0.07	-0.12
8	DES	125	125	/	1080	0		33.16	2.74	33.05	54.19	0.06	0	0.06	-0.1
9	CRZ	/	/	0.21	1180	0						0.04	0	0.04	0.05

P180 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	160	0.5	4082	0		414.62	-106.47	400.72	-817.76	0.34	-0.02	0.34	-0.82
2	CMB	160	160	0.5	4536	0		348.74	-43.48	346.02	-641.37	0.31	-0.02	0.31	-0.67
3	CMB	160	160	0.5	4990	0		301.03	36.54	298.81	508.94	0.31	0	0.31	-0.61
4	CMB	160	160	0.5	5489	0		276.92	104.61	256.4	489.13	0.31	0	0.31	0.71
5	CMB	160	160	0.5	4990	10		277.77	53.46	272.58	479.17	0.26	0.02	0.26	0.51
6	CMB	160	160	0.5	4990	20		249.98	43.39	246.19	398.42	0.26	0.01	0.26	-0.41
7	DES	260	260	0.67	4536	0		274.84	-60.88	268.01	685.19	0.12	0	0.12	0.24
8	CRZ	260	260	0.62	4990	0						0.22	0.07	0.2	0.38
9	CRZ	163	163	/	4990	0						1.04	-1.04	0	-1.04

P28A accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	79	79	0.24	1050	0		41.66323	2.34422	41.59723	81.33283	0.08684	-0.02411	0.08343	-0.14515
2	CMB	79	79	0.24	1050	10		90.79695	-0.26146	90.79658	-174.27449	0.1148	0.00716	0.11458	0.21667
3	CMB	79	79	0.24	1050	20		112.63913	1.20555	112.63268	193.84209	0.15174	0.02068	0.15033	0.34235
4	DES	126	126	0.24	1050	0		34.84312	-0.70384	34.83601	-71.93849	0.03029	0.02223	0.02058	0.04128
5	CRZ	105	105	0.24	1050	0						0.06488	-0.04816	0.04348	-0.07538

P28R accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	90	90	/	1247	0		18.38	-1.25	18.33	36.55	0.23	0.01	0.23	-0.39
2	CMB	90	90	/	1247	10		20.3	-1.96	20.2	34.95	0.2	0	0.2	-0.37
3	CMB	90	90	/	1247	20		27.58	-2.33	27.49	43.2	0.17	-0.01	0.17	-0.28
4	DES	146	146	/	1247	0		109.53	8.2	109.22	177.85	0.13	0	0.13	0.22
5	CRZ	129	129	0.21	1247	0						0	0	0	0

P28T accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	90	90	/	1247	0		16.12	1.12	16.08	26.31	0.16	-0.02	0.16	-0.34
2	CMB	90	90	/	1247	10		21.84	-5.8	21.06	37.13	0.1	0.01	0.1	-0.21
3	CMB	90	90	/	1247	20		29.3	-0.53	29.3	53.12	0.12	0.02	0.12	-0.25
4	DES	146	146	/	1247	0		97.78	7.2	97.52	185.73	0.05	0	0.05	0.1
5	CRZ	130	130	/	1247	0						0	0	0	0

P28U accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	97	97	/	1312	0		39.88	7.89	39.09	62.65	0.13	-0.03	0.13	-0.30
2	CMB	97	97	/	1312	10		38.10	-0.13	38.10	59.48	0.06	0.02	0.06	0.11
3	CMB	97	97	/	1312	20		42.63	-9.69	41.51	-91.17	0.15	0.01	0.15	0.32
4	DES	130	130	/	1315	0		62.61	2.63	62.56	110.67	0.13	0.00	0.13	-0.31
5	CRZ	122	122	0.27	1315	0						0.00	0.00	0.00	0.00

P46T accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	125	125	/	2291	0		137.13	-87.51	105.57	-309.69	0.64	-0.10	0.64	1.74
2	CMB	140	140	/	2291	0		202.70	20.97	201.61	377.88	0.45	0.21	0.40	1.00
3	CMB	125	125	/	2291	17		227.54	32.81	225.16	588.28	0.43	-0.04	0.43	0.99
4	CMB	125	125	/	2291	35		253.12	41.41	249.71	833.37	0.51	0.00	0.51	1.34
5	DES	170	170	/	1724	0		170.92	39.55	166.28	478.86	0.26	0.00	0.26	0.65
6	DES	174	174	/	1996	0		166.85	-14.66	166.21	-451.96	0.26	0.00	0.26	0.65
7	DES	179	179	/	2310	0		172.00	-42.08	166.77	-477.54	0.26	0.00	0.26	0.65
8	CRZ	160	160	0.36	2041	0						0.08	0.00	0.08	-0.08

P750 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	81	81	/	2041	0		104.93	-31.77	100	-176.31	0.29	-0.03	0.28	-0.44
2	CMB	85	85	/	2495	0		84.93	7.94	84.56	117.43	0.17	0.02	0.17	0.35
3	CMB	88	88	/	2948	0		77.2	16.16	75.49	112.79	0.11	0.01	0.11	-0.19
4	CMB	91	91	/	3402	0		75.07	2.04	75.04	99.59	0.16	-0.02	0.16	0.2
5	CMB	88	88	/	2948	-10		76.74	-1.16	76.73	-122.26	0.16	0.07	0.14	0.35
6	CMB	88	88	/	2948	10		91.99	19.4	89.93	145.76	0.09	-0.05	0.07	-0.15
7	DES	140	140	/	2948	0		53.7	4.91	53.48	92.82	0.05	0	0.05	-0.07
8	CRZ	/	/	0.23	3402	0						0.25	0	0.25	-0.35

PA34 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	92	92	/	1999	0		83.16	-7.90	82.78	-174.78	0.69	0.02	0.69	-1.23
2	CMB	92	92	/	1999	10		79.58	5.09	79.41	167.45	0.72	-0.04	0.72	-1.19
3	CMB	92	92	/	1999	20		67.22	3.65	67.12	149.33	0.72	0.01	0.72	-1.20
4	DES	145	145	/	1814	0		28.07	28.01	1.84	30.40	0.00	0.00	0.00	0.00
5	DES	145	145	/	1999	0		27.67	-27.40	3.85	-35.12	0.00	0.00	0.00	0.00
6	CRZ	150	150	/	1814	0						0.00	0.00	0.00	0.00

PA44 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	88	88	/	1722	0		18.72	5.96	17.74	41.94	0.25	-0.02	0.25	-0.40
2	CMB	88	88	/	1722	10		18.01	-5.48	17.15	28.97	0.42	0.07	0.42	1.13
3	CMB	88	88	/	1721	20		31.95	-1.96	31.89	68.33	0.22	-0.04	0.22	-0.39
4	DES	165	165	/	1724	0		96.10	1.19	96.09	149.02	0.17	0.00	0.17	-0.36
5	CRZ	135	135	/	1576	0						0.00	0.00	0.00	0.00

PA46 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	110	110	/	1959	0		70.76	-5.79	70.52	-149.55	0.83	0.14	0.81	2.54
2	CMB	125	125	/	1959	0		134.18	4.86	134.09	-226.86	0.24	0.05	0.23	0.63
3	CMB	110	110	/	1959	10		69.96	8.65	69.42	-145.94	0.37	-0.03	0.37	0.72
4	CMB	110	110	/	1959	20		79.08	13.58	77.91	-153.17	0.18	-0.07	0.17	-0.46
5	CMB	125	125	/	1959	10		109.32	-11.68	108.69	-192.33	0.32	-0.09	0.31	-0.87
6	CMB	125	125	/	1959	20		130.87	-11.74	130.34	271.09	0.20	-0.01	0.20	0.39
7	DES	165	165	/	1970	0		118.77	4.08	118.70	-259.66	0.18	0.00	0.18	0.35
8	CRZ	143	143	0.33	1769	0						0.00	0.00	0.00	0.00

PC12 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	163	153	0.32	3000	0		85.28	-30.88	79.49	-141.06	0.09	0.00	0.09	0.17
2	CMB	163	153	0.32	3500	0		66.47	-8.56	65.92	-100.62	0.12	0.06	0.10	0.20
3	CMB	163	153	0.32	4000	0		54.75	14.36	52.84	71.88	0.10	0.04	0.10	0.18
4	CMB	163	153	0.32	4500	0		68.74	48.38	48.84	117.23	0.14	0.09	0.11	0.31
5	CMB	163	143	0.3	3000	10		66.55	-31.70	58.52	-109.40	0.24	0.01	0.24	0.55
6	CMB	163	143	0.3	3500	10		50.53	-9.69	49.59	-81.59	0.18	0.05	0.17	0.39
7	CMB	163	143	0.3	4000	10		45.06	13.68	42.93	83.34	0.16	0.01	0.16	0.34
8	CMB	163	143	0.3	4500	10		67.01	48.77	45.95	136.50	0.14	0.01	0.14	0.29
9	CMB	153	133	0.28	3000	20		47.22	-31.93	34.79	-103.91	0.26	-0.03	0.26	0.51
10	CMB	153	133	0.28	3500	20		33.41	-8.30	32.36	-75.80	0.19	0.00	0.19	0.35
11	CMB	153	133	0.28	4000	20		37.78	16.01	34.22	81.47	0.22	-0.02	0.21	0.39
12	CMB	153	133	0.28	4500	20		68.06	53.26	42.38	140.54	0.18	-0.04	0.17	0.27
13	DES	240	240	0.48	3500	0		182.01	93.23	156.32	297.05	0.23	0.08	0.22	0.40
14	DES	240	240	0.48	4000	0		176.19	-110.56	137.19	-323.30	0.23	-0.08	0.22	-0.39
15	CRZ	/	/	0.44	3629	0						0.08	0.07	0.04	0.11
16	CRZ	/	/	0.35	3629	0						0.18	-0.08	0.16	-0.36

PRM1 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	220	220	0.62	4066	0		302.43	107.63	282.62	686.83	0.8	0.36	0.71	1.76
2	CMB	220	220	0.62	4518	0		165.7	27.48	163.4	393.72	0.5	0.09	0.5	1.02
3	CMB	220	220	0.62	4970	0		171.02	-46.8	164.49	-526.41	0.7	-0.2	0.67	-2.18
4	CMB	220	220	0.62	5422	0		162.57	22.56	160.99	355.98	0.56	0.07	0.56	1.16
5	CMB	220	220	0.62	5647	0		113.18	24.2	110.57	281.35	0.36	0.03	0.36	0.86
6	CMB	240	240	0.64	4066	0		153.52	10.54	153.16	369.73	0.44	0.09	0.44	0.99
7	CMB	240	240	0.64	4518	0		120.05	-30.74	116.05	204.72	0.35	-0.08	0.34	0.79
8	CMB	240	240	0.64	4970	0		219.24	-74.15	206.32	-747.26	0.88	-0.29	0.83	-2.98
9	CMB	240	240	0.64	5421	0		120.05	-20.76	118.24	-378.27	0.47	-0.1	0.46	-1.55
10	CMB	240	240	0.64	5646	0		116.19	-34.64	110.91	-358.4	0.49	-0.24	0.43	-1.65
11	CMB	220	220	0.62	4968	10		157.43	-18.05	156.39	-477.23	0.59	-0.11	0.58	-1.6
12	CMB	240	240	0.64	4966	10		166.24	22.88	164.66	-518.65	0.46	0.15	0.44	-1.2
13	CMB	220	220	0.62	4964	20		146.31	23.51	144.41	260.16	0.68	0.39	0.55	1.58
14	DES	250	250	0.7	4990	0		320.61	-10.64	320.43	763.71	0.28	0	0.28	-0.65
15	CRZ	195	195	/	4990	0						0.19	0.14	0.13	0.31
16	CRZ	/	/	0.78	4990	0						0.13	-0.11	0.07	-0.23

RJ1H accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	250	0.62	29920	0		242.79	-21.31	241.86	-576.89	2.90	-2.12	1.98	-4.48
2	CMB	250	250	0.62	37895	0		161.43	-28.21	158.95	404.92	4.59	-2.04	4.12	9.82
3	CMB	250	250	0.64	45860	0		136.76	-57.15	124.25	274.88	4.13	-2.90	2.94	-6.40
4	CMB	250	280	0.66	29920	0		321.60	29.70	320.23	-786.29	3.77	-0.71	3.71	-9.84
5	CMB	250	280	0.66	37895	0		204.52	29.62	202.37	-474.71	2.11	-0.44	2.06	-5.36
6	CMB	250	280	0.66	45860	0		137.53	17.13	136.45	352.30	2.17	0.36	2.14	5.34
7	CMB	250	250	0.62	29910	10		223.80	-9.95	223.58	679.20	2.45	-1.05	2.21	4.70
8	CMB	250	250	0.62	37880	10		169.61	-0.38	169.60	435.92	4.42	-0.27	4.42	13.77
9	CMB	250	250	0.64	45840	10		147.47	-8.18	147.24	405.97	4.39	-0.30	4.38	13.78
10	CMB	250	250	0.62	29900	20		224.25	21.72	223.19	658.51	2.69	0.81	2.56	7.95
11	CMB	250	250	0.62	37860	20		165.27	27.46	162.97	466.26	4.09	1.46	3.82	13.74
12	CMB	250	250	0.64	45815	20		136.69	-11.80	136.18	337.38	2.51	0.26	2.49	8.08
13	CMB	250	280	0.66	29910	10		239.85	-6.29	239.77	612.87	1.52	0.08	1.52	4.22
14	CMB	250	280	0.66	37880	10		164.89	7.79	164.70	-463.70	1.85	0.85	1.65	2.31
15	CMB	250	280	0.66	45840	10		133.88	15.90	132.93	430.83	3.66	2.00	3.07	12.38
16	CMB	250	280	0.66	29900	20		196.00	-19.13	195.07	592.99	1.97	1.74	0.92	3.80
17	CMB	250	280	0.66	37860	20		140.07	-2.87	140.04	408.13	2.81	2.34	1.56	7.72
18	CMB	250	280	0.66	45815	20		128.85	-20.91	127.14	340.44	2.44	1.78	1.66	7.09
19	DES	250	250	0.65	34000	0		254.30	30.64	252.44	-630.17	3.10	-0.50	3.06	5.85
20	DES	250	250	0.65	38000	0		223.71	-19.22	222.88	-696.52	3.66	0.50	3.63	8.23
21	CRZ	305	305	0.7	38000	0						1.70	0.14	1.70	-5.33

RJ85 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	280	0.66	29920	0		315.87	43.58	312.85	-761.66	2.92	-0.34	2.90	-7.49
2	CMB	250	280	0.66	37895	0		213.88	22.64	212.68	-493.01	2.47	-0.56	2.41	-5.02
3	CMB	250	280	0.66	45860	0		139.20	9.03	138.90	372.68	1.65	0.28	1.63	5.16
4	CMB	250	250	0.62	29920	0		238.30	-42.74	234.43	560.01	4.49	-2.55	3.69	7.21
5	CMB	250	250	0.62	37895	0		196.49	-34.37	193.46	453.10	2.85	-2.50	1.38	-4.06
6	CMB	250	250	0.64	45860	0		159.00	-22.55	157.39	422.03	5.85	-1.07	5.75	17.51
7	CMB	250	280	0.66	29910	10		342.88	-24.29	342.02	-1322.73	4.36	-1.04	4.24	-12.36
8	CMB	250	280	0.66	37880	10		206.92	13.76	206.47	-528.75	2.10	0.67	2.00	-4.12
9	CMB	250	280	0.66	45840	10		137.70	4.43	137.63	368.21	2.73	1.56	2.24	8.92
10	CMB	250	280	0.66	29900	20		227.03	5.57	226.96	641.23	3.40	2.47	2.33	8.24
11	CMB	250	280	0.66	37860	20		172.49	12.31	172.06	616.35	3.68	2.68	2.53	11.27
12	CMB	250	280	0.66	45815	20		137.81	-44.56	130.41	-291.10	1.67	1.19	1.18	2.50
13	CMB	250	250	0.62	29910	10		245.62	2.29	245.61	709.75	3.19	-1.00	3.03	5.93
14	CMB	250	250	0.62	37880	10		197.50	9.37	197.28	600.43	4.03	-0.24	4.02	12.39
15	CMB	250	250	0.64	45840	10		155.85	-5.38	155.75	373.53	3.39	-0.21	3.39	10.57
16	CMB	250	250	0.62	29900	20		240.53	19.95	239.70	688.87	2.11	0.74	1.98	6.11
17	CMB	250	250	0.62	37860	20		163.27	4.37	163.21	562.62	3.45	0.93	3.32	11.57
18	CMB	250	250	0.64	45815	20		145.44	-8.22	145.21	357.17	5.40	1.08	5.29	17.78
19	DES	250	250	0.65	34000	0		212.40	-2.74	212.38	-509.75	3.57	-0.08	3.56	-6.78
20	DES	250	250	0.65	38000	0		217.67	14.57	217.18	-442.12	3.60	0.08	3.60	6.17
21	CRZ	300	300	0.7	38000	0						1.86	0.16	1.86	-5.40

S22T accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	120	120	/	1633	0		53.54	-0.06	53.54	-175.99	0.08	0	0.08	-0.16
2	CMB	120	120	/	1315	0		73.75	3.57	73.66	-149.01	0	0	0	0
3	CMB	120	120	/	1633	10		54.91	-10.23	53.95	-136.57	0.08	0	0.08	-0.16
4	CMB	120	120	/	1633	20		51.87	4.93	51.64	-105.89	0.08	0	0.08	-0.16
5	DES	178	178	0.38	1463	0		52.1	0.7	52.1	93.94	0	0	0	0
6	CRZ	135	135	0.3	1542	0						0	0	0	0

SB20 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	190	190	0.5	15000	0		261.73898	-2.43176	261.72768	-491.85289	0.73562	-0.16073	0.71785	-1.26614
2	CMB	190	190	0.5	19000	0		209.7949	36.7411	206.55264	-352.73525	0.73124	-0.15936	0.71367	-1.34086
3	CMB	190	190	0.5	23000	0		186.97185	68.05212	174.14759	320.33374	0.73314	-0.15941	0.7156	-1.38556
4	CMB	240	240	0.5	15000	0		265.99863	-43.64793	262.39308	-523.89225	0.80086	0.04825	0.79941	1.44051
5	CMB	240	240	0.5	19000	0		207.32931	-6.74375	207.21961	-403.88597	0.79516	0.05371	0.79334	1.48182
6	CMB	240	240	0.5	23000	0		173.22662	24.48627	171.48727	-310.66289	0.79772	0.05102	0.79609	1.41904
7	CMB	190	190	0.5	15000	10		207.52467	-40.21202	203.59146	-463.58939	0.58403	-0.00812	0.58398	-1.22468
8	CMB	190	190	0.5	19000	10		157.0444	7.15398	156.88137	-302.32206	0.58329	-0.00545	0.58327	-1.20019
9	CMB	190	190	0.5	23000	10		137.50009	44.15911	130.21616	220.69581	0.58021	-0.00585	0.58018	-1.22125
10	CMB	190	190	0.5	19000	20		171.31738	-11.86305	170.90615	-357.74655	1.04873	0.25088	1.01828	1.7366
11	DES	205	205	0.54	19000	0		142.43683	-57.17618	130.45741	257.94326	0.37151	-0.06128	0.36642	0.89528
12	CRZ	273	273	0.62	19000	0						0.44751	0.24922	0.37169	0.76743

SF25 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	46	46	/	540	0		7.73	-0.17	7.73	18.54	0	0	0	0
2	CMB	46	46	/	540	10		6.2	-1.21	6.08	14.96	0	0	0	0
3	CMB	46	46	/	540	20		7.08	1.23	6.97	21.87	0	0	0	0
4	DES	38	38	/	540	0		8.05	5.34	6.01	14.53	0	0	0	0
5	CRZ	54	54	/	540	0						0	0	0	0

SF34 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	140	136	/	9979	0		171.22	-5.76	171.13	-401.14	0.58	-0.13	0.57	-1.19
2	CMB	160	150	0.34	9979	0		109.91	-2.61	109.88	-215.85	0.27	-0.17	0.21	-0.56
3	CMB	182	162	0.34	9979	0		207.96	-38.01	204.45	-440.14	0.72	-0.43	0.57	-1.62
4	CMB	140	136	/	11340	0		221.50	66.64	211.23	-450.10	0.91	0.33	0.85	-1.62
5	CMB	160	150	0.34	11340	0		128.45	-11.73	127.91	-319.00	0.40	-0.16	0.37	-1.16
6	CMB	182	162	0.34	11340	0		101.86	-5.49	101.71	-229.52	0.31	-0.20	0.23	-0.85
7	CMB	140	136	/	13155	0		57.36	3.92	57.23	-142.89	0.19	0.10	0.17	0.35
8	CMB	160	150	0.34	13155	0		85.76	-0.70	85.76	-199.08	0.25	-0.10	0.23	-0.79
9	CMB	182	162	0.34	13155	0		125.01	11.34	124.49	-183.19	0.42	-0.10	0.40	-0.81
10	CMB	140	136	/	11340	20		90.09	18.23	88.22	-240.89	0.59	0.49	0.33	0.84
11	CMB	160	150	0.34	11340	20		72.78	2.43	72.74	-175.14	0.48	0.38	0.30	0.74
12	CMB	182	162	0.34	11340	20		65.47	-14.41	63.87	-139.41	0.36	0.33	0.15	0.70
13	DES	220	220	0.5	12000	0		162.30	-9.96	162.00	362.29	0.36	0.00	0.36	0.85
14	CRZ	245	245	0.46	10886	0						0.12	0.01	0.12	0.19

SH36 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	140	140	0.32	8300	0		93.46067	14.27862	92.36351	-136.03742	0.34063	0.01545	0.34028	0.83536
2	CMB	140	140	0.32	11300	0		66.2186	3.10906	66.14557	114.67823	0.39919	-0.16157	0.36504	-1.16464
3	CMB	140	140	0.32	12300	0		62.62568	-2.46015	62.57734	-104.67309	0.3169	-0.14494	0.28182	-0.83131
4	CMB	130	130	0.3	8300	0		99.40735	3.33671	99.35134	-185.60826	0.37644	-0.20039	0.31868	0.6328
5	CMB	130	130	0.3	11300	0		76.34227	-0.26591	76.34181	-172.32853	0.49566	-0.34196	0.3588	-1.3672
6	CMB	130	130	0.3	12300	0		50.81882	10.34232	49.75529	92.05746	0.35342	-0.19054	0.29766	0.6328
7	CMB	150	150	0.34	8300	0		93.04174	0.53803	93.04019	-154.22552	0.36698	0.22474	0.29011	1.03789
8	CMB	150	150	0.34	11300	0		80.41711	-21.3693	77.5259	-156.36987	0.28472	0.07082	0.27578	-0.62877
9	CMB	150	150	0.34	12300	0		66.30492	-6.54447	65.98115	-135.24271	0.23562	0.11583	0.20518	-0.39068
10	CMB	140	140	0.32	8300	10		93.6951	-4.61394	93.58143	-157.90879	0.41809	0.09401	0.40738	1.18517
11	CMB	140	140	0.32	11300	10		66.9368	-9.95161	66.19291	-128.69123	0.42129	0.11258	0.40597	1.18517
12	CMB	140	140	0.32	12300	10		43.45951	3.45041	43.32232	-73.09018	0.42908	0.17668	0.39101	1.18517
13	CMB	140	140	0.32	11300	20		64.27375	-2.60013	64.22113	-123.32504	0.36283	0.20473	0.29955	0.73844
14	DES	160	160	0.36	11300	0		85.35212	4.09531	85.25381	136.81278	0.20058	-0.01756	0.19981	-0.38531
15	CRZ	180	180	0.34	11300	0						0.10062	0.02474	0.09753	0.20935

SR20 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	95	91	/	1383	0		23.48	-4.03	23.13	48.97	0.09	0	0.09	0.16
2	CMB	92	88	/	1134	0		21.43	4.26	21	48.77	0.1	-0.01	0.09	0.16
3	CMB	95	91	/	1383	10		18.4	-4.28	17.89	34.02	0.09	0	0.09	0.16
4	CMB	95	91	/	1383	20		18.09	3.24	17.8	50.4	0.09	0	0.09	0.16
5	DES	160	160	/	1236	0		72.41	7.32	72.04	123.29	0	0	0	0
6	CRZ	127	127	0.24	1361	0						0	0	0	0

SR22 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	98	93	/	1542	0		28.81	-2.32	28.71	68.21	0.16	0.00	0.16	0.32
2	CMB	98	93	/	1315	0		35.56	3.24	35.41	80.16	0.05	0.02	0.05	0.08
3	CMB	98	93	/	1542	10		73.69	-1.42	73.68	151.63	0.16	0.00	0.16	0.32
4	CMB	98	93	/	1542	20		70.59	2.76	70.54	-146.36	0.16	0.00	0.16	0.32
5	DES	178	178	/	1542	0		85.79	-8.72	85.34	-132.01	0.12	0.00	0.12	-0.25
6	DES	178	178	/	1300	0		101.93	23.97	99.07	178.09	0.12	0.00	0.12	-0.25
7	CRZ	150	150	0.28	1542	0						0.00	0.00	0.00	0.00

SU95 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	250	280	0.78	46000	0		94.79	-1.15	94.78	-167.18	1.32	-0.55	1.2	-3.04
2	CMB	250	280	0.78	44000	0		95.2	-9.63	94.71	-188.21	1.06	-0.38	0.99	-2.18
3	CMB	250	280	0.78	42000	0		100.55	-14.89	99.44	-227.79	0.85	-0.4	0.76	-1.7
4	CMB	250	280	0.78	40000	0		110.67	-12.47	109.97	-237.28	0.73	-0.26	0.68	-1.61
5	CMB	250	280	0.78	36000	0		144.8	-22.16	143.09	-358.54	1.1	0.01	1.1	2.92
6	CMB	250	280	0.78	32000	0		162.37	-44.91	156.04	-352.33	1.05	-0.03	1.05	-2.2
7	CMB	250	280	0.78	44000	10		114.75	61.34	96.98	194.6	1.17	0.84	0.81	2.03
8	CMB	250	280	0.78	40000	10		111.63	49.63	99.99	208.62	1.11	0.65	0.9	1.98
9	CMB	250	280	0.78	36000	10		147.02	57.86	135.15	291.23	0.91	0.69	0.6	1.73
10	CMB	250	280	0.78	44000	20		81.41	6.9	81.12	138.05	1.29	-0.21	1.28	-2.55
11	CMB	250	280	0.78	40000	20		96.39	-1.53	96.38	154.76	1.08	-0.21	1.06	-2.35
12	CMB	250	280	0.78	36000	20		127.16	-0.06	127.16	201.33	1.21	0.16	1.2	3.17
13	DES	250	280	0.78	40200	0		124.52	26.12	121.75	266.42	0.37	-0.03	0.37	-0.53
14	DES	250	280	0.78	36200	0		118.11	-4.46	118.02	282.57	0.4	-0.01	0.4	0.58
15	DES	250	280	0.78	32200	0		121.57	-25.93	118.77	247.96	0.48	0.04	0.48	1.09
16	CRZ	/	/	0.78	40000	0						0.37	0.01	0.37	0.76

SVNH accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	37	37	/	454	0		80.37	-28.07	75.31	117.67	0.02	0	0.02	0.03
2	CMB	37	37	/	454	10		55.44	-18.27	52.34	-77.31	0.02	0	0.02	0.03
3	CMB	37	37	/	454	20		43.74	0.72	43.73	74.3	0.02	0	0.02	0.03
4	DES	70	70	/	454	0		114.65	39.41	107.66	273.09	0	0	0	0
5	CRZ	71	71	/	454	0						0	0	0	0

SW4 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	139	119	/	4536	0		141.24	-13.04	140.63	-492.06	0.27	-0.02	0.27	0.71
2	CMB	123	123	/	5399	0		46.08	12	44.49	-110.76	0.24	-0.11	0.22	-0.63
3	CMB	128	128	/	6295	0		36.95	11.69	35.05	70.13	0.23	-0.08	0.21	-0.51
4	CMB	150	135	/	7258	0		79.52	21.74	76.49	264.66	0.28	-0.11	0.26	0.58
5	CMB	128	128	/	6290	10		45.8	-32.74	32.02	-71.22	0.27	0.11	0.25	0.47
6	CMB	150	135	/	7258	10		74.7	9.26	74.12	233.23	0.37	0.06	0.36	0.71
7	CMB	128	128	/	6281	20		39.87	-27.93	28.45	-58.34	0.22	0.13	0.17	0.46
8	CMB	150	135	/	7258	20		57.68	9.08	56.96	160.4	0.46	0.13	0.44	1.1
9	DES	246	246	0.52	5899	0		210.18	-7.38	210.05	528.8	0.45	0	0.45	-1.3
10	CRZ	220	220	0.44	5443	0						0.16	0.04	0.15	0.3
11	CRZ	210	210	0.42	6350	0						0.2	-0.06	0.19	-0.28

T134 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	270	270	0.74	35000	0		129.02588	12.87608	128.38179	-196.24435	11.93787	3.40205	11.44285	26.66799
2	CMB	270	270	0.74	42000	0		180.33659	-13.36587	179.84059	339.91646	6.562	-3.63499	5.46321	-16.75404
3	CMB	270	270	0.74	47000	0		126.09197	4.88452	125.99733	250.13368	7.35432	-2.269	6.99555	-18.23516
4	CMB	270	270	0.74	35000	10		113.46258	-23.87549	110.92213	-208.53125	13.84431	4.79715	12.98661	24.53294
5	CMB	270	270	0.74	42000	10		150.43193	14.8058	149.70155	347.8841	8.33769	-0.8251	8.29676	-15.99857
6	CMB	270	270	0.74	47000	10		148.74308	18.54842	147.58205	-270.61518	16.17452	0.16805	16.17365	43.38091
7	CMB	270	270	0.74	42000	20		121.05463	-1.23377	121.04834	-179.38962	11.65408	1.20789	11.59131	20.95638
8	DES	323	323	0.82	42000	0		175.5389	-6.65129	175.41285	304.47278	2.00969	0	2.00969	-3.44063

T154 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	297	297	0.8	70000	0		227.49689	3.23362	227.47391	-584.79382	9.62161	-0.67798	9.59770	20.68532
2	CMB	297	297	0.8	80000	0		182.65422	-13.86528	182.12720	-479.35334	7.46416	-1.06290	7.38809	-16.30871
3	CMB	297	297	0.8	100000	0		110.55341	-40.11039	103.02045	-231.52156	5.67972	-1.43042	5.49665	16.98588
4	CMB	310	310	0.85	70000	0		195.68207	39.21835	191.71175	407.19489	7.89397	1.16587	7.80740	18.88361
5	CMB	310	310	0.85	80000	0		201.14910	19.00914	200.24888	433.01257	8.67325	1.38602	8.56179	19.64294
6	CMB	310	310	0.85	100000	0		126.59922	-0.38123	126.59864	242.32217	7.02906	1.03983	6.95172	18.41608
7	CMB	297	297	0.8	70000	10		180.62432	32.13834	177.74215	-393.57202	6.31296	-0.37537	6.30179	16.91314
8	CMB	297	297	0.8	90000	10		122.38321	4.02559	122.31698	-204.75467	5.77451	-0.05693	5.77423	-13.59025
9	CMB	297	297	0.8	100000	10		95.80163	-32.05158	90.28095	-210.96975	4.49806	-0.67523	4.44709	14.27450
10	CMB	297	297	0.8	80000	20		101.27420	4.06495	101.19259	192.51669	3.72667	0.36416	3.70884	13.47134
11	DES	270	270	0.8	85000	0		318.23110	117.31918	295.81623	778.00820	0.84926	-0.30025	0.79441	-1.20617
12	DES	310	310	0.85	85000	0		404.29526	-121.85850	385.49341	-979.29579	10.10050	3.24137	9.56628	36.29712
13	CRZ	297	297	0.8	85000	0						4.37397	-2.36929	3.67669	-10.36954

T204 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	297	297	0.78	69630	0		486.02	-36.05	484.68	916.26	24.71	-0.21	24.71	69.51
2	CMB	297	297	0.78	89530	0		325.56	91.38	312.47	907.41	13.30	-0.62	13.28	38.73
3	CMB	297	297	0.78	104450	0		202.16	40.53	198.06	352.56	18.14	2.80	17.92	36.21
4	CMB	297	297	0.78	69620	10		428.77	-20.69	428.27	694.23	25.04	1.54	24.99	-61.48
5	CMB	297	297	0.78	89505	10		268.66	42.10	265.34	-548.83	9.77	-1.58	9.64	22.08
6	CMB	297	297	0.78	104420	10		272.39	111.70	248.44	598.05	18.76	6.57	17.57	39.98
7	CMB	297	297	0.78	88830	20		243.31	7.50	243.19	511.69	22.44	-6.50	21.48	-38.56
8	DES	270	270	0.78	90000	0		189.36	-8.76	189.16	-399.63	1.71	0.00	1.71	2.89
9	CRZ	/	/	0.78	90000	0						0.37	0.00	0.37	-0.58

TB20 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	86	86	/	1075	0		29.55	-0.66	29.55	58.7	0.16	0.03	0.16	0.31
2	CMB	95	95	/	1400	0		28.64	1.73	28.59	66.23	0.16	0.03	0.16	0.31
3	CMB	86	86	/	1075	20		32.48	3.08	32.33	49.23	0.14	-0.03	0.14	0.22
4	CMB	95	95	/	1400	20		30.28	-6.12	29.65	44.11	0.14	-0.03	0.14	-0.21
5	DES	150	150	/	1075	0		34.41	4.35	34.13	52.87	0.04	0	0.04	-0.07
6	DES	150	150	/	1400	0		28.44	-1.49	28.4	-42.19	0.04	0	0.04	-0.07
7	CRZ	139	139	/	1335	0						0.01	0	0.01	-0.01

TB21 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	95	95	/	1400	0		69.77	3.67	69.67	142.48	0.02	0	0.02	-0.03
2	CMB	95	95	/	1400	20		92.65	-5.83	92.47	-193.72	0.02	0	0.02	-0.04
3	DES	150	150	0.35	1075	0		77.39	20.55	74.61	143.87	0.13	0	0.13	-0.16
4	DES	150	150	0.35	1400	0		70.59	-15.53	68.86	-113.13	0.13	0	0.13	-0.16
5	CRZ	139	139	/	1300	0						0	0	0	0

TBM7 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	130	130	/	2200	0		215.05	52.05	208.65	417.42	0.49	-0.04	0.49	1.51
2	CMB	130	130	/	2500	0		181.94	63.96	170.32	326.35	0.33	-0.11	0.31	0.77
3	CMB	130	130	/	2984	0		193.54	116.66	154.43	361.11	0.31	-0.14	0.28	-0.54
4	CMB	160	160	0.37	2200	0		245.37	-104.23	222.13	-405.00	0.33	0.08	0.32	1.19
5	CMB	160	160	0.37	2500	0		203.85	-69.71	191.56	-387.70	0.28	0.06	0.27	0.61
6	CMB	160	160	0.37	2984	0		157.41	4.56	157.35	-296.34	0.23	0.06	0.22	0.46
7	CMB	130	130	/	2200	10		95.42	-57.59	76.08	-167.49	0.32	0.10	0.30	0.47
8	CMB	130	130	/	2500	10		71.11	-22.67	67.40	-116.44	0.13	0.01	0.13	-0.20
9	CMB	130	130	/	2984	10		71.11	42.79	56.80	122.55	0.24	0.19	0.14	0.37
10	CMB	130	130	/	2500	20		300.17	-8.57	300.05	-639.24	0.33	-0.02	0.33	-0.60
11	DES	230	230	/	2500	0		135.38	-43.59	128.17	-256.89	0.22	0.00	0.22	-0.59
12	DES	230	230	/	2200	0		249.23	206.85	139.03	429.23	0.22	0.00	0.22	-0.59
13	DES	230	230	/	2800	0		260.98	-231.36	120.76	-437.57	0.22	0.00	0.22	-0.59
14	CRZ	205	205	0.49	2500	0						0.10	-0.01	0.10	-0.21

TBM8 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	130	130	/	2628	0		124.96	-22.65	122.89	-219.03	0.27	-0.12	0.24	-0.61
2	CMB	130	130	/	2991	0		111.17	43.99	102.09	225.68	0.29	-0.05	0.29	0.96
3	CMB	130	130	/	3354	0		130.57	72.58	108.53	291.31	0.28	-0.13	0.25	-0.58
4	CMB	160	160	0.37	2628	0		175.73	-72.16	160.23	-307.04	0.30	0.05	0.29	-0.58
5	CMB	160	160	0.37	2991	0		141.81	-12.29	141.28	303.79	0.29	0.09	0.28	0.69
6	CMB	160	160	0.37	3354	0		135.47	43.94	128.14	294.82	0.17	0.05	0.16	0.44
7	CMB	130	130	/	2628	10		89.27	-74.21	49.61	-147.19	0.17	-0.02	0.17	-0.30
8	CMB	130	130	/	2991	10		46.14	-11.49	44.68	-77.35	0.11	0.07	0.09	0.19
9	CMB	130	130	/	3354	10		50.85	29.01	41.76	86.34	0.17	0.10	0.14	0.25
10	CMB	130	130	/	2991	20		152.25	5.23	152.16	-263.75	0.32	0.05	0.32	0.54
11	DES	230	230	/	2984	0		139.32	-35.87	134.62	-277.16	0.29	0.00	0.29	-0.52
12	DES	230	230	/	2684	0		208.19	151.57	142.72	399.22	0.29	0.00	0.29	-0.52
13	DES	230	230	/	3284	0		222.50	-181.16	129.18	-417.51	0.29	0.00	0.29	-0.52
14	CRZ	220	220	0.53	2858	0						0.08	0.00	0.08	-0.16

TEX2 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	140	140	/	2495	0		290.87	3.47	290.85	-642.68	0.16	0.01	0.16	0.3
2	CMB	140	140	/	2858	0		299.46	10.14	299.29	-581.76	0.37	0.01	0.37	-0.81
3	CMB	140	140	/	3130	0		258.02	14.54	257.61	-482.28	0.28	0.02	0.28	0.51
4	CMB	140	140	/	2858	10		229.69	-11.42	229.4	428.38	0.35	-0.07	0.34	-0.58
5	CMB	140	140	/	2858	20		205.7	-24.75	204.2	-299.98	0.26	0.04	0.25	0.48
6	DES	220	220	/	2858	0		256.71	20.55	255.89	393.65	0.03	0	0.03	-0.05
7	CRZ	230	230	/	2948	0						0.08	0.07	0.03	0.1
8	CRZ	200	200	0.47	2948	0						0.07	-0.07	0.01	-0.09

U2 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	160	160	0.69	10840	0		473.98	-66.84	469.24	1242.27	2.85	0.56	2.8	-5.67
2	CMB	160	160	0.69	7575	0		309.42	75.71	300.01	890.88	1.82	-0.41	1.77	-3.01
3	DES	200	200	0.75	7024	0		182.34	18.69	181.38	-433.72	0.29	0	0.29	0.58
4	CRZ	/	/	0.72	9784	0						0.22	-0.22	0	-0.22
5	CRZ	/	/	0.72	9285	0						0.03	-0.03	0	-0.03
6	CRZ	/	/	0.72	8807	0						0.09	-0.09	0	-0.09
7	CRZ	/	/	0.72	8359	0						0.19	-0.19	0	-0.19
8	CRZ	/	/	0.72	7927	0						0.19	0.19	0	0.19
9	CRZ	/	/	0.72	7509	0						0.06	0.06	0	0.06
10	CRZ	/	/	0.72	7113	0						0.16	0.16	0	0.16
11	CRZ	/	/	0.72	6733	0						0.24	0.24	0	0.24

YK40 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	189	189	/	13640	0		65.82	-15.85	63.88	118.13	1.34	0.48	1.25	2.49
2	CMB	189	189	/	14790	0		67.91	-8.74	67.35	107.76	1.52	0.45	1.45	-2.62
3	CMB	189	189	/	16040	0		100.66	4.80	100.54	292.64	2.93	0.34	2.91	8.17
4	CMB	173	162	0.36	14790	0		113.88	101.31	52.02	201.84	3.52	-1.90	2.96	-8.20
5	CMB	211	211	0.44	14440	0		145.72	-131.69	62.38	-221.98	3.40	-0.10	3.39	-6.70
6	CMB	184	184	0.35	14440	0		203.52	86.22	184.36	314.11	4.34	0.29	4.33	7.65
7	CMB	184	184	0.35	14435	10		169.99	2.82	169.97	-334.75	5.19	0.47	5.17	10.42
8	CMB	184	184	0.35	14430	20		83.64	1.93	83.62	-154.66	3.10	0.37	3.07	6.29
9	DES	243	243	0.54	13500	0		261.00	8.11	260.88	663.02	1.30	0.00	1.30	2.38
10	CRZ	210	210	0.46	15000	0						0.51	-0.02	0.51	1.13

YK42 accuracy table

TRJ ID	TRJ Type	CAS <FL100	CAS >FL100	M	Aircraft mass	Delta ISA	Comment	RMS [ft/min]	MEAN [ft/min]	STD [ft/min]	MAX [ft/min]	RMS [kg/min]	MEAN [kg/min]	STD [kg/min]	MAX [kg/min]
1	CMB	227	227	/	48000	0		257.50	14.01	257.12	-547.52	7.72	-0.70	7.69	-20.62
2	CMB	227	227	/	50000	0		303.49	18.27	302.94	686.80	11.23	1.01	11.18	-20.62
3	CMB	227	227	/	52000	0		316.36	12.84	316.10	836.17	8.93	2.22	8.65	-20.62
4	CMB	270	270	0.66	48000	0		312.81	-34.21	310.94	843.12	7.19	2.41	6.77	17.24
5	CMB	227	227	/	50000	10		325.72	4.48	325.69	-767.25	8.55	-1.24	8.46	19.49
6	CMB	227	227	/	50000	20		314.27	3.85	314.24	-699.51	9.43	-4.68	8.19	-18.37
7	DES	243	213	/	48000	0		275.79	31.35	274.00	526.57	1.01	0.00	1.01	2.38
8	DES	243	213	/	50000	0		271.79	-11.03	271.57	-509.46	1.01	0.00	1.01	2.38
9	CRZ	/	/	0.66	48000	0						0.50	-0.11	0.49	0.83
10	CRZ	/	/	0.68	48000	0						0.55	0.01	0.55	0.88

Page intentionally left blank