

**Результаты лабораторных исследований**

|                      |                                 |                                                                                                                                              |
|----------------------|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| № карты              | 2635749                         | <br>Перейти на исходный документ результатов исследования |
| ФИО пациента         | Лысковский Александр Викторович |                                                                                                                                              |
| Дата рождения        | 15.05.1977                      |                                                                                                                                              |
| Направление          | Профили                         |                                                                                                                                              |
| Направил             | Королева Д. Ф.                  |                                                                                                                                              |
| Выполнил             | Меринова Е. А.                  |                                                                                                                                              |
| Дата принятия забора | 09.04.2021 12:32                |                                                                                                                                              |
| Дата исследования    | 11.04.2021 14:51                |                                                                                                                                              |

**Группа исследований: Профили**

| Параметр исследования                          | Результат | Референсные пределы                                                         |
|------------------------------------------------|-----------|-----------------------------------------------------------------------------|
| <b>Исследование венозной крови методом ИФА</b> |           |                                                                             |
| <b>Диагностика COVID-19</b>                    |           |                                                                             |
| anti-SARS-CoV-2 IgM                            | 0,17      | 0.0-0.8 - отрицательно<br>0.8-1.1 - сомнительно<br>более 1.1 - положительно |
| anti-SARS-CoV-2 IgG                            | 0,36      | 0.0-0.8 - отрицательно<br>0.8-1.1 - сомнительно<br>более 1.1 - положительно |

**Комментарий**

Анализ выполнен с использованием тест-системы Вектор Бест (Россия).



**Results of laboratory studies**

|                                  |                                                 |                                                                                                                                           |
|----------------------------------|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>№ карты</b>                   | 2635749                                         | <br>Go to the original<br>research results<br>document |
| <b>Patient name</b>              | LYSKOVSKIY ALEKSANDR ( passport 72 6686657) . . |                                                                                                                                           |
| <b>Birthdate</b>                 | 15.05.1977                                      |                                                                                                                                           |
| <b>Test</b>                      | Medical screening                               |                                                                                                                                           |
| <b>Tested</b>                    | MERINOVA E. A.                                  |                                                                                                                                           |
| <b>Date of biomaterial taken</b> | 09.04.2021 12:32                                |                                                                                                                                           |
| <b>Date of completion</b>        | 11.04.2021 14:51                                |                                                                                                                                           |

**Research group: Medical screening**

| Research parameter  | Result | Reference interval                                                   |
|---------------------|--------|----------------------------------------------------------------------|
| anti-SARS-CoV-2 IgM | 0,17   | 0.0-0.8 - negative<br>0.8-1.1 - controversial<br>more 1.1 - positive |
| anti-SARS-CoV-2 IgG | 0,36   | 0.0-0.8 - negative<br>0.8-1.1 - controversial<br>more 1.1 - positive |

**Comment**

The test was performed by Vektor Best kit (Russia).

