

Contents lists available at ScienceDirect

Saudi Journal of Biological Sciences

journal homepage: www.sciencedirect.com



Review

Role of honey in modern medicine



Sultan Ayoub Meo ^{a,*}, Saleh Ahmad Al-Asiri ^b, Abdul Latief Mahesar ^c, Mohammad Javed Ansari ^d

- ^a Department of Physiology, College of Medicine, King Saud University, Riyadh, Saudi Arabia
- ^b Department of Obstetrics & Gynecology, College of Medicine, King Saud University, Riyadh, Saudi Arabia
- ^c Department of Pharmacology, College of Medicine, King Saud University, Riyadh, Saudi Arabia
- d Bee Research Chair, Department of Plant Protection, College of Food and Agricultural Sciences, King Saud University, Riyadh, Saudi Arabia

ARTICLE INFO

Article history: Received 12 April 2016 Revised 1 December 2016 Accepted 6 December 2016 Available online 24 December 2016

Keywords: Honey Anti-inflammatory Anti-bacterial Antioxidant Modern medicine

ABSTRACT

Use of honey has a very long history. Honey has been used since ancient time due to its nutritional and therapeutic values. There had been varied ways of consumption honey including its use as a sweetener and flavoring agent. Honey is produced all over the world. The most important nutriment of honey is carbohydrates present in the form of monosaccharides, fructose and glucose. Honey plays an important role as an antioxidant, anti-inflammatory, anti-bacterial agent and augments the adherence of skin grafts and wound healing process. The role of honey has been acknowledged in the scientific literature and there is convincing evidence in support of its antioxidant and antibacterial nature, cough prevention, fertility and wound healing properties. However, its use has been controversially discussed and has not been well accepted in the modern medicine. The aim of this review was explore and highlight the role of honey in modern medicine.

© 2017 The Authors. Production and hosting by Elsevier B.V. on behalf of King Saud University. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Contents

| Introduction | |
|--------------------------------|--|
| Types of honey | 976 |
| Biological bioactive compounds | 976 |
| Antioxidant properties | 976 |
| | |
| Honey in cough | 976 |
| Honey in wound healing | 977 |
| Honey and glycemic index | 977 |
| | |
| Conclusion | 977 |
| Acknowledgements | 978 |
| References | 978 |
| | Introduction Types of honey Biological bioactive compounds Antioxidant properties Antimicrobial activity. Honey in cough Honey in wound healing Honey and glycemic index Honey and fertility. Conclusion Acknowledgements References |

E-mail addresses: sultanmeo@hotmail.com, smeo@ksu.edu.sa (S.A. Meo). Peer review under responsibility of King Saud University.



Production and hosting by Elsevier

1. Introduction

The consumption of honey has a very long history among human beings. It has been used in innumerable foods and beverages as sweeting and flavoring agent. Since ancient times, honey has been known for its nutritive and therapeutic values. Honey is produced all over the world. The global production of honey is approximately 1.20 million tons per annum (Bogdanov et al.,

^{*} Corresponding author at: Department of Physiology (29), College of Medicine, King Saud University, P.O. Box 2925, Riyadh 11461, Saudi Arabia. Fax: +966 11 4672567.

2008). China, Turkey, Argentina, Ukraine, Mexico and United States are the main producers of honey. The most important ingredient of honey is carbohydrates present in the form of monosaccharides, fructose, glucose and disaccharides, maltose, isomaltose, maltulose, sucrose and turanose and the sweetness of honey is due to presence of these ingredients. It also contains oligosaccharides including the anderose and panose and enzymes including amylase, oxidase peroxide, catalase and acid phosphorylase. Furthermore, honey contains amino acids, trace vitamin B, Vitamin B6, Vitamin C, niacin, folic acid, minerals, iron, zinc and antioxidants (David, 2007; Fatimah et al., 2013). Honey is commonly used as an anti-inflammatory, anti-oxidant and anti-bacterial agent (Noori et al., 2014).

Honey is highly valued by users for therapeutic purposes as an alternative medicine. However, its use has been controversially discussed in the literature, whether treatment with honey bee product is safe or not especially for metabolically compromised people. It is also strong believed that honey bee is a main source of nurturing and dynamism. The health promoting characteristics of bee are mainly due to the presence of multiple metabolites including folic acid, thiamine, biotin, niacin, tocopherol, polyphenols, phytosterols besides enzymes and co-enzymes. The favorable facts on the anti-oxidant, anti-bacterial, anti-fungicidal, hepatoprotective are recurrently available in the scientific literature. In principle, honey is a valuable supplement for healthy population (Denisow and Denisow-Pietrzyk, 2016). Recent advances in research, literature highlighted that honey has potential biological activities with promising health promoting properties (Muhammad et al., 2016).

2. Types of honey

There are about 320 different varieties of honey originating from various floral sources. The flavor, color, and odor of a specific type of honey are depending on the various liquid sources of the flowers and plants visited by the honey bee. Assorted types of honey are comparable in terms of temperature, rainfall and seasonal and climactic changes. Honey color ranges from light brown to dark brown depending on where the honey bees buzzed (http://www.honeyo.com/types.shtml).

3. Biological bioactive compounds

Honey has various essential biological bioactive compounds including vitamins "A (Retinol), Vitamin E (Tocopherol), Vitamin K (Anti-Haemorrhagic Vitamin), Vitamin B1 (Thiamine), Vitamin B2 (Riboflavin), Vitamin B6, Niacin, Vitamin C (Ascorbic acid), Panthothenic acid and phenolics, flavonoids and fatty acids" (Bogdanov et al., 2008; Muhammad et al., 2015), "cinnamic acid, hydroxybenzoic acid, octadecanoic acid, ethyl ester and flavonoids". Moreover, it contain apigenin, pinocembrin, acacetin, abscisic acid and ferullic acid" (Marghitas et al., 2010; Muhammad et al., 2014). Furthermore, some amino acids of physiological significance are arginine, cysteine, glutamic acid, aspartic acid and proline (Qamer et al., 2007). Honey contains various flavonoid, phenolic, amino acid, protein, ascorbic acid and carotenoid contents and antimicrobial and antioxidant properties according to their weather and geographical conditions (Alvarez-Suarez et al., 2010a, b). The presence of these active compounds provides better understanding of the possible biological role of honey.

4. Antioxidant properties

The word "oxidative stress" defines the inadequate balance between free radicals and antioxidant protective activity (Bogdanov et al., 2008). Antioxidant is an element that can inhibit the oxidation of other molecules. Oxidation is a biochemical reaction that generates free radicals to chain reaction that may harm the cells, tissues and ultimately the physiological functions. Antioxidants such as vitamin C terminate the chain reactions to protect the body from free radicals. To balance the oxidative state, human body maintain complex systems of overlapping antioxidants. The food containing antioxidants have been shown to improve the health. The literature suggests that honey contains potent antioxidative agents. The role of honey also depends on its concentration and its geographically origin. As an antioxidant, honey has numerous preemptive properties against many clinical conditions such as inflammatory disorders, coronary artery diseases, neurological worsening, aging and cancer. Increase in phenolic compound in honey provides antioxidant property (Kishore et al., 2011). The substances such as polyphenols and phenolic acids found in honey vary according to the geographical and climatic condition: for example. flavanol kaempferol can be found in rosemary honey and quercetin in sunflower honey (Akan and Garip, 2011).

Alvarez-Suarez et al. (2012) determined the role of phenolics from monofloral honeys on human Red Blood Cells (RBCs) membranes against oxidative damage. The results show that honey constrains RBCs oxidative damage most probably due to its assimilation into cell membrane and capability to enter and reach at the cytosol. Honey contains appropriate antioxidants which are responsible for biological activity, defense and increase RBCs functions.

5. Antimicrobial activity

In modern medicine the therapeutic use of honey requires that it must exhibit consistent and standardized antimicrobial activity. Pharmaceutical and biological scientists need to identify the floral species which give anti-microbial characteristics. Honeys contain low pH and high osmolarity combined through the enzymatic assembly of hydrogen peroxide exerts an anti-microbial result (Bang et al., 2003).

The practice of honey in wound dressing is gaining popularity in modern medicine as an outcome of its anti-microbial function (Ismail et al., 2015). Moreover, some specific kinds of honey show broad-spectrum antimicrobial role against antibiotic resistant bacterial pathogens (Blair et al., 2009; Cooper et al., 2002a, b; French et al., 2005). The floral sources are responsible for differences in the type and level of anti-microbial activity (Brady et al., 2004). It is mainly based on the environmental conditions and geographical location of the floral sources (Price and Morgan, 2006).

Julie et al. (2011) found that honey has clinical potential and shows a extensive range of antibacterial activity with an accepted possible therapeutic use. The anti-bacterial action was mainly due to hydrogen peroxide formed by the bee-derived enzyme glucose oxidase. Antibacterial activity of honey is mostly reliant on its peroxide activity and non-peroxide mechanisms. Mohd et al. (2013) reported that, honey has antibacterial impact resulting from overall and non-peroxide activities. There is evidence that honey has required broad spectrum activity against Gram-positive and negative bacteria (Katrina and Calvin, 2014).

6. Honey in cough

Cough is a major concern for all people and is one of the most frequent complaints presented to almost all general physicians. Cough is common among children allied with multi-factorial etio-pathological causes. The occurrence of etiology depends on the age, geographical, environmental, weather and epidemiology conditions. The etio-pathology of cough in pediatric population

varies from young adults (Chang and Widdicombe, 2007; Chang, 2010). The adverse effects are more harmful among children than in adults. The children immune system is immature, therefore, they have amplified susceptibility to numerous infections accompanying with prolonged or chronic coughing (Ahmad, 2016). Cough in pediatrics has recently attracted more research interest and understanding its management is vital for their future respiratory health. Many medicines used for children cough management carry possible jeopardies of drowsiness (Paul et al., 2004).

Paul et al. (2007) reported clinical symptoms improvements between the various treatment groups and honey. Honey reliably scoring was meaningfully superior in the cough frequency treatment. In the present study, we reviewed the research literature and found that honey has an excellent safety profile and beneficial effects on the cough prevention. Cohen et al. (2012) conducted a study on three hundred children age ranges 1-5 years with upper respiratory tract infection, nocturnal cough and illness duration was about one week. The authors compared the effect of a single nighttime dose of three types of honey (eucalyptus honey, citrus honey and labiatae honey to placebo (silan date extract) on cough. In all three honey products groups, there was a significant greater improvement compared to the placebo group. Parents ranked the honey products better than the silan date extract and reported that honey is better for the symptomatic relief of night time cough and sleep difficulty allied with childhood upper respiratory infection.

7. Honey in wound healing

The medicinal significance of honey has been reported in the historical scientific literatures. The healing property of honey is mainly due to its antibacterial activity, maintaining a moist wound condition and its high viscosity that helps to provide a protective barrier to prevent the infection (Manisha and Shyamapada, 2011; Hananeh et al., 2015). Honey has been identified for its outcome on the healing process (Nasir et al., 2010) with multiple positive effects on wound (Jull et al., 2013) and is considered to enhance circulation and healing growth. In research literature, honey has received high attention in the domain of wound healing (Cooper and Jenkin, 2009; Gethin and Cowman, 2009) especially the burn wopunds (Jull et al., 2013). Honey is effective on various kinds of wounds where other wound healing methods are unsuccessful (Ligouri and Peters, 2010). Honey minimizes the risk of infection in wounds (Moore and Young, 2011; Wilkinson et al., 2011).

In addition, honey enhances the adherence of skin grafts, has antibacterial and anti-inflammatory effects with higher healing degree. Honey significantly decreases the infection rate on the 5th day of the injury, and minimizes pain and hospital stay. Moreover, honey has durable adhesive characteristics for skin graft fixation with minimum graft contraction Maghsoudi and Moradi, 2015) and honey dressing enhances the healing process of the surgical wounds (Goharshenasan et al., 2016) (see Table 1).

8. Honey and glycemic index

The impact of carbohydrates diet on human health has been controversially debated particularly to understand about in what way carbohydrates diet change the blood glucose. Presently, the importance of carbohydrate is frequently demonstrated as glycemic index (GI). Carbohydrates with minimum and maximum GI provide low and high blood glucose respectively. It is established fact that uni-floral honeys have varying fructose contents and fructose/glucose ratios (Persano and Piro, 2004). Acacia and yellow box types of honey have comparatively higher concentration of fructose with lower GI. The GI concept claims to predict the role of carbohydrates in both health and metabolic and endocrine related

Table 1Summary of promising properties of honey.

Antioxidant
Anti-inflammatory
Antibacterial, antiviral and anti-parasitic activity
Anti-mutagenic and antitumor activity
Cough reducing
Wound healing
Improves serum testosterone levels
Increase sperm count
Enhance fertility

disorders (Ludwig, 2000). Little GI honeys are more valued compared to high GI. The diet with low GI provides benefits with respect to metabolic including diabetes mellitus and in coronary artery heart disease (Jenkins et al., 2002). The ingesting of honey with a low GI, such as acacia honey have physiological advantageous effects and may be used among patients with endocrine functions impaired patients (Peretti et al., 1994; Al-Waili, 2003). Although, the use of honey in diabetic patients have been controversially discussed.

9. Honey and fertility

Historically, Egyptians presented honey for fertility. Moreover, many cultures traditionally consumed honey for enhancement of vitality among males. It has been described that there are several causes of infertility and potential remedies. In view of rich content of vitamins, iron, calcium, other minerals amino acids and immuneenhancing properties, numerous observations have shown that honey bee pollen are thought to improve egg quality and general fertility and fecundity. Honey has been advised in men with problems of impotence and women with problems related to infertility including erratic ovulation. For infertile or sub-fertile men, a drink of honey added with warm milk is believed to improve considerable amount of sperm count. Honey is known to be rich in vitamin B, an essential substance for the production of testosterone. Some literature has acknowledged a positive correlation between honey intake and testosterone concentration. In men with dysfunctional erection or impotence, it has been theorized that given honey's high content of nitric oxide – a chemical substance involved in vasodilatation, it can create and improve erection. It has been shown that an amount of 100 grams of honey is sufficient to increase nitric oxide levels in the blood by up to 50%. Complementary and alternative medicine teachings believe that honey improves sperm quality in men and strengthens the ovaries and uterus in women. In a recent study authors have reported that the supplementation of honey to cryoprotectant solution results in enhancement of overall sperm quality (Fakhrildin and Alsaadi, 2014). Using male rabbits, other researchers have demonstrated that rabbits that were fed bee pollen experienced improved fertility and semen quality. Moreover, young rabbits that were fed bee pollen gained more body weight and a higher survival rate (Attia et al., 2011). Another group of researchers have shown that the couples having trouble conceiving naturally when underwent vaginal application of bee honey and royal jelly around the time of sexual intercourse got an improved fertility (Abdelhafiz and Muhamad, 2008).

10. Conclusion

Honey is highly nutritional with promising properties of antioxidant, anti-inflammatory, anti-bacterial agent as well as cough reducing and wound healing characteristics. Honey also improves the serum testosterone concentration, sperm count and fertility. The foremost concern in the medicinal application of honey in modern medicine is variation in its composition and lack of clinical trials. In principle, we recommend honey is a valuable dietary supplement. However, the use of honey in subjects with metabolic disorders including diabetes mellitus needs to be further investigated.

Acknowledgements

The authors are thankful to the College of Medicine Research Centre, Deanship of Scientific Research, King Saud University, Riyadh, Saudi Arabia for supporting the work.

References

- Abdelhafiz, A.T., Muhamad, J.A., 2008. Midcycle pericoital intravaginal bee honey and royal jelly for male factor infertility. Int. J. Gynaecol. Obstet. 101 (2), 146–149
- Ahmad, K., 2016. Update on pediatric cough. Lung 194, 9-14.
- Akan, Z., Garip, A., 2011. Protective role of quercetin: antioxidants may protect cancer cells from apoptosis and enhance cell durability. WebmedCentral 2 (1). WMC001504.
- Alvarez-Suarez, J.M., Tulipani, S., Díaz, D., Estevez, Y., Romandini, S., Giampieri, F., Damiani, E., Astolfi, P., Bompadre, S., Battino, M., 2010a. Antioxidant and antimicrobial capacity of several monofloral Cuban honeys and their correlation with color, polyphenol content and other chemical compounds. Food Chem. Toxicol. 48 (8–9), 2490–2499.
- Alvarez-Suarez, J.M., Tulipani, S., Romandini, S., Bertoli, E., Battino, M., 2010b. Contribution of honey in nutrition and human health: a review. Mediterr. J. Nutr. Metab. 3, 15–23.
- Alvarez-Suarez, J.M., Giampieri, F., González-Paramás, A.M., Damiani, E., Astolfi, P., Martinez-Sanchez, G., Bompadre, S., Quiles, J.L., Santos-Buelga, C., Battino, M., 2012. Phenolics from monofloral honeys protect human erythrocyte membranes against oxidative damage. Food Chem. Toxicol. 50 (5), 1508–1516.
- Al-Waili, N.S., 2003. Intrapulmonary administration of natural honey solution, hyperosmolar dextrose or hypoosmolar distill water to normal individuals and to patients with type-2 diabetes mellitus or hypertension: their effects on blood glucose level, plasma insulin and C-peptide, blood pressure and peaked expiratory flow rate. Eur. J. Med. Res. 8, 295–303.
- Attia, Y.A., Al-Hanoun, A., Bovera, F., 2011. Effect of different levels of bee pollen on performance and blood profile of New Zealand White bucks and growth performance of their offspring during summer and winter months. J. Anim. Physiol. Anim. Nutr. (Berl) 95 (1), 17–26.
- Bang, L.M., Buntting, C., Molan, P., 2003. The effect of dilution on the rate of hydrogen peroxide production in honey and its implications for wound healing. J. Altern. Complement Med. 9, 267–273.
- Blair, S.E., Cokcetin, N.N., Harry, E.J., Carter, D.A., 2009. The unusual antibacterial activity of medical-grade Leptospermum honey: antibacterial spectrum, resistance and transcriptome analysis. Eur. J. Clin. Microbiol. Infect Dis. 28, 1199–1208.
- Bogdanov, S., Jurendic, T., Sieber, R., Gallmann, P., 2008. Honey for nutrition and health: a review. J. Am. Coll. Nutr. 27 (6), 677–689.
- Brady, N., Molan, P., Bang, L., 2004. A survey of non-manuka New Zealand honeys for antibacterial and antifungal activities. J. Apic. Res. 43, 47–52.
- Chang, A.B., 2010. Pediatric cough: children are not miniature adults. Lung 188 (Suppl. 1), S33-S40.
- Chang, A.B., Widdicombe, J.G., 2007. Cough throughout life: children, adults and the senile. Pulm. Pharmacol. Ther. 20, 371–382.
- Cohen, H.A., Rozen, J., Kristal, H., Laks, Y., Berkovitch, M., Uziel, Y., 2012. Effect of honey on nocturnal cough and sleep quality: a double-blind, randomized, placebo-controlled study. Pediatrics 130 (3), 465–471.
- Cooper, R., Jenkin, L.A., 2009. Comparison between medical grade honey and table honeys in relation to antimicrobial efficacy. Wound 21, 29–36.
- Cooper, R.A., Halas, E., Molan, P.C., 2002a. The efficacy of honey in inhibiting strains of *Pseudomonas aeruginosa* from infected burns. J. Burn Care Rehabil. 23, 366– 370.
- Cooper, R.A., Molan, P.C., Harding, K.G., 2002b. The sensitivity to honey of Grampositive cocci of clinical significance isolated from wounds. J. Appl. Microbiol. 93, 857–863.
- David, W.B., 2007. The chemical composition of honey. J. Chem. Educ. 84 (10), 1647.
 Denisow, B., Denisow-Pietrzyk, M., 2016. Biological and therapeutic properties of bee pollen. A review. J. Sci. Food Agric. http://dx.doi.org/10.1002/jsfa.7729 [Epub ahead of print].
- Fakhrildin, M.B., Alsaadi, R.A., 2014. Honey supplementation to semen-freezing medium improveshuman sperm parameters post-thawing. J. Family Reprod. Health 8 (1), 27–31.
- Fatimah, B., Abubakar, G., Aliyu, S., 2013. Analysis of biochemical composition of honey samples from North-East Nigeria. Biochem. Anal. Biochem. 2 (3), 1000139.

- French, V.M., Cooper, R.A., Molan, P.C., 2005. The antibacterial activity of honey against coagulase-negative staphylococci. J. Antimicrob. Chemother. 56, 228–231
- Gethin, G., Cowman, S., 2009. Manuka honey vs. hydrogel a prospective, open label, multicentre, randomised controlled trial to compare desloughing efficacy and healing. J. Clin. Nurs., 466–474
- Goharshenasan, P., Amini, S., Atria, A., Abtahi, H., Khorasani, G., 2016. Application of honey on surgical wounds: a randomized clinical trial. Forsch. Komplementmed. 23 (1), 12–15.
- Hananeh, W.M., Ismail, Z.B., Alshehabat, M.A., Abeeleh, M.A., Ali, J.F., 2015. Effects of Sidr honey on second-intention healing of contaminated full-thickness skin wounds in healthy dogs. Bull. Vet. Inst. Pulawy 59, 433–439.
- Ismail, Z.B., Alshehabat, M.A., Hananeh, W., Daradka, M., Ali, J.H., El-Najjar, E.K., 2015. Recent advances in topical wound healing products with special reference to honey: a review. Res. Opin. Anim. Vet. Sci. 5 (2), 76–83.
- Jenkins, D., Kendall, C., Augustin, L., Franceschi, S., Hamidi, M., Marchie, A., Jenkins, A., Axelsen, M., 2002. Glycemic index: overview of implications in health and disease. Am. J. Clin. Nutr. 76, 266S–273S.
- Julie, I., Shona, B., Carter, Dee A., 2011. The antibacterial activity of honey derived from Australian Flora. PLoS One 6 (3), e18229.
- Jull, A., Walker, N., Deshpande, S., 2013. Honey as a topical treatment for wounds. Cochrane Database Syst. Rev. 2. CD005083.
- Katrina, B., Calvin, S., 2014. Antibacterial compounds of canadian honeys target bacterial cell wall inducing phenotype changes, growth inhibition and cell lysis that resemble action of β -lactam antibiotics. PLoS One 9 (9), e106967.
- Kishore, R.K., Halim, A.S., Syazana, M.S.N., Sirajudeen, K.N.S., 2011. Tualang honey has higher phenolic content and greater radical scavenging activity compared with other honey sources. Nutr. Res. 31 (4), 322–325.
- Ligouri, P., Peters, K.A., 2010. Nw Leptospermum honey alginate dressing has a positive impact on a wide variety of wound types. J. Wound Ostomy Continence Nurs. 36.
- Ludwig, D., 2000. Dietary glycemic index and obesity. J. Nutr. 130, 280S–283S.
- Maghsoudi, H., Moradi, S., 2015. Honey: a skin graft fixator convenient for both patient and surgeon. Indian J. Surg. 77 (Suppl. 3), 863–867.
- Manisha, D.M., Shyamapada, M., 2011. Honey: its medicinal property and antibacterial activity. Asian Pac. J. Trop. Biomed. 1 (2), 154–160.
- Marghitas, L.A., Dezmirean, D.S., Pocol, V.B., Ilea, M., Bobis, O., Gergen, I., 2010. The development of a biochemical profile of acacia honey by identifying biochemical determinants of its quality. Not. Bot. Horti. Agrobot. Cluj-Napoca 38 (2), 84–90.
- Mohd, I., Zainol, K., Mohd, Y., Mohd, Y., Mohd, Y., 2013. Antibacterial activity of selected Malaysian honey. BMC Complement Altern. Med. 13, 129.
- Moore, C., Young, J., 2011. Effectiveness of silver in wound care treatment. Phys. Ther. Rev. 16, 201–219.
- Muhammad, A., Odunola, O.A., Gbadegesin, M.A., Adegoke, A.M., Olugbami, J.O., 2014. Modulatory role of Acacia honey from north-west Nigeria on sodium arsenite-induced clastogenicity and oxidative stress in male Wistar rats. Nat. Prod. Res. 29 (4), 321–326.
- Muhammad, A., Odunola, O.A., Gbadegesin, M.A., Sallau, A.B., Ndidi, U.S., Ibrahim, M. A., 2015. Inhibitory effects of sodium arsenite and acacia honey on acetylcholinesterase in rats. Int. J. Alzheimer's Dis. 2015, 903603.
- Muhammad, A., Odunola, O.A., Ibrahim, M.A., Sallau, A.B., Erukainure, O.L., Aimola, I. A., Malami, I., 2016. Potential biological activity of acacia honey. Front. Biosci. (Elite Ed) 8, 351–357.
- Nasir, N.A., Halim, A.S., Singh, K.K., Dorai, A.A., Haneef, M.N., 2010. Antibacterial properties of Tualang honey and its effect in burn wound management: a comparative study. BMC Complement Altern. Med. 10, 31.
- Noori, S.Al.W., Faiza, S.Al.W., Mohammed, A., Amjed, A., Khelod, Y.S., Ahmad, A.Al.G.,
 2014. Effects of natural honey on polymicrobial culture of various human pathogens. Arch. Med. Sci. 10 (2), 246–250.
 Paul, I.M., Yoder, K.E., Crowell, K.R., Shaffer, M.L., McMillan, H.S., Carlson, L.C., 2004.
- Paul, I.M., Yoder, K.E., Crowell, K.R., Shaffer, M.L., McMillan, H.S., Carlson, L.C., 2004. Effect of dextromethorphan, diphenhydramine, and placebo on nocturnal cough and sleep quality for coughing children and their parents. Pediatrics 114 (1), e85–e90.
- Paul, I.M., Beiler, J., McMonagle, A., Shaffer, M.L., Duda, L., Berlin Jr., C.M., 2007. Effect of honey, dextromethorphan, and no treatment on nocturnal cough and sleep quality for coughing children and their parents. Arch. Pediatr. Adolesc. Med. 161 (12), 1140–1146.
- Peretti, A., Carbini, L., Dazzi, E., Pittau, L., Spanu, P., Manai, M., 1994. Uso razionale del miele nell'alimentazione dei diabetici. Clin. Dietolog. 21 (13–21), 1994.
- Persano, O.L., Piro, R., 2004. Main European unifloral honeys: descriptive sheets. Apidologie 35, S38–S81.
- Price, J.N., Morgan, J.W., 2006. Variability of plant fitness influences range expansion of *Leptospermum scoparium*. Ecography 29, 623–631.
- Qamer, S., Ehsan, M., Nadeem, S., Shakoori, A.R., 2007. Free amino acids content of Pakistani unifloral honey produced by *Apis mellifera*. Pak. J. Zool. 39 (2), 99–102.
- Types of Honey: Available at: http://www.honeyo.com/types.shtml, (cited date Feb 2, 2016).
- Wilkinson, L.J., White, R.J., Chipman, J.K., 2011. Silver and nanoparticles of silver in wound dressings: a review of efficacy and safety. J. Wound Care 20, 543–549.