

```
AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github (master)
$ git init
Initialized empty Git repository in C:/Users/LyulinChen-AlumnoCEA/Desktop/git-clase/conexion github/.git/

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github (master)
$ git clone https://github.com/LyulinCeacfp/aea4.git
Cloning into 'aea4'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github (master)
$ cd aea4

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ touch index.html

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ touch styles.css

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git add .

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git status
bash: git: command not found

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   index.html
        new file:   styles.css

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git commit -m "First commit"
[main 92964f5] First commit
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 index.html
 create mode 100644 styles.css

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ nano styles.css
```

```

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git add .

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   styles.css

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git commit -m "Second commit"
[main 319aed5] Second commit
1 file changed, 1 insertion(+)

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git log --graph --all
* commit 319aed53070fb9e9a796a12a10e0f7f6525c4ca9 (HEAD -> main)
  Author: Lyulin <lyulin.chen@alu.ceacfp.com>
  Date:   Tue Feb 6 08:52:50 2024 +0100

    Second commit

* commit 92964f5b8c786cc8b289908979d17fbff361f435
  Author: Lyulin <lyulin.chen@alu.ceacfp.com>
  Date:   Tue Feb 6 08:50:12 2024 +0100

    First commot

* commit 4f09806d5a176e2b14e843a974c56a01015c7c38 (origin/main, origin/HEAD)
  Author: LyulinCeacfp <131450155+LyulinCeacfp@users.noreply.github.com>
  Date:   Tue Feb 6 08:44:50 2024 +0100

    Initial commit

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git commit --amend -m "Second commit -Release"
[main 1e9f787] Second commit -Release
Date: Tue Feb 6 08:52:50 2024 +0100
1 file changed, 1 insertion(+)

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git log
commit 1e9f78793ca12cec7f4759fb9775aa1b952bd64e (HEAD -> main)
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date:   Tue Feb 6 08:52:50 2024 +0100

    Second commit -Release

commit 92964f5b8c786cc8b289908979d17fbff361f435
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date:   Tue Feb 6 08:50:12 2024 +0100

    First commot

commit 4f09806d5a176e2b14e843a974c56a01015c7c38 (origin/main, origin/HEAD)
Author: LyulinCeacfp <131450155+LyulinCeacfp@users.noreply.github.com>
Date:   Tue Feb 6 08:44:50 2024 +0100

    Initial commit

```

En la diferencia de blob al principio no tiene contenido

```

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git tag v1.0.0

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git show 1e9f78:
tree 1e9f78:

README.md
index.html
styles.css

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git show 1e9f78:styles.css
no hay estilos aun

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)

```

```
AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git checkout 92964
Note: switching to '92964'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:

    git switch -c <new-branch-name>

Or undo this operation with:

    git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at 92964f5 First commit

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 ((92964f5...))
$ git checkout -b section
Switched to a new branch 'section'

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ touch a.txt

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git add .

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git commit -m "1"
[section 465c182] 1
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 a.txt

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git status
On branch section
nothing to commit, working tree clean

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ nano a.txt

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git add .
warning: in the working copy of 'a.txt', LF will be replaced by CRLF the next time Git touches it

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git add .

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git commit -m "2"
[section 89d467d] 2
1 file changed, 1 insertion(+)

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git status
On branch section
nothing to commit, working tree clean

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ nano a.txt

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git add .
warning: in the working copy of 'a.txt', LF will be replaced by CRLF the next time Git touches it

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git add .

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git commit -m "3"
[section 5c7bd2d] 3
1 file changed, 1 insertion(+), 1 deletion(-)

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git status
On branch section
nothing to commit, working tree clean
```

```

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git log
commit 5c7bd2df6109a13a14c3bb0a7a9ba4e0feeae59d (HEAD -> section)
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 09:14:25 2024 +0100

    3

commit 89d467d8d1bddd33c608118c6eae17d12e0a4306
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 09:14:01 2024 +0100

    2

commit 465c182cfecd73205254d3e3bc9027faa0ad9df2
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 09:13:23 2024 +0100

    1

commit 92964f5b8c786cc8b289908979d17fbff361f435
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 08:50:12 2024 +0100

    First commit

commit 4f09806d5a176e2b14e843a974c56a01015c7c38 (origin/main, origin/HEAD)
Author: LyulinCeacfp <131450155+LyulinCeacfp@users.noreply.github.com>
Date: Tue Feb 6 08:44:50 2024 +0100

    Initial commit

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git checkout 89d467
Note: switching to '89d467'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:

    git switch -c <new-branch-name>

Or undo this operation with:

    git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at 89d467d 2

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 ((89d467d...))
$ git checkout -b homepage
Switched to a new branch 'homepage'

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git branch -d section
error: the branch 'section' is not fully merged.
If you are sure you want to delete it, run 'git branch -D section'

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git branch -D section
Deleted branch section (was 5c7bd2d).

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git branch -a
* homepage
  main
  remotes/origin/HEAD -> origin/main
  remotes/origin/main

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$

```

```
AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ nano styles.css

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git merge main
warning: in the working copy of 'styles.css', LF will be replaced by CRLF the next time Git touches it
error: Your local changes to the following files would be overwritten by merge:
    styles.css
Please commit your changes or stash them before you merge.
Aborting
Merge with strategy ort failed.

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git merge main
error: Your local changes to the following files would be overwritten by merge:
    styles.css
Please commit your changes or stash them before you merge.
Aborting
Merge with strategy ort failed.

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git add .

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git commit -m "conflicto"
[homepage ed15473] conflicto
1 file changed, 1 insertion(+)

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git status
On branch homepage
nothing to commit, working tree clean

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git merge main
Auto-merging styles.css
CONFLICT (content): Merge conflict in styles.css
Automatic merge failed; fix conflicts and then commit the result.

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage|MERGING)
$ git add .

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage|MERGING)
$ git commit
[homepage 3f6cbfe] Merge branch 'main' into homepage

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ nano styles.css
```

```

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git add .

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git commit -m "solucionar conflicto"
[homepage 802f844] solucionar conflicto
1 file changed, 1 insertion(+), 4 deletions(-)

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git status
On branch homepage
nothing to commit, working tree clean

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git log
commit 802f844918240559e45f47d8d6a938306cd8f266 (HEAD -> homepage)
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 09:25:16 2024 +0100

    solucionar conflicto

commit 3f6cbfed4d62a0e951487d573a24605461041219
Merge: ed15473 1e9f787
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 09:24:02 2024 +0100

    Merge branch 'main' into homepage

commit ed154736eb3492415bdbbc6eb4fcee9029c73012
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 09:23:14 2024 +0100

    conflicto

commit 89d467d8d1bdd33c608118c6eae17d12e0a4306
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 09:14:01 2024 +0100

    2

commit 465c182cfecd73205254d3e3bc9027faa0ad9df2
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 09:13:23 2024 +0100

    1

commit 1e9f78793ca12cec7f4759fb9775aa1b952bd64e (tag: v1.0.0, main)
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 08:52:50 2024 +0100

    Second commit -Release

commit 92964f5b8c786cc8b289908979d17fbff361f435
Author: Lyulin <lyulin.chen@alu.ceacfp.com>
Date: Tue Feb 6 08:50:12 2024 +0100

    First commit

commit 4f09806d5a176e2b14e843a974c56a01015c7c38 (origin/main, origin/HEAD)
Author: LyulinCeacfp <131450155+LyulinCeacfp@users.noreply.github.com>
Date: Tue Feb 6 08:44:50 2024 +0100

    Initial commit

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (homepage)
$ git checkout 5c7bd
Note: switching to '5c7bd'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:

    git switch -c <new-branch-name>

Or undo this operation with:

    git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at 5c7bd2d 3

AzureAD+LyulinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 ((5c7bd2d...))
$ git checkout -b section
Switched to a new branch 'section'

```

```
AzureAD+LyuLinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (section)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

AzureAD+LyuLinChen-AlumnoCEA@CEACFP10396 MINGW64 ~/Desktop/git-clase/conexion github/aea4 (main)
$ git merge section
Updating 1e9f787..c5bfe4b
Fast-forward
 a.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 a.txt
```