

SQA PORTFOLIO

Bug Reports & Test Cases

Muhammad Abdullah Arshad

Software Quality Assurance Portfolio

Prepared: September 2026

Table of Contents

Test Scenarios Overview	4
All Test Cases at a Glance	5
All Bug Reports at a Glance	7
Test Case TC-001 — Game does not freeze or crash during continuous movement	8
Test Case TC-002 — Verify character follows terrain height on uneven ground	9
Test Case TC-003 — Verify character responds correctly to all directional inputs	10
Test Case TC-004 — Exploring movement and collision behavior across varied terrain types	11
Test Case TC-005 — Terrain-following fix remains stable after further movement changes	12
Test Case TC-006 — Idle-to-walk animation transition does not cause a crash	13
Test Case TC-007 — Verify walking animation loops during sustained movement	14
Test Case TC-008 — Verify correct animation clip plays for each movement state	15
Test Case TC-009 — Exploring animation behavior across all character states	16
Test Case TC-010 — Walking animation loop fix remains stable after further changes	17
Test Case TC-011 — Sending a message does not break the page layout	18
Test Case TC-012 — Verify no layout shift/artifact when opening a chat from sidebar	19
Test Case TC-013 — Verify layout remains intact when resizing the browser window	20
Test Case TC-014 — Exploring Gemini's UI behavior across common actions	21
Test Case TC-015 — Sidebar chat-switching layout fix holds after vendor update	22
Test Case TC-016 — Pasting normal-length text does not break the input box	23
Test Case TC-017 — Verify input box doesn't overlap responses at high zoom with long paste	24
Test Case TC-018 — Verify scroll behavior remains smooth in long conversations	25
Test Case TC-019 — Exploring input box behavior across zoom and content variations	26
Test Case TC-020 — Input box zoom/paste overlap fix holds after vendor update	27
Test Case TC-021 — Applicant profile creation completes without error	28
Test Case TC-022 — Verify applicants within stated age range are not rejected	29
Test Case TC-023 — Verify a clearly valid mid-range age is accepted without error	30
Test Case TC-024 — Exploring eligibility validation behavior across other fields and courses	31
Test Case TC-025 — Age-validation off-by-one fix holds after portal update	32
Test Case TC-026 — Verify all bookings can be retrieved successfully	33
Test Case TC-027 — Verify creating a booking with valid data succeeds	34
Test Case TC-028 — Verify login generates a valid auth token	35
Test Case TC-029 — Verify login rejects invalid credentials with the correct status code	36
Test Case TC-030 — Verify filtering bookings by a valid firstname returns matching results	37
Test Case TC-031 — Verify PATCH updates only the specified field	38

Test Case TC-032 — Verify deleting an existing booking returns the correct status code	39
Test Case TC-033 — Verify updating a non-existent booking ID returns the correct error	40
Test Case TC-034 — Verify duplicate query parameters are handled gracefully	41
Test Case TC-035 — Verify filtering by deposit status narrows results	42
Test Case TC-036 — Verify creating a booking without a required field is rejected gracefully	43
Test Case TC-037 — Verify batch booking creation is handled correctly	44
Test Case TC-038 — Verify invalid date input is rejected rather than stored	45
Test Case TC-039 — Verify partially-invalid dates are rejected rather than silently altered	46
Test Case TC-040 — Verify PUT fully replaces a booking, clearing omitted fields	47
Bug Report BUG-001 — Player clips through uneven terrain (Y-axis locked)	48
Bug Report BUG-002 — Walking animation plays once instead of looping	49
Bug Report BUG-003 — Layout shift + white-line artifact when opening a chat	50
Bug Report BUG-004 — Input box overlaps responses at high zoom + long paste	52
Bug Report BUG-005 — Eligible birth year (2001) incorrectly rejected by age validation	53
Bug Report BUG-006 — Duplicate query parameters cause a server crash	54
Bug Report BUG-007 — Filtering bookings by depositpaid does not narrow results	55
Bug Report BUG-008 — Creating a booking with lastname omitted crashes the server	56
Bug Report BUG-009 — Batch booking creation (array body) crashes the server	57
Bug Report BUG-010 — Invalid date strings are silently stored as corrupted values	58
Bug Report BUG-011 — Partially-invalid dates are silently coerced to an incorrect date	59
Bug Report BUG-012 — PUT does not clear omitted fields, contradicting full-replacement semantics	60
Summary	61

TEST SCENARIOS OVERVIEW

High-level scope covered by the test cases in this portfolio

ID	Scenario	Covered By	Priority
TS-01	Character movement & collision behave correctly on uneven terrain	TC-001 to TC-005	High
TS-02	Animation state remains correct during continuous movement	TC-006 to TC-010	Medium
TS-03	UI layout remains stable when navigating between chats	TC-011 to TC-015	High
TS-04	Input field behaves correctly across zoom levels & content length	TC-016 to TC-020	Medium
TS-05	Age-eligibility validation matches the stated eligibility range	TC-021 to TC-025	High
TS-06	Restful-Booker API behaves correctly across CRUD operations, filtering, and authentication	TC-026 to TC-040	High

Note: Test Scenario 5 (TS-05) was conducted during a live, time-limited application window (approximately July 20 – August 2, 2026). This window has since closed. The scenario cannot be re-executed or independently reproduced, as the eligibility period no longer exists. Results reflect a single real-world testing opportunity rather than a repeatable test environment

Note: Test Scenario 6 (TS-06) covers the API testing work in this portfolio, which was conducted against a public sandbox API, so the underlying data is shared and may change between test runs. The API testing collection contains the complete testing work for TS-06, including additional test cases, defects, observations, and test scripts. This portfolio presents a selected subset of those results, as the complete testing data is extensive and including everything would make the portfolio unnecessarily large.

ALL TEST CASES AT A GLANCE

Every test case in this portfolio, grouped by scenario

Scenario	Test Case	Title	Related Bug
TS-01	TC-001	Game does not freeze or crash during continuous movement	None
TS-01	TC-002	Verify character follows terrain height on uneven ground	BUG-001
TS-01	TC-003	Verify character responds correctly to all directional inputs	None
TS-01	TC-004	Exploring movement and collision behavior across varied terrain types	None
TS-01	TC-005	Terrain-following fix remains stable after further movement changes	BUG-001
TS-02	TC-006	Idle-to-walk animation transition does not cause a crash	None
TS-02	TC-007	Verify walking animation loops during sustained movement	BUG-002
TS-02	TC-008	Verify correct animation clip plays for each movement state	None
TS-02	TC-009	Exploring animation behavior across all character states	None
TS-02	TC-010	Walking animation loop fix remains stable after further changes	BUG-002
TS-03	TC-011	Sending a message does not break the page layout	None
TS-03	TC-012	Verify no layout shift/artifact when opening a chat from sidebar	BUG-003
TS-03	TC-013	Verify layout remains intact when resizing the browser window	BUG-003
TS-03	TC-014	Exploring Gemini's UI behavior across common actions	None
TS-03	TC-015	Sidebar chat-switching layout fix holds after vendor update	BUG-003
TS-04	TC-016	Pasting normal-length text does not break the input box	None
TS-04	TC-017	Verify input box doesn't overlap responses at high zoom with long paste	BUG-004
TS-04	TC-018	Verify scroll behavior remains smooth in long conversations	None
TS-04	TC-019	Exploring input box behavior across zoom and content variations	BUG-004
TS-04	TC-020	Input box zoom/paste overlap fix holds after vendor update	BUG-004
TS-05	TC-021	Applicant profile creation completes without error	None
TS-05	TC-022	Verify applicants within stated age range are not rejected	BUG-005
TS-05	TC-023	Verify a clearly valid mid-range age is accepted without error	None

TS-05	TC-024	Exploring eligibility validation behavior across other fields and courses	None
TS-05	TC-025	Age-validation off-by-one fix holds after portal update	BUG-005
TS-06	TC-026	Verify all bookings can be retrieved successfully	None
TS-06	TC-027	Verify creating a booking with valid data succeeds	None
TS-06	TC-028	Verify login generates a valid auth token	None
TS-06	TC-029	Verify login rejects invalid credentials with the correct status code	None
TS-06	TC-030	Verify filtering bookings by a valid firstname returns matching results	None
TS-06	TC-031	Verify PATCH updates only the specified field	None
TS-06	TC-032	Verify deleting an existing booking returns the correct status code	None
TS-06	TC-033	Verify updating a non-existent booking ID returns the correct error	None
TS-06	TC-034	Verify duplicate query parameters are handled gracefully	BUG-006
TS-06	TC-035	Verify filtering by deposit status narrows results	BUG-007
TS-06	TC-036	Verify creating a booking without a required field is rejected gracefully	BUG-008
TS-06	TC-037	Verify batch booking creation is handled correctly	BUG-009
TS-06	TC-038	Verify invalid date input is rejected rather than stored	BUG-010
TS-06	TC-039	Verify partially-invalid dates are rejected rather than silently altered	BUG-011
TS-06	TC-040	Verify PUT fully replaces a booking, clearing omitted fields	BUG-012

ALL BUG REPORTS AT A GLANCE

Every bug logged in this portfolio

Bug ID	Title	Severity	Priority	Status
BUG-001	Player clips through uneven terrain (Y-axis locked)	Critical	High	Fixed
BUG-002	Walking animation plays once instead of looping	Minor	High	Fixed
BUG-003	Layout shift + white-line artifact when opening a chat	Minor	High	Open
BUG-004	Input box overlaps responses at high zoom + long paste	Major	Medium	Open
BUG-005	Eligible birth year (2001) incorrectly rejected by age validation	Critical	High	Open
BUG-006	Duplicate query parameters cause a server crash	Critical	High	Open
BUG-007	Filtering bookings by depositpaid does not narrow results	Major	Medium	Open
BUG-008	Creating a booking with lastname omitted crashes the server	Critical	High	Open
BUG-009	Batch booking creation (array body) crashes the server	Critical	Medium	Open
BUG-010	Invalid date strings are silently stored as corrupted values	Major	High	Open
BUG-011	Partially-invalid dates are silently coerced to an incorrect date	Critical	High	Open
BUG-012	PUT does not clear omitted fields, contradicting full-replacement semantics	Major	Medium	Open

TEST CASE

TC-001 | Game does not freeze or crash during continuous movement

Test Case Details			
Test Case ID:	TC-001	Related Bug:	None
Module / Feature:	Movement / Collision	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2023-11-16
Test Type:	☐ Functional ☐ Exploratory ☐ Regression ☒ Smoke	Environment:	FYP game (Unity)
URL / Reference:	N/A - local build, no public URL	Automation Status:	Manual

Preconditions
Game build launched and playable.

Test Steps		
Step	Action	Expected Result
1	Launch the FYP game build	Game loads to a playable state
2	Move the character continuously for 2+ minutes across varied terrain	No freeze, crash, or unresponsive state occurs

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2023-11-16	Muhammad Abdullah Arshad	Pass	No crash or freeze observed.

TEST CASE

TC-002 | Verify character follows terrain height on uneven ground

Test Case Details

Test Case ID:	TC-002	Related Bug:	BUG-001
Module / Feature:	Movement / Collision	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2023-11-15
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	FYP game (Unity)
URL / Reference:	N/A - local build, no public URL	Automation Status:	Manual

Preconditions

Character loaded into a level with uneven/sloped terrain.

Test Steps

Step	Action	Expected Result
1	Launch the FYP game build	Game loads to a playable state
2	Move the character onto sloped/uneven ground	Character begins traversing the slope
3	Continue moving across the uneven surface	Character stays on top of the terrain surface at all times

Test Data

N/A

Execution History

Date	Executed By	Result	Notes
2023-11-15	Muhammad Abdullah Arshad	Fail	Character clipped through terrain — logged as BUG-001.
2023-11-18	Muhammad Abdullah Arshad	Pass	Retested after fix (Y-axis unlocked). Confirmed resolved.

TEST CASE

TC-003 | Verify character responds correctly to all directional inputs

Test Case Details			
Test Case ID:	TC-003	Related Bug:	None
Module / Feature:	Movement / Collision	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2023-11-16
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	FYP game (Unity)
URL / Reference:	N/A - local build, no public URL	Automation Status:	Manual

Preconditions
Character loaded into an open level.

Test Steps		
Step	Action	Expected Result
1	Launch the FYP game build	Game loads to a playable state
2	Press each movement key (forward/back/left/right) individually	Character moves in the corresponding direction with no delay or drift

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2023-11-16	Muhammad Abdullah Arshad	Pass	All directional inputs responded correctly.

TEST CASE

TC-004 | Exploring movement and collision behavior across varied terrain types

Test Case Details			
Test Case ID:	TC-004	Related Bug:	None
Module / Feature:	Movement / Collision	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2023-11-17
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	FYP game (Unity)
URL / Reference:	N/A - local build, no public URL	Automation Status:	Manual

Preconditions
Character loaded into a level containing a variety of terrain types (slopes, stairs, gaps, uneven surfaces).

Test Steps		
Step	Action	Expected Result
1	Freely move the character across all available terrain types, in no fixed sequence	Note any unexpected collision, clipping, or movement anomalies encountered

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2023-11-17	Muhammad Abdullah Arshad	Pass	No additional collision issues found beyond BUG-001, which was already fixed prior to this session.

TEST CASE

TC-005 | Terrain-following fix remains stable after further movement changes

Test Case Details			
Test Case ID:	TC-005	Related Bug:	BUG-001
Module / Feature:	Movement / Collision	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2023-11-19
Test Type:	☐ Functional ☐ Exploratory ☒ Regression ☐ Smoke	Environment:	FYP game (Unity)
URL / Reference:	N/A - local build, no public URL	Automation Status:	Manual

Preconditions
BUG-001 fix already applied; further movement-related code changes made since.

Test Steps		
Step	Action	Expected Result
1	Repeat original BUG-001 reproduction steps (move across uneven terrain)	Character continues to follow terrain height correctly, matching post-fix behavior

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2023-11-19	Muhammad Abdullah Arshad	Pass	Fix remained stable after subsequent movement-related tweaks.

TEST CASE

TC-006 | Idle-to-walk animation transition does not cause a crash

Test Case Details			
Test Case ID:	TC-006	Related Bug:	None
Module / Feature:	Animation	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2023-11-21
Test Type:	☐ Functional ☐ Exploratory ☐ Regression ☒ Smoke	Environment:	FYP game (Unity)
URL / Reference:	N/A - local build, no public URL	Automation Status:	Manual

Preconditions
Character loaded, standing idle.

Test Steps		
Step	Action	Expected Result
1	Launch the FYP game build	Game loads to a playable state
2	Repeatedly start/stop movement to trigger idle↔walk transitions 10+ times	No crash, freeze, or animation lock-up occurs

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2023-11-21	Muhammad Abdullah Arshad	Pass	Transitions handled cleanly, no crash.

TEST CASE

TC-007 | Verify walking animation loops during sustained movement

Test Case Details

Test Case ID:	TC-007	Related Bug:	BUG-002
Module / Feature:	Animation	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2023-11-20
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	FYP game (Unity)
URL / Reference:	N/A - local build, no public URL	Automation Status:	Manual

Preconditions

Character loaded into a level with open movement space.

Test Steps

Step	Action	Expected Result
1	Launch the FYP game build	Game loads to a playable state
2	Move the character forward continuously for 10+ seconds	Animation continues without interruption
3	Observe animation behavior throughout movement	Animation loops smoothly and continuously

Test Data

N/A

Execution History

Date	Executed By	Result	Notes
2023-11-20	Muhammad Abdullah Arshad	Fail	Animation froze after one cycle — logged as BUG-002.
2023-11-23	Muhammad Abdullah Arshad	Pass	Retested after enabling Loop Time. Confirmed resolved.

TEST CASE

TC-008 | Verify correct animation clip plays for each movement state

Test Case Details			
Test Case ID:	TC-008	Related Bug:	None
Module / Feature:	Animation	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2023-11-21
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	FYP game (Unity)
URL / Reference:	N/A - local build, no public URL	Automation Status:	Manual

Preconditions
Character loaded into an open level.

Test Steps		
Step	Action	Expected Result
1	Launch the FYP game build	Game loads to a playable state
2	Trigger idle, walk, and run states in sequence	Each state plays its correct, matching animation clip

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2023-11-21	Muhammad Abdullah Arshad	Pass	Correct clip played for each state.

TEST CASE

TC-009 | Exploring animation behavior across all character states

Test Case Details			
Test Case ID:	TC-009	Related Bug:	None
Module / Feature:	Animation	Priority:	☐ High ☐ Medium ☒ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2023-11-22
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	FYP game (Unity)
URL / Reference:	N/A - local build, no public URL	Automation Status:	Manual

Preconditions
Character loaded, with access to idle/walk/run states.

Test Steps		
Step	Action	Expected Result
1	Freely trigger different movement states in varying sequences and speeds	Note any unexpected animation glitches, freezes, or mismatches beyond the known looping bug

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2023-11-22	Muhammad Abdullah Arshad	Pass	No additional animation issues found beyond BUG-002, which was already fixed.

TEST CASE

TC-010 | Walking animation loop fix remains stable after further changes

Test Case Details			
Test Case ID:	TC-010	Related Bug:	BUG-002
Module / Feature:	Animation	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2023-11-24
Test Type:	☐ Functional ☐ Exploratory ☒ Regression ☐ Smoke	Environment:	FYP game (Unity)
URL / Reference:	N/A - local build, no public URL	Automation Status:	Manual

Preconditions
BUG-002 fix already applied; further animation-related changes made since.

Test Steps		
Step	Action	Expected Result
1	Repeat original BUG-002 reproduction steps (move continuously, observe the loop)	Animation continues to loop correctly, matching post-fix behavior

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2023-11-24	Muhammad Abdullah Arshad	Pass	Fix remained stable after later animation-related tweaks.

TEST CASE

TC-011 | Sending a message does not break the page layout

Test Case Details

Test Case ID:	TC-011	Related Bug:	None
Module / Feature:	UI / Layout	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-06-15
Test Type:	☐ Functional ☐ Exploratory ☐ Regression ☒ Smoke	Environment:	Gemini (web)
URL / Reference:	https://gemini.google.com	Automation Status:	Manual

Preconditions

Gemini loaded, new chat open.

Test Steps

Step	Action	Expected Result
1	Navigate to gemini.google.com	Site loads with normal layout
2	Send 5+ consecutive messages	Layout remains intact; no crash or broken rendering

Test Data

N/A

Execution History

Date	Executed By	Result	Notes
2026-06-15	Muhammad Abdullah Arshad	Pass	No layout break from normal message sending.

TEST CASE

TC-012 | Verify no layout shift/artifact when opening a chat from sidebar

Test Case Details

Test Case ID:	TC-012	Related Bug:	BUG-003
Module / Feature:	UI / Layout	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-06-15
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	Gemini (web)
URL / Reference:	https://gemini.google.com	Automation Status:	Manual

Preconditions

Page freshly loaded, no prior artifact present.

Test Steps

Step	Action	Expected Result
1	Navigate to gemini.google.com	Site loads with normal layout
2	Open any previous chat from the sidebar	Chat opens without layout disruption
3	Observe screen edges and composer position	No artifact appears; composer stays in normal position

Test Data

N/A

Execution History

Date	Executed By	Result	Notes
2026-06-15	Muhammad Abdullah Arshad	Fail	White line artifact + composer shift observed — logged as BUG-003. Not yet resolved by vendor.

TEST CASE

TC-013 | Verify layout remains intact when resizing the browser window

Test Case Details

Test Case ID:	TC-013	Related Bug:	BUG-003
Module / Feature:	UI / Layout	Priority:	☐ High ☐ Medium ☒ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-06-16
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	Gemini (web)
URL / Reference:	https://gemini.google.com	Automation Status:	Manual

Preconditions

Gemini loaded in browser.

Test Steps

Step	Action	Expected Result
1	Navigate to gemini.google.com	Site loads with normal layout
2	Resize the browser window across several widths (mobile→desktop range), then send a new message or reload/navigate to a recent chat	Layout adapts responsively with no overlap, artifact, or breakage, even after the triggering action

Test Data

N/A

Execution History

Date	Executed By	Result	Notes
2026-06-16	Muhammad Abdullah Arshad	Fail	Resizing alone appeared to pass, but the artifact reliably reappeared after sending a message or reloading. See BUG-003.

TEST CASE

TC-014 | Exploring Gemini's UI behavior across common actions

Test Case Details

Test Case ID:	TC-014	Related Bug:	None
Module / Feature:	UI / Layout	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-06-17
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Gemini (web)
URL / Reference:	https://gemini.google.com	Automation Status:	Manual

Preconditions

Logged into Gemini, with multiple existing chats available.

Test Steps

Step	Action	Expected Result
1	Freely navigate the interface — switch chats, open settings, start new chats, resize window — in no fixed sequence	Note any layout, rendering, or navigation anomalies beyond the known sidebar issue

Test Data

N/A

Execution History

Date	Executed By	Result	Notes
2026-06-17	Muhammad Abdullah Arshad	Pass	No additional layout issues found beyond BUG-003, which remains open.

TEST CASE

TC-015 | Sidebar chat-switching layout fix holds after vendor update

Test Case Details			
Test Case ID:	TC-015	Related Bug:	BUG-003
Module / Feature:	UI / Layout	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-06-18
Test Type:	☐ Functional ☐ Exploratory ☒ Regression ☐ Smoke	Environment:	Gemini (web)
URL / Reference:	https://gemini.google.com	Automation Status:	Manual

Preconditions
Vendor fix for BUG-003 must be applied before execution.

Test Steps		
Step	Action	Expected Result
1	Repeat original BUG-003 reproduction steps (open a chat from the sidebar)	No artifact or layout shift appears, confirming the fix holds

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
N/A	Muhammad Abdullah Arshad	Blocked	Cannot execute — BUG-003 not yet fixed by the vendor. Staged for retest once resolved.

TEST CASE

TC-016 | Pasting normal-length text does not break the input box

Test Case Details

Test Case ID:	TC-016	Related Bug:	None
Module / Feature:	UI / Layout	Priority:	☐ High ☐ Medium ☒ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-01-15
Test Type:	☐ Functional ☐ Exploratory ☐ Regression ☒ Smoke	Environment:	DeepSeek (web), default zoom
URL / Reference:	https://chat.deepseek.com	Automation Status:	Manual

Preconditions

Browser at default (100%) zoom; chat open.

Test Steps

Step	Action	Expected Result
1	Navigate to chat.deepseek.com	Site loads normally
2	Paste a short block of text (1-3 lines) and send	Input box resizes normally; no layout issue

Test Data

Pasted text block, 1-3 lines

Execution History

Date	Executed By	Result	Notes
2026-01-15	Muhammad Abdullah Arshad	Pass	No issue at default zoom with short text.

TEST CASE

TC-017 | Verify input box doesn't overlap responses at high zoom with long paste

Test Case Details

Test Case ID:	TC-017	Related Bug:	BUG-004
Module / Feature:	UI / Layout	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-01-15
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	DeepSeek (web), zoom $\geq$ 125%
URL / Reference:	https://chat.deepseek.com	Automation Status:	Manual

Preconditions

Browser zoom set to 125%+; chat open.

Test Steps

Step	Action	Expected Result
1	Navigate to chat.deepseek.com and set zoom to 125%+	Zoom applies to the page
2	Paste a block of text (~20 lines) into the input box	Input box begins expanding
3	Observe input box size vs. response area	Input box caps height with scroll; response stays visible

Test Data

Pasted text block, ~20 lines

Execution History

Date	Executed By	Result	Notes
2026-01-15	Muhammad Abdullah Arshad	Fail	Input box expanded and covered response area — logged as BUG-004. Not yet resolved by vendor.

TEST CASE

TC-018 | Verify scroll behavior remains smooth in long conversations

Test Case Details

Test Case ID:	TC-018	Related Bug:	None
Module / Feature:	UI / Layout	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-01-16
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	DeepSeek (web)
URL / Reference:	https://chat.deepseek.com	Automation Status:	Manual

Preconditions

An active conversation with 20+ message exchanges.

Test Steps

Step	Action	Expected Result
1	Navigate to chat.deepseek.com and open a long conversation	Conversation loads fully
2	Scroll from bottom to top and back	Scrolling is smooth; no jumping, lag, or missing content

Test Data

N/A

Execution History

Date	Executed By	Result	Notes
2026-01-16	Muhammad Abdullah Arshad	Pass	Scrolling behaved smoothly.

TEST CASE

TC-019 | Exploring input box behavior across zoom and content variations

Test Case Details			
Test Case ID:	TC-019	Related Bug:	BUG-004
Module / Feature:	UI / Layout	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-01-17
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	DeepSeek (web)
URL / Reference:	https://chat.deepseek.com	Automation Status:	Manual

Preconditions
DeepSeek chat open.

Test Steps		
Step	Action	Expected Result
1	Freely vary zoom levels, paste lengths, and content types (text, links, code blocks) in no fixed sequence	Note any input box or layout anomalies beyond the known 125%+/20-line case

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-01-17	Muhammad Abdullah Arshad	Fail	Additional issue found: while composing a long message at 125%+ zoom, the response and the first two lines of the in-progress message are hidden (not recoverable by scrolling). Resolves automatically once the message is sent. See BUG-004.

TEST CASE

TC-020 | Input box zoom/paste overlap fix holds after vendor update

Test Case Details

Test Case ID:	TC-020	Related Bug:	BUG-004
Module / Feature:	UI / Layout	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-01-18
Test Type:	☐ Functional ☐ Exploratory ☒ Regression ☐ Smoke	Environment:	DeepSeek (web)
URL / Reference:	https://chat.deepseek.com	Automation Status:	Manual

Preconditions

Vendor fix for BUG-004 must be applied before execution.

Test Steps

Step	Action	Expected Result
1	Repeat original BUG-004 reproduction steps (125%+ zoom, paste ~20 lines)	Input box caps height correctly; response remains visible, confirming the fix holds

Test Data

N/A

Execution History

Date	Executed By	Result	Notes
N/A	Muhammad Abdullah Arshad	Blocked	Cannot execute — BUG-004 not yet fixed by the vendor. Staged for retest once resolved.

TEST CASE

TC-021 | Applicant profile creation completes without error

Test Case Details

Test Case ID:	TC-021	Related Bug:	None
Module / Feature:	Application / Eligibility Validation	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-07-25
Test Type:	☐ Functional ☐ Exploratory ☐ Regression ☒ Smoke	Environment:	Government recruitment portal (name withheld)
URL / Reference:	Withheld (sensitive/government portal)	Automation Status:	Manual

Preconditions

Portal accessible; no existing profile.

Test Steps

Step	Action	Expected Result
1	Log into the applicant portal	Login page loads
2	Fill and submit a new applicant profile with valid details	Profile is created without error

Test Data

N/A

Execution History

Date	Executed By	Result	Notes
2026-07-25	Muhammad Abdullah Arshad	Pass	Profile created successfully.

TEST CASE

TC-022 | Verify applicants within stated age range are not rejected

Test Case Details			
Test Case ID:	TC-022	Related Bug:	BUG-005
Module / Feature:	Application / Eligibility Validation	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-07-25
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	Government recruitment portal (name withheld)
URL / Reference:	Withheld (sensitive/government portal)	Automation Status:	Manual

Preconditions
Applicant profile created; target post states min age 20, max age 26.

Test Steps		
Step	Action	Expected Result
1	Log into the applicant portal	Profile loads successfully
2	Set birth year to 2001 and submit application	Application accepted, no eligibility error
3	Repeat with birth year 2002 for comparison	Consistent acceptance across valid birth years

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-07-25	Muhammad Abdullah Arshad	Fail	2001 incorrectly rejected; 2002 passed — logged as BUG-005. Not yet resolved.

TEST CASE

TC-023 | Verify a clearly valid mid-range age is accepted without error

Test Case Details			
Test Case ID:	TC-023	Related Bug:	None
Module / Feature:	Application / Eligibility Validation	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-07-26
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	Government recruitment portal (name withheld)
URL / Reference:	Withheld (sensitive/government portal)	Automation Status:	Manual

Preconditions
Applicant profile created; target post states min age 20, max age 26.

Test Steps		
Step	Action	Expected Result
1	Log into the applicant portal	Profile loads successfully
2	Set birth year to give a mid-range age (e.g. 23) and submit	Application accepted, no eligibility error

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-07-26	Muhammad Abdullah Arshad	Pass	Mid-range age accepted with no issue — confirms error is boundary-specific, not systemic.

TEST CASE

TC-024 | Exploring eligibility validation behavior across other fields and courses

Test Case Details

Test Case ID:	TC-024	Related Bug:	None
Module / Feature:	Application / Eligibility Validation	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-07-26
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Government recruitment portal (name withheld)
URL / Reference:	Withheld (sensitive/government portal)	Automation Status:	Manual

Preconditions

Applicant profile created.

Test Steps

Step	Action	Expected Result
1	Freely test other profile fields and course eligibility brackets (e.g. other birth years, other posts) in no fixed sequence	Note any other eligibility or validation inconsistencies beyond the known 2001 birth-year case

Test Data

N/A

Execution History

Date	Executed By	Result	Notes
2026-07-26	Muhammad Abdullah Arshad	Pass	No additional eligibility inconsistencies found beyond BUG-005, which remains open.

TEST CASE

TC-025 | Age-validation off-by-one fix holds after portal update

Test Case Details			
Test Case ID:	TC-025	Related Bug:	BUG-005
Module / Feature:	Application / Eligibility Validation	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-07-27
Test Type:	☐ Functional ☐ Exploratory ☒ Regression ☐ Smoke	Environment:	Government recruitment portal (name withheld)
URL / Reference:	Withheld (sensitive/government portal)	Automation Status:	Manual

Preconditions
Portal fix for BUG-005 must be applied before execution.

Test Steps		
Step	Action	Expected Result
1	Repeat original BUG-005 reproduction steps (birth year 2001 application)	Application is accepted without an eligibility error, confirming the fix holds

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
N/A	Muhammad Abdullah Arshad	Blocked	Cannot execute: BUG-005 is not yet fixed by the portal, and the eligibility window has since closed. Retest is not currently possible.

TEST CASE

TC-026 | Verify all bookings can be retrieved successfully

Test Case Details			
Test Case ID:	TC-026	Related Bug:	None
Module / Feature:	API / Booking Retrieval	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-08
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
Restful-Booker API is reachable; bookings exist in the system.

Test Steps		
Step	Action	Expected Result
1	Send GET request to /booking	200 OK returned
2	Inspect response body	Array of booking ID objects returned

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-08	Muhammad Abdullah Arshad	Pass	Array returned correctly, matches expected shape.

TEST CASE

TC-027 | Verify creating a booking with valid data succeeds

Test Case Details			
Test Case ID:	TC-027	Related Bug:	None
Module / Feature:	API / Booking Creation	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-08
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
API is reachable.

Test Steps		
Step	Action	Expected Result
1	Send POST to /booking with a complete valid JSON body	Booking is created successfully
2	Inspect response body and status code	bookingid and submitted data returned

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-08	Muhammad Abdullah Arshad	Pass (with note)	Returns 200 OK instead of 201 Created (minor convention deviation, not a functional failure).

TEST CASE

TC-028 | Verify login generates a valid auth token

Test Case Details			
Test Case ID:	TC-028	Related Bug:	None
Module / Feature:	API / Authentication	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-10
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
Valid admin credentials are known.

Test Steps		
Step	Action	Expected Result
1	Send POST to /auth with valid username and password	200 OK returned
2	Inspect response body	A non-empty token string is returned

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-10	Muhammad Abdullah Arshad	Pass	Valid token returned correctly.

TEST CASE

TC-029 | Verify login rejects invalid credentials with the correct status code

Test Case Details			
Test Case ID:	TC-029	Related Bug:	None
Module / Feature:	API / Authentication	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-10
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
API is reachable.

Test Steps		
Step	Action	Expected Result
1	Send POST to /auth with an empty body, empty object, or wrong credentials	401 Unauthorized expected
2	Inspect response body and status code	Reject reason should accompany a 401 status

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-10	Muhammad Abdullah Arshad	Fail	Returns 200 OK with body {"reason": "Bad Credentials"} instead of 401 Unauthorized. Logged as an observation; not raised as a standalone bug report in this portfolio.

TEST CASE

TC-030 | Verify filtering bookings by a valid firstname returns matching results

Test Case Details			
Test Case ID:	TC-030	Related Bug:	None
Module / Feature:	API / Filtering	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-11
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
At least one booking exists with a known firstname.

Test Steps		
Step	Action	Expected Result
1	Send GET to /booking?firstname={known valid name}	200 OK returned
2	Inspect returned booking IDs against known data	Only bookings matching that firstname are returned

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-11	Muhammad Abdullah Arshad	Pass	Filter correctly narrows results for a valid field.

TEST CASE

TC-031 | Verify PATCH updates only the specified field

Test Case Details			
Test Case ID:	TC-031	Related Bug:	None
Module / Feature:	API / Booking Update	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-12
Test Type:	☒ Functional ☐ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
A valid auth token and an existing booking are available.

Test Steps		
Step	Action	Expected Result
1	Send PATCH to /booking/{id} with only one field changed	200 OK returned
2	Retrieve the booking via GET and compare all fields	Only the specified field changed; all others remain unchanged

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-12	Muhammad Abdullah Arshad	Pass	Confirms correct partial-update behavior, in contrast to PUT (see BUG-012).

TEST CASE

TC-032 | Verify deleting an existing booking returns the correct status code

Test Case Details			
Test Case ID:	TC-032	Related Bug:	None
Module / Feature:	API / Booking Deletion	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-13
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
A valid auth token and an existing booking are available.

Test Steps		
Step	Action	Expected Result
1	Send DELETE to /booking/{id} for an existing booking	200 OK or 204 No Content expected
2	Retrieve the same ID via GET to confirm deletion	404 Not Found expected on follow-up GET

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-13	Muhammad Abdullah Arshad	Fail (status code)	Returns 201 Created with response body text "Created" instead of 200/204. Deletion itself succeeds (confirmed via follow-up GET). Logged as an observation; not raised as a standalone bug report in this portfolio.

TEST CASE

TC-033 | Verify updating a non-existent booking ID returns the correct error

Test Case Details			
Test Case ID:	TC-033	Related Bug:	None
Module / Feature:	API / Booking Update	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-13
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
A valid auth token is available; chosen ID does not exist.

Test Steps		
Step	Action	Expected Result
1	Send PUT to /booking/999999 (non-existent ID) with a valid body	404 Not Found expected
2	Inspect status code returned	Status code should indicate resource not found

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-13	Muhammad Abdullah Arshad	Fail	Returns 405 Method Not Allowed instead of 404 Not Found. Logged as an observation; not raised as a standalone bug report in this portfolio.

TEST CASE

TC-034 | Verify duplicate query parameters are handled gracefully

Test Case Details			
Test Case ID:	TC-034	Related Bug:	BUG-006
Module / Feature:	API / Filtering	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-14
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
API is reachable.

Test Steps		
Step	Action	Expected Result
1	Send GET to /booking?firstname=John&firstname=Jim (duplicate key)	400 Bad Request expected
2	Inspect status code returned	Server should reject gracefully, not crash

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-14	Muhammad Abdullah Arshad	Fail	Returns 500 Internal Server Error. See BUG-006.

TEST CASE

TC-035 | Verify filtering by deposit status narrows results

Test Case Details			
Test Case ID:	TC-035	Related Bug:	BUG-007
Module / Feature:	API / Filtering	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-14
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
Bookings with differing depositpaid values exist.

Test Steps		
Step	Action	Expected Result
1	Send GET to /booking?depositpaid=true	Only matching bookings expected
2	Compare result count against the full unfiltered dataset	Filtered result should be smaller than full dataset

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-14	Muhammad Abdullah Arshad	Fail	Full unfiltered dataset returned regardless of the value supplied. See BUG-007.

TEST CASE

TC-036 | Verify creating a booking without a required field is rejected gracefully

Test Case Details			
Test Case ID:	TC-036	Related Bug:	BUG-008
Module / Feature:	API / Booking Creation	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-09
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
API is reachable.

Test Steps		
Step	Action	Expected Result
1	Send POST to /booking with the lastname field omitted entirely	400 Bad Request expected
2	Inspect status code returned	Server should reject gracefully, not crash

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-09	Muhammad Abdullah Arshad	Fail	Returns 500 Internal Server Error. See BUG-008.

TEST CASE

TC-037 | Verify batch booking creation is handled correctly

Test Case Details			
Test Case ID:	TC-037	Related Bug:	BUG-009
Module / Feature:	API / Booking Creation	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-09
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
API is reachable.

Test Steps		
Step	Action	Expected Result
1	Send POST to /booking with an array of two booking objects	400 Bad Request expected (unsupported format)
2	Inspect status code returned	Server should reject gracefully, not crash

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-09	Muhammad Abdullah Arshad	Fail	Returns 500 Internal Server Error. See BUG-009.

TEST CASE

TC-038 | Verify invalid date input is rejected rather than stored

Test Case Details			
Test Case ID:	TC-038	Related Bug:	BUG-010
Module / Feature:	API / Booking Creation	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-10
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
API is reachable.

Test Steps		
Step	Action	Expected Result
1	Send POST to /booking with checkin set to "abcd"	400 Bad Request expected
2	Retrieve the created booking and inspect the stored date	Date field should not contain a corrupted value

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-10	Muhammad Abdullah Arshad	Fail	Returns 200 OK; date is stored as the corrupted value "0NaN-aN-aN". See BUG-010.

TEST CASE

TC-039 | Verify partially-invalid dates are rejected rather than silently altered

Test Case Details			
Test Case ID:	TC-039	Related Bug:	BUG-011
Module / Feature:	API / Booking Creation	Priority:	☒ High ☐ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-10
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
API is reachable.

Test Steps		
Step	Action	Expected Result
1	Send POST to /booking with checkin set to "abcd-12-01"	400 Bad Request expected
2	Retrieve the created booking and inspect the stored date	Date field should not be silently altered to a different value

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-10	Muhammad Abdullah Arshad	Fail	Returns 200 OK; date is silently coerced to a different, incorrect but valid-looking date. See BUG-011.

TEST CASE

TC-040 | Verify PUT fully replaces a booking, clearing omitted fields

Test Case Details			
Test Case ID:	TC-040	Related Bug:	BUG-012
Module / Feature:	API / Booking Update	Priority:	☐ High ☒ Medium ☐ Low
Designed By:	Muhammad Abdullah Arshad	Date Designed:	2026-09-11
Test Type:	☐ Functional ☒ Exploratory ☐ Regression ☐ Smoke	Environment:	Restful-Booker (public sandbox)
URL / Reference:	https://restful-booker.herokuapp.com	Automation Status:	Manual

Preconditions
A valid auth token and an existing booking are available.

Test Steps		
Step	Action	Expected Result
1	Set additionalneeds via PUT, then confirm via GET it was saved	additionalneeds field is present with the set value
2	Send PUT again on the same booking, omitting additionalneeds	additionalneeds should be cleared/removed from the booking

Test Data
N/A

Execution History			
Date	Executed By	Result	Notes
2026-09-11	Muhammad Abdullah Arshad	Fail	Old value persists unchanged instead of being cleared. See BUG-012.

BUG REPORT

BUG-001 | Player clips through uneven terrain (Y-axis locked)

Bug Details

Bug ID:	BUG-001	Module / Feature:	Movement / Collision
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2023-11-15
Severity:	☒ Critical ☐ Major ☐ Minor ☐ Trivial	Priority:	☒ High ☐ Medium ☐ Low
Environment:	FYP game (Unity) — built with a partner; this defect found & fixed independently	Build / Version:	v0.1 (FYP)
URL / Reference:	N/A - local build, no public URL	Status:	☐ Open ☐ In Progress ☒ Fixed ☐ Closed
Assigned To:	Muhammad Abdullah Arshad	Resolved Date:	2023-11-18
Resolved By:	Muhammad Abdullah Arshad	Verified By:	Muhammad Abdullah Arshad

Summary

Character clips through sloped terrain because the Y-axis position is locked in movement logic.

Steps to Reproduce

1	Launch the FYP game build
2	Move the character onto sloped/uneven terrain
3	Continue moving across varying elevation
4	Observe vertical position vs. terrain mesh

Expected vs. Actual Result

Expected Result	Actual Result
Y-position adjusts to terrain height; character stays on the surface.	Y-position stayed fixed; character clipped through/sank into terrain.

Root Cause / Fix Notes

Y-axis was locked to prevent unwanted vertical movement (e.g. jump jitter), which also blocked legitimate terrain-following. Fixed by unlocking Y and adding terrain-height following.

BUG REPORT

BUG-002 | Walking animation plays once instead of looping

Bug Details

Bug ID:	BUG-002	Module / Feature:	Animation
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2023-11-20
Severity:	☐ Critical ☐ Major ☒ Minor ☐ Trivial	Priority:	☒ High ☐ Medium ☐ Low
Environment:	FYP game (Unity) — built with a partner; this defect found & fixed independently	Build / Version:	v0.1 (FYP)
URL / Reference:	N/A - local build, no public URL	Status:	☐ Open ☐ In Progress ☒ Fixed ☐ Closed
Assigned To:	Muhammad Abdullah Arshad	Resolved Date:	2023-11-23
Resolved By:	Muhammad Abdullah Arshad	Verified By:	Muhammad Abdullah Arshad

Summary

Walking animation plays one cycle then freezes instead of looping during sustained movement.

Steps to Reproduce

1	Launch the FYP game build
2	Move the character continuously in one direction
3	Observe the animation after one full cycle completes

Expected vs. Actual Result

Expected Result	Actual Result
Animation loops continuously while the character moves.	Animation played once, then froze on the last frame while the character kept moving.

Root Cause / Fix Notes

"Loop Time" was not enabled on the clip's import settings, so Unity played it once by default. (Best recollection.) Fixed by enabling Loop Time.

BUG REPORT

BUG-003 | Layout shift + white-line artifact when opening a chat

Bug Details			
Bug ID:	BUG-003	Module / Feature:	UI / Layout
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2026-06-15
Severity:	☐ Critical ☐ Major ☒ Minor ☐ Trivial	Priority:	☒ High ☐ Medium ☐ Low
Environment:	Gemini (web)	Build / Version:	N/A (production web)
URL / Reference:	https://gemini.google.com	Status:	☒ Open ☐ In Progress ☐ Fixed ☐ Closed
Assigned To:	Unassigned	Resolved Date:	Pending
Resolved By:	N/A	Verified By:	N/A

Summary
Opening any chat from the sidebar produces a ~1-2cm white line artifact and shifts the composer upward by the same amount. The artifact can be temporarily cleared by resizing the browser window or opening DevTools, but reliably reappears when sending a new message or reloading/navigating to a recent chat, indicating at least two distinct triggers rather than a one-time layout glitch.

Steps to Reproduce	
1	Navigate to gemini.google.com and load the app fresh
2	Open any previous chat from the sidebar, OR send a new message, OR reload/navigate to a recent chat (each independently triggers the artifact)
3	Observe screen edge for a white line artifact
4	Observe composer/input box vertical position

Expected vs. Actual Result	
Expected Result	Actual Result
No artifact appears; composer position stays normal, regardless of navigation.	White line artifact appears; composer shifts upward ~1-2cm. Resizing the window or opening DevTools temporarily clears it, but the artifact reliably returns when sending a message or reloading/navigating to a recent chat, and there is no permanent workaround.

Root Cause / Fix Notes

Likely a layout recalculation on chat-history render that fails to reset container dimensions. (Unconfirmed.) Not yet resolved.

BUG REPORT

BUG-004 | Input box overlaps responses at high zoom + long paste

Bug Details

Bug ID:	BUG-004	Module / Feature:	UI / Layout
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2026-01-15
Severity:	☐ Critical ☒ Major ☐ Minor ☐ Trivial	Priority:	☐ High ☒ Medium ☐ Low
Environment:	DeepSeek (web), zoom $\geq 125\%$	Build / Version:	N/A (production web)
URL / Reference:	https://chat.deepseek.com	Status:	☒ Open ☐ In Progress ☐ Fixed ☐ Closed
Assigned To:	Unassigned	Resolved Date:	Pending
Resolved By:	N/A	Verified By:	N/A

Summary

At zoom $\geq 125\%$, pasting ~20 lines of text expands the input box until it overlaps and hides the response area.

Steps to Reproduce

1	Navigate to chat.deepseek.com and set browser zoom to 125%+
2	Open a chat (landing page or active conversation)
3	Paste a block of text (~20 lines) into the input box
4	Observe input box size vs. response area

Expected vs. Actual Result

Expected Result	Actual Result
Input box expands to a capped height with internal scroll; response stays visible.	Input box grows unbounded and covers the response area entirely.

Root Cause / Fix Notes

Input box's auto-resize/max-height likely doesn't scale correctly with zoom. (Unconfirmed.) Not yet resolved.

BUG REPORT

BUG-005 | Eligible birth year (2001) incorrectly rejected by age validation

Bug Details			
Bug ID:	BUG-005	Module / Feature:	Application / Eligibility Validation
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2026-07-25
Severity:	☒ Critical ☐ Major ☐ Minor ☐ Trivial	Priority:	☒ High ☐ Medium ☐ Low
Environment:	Government recruitment portal (name withheld)	Build / Version:	N/A (production web)
URL / Reference:	Withheld (sensitive/government portal)	Status:	☒ Open ☐ In Progress ☐ Fixed ☐ Closed
Assigned To:	Unassigned	Resolved Date:	Pending
Resolved By:	N/A	Verified By:	N/A

Summary
Birth year 2001 (valid under stated 20–26 age range) is rejected as ineligible; 2002 passes with no error.

Steps to Reproduce	
1	Log into the applicant portal and open the profile
2	Set birth year to 2001 and apply to a post stating min 20 / max 26
3	Observe eligibility error
4	Change birth year to 2002 only, repeat, and compare

Expected vs. Actual Result	
Expected Result	Actual Result
Any birth year within the stated range is accepted without error.	2001 is rejected as ineligible; 2002 passes — confirms the boundary miscalculation.

Root Cause / Fix Notes
Likely an off-by-one comparison (> instead of >=) in age-calculation logic. (Unconfirmed.) No safe workaround — should not misreport birth year.

BUG REPORT

BUG-006 | Duplicate query parameters cause a server crash

Bug Details			
Bug ID:	BUG-006	Module / Feature:	API / Filtering
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2026-09-14
Severity:	☒ Critical ☐ Major ☐ Minor ☐ Trivial	Priority:	☒ High ☐ Medium ☐ Low
Environment:	Restful-Booker (public sandbox)	Build / Version:	N/A (public API)
URL / Reference:	https://restful-booker.herokuapp.com/booking	Status:	☒ Open ☐ In Progress ☐ Fixed ☐ Closed
Assigned To:	Unassigned	Resolved Date:	Pending
Resolved By:	N/A	Verified By:	N/A

Summary
Sending a GET request to /booking with a duplicated query parameter key (e.g. firstname supplied twice) causes the server to crash instead of returning a graceful error.

Steps to Reproduce	
1	Send GET to /booking?firstname=John&firstname=Jim (duplicate query key)
2	Send the same request again to confirm reproducibility
3	Inspect the response status code and body

Expected vs. Actual Result	
Expected Result	Actual Result
400 Bad Request, or the query is processed using one of the supplied values.	500 Internal Server Error, with no useful error message in the response body.

Root Cause / Fix Notes
Likely no validation layer for duplicate/repeated query keys before the value is used internally. (Unconfirmed — no access to server source code.)

BUG REPORT

BUG-007 | Filtering bookings by depositpaid does not narrow results

Bug Details

Bug ID:	BUG-007	Module / Feature:	API / Filtering
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2026-09-14
Severity:	☐ Critical ☒ Major ☐ Minor ☐ Trivial	Priority:	☐ High ☒ Medium ☐ Low
Environment:	Restful-Booker (public sandbox)	Build / Version:	N/A (public API)
URL / Reference:	https://restful-booker.herokuapp.com/booking	Status:	☒ Open ☐ In Progress ☐ Fixed ☐ Closed
Assigned To:	Unassigned	Resolved Date:	Pending
Resolved By:	N/A	Verified By:	N/A

Summary

Filtering bookings by the depositpaid query parameter returns the full, unfiltered dataset regardless of the value supplied.

Steps to Reproduce

1	Send GET to /booking?depositpaid=true
2	Compare the returned booking count against the full, unfiltered dataset
3	Repeat with an invalid/garbage depositpaid value for comparison

Expected vs. Actual Result

Expected Result	Actual Result
Only bookings matching the specified depositpaid value are returned.	The complete, unfiltered list of all bookings is returned in both cases, valid and invalid.

Root Cause / Fix Notes

The depositpaid parameter appears to be accepted but not applied to the underlying query/filter logic. (Unconfirmed — no access to server source code.)

BUG REPORT

BUG-008 | Creating a booking with lastname omitted crashes the server

Bug Details

Bug ID:	BUG-008	Module / Feature:	API / Booking Creation
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2026-09-09
Severity:	☒ Critical ☐ Major ☐ Minor ☐ Trivial	Priority:	☒ High ☐ Medium ☐ Low
Environment:	Restful-Booker (public sandbox)	Build / Version:	N/A (public API)
URL / Reference:	https://restful-booker.herokuapp.com/booking	Status:	☒ Open ☐ In Progress ☐ Fixed ☐ Closed
Assigned To:	Unassigned	Resolved Date:	Pending
Resolved By:	N/A	Verified By:	N/A

Summary

Sending a POST request to create a booking with the lastname field omitted entirely (not empty, fully absent) causes the server to crash.

Steps to Reproduce

1	Send POST to /booking with a valid body but the lastname field omitted entirely
2	Inspect the response status code and body
3	Repeat with lastname present as an empty string, for comparison

Expected vs. Actual Result

Expected Result	Actual Result
400 Bad Request with a validation message indicating lastname is required.	500 Internal Server Error. Notably, an empty string for lastname is accepted without error, showing inconsistent handling of missing vs. empty required data.

Root Cause / Fix Notes

Server logic likely assumes lastname will always be present and fails when accessing it if absent. (Unconfirmed — no access to server source code.)

BUG REPORT

BUG-009 | Batch booking creation (array body) crashes the server

Bug Details

Bug ID:	BUG-009	Module / Feature:	API / Booking Creation
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2026-09-09
Severity:	☒ Critical ☐ Major ☐ Minor ☐ Trivial	Priority:	☐ High ☒ Medium ☐ Low
Environment:	Restful-Booker (public sandbox)	Build / Version:	N/A (public API)
URL / Reference:	https://restful-booker.herokuapp.com/booking	Status:	☒ Open ☐ In Progress ☐ Fixed ☐ Closed
Assigned To:	Unassigned	Resolved Date:	Pending
Resolved By:	N/A	Verified By:	N/A

Summary

Sending an array of two booking objects to POST /booking, instead of a single object, causes the server to crash rather than reject the unsupported format.

Steps to Reproduce

1	Send POST to /booking with a JSON array of two valid booking objects instead of one object
2	Inspect the response status code and body
3	Confirm the response body is not valid JSON

Expected vs. Actual Result

Expected Result	Actual Result
400 Bad Request, indicating batch creation via array body is not supported.	500 Internal Server Error; response body is plain text, not JSON, and cannot be parsed as such.

Root Cause / Fix Notes

Endpoint likely expects a single object and fails when handed an array without a type check beforehand. (Unconfirmed — no access to server source code.)

BUG REPORT

BUG-010 | Invalid date strings are silently stored as corrupted values

Bug Details

Bug ID:	BUG-010	Module / Feature:	API / Booking Creation
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2026-09-10
Severity:	☐ Critical ☒ Major ☐ Minor ☐ Trivial	Priority:	☒ High ☐ Medium ☐ Low
Environment:	Restful-Booker (public sandbox)	Build / Version:	N/A (public API)
URL / Reference:	https://restful-booker.herokuapp.com/booking	Status:	☒ Open ☐ In Progress ☐ Fixed ☐ Closed
Assigned To:	Unassigned	Resolved Date:	Pending
Resolved By:	N/A	Verified By:	N/A

Summary

Sending a non-date string (e.g. "abcd") as checkin is accepted and silently stored as the corrupted value "0NaN-aN-aN" instead of being rejected.

Steps to Reproduce

1	Send POST to /booking with checkin set to the string "abcd"
2	Inspect the response status code
3	Retrieve the created booking via GET and inspect the stored checkin value

Expected vs. Actual Result

Expected Result	Actual Result
400 Bad Request, rejecting the invalid date format.	200 OK; the invalid input is parsed, fails, and the resulting NaN-based text is stored and returned as if valid.

Root Cause / Fix Notes

Date parsing appears to happen without a following validity check on the result. (Unconfirmed — no access to server source code.)

BUG REPORT

BUG-011 | Partially-invalid dates are silently coerced to an incorrect date

Bug Details

Bug ID:	BUG-011	Module / Feature:	API / Booking Creation
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2026-09-10
Severity:	☒ Critical ☐ Major ☐ Minor ☐ Trivial	Priority:	☒ High ☐ Medium ☐ Low
Environment:	Restful-Booker (public sandbox)	Build / Version:	N/A (public API)
URL / Reference:	https://restful-booker.herokuapp.com/booking	Status:	☒ Open ☐ In Progress ☐ Fixed ☐ Closed
Assigned To:	Unassigned	Resolved Date:	Pending
Resolved By:	N/A	Verified By:	N/A

Summary

Sending a partially-invalid date string (e.g. "abcd-12-01") is accepted and silently coerced into a different, incorrect, but valid-looking date rather than being rejected.

Steps to Reproduce

1	Send POST to /booking with checkin set to the string "abcd-12-01"
2	Inspect the response status code
3	Retrieve the created booking via GET and inspect the stored checkin value

Expected vs. Actual Result

Expected Result	Actual Result
400 Bad Request, rejecting the malformed date.	200 OK; the malformed string is coerced into a different, plausible-looking date, which is more dangerous than an obviously-broken value since the corruption is not visually apparent.

Root Cause / Fix Notes

Underlying date parser likely accepts partial matches and fills in defaults for the unparseable portion. (Unconfirmed — no access to server source code.)

BUG REPORT

BUG-012 | PUT does not clear omitted fields, contradicting full-replacement semantics

Bug Details

Bug ID:	BUG-012	Module / Feature:	API / Booking Update
Reported By:	Muhammad Abdullah Arshad	Date Reported:	2026-09-11
Severity:	☐ Critical ☒ Major ☐ Minor ☐ Trivial	Priority:	☐ High ☒ Medium ☐ Low
Environment:	Restful-Booker (public sandbox)	Build / Version:	N/A (public API)
URL / Reference:	https://restful-booker.herokuapp.com/booking	Status:	☒ Open ☐ In Progress ☐ Fixed ☐ Closed
Assigned To:	Unassigned	Resolved Date:	Pending
Resolved By:	N/A	Verified By:	N/A

Summary

PUT requests are expected to fully replace a resource. When additionalneeds is omitted from a PUT body, the field's previous value persists instead of being cleared, meaning PUT behaves like PATCH rather than a true full replacement.

Steps to Reproduce

1	Send PUT to set additionalneeds to a value on an existing booking, confirm via GET
2	Send PUT again on the same booking, omitting additionalneeds from the body
3	Retrieve the booking via GET and inspect the additionalneeds field

Expected vs. Actual Result

Expected Result	Actual Result
additionalneeds is removed/cleared, since PUT represents a full resource replacement.	additionalneeds retains its previous value unchanged. Reproduced consistently across multiple values and multiple repetitions.

Root Cause / Fix Notes

PUT implementation likely only updates fields present in the request body rather than replacing the full record. (Unconfirmed — no access to server source code.)

Summary

This portfolio covers six testing scenarios across five testing environments: a self-built Unity game, Gemini, DeepSeek, a government job portal, and a public REST API called Restful-Booker. The six scenarios span four broader testing categories, since Gemini and DeepSeek are counted as separate testing scenarios and environments but fall under the same category of AI chat applications.

In total: 40 test cases and 12 confirmed bugs, covering everything from UI layout issues to server crashes, silent data corruption, and incorrect status codes. Each bug includes clear steps to reproduce, along with what was expected versus what actually happened.

A few scenarios had real-world limitations worth mentioning: a government application window that has since closed, and a public API where the underlying data is shared and can change between test runs. Those limitations are noted where relevant.

End of Portfolio.