

USE [Northwind] GO /\*\*\*\*\* Object: Table [dbo].[Suppliers] Script Date: 01/22/2018 09:47:41 \*\*\*\*\*/ SET IDENTITY\_INSERT [dbo].[Suppliers] ON  
INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country],  
[Phone], [Fax], [HomePage]) VALUES (1, N'Exotic Liquids', N'Charlotte Cooper', N'Purchasing Manager', N'49 Gilbert St.', N'London', NULL,  
N'EC1 4SD', N'UK', N'(171) 555-2222', NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle],  
[Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (2, N'New Orleans Cajun Delights', N'Shelley Burke',  
N'Order Administrator', N'P.O. Box 78934', N'New Orleans', N'LA', N'70117', N'USA', N'(100) 555-4822', NULL, N'#CAJUN.HTM#') INSERT [dbo].  
[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax],  
[HomePage]) VALUES (3, N'Grandma Kelly's Homestead', N'Regina Murphy', N'Sales Representative', N'707 Oxford Rd.', N'Ann Arbor', N'MI',  
N'48104', N'USA', N'(313) 555-5735', N'(313) 555-3349', NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName],  
[ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (4, N'Tokyo Traders', N'Yoshi Nagase',  
N'Marketing Manager', N'9-8 Sekimai Musashino-shi', N'Tokyo', NULL, N'100', N'Japan', N'(03) 3555-5011', NULL, NULL) INSERT [dbo].  
[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax],  
[HomePage]) VALUES (5, N'Cooperativa de Quesos "Las Cabras"', N'Antonio del Valle Saavedra', N'Export Administrator', N'Calle del Rosal 4',  
N'Oviedo', N'Asturias', N'33007', N'Spain', N'(98) 598 76 54', NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName],  
[ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (6, N'Mayumi's',  
N'Mayumi Ohno', N'Marketing Representative', N'92 Setsuko Chuo-ku', N'Osaka', NULL, N'545', N'Japan', N'(06) 431-7877', NULL, N'Mayumi's  
(on the World Wide Web)#http://www.microsoft.com/accessdev/sampleapps/mayumi.htm#') INSERT [dbo].[Suppliers] ([SupplierID],  
[CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (7,  
N'Pavlova, Ltd.', N'Ian Devling', N'Marketing Manager', N'74 Rose St. Moonie Ponds', N'Melbourne', N'Victoria', N'3058', N'Australia', N'(03) 444-  
2343', N'(03) 444-6588', NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City],  
[Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (8, N'Specialty Biscuits, Ltd.', N'Peter Wilson', N'Sales Representative',  
N'29 King's Way', N'Manchester', NULL, N'M14 GSD', N'UK', N'(161) 555-4448', NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID],  
[CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (9,  
N'PB Knäckebröd AB', N'Lars Peterson', N'Sales Agent', N'Kaloadagatan 13', N'Göteborg', NULL, N'S-345 67', N'Sweden', N'031-987 65 43',  
N'031-987 65 91', NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region],  
[PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (10, N'Refrescos Americanas LTDA', N'Carlos Diaz', N'Marketing Manager', N'Av.  
das Americanas 12.890', N'Sao Paulo', NULL, N'5442', N'Brazil', N'(11) 555 4640', NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID],  
[CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (11,  
N'Helj Sülzwaren GmbH & Co. KG', N'Petra Winkler', N'Sales Manager', N'Tiergartenstraße 5', N'Berlin', NULL, N'10785', N'Germany', N'(010)  
9984510', NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region],  
[PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (12, N'Plutzer Lebensmittelgroßmärkte AG', N'Martin Bein', N'International  
Marketing Mgr.', N'Bogenallee 51', N'Frankfurt', NULL, N'60439', N'Germany', N'(069) 992755', NULL, N'Plutzer (on the World Wide  
Web)#http://www.microsoft.com/accessdev/sampleapps/plutzer.htm#') INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName],  
[ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (13, N'Nord-Ost-Fisch  
Handelsgesellschaft mbH', N'Sven Petersen', N'Coordinator Foreign Markets', N'Frahmredder 112a', N'Cuxhaven', NULL, N'27478', N'Germany',  
N'(04721) 8713', N'(04721) 8714', NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address],  
[City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (14, N'Formaggi Fortini s.r.l.', N'Elio Rossi', N'Sales  
Representative', N'Viale Dante, 75', N'Ravenna', NULL, N'48100', N'Italy', N'(0544) 60323', N'(0544) 60603', N'#FORMAGGI.HTM#') INSERT  
[dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone],  
[Fax], [HomePage]) VALUES (15, N'Norske Meierier', N'Beate Vileid', N'Marketing Manager', N'Hatlevegen 5', N'Sandvika', NULL, N'1320',  
N'Norway', N'(0)2-953010', NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address],  
[City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (16, N'Bigfoot Breweries', N'Cheryl Saylor', N'Regional Account  
Rep.', N'3400 - 8th Avenue Suite 210', N'Bend', N'OR', N'97101', N'USA', N'(503) 555-9931', NULL, NULL) INSERT [dbo].[Suppliers]  
([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage])  
VALUES (17, N'Svensk Sjöföda AB', N'Michael Björn', N'Sales Representative', N'Brovallavägen 231', N'Stockholm', NULL, N'S-123 45',  
N'Sweden', N'08-123 45 67', NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address],  
[City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (18, N'Aux joyeux ecclésiastiques', N'Guyène Nodier', N'Sales  
Manager', N'203, Rue des Francs-Bourgeois', N'Paris', NULL, N'75004', N'France', N'(1) 03.83.00.68', N'(1) 03.83.00.62', NULL) INSERT [dbo].  
[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax],  
[HomePage]) VALUES (19, N'New England Seafood Cannery', N'Robb Merchant', N'Wholesale Account Agent', N'Order Processing Dept. 2100  
Paul Revere Blvd.', N'Boston', N'MA', N'02134', N'USA', N'(617) 555-3267', N'(617) 555-3389', NULL) INSERT [dbo].[Suppliers] ([SupplierID],  
[CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (20,  
N'Leka Trading', N'Chandra Leka', N'Owner', N'471 Serangoon Loop, Suite #402', N'Singapore', NULL, N'0512', N'Singapore', N'555-8787',  
NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode],  
[Country], [Phone], [Fax], [HomePage]) VALUES (21, N'Lyngbysild', N'Niels Petersen', N'Sales Manager', N'Lyngbysild Fiskebakken 10',  
N'Lyngby', NULL, N'2800', N'Denmark', N'43844108', N'43844115', NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName],  
[ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (22, N'Zaanse  
Snoepfabriek', N'Dirk Luchte', N'Accounting Manager', N'Verkoop Rijnweg 22', N'Zaandam', NULL, N'9999 ZZ', N'Netherlands', N'(12345) 1212',  
N'(12345) 1210', NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region],  
[PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (23, N'Karkki Oy', N'Anne Heikkonen', N'Product Manager', N'Valtakatu 12',  
N'Lappeenranta', NULL, N'53120', N'Finland', N'(953) 10956', NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName],  
[ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (24, N'G'day, Mate',  
N'Wendy Mackenzie', N'Sales Representative', N'170 Prince Edward Parade Hunter's Hill', N'Sydney', N'NSW', N'2042', N'Australia', N'(02) 555-  
5914', N'(02) 555-4873', N'G'day Mate (on the World Wide Web)#http://www.microsoft.com/accessdev/sampleapps/gdaymate.htm#') INSERT  
[dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone],  
[Fax], [HomePage]) VALUES (25, N'Ma Maison', N'Jean-Guy Lauzon', N'Marketing Manager', N'2960 Rue St. Laurent', N'Montréal', N'Québec',  
N'H1J 1C3', N'Canada', N'(514) 555-9022', NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName],  
[ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (26, N'Pasta Buttini s.r.l.', N'Giovanni  
Giudici', N'Order Administrator', N'Via dei Gelsomini, 153', N'Salerno', NULL, N'84100', N'Italy', N'(089) 6547665', N'(089) 6547667', NULL)  
INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country],  
[Phone], [Fax], [HomePage]) VALUES (27, N'Escargots Nouveaux', N'Marie Delamare', N'Sales Manager', N'22, rue H. Voiron', N'Montceau',  
NULL, N'71300', N'France', N'85.57.00.07', NULL, NULL) INSERT [dbo].[Suppliers] ([SupplierID], [CompanyName], [ContactName],  
[ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax], [HomePage]) VALUES (28, N'Gai pâturage', N'Eliane Noz',  
N'Sales Representative', N'Bat. B 3, rue des Alpes', N'Annecy', NULL, N'74000', N'France', N'38.76.98.06', N'38.76.98.58', NULL) INSERT [dbo].  
[Suppliers] ([SupplierID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax],  
[HomePage]) VALUES (29, N'Forêts d'érables', N'Chantal Goulet', N'Accounting Manager', N'148 rue Chasseur', N'Ste-Hyacinthe', N'Québec',  
N'J2S 7S8', N'Canada', N'(514) 555-2955', N'(514) 555-2921', NULL) SET IDENTITY\_INSERT [dbo].[Suppliers] OFF /\*\*\*\*\* Object: Table [dbo].  
[Shippers] Script Date: 01/22/2018 09:47:41 \*\*\*\*\*/ SET IDENTITY\_INSERT [dbo].[Shippers] ON INSERT [dbo].[Shippers] ([ShipperID],  
[CompanyName], [Phone]) VALUES (1, N'Speedy Express', N'(503) 555-9831') INSERT [dbo].[Shippers] ([ShipperID], [CompanyName], [Phone])  
VALUES (2, N'United Package', N'(503) 555-3199') INSERT [dbo].[Shippers] ([ShipperID], [CompanyName], [Phone]) VALUES (3, N'Federal  
Shipping', N'(503) 555-9931') SET IDENTITY\_INSERT [dbo].[Shippers] OFF /\*\*\*\*\* Object: Table [dbo].[Region] Script Date: 01/22/2018 09:47:41  
\*\*\*\*\*/ INSERT [dbo].[Region] ([RegionID], [RegionDescription]) VALUES (1, N'Eastern ') INSERT [dbo].[Region] ([RegionID],  
[RegionDescription]) VALUES (2, N'Western ') INSERT [dbo].[Region] ([RegionID], [RegionDescription]) VALUES (3, N'Northern ') INSERT [dbo].  
[Region] ([RegionID], [RegionDescription]) VALUES (4, N'Southern ') /\*\*\*\*\* Object: Table [dbo].[Employees] Script Date: 01/22/2018 09:47:41  
\*\*\*\*\*/ SET IDENTITY\_INSERT [dbo].[Employees] ON INSERT [dbo].[Employees] ([EmployeeID], [LastName], [FirstName], [Title],

[TitleOfCourtesy], [BirthDate], [HireDate], [Address], [City], [Region], [PostalCode], [Country], [HomePhone], [Extension], [Photo], [Notes], [ReportsTo], [PhotoPath]) VALUES (1, N'Davolio', N'Nancy', N'Sales Representative', N'Ms.', CAST(0x000045D100000000 AS DateTime), CAST(0x000083BB00000000 AS DateTime), N'507 - 20th Ave. E. Apt. 2A', N'Seattle', N'WA', N'98122', N'USA', N'(206) 555-9857', N'5467', 0x151C2F0002000000D000E0014002100FFFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 N'Education includes a BA in psychology from Colorado State University in 1970. She also completed "The Art of the Cold Call." Nancy is a member of Toastmasters International.', 2, N'http://accweb/emmployees/davolio.bmp') INSERT [dbo].[Employees] ([EmployeeID], [LastName], [FirstName], [Title], [TitleOfCourtesy], [BirthDate], [HireDate], [Address], [City], [Region], [PostalCode], [Country], [HomePhone], [Extension], [Photo], [Notes], [ReportsTo], [PhotoPath]) VALUES (2, N'Fuller', N'Andrew', N'Vice President, Sales', N'Dr.', CAST(0x00004A6100000000 AS DateTime), CAST(0x0000842400000000 AS DateTime), N'908 W. Capital Way', N'Tacoma', N'WA', N'98401', N'USA', N'(206) 555-9482', N'3457', 0x151C2F0002000000D000E0014002100FFFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 N'Andrew received his BTS commercial in 1974 and a Ph.D. in international marketing from the University of Dallas in 1981. He is fluent in French and Italian and reads German. He joined the company as a sales representative, was promoted to sales manager in January 1992 and to vice president of sales in March 1993. Andrew is a member of the Sales Management Roundtable, the Seattle Chamber of Commerce, and the Pacific Rim Importers Association.', NULL, N'http://accweb/emmployees/fuller.bmp') INSERT [dbo].[Employees] ([EmployeeID], [LastName], [FirstName], [Title], [TitleOfCourtesy], [BirthDate], [HireDate], [Address], [City], [Region], [PostalCode], [Country], [HomePhone], [Extension], [Photo], [Notes], [ReportsTo], [PhotoPath]) VALUES (3, N'Leverling', N'Janet', N'Sales Representative', N'Ms.', CAST(0x00005AD300000000 AS DateTime), CAST(0x0000839D00000000 AS DateTime), N'722 Moss Bay Blvd.', N'Kirkland', N'WA', N'98033', N'USA', N'(206) 555-3412', N'3355', 0x151C2F0002000000D000E0014002100FFFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 N'Janet has a BS degree in chemistry from Boston College (1984). She has also completed a certificate program in food retailing management. Janet was hired as a sales associate in 1991 and promoted to sales representative in February 1992.', 2, N'http://accweb/emmployees/leverling.bmp') INSERT [dbo].[Employees] ([EmployeeID], [LastName], [FirstName], [Title], [TitleOfCourtesy], [BirthDate], [HireDate], [Address], [City], [Region], [PostalCode], [Country], [HomePhone], [Extension], [Photo], [Notes], [ReportsTo], [PhotoPath]) VALUES (4, N'Peacock', N'Margaret', N'Sales Representative', N'Mrs.', CAST(0x000035CF00000000 AS DateTime), CAST(0x0000852A00000000 AS DateTime), N'4110 Old Redmond Rd.', N'Redmond', N'WA', N'98052', N'USA', N'(206) 555-8122', N'5176', 0x151C2F0002000000D000E0014002100FFFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 N'Margaret holds a BA in English literature from Concordia College (1958) and an MA from the American Institute of Culinary Arts (1966). She was assigned to the London office temporarily from July through November 1992.', 2, N'http://accweb/emmployees/peacock.bmp') INSERT [dbo].[Employees] ([EmployeeID], [LastName], [FirstName], [Title], [TitleOfCourtesy], [BirthDate], [HireDate], [Address], [City], [Region], [PostalCode], [Country], [HomePhone], [Extension], [Photo], [Notes], [ReportsTo], [PhotoPath]) VALUES (5, N'Buchanan', N'Steven', N'Sales Manager', N'Mr.', CAST(0x00004EB600000000 AS DateTime), CAST(0x000085D100000000 AS DateTime), N'14 Garrett Hill', N'London', NULL, N'SW1 8JR', N'UK', N'(71) 555-4848', N'3453', 0x151C2F0002000000D000E0014002100FFFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 N'Steven Buchanan graduated from St. Andrews University, Scotland, with a BSC degree in 1976. Upon joining the company as a sales representative in 1992, he spent 6 months in an orientation program at the Seattle office and then returned to his permanent post in London. He was promoted to sales manager in March 1993. Mr. Buchanan has completed the courses "Successful Telemarketing" and "International Sales Management." He is fluent in French.', 2, N'http://accweb/emmployees/buchanan.bmp') INSERT [dbo].[Employees] ([EmployeeID], [LastName], [FirstName], [Title], [TitleOfCourtesy], [BirthDate], [HireDate], [Address], [City], [Region], [PostalCode], [Country], [HomePhone], [Extension], [Photo], [Notes], [ReportsTo], [PhotoPath]) VALUES (6, N'Suyama', N'Michael', N'Sales Representative', N'Mr.', CAST(0x00005A9800000000 AS DateTime), CAST(0x000085D100000000 AS DateTime), N'Coventry House Miner Rd.', N'London', NULL, N'EC2 7JR', N'UK', N'(71) 555-7773', N'428', 0x151C2F0002000000D000E0014002100FFFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 N'Michael is a graduate of Sussex University (MA, economics, 1983) and the University of California at Los Angeles (MBA, marketing, 1986). He has also taken the courses "Multi-Cultural Selling" and "Time Management for the Sales Professional." He is fluent in Japanese and can read and write French, Portuguese, and Spanish.', 5, N'http://accweb/emmployees/davolio.bmp') INSERT [dbo].[Employees] ([EmployeeID], [LastName], [FirstName], [Title], [TitleOfCourtesy], [BirthDate], [HireDate], [Address], [City], [Region], [PostalCode], [Country], [HomePhone], [Extension], [Photo], [Notes], [ReportsTo], [PhotoPath]) VALUES (7, N'King', N'Robert', N'Sales Representative', N'Mr.', CAST(0x0000562F00000000 AS DateTime), CAST(0x0000861E00000000 AS DateTime), N'Edgeham Hollow Winchester Way', N'London', NULL, N'RG1 9SP', N'UK', N'(71) 555-5598', N'465', 0x151C2F0002000000D000E0014002100FFFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 N'Robert King served in the Peace Corps and traveled extensively before completing his degree in English at the University of Michigan in 1992, the year he joined the company. After completing a course entitled "Selling in Europe," he was transferred to the London office in March 1993.', 5, N'http://accweb/emmployees/davolio.bmp') INSERT [dbo].[Employees] ([EmployeeID], [LastName], [FirstName], [Title], [TitleOfCourtesy], [BirthDate], [HireDate], [Address], [City], [Region], [PostalCode], [Country], [HomePhone], [Extension], [Photo], [Notes], [ReportsTo], [PhotoPath]) VALUES (8, N'Callahan', N'Laura', N'Inside Sales Coordinator', N'Ms.', CAST(0x000052C800000000 AS DateTime), CAST(0x0000865C00000000 AS DateTime), N'4726 - 11th Ave. N.E.', N'Seattle', N'WA', N'98105', N'USA', N'(206) 555-1189', N'2344', 0x151C2F0002000000D000E0014002100FFFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 N'Laura received a BA in psychology from the University of Washington. She has also completed a course in business French. She reads and writes French.', 2, N'http://accweb/emmployees/davolio.bmp') INSERT [dbo].[Employees] ([EmployeeID], [LastName], [FirstName], [Title], [TitleOfCourtesy], [BirthDate], [HireDate], [Address], [City], [Region], [PostalCode], [Country], [HomePhone], [Extension], [Photo], [Notes], [ReportsTo], [PhotoPath]) VALUES (9, N'Dodsworth', N'Anne', N'Sales Representative', N'Ms.', CAST(0x00005E4400000000 AS DateTime), CAST(0x0000875B00000000 AS DateTime), N'F7 Houndstooth Rd.', N'London', NULL, N'W6G 7LT', N'UK', N'(71) 555-4444', N'452', 0x151C2F0002000000D000E0014002100FFFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 N'Anne has a BA degree in English from St. Lawrence College. She is fluent in French and German.', 5, N'http://accweb/emmployees/davolio.bmp') SET IDENTITY\_INSERT [dbo].[Employees] OFF /\*\*\*\*\* Object: Table [dbo].[Customers] Script Date: 01/22/2018 09:47:41 \*\*\*\*\*/ INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'ALFKI', N'Alfreds Futterkiste', N'Maria Anders', N'Sales Representative', N'Obere Str. 57', N'Berlin', NULL, N'12209', N'Germany', N'030-0074321', N'030-0076545') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'ANATR', N'Ana Trujillo Emparedados y helados', N'Ana Trujillo', N'Owner', N'Avda. de la Constitución 2222', N'México D.F.', NULL, N'05021', N'Mexico', N'(5) 555-4729', N'(5) 555-3745') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'ANTON', N'Antonio Moreno Taquería', N'Antonio Moreno', N'Owner', N'Mataderos 2312', N'México D.F.', NULL, N'05023', N'Mexico', N'(5) 555-3932', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'AROUT', N'Around the Horn', N'Thomas Hardy', N'Sales Representative', N'120 Hanover Sq.', N'London', NULL, N'WA1 1DP', N'UK', N'(171) 555-7788', N'(171) 555-6750') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'BERGS', N'Berglunds snabbköp', N'Christina Berglund', N'Order Administrator', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden', N'0921-12 34 65', N'0921-12 34 67') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'BLAUS', N'Blauer See Delikatessen', N'Hanna Moos', N'Sales Representative', N'Forsterstr. 57', N'Mannheim', NULL, N'68306', N'Germany', N'0621-08460', N'0621-08924') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'BLONP', N'Blondesdels père et fils', N'Frédérique Citeaux', N'Marketing Manager', N'24, place Kléber', N'Strasbourg', NULL, N'67000', N'France', N'88.60.15.31', N'88.60.15.32') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'BOLID', N'Bólido Comidas preparadas', N'Martin Sommer', N'Owner', N'C/ Araquil, 67', N'Madrid', NULL, N'28023', N'Spain', N'(91) 555 22 82', N'(91) 555 91 99') INSERT [dbo].[Customers] ([CustomerID],

[CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'BONAP', N'Bon app"', N'Laurence Lebihan', N'Owner', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France', N'91.24.45.40', N'91.24.45.41') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'BOTTM', N'Bottom-Dollar Markets', N'Elizabeth Lincoln', N'Accounting Manager', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada', N'(604) 555-4729', N'(604) 555-3745') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'BSBEV', N'B's Beverages', N'Victoria Ashworth', N'Sales Representative', N'Faulteroy Circus', N'London', NULL, N'EC2 5NT', N'UK', N'(171) 555-1212', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'CACTU', N'Cactus Comidas para llevar', N'Patricio Simpson', N'Sales Agent', N'Cerito 333', N'Buenos Aires', NULL, N'1010', N'Argentina', N'(1) 135-5555', N'(1) 135-4892') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'CENCT', N'Centro comercial Moctezuma', N'Francisco Chang', N'Marketing Manager', N'Sierras de Granada 9993', N'México D.F.', NULL, N'05022', N'Mexico', N'(5) 555-3392', N'(5) 555-7293') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'CHOPS', N'Chop-suey Chinese', N'Yang Wang', N'Owner', N'Hauptstr. 29', N'Bern', NULL, N'3012', N'Switzerland', N'0452-076545', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'COMMI', N'Comércio Mineiro', N'Pedro Afonso', N'Sales Associate', N'Av. dos Lusíadas, 23', N'Sao Paulo', N'SP', N'05432-043', N'Brazil', N'(11) 555-7647', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'CONSH', N'Consolidated Holdings', N'Elizabeth Brown', N'Sales Representative', N'Berkeley Gardens 12 Brewery', N'London', NULL, N'WX1 6LT', N'UK', N'(171) 555-2282', N'(171) 555-9199') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'DRACD', N'Drachenblut Delikatessen', N'Sven Ottlieb', N'Order Administrator', N'Walsenweg 21', N'Aachen', NULL, N'52066', N'Germany', N'0241-039123', N'0241-059428') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'DUMON', N'Du monde entier', N'Janine Labrun', N'Owner', N'67, rue des Cinquante Otages', N'Nantes', NULL, N'44000', N'France', N'40.67.88.88', N'40.67.89.89') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'EASTC', N'Eastern Connection', N'Ann Devon', N'Sales Agent', N'35 King George', N'London', NULL, N'WX3 6FW', N'UK', N'(171) 555-0297', N'(171) 555-3373') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'ERNSH', N'Ernst Handel', N'Roland Mendel', N'Sales Manager', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria', N'7675-3425', N'7675-3426') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'FAMIA', N'Familia Arquibaldo', N'Aria Cruz', N'Marketing Assistant', N'Rua Orós, 92', N'Sao Paulo', N'SP', N'05442-030', N'Brazil', N'(11) 555-9857', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'FISSA', N'FISSA Fabrica Inter. Salchichas S.A.', N'Diego Roel', N'Accounting Manager', N'C/ Moralzarzal, 86', N'Madrid', NULL, N'28034', N'Spain', N'(91) 555 94 44', N'(91) 555 55 93') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'FOLIG', N'Folies gourmandes', N'Martine Rancé', N'Assistant Sales Agent', N'184, chaussée de Tournai', N'Lille', NULL, N'59000', N'France', N'20.16.10.16', N'20.16.10.17') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'FOLKO', N'Folk och få HB', N'Maria Larsson', N'Owner', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden', N'0695-34 67 21', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'FRANK', N'Frankenversand', N'Peter Franken', N'Marketing Manager', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany', N'089-0877310', N'089-0877451') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'FRANR', N'France restauration', N'Carine Schmitt', N'Marketing Manager', N'54, rue Royale', N'Nantes', NULL, N'44000', N'France', N'40.32.21.21', N'40.32.21.20') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'FRANS', N'Franchi S.p.A.', N'Paolo Accorti', N'Sales Representative', N'Via Monte Bianco 34', N'Torino', NULL, N'10100', N'Italy', N'011-4988260', N'011-4988261') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'FURIB', N'Furia Bacalhau e Frutos do Mar', N'Lino Rodriguez', N'Sales Manager', N'Jardim das rosas n. 32', N'Lisboa', NULL, N'1675', N'Portugal', N'(1) 354-2534', N'(1) 354-2535') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'GALED', N'Galeria del gastrónomo', N'Eduardo Saavedra', N'Marketing Manager', N'Rambla de Cataluña, 23', N'Barcelona', NULL, N'08022', N'Spain', N'(93) 203 4560', N'(93) 203 4561') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'GODOS', N'Godos Cocina Típica', N'José Pedro Freyre', N'Sales Manager', N'C/ Romero, 33', N'Sevilla', NULL, N'41101', N'Spain', N'(95) 555 82 82', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'GOURL', N'Gourmet Lanchonetes', N'André Fonseca', N'Sales Associate', N'Av. Brasil, 442', N'Campinas', N'SP', N'04876-786', N'Brazil', N'(11) 555-9482', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'GREAL', N'Great Lakes Food Market', N'Howard Snyder', N'Marketing Manager', N'2732 Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA', N'(503) 555-7555', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'GROSR', N'GROSELLA-Restaurante', N'Manuel Pereira', N'Owner', N'5ª Ave. Los Palos Grandes', N'Caracas', N'DF', N'1081', N'Venezuela', N'(2) 283-2951', N'(2) 283-3397') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'HANAR', N'Hanari Carnes', N'Mario Pontes', N'Accounting Manager', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil', N'(21) 555-0091', N'(21) 555-8765') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'HILAA', N'HILARION-Abastos', N'Carlos Hernández', N'Sales Representative', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela', N'(5) 555-1340', N'(5) 555-1948') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'HUNGC', N'Hungry Coyote Import Store', N'Yoshi Latimer', N'Sales Representative', N'City Center Plaza 516 Main St.', N'Elgin', N'OR', N'97827', N'USA', N'(503) 555-6874', N'(503) 555-2376') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'HUNGO', N'Hungry Owl All-Night Grocers', N'Patricia McKenna', N'Sales Associate', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland', N'2967 542', N'2967 3333') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'ISLAT', N'Island Trading', N'Helen Bennett', N'Marketing Manager', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31 7PJ', N'UK', N'(198) 555-8888', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'KOENE', N'Königlich Essen', N'Philip Cramer', N'Sales Associate', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany', N'0555-09876', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'LACOR', N'La corne d'abondance', N'Daniel Tonini', N'Sales Representative', N'67, avenue de l'Europe', N'Versailles', NULL, N'78000', N'France', N'30.59.84.10', N'30.59.85.11') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'LAMAI', N'La maison d'Asie', N'Annette Roulet', N'Sales Manager', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France', N'61.77.61.10', N'61.77.61.11') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'LAUGB', N'Laughing Bacchus Wine Cellars', N'Yoshi Tannamuri', N'Marketing Assistant', N'1900 Oak St.', N'Vancouver', N'BC', N'V3F 2K1', N'Canada', N'(604) 555-3392', N'(604) 555-7293') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'LAZYK', N'Lazy K Kountry Store', N'John Steel', N'Marketing Manager', N'12 Orchestra Terrace', N'Walla Walla', N'WA', N'99362', N'USA', N'(509) 555-7969', N'(509) 555-6221') INSERT [dbo].[Customers] ([CustomerID],

[CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'LEHMS', N'Lehmanns Marktstand', N'Renate Messner', N'Sales Representative', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany', N'069-0245984', N'069-0245874') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'LETSS', N'Let's Stop N Shop', N'Jaime Yorres', N'Owner', N'87 Polk St. Suite 5', N'San Francisco', N'CA', N'94117', N'USA', N'(415) 555-5938', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'LILAS', N'LILA-Supermercado', N'Carlos González', N'Accounting Manager', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela', N'(9) 331-6954', N'(9) 331-7256') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'LINOD', N'LINO-Delicateses', N'Felipe Izquierdo', N'Owner', N'Ave. 5 de Mayo Porlamar', N'I. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela', N'(8) 34-56-12', N'(8) 34-93-93') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'LONEP', N'Lonesome Pine Restaurant', N'Fran Wilson', N'Sales Manager', N'89 Chiaroscuro Rd.', N'Portland', N'OR', N'97219', N'USA', N'(503) 555-9573', N'(503) 555-9646') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'MAGAA', N'Magazzini Alimentari Riuniti', N'Giovanni Rovelli', N'Marketing Manager', N'Via Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy', N'035-640230', N'035-640231') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'MAISD', N'Maison Dewey', N'Catherine Dewey', N'Sales Agent', N'Rue Joseph-Bens 532', N'Bruxelles', NULL, N'B-1180', N'Belgium', N'(02) 201 24 67', N'(02) 201 24 68') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'MEREP', N'Mère Pailarde', N'Jean Fresnière', N'Marketing Assistant', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada', N'(514) 555-8054', N'(514) 555-8055') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'MORGK', N'Morgenstern Gesundkost', N'Alexander Feuer', N'Marketing Assistant', N'Heerstr. 22', N'Leipzig', NULL, N'04179', N'Germany', N'0342-023176', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'NORTS', N'North/South', N'Simon Crowther', N'Sales Associate', N'South House 300 Queensbridge', N'London', NULL, N'SW7 1RZ', N'UK', N'(171) 555-7733', N'(171) 555-2530') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'OCEAN', N'Océano Atlántico Ltda.', N'Yvonne Moncada', N'Sales Agent', N'Ing. Gustavo Moncada 8585 Piso 20-A', N'Buenos Aires', NULL, N'1010', N'Argentina', N'(1) 135-5333', N'(1) 135-5535') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'OLDWO', N'Old World Delicatessen', N'Rene Phillips', N'Sales Representative', N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA', N'(907) 555-7584', N'(907) 555-2880') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'OTTIK', N'Ottilies Käseladen', N'Henriette Pfalzheim', N'Owner', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany', N'0221-0644327', N'0221-0765721') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'PARIS', N'Paris spécialités', N'Marie Bertrand', N'Owner', N'265, boulevard Charonne', N'Paris', NULL, N'75012', N'France', N'(1) 42.34.22.66', N'(1) 42.34.22.77') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'PERIC', N'Pericles Comidas clásicas', N'Guillermo Fernández', N'Sales Representative', N'Calle Dr. Jorge Cash 321', N'México D.F.', NULL, N'05033', N'Mexico', N'(5) 552-3745', N'(5) 545-3745') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'PICCO', N'Piccolo und mehr', N'Georg Pippes', N'Sales Manager', N'Geisweg 14', N'Salzburg', NULL, N'5020', N'Austria', N'6562-9722', N'6562-9723') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'PRINI', N'Princesa Isabel Vinhos', N'Isabel de Castro', N'Sales Representative', N'Estrada da saúde n. 58', N'Lisboa', NULL, N'1756', N'Portugal', N'(1) 356-5634', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'QUEDE', N'Que Delícia', N'Bernardo Batista', N'Accounting Manager', N'Rua da Panificadora, 12', N'Rio de Janeiro', N'RJ', N'02389-673', N'Brazil', N'(21) 555-4252', N'(21) 555-4545') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'QUEEN', N'Queen Cozinha', N'Lúcia Carvalho', N'Marketing Assistant', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil', N'(11) 555-1189', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'QUICK', N'QUICK-Stop', N'Horst Kloss', N'Accounting Manager', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany', N'0372-035188', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'RANCH', N'Rancho grande', N'Sergio Gutiérrez', N'Sales Representative', N'Av. del Libertador 900', N'Buenos Aires', NULL, N'1010', N'Argentina', N'(1) 123-5555', N'(1) 123-5556') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'RATTCC', N'Rattlesnake Canyon Grocery', N'Paula Wilson', N'Assistant Sales Representative', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA', N'(505) 555-5939', N'(505) 555-3620') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'REGGC', N'Reggiani Caseifici', N'Maurizio Moroni', N'Sales Associate', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy', N'0522-556721', N'0522-556722') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'RICAR', N'Ricardo Adocicados', N'Janete Limeira', N'Assistant Sales Agent', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil', N'(21) 555-3412', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'RICSU', N'Richter Supermarkt', N'Michael Holz', N'Sales Manager', N'Grenzacherweg 237', N'Genève', NULL, N'1203', N'Switzerland', N'0897-034214', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'ROMEY', N'Romero y tomillo', N'Alejandra Camino', N'Accounting Manager', N'Gran Vía, 1', N'Madrid', NULL, N'28001', N'Spain', N'(91) 745 6200', N'(91) 745 6210') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'SANTG', N'Santé Gourmet', N'Jonas Bergulfsen', N'Owner', N'Erling Skakkes gate 78', N'Stavern', NULL, N'4110', N'Norway', N'07-98 92 35', N'07-98 92 47') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'SAVEA', N'Save-a-lot Markets', N'Jose Pavarotti', N'Sales Representative', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA', N'(208) 555-8097', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'SEVS', N'Seven Seas Imports', N'Hari Kumar', N'Sales Manager', N'90 Wadhurst Rd.', N'London', NULL, N'OX15 4NB', N'UK', N'(171) 555-1717', N'(171) 555-5646') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'SIMOB', N'Simons bistro', N'Jytte Petersen', N'Owner', N'Vinbæltet 34', N'Copenhagen', NULL, N'1734', N'Denmark', N'31 12 34 56', N'31 13 35 57') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'SPECDD', N'Spécialités du monde', N'Dominique Perrier', N'Marketing Manager', N'25, rue Lauriston', N'Paris', NULL, N'75016', N'France', N'(1) 47.55.60.10', N'(1) 47.55.60.20') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'SPLIR', N'Split Rail Beer & Ale', N'Art Braunschweiger', N'Sales Manager', N'P.O. Box 555', N'Lander', N'WY', N'82520', N'USA', N'(307) 555-4680', N'(307) 555-6525') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'SUPRD', N'Suprêmes délices', N'Pascale Cartrain', N'Accounting Manager', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium', N'(071) 23 67 22 20', N'(071) 23 67 22 21') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'THEBI', N'The Big Cheese', N'Liz Nixon', N'Marketing Manager', N'89 Jefferson Way Suite 2', N'Portland', N'OR', N'97201', N'USA', N'(503) 555-3612', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'THECR', N'The Cracker Box', N'Liu Wong', N'Marketing Assistant', N'55 Grizzly Peak Rd.',

N'Butte', N'MT', N'59801', N'USA', N'(406) 555-5834', N'(406) 555-8083') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'TOMSP', N'Toms Spezialitäten', N'Karin Josephs', N'Marketing Manager', N'Luisenstr. 48', N'Münster', NULL, N'44087', N'Germany', N'0251-031259', N'0251-035695') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'TORTU', N'Tortuga Restaurante', N'Miguel Angel Paolino', N'Owner', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico', N'(5) 555-2933', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'TRAIH', N'Trail's Head Gourmet Provisioners', N'Helvetius Nagy', N'Sales Associate', N'722 DaVinci Blvd.', N'Kirkland', N'WA', N'98034', N'USA', N'(206) 555-8257', N'(206) 555-2174') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'VAFFE', N'Vaffeljernet', N'Palle Ibsen', N'Sales Manager', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark', N'86 21 32 43', N'86 22 33 44') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'VICTE', N'Victuailles en stock', N'Mary Saveley', N'Sales Agent', N'2, rue du Commerce', N'Lyons', NULL, N'69004', N'France', N'78.32.54.86', N'78.32.54.87') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'VINET', N'Vins et alcools Chevalier', N'Paul Henriot', N'Accounting Manager', N'59 rue de l'Abbaye', N'Reims', NULL, N'51100', N'France', N'26.47.15.10', N'26.47.15.11') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'WANDK', N'Die Wandernde Kuh', N'Rita Müller', N'Sales Representative', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563', N'Germany', N'0711-020361', N'0711-035428') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'WARTH', N'Wartian Herkku', N'Pirkko Koskitalo', N'Accounting Manager', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland', N'981-443655', N'981-443655') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'WELLI', N'Wellington Importadora', N'Paula Parente', N'Sales Manager', N'Rua do Mercado, 12', N'Resende', N'SP', N'08737-363', N'Brazil', N'(14) 555-8122', NULL) INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'WHITC', N'White Clover Markets', N'Karla Jablonski', N'Owner', N'305 - 14th Ave. S. Suite 3B', N'Seattle', N'WA', N'98128', N'USA', N'(206) 555-4112', N'(206) 555-4115') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'WILMK', N'Wilman Kala', N'Matti Karttunen', N'Owner/Marketing Assistant', N'Keskuskatu 45', N'Helsinki', NULL, N'21240', N'Finland', N'90-224 8858', N'90-224 8858') INSERT [dbo].[Customers] ([CustomerID], [CompanyName], [ContactName], [ContactTitle], [Address], [City], [Region], [PostalCode], [Country], [Phone], [Fax]) VALUES (N'WOLZA', N'Wolski Zajazd', N'Zbyszek Piastrianiewicz', N'Owner', N'ul. Filtrowa 68', N'Warszawa', NULL, N'01-012', N'Poland', N'(26) 642-7012', N'(26) 642-7012') /\*\*\*\*\* Object: Table [dbo].[CustomerDemographics] Script Date: 01/22/2018 09:47:41 \*\*\*\*\*/ /\*\*\*\*\* Object: Table [dbo].[Categories] Script Date: 01/22/2018 09:47:41 \*\*\*\*\*/ SET IDENTITY\_INSERT [dbo].[Categories] ON INSERT [dbo].[Categories] ([CategoryID], [CategoryName], [Description], [Picture]) VALUES (1, N'Beverages', N'Soft drinks, coffees, teas, beers, and ales', 0x151C2F0002000000D000E0014002100FFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 INSERT [dbo].[Categories] ([CategoryID], [CategoryName], [Description], [Picture]) VALUES (2, N'Condiments', N'Sweet and savory sauces, relishes, spreads, and seasonings', 0x151C2F0002000000D000E0014002100FFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 INSERT [dbo].[Categories] ([CategoryID], [CategoryName], [Description], [Picture]) VALUES (3, N'Confections', N'Desserts, candies, and sweet breads', 0x151C2F0002000000D000E0014002100FFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 INSERT [dbo].[Categories] ([CategoryID], [CategoryName], [Description], [Picture]) VALUES (4, N'Dairy Products', N'Cheeses', 0x151C2F0002000000D000E0014002100FFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 INSERT [dbo].[Categories] ([CategoryID], [CategoryName], [Description], [Picture]) VALUES (5, N'Grains/Cereals', N'Breads, crackers, pasta, and cereal', 0x151C2F0002000000D000E0014002100FFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 INSERT [dbo].[Categories] ([CategoryID], [CategoryName], [Description], [Picture]) VALUES (6, N'Meat/Poultry', N'Prepared meats', 0x151C2F0002000000D000E0014002100FFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 INSERT [dbo].[Categories] ([CategoryID], [CategoryName], [Description], [Picture]) VALUES (7, N'Produce', N'Dried fruit and bean curd', 0x151C2F0002000000D000E0014002100FFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 INSERT [dbo].[Categories] ([CategoryID], [CategoryName], [Description], [Picture]) VALUES (8, N'Seafood', N'Seaweed and fish', 0x151C2F0002000000D000E0014002100FFFFFFFF4269746D617020496D616765005061696E742E5069637475726500010500000200000007 SET IDENTITY\_INSERT [dbo].[Categories] OFF /\*\*\*\*\* Object: Table [dbo].[Territories] Script Date: 01/22/2018 09:47:41 \*\*\*\*\*/ INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'01581', N'Westboro ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'01730', N'Bedford ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'01833', N'Georgetown ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'02116', N'Boston ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'02139', N'Cambridge ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'02184', N'Braintree ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'02903', N'Providence ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'03049', N'Hollis ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'03801', N'Portsmouth ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'06897', N'Wilton ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'07960', N'Morristown ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'08837', N'Edison ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'10019', N'New York ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'10038', N'New York ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'11747', N'Melville ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'14450', N'Fairport ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'19428', N'Philadelphia ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'19713', N'Neward ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'20852', N'Rockville ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'27403', N'Greensboro ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'27511', N'Carey ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'29202', N'Columbia ', 4) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'30346', N'Atlanta ', 4) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'31406', N'Savannah ', 4) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'32859', N'Orlando ', 4) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'33607', N'Tampa ', 4) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'40222', N'Louisville ', 1) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'44122', N'Beachwood ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'45839', N'Findlay ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'48075', N'Southfield ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'48084', N'Troy ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'48304', N'Bloomfield Hills ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'53404', N'Racine ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'55113', N'Roseville ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'55439', N'Minneapolis ', 3) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'60179', N'Hoffman Estates ', 2) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'60601', N'Chicago ', 2) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'72716', N'Bentonville ', 4) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'75234', N'Dallas ', 4) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID])



```

VALUES (N'78759', N'Austin ', 4) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'80202', N'Denver ', 2)
INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'80909', N'Colorado Springs ', 2) INSERT [dbo].[Territories]
([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'85014', N'Phoenix ', 2) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription],
[RegionID]) VALUES (N'85251', N'Scottsdale ', 2) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'90405',
N'Santa Monica ', 2) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'94025', N'Menlo Park ', 2) INSERT
[dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'94105', N'San Francisco ', 2) INSERT [dbo].[Territories]
([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'95008', N'Campbell ', 2) INSERT [dbo].[Territories] ([TerritoryID],
[TerritoryDescription], [RegionID]) VALUES (N'95054', N'Santa Clara ', 2) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription],
[RegionID]) VALUES (N'95060', N'Santa Cruz ', 2) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'98004',
N'Bellevue ', 2) INSERT [dbo].[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'98052', N'Redmond ', 2) INSERT [dbo].
[Territories] ([TerritoryID], [TerritoryDescription], [RegionID]) VALUES (N'98104', N'Seattle ', 2) /***** Object: Table [dbo].
[CustomerCustomerDemo] Script Date: 01/22/2018 09:47:41 *****/ /***** Object: Table [dbo].[Products] Script Date: 01/22/2018 09:47:41 *****/
SET IDENTITY_INSERT [dbo].[Products] ON INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID],
[QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (1, N'Chai', 1, 1, N'10 boxes x 20 bags',
18.0000, 39, 0, 10, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (2, N'Chang', 1, 1, N'24 - 12 oz bottles', 19.0000, 17, 40, 25, 0) INSERT
[dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder],
[ReorderLevel], [Discontinued]) VALUES (3, N'Aniseed Syrup', 1, 2, N'12 - 550 ml bottles', 10.0000, 13, 70, 25, 0) INSERT [dbo].[Products]
([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (4, N'Chef Anton's Cajun Seasoning', 2, 2, N'48 - 6 oz jars', 22.0000, 53, 0, 0, 0) INSERT [dbo].[Products] ([ProductID],
[ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued])
VALUES (5, N'Chef Anton's Gumbo Mix', 2, 2, N'36 boxes', 21.3500, 0, 0, 0, 1) INSERT [dbo].[Products] ([ProductID], [ProductName],
[SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (6,
N'Grandma's Boysenberry Spread', 3, 2, N'12 - 8 oz jars', 25.0000, 120, 0, 25, 0) INSERT [dbo].[Products] ([ProductID], [ProductName],
[SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (7, N'Uncle
Bob's Organic Dried Pears', 3, 7, N'12 - 1 lb pkgs.', 30.0000, 15, 0, 10, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID],
[CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (8, N'Northwoods Cranberry
Sauce', 3, 2, N'12 - 12 oz jars', 40.0000, 6, 0, 0, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID],
[QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (9, N'Mishi Kobe Niku', 4, 6, N'18 - 500 g
pkgs.', 97.0000, 29, 0, 0, 1) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (10, N'Ikura', 4, 8, N'12 - 200 ml jars', 31.0000, 31, 0, 0, 0) INSERT
[dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder],
[ReorderLevel], [Discontinued]) VALUES (11, N'Queso Cabrales', 5, 4, N'1 kg pkg.', 21.0000, 22, 30, 30, 0) INSERT [dbo].[Products] ([ProductID],
[ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued])
VALUES (12, N'Queso Manchego La Pastora', 5, 4, N'10 - 500 g pkgs.', 38.0000, 86, 0, 0, 0) INSERT [dbo].[Products] ([ProductID],
[ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued])
VALUES (13, N'Konbu', 6, 8, N'2 kg box', 6.0000, 24, 0, 5, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID],
[QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (14, N'Tofu', 6, 7, N'40 - 100 g pkgs.',
23.2500, 35, 0, 0, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (15, N'Genen Shouyu', 6, 2, N'24 - 250 ml bottles', 15.5000, 39, 0, 5, 0)
INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder],
[ReorderLevel], [Discontinued]) VALUES (16, N'Pavlova', 7, 3, N'32 - 500 g boxes', 17.4500, 29, 0, 10, 0) INSERT [dbo].[Products] ([ProductID],
[ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued])
VALUES (17, N'Alice Mutton', 7, 6, N'20 - 1 kg tins', 39.0000, 0, 0, 0, 1) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID],
[CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (18, N'Carnarvon Tigers', 7,
8, N'16 kg pkg.', 62.5000, 42, 0, 0, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit],
[UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (19, N'Teatime Chocolate Biscuits', 8, 3, N'10 boxes x 12
pieces', 9.2000, 25, 0, 5, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (20, N'Sir Rodney's Marmalade', 8, 3, N'30 gift boxes', 81.0000, 40, 0,
0, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock],
[UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (21, N'Sir Rodney's Scones', 8, 3, N'24 pkgs. x 4 pieces', 10.0000, 33, 40, 5, 0) INSERT
[dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder],
[ReorderLevel], [Discontinued]) VALUES (22, N'Gustaf's Knäckebröd', 9, 5, N'24 - 500 g pkgs.', 21.0000, 104, 0, 25, 0) INSERT [dbo].[Products]
([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (23, N'Tunnbröd', 9, 5, N'12 - 250 g pkgs.', 9.0000, 61, 0, 25, 0) INSERT [dbo].[Products] ([ProductID], [ProductName],
[SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (24, N'Guaraná
Fantástica', 10, 1, N'12 - 355 ml cans', 4.5000, 20, 0, 0, 1) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID],
[QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (25, N'NuNuCa Nuß-Nougat-Creme', 11,
3, N'20 - 450 g glasses', 14.0000, 76, 0, 30, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID],
[QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (26, N'Gumbär Gummibärchen', 11, 3,
N'100 - 250 g bags', 31.2300, 15, 0, 0, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit],
[UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (27, N'Schoggi Schokolade', 11, 3, N'100 - 100 g pieces',
43.9000, 49, 0, 30, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (28, N'Rössle Sauerkraut', 12, 7, N'25 - 825 g cans', 45.6000, 26, 0, 0,
1) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock],
[UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (29, N'Thüringer Rostbratwurst', 12, 6, N'50 bags x 30 sausgs.', 123.7900, 0, 0, 0, 1)
INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder],
[ReorderLevel], [Discontinued]) VALUES (30, N'Nord-Ost Matjeshering', 13, 8, N'10 - 200 g glasses', 25.8900, 10, 0, 15, 0) INSERT [dbo].
[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (31, N'Gorgonzola Telino', 14, 4, N'12 - 100 g pkgs', 12.5000, 0, 70, 20, 0) INSERT [dbo].[Products] ([ProductID],
[ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued])
VALUES (32, N'Mascarpone Fabioli', 14, 4, N'24 - 200 g pkgs', 32.0000, 9, 40, 25, 0) INSERT [dbo].[Products] ([ProductID], [ProductName],
[SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (33, N'Geitost',
15, 4, N'500 g', 2.5000, 112, 0, 20, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit],
[UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (34, N'Sasquatch Ale', 16, 1, N'24 - 12 oz bottles', 14.0000,
111, 0, 15, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock],
[UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (35, N'Steeleye Stout', 16, 1, N'24 - 12 oz bottles', 18.0000, 20, 0, 15, 0) INSERT [dbo].
[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (36, N'Inlagd Sill', 17, 8, N'24 - 250 g jars', 19.0000, 112, 0, 20, 0) INSERT [dbo].[Products] ([ProductID], [ProductName],
[SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (37, N'Gravad
lax', 17, 8, N'12 - 500 g pkgs.', 26.0000, 11, 50, 25, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID],
[QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (38, N'Côte de Blaye', 18, 1, N'12 - 75 cl
bottles', 263.5000, 17, 0, 15, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (39, N'Chartreuse verte', 18, 1, N'750 cc per bottle', 18.0000, 69, 0, 5, 0)
INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder],

```

```

[ReorderLevel], [Discontinued]) VALUES (40, N'Boston Crab Meat', 19, 8, N'24 - 4 oz tins', 18.4000, 123, 0, 30, 0) INSERT [dbo].[Products]
([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (41, N'Jack's New England Clam Chowder', 19, 8, N'12 - 12 oz cans', 9.6500, 85, 0, 10, 0) INSERT [dbo].[Products]
([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (42, N'Singaporean Hokkien Fried Mee', 20, 5, N'32 - 1 kg pkgs.', 14.0000, 26, 0, 0, 1) INSERT [dbo].[Products]
([ProductID], [ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (43, N'Iphoh Coffee', 20, 1, N'16 - 500 g tins', 46.0000, 17, 10, 25, 0) INSERT [dbo].[Products] ([ProductID],
[ProductName], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued])
VALUES (44, N'Gula Malacca', 20, 2, N'20 - 2 kg bags', 19.4500, 27, 0, 15, 0) INSERT [dbo].[Products] ([ProductID], [ProductName], [SupplierID],
[CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (45, N'Rogede sild', 21, 8,
N'1k pkg.', 9.5000, 5, 70, 15, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (46, N'Spegesild', 21, 8, N'4 - 450 g glasses', 12.0000, 95, 0, 0, 0)
INSERT [dbo].[Products] ([ProductID], [ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder],
[ReorderLevel], [Discontinued]) VALUES (47, N'Zaanse koeken', 22, 3, N'10 - 4 oz boxes', 9.5000, 36, 0, 0, 0) INSERT [dbo].[Products]
([ProductID], [ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (48, N'Chocolade', 22, 3, N'10 pkgs.', 12.7500, 15, 70, 25, 0) INSERT [dbo].[Products] ([ProductID], [ProductID],
[SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (49,
N'Maxilaku', 23, 3, N'24 - 50 g pkgs.', 20.0000, 10, 60, 15, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID],
[QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (50, N'Valikoinen suklaa', 23, 3, N'12 - 100
g bars', 16.2500, 65, 0, 30, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (51, N'Manjimup Dried Apples', 24, 7, N'50 - 300 g pkgs.', 53.0000, 20,
0, 10, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock],
[UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (52, N'Filò Mix', 24, 5, N'16 - 2 kg boxes', 7.0000, 38, 0, 25, 0) INSERT [dbo].[Products]
([ProductID], [ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (53, N'Perth Pasties', 24, 6, N'48 pieces', 32.8000, 0, 0, 0, 1) INSERT [dbo].[Products] ([ProductID], [ProductID],
[SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (54,
N'Tourtière', 25, 6, N'16 pies', 7.4500, 21, 0, 10, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID],
[QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (55, N'Pâté chinois', 25, 6, N'24 boxes x 2
pies', 24.0000, 115, 0, 20, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (56, N'Gnocchi di nonna Alice', 26, 5, N'24 - 250 g pkgs.', 38.0000, 21,
10, 30, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock],
[UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (57, N'Ravioli Angelo', 26, 5, N'24 - 250 g pkgs.', 19.5000, 36, 0, 20, 0) INSERT [dbo].
[Products] ([ProductID], [ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (58, N'Escargots de Bourgogne', 27, 8, N'24 pieces', 13.2500, 62, 0, 20, 0) INSERT [dbo].[Products] ([ProductID],
[ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued])
VALUES (59, N'Raclette Courdavault', 28, 4, N'5 kg pkg.', 55.0000, 79, 0, 0, 0) INSERT [dbo].[Products] ([ProductID], [ProductID],
[SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (60,
N'Camembert Pierrot', 28, 4, N'15 - 300 g rounds', 34.0000, 19, 0, 0, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID],
[CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (61, N'Sirop d'érable', 29, 2,
N'24 - 500 ml bottles', 28.5000, 113, 0, 25, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID],
[QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (62, N'Tarte au sucre', 29, 3, N'48 pies',
49.3000, 17, 0, 0, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (63, N'Vegie-spread', 7, 2, N'15 - 625 g jars', 43.9000, 24, 0, 5, 0)
INSERT [dbo].[Products] ([ProductID], [ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder],
[ReorderLevel], [Discontinued]) VALUES (64, N'Wimmers gute Semmelknödel', 12, 5, N'20 bags x 4 pieces', 33.2500, 22, 80, 30, 0) INSERT
[dbo].[Products] ([ProductID], [ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder],
[ReorderLevel], [Discontinued]) VALUES (65, N'Louisiana Fiery Hot Pepper Sauce', 2, 2, N'32 - 8 oz bottles', 21.0500, 76, 0, 0, 0) INSERT [dbo].
[Products] ([ProductID], [ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (66, N'Louisiana Hot Spiced Okra', 2, 2, N'24 - 8 oz jars', 17.0000, 4, 100, 20, 0) INSERT [dbo].[Products] ([ProductID],
[ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued])
VALUES (67, N'Laughing Lumberjack Lager', 16, 1, N'24 - 12 oz bottles', 14.0000, 52, 0, 10, 0) INSERT [dbo].[Products] ([ProductID],
[ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued])
VALUES (68, N'Scottish Longbreads', 8, 3, N'10 boxes x 8 pieces', 12.5000, 6, 10, 15, 0) INSERT [dbo].[Products] ([ProductID], [ProductID],
[SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (69,
N'Gudbrandsdalsost', 15, 4, N'10 kg pkg.', 36.0000, 26, 0, 15, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID],
[CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (70, N'Outback Lager', 7, 1,
N'24 - 355 ml bottles', 15.0000, 15, 10, 30, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID],
[QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (71, N'Flotemysost', 15, 4, N'10 - 500 g
pkgs.', 21.5000, 26, 0, 0, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (72, N'Mozzarella di Giovanni', 14, 4, N'24 - 200 g pkgs.', 34.8000, 14, 0,
0, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock],
[UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (73, N'Röd Kaviar', 17, 8, N'24 - 150 g jars', 15.0000, 101, 0, 5, 0) INSERT [dbo].
[Products] ([ProductID], [ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel],
[Discontinued]) VALUES (74, N'Longlife Tofu', 4, 7, N'5 kg pkg.', 10.0000, 4, 20, 5, 0) INSERT [dbo].[Products] ([ProductID], [ProductID],
[SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (75,
N'Rhönbräu Klosterbier', 12, 1, N'24 - 0.5 l bottles', 7.7500, 125, 0, 25, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID],
[CategoryID], [QuantityPerUnit], [UnitPrice], [UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (76, N'Lakkalikööri', 23, 1,
N'500 ml', 18.0000, 57, 0, 20, 0) INSERT [dbo].[Products] ([ProductID], [ProductID], [SupplierID], [CategoryID], [QuantityPerUnit], [UnitPrice],
[UnitsInStock], [UnitsOnOrder], [ReorderLevel], [Discontinued]) VALUES (77, N'Original Frankfurter grüne Soße', 12, 2, N'12 boxes', 13.0000, 32,
0, 15, 0) SET IDENTITY_INSERT [dbo].[Orders] OFF ***** Object: Table [dbo].[Orders] Script Date: 01/22/2018 09:47:41 ***** SET
IDENTITY_INSERT [dbo].[Orders] ON INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10248,
N'VINET', 5, CAST(0x000089B000000000 AS DateTime), CAST(0x000089CC00000000 AS DateTime), CAST(0x000089BC00000000 AS
DateTime), 3, 32.3800, N'Vins et alcools Chevalier', N'59 rue de l'Abbaye', N'Reims', NULL, N'51100', N'France') INSERT [dbo].[Orders]
([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10249, N'TOMSP', 6, CAST(0x000089B100000000 AS DateTime),
CAST(0x000089DB00000000 AS DateTime), CAST(0x000089B600000000 AS DateTime), 1, 11.6100, N'Toms Spezialitäten', N'Luisenstr. 48',
N'Münster', NULL, N'44087', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10250,
N'HANAR', 4, CAST(0x000089B400000000 AS DateTime), CAST(0x000089D000000000 AS DateTime), CAST(0x000089B800000000 AS
DateTime), 2, 65.8300, N'Hanari Carnes', N'Rua do Paço', 67, N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders]
([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10251, N'VICTE', 3, CAST(0x000089B400000000 AS DateTime),
CAST(0x000089D000000000 AS DateTime), CAST(0x000089BB00000000 AS DateTime), 1, 41.3400, N'Victuailles en stock', N'2, rue du
Commerce', N'Lyon', NULL, N'69004', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],

```

[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10252, N'SUPRD', 4, CAST(0x000089B500000000 AS DateTime), CAST(0x000089D100000000 AS DateTime), CAST(0x000089B700000000 AS DateTime), 2, 51.3000, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10253, N'HANAR', 3, CAST(0x000089B600000000 AS DateTime), CAST(0x000089C400000000 AS DateTime), CAST(0x000089BC00000000 AS DateTime), 2, 58.1700, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10254, N'CHOPS', 5, CAST(0x000089B700000000 AS DateTime), CAST(0x000089D300000000 AS DateTime), CAST(0x000089C300000000 AS DateTime), 2, 22.9800, N'Chop-suey Chinese', N'Hauptstr. 31', N'Bern', NULL, N'3012', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10255, N'RICSU', 9, CAST(0x000089B800000000 AS DateTime), CAST(0x000089D400000000 AS DateTime), CAST(0x000089BB00000000 AS DateTime), 3, 148.3300, N'Richter Supermarkt', N'Starenweg 5', N'Genève', NULL, N'1204', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10256, N'WELLI', 3, CAST(0x000089BB00000000 AS DateTime), CAST(0x000089D700000000 AS DateTime), CAST(0x000089BD00000000 AS DateTime), 2, 13.9700, N'Wellington Importadora', N'Rua do Mercado, 12', N'Resende', N'SP', N'08737-363', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10257, N'HILAA', 4, CAST(0x000089BC00000000 AS DateTime), CAST(0x000089D800000000 AS DateTime), CAST(0x000089C200000000 AS DateTime), 3, 81.9100, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10258, N'ERNNSH', 1, CAST(0x000089BD00000000 AS DateTime), CAST(0x000089D900000000 AS DateTime), CAST(0x000089C300000000 AS DateTime), 1, 140.5100, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10259, N'CENCT', 4, CAST(0x000089BE00000000 AS DateTime), CAST(0x000089DA00000000 AS DateTime), CAST(0x000089C500000000 AS DateTime), 3, 3.2500, N'Centro comercial Moctezuma', N'Sierras de Granada 9993', N'México D.F.', NULL, N'05022', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10260, N'OTTIK', 4, CAST(0x000089BF00000000 AS DateTime), CAST(0x000089DB00000000 AS DateTime), CAST(0x000089C900000000 AS DateTime), 1, 55.0900, N'Ottilies Käseladen', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10261, N'QUEDE', 4, CAST(0x000089C000000000 AS DateTime), CAST(0x000089DC00000000 AS DateTime), CAST(0x000089CA00000000 AS DateTime), 2, 3.0500, N'Que Delícia', N'Rua da Panificadora, 12', N'Rio de Janeiro', N'RJ', N'02389-673', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10262, N'RATTC', 8, CAST(0x000089C200000000 AS DateTime), CAST(0x000089DE00000000 AS DateTime), CAST(0x000089C500000000 AS DateTime), 3, 48.2900, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10263, N'ERNNSH', 9, CAST(0x000089C300000000 AS DateTime), CAST(0x000089DF00000000 AS DateTime), CAST(0x000089CB00000000 AS DateTime), 3, 146.0600, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10264, N'FOLKO', 6, CAST(0x000089C400000000 AS DateTime), CAST(0x000089E000000000 AS DateTime), CAST(0x000089E200000000 AS DateTime), 3, 3.6700, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10265, N'BLONP', 2, CAST(0x000089C500000000 AS DateTime), CAST(0x000089E100000000 AS DateTime), CAST(0x000089D700000000 AS DateTime), 1, 55.2800, N'Blondel père et fils', N'24, place Kléber', N'Strasbourg', NULL, N'67000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10266, N'WARTH', 3, CAST(0x000089C600000000 AS DateTime), CAST(0x000089F000000000 AS DateTime), CAST(0x000089CB00000000 AS DateTime), 3, 25.7300, N'Wartian Herkuu', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10267, N'FRANK', 4, CAST(0x000089C900000000 AS DateTime), CAST(0x000089E500000000 AS DateTime), CAST(0x000089D100000000 AS DateTime), 1, 208.5800, N'Frankensversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10268, N'GROSR', 8, CAST(0x000089CA00000000 AS DateTime), CAST(0x000089E600000000 AS DateTime), CAST(0x000089CD00000000 AS DateTime), 3, 66.2900, N'GROSELLA-Restaurante', N'5ª Ave. Los Palos Grandes', N'Caracas', N'DF', N'1081', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10269, N'WHITC', 5, CAST(0x000089CB00000000 AS DateTime), CAST(0x000089D900000000 AS DateTime), CAST(0x000089D000000000 AS DateTime), 1, 4.5600, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10270, N'WARTH', 1, CAST(0x000089CC00000000 AS DateTime), CAST(0x000089E800000000 AS DateTime), CAST(0x000089CD00000000 AS DateTime), 1, 136.5400, N'Wartian Herkuu', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10271, N'SPLIR', 6, CAST(0x000089CC00000000 AS DateTime), CAST(0x000089E800000000 AS DateTime), CAST(0x000089E900000000 AS DateTime), 2, 4.5400, N'Split Rail Beer & Ale', N'P.O. Box 555', N'Lander', N'WY', N'82520', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10272, N'RATTC', 6, CAST(0x000089CD00000000 AS DateTime), CAST(0x000089E900000000 AS DateTime), CAST(0x000089D100000000 AS DateTime), 2, 98.0300, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10273, N'QUICK', 3, CAST(0x000089DD00000000 AS DateTime), CAST(0x000089EC00000000 AS DateTime), CAST(0x000089D700000000 AS DateTime), 3, 76.0700, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10274, N'VINET', 6, CAST(0x000089D000000000 AS DateTime), CAST(0x000089EE00000000 AS DateTime), CAST(0x000089DE00000000 AS DateTime), 1, 26.9300, N'Magazzini Alimentari Riuniti', N'Via Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10276, N'TORTU', 8,



CAST(0x000089D300000000 AS DateTime), CAST(0x000089E100000000 AS DateTime), CAST(0x000089D900000000 AS DateTime), 3, 13.8400, N'Tortuga Restaurante', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10277, N'MORGK', 2, CAST(0x000089D400000000 AS DateTime), CAST(0x000089F000000000 AS DateTime), CAST(0x000089D800000000 AS DateTime), 3, 125.7700, N'Morgenstern Gesundkost', N'Heerstr. 22', N'Leipzig', NULL, N'04179', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10278, N'BERGS', 8, CAST(0x000089D700000000 AS DateTime), CAST(0x000089F300000000 AS DateTime), CAST(0x000089DB00000000 AS DateTime), 2, 92.6900, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10279, N'LEHMS', 8, CAST(0x000089D800000000 AS DateTime), CAST(0x000089F400000000 AS DateTime), CAST(0x000089DB00000000 AS DateTime), 2, 25.8300, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10280, N'BERGS', 2, CAST(0x000089D900000000 AS DateTime), CAST(0x000089F500000000 AS DateTime), CAST(0x000089F600000000 AS DateTime), 1, 8.9800, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10281, N'ROMEY', 4, CAST(0x000089D900000000 AS DateTime), CAST(0x000089E700000000 AS DateTime), CAST(0x000089E000000000 AS DateTime), 1, 2.9400, N'Romero y tomillo', N'Gran Vía, 1', N'Madrid', NULL, N'28001', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10282, N'ROMEY', 4, CAST(0x000089DA00000000 AS DateTime), CAST(0x000089F600000000 AS DateTime), CAST(0x000089E000000000 AS DateTime), 1, 12.6900, N'Romero y tomillo', N'Gran Vía, 1', N'Madrid', NULL, N'28001', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10283, N'LILAS', 3, CAST(0x000089DB00000000 AS DateTime), CAST(0x000089F700000000 AS DateTime), CAST(0x000089E200000000 AS DateTime), 3, 84.8100, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10284, N'LEHMS', 4, CAST(0x000089DE00000000 AS DateTime), CAST(0x000089FA00000000 AS DateTime), CAST(0x000089E600000000 AS DateTime), 1, 76.5600, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10285, N'QUICK', 1, CAST(0x000089DF00000000 AS DateTime), CAST(0x000089FB00000000 AS DateTime), CAST(0x000089E500000000 AS DateTime), 2, 76.8300, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10286, N'QUICK', 8, CAST(0x000089E000000000 AS DateTime), CAST(0x000089FC00000000 AS DateTime), CAST(0x000089E900000000 AS DateTime), 3, 229.2400, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10287, N'RICAR', 8, CAST(0x000089E100000000 AS DateTime), CAST(0x000089FD00000000 AS DateTime), CAST(0x000089E700000000 AS DateTime), 3, 12.7600, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10288, N'REGGC', 4, CAST(0x000089E200000000 AS DateTime), CAST(0x000089FE00000000 AS DateTime), CAST(0x000089ED00000000 AS DateTime), 1, 7.4500, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10289, N'BSBEV', 7, CAST(0x000089E500000000 AS DateTime), CAST(0x000089A010000000 AS DateTime), CAST(0x000089E700000000 AS DateTime), 3, 22.7700, N'B's Beverages', N'Fauntleroy Circus', N'London', NULL, N'EC2 5NT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10290, N'COMMI', 8, CAST(0x000089E600000000 AS DateTime), CAST(0x000089A020000000 AS DateTime), CAST(0x000089ED00000000 AS DateTime), 1, 79.7000, N'Comércio Mineiro', N'Av. dos Lusíadas, 23', N'Sao Paulo', N'SP', N'05432-043', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10291, N'QUEDE', 6, CAST(0x000089E600000000 AS DateTime), CAST(0x000089A020000000 AS DateTime), CAST(0x000089EE00000000 AS DateTime), 2, 6.4000, N'Que Delícia', N'Rua da Panificadora, 12', N'Rio de Janeiro', N'RJ', N'02389-673', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10292, N'TRADH', 1, CAST(0x000089E700000000 AS DateTime), CAST(0x000089A030000000 AS DateTime), CAST(0x000089EC00000000 AS DateTime), 2, 1.3500, N'Tradicao Hipermercados', N'Av. Inês de Castro, 414', N'Sao Paulo', N'SP', N'05634-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10293, N'TORTU', 1, CAST(0x000089E800000000 AS DateTime), CAST(0x000089A040000000 AS DateTime), CAST(0x000089F500000000 AS DateTime), 2, 21.1800, N'Tortuga Restaurante', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10294, N'RATTC', 4, CAST(0x000089E900000000 AS DateTime), CAST(0x000089A050000000 AS DateTime), CAST(0x000089EF00000000 AS DateTime), 2, 147.2600, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10295, N'VINET', 2, CAST(0x000089EC00000000 AS DateTime), CAST(0x000089A080000000 AS DateTime), CAST(0x000089F400000000 AS DateTime), 2, 1.1500, N'Vins et alcools Chevalier', N'59 rue de l'Abbaye', N'Reims', NULL, N'51100', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10296, N'LILAS', 6, CAST(0x000089ED00000000 AS DateTime), CAST(0x000089A090000000 AS DateTime), CAST(0x000089F500000000 AS DateTime), 1, 0.1200, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10297, N'BLOPN', 5, CAST(0x000089EE00000000 AS DateTime), CAST(0x000089A180000000 AS DateTime), CAST(0x000089F400000000 AS DateTime), 2, 5.7400, N'Blondel père et fils', N'24, place Kléber', N'Strasbourg', NULL, N'67000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10298, N'HUNGO', 6, CAST(0x000089EF00000000 AS DateTime), CAST(0x000089A0B0000000 AS DateTime), CAST(0x000089F500000000 AS DateTime), 2, 168.2200, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10299, N'RICAR', 4, CAST(0x000089F000000000 AS DateTime), CAST(0x000089A0C0000000 AS DateTime), CAST(0x000089F700000000 AS DateTime), 2, 29.7600, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])

[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10300, N'MAGAA', 2, CAST(0x000089F300000000 AS DateTime), CAST(0x00008A0F00000000 AS DateTime), CAST(0x000089FC00000000 AS DateTime), 2, 17.6800, N'Magazzini Alimentari Riuniti', N'Via Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10301, N'WANDK', 8, CAST(0x000089F300000000 AS DateTime), CAST(0x00008A0F00000000 AS DateTime), CAST(0x000089FB00000000 AS DateTime), 2, 45.0800, N'Die Wandernde Kuh', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10302, N'SUPRD', 4, CAST(0x000089F400000000 AS DateTime), CAST(0x00008A1000000000 AS DateTime), CAST(0x00008A1100000000 AS DateTime), 2, 6.2700, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10303, N'GODOS', 7, CAST(0x000089F500000000 AS DateTime), CAST(0x00008A1100000000 AS DateTime), CAST(0x000089FC00000000 AS DateTime), 2, 107.8300, N'Godos Cocina Tipica', N'C/ Romero, 33', N'Sevilla', NULL, N'41101', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10304, N'TORTU', 1, CAST(0x000089F600000000 AS DateTime), CAST(0x00008A1200000000 AS DateTime), CAST(0x000089FB00000000 AS DateTime), 2, 63.7900, N'Tortuga Restaurante', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10305, N'OLDWO', 8, CAST(0x000089F700000000 AS DateTime), CAST(0x00008A1300000000 AS DateTime), CAST(0x00008A1100000000 AS DateTime), 3, 257.6200, N'Old World Delicatessen', N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10306, N'ROMEY', 1, CAST(0x000089FA00000000 AS DateTime), CAST(0x00008A1600000000 AS DateTime), CAST(0x00008A0100000000 AS DateTime), 3, 7.5600, N'Romero y tomillo', N'Gran Vía, 1', N'Madrid', NULL, N'28001', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10307, N'LONEP', 2, CAST(0x000089FB00000000 AS DateTime), CAST(0x00008A1700000000 AS DateTime), CAST(0x00008A0300000000 AS DateTime), 2, 0.5600, N'Lonesome Pine Restaurant', N'89 Chiaroscuro Rd.', N'Portland', N'OR', N'97219', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10308, N'ANATR', 7, CAST(0x000089FC00000000 AS DateTime), CAST(0x00008A1800000000 AS DateTime), CAST(0x00008A0200000000 AS DateTime), 3, 1.6100, N'Ana Trujillo Emparedados y helados', N'Avda. de la Constitución 2222', N'México D.F.', NULL, N'05021', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10309, N'HUNGO', 3, CAST(0x000089FD00000000 AS DateTime), CAST(0x00008A1900000000 AS DateTime), CAST(0x00008A1F00000000 AS DateTime), 1, 47.3000, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10310, N'THEBI', 8, CAST(0x000089FE00000000 AS DateTime), CAST(0x00008A1A00000000 AS DateTime), CAST(0x00008A0500000000 AS DateTime), 2, 17.5200, N'The Big Cheese', N'89 Jefferson Way Suite 2', N'Portland', N'OR', N'97201', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10311, N'DUMON', 1, CAST(0x000089FE00000000 AS DateTime), CAST(0x00008A0C00000000 AS DateTime), CAST(0x00008A0400000000 AS DateTime), 3, 24.6900, N'Du monde entier', N'67, rue des Cinquante Otages', N'Nantes', NULL, N'44000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10312, N'WANDK', 2, CAST(0x00008A0100000000 AS DateTime), CAST(0x00008A1D00000000 AS DateTime), CAST(0x00008A0B00000000 AS DateTime), 2, 40.2600, N'Die Wandernde Kuh', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10313, N'QUICK', 2, CAST(0x00008A0200000000 AS DateTime), CAST(0x00008A1E00000000 AS DateTime), CAST(0x00008A0C00000000 AS DateTime), 2, 1.9600, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10314, N'RATTC', 1, CAST(0x00008A0300000000 AS DateTime), CAST(0x00008A1F00000000 AS DateTime), CAST(0x00008A0C00000000 AS DateTime), 2, 74.1600, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10315, N'ISLAT', 4, CAST(0x00008A0400000000 AS DateTime), CAST(0x00008A2000000000 AS DateTime), CAST(0x00008A0B00000000 AS DateTime), 2, 41.7600, N'Island Trading', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31 7PJ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10316, N'RATTC', 1, CAST(0x00008A0500000000 AS DateTime), CAST(0x00008A2100000000 AS DateTime), CAST(0x00008A2000000000 AS DateTime), 3, 150.1500, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10317, N'LONEP', 6, CAST(0x00008A0800000000 AS DateTime), CAST(0x00008A2400000000 AS DateTime), CAST(0x00008A2000000000 AS DateTime), 1, 12.6900, N'Lonesome Pine Restaurant', N'89 Chiaroscuro Rd.', N'Portland', N'OR', N'97219', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10318, N'ISLAT', 8, CAST(0x00008A0900000000 AS DateTime), CAST(0x00008A2500000000 AS DateTime), CAST(0x00008A0C00000000 AS DateTime), 2, 4.7300, N'Island Trading', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31 7PJ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10319, N'TORTU', 7, CAST(0x00008A0A00000000 AS DateTime), CAST(0x00008A2600000000 AS DateTime), CAST(0x00008A1300000000 AS DateTime), 3, 64.5000, N'Tortuga Restaurante', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10320, N'WARTH', 5, CAST(0x00008A0B00000000 AS DateTime), CAST(0x00008A1900000000 AS DateTime), CAST(0x00008A1A00000000 AS DateTime), 3, 34.5700, N'Wartian Herkuu', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10321, N'ISLAT', 3, CAST(0x00008A0B00000000 AS DateTime), CAST(0x00008A2700000000 AS DateTime), CAST(0x00008A1300000000 AS DateTime), 2, 3.4300, N'Island Trading', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31 7PJ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10322, N'PERIC', 7, CAST(0x00008A0C00000000 AS DateTime), CAST(0x00008A2800000000 AS DateTime), CAST(0x00008A1F00000000 AS DateTime), 3, 0.4000, N'Pericles Comidas clásicas', N'Calle Dr. Jorge Cash 321', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10323, N'KOENE', 4, CAST(0x00008A0F00000000 AS DateTime), CAST(0x00008A2B00000000 AS DateTime), CAST(0x00008A1600000000 AS DateTime), 1, 4.8800, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],

[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10324, N'SAVEA', 9, CAST(0x00008A1000000000 AS DateTime), CAST(0x00008A2C00000000 AS DateTime), CAST(0x00008A1200000000 AS DateTime), 1, 214.2700, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10325, N'KOENE', 1, CAST(0x00008A1100000000 AS DateTime), CAST(0x00008A1F00000000 AS DateTime), CAST(0x00008A1600000000 AS DateTime), 3, 64.8600, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10326, N'BOLID', 4, CAST(0x00008A1200000000 AS DateTime), CAST(0x00008A2E00000000 AS DateTime), CAST(0x00008A1600000000 AS DateTime), 2, 77.9200, N'Bólido Comidas preparadas', N'C/ Araquil, 67', N'Madrid', NULL, N'28023', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10327, N'FOLKO', 2, CAST(0x00008A1300000000 AS DateTime), CAST(0x00008A2F00000000 AS DateTime), CAST(0x00008A1600000000 AS DateTime), 1, 63.3600, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10328, N'FURIB', 4, CAST(0x00008A1600000000 AS DateTime), CAST(0x00008A3200000000 AS DateTime), CAST(0x00008A1900000000 AS DateTime), 3, 87.0300, N'Furia Bacalhau e Frutos do Mar', N'Jardim das rosas n. 32', N'Lisboa', NULL, N'1675', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10329, N'SPLIR', 4, CAST(0x00008A1700000000 AS DateTime), CAST(0x00008A4100000000 AS DateTime), CAST(0x00008A1F00000000 AS DateTime), 2, 191.6700, N'Split Rail Beer & Ale', N'P.O. Box 555', N'Lander', N'WY', N'82520', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10330, N'LILAS', 3, CAST(0x00008A1800000000 AS DateTime), CAST(0x00008A3400000000 AS DateTime), CAST(0x00008A2400000000 AS DateTime), 1, 12.7500, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10331, N'BONAP', 9, CAST(0x00008A1800000000 AS DateTime), CAST(0x00008A4200000000 AS DateTime), CAST(0x00008A1D00000000 AS DateTime), 1, 10.1900, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10332, N'MEREP', 3, CAST(0x00008A1900000000 AS DateTime), CAST(0x00008A4300000000 AS DateTime), CAST(0x00008A1D00000000 AS DateTime), 2, 52.8400, N'Mère Paillarde', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10333, N'WARTH', 5, CAST(0x00008A1A00000000 AS DateTime), CAST(0x00008A3600000000 AS DateTime), CAST(0x00008A2100000000 AS DateTime), 3, 0.5900, N'Wartian Herkku', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10334, N'VICTE', 8, CAST(0x00008A1D00000000 AS DateTime), CAST(0x00008A3900000000 AS DateTime), CAST(0x00008A2400000000 AS DateTime), 2, 8.5600, N'Victuailles en stock', N'2, rue du Commerce', N'Lyon', NULL, N'69004', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10335, N'HUNGO', 7, CAST(0x00008A1E00000000 AS DateTime), CAST(0x00008A3A00000000 AS DateTime), CAST(0x00008A2000000000 AS DateTime), 2, 42.1100, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10336, N'PRINI', 7, CAST(0x00008A1F00000000 AS DateTime), CAST(0x00008A3B00000000 AS DateTime), CAST(0x00008A2100000000 AS DateTime), 2, 15.5100, N'Princesa Isabel Vinhos', N'Estrada da saúde n. 58', N'Lisboa', NULL, N'1756', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10337, N'FRANK', 4, CAST(0x00008A2000000000 AS DateTime), CAST(0x00008A3C00000000 AS DateTime), CAST(0x00008A2500000000 AS DateTime), 3, 108.2600, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10338, N'OLDWO', 4, CAST(0x00008A2100000000 AS DateTime), CAST(0x00008A3D00000000 AS DateTime), CAST(0x00008A2500000000 AS DateTime), 3, 84.2100, N'Old World Delicatessen', N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10339, N'MEREP', 2, CAST(0x00008A2400000000 AS DateTime), CAST(0x00008A4000000000 AS DateTime), CAST(0x00008A2B00000000 AS DateTime), 2, 15.6600, N'Mère Paillarde', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10340, N'BONAP', 1, CAST(0x00008A2500000000 AS DateTime), CAST(0x00008A4100000000 AS DateTime), CAST(0x00008A2F00000000 AS DateTime), 3, 166.3100, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10341, N'SIMOB', 7, CAST(0x00008A2500000000 AS DateTime), CAST(0x00008A4100000000 AS DateTime), CAST(0x00008A2C00000000 AS DateTime), 3, 26.7800, N'Simons bistro', N'Vinbæltet 34', N'København', NULL, N'1734', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10342, N'FRANK', 4, CAST(0x00008A2600000000 AS DateTime), CAST(0x00008A3400000000 AS DateTime), CAST(0x00008A2B00000000 AS DateTime), 2, 54.8300, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10343, N'LEHMS', 4, CAST(0x00008A2700000000 AS DateTime), CAST(0x00008A4300000000 AS DateTime), CAST(0x00008A2D00000000 AS DateTime), 1, 110.3700, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10344, N'WHITC', 4, CAST(0x00008A2800000000 AS DateTime), CAST(0x00008A4400000000 AS DateTime), CAST(0x00008A2C00000000 AS DateTime), 2, 23.2900, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10345, N'QUICK', 2, CAST(0x00008A2B00000000 AS DateTime), CAST(0x00008A4700000000 AS DateTime), CAST(0x00008A3200000000 AS DateTime), 2, 249.0600, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10346, N'RATTC', 3, CAST(0x00008A2C00000000 AS DateTime), CAST(0x00008A5600000000 AS DateTime), CAST(0x00008A2F00000000 AS DateTime), 3, 142.0800, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10347, N'FAMIA', 4, CAST(0x00008A2D00000000 AS DateTime), CAST(0x00008A4900000000 AS DateTime), CAST(0x00008A2F00000000 AS DateTime), 3, 3.1000, N'Familia Arquibaldo', N'Rua Orós, 92', N'Sao Paulo', N'SP', N'05442-030', N'Brazil') GO print 'Processed 100 total records' INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion],

[ShipPostalCode], [ShipCountry]) VALUES (10348, N'WANDK', 4, CAST(0x00008A2E00000000 AS DateTime), CAST(0x00008A4A00000000 AS DateTime), CAST(0x00008A3600000000 AS DateTime), 2, 0.7800, N'Die Wandernde Kuh', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10349, N'SPLIR', 7, CAST(0x00008A2F00000000 AS DateTime), CAST(0x00008A4B00000000 AS DateTime), CAST(0x00008A3600000000 AS DateTime), 1, 8.6300, N'Split Rail Beer & Ale', N'P.O. Box 555', N'Lander', N'WY', N'82520', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10350, N'LAMAI', 6, CAST(0x00008A3200000000 AS DateTime), CAST(0x00008A4E00000000 AS DateTime), CAST(0x00008A4800000000 AS DateTime), 2, 64.1900, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10351, N'ERNSH', 1, CAST(0x00008A3200000000 AS DateTime), CAST(0x00008A4E00000000 AS DateTime), CAST(0x00008A3B00000000 AS DateTime), 1, 162.3300, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10352, N'FURIB', 3, CAST(0x00008A3300000000 AS DateTime), CAST(0x00008A4100000000 AS DateTime), CAST(0x00008A3900000000 AS DateTime), 3, 1.3000, N'Furia Bacalhau e Frutos do Mar', N'Jardim das rosas n. 32', N'Lisboa', NULL, N'1675', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10353, N'PICCO', 7, CAST(0x00008A3400000000 AS DateTime), CAST(0x00008A5000000000 AS DateTime), CAST(0x00008A4000000000 AS DateTime), 3, 360.6300, N'Piccolo und mehr', N'Geisweg 14', N'Salzburg', NULL, N'5020', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10354, N'PERIC', 8, CAST(0x00008A3500000000 AS DateTime), CAST(0x00008A5100000000 AS DateTime), CAST(0x00008A3B00000000 AS DateTime), 3, 53.8000, N'Pericles Comidas clásicas', N'Calle Dr. Jorge Cash 321', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10355, N'AROUT', 6, CAST(0x00008A3600000000 AS DateTime), CAST(0x00008A5200000000 AS DateTime), CAST(0x00008A3B00000000 AS DateTime), 1, 41.9500, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10356, N'WANDK', 6, CAST(0x00008A3900000000 AS DateTime), CAST(0x00008A5500000000 AS DateTime), CAST(0x00008A4200000000 AS DateTime), 2, 36.7100, N'Die Wandernde Kuh', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10357, N'LILAS', 1, CAST(0x00008A3A00000000 AS DateTime), CAST(0x00008A5600000000 AS DateTime), CAST(0x00008A4700000000 AS DateTime), 3, 34.8800, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10358, N'LAMAI', 5, CAST(0x00008A3B00000000 AS DateTime), CAST(0x00008A5700000000 AS DateTime), CAST(0x00008A4200000000 AS DateTime), 1, 19.6400, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10359, N'SEVES', 5, CAST(0x00008A3C00000000 AS DateTime), CAST(0x00008A5800000000 AS DateTime), CAST(0x00008A4100000000 AS DateTime), 3, 288.4300, N'Seven Seas Imports', N'90 Wadhurst Rd.', N'London', NULL, N'OX15 4NB', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10360, N'BLONP', 4, CAST(0x00008A3D00000000 AS DateTime), CAST(0x00008A5900000000 AS DateTime), CAST(0x00008A4700000000 AS DateTime), 3, 131.7000, N'Blondel père et fils', N'24, place Kléber', N'Strasbourg', NULL, N'67000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10361, N'QUICK', 1, CAST(0x00008A3D00000000 AS DateTime), CAST(0x00008A5900000000 AS DateTime), CAST(0x00008A4800000000 AS DateTime), 2, 183.1700, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10362, N'BONAP', 3, CAST(0x00008A4000000000 AS DateTime), CAST(0x00008A5C00000000 AS DateTime), CAST(0x00008A4300000000 AS DateTime), 1, 96.0400, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10363, N'DRACD', 4, CAST(0x00008A4100000000 AS DateTime), CAST(0x00008A5D00000000 AS DateTime), CAST(0x00008A4900000000 AS DateTime), 3, 30.5400, N'Drachenblut Delikatessen', N'Walserweg 21', N'Aachen', NULL, N'52066', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10364, N'EASTC', 1, CAST(0x00008A4100000000 AS DateTime), CAST(0x00008A6B00000000 AS DateTime), CAST(0x00008A4900000000 AS DateTime), 1, 71.9700, N'Eastern Connection', N'35 King George', N'London', NULL, N'WX3 6FW', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10365, N'ANTON', 3, CAST(0x00008A4200000000 AS DateTime), CAST(0x00008A5E00000000 AS DateTime), CAST(0x00008A4700000000 AS DateTime), 2, 22.0000, N'Antonio Moreno Taquería', N'Mataderos 2312', N'México D.F.', NULL, N'05023', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10366, N'GALED', 8, CAST(0x00008A4300000000 AS DateTime), CAST(0x00008A6D00000000 AS DateTime), CAST(0x00008A6300000000 AS DateTime), 2, 10.1400, N'Galería del gastronómo', N'Rambla de Cataluña', N'Barcelona', NULL, N'8022', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10367, N'VAFFE', 7, CAST(0x00008A4300000000 AS DateTime), CAST(0x00008A5F00000000 AS DateTime), CAST(0x00008A4700000000 AS DateTime), 3, 13.5500, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10368, N'ERNSH', 2, CAST(0x00008A4400000000 AS DateTime), CAST(0x00008A6000000000 AS DateTime), CAST(0x00008A4700000000 AS DateTime), 2, 101.9500, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10369, N'SPLIR', 8, CAST(0x00008A4700000000 AS DateTime), CAST(0x00008A6300000000 AS DateTime), CAST(0x00008A4E00000000 AS DateTime), 2, 195.6800, N'Split Rail Beer & Ale', N'P.O. Box 555', N'Lander', N'WY', N'82520', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10370, N'CHOPS', 6, CAST(0x00008A4800000000 AS DateTime), CAST(0x00008A6400000000 AS DateTime), CAST(0x00008A6000000000 AS DateTime), 2, 1.1700, N'Chop-suey Chinese', N'Hauptstr. 31', N'Bern', NULL, N'3012', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10371, N'LAMAI', 1, CAST(0x00008A4800000000 AS DateTime), CAST(0x00008A6400000000 AS DateTime), CAST(0x00008A5D00000000 AS DateTime), 1, 0.4500, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10372, N'QUEEN', 5,

CAST(0x00008A4900000000 AS DateTime), CAST(0x00008A6500000000 AS DateTime), CAST(0x00008A4E00000000 AS DateTime), 2, 890.7800, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10373, N'HUNGO', 4, CAST(0x00008A4A00000000 AS DateTime), CAST(0x00008A6600000000 AS DateTime), CAST(0x00008A5000000000 AS DateTime), 3, 124.1200, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10374, N'WOLZA', 1, CAST(0x00008A4A00000000 AS DateTime), CAST(0x00008A6600000000 AS DateTime), CAST(0x00008A4E00000000 AS DateTime), 3, 3.9400, N'Wolski Zajazd', N'ul. Filtrowa 68', N'Warszawa', NULL, N'01-012', N'Poland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10375, N'HUNGC', 3, CAST(0x00008A4B00000000 AS DateTime), CAST(0x00008A6700000000 AS DateTime), CAST(0x00008A4E00000000 AS DateTime), 2, 20.1200, N'Hungry Coyote Import Store', N'City Center Plaza 516 Main St.', N'Elgin', N'OR', N'97827', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10376, N'MEREP', 1, CAST(0x00008A4E00000000 AS DateTime), CAST(0x00008A6A00000000 AS DateTime), CAST(0x00008A5200000000 AS DateTime), 2, 20.3900, N'Mère Paillarde', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10377, N'SEVES', 1, CAST(0x00008A4E00000000 AS DateTime), CAST(0x00008A6A00000000 AS DateTime), CAST(0x00008A5200000000 AS DateTime), 3, 22.2100, N'Seven Seas Imports', N'90 Wadhurst Rd.', N'London', NULL, N'OX15 4NB', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10378, N'FOLKO', 5, CAST(0x00008A4F00000000 AS DateTime), CAST(0x00008A6B00000000 AS DateTime), CAST(0x00008A5800000000 AS DateTime), 3, 5.4400, N'Folk och fä HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10379, N'QUEDE', 2, CAST(0x00008A5000000000 AS DateTime), CAST(0x00008A6C00000000 AS DateTime), CAST(0x00008A5200000000 AS DateTime), 1, 45.0300, N'Que Delícia', N'Rua da Panificadora, 12', N'Rio de Janeiro', N'RJ', N'02389-673', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10380, N'HUNGO', 8, CAST(0x00008A5100000000 AS DateTime), CAST(0x00008A6D00000000 AS DateTime), CAST(0x00008A5000000000 AS DateTime), 3, 35.0300, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10381, N'LILAS', 3, CAST(0x00008A5100000000 AS DateTime), CAST(0x00008A6D00000000 AS DateTime), CAST(0x00008A5200000000 AS DateTime), 3, 7.9900, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10382, N'ERNSH', 4, CAST(0x00008A5200000000 AS DateTime), CAST(0x00008A6E00000000 AS DateTime), CAST(0x00008A5500000000 AS DateTime), 1, 94.7700, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10383, N'AROUT', 8, CAST(0x00008A5500000000 AS DateTime), CAST(0x00008A7100000000 AS DateTime), CAST(0x00008A5700000000 AS DateTime), 3, 34.2400, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10384, N'BERGS', 3, CAST(0x00008A5500000000 AS DateTime), CAST(0x00008A7100000000 AS DateTime), CAST(0x00008A5900000000 AS DateTime), 3, 168.6400, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10385, N'SPLIR', 1, CAST(0x00008A5600000000 AS DateTime), CAST(0x00008A7200000000 AS DateTime), CAST(0x00008A5C00000000 AS DateTime), 2, 30.9600, N'Split Rail Beer & Ale', N'P.O. Box 555', N'Lander', N'WY', N'82520', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10386, N'FAMIA', 9, CAST(0x00008A5700000000 AS DateTime), CAST(0x00008A6500000000 AS DateTime), CAST(0x00008A5E00000000 AS DateTime), 3, 13.9900, N'Familia Arquibaldo', N'Rua Orós, 92', N'Sao Paulo', N'SP', N'05442-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10387, N'SANTG', 1, CAST(0x00008A5700000000 AS DateTime), CAST(0x00008A7300000000 AS DateTime), CAST(0x00008A5900000000 AS DateTime), 2, 93.6300, N'Santé Gourmet', N'Erling Skakkes gate 78', N'Stavern', NULL, N'4110', N'Norway') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10388, N'SEVES', 2, CAST(0x00008A5800000000 AS DateTime), CAST(0x00008A7400000000 AS DateTime), CAST(0x00008A5900000000 AS DateTime), 1, 34.8600, N'Seven Seas Imports', N'90 Wadhurst Rd.', N'London', NULL, N'OX15 4NB', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10389, N'BOTTM', 4, CAST(0x00008A5900000000 AS DateTime), CAST(0x00008A7500000000 AS DateTime), CAST(0x00008A5D00000000 AS DateTime), 2, 47.4200, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10390, N'ERNSH', 6, CAST(0x00008A5C00000000 AS DateTime), CAST(0x00008A7800000000 AS DateTime), CAST(0x00008A5F00000000 AS DateTime), 1, 126.3800, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10391, N'DRACD', 3, CAST(0x00008A5C00000000 AS DateTime), CAST(0x00008A7800000000 AS DateTime), CAST(0x00008A6400000000 AS DateTime), 3, 5.4500, N'Drachenblut Delikatessen', N'Walsertweg 21', N'Aachen', NULL, N'52066', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10392, N'PICCO', 2, CAST(0x00008A5D00000000 AS DateTime), CAST(0x00008A7900000000 AS DateTime), CAST(0x00008A6500000000 AS DateTime), 3, 122.4600, N'Piccolo und mehr', N'Geisweg 14', N'Salzburg', NULL, N'5020', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10393, N'SAVEA', 1, CAST(0x00008A5E00000000 AS DateTime), CAST(0x00008A7A00000000 AS DateTime), CAST(0x00008A6700000000 AS DateTime), 3, 126.5600, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10394, N'HUNGC', 1, CAST(0x00008A5E00000000 AS DateTime), CAST(0x00008A7A00000000 AS DateTime), CAST(0x00008A6700000000 AS DateTime), 3, 30.3400, N'Hungry Coyote Import Store', N'City Center Plaza 516 Main St.', N'Elgin', N'OR', N'97827', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10395, N'HILAA', 6, CAST(0x00008A5F00000000 AS DateTime), CAST(0x00008A7B00000000 AS DateTime), CAST(0x00008A6700000000 AS DateTime), 1, 184.4100, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10396,



N'FRANK', 1, CAST(0x00008A6000000000 AS DateTime), CAST(0x00008A6E00000000 AS DateTime), CAST(0x00008A6A00000000 AS DateTime), 3, 135.3500, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10397, N'PRINI', 5, CAST(0x00008A6000000000 AS DateTime), CAST(0x00008A7C00000000 AS DateTime), CAST(0x00008A6600000000 AS DateTime), 1, 60.2600, N'Princesa Isabel Vinhos', N'Estrada da saúde n. 58', N'Lisboa', NULL, N'1756', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10398, N'SAVEA', 2, CAST(0x00008A6300000000 AS DateTime), CAST(0x00008A7F00000000 AS DateTime), CAST(0x00008A6D00000000 AS DateTime), 3, 89.1600, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10399, N'VAFFE', 8, CAST(0x00008A6400000000 AS DateTime), CAST(0x00008A7200000000 AS DateTime), CAST(0x00008A6C00000000 AS DateTime), 3, 27.3600, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10400, N'EASTC', 1, CAST(0x00008A6500000000 AS DateTime), CAST(0x00008A8100000000 AS DateTime), CAST(0x00008A7400000000 AS DateTime), 3, 83.9300, N'Eastern Connection', N'35 King George', N'London', NULL, N'WX3 6FW', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10401, N'RATTC', 1, CAST(0x00008A6500000000 AS DateTime), CAST(0x00008A8100000000 AS DateTime), CAST(0x00008A6E00000000 AS DateTime), 1, 12.5100, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10402, N'ERNSH', 8, CAST(0x00008A6600000000 AS DateTime), CAST(0x00008A9000000000 AS DateTime), CAST(0x00008A6E00000000 AS DateTime), 2, 67.8800, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10403, N'ERNSH', 4, CAST(0x00008A6700000000 AS DateTime), CAST(0x00008A8300000000 AS DateTime), CAST(0x00008A6D00000000 AS DateTime), 3, 73.7900, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10404, N'MAGAA', 2, CAST(0x00008A6700000000 AS DateTime), CAST(0x00008A8300000000 AS DateTime), CAST(0x00008A6C00000000 AS DateTime), 1, 155.9700, N'Magazzini Alimentari Riuniti', N'Via Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10405, N'LINOD', 1, CAST(0x00008A6A00000000 AS DateTime), CAST(0x00008A8600000000 AS DateTime), CAST(0x00008A7A00000000 AS DateTime), 1, 34.8200, N'LINO-Delicatesses', N'Ave. 5 de Mayo Porlamar', N'I. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10406, N'QUEEN', 7, CAST(0x00008A6B00000000 AS DateTime), CAST(0x00008A9500000000 AS DateTime), CAST(0x00008A7100000000 AS DateTime), 1, 108.0400, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10407, N'OTTIK', 2, CAST(0x00008A6B00000000 AS DateTime), CAST(0x00008A8700000000 AS DateTime), CAST(0x00008A8200000000 AS DateTime), 2, 91.4800, N'Otilies Käseladen', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10408, N'FOLIG', 8, CAST(0x00008A6C00000000 AS DateTime), CAST(0x00008A8800000000 AS DateTime), CAST(0x00008A7200000000 AS DateTime), 1, 11.2600, N'Folies gourmandes', N'184, chaussée de Tournai', N'Lille', NULL, N'59000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10409, N'OCEAN', 3, CAST(0x00008A6D00000000 AS DateTime), CAST(0x00008A8900000000 AS DateTime), CAST(0x00008A7200000000 AS DateTime), 1, 29.8300, N'Océano Atlántico Ltda.', N'Ing. Gustavo Moncada 8585 Piso 20-A', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10410, N'BOTTM', 3, CAST(0x00008A6E00000000 AS DateTime), CAST(0x00008A8A00000000 AS DateTime), CAST(0x00008A7300000000 AS DateTime), 3, 2.4000, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10411, N'BOTTM', 9, CAST(0x00008A6E00000000 AS DateTime), CAST(0x00008A8A00000000 AS DateTime), CAST(0x00008A7900000000 AS DateTime), 3, 23.6500, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10412, N'WARTH', 8, CAST(0x00008A7100000000 AS DateTime), CAST(0x00008A8D00000000 AS DateTime), CAST(0x00008A7300000000 AS DateTime), 2, 3.7700, N'Wartian Herku', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10413, N'LAMAI', 3, CAST(0x00008A7200000000 AS DateTime), CAST(0x00008A8E00000000 AS DateTime), CAST(0x00008A7400000000 AS DateTime), 2, 95.6600, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10414, N'FAMIA', 2, CAST(0x00008A7200000000 AS DateTime), CAST(0x00008A8E00000000 AS DateTime), CAST(0x00008A7500000000 AS DateTime), 3, 21.4800, N'Familia Arquibaldo', N'Rua Orós, 92', N'Sao Paulo', N'SP', N'05442-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10415, N'HUNGC', 3, CAST(0x00008A7300000000 AS DateTime), CAST(0x00008A8F00000000 AS DateTime), CAST(0x00008A7C00000000 AS DateTime), 1, 0.2000, N'Hungry Coyote Import Store', N'City Center Plaza 516 Main St.', N'Elgin', N'OR', N'97827', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10416, N'WARTH', 8, CAST(0x00008A7400000000 AS DateTime), CAST(0x00008A9000000000 AS DateTime), CAST(0x00008A7F00000000 AS DateTime), 3, 22.7200, N'Wartian Herku', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10417, N'SIMOB', 4, CAST(0x00008A7400000000 AS DateTime), CAST(0x00008A9000000000 AS DateTime), CAST(0x00008A8000000000 AS DateTime), 3, 70.2900, N'Simons bistro', N'Vinbæltet 34', N'København', NULL, N'1734', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10418, N'QUICK', 4, CAST(0x00008A7500000000 AS DateTime), CAST(0x00008A9100000000 AS DateTime), CAST(0x00008A7C00000000 AS DateTime), 1, 17.5500, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10419, N'RICSU', 4, CAST(0x00008A7800000000 AS DateTime), CAST(0x00008A9400000000 AS DateTime), CAST(0x00008A8200000000 AS DateTime), 2, 137.3500, N'Richter Supermarkt', N'Starenweg 5', N'Genève', NULL, N'1204', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10420, N'WELLI', 3, CAST(0x00008A7900000000 AS

DateTime), CAST(0x00008A9500000000 AS DateTime), CAST(0x00008A7F00000000 AS DateTime), 1, 44.1200, N'Wellington Importadora', N'Rua do Mercado, 12', N'Resende', N'SP', N'08737-363', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShipDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10421, N'QUEDE', 8, CAST(0x00008A7900000000 AS DateTime), CAST(0x00008AA300000000 AS DateTime), CAST(0x00008A7F00000000 AS DateTime), 1, 99.2300, N'Que Delícia', N'Rua da Panificadora, 12', N'Rio de Janeiro', N'RJ', N'02389-673', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10422, N'FRANS', 2, CAST(0x00008A7A00000000 AS DateTime), CAST(0x00008A9600000000 AS DateTime), CAST(0x00008A8300000000 AS DateTime), 1, 3.0200, N'Franchi S.p.A.', N'Via Monte Bianco 34', N'Torino', NULL, N'10100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10423, N'GOURL', 6, CAST(0x00008A7B00000000 AS DateTime), CAST(0x00008A7F00000000 AS DateTime), CAST(0x00008A9B00000000 AS DateTime), 3, 24.5000, N'Gourmet Lanchonetes', N'Av. Brasil, 442', N'Campinas', N'SP', N'04876-786', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10424, N'MEREP', 7, CAST(0x00008A7B00000000 AS DateTime), CAST(0x00008A9700000000 AS DateTime), CAST(0x00008A7F00000000 AS DateTime), 2, 370.6100, N'Mère Paillarde', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10425, N'LAMAI', 6, CAST(0x00008A7C00000000 AS DateTime), CAST(0x00008A9800000000 AS DateTime), CAST(0x00008A9100000000 AS DateTime), 2, 7.9300, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10426, N'GALED', 4, CAST(0x00008A7F00000000 AS DateTime), CAST(0x00008A9B00000000 AS DateTime), CAST(0x00008A8900000000 AS DateTime), 1, 18.6900, N'Galería del gastronómo', N'Rambal de Catalunya, 23', N'Barcelona', NULL, N'8022', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10427, N'PICCO', 4, CAST(0x00008A7F00000000 AS DateTime), CAST(0x00008A9B00000000 AS DateTime), CAST(0x00008AA200000000 AS DateTime), 2, 31.2900, N'Piccolo und mehr', N'Geislweg 14', N'Salzburg', NULL, N'5020', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10428, N'REGGC', 7, CAST(0x00008A8000000000 AS DateTime), CAST(0x00008A9C00000000 AS DateTime), CAST(0x00008A8700000000 AS DateTime), 1, 11.0900, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10429, N'HUNGO', 3, CAST(0x00008A8100000000 AS DateTime), CAST(0x00008AAB00000000 AS DateTime), CAST(0x00008A8A00000000 AS DateTime), 2, 56.6300, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10430, N'ERNSH', 4, CAST(0x00008A8200000000 AS DateTime), CAST(0x00008A9000000000 AS DateTime), CAST(0x00008A8600000000 AS DateTime), 1, 458.7800, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10431, N'BOTTM', 4, CAST(0x00008A8200000000 AS DateTime), CAST(0x00008A9000000000 AS DateTime), CAST(0x00008A8A00000000 AS DateTime), 2, 44.1700, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10432, N'SPLIR', 3, CAST(0x00008A8300000000 AS DateTime), CAST(0x00008A9100000000 AS DateTime), CAST(0x00008A8A00000000 AS DateTime), 2, 4.3400, N'Split Rail Beer & Ale', N'P.O. Box 555', N'Lander', N'WY', N'82520', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10433, N'PRINI', 3, CAST(0x00008A8600000000 AS DateTime), CAST(0x00008AA300000000 AS DateTime), CAST(0x00008A8300000000 AS DateTime), 3, 73.8300, N'Princesa Isabel Vinhos', N'Estrada da saúde n. 58', N'Lisboa', NULL, N'1756', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10434, N'FOLKO', 3, CAST(0x00008A8600000000 AS DateTime), CAST(0x00008AA200000000 AS DateTime), CAST(0x00008A9000000000 AS DateTime), 2, 17.9200, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10435, N'CONSH', 8, CAST(0x00008A8700000000 AS DateTime), CAST(0x00008AB100000000 AS DateTime), CAST(0x00008A8A00000000 AS DateTime), 2, 9.2100, N'Consolidated Holdings', N'Berkeley Gardens 12 Brewery', N'London', N'WX1 6LT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10436, N'BLONP', 3, CAST(0x00008A8800000000 AS DateTime), CAST(0x00008AA400000000 AS DateTime), CAST(0x00008A8E00000000 AS DateTime), 2, 156.6600, N'Blondel père et fils', N'24, place Kléber', N'Strasbourg', NULL, N'67000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10437, N'WARTH', 8, CAST(0x00008A8800000000 AS DateTime), CAST(0x00008AA400000000 AS DateTime), CAST(0x00008A8F00000000 AS DateTime), 1, 19.9700, N'Wartian Herkku', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10438, N'TOMSP', 3, CAST(0x00008A8900000000 AS DateTime), CAST(0x00008AA500000000 AS DateTime), CAST(0x00008A9100000000 AS DateTime), 2, 8.2400, N'Toms Spezialitäten', N'Luisenstr. 48', N'Münster', NULL, N'44087', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10439, N'MEREP', 6, CAST(0x00008A8A00000000 AS DateTime), CAST(0x00008AA600000000 AS DateTime), CAST(0x00008A8D00000000 AS DateTime), 3, 4.0700, N'Mère Paillarde', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10440, N'SAVEA', 4, CAST(0x00008A8D00000000 AS DateTime), CAST(0x00008AA900000000 AS DateTime), CAST(0x00008A9F00000000 AS DateTime), 2, 86.5300, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10441, N'OLDWO', 3, CAST(0x00008A8D00000000 AS DateTime), CAST(0x00008AB700000000 AS DateTime), CAST(0x00008AAD00000000 AS DateTime), 2, 73.0200, N'Old World Delicatessen', N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10442, N'ERNNSH', 3, CAST(0x00008A8E00000000 AS DateTime), CAST(0x00008AAA00000000 AS DateTime), CAST(0x00008A9500000000 AS DateTime), 2, 47.9400, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10443, N'REGGC', 8, CAST(0x00008A8F00000000 AS DateTime), CAST(0x00008AAB00000000 AS DateTime), CAST(0x00008A9100000000 AS DateTime), 1, 13.9500, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10444, N'BERGS', 3, CAST(0x00008A8F00000000 AS DateTime), CAST(0x00008AAB00000000 AS DateTime), CAST(0x00008A9800000000 AS DateTime), 3,

3.5000, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10445, N'BERGS', 3, CAST(0x00008A9000000000 AS DateTime), CAST(0x00008AAC00000000 AS DateTime), CAST(0x00008A9700000000 AS DateTime), 1, 9.3000, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10446, N'TOMSP', 6, CAST(0x00008A9100000000 AS DateTime), CAST(0x00008AAD00000000 AS DateTime), CAST(0x00008A9600000000 AS DateTime), 1, 14.6800, N'Toms Spezialitäten', N'Luisenstr. 48', N'Münster', NULL, N'44087', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10447, N'RICAR', 4, CAST(0x00008A9100000000 AS DateTime), CAST(0x00008AAD00000000 AS DateTime), CAST(0x00008A9000000000 AS DateTime), 2, 68.6600, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10448, N'RANCH', 4, CAST(0x00008A9400000000 AS DateTime), CAST(0x00008AB000000000 AS DateTime), CAST(0x00008A9B00000000 AS DateTime), 2, 38.8200, N'Rancho grande', N'Av. del Libertador 900', N'Buenos Aires', NULL, N'1010', N'Argentina') GO print 'Processed 200 total records' INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10449, N'BLONP', 3, CAST(0x00008A9500000000 AS DateTime), CAST(0x00008AB100000000 AS DateTime), CAST(0x00008A9E00000000 AS DateTime), 2, 53.3000, N'Blondel père et fils', N'24, place Kléber', N'Strasbourg', NULL, N'67000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10450, N'VICTE', 8, CAST(0x00008A9600000000 AS DateTime), CAST(0x00008AB200000000 AS DateTime), CAST(0x00008AAA00000000 AS DateTime), 2, 7.2300, N'Victuailles en stock', N'2, rue du Commerce', N'Lyon', NULL, N'69004', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10451, N'QUICK', 4, CAST(0x00008A9600000000 AS DateTime), CAST(0x00008AA400000000 AS DateTime), CAST(0x00008AAB00000000 AS DateTime), 3, 189.0900, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10452, N'SAVEA', 8, CAST(0x00008A9700000000 AS DateTime), CAST(0x00008AB300000000 AS DateTime), CAST(0x00008A9D00000000 AS DateTime), 1, 140.2600, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10453, N'AROUT', 1, CAST(0x00008A9800000000 AS DateTime), CAST(0x00008AB400000000 AS DateTime), CAST(0x00008A9C00000000 AS DateTime), 3, 2.7400, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10455, N'WARTH', 8, CAST(0x00008A9B00000000 AS DateTime), CAST(0x00008AA200000000 AS DateTime), CAST(0x00008AA500000000 AS DateTime), 2, 180.4500, N'Warthian Herkku', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10456, N'KOENE', 8, CAST(0x00008A9C00000000 AS DateTime), CAST(0x00008AC600000000 AS DateTime), CAST(0x00008A9F00000000 AS DateTime), 2, 8.1200, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10457, N'KOENE', 2, CAST(0x00008A9C00000000 AS DateTime), CAST(0x00008AB800000000 AS DateTime), CAST(0x00008AA200000000 AS DateTime), 1, 11.5700, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10458, N'SUPRD', 7, CAST(0x00008A9D00000000 AS DateTime), CAST(0x00008AB900000000 AS DateTime), CAST(0x00008AA300000000 AS DateTime), 3, 147.0600, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10459, N'VICTE', 4, CAST(0x00008A9E00000000 AS DateTime), CAST(0x00008ABA00000000 AS DateTime), CAST(0x00008A9F00000000 AS DateTime), 2, 25.0900, N'Victuailles en stock', N'2, rue du Commerce', N'Lyon', NULL, N'69004', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10460, N'FOLKO', 8, CAST(0x00008A9F00000000 AS DateTime), CAST(0x00008ABB00000000 AS DateTime), CAST(0x00008AA200000000 AS DateTime), 1, 16.2700, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10461, N'LILAS', 1, CAST(0x00008A9F00000000 AS DateTime), CAST(0x00008ABB00000000 AS DateTime), CAST(0x00008AA400000000 AS DateTime), 3, 148.6100, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolivar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10462, N'CONSH', 2, CAST(0x00008AA200000000 AS DateTime), CAST(0x00008ABE00000000 AS DateTime), CAST(0x00008AB100000000 AS DateTime), 1, 6.1700, N'Consolidated Holdings', N'Berkeley Gardens 12 Brewery', N'London', NULL, N'WX1 6LT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10463, N'SUPRD', 5, CAST(0x00008AA300000000 AS DateTime), CAST(0x00008ABF00000000 AS DateTime), CAST(0x00008AA500000000 AS DateTime), 3, 14.7800, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10464, N'FURIB', 4, CAST(0x00008AA300000000 AS DateTime), CAST(0x00008ABF00000000 AS DateTime), CAST(0x00008AAD00000000 AS DateTime), 2, 89.0000, N'Furia Bacalhau e Frutos do Mar', N'Jardim das rosas n. 32', N'Lisa', NULL, N'1675', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10465, N'VAFFE', 1, CAST(0x00008AA400000000 AS DateTime), CAST(0x00008AC000000000 AS DateTime), CAST(0x00008AAD00000000 AS DateTime), 3, 145.0400, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10466, N'COMMI', 4, CAST(0x00008AA500000000 AS DateTime), CAST(0x00008AC100000000 AS DateTime), CAST(0x00008AA700000000 AS DateTime), 1, 11.9300, N'Comércio Mineiro', N'Av. dos Lusíadas, 23', N'Sao Paulo', N'SP', N'05432-043', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10467, N'MAGAA', 8, CAST(0x00008AA500000000 AS DateTime), CAST(0x00008AC100000000 AS DateTime), CAST(0x00008AAA00000000 AS DateTime), 2, 4.9300, N'Magazzini Alimentari Riuniti', N'Via Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10468, N'KOENE', 3, CAST(0x00008AA600000000 AS DateTime), CAST(0x00008AC200000000 AS DateTime), CAST(0x00008AAB00000000 AS DateTime), 3,

44.1200, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10469, N'WHITC', 1, CAST(0x00008AA900000000 AS DateTime), CAST(0x00008AC500000000 AS DateTime), CAST(0x00008AAD00000000 AS DateTime), 1, 60.1800, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10470, N'BONAP', 4, CAST(0x00008AAA00000000 AS DateTime), CAST(0x00008AC600000000 AS DateTime), CAST(0x00008AAD00000000 AS DateTime), 2, 64.5600, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10471, N'BSBEV', 2, CAST(0x00008AAA00000000 AS DateTime), CAST(0x00008AC600000000 AS DateTime), CAST(0x00008AB100000000 AS DateTime), 3, 45.5900, N'B's Beverages', N'Fauntleroy Circus', N'London', NULL, N'EC2 5NT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10472, N'SEVES', 8, CAST(0x00008AAB00000000 AS DateTime), CAST(0x00008AC700000000 AS DateTime), CAST(0x00008AB200000000 AS DateTime), 1, 4.2000, N'Seven Seas Imports', N'90 Wadhurst Rd.', N'London', NULL, N'OX15 4NB', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10473, N'ISLAT', 1, CAST(0x00008AAC00000000 AS DateTime), CAST(0x00008ABA00000000 AS DateTime), CAST(0x00008AB400000000 AS DateTime), 3, 16.3700, N'Island Trading', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31 7PJ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10474, N'PERIC', 5, CAST(0x00008AAC00000000 AS DateTime), CAST(0x00008AC800000000 AS DateTime), CAST(0x00008AB400000000 AS DateTime), 2, 83.4900, N'Pericles Comidas clásicas', N'Calle Dr. Jorge Cash 321', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10475, N'SUPRD', 9, CAST(0x00008AAD00000000 AS DateTime), CAST(0x00008AC900000000 AS DateTime), CAST(0x00008AC200000000 AS DateTime), 1, 68.5200, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10476, N'HILAA', 8, CAST(0x00008AB000000000 AS DateTime), CAST(0x00008ACC00000000 AS DateTime), CAST(0x00008AB700000000 AS DateTime), 3, 4.4100, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10477, N'PRINI', 5, CAST(0x00008AB000000000 AS DateTime), CAST(0x00008ACC00000000 AS DateTime), CAST(0x00008AB800000000 AS DateTime), 2, 13.0200, N'Princesa Isabel Vinhos', N'Estrada da saúde n. 58', N'Lisa', NULL, N'1756', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10478, N'VICTE', 2, CAST(0x00008AB100000000 AS DateTime), CAST(0x00008ABF00000000 AS DateTime), CAST(0x00008AB900000000 AS DateTime), 3, 4.8100, N'Victuailles en stock', N'2, rue du Commerce', N'Lyon', NULL, N'69004', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10479, N'RATTC', 3, CAST(0x00008AB200000000 AS DateTime), CAST(0x00008ACE00000000 AS DateTime), CAST(0x00008AB400000000 AS DateTime), 3, 708.9500, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10480, N'FOLIG', 6, CAST(0x00008AB300000000 AS DateTime), CAST(0x00008ACF00000000 AS DateTime), CAST(0x00008AB700000000 AS DateTime), 2, 1.3500, N'Folies gourmandes', N'184, chaussée de Tournai', N'Lille', NULL, N'59000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10481, N'RICAR', 8, CAST(0x00008AB300000000 AS DateTime), CAST(0x00008ACF00000000 AS DateTime), CAST(0x00008AB800000000 AS DateTime), 2, 64.3300, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10482, N'LAZYK', 1, CAST(0x00008AB400000000 AS DateTime), CAST(0x00008AD000000000 AS DateTime), CAST(0x00008AC800000000 AS DateTime), 3, 7.4800, N'Lazy K Kountry Store', N'12 Orchestra Terrace', N'Walla Walla', N'WA', N'99362', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10483, N'WHITC', 7, CAST(0x00008AB700000000 AS DateTime), CAST(0x00008AD300000000 AS DateTime), CAST(0x00008AD700000000 AS DateTime), 2, 15.2800, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10484, N'BSBEV', 3, CAST(0x00008AB700000000 AS DateTime), CAST(0x00008AD300000000 AS DateTime), CAST(0x00008ABF00000000 AS DateTime), 3, 6.8800, N'B's Beverages', N'Fauntleroy Circus', N'London', NULL, N'EC2 5NT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10485, N'LINOD', 4, CAST(0x00008AB800000000 AS DateTime), CAST(0x00008AC600000000 AS DateTime), CAST(0x00008ABE00000000 AS DateTime), 2, 64.4500, N'LINO-Delicatesses', N'Ave. 5 de Mayo Porlamar', N'I. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10486, N'HILAA', 1, CAST(0x00008AB900000000 AS DateTime), CAST(0x00008AD500000000 AS DateTime), CAST(0x00008AC000000000 AS DateTime), 2, 30.5300, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10487, N'QUEEN', 2, CAST(0x00008AB900000000 AS DateTime), CAST(0x00008AD500000000 AS DateTime), CAST(0x00008ABB00000000 AS DateTime), 2, 71.0700, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10488, N'FRANK', 8, CAST(0x00008ABA00000000 AS DateTime), CAST(0x00008AD600000000 AS DateTime), CAST(0x00008AC000000000 AS DateTime), 2, 4.9300, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10489, N'PICCO', 6, CAST(0x00008ABB00000000 AS DateTime), CAST(0x00008AD700000000 AS DateTime), CAST(0x00008AC700000000 AS DateTime), 2, 5.2900, N'Piccolo und mehr', N'Geislweg 14', N'Salzburg', NULL, N'5020', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10490, N'HILAA', 7, CAST(0x00008ABE00000000 AS DateTime), CAST(0x00008ADA00000000 AS DateTime), CAST(0x00008AC100000000 AS DateTime), 2, 210.1900, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10491, N'FURIB', 8, CAST(0x00008ABE00000000 AS DateTime), CAST(0x00008ADA00000000 AS DateTime), CAST(0x00008AC600000000 AS DateTime), 3, 16.9600, N'Furia Bacalhau e Frutos do Mar', N'Jardim das rosas n. 32', N'Lisa', NULL, N'1675', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10492, N'BOTTM', 3, CAST(0x00008ABF00000000 AS DateTime), CAST(0x00008ADB00000000 AS DateTime),

CAST(0x00008AC900000000 AS DateTime), 1, 62.8900, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10493, N'LAMAI', 4, CAST(0x00008AC000000000 AS DateTime), CAST(0x00008ADC00000000 AS DateTime), CAST(0x00008AC800000000 AS DateTime), 3, 10.6400, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10494, N'COMMI', 4, CAST(0x00008AC000000000 AS DateTime), CAST(0x00008ADC00000000 AS DateTime), CAST(0x00008AC700000000 AS DateTime), 2, 65.9900, N'Comércio Mineiro', N'Av. dos Lusíadas, 23', N'Sao Paulo', N'SP', N'05432-043', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10495, N'LAUGB', 3, CAST(0x00008AC100000000 AS DateTime), CAST(0x00008ADD00000000 AS DateTime), CAST(0x00008AC900000000 AS DateTime), 3, 4.6500, N'Laughing Bacchus Wine Cellars', N'2319 Elm St.', N'Vancouver', N'BC', N'V3F 2K1', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10496, N'TRADH', 7, CAST(0x00008AC200000000 AS DateTime), CAST(0x00008ADE00000000 AS DateTime), CAST(0x00008AC500000000 AS DateTime), 2, 46.7700, N'Tradição Hipermercados', N'Av. Inês de Castro, 414', N'Sao Paulo', N'SP', N'05634-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10497, N'LEHMS', 7, CAST(0x00008AC200000000 AS DateTime), CAST(0x00008ADE00000000 AS DateTime), CAST(0x00008AC500000000 AS DateTime), 1, 36.2100, N'Lehmans Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10498, N'HILAA', 8, CAST(0x00008AC500000000 AS DateTime), CAST(0x00008AE100000000 AS DateTime), CAST(0x00008AC900000000 AS DateTime), 2, 29.7500, N'HILARION-Abastos', N'Carrera 22 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10499, N'LILAS', 4, CAST(0x00008AC600000000 AS DateTime), CAST(0x00008AE200000000 AS DateTime), CAST(0x00008ACE00000000 AS DateTime), 2, 102.0200, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10500, N'LAMAI', 6, CAST(0x00008AC700000000 AS DateTime), CAST(0x00008AE300000000 AS DateTime), CAST(0x00008ACF00000000 AS DateTime), 1, 42.6800, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10501, N'BLAUS', 9, CAST(0x00008AC700000000 AS DateTime), CAST(0x00008AE300000000 AS DateTime), CAST(0x00008ACE00000000 AS DateTime), 3, 8.8500, N'Blauer See Delikatessen', N'Forsterstr. 57', N'Mannheim', NULL, N'68306', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10502, N'PERIC', 2, CAST(0x00008AC800000000 AS DateTime), CAST(0x00008AE400000000 AS DateTime), CAST(0x00008ADB00000000 AS DateTime), 1, 69.3200, N'Pericles Comidas clásicas', N'Calle Dr. Jorge Cash 321', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10503, N'HUNGO', 6, CAST(0x00008AC900000000 AS DateTime), CAST(0x00008AE500000000 AS DateTime), CAST(0x00008ACE00000000 AS DateTime), 2, 16.7400, N'Hungry Owl All-Night Grocers', N'8 Johnston Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10504, N'WHITC', 4, CAST(0x00008AC900000000 AS DateTime), CAST(0x00008AE500000000 AS DateTime), CAST(0x00008AD000000000 AS DateTime), 3, 59.1300, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10505, N'MEREP', 3, CAST(0x00008AC900000000 AS DateTime), CAST(0x00008AE500000000 AS DateTime), CAST(0x00008AD300000000 AS DateTime), 3, 7.1300, N'Mère Paillard', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10506, N'KOENE', 9, CAST(0x00008ACD00000000 AS DateTime), CAST(0x00008AE900000000 AS DateTime), CAST(0x00008ADE00000000 AS DateTime), 2, 21.1900, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10507, N'ANTON', 7, CAST(0x00008ACD00000000 AS DateTime), CAST(0x00008AD400000000 AS DateTime), 1, 47.4500, N'Antonio Moreno Taquería', N'Mataderos 2312', N'México D.F.', NULL, N'05023', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10508, N'OTTIK', 1, CAST(0x00008ACE00000000 AS DateTime), CAST(0x00008AEA00000000 AS DateTime), CAST(0x00008AE900000000 AS DateTime), 2, 4.9900, N'Ottilies Käseladen', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10509, N'BLAUS', 4, CAST(0x00008ACF00000000 AS DateTime), CAST(0x00008AEB00000000 AS DateTime), CAST(0x00008ADB00000000 AS DateTime), 1, 0.1500, N'Blauer See Delikatessen', N'Forsterstr. 57', N'Mannheim', NULL, N'68306', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10510, N'SAVEA', 6, CAST(0x00008AD000000000 AS DateTime), CAST(0x00008AEC00000000 AS DateTime), CAST(0x00008ADA00000000 AS DateTime), 3, 367.6300, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10511, N'BONAP', 4, CAST(0x00008AD000000000 AS DateTime), CAST(0x00008AEC00000000 AS DateTime), CAST(0x00008AD300000000 AS DateTime), 3, 350.6400, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10512, N'FAMIA', 7, CAST(0x00008AD300000000 AS DateTime), CAST(0x00008AEF00000000 AS DateTime), CAST(0x00008AD600000000 AS DateTime), 2, 3.5300, N'Familia Arquibaldo', N'Rua Orós, 92', N'Sao Paulo', N'SP', N'05442-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10513, N'WANDK', 7, CAST(0x00008AD400000000 AS DateTime), CAST(0x00008AFE00000000 AS DateTime), CAST(0x00008ADA00000000 AS DateTime), 1, 105.6500, N'Die Wandernde Kuh', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10514, N'ERNSH', 3, CAST(0x00008AD400000000 AS DateTime), CAST(0x00008AF000000000 AS DateTime), CAST(0x00008AEC00000000 AS DateTime), 2, 789.9500, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10515, N'QUICK', 2, CAST(0x00008AD500000000 AS DateTime), CAST(0x00008AE300000000 AS DateTime), CAST(0x00008AF300000000 AS DateTime), 1, 204.4700, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10516,



N'HUNGO', 2, CAST(0x00008AD600000000 AS DateTime), CAST(0x00008AF200000000 AS DateTime), CAST(0x00008ADD00000000 AS DateTime), 3, 62.7800, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10517, N'NORTS', 3, CAST(0x00008AD600000000 AS DateTime), CAST(0x00008AF200000000 AS DateTime), CAST(0x00008ADB00000000 AS DateTime), 3, 32.0700, N'North/South', N'South House 300 Queensbridge', N'London', NULL, N'SW7 1RZ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10518, N'TORTU', 4, CAST(0x00008AD700000000 AS DateTime), CAST(0x00008AE500000000 AS DateTime), CAST(0x00008AE100000000 AS DateTime), 2, 218.1500, N'Tortuga Restaurante', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10519, N'CHOPS', 6, CAST(0x00008ADA00000000 AS DateTime), CAST(0x00008AF600000000 AS DateTime), CAST(0x00008ADD00000000 AS DateTime), 3, 91.7600, N'Chop-suey Chinese', N'Hauptstr. 31', N'Bern', NULL, N'3012', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10520, N'SANTG', 7, CAST(0x00008ADB00000000 AS DateTime), CAST(0x00008AF700000000 AS DateTime), CAST(0x00008ADD00000000 AS DateTime), 1, 13.3700, N'Santé Gourmet', N'Erling Skakkes gate 78', N'Stavern', NULL, N'4110', N'Norway') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10521, N'CACTU', 8, CAST(0x00008ADB00000000 AS DateTime), CAST(0x00008AF700000000 AS DateTime), CAST(0x00008ADE00000000 AS DateTime), 2, 17.2200, N'Cactus Comidas para llevar', N'Cerrito 333', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10522, N'LEHMS', 4, CAST(0x00008ADC00000000 AS DateTime), CAST(0x00008AF800000000 AS DateTime), CAST(0x00008AE200000000 AS DateTime), 1, 45.3300, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10523, N'SEVES', 7, CAST(0x00008ADD00000000 AS DateTime), CAST(0x00008AF900000000 AS DateTime), CAST(0x00008AFA00000000 AS DateTime), 2, 77.6300, N'Seven Seas Imports', N'90 Wadhurst Rd.', N'London', NULL, N'OX15 4NB', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10524, N'BERGS', 1, CAST(0x00008ADD00000000 AS DateTime), CAST(0x00008AF900000000 AS DateTime), CAST(0x00008AE300000000 AS DateTime), 2, 244.7900, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10525, N'BONAP', 1, CAST(0x00008ADE00000000 AS DateTime), CAST(0x00008AFA00000000 AS DateTime), CAST(0x00008AF300000000 AS DateTime), 2, 11.0600, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10526, N'WARTH', 4, CAST(0x00008AE100000000 AS DateTime), CAST(0x00008AFD00000000 AS DateTime), CAST(0x00008AEB00000000 AS DateTime), 2, 58.5900, N'Wartian Herku', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10527, N'QUICK', 7, CAST(0x00008AE100000000 AS DateTime), CAST(0x00008AFD00000000 AS DateTime), CAST(0x00008AE300000000 AS DateTime), 1, 41.9000, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10528, N'GREAL', 6, CAST(0x00008AE200000000 AS DateTime), CAST(0x00008AF000000000 AS DateTime), CAST(0x00008AE500000000 AS DateTime), 2, 3.3500, N'Great Lakes Food Market', N'2732 Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10529, N'MAISD', 5, CAST(0x00008AE300000000 AS DateTime), CAST(0x00008AFF00000000 AS DateTime), CAST(0x00008AE500000000 AS DateTime), 2, 66.6900, N'Maison Dewey', N'Rue Joseph-Bens 532', N'Bruxelles', NULL, N'B-1180', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10530, N'PICCO', 3, CAST(0x00008AE400000000 AS DateTime), CAST(0x00008B0000000000 AS DateTime), CAST(0x00008AE800000000 AS DateTime), 2, 339.2200, N'Piccolo und mehr', N'Geislweg 14', N'Salzburg', NULL, N'5020', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10531, N'OCEAN', 7, CAST(0x00008AE400000000 AS DateTime), CAST(0x00008B0000000000 AS DateTime), CAST(0x00008AEF00000000 AS DateTime), 1, 8.1200, N'Océano Atlántico Ltda.', N'Ing. Gustavo Moncada 8585 Piso 20-A', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10532, N'EASTC', 7, CAST(0x00008AE500000000 AS DateTime), CAST(0x00008B0100000000 AS DateTime), CAST(0x00008AE800000000 AS DateTime), 3, 74.4600, N'Eastern Connection', N'35 King George', N'London', NULL, N'WX3 6FW', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10533, N'FOLKO', 8, CAST(0x00008AE800000000 AS DateTime), CAST(0x00008B0400000000 AS DateTime), CAST(0x00008AF200000000 AS DateTime), 1, 188.0400, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10534, N'LEHMS', 8, CAST(0x00008AE800000000 AS DateTime), CAST(0x00008B0400000000 AS DateTime), CAST(0x00008AEA00000000 AS DateTime), 2, 27.9400, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10535, N'ANTON', 4, CAST(0x00008AE900000000 AS DateTime), CAST(0x00008B0500000000 AS DateTime), CAST(0x00008AF100000000 AS DateTime), 1, 15.6400, N'Antonio Moreno Taquería', N'Mataderos 2312', N'México D.F.', NULL, N'05023', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10536, N'LEHMS', 3, CAST(0x00008AEA00000000 AS DateTime), CAST(0x00008B0600000000 AS DateTime), CAST(0x00008B0100000000 AS DateTime), 2, 58.8800, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10537, N'RICSU', 1, CAST(0x00008AEA00000000 AS DateTime), CAST(0x00008AF800000000 AS DateTime), CAST(0x00008AEF00000000 AS DateTime), 1, 78.8500, N'Richter Supermarkt', N'Starenweg 5', N'Genève', NULL, N'1204', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10538, N'BSBEV', 9, CAST(0x00008AEB00000000 AS DateTime), CAST(0x00008B0700000000 AS DateTime), CAST(0x00008AEC00000000 AS DateTime), 3, 4.8700, N'B's Beverages', N'Fauntleroy Circus', N'London', NULL, N'EC2 5NT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10539, N'BSBEV', 6, CAST(0x00008AEC00000000 AS DateTime), CAST(0x00008B0800000000 AS DateTime), CAST(0x00008AF300000000 AS DateTime), 3, 12.3600, N'B's Beverages', N'Fauntleroy Circus', N'London', NULL, N'EC2 5NT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10540,

N'QUICK', 3, CAST(0x00008AEF00000000 AS DateTime), CAST(0x00008B0B00000000 AS DateTime), CAST(0x00008B0800000000 AS DateTime), 3, 1007.6400, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10541, N'HANAR', 2, CAST(0x00008AEF00000000 AS DateTime), CAST(0x00008B0B00000000 AS DateTime), CAST(0x00008AF900000000 AS DateTime), 1, 68.6500, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10542, N'KOENE', 1, CAST(0x00008AF000000000 AS DateTime), CAST(0x00008B0C00000000 AS DateTime), CAST(0x00008AF600000000 AS DateTime), 3, 10.9500, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10543, N'LILAS', 8, CAST(0x00008AF100000000 AS DateTime), CAST(0x00008B0D00000000 AS DateTime), CAST(0x00008AF300000000 AS DateTime), 2, 48.1700, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10544, N'LONEP', 4, CAST(0x00008AF100000000 AS DateTime), CAST(0x00008B0D00000000 AS DateTime), CAST(0x00008AFA00000000 AS DateTime), 1, 24.9100, N'Lonesome Pine Restaurant', N'89 Chiaroscuro Rd.', N'Portland', N'OR', N'97219', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10545, N'LAZYK', 8, CAST(0x00008AF200000000 AS DateTime), CAST(0x00008B0E00000000 AS DateTime), CAST(0x00008B1500000000 AS DateTime), 2, 11.9200, N'Lazy K Kountry Store', N'12 Orchestra Terrace', N'Walla Walla', N'WA', N'99362', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10546, N'VICTE', 1, CAST(0x00008AF300000000 AS DateTime), CAST(0x00008B0F00000000 AS DateTime), CAST(0x00008B0F00000000 AS DateTime), 3, 194.7200, N'Victuailles en stock', N'2, rue du Commerce', N'Lyon', NULL, N'69004', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10547, N'SEVES', 3, CAST(0x00008AF300000000 AS DateTime), CAST(0x00008B0F00000000 AS DateTime), CAST(0x00008AFD00000000 AS DateTime), 2, 178.4300, N'Seven Seas Imports', N'90 Wadhurst Rd.', N'London', NULL, N'OX15 4NB', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10548, N'TOMSP', 3, CAST(0x00008AF600000000 AS DateTime), CAST(0x00008B1200000000 AS DateTime), CAST(0x00008AFD00000000 AS DateTime), 2, 1.4300, N'Toms Spezialitäten', N'Luisenstr. 48', N'Münster', NULL, N'44087', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10549, N'QUICK', 5, CAST(0x00008AF700000000 AS DateTime), CAST(0x00008B0500000000 AS DateTime), CAST(0x00008AFA00000000 AS DateTime), 1, 171.2400, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') GO print 'Processed 300 total records' INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10550, N'GODOS', 7, CAST(0x00008AF800000000 AS DateTime), CAST(0x00008B1400000000 AS DateTime), CAST(0x00008B0100000000 AS DateTime), 3, 4.3200, N'Godos Cocina Típica', N'C/ Romero, 33', N'Sevilla', NULL, N'41101', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10551, N'FURIB', 4, CAST(0x00008AF800000000 AS DateTime), CAST(0x00008B2200000000 AS DateTime), CAST(0x00008B0100000000 AS DateTime), 3, 72.9500, N'Furia Bacalhau e Frutos do Mar', N'Jardim das rosas n. 32', N'Lisboa', NULL, N'1675', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10552, N'HILAA', 2, CAST(0x00008AF900000000 AS DateTime), CAST(0x00008B1500000000 AS DateTime), CAST(0x00008B0000000000 AS DateTime), 1, 83.2200, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10553, N'WARTH', 2, CAST(0x00008AFA00000000 AS DateTime), CAST(0x00008B1600000000 AS DateTime), CAST(0x00008AFE00000000 AS DateTime), 2, 149.4900, N'Wartian Herkku', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10554, N'OTTIK', 4, CAST(0x00008AFA00000000 AS DateTime), CAST(0x00008B1600000000 AS DateTime), CAST(0x00008B0000000000 AS DateTime), 3, 120.9700, N'Ottiles Käseladen', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10555, N'SAVEA', 6, CAST(0x00008AFD00000000 AS DateTime), CAST(0x00008B1900000000 AS DateTime), CAST(0x00008AFF00000000 AS DateTime), 3, 252.4900, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10556, N'SIMOB', 2, CAST(0x00008AFE00000000 AS DateTime), CAST(0x00008B2800000000 AS DateTime), CAST(0x00008B0800000000 AS DateTime), 1, 9.8000, N'Simons bistro', N'Vinbæltet 34', N'København', NULL, N'1734', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10557, N'LEHMS', 9, CAST(0x00008AFE00000000 AS DateTime), CAST(0x00008B0C00000000 AS DateTime), CAST(0x00008B0100000000 AS DateTime), 2, 96.7200, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10558, N'AROUT', 1, CAST(0x00008AFF00000000 AS DateTime), CAST(0x00008B1B00000000 AS DateTime), CAST(0x00008B0500000000 AS DateTime), 2, 72.7700, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10559, N'BLONP', 6, CAST(0x00008B0000000000 AS DateTime), CAST(0x00008B1C00000000 AS DateTime), CAST(0x00008B0800000000 AS DateTime), 1, 8.0500, N'Blondel père et fils', N'24, place Kléber', N'Strasbourg', NULL, N'67000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10560, N'FRANK', 8, CAST(0x00008B0100000000 AS DateTime), CAST(0x00008B1D00000000 AS DateTime), CAST(0x00008B0400000000 AS DateTime), 1, 36.6500, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10561, N'FOLKO', 2, CAST(0x00008B0100000000 AS DateTime), CAST(0x00008B1D00000000 AS DateTime), CAST(0x00008B0400000000 AS DateTime), 2, 242.2100, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10562, N'REGGC', 1, CAST(0x00008B0400000000 AS DateTime), CAST(0x00008B2000000000 AS DateTime), CAST(0x00008B0700000000 AS DateTime), 1, 22.9500, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10563, N'RICAR', 2, CAST(0x00008B0500000000 AS DateTime), CAST(0x00008B2F00000000 AS DateTime), CAST(0x00008B1300000000 AS DateTime), 2, 60.4300, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])

VALUES (10564, N'RATTC', 4, CAST(0x00008B0500000000 AS DateTime), CAST(0x00008B2100000000 AS DateTime),  
CAST(0x00008B0B00000000 AS DateTime), 3, 13.7500, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110',  
N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],  
[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10565, N'MEREP', 8,  
CAST(0x00008B0600000000 AS DateTime), CAST(0x00008B2200000000 AS DateTime), CAST(0x00008B0D00000000 AS DateTime), 2,  
7.1500, N'Mère Paillarde', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10566, N'BLONP', 9, CAST(0x00008B0700000000 AS DateTime),  
CAST(0x00008B2300000000 AS DateTime), CAST(0x00008B0D00000000 AS DateTime), 1, 88.4000, N'Blondel père et fils', N'24, place Kléber',  
N'Strasbourg', NULL, N'67000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10567,  
N'HUNGO', 1, CAST(0x00008B0700000000 AS DateTime), CAST(0x00008B2300000000 AS DateTime), CAST(0x00008B0C00000000 AS  
DateTime), 1, 33.9700, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders]  
([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10568, N'GALED', 3, CAST(0x00008B0800000000 AS DateTime),  
CAST(0x00008B2400000000 AS DateTime), CAST(0x00008B2200000000 AS DateTime), 3, 6.5400, N'Galería del gastronómo', N'Rambla de  
Cataluña, 23', N'Barcelona', NULL, N'8022', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10569, N'RATTC', 5, CAST(0x00008B0B00000000 AS DateTime), CAST(0x00008B2700000000 AS DateTime),  
CAST(0x00008B2400000000 AS DateTime), 1, 58.9800, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110',  
N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],  
[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10570, N'MEREP', 3,  
CAST(0x00008B0C00000000 AS DateTime), CAST(0x00008B2800000000 AS DateTime), CAST(0x00008B0E00000000 AS DateTime), 3,  
188.9900, N'Mère Paillarde', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10571, N'ERNSH', 8, CAST(0x00008B0C00000000 AS DateTime),  
CAST(0x00008B3600000000 AS DateTime), CAST(0x00008B1D00000000 AS DateTime), 3, 26.0600, N'Ernst Handel', N'Kirchgasse 6', N'Graz',  
NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate],  
[ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10572, N'BERGS', 3,  
CAST(0x00008B0D00000000 AS DateTime), CAST(0x00008B2900000000 AS DateTime), CAST(0x00008B1400000000 AS DateTime), 2,  
116.4300, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID],  
[EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion],  
[ShipPostalCode], [ShipCountry]) VALUES (10573, N'ANTON', 7, CAST(0x00008B0E00000000 AS DateTime), CAST(0x00008B2A00000000 AS  
DateTime), CAST(0x00008B0F00000000 AS DateTime), 3, 84.8400, N'Antonio Moreno Taquería', N'Mataderos 2312', N'México D.F.', NULL,  
N'05023', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia],  
[Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10574, N'TRAIH', 4,  
CAST(0x00008B0E00000000 AS DateTime), CAST(0x00008B2A00000000 AS DateTime), CAST(0x00008B1900000000 AS DateTime), 2,  
37.6000, N'Trail's Head Gourmet Provisioners', N'722 DaVinci Blvd.', N'Kirkland', N'WA', N'98034', N'USA') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10575, N'MORGK', 5, CAST(0x00008B0F00000000 AS DateTime),  
CAST(0x00008B1D00000000 AS DateTime), CAST(0x00008B1900000000 AS DateTime), 1, 127.3400, N'Morgenstern Gesundkost', N'Heerstr.  
22', N'Leipzig', NULL, N'04179', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10576,  
N'TORTU', 3, CAST(0x00008B1200000000 AS DateTime), CAST(0x00008B2000000000 AS DateTime), CAST(0x00008B1900000000 AS  
DateTime), 3, 18.5600, N'Tortuga Restaurante', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders]  
([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10577, N'TRAIH', 9, CAST(0x00008B1200000000 AS DateTime),  
CAST(0x00008B3C00000000 AS DateTime), CAST(0x00008B1900000000 AS DateTime), 2, 25.4100, N'Trail's Head Gourmet Provisioners',  
N'722 DaVinci Blvd.', N'Kirkland', N'WA', N'98034', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10578, N'BSBEV', 4, CAST(0x00008B1300000000 AS DateTime), CAST(0x00008B2F00000000 AS DateTime),  
CAST(0x00008B3200000000 AS DateTime), 3, 29.6000, N'B's Beverages', N'Fauntleroy Circus', N'London', NULL, N'EC2 5NT', N'UK') INSERT  
[dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10579, N'LETSS', 1, CAST(0x00008B1400000000 AS  
DateTime), CAST(0x00008B3300000000 AS DateTime), CAST(0x00008B1D00000000 AS DateTime), 2, 13.7300, N'Let's Stop N Shop', N'87  
Polk St. Suite 5', N'San Francisco', N'CA', N'94117', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10580, N'OTTIK', 4, CAST(0x00008B1500000000 AS DateTime), CAST(0x00008B3100000000 AS DateTime),  
CAST(0x00008B1A00000000 AS DateTime), 3, 75.8900, N'Ottilies Käseladen', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany')  
INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10581, N'FAMIA', 3, CAST(0x00008B1500000000 AS  
DateTime), CAST(0x00008B3100000000 AS DateTime), CAST(0x00008B1B00000000 AS DateTime), 1, 3.0100, N'Familia Arquibaldo', N'Rua  
Orós, 92', N'Sao Paulo', N'SP', N'05442-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10582, N'BLAUS', 3, CAST(0x00008B1600000000 AS DateTime), CAST(0x00008B3200000000 AS DateTime),  
CAST(0x00008B2700000000 AS DateTime), 2, 27.7100, N'Blauer See Delikatessen', N'Forsterstr. 57', N'Mannheim', NULL, N'68306',  
N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],  
[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10583, N'WARTH', 2,  
CAST(0x00008B1900000000 AS DateTime), CAST(0x00008B3500000000 AS DateTime), CAST(0x00008B1D00000000 AS DateTime), 2,  
7.2800, N'Wartian Herku', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID],  
[OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode],  
[ShipCountry]) VALUES (10584, N'BLONP', 4, CAST(0x00008B1900000000 AS DateTime), CAST(0x00008B3500000000 AS DateTime),  
CAST(0x00008B1D00000000 AS DateTime), 1, 59.1400, N'Blondel père et fils', N'24, place Kléber', N'Strasbourg', NULL, N'67000', N'France')  
INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10585, N'WELLI', 7, CAST(0x00008B1A00000000 AS  
DateTime), CAST(0x00008B3600000000 AS DateTime), CAST(0x00008B2300000000 AS DateTime), 1, 13.4100, N'Wellington Importadora',  
N'Rua do Mercado, 12', N'Resende', N'SP', N'08737-363', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10586, N'REGGC', 9, CAST(0x00008B1B00000000 AS DateTime), CAST(0x00008B3700000000 AS DateTime),  
CAST(0x00008B2200000000 AS DateTime), 1, 0.4800, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100',  
N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],  
[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10587, N'QUEDE', 1,  
CAST(0x00008B1B00000000 AS DateTime), CAST(0x00008B3700000000 AS DateTime), CAST(0x00008B2200000000 AS DateTime), 1,  
62.5200, N'Que Delícia', N'Rua da Panificadora, 12', N'Rio de Janeiro', N'RJ', N'02389-673', N'Brazil') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],

[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10588, N'QUICK', 2, CAST(0x00008B1C00000000 AS DateTime), CAST(0x00008B3800000000 AS DateTime), CAST(0x00008B2300000000 AS DateTime), 3, 194.6700, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10589, N'GREAL', 8, CAST(0x00008B1D00000000 AS DateTime), CAST(0x00008B3900000000 AS DateTime), CAST(0x00008B2700000000 AS DateTime), 2, 4.4200, N'Great Lakes Food Market', N'2732 Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10590, N'MEREP', 4, CAST(0x00008B2000000000 AS DateTime), CAST(0x00008B3C00000000 AS DateTime), CAST(0x00008B2700000000 AS DateTime), 3, 44.7700, N'Mère Paillarde', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10591, N'VAFFE', 1, CAST(0x00008B2000000000 AS DateTime), CAST(0x00008B2E00000000 AS DateTime), CAST(0x00008B2900000000 AS DateTime), 1, 55.9200, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10592, N'LEHMS', 3, CAST(0x00008B2100000000 AS DateTime), CAST(0x00008B3D00000000 AS DateTime), CAST(0x00008B2900000000 AS DateTime), 1, 32.1000, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10593, N'LEHMS', 7, CAST(0x00008B2200000000 AS DateTime), CAST(0x00008B3E00000000 AS DateTime), CAST(0x00008B4500000000 AS DateTime), 2, 174.2000, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10594, N'OLDWO', 3, CAST(0x00008B2200000000 AS DateTime), CAST(0x00008B3E00000000 AS DateTime), CAST(0x00008B2900000000 AS DateTime), 2, 5.2400, N'Old World Delicatessen', N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10595, N'ERNSTH', 2, CAST(0x00008B2300000000 AS DateTime), CAST(0x00008B3F00000000 AS DateTime), CAST(0x00008B2700000000 AS DateTime), 1, 96.7800, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10596, N'WHITC', 8, CAST(0x00008B2400000000 AS DateTime), CAST(0x00008B4000000000 AS DateTime), CAST(0x00008B4400000000 AS DateTime), 1, 16.3400, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10597, N'PICCO', 7, CAST(0x00008B2400000000 AS DateTime), CAST(0x00008B4000000000 AS DateTime), CAST(0x00008B2B00000000 AS DateTime), 3, 35.1200, N'Piccolo und mehr', N'Geisweg 14', N'Salzburg', NULL, N'5020', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10598, N'RATTC', 1, CAST(0x00008B2700000000 AS DateTime), CAST(0x00008B4300000000 AS DateTime), CAST(0x00008B2B00000000 AS DateTime), 3, 44.4200, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10599, N'BSBEV', 6, CAST(0x00008B2800000000 AS DateTime), CAST(0x00008B5200000000 AS DateTime), CAST(0x00008B2E00000000 AS DateTime), 3, 29.9800, N'B's Beverages', N'Fauntleroy Circus', N'London', NULL, N'EC2 5NT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10600, N'HUNGCC', 4, CAST(0x00008B2900000000 AS DateTime), CAST(0x00008B4500000000 AS DateTime), CAST(0x00008B2E00000000 AS DateTime), 1, 45.1300, N'Hungry Coyote Import Store', N'City Center Plaza 516 Main St.', N'Elgin', N'OR', N'97827', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10601, N'HILAA', 7, CAST(0x00008B2900000000 AS DateTime), CAST(0x00008B5300000000 AS DateTime), CAST(0x00008B2F00000000 AS DateTime), 1, 58.3000, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10602, N'VAFFE', 8, CAST(0x00008B2A00000000 AS DateTime), CAST(0x00008B4600000000 AS DateTime), CAST(0x00008B2F00000000 AS DateTime), 2, 9.2200, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10603, N'SAVEA', 8, CAST(0x00008B2B00000000 AS DateTime), CAST(0x00008B4700000000 AS DateTime), CAST(0x00008B4000000000 AS DateTime), 2, 48.7700, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10604, N'FURIB', 1, CAST(0x00008B2B00000000 AS DateTime), CAST(0x00008B4700000000 AS DateTime), CAST(0x00008B3600000000 AS DateTime), 1, 7.4600, N'Furia Bacalhau e Frutos do Mar', N'Jardim das rosas n. 32', N'Lisa', NULL, N'1675', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10605, N'MEREP', 1, CAST(0x00008B2E00000000 AS DateTime), CAST(0x00008B4A00000000 AS DateTime), CAST(0x00008B3600000000 AS DateTime), 2, 379.1300, N'Mère Paillarde', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10606, N'TRADH', 4, CAST(0x00008B2F00000000 AS DateTime), CAST(0x00008B4B00000000 AS DateTime), CAST(0x00008B3800000000 AS DateTime), 3, 79.4000, N'Tradição Hipermercados', N'Av. Inês de Castro, 414', N'Sao Paulo', N'SP', N'05634-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10607, N'SAVEA', 5, CAST(0x00008B2F00000000 AS DateTime), CAST(0x00008B4B00000000 AS DateTime), CAST(0x00008B3200000000 AS DateTime), 1, 200.2400, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10608, N'TOMSP', 4, CAST(0x00008B3000000000 AS DateTime), CAST(0x00008B4C00000000 AS DateTime), CAST(0x00008B3900000000 AS DateTime), 2, 27.7900, N'Toms Spezialitäten', N'Luisenstr. 48', N'Münster', NULL, N'44087', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10609, N'DUMON', 7, CAST(0x00008B3100000000 AS DateTime), CAST(0x00008B4D00000000 AS DateTime), CAST(0x00008B3700000000 AS DateTime), 2, 1.8500, N'Du monde entier', N'67, rue des Cinquante Otages', N'Nantes', NULL, N'44000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10610, N'LAMAI', 8, CAST(0x00008B3200000000 AS DateTime), CAST(0x00008B4E00000000 AS DateTime), CAST(0x00008B3E00000000 AS DateTime), 1, 26.7800, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10611, N'WOLZA', 6, CAST(0x00008B3200000000 AS DateTime), CAST(0x00008B4E00000000 AS DateTime), CAST(0x00008B3900000000 AS DateTime), 2, 80.6500, N'Wolski Zajazd', N'ul. Filtrowa 68', N'Warszawa', NULL, N'01-012', N'Poland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])

VALUES (10612, N'SAVEA', 1, CAST(0x00008B3500000000 AS DateTime), CAST(0x00008B5100000000 AS DateTime),  
CAST(0x00008B3900000000 AS DateTime), 2, 544.0800, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT  
[dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10613, N'HILAA', 4, CAST(0x00008B3600000000 AS  
DateTime), CAST(0x00008B5200000000 AS DateTime), CAST(0x00008B3900000000 AS DateTime), 2, 8.1100, N'HILARION-Abastos',  
N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10614, N'BLAUS', 8, CAST(0x00008B3600000000 AS DateTime),  
CAST(0x00008B5200000000 AS DateTime), CAST(0x00008B3900000000 AS DateTime), 3, 1.9300, N'Blauer See Delikatessen', N'Forsterstr.  
57', N'Mannheim', NULL, N'68306', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10615,  
N'WILMK', 2, CAST(0x00008B3700000000 AS DateTime), CAST(0x00008B5300000000 AS DateTime), CAST(0x00008B3E00000000 AS  
DateTime), 3, 0.7500, N'Wilman Kala', N'Keskuskatu 45', N'Helsinki', NULL, N'21240', N'Finland') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10616, N'GREAL', 1, CAST(0x00008B3800000000 AS DateTime),  
CAST(0x00008B5400000000 AS DateTime), CAST(0x00008B3D00000000 AS DateTime), 2, 116.5300, N'Great Lakes Food Market', N'2732  
Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10617,  
N'GREAL', 4, CAST(0x00008B3800000000 AS DateTime), CAST(0x00008B5400000000 AS DateTime), CAST(0x00008B3C00000000 AS  
DateTime), 2, 18.5300, N'Great Lakes Food Market', N'2732 Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10618, N'MEREP', 1, CAST(0x00008B3900000000 AS DateTime),  
CAST(0x00008B6300000000 AS DateTime), CAST(0x00008B4000000000 AS DateTime), 1, 154.6800, N'Mère Paillard', N'43 rue St. Laurent',  
N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10619,  
N'MEREP', 3, CAST(0x00008B3C00000000 AS DateTime), CAST(0x00008B5800000000 AS DateTime), CAST(0x00008B3F00000000 AS  
DateTime), 3, 91.0500, N'Mère Paillard', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders]  
([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10620, N'LAUGB', 2, CAST(0x00008B3D00000000 AS DateTime),  
CAST(0x00008B5900000000 AS DateTime), CAST(0x00008B4600000000 AS DateTime), 3, 0.9400, N'Laughing Bacchus Wine Cellars', N'2319  
Elm St.', N'Vancouver', N'BC', N'V3F 2K1', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10621, N'ISLAT', 4, CAST(0x00008B3D00000000 AS DateTime), CAST(0x00008B5900000000 AS DateTime),  
CAST(0x00008B4300000000 AS DateTime), 2, 23.7300, N'Island Trading', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31  
7PJ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],  
[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10622, N'RICAR', 4,  
CAST(0x00008B3E00000000 AS DateTime), CAST(0x00008B5A00000000 AS DateTime), CAST(0x00008B4300000000 AS DateTime), 3,  
50.9700, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10623, N'FRANK', 8, CAST(0x00008B3F00000000 AS DateTime),  
CAST(0x00008B5B00000000 AS DateTime), CAST(0x00008B4400000000 AS DateTime), 2, 97.1800, N'Frankenversand', N'Berliner Platz 43',  
N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10624,  
N'THECR', 4, CAST(0x00008B3F00000000 AS DateTime), CAST(0x00008B5B00000000 AS DateTime), CAST(0x00008B4B00000000 AS  
DateTime), 2, 94.8000, N'The Cracker Box', N'55 Grizzly Peak Rd.', N'Butte', N'MT', N'59801', N'USA') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10625, N'ANATR', 3, CAST(0x00008B4000000000 AS DateTime),  
CAST(0x00008B5C00000000 AS DateTime), CAST(0x00008B4600000000 AS DateTime), 1, 43.9000, N'Ana Trujillo Emparedados y helados',  
N'Avda. de la Constitución 2222', N'México D.F.', NULL, N'05021', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID],  
[OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode],  
[ShipCountry]) VALUES (10626, N'BERGS', 1, CAST(0x00008B4300000000 AS DateTime), CAST(0x00008B5F00000000 AS DateTime),  
CAST(0x00008B4C00000000 AS DateTime), 2, 138.6900, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden')  
INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10627, N'SAVEA', 8, CAST(0x00008B4300000000 AS  
DateTime), CAST(0x00008B6D00000000 AS DateTime), CAST(0x00008B4D00000000 AS DateTime), 3, 107.4600, N'Save-a-lot Markets', N'187  
Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10628,  
N'BLONP', 4, CAST(0x00008B4400000000 AS DateTime), CAST(0x00008B6000000000 AS DateTime), CAST(0x00008B4C00000000 AS  
DateTime), 3, 30.3600, N'Blondel père et fils', N'24, place Kléber', N'Strasbourg', NULL, N'67000', N'France') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10629, N'GODOS', 4, CAST(0x00008B4400000000 AS DateTime),  
CAST(0x00008B6000000000 AS DateTime), CAST(0x00008B4C00000000 AS DateTime), 3, 85.4600, N'Godos Cocina Típica', N'C/ Romero,  
33', N'Sevilla', NULL, N'41101', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10630,  
N'KOENE', 1, CAST(0x00008B4500000000 AS DateTime), CAST(0x00008B6100000000 AS DateTime), CAST(0x00008B4B00000000 AS  
DateTime), 2, 32.3500, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10631, N'LAMAI', 8, CAST(0x00008B4600000000 AS DateTime),  
CAST(0x00008B6200000000 AS DateTime), CAST(0x00008B4700000000 AS DateTime), 1, 0.8700, N'La maison d'Asie', N'1 rue Alsace-  
Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10632,  
N'WANDK', 8, CAST(0x00008B4600000000 AS DateTime), CAST(0x00008B6200000000 AS DateTime), CAST(0x00008B4B00000000 AS  
DateTime), 1, 41.3800, N'Die Wandernde Kuh', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563', N'Germany') INSERT [dbo].[Orders]  
([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10633, N'ERNSH', 7, CAST(0x00008B4700000000 AS DateTime),  
CAST(0x00008B6300000000 AS DateTime), CAST(0x00008B4A00000000 AS DateTime), 3, 477.9000, N'Ernst Handel', N'Kirchgasse 6',  
N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate],  
[ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10634, N'FOLIG', 4,  
CAST(0x00008B4700000000 AS DateTime), CAST(0x00008B6300000000 AS DateTime), CAST(0x00008B4D00000000 AS DateTime), 3,  
487.3800, N'Folies gourmandes', N'184, chaussée de Tournai', N'Lille', NULL, N'59000', N'France') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10635, N'MAGAA', 8, CAST(0x00008B4A00000000 AS DateTime),  
CAST(0x00008B6600000000 AS DateTime), CAST(0x00008B4D00000000 AS DateTime), 3, 47.4600, N'Magazzini Alimentari Riuniti', N'Via  
Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])



VALUES (10636, N'WARTH', 4, CAST(0x00008B4B00000000 AS DateTime), CAST(0x00008B6700000000 AS DateTime),  
CAST(0x00008B5200000000 AS DateTime), 1, 1.1500, N'Wartian Herkku', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].  
[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress],  
[ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10637, N'QUEEN', 6, CAST(0x00008B4B00000000 AS DateTime),  
CAST(0x00008B6700000000 AS DateTime), CAST(0x00008B5200000000 AS DateTime), 1, 201.2900, N'Queen Cozinha', N'Alameda dos  
Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10638, N'LINOD', 3, CAST(0x00008B4C00000000 AS DateTime), CAST(0x00008B6800000000 AS DateTime),  
CAST(0x00008B5800000000 AS DateTime), 1, 158.4400, N'LINO-Delicateses', N'Ave. 5 de Mayo Porlamar', N'I. de Margarita', N'Nueva  
Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate],  
[ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10639, N'SANTG', 7,  
CAST(0x00008B4C00000000 AS DateTime), CAST(0x00008B6800000000 AS DateTime), CAST(0x00008B5300000000 AS DateTime), 3,  
38.6400, N'Santé Gourmet', N'Erling Skakkes gate 78', N'Stavern', NULL, N'4110', N'Norway') INSERT [dbo].[Orders] ([OrderID], [CustomerID],  
[EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion],  
[ShipPostalCode], [ShipCountry]) VALUES (10640, N'WANDK', 4, CAST(0x00008B4D00000000 AS DateTime), CAST(0x00008B6900000000 AS  
DateTime), CAST(0x00008B5400000000 AS DateTime), 1, 23.5500, N'Die Wandernde Kuh', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563',  
N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],  
[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10641, N'HILAA', 4,  
CAST(0x00008B4E00000000 AS DateTime), CAST(0x00008B6A00000000 AS DateTime), CAST(0x00008B5200000000 AS DateTime), 2,  
179.6100, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT  
[dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10642, N'SIMOB', 7, CAST(0x00008B4E00000000 AS  
DateTime), CAST(0x00008B6A00000000 AS DateTime), CAST(0x00008B5C00000000 AS DateTime), 3, 41.8900, N'Simons bistro', N'Vinbæltet  
34', N'Kobenhavn', NULL, N'1734', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10643,  
N'ALFKI', 6, CAST(0x00008B5100000000 AS DateTime), CAST(0x00008B6D00000000 AS DateTime), CAST(0x00008B5900000000 AS  
DateTime), 1, 29.4600, N'Alfreds Futterkiste', N'Obere Str. 57', N'Berlin', NULL, N'12209', N'Germany') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10644, N'WELLI', 3, CAST(0x00008B5100000000 AS DateTime),  
CAST(0x00008B6D00000000 AS DateTime), CAST(0x00008B5800000000 AS DateTime), 2, 0.1400, N'Wellington Importadora', N'Rua do  
Mercado, 12', N'Resende', N'SP', N'08737-363', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10645, N'HANAR', 4, CAST(0x00008B5200000000 AS DateTime), CAST(0x00008B6E00000000 AS DateTime),  
CAST(0x00008B5900000000 AS DateTime), 1, 12.4100, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil')  
INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10646, N'HUNGO', 9, CAST(0x00008B5300000000 AS  
DateTime), CAST(0x00008B7D00000000 AS DateTime), CAST(0x00008B5A00000000 AS DateTime), 3, 142.3300, N'Hungry Owl All-Night  
Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID],  
[OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode],  
[ShipCountry]) VALUES (10647, N'QUEDE', 4, CAST(0x00008B5300000000 AS DateTime), CAST(0x00008B6100000000 AS DateTime),  
CAST(0x00008B5A00000000 AS DateTime), 2, 45.5400, N'Que Delícia', N'Rua da Panificadora, 12', N'Rio de Janeiro', N'RJ', N'02389-673',  
N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],  
[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10648, N'RICAR', 5,  
CAST(0x00008B5400000000 AS DateTime), CAST(0x00008B7E00000000 AS DateTime), CAST(0x00008B6000000000 AS DateTime), 2,  
14.2500, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10649, N'MAISD', 5, CAST(0x00008B5400000000 AS DateTime),  
CAST(0x00008B7000000000 AS DateTime), CAST(0x00008B5500000000 AS DateTime), 3, 6.2000, N'Maison Dewey', N'Rue Joseph-Bens  
532', N'Bruxelles', NULL, N'B-1180', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10650,  
N'FAMIA', 5, CAST(0x00008B5500000000 AS DateTime), CAST(0x00008B7100000000 AS DateTime), CAST(0x00008B5A00000000 AS  
DateTime), 3, 176.8100, N'Familia Arquibaldo', N'Rua Orós, 92', N'Sao Paulo', N'SP', N'05442-030', N'Brazil') GO print 'Processed 400 total  
records' INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],  
[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10651, N'WANDK', 8,  
CAST(0x00008B5800000000 AS DateTime), CAST(0x00008B7400000000 AS DateTime), CAST(0x00008B6200000000 AS DateTime), 2,  
20.6000, N'Die Wandernde Kuh', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563', N'Germany') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10652, N'GOURL', 4, CAST(0x00008B5800000000 AS DateTime),  
CAST(0x00008B7400000000 AS DateTime), CAST(0x00008B5F00000000 AS DateTime), 2, 7.1400, N'Gourmet Lançonetes', N'Av. Brasil,  
442', N'Campinas', N'SP', N'04876-786', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10653,  
N'FRANK', 1, CAST(0x00008B5900000000 AS DateTime), CAST(0x00008B7500000000 AS DateTime), CAST(0x00008B6A00000000 AS  
DateTime), 1, 93.2500, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10654, N'BERGS', 5, CAST(0x00008B5900000000 AS DateTime),  
CAST(0x00008B7500000000 AS DateTime), CAST(0x00008B6200000000 AS DateTime), 1, 55.2600, N'Berglunds snabbköp', N'Berguvsvägen  
8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10655,  
N'REGGC', 1, CAST(0x00008B5A00000000 AS DateTime), CAST(0x00008B7600000000 AS DateTime), CAST(0x00008B6200000000 AS  
DateTime), 2, 4.4100, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders]  
([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10656, N'GREAL', 6, CAST(0x00008B5B00000000 AS DateTime),  
CAST(0x00008B7700000000 AS DateTime), CAST(0x00008B6100000000 AS DateTime), 1, 57.1500, N'Great Lakes Food Market', N'2732  
Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10657,  
N'SAVEA', 2, CAST(0x00008B5B00000000 AS DateTime), CAST(0x00008B7700000000 AS DateTime), CAST(0x00008B6600000000 AS  
DateTime), 2, 352.6900, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10658, N'QUICK', 4, CAST(0x00008B5C00000000 AS DateTime),  
CAST(0x00008B7800000000 AS DateTime), CAST(0x00008B5F00000000 AS DateTime), 1, 364.1500, N'QUICK-Stop', N'Taucherstraße 10',  
N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10659,  
N'QUEEN', 7, CAST(0x00008B5C00000000 AS DateTime), CAST(0x00008B7800000000 AS DateTime), CAST(0x00008B6100000000 AS  
DateTime), 2, 105.8100, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders]  
([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],

[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10660, N'HUNGC', 8, CAST(0x00008B5F00000000 AS DateTime), CAST(0x00008B7B00000000 AS DateTime), CAST(0x00008B8400000000 AS DateTime), 1, 111.2900, N'Hungry Coyote Import Store', N'City Center Plaza 516 Main St.', N'Elgin', N'OR', N'97827', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10661, N'HUNGO', 7, CAST(0x00008B6000000000 AS DateTime), CAST(0x00008B7C00000000 AS DateTime), CAST(0x00008B6600000000 AS DateTime), 3, 17.5500, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10662, N'LONEP', 3, CAST(0x00008B6000000000 AS DateTime), CAST(0x00008B7C00000000 AS DateTime), CAST(0x00008B6900000000 AS DateTime), 2, 1.2800, N'Lonesome Pine Restaurant', N'89 Chiaroscuro Rd.', N'Portland', N'OR', N'97219', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10663, N'BONAP', 2, CAST(0x00008B6100000000 AS DateTime), CAST(0x00008B6F00000000 AS DateTime), CAST(0x00008B7800000000 AS DateTime), 2, 113.1500, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10664, N'FURIB', 1, CAST(0x00008B6100000000 AS DateTime), CAST(0x00008B7D00000000 AS DateTime), CAST(0x00008B6A00000000 AS DateTime), 3, 1.2700, N'Furia Bacalhau e Frutos do Mar', N'Jardim das rosas n. 32', N'Lisboa', NULL, N'1675', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10665, N'LONEP', 1, CAST(0x00008B6200000000 AS DateTime), CAST(0x00008B7E00000000 AS DateTime), CAST(0x00008B6800000000 AS DateTime), 2, 26.3100, N'Lonesome Pine Restaurant', N'89 Chiaroscuro Rd.', N'Portland', N'OR', N'97219', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10666, N'RICSU', 7, CAST(0x00008B6300000000 AS DateTime), CAST(0x00008B7F00000000 AS DateTime), CAST(0x00008B6D00000000 AS DateTime), 2, 232.4200, N'Richter Supermarkt', N'Starenweg 5', N'Genève', NULL, N'1204', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10667, N'ERNESH', 7, CAST(0x00008B6300000000 AS DateTime), CAST(0x00008B7F00000000 AS DateTime), CAST(0x00008B6A00000000 AS DateTime), 1, 78.0900, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10668, N'WANDK', 1, CAST(0x00008B6600000000 AS DateTime), CAST(0x00008B8200000000 AS DateTime), CAST(0x00008B6E00000000 AS DateTime), 2, 47.2200, N'Die Wandernde Kuh', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10669, N'SIMOB', 2, CAST(0x00008B6600000000 AS DateTime), CAST(0x00008B8200000000 AS DateTime), CAST(0x00008B6D00000000 AS DateTime), 1, 24.3900, N'Simons bistro', N'Vinbæltet 34', N'Copenhagen', NULL, N'1734', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10670, N'FRANK', 4, CAST(0x00008B6700000000 AS DateTime), CAST(0x00008B8300000000 AS DateTime), CAST(0x00008B6900000000 AS DateTime), 1, 203.4800, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10671, N'FRANR', 1, CAST(0x00008B6800000000 AS DateTime), CAST(0x00008B8400000000 AS DateTime), CAST(0x00008B6F00000000 AS DateTime), 1, 30.3400, N'France restauration', N'54, rue Royale', N'Nantes', NULL, N'44000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10672, N'BERGS', 9, CAST(0x00008B6800000000 AS DateTime), CAST(0x00008B7600000000 AS DateTime), CAST(0x00008B7100000000 AS DateTime), 2, 95.7500, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10673, N'WILMK', 2, CAST(0x00008B6900000000 AS DateTime), CAST(0x00008B8500000000 AS DateTime), CAST(0x00008B6A00000000 AS DateTime), 1, 22.7600, N'Wilman Kala', N'Keskuskatu 45', N'Helsinki', NULL, N'21240', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10674, N'ISLAT', 4, CAST(0x00008B6900000000 AS DateTime), CAST(0x00008B8500000000 AS DateTime), CAST(0x00008B7500000000 AS DateTime), 2, 0.9000, N'Island Trading', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31 7PJ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10675, N'FRANK', 5, CAST(0x00008B6A00000000 AS DateTime), CAST(0x00008B8600000000 AS DateTime), CAST(0x00008B6E00000000 AS DateTime), 2, 31.8500, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10676, N'TORTU', 2, CAST(0x00008B6D00000000 AS DateTime), CAST(0x00008B8900000000 AS DateTime), CAST(0x00008B7400000000 AS DateTime), 2, 2.0100, N'Tortuga Restaurante', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10677, N'ANTON', 1, CAST(0x00008B6D00000000 AS DateTime), CAST(0x00008B8900000000 AS DateTime), CAST(0x00008B7100000000 AS DateTime), 3, 4.0300, N'Antonio Moreno Taquería', N'Mataderos 2312', N'México D.F.', NULL, N'05023', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10678, N'SAVEA', 7, CAST(0x00008B6E00000000 AS DateTime), CAST(0x00008B8A00000000 AS DateTime), CAST(0x00008B8500000000 AS DateTime), 3, 388.9800, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10679, N'BLONP', 8, CAST(0x00008B6E00000000 AS DateTime), CAST(0x00008B8A00000000 AS DateTime), CAST(0x00008B7500000000 AS DateTime), 3, 27.9400, N'Blondel père et fils', N'24, place Kléber', N'Strasbourg', NULL, N'67000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10680, N'OLDWO', 1, CAST(0x00008B6F00000000 AS DateTime), CAST(0x00008B8B00000000 AS DateTime), CAST(0x00008B7100000000 AS DateTime), 1, 26.6100, N'Old World Delicatessen', N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10681, N'GREAL', 3, CAST(0x00008B7000000000 AS DateTime), CAST(0x00008B8C00000000 AS DateTime), CAST(0x00008B7500000000 AS DateTime), 3, 76.1300, N'Great Lakes Food Market', N'2732 Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10682, N'ANTON', 3, CAST(0x00008B7000000000 AS DateTime), CAST(0x00008B8C00000000 AS DateTime), CAST(0x00008B7600000000 AS DateTime), 2, 36.1300, N'Antonio Moreno Taquería', N'Mataderos 2312', N'México D.F.', NULL, N'05023', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10683, N'DUMON', 2, CAST(0x00008B7100000000 AS DateTime), CAST(0x00008B8D00000000 AS DateTime), CAST(0x00008B7600000000 AS DateTime), 1, 4.4000, N'Du monde entier', N'67, rue des Cinquante Otages', N'Nantes', NULL, N'44000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])

VALUES (10684, N'OTTIK', 3, CAST(0x00008B7100000000 AS DateTime), CAST(0x00008B8D00000000 AS DateTime),  
CAST(0x00008B7500000000 AS DateTime), 1, 145.6300, N'Ottlies Käseladen', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany')  
INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10685, N'GOURL', 4, CAST(0x00008B7400000000 AS  
DateTime), CAST(0x00008B8200000000 AS DateTime), CAST(0x00008B7800000000 AS DateTime), 2, 33.7500, N'Gourmet Lanchonetes',  
N'Av. Brasil, 442', N'Campinas', N'SP', N'04876-786', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10686, N'PICCO', 2, CAST(0x00008B7500000000 AS DateTime), CAST(0x00008B9100000000 AS DateTime),  
CAST(0x00008B7D00000000 AS DateTime), 1, 96.5000, N'Piccolo und mehr', N'Geislweg 14', N'Salzburg', NULL, N'5020', N'Austria') INSERT  
[dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10687, N'HUNGO', 9, CAST(0x00008B8400000000 AS DateTime),  
CAST(0x00008B9100000000 AS DateTime), CAST(0x00008B9300000000 AS DateTime), 2, 296.4300, N'Hungry Owl All-Night  
Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID],  
[OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode],  
[ShipCountry]) VALUES (10688, N'VAFFE', 4, CAST(0x00008B7600000000 AS DateTime), CAST(0x00008B8840000000 AS DateTime),  
CAST(0x00008B7C00000000 AS DateTime), 2, 299.0900, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT  
[dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10689, N'BERGS', 1, CAST(0x00008B7600000000 AS  
DateTime), CAST(0x00008B9200000000 AS DateTime), CAST(0x00008B7C00000000 AS DateTime), 2, 13.4200, N'Berglunds snabbköp',  
N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10690, N'HANAR', 1, CAST(0x00008B7700000000 AS DateTime), CAST(0x00008B9300000000 AS DateTime),  
CAST(0x00008B7800000000 AS DateTime), 1, 15.8000, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil')  
INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10691, N'QUICK', 2, CAST(0x00008B7800000000 AS  
DateTime), CAST(0x00008BA200000000 AS DateTime), CAST(0x00008B8B00000000 AS DateTime), 2, 810.0500, N'QUICK-Stop',  
N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10692, N'ALFKI', 4, CAST(0x00008B7800000000 AS DateTime), CAST(0x00008B9400000000 AS DateTime),  
CAST(0x00008B8200000000 AS DateTime), 2, 61.0200, N'Alfred's Futterkiste', N'Obere Str. 57', N'Berlin', NULL, N'12209', N'Germany')  
INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10693, N'WHITC', 3, CAST(0x00008B7B00000000 AS  
DateTime), CAST(0x00008B8900000000 AS DateTime), CAST(0x00008B7F00000000 AS DateTime), 3, 139.3400, N'White Clover Markets',  
N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10694, N'QUICK', 8, CAST(0x00008B7B00000000 AS DateTime), CAST(0x00008B9700000000 AS DateTime),  
CAST(0x00008B7E00000000 AS DateTime), 3, 398.3600, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany')  
INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10695, N'WILMK', 7, CAST(0x00008B7C00000000 AS  
DateTime), CAST(0x00008BA600000000 AS DateTime), CAST(0x00008B8300000000 AS DateTime), 1, 16.7200, N'Wilman Kala', N'Keskuskatu  
45', N'Helsinki', NULL, N'21240', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10696,  
N'WHITC', 8, CAST(0x00008B7D00000000 AS DateTime), CAST(0x00008BA700000000 AS DateTime), CAST(0x00008B8300000000 AS  
DateTime), 3, 102.5500, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10697, N'LINOD', 3, CAST(0x00008B7D00000000 AS DateTime),  
CAST(0x00008B9900000000 AS DateTime), CAST(0x00008B8300000000 AS DateTime), 1, 45.5200, N'LINO-Delicateses', N'Ave. 5 de Mayo  
Porlamar', N'I. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID],  
[OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode],  
[ShipCountry]) VALUES (10698, N'ERNSH', 4, CAST(0x00008B7E00000000 AS DateTime), CAST(0x00008B9A00000000 AS DateTime),  
CAST(0x00008B8600000000 AS DateTime), 1, 272.4700, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].  
[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress],  
[ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10699, N'MORGK', 3, CAST(0x00008B7E00000000 AS DateTime),  
CAST(0x00008B9A00000000 AS DateTime), CAST(0x00008B8200000000 AS DateTime), 3, 0.5800, N'Morgenstern Gesundkost', N'Heerstr. 22',  
N'Leipzig', NULL, N'04179', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate],  
[ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10700,  
N'SAVEA', 3, CAST(0x00008B7F00000000 AS DateTime), CAST(0x00008B9B00000000 AS DateTime), CAST(0x00008B8500000000 AS  
DateTime), 1, 65.1000, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID],  
[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity],  
[ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10701, N'HUNGO', 6, CAST(0x00008B8200000000 AS DateTime),  
CAST(0x00008B9000000000 AS DateTime), CAST(0x00008B8400000000 AS DateTime), 3, 220.3100, N'Hungry Owl All-Night Grocers', N'8  
Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10702, N'ALFKI', 4, CAST(0x00008B8200000000 AS DateTime), CAST(0x00008BAC00000000 AS DateTime),  
CAST(0x00008B8A00000000 AS DateTime), 1, 23.9400, N'Alfred's Futterkiste', N'Obere Str. 57', N'Berlin', NULL, N'12209', N'Germany')  
INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10703, N'FOLKO', 6, CAST(0x00008B8300000000 AS  
DateTime), CAST(0x00008B9F00000000 AS DateTime), CAST(0x00008B8900000000 AS DateTime), 2, 152.3000, N'Folk och få HB',  
N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10704, N'QUEEN', 6, CAST(0x00008B8300000000 AS DateTime), CAST(0x00008B9F00000000 AS DateTime),  
CAST(0x00008B9B00000000 AS DateTime), 1, 4.7800, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020',  
N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],  
[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10705, N'HILAA', 9,  
CAST(0x00008B8400000000 AS DateTime), CAST(0x00008BA000000000 AS DateTime), CAST(0x00008BA600000000 AS DateTime), 2,  
3.5200, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT  
[dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName],  
[ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10706, N'OLDWO', 8, CAST(0x00008B8500000000 AS  
DateTime), CAST(0x00008BA100000000 AS DateTime), CAST(0x00008B8A00000000 AS DateTime), 3, 135.6300, N'Old World Delicatessen',  
N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate],  
[RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry])  
VALUES (10707, N'AROUT', 4, CAST(0x00008B8500000000 AS DateTime), CAST(0x00008B9300000000 AS DateTime),  
CAST(0x00008B8C00000000 AS DateTime), 3, 21.7400, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7  
6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],  
[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10708, N'THEBI', 6,

CAST(0x00008B8600000000 AS DateTime), CAST(0x00008BB000000000 AS DateTime), CAST(0x00008B9900000000 AS DateTime), 2, 2.9600, N'The Big Cheese', N'89 Jefferson Way Suite 2', N'Portland', N'OR', N'97201', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10709, N'GOURL', 1, CAST(0x00008B8600000000 AS DateTime), CAST(0x00008BA200000000 AS DateTime), CAST(0x00008BA800000000 AS DateTime), 3, 210.8000, N'Gourmet Lanchonetes', N'Av. Brasil, 442', N'Campinas', N'SP', N'04876-786', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10710, N'FRANS', 1, CAST(0x00008B8900000000 AS DateTime), CAST(0x00008BA500000000 AS DateTime), CAST(0x00008B8C00000000 AS DateTime), 1, 4.9800, N'Franchi S.p.A.', N'Via Monte Bianco 34', N'Torino', NULL, N'10100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10711, N'SAVEA', 5, CAST(0x00008B8A00000000 AS DateTime), CAST(0x00008BB400000000 AS DateTime), CAST(0x00008B9200000000 AS DateTime), 2, 52.4100, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10712, N'HUNGO', 3, CAST(0x00008B8A00000000 AS DateTime), CAST(0x00008B8400000000 AS DateTime), CAST(0x00008BA600000000 AS DateTime), 1, 89.9300, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10713, N'SAVEA', 1, CAST(0x00008B8B00000000 AS DateTime), CAST(0x00008BA700000000 AS DateTime), CAST(0x00008B8D00000000 AS DateTime), 1, 167.0500, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10714, N'SAVEA', 5, CAST(0x00008B8B00000000 AS DateTime), CAST(0x00008BA700000000 AS DateTime), CAST(0x00008B9000000000 AS DateTime), 3, 24.4900, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10715, N'BONAP', 3, CAST(0x00008B8C00000000 AS DateTime), CAST(0x00008B9A00000000 AS DateTime), CAST(0x00008B9200000000 AS DateTime), 1, 63.2000, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10716, N'RANCH', 4, CAST(0x00008B8D00000000 AS DateTime), CAST(0x00008BA900000000 AS DateTime), CAST(0x00008B9000000000 AS DateTime), 2, 22.5700, N'Rancho grande', N'Av. del Libertador 900', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10717, N'FRANK', 1, CAST(0x00008B8D00000000 AS DateTime), CAST(0x00008BA900000000 AS DateTime), CAST(0x00008B9200000000 AS DateTime), 2, 59.2500, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10718, N'KOENE', 1, CAST(0x00008B9000000000 AS DateTime), CAST(0x00008BAC00000000 AS DateTime), CAST(0x00008B9200000000 AS DateTime), 3, 170.8800, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10719, N'LETSS', 8, CAST(0x00008B9000000000 AS DateTime), CAST(0x00008BAC00000000 AS DateTime), CAST(0x00008B9900000000 AS DateTime), 2, 51.4400, N'Let's Stop N Shop', N'87 Polk St. Suite 5', N'San Francisco', N'CA', N'94117', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10720, N'QUEDE', 8, CAST(0x00008B9100000000 AS DateTime), CAST(0x00008B9F00000000 AS DateTime), CAST(0x00008B9900000000 AS DateTime), 2, 9.5300, N'Que Delicia', N'Rua da Panificadora, 12', N'Rio de Janeiro', N'RJ', N'02389-673', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10721, N'QUICK', 5, CAST(0x00008B9200000000 AS DateTime), CAST(0x00008BAE00000000 AS DateTime), CAST(0x00008B9400000000 AS DateTime), 3, 48.9200, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10722, N'SAVEA', 8, CAST(0x00008B9200000000 AS DateTime), CAST(0x00008B8C00000000 AS DateTime), CAST(0x00008B9800000000 AS DateTime), 1, 74.5800, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10723, N'WHITC', 3, CAST(0x00008B9300000000 AS DateTime), CAST(0x00008BAF00000000 AS DateTime), CAST(0x00008BAD00000000 AS DateTime), 1, 21.7200, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10724, N'MEREP', 8, CAST(0x00008B9300000000 AS DateTime), CAST(0x00008BBD00000000 AS DateTime), CAST(0x00008B9900000000 AS DateTime), 2, 57.7500, N'Mère Paillarde', N'43 rue St. Laurent', N'Montréal', N'Québec', N'H1J 1C3', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10725, N'FAMIA', 4, CAST(0x00008B9400000000 AS DateTime), CAST(0x00008BB000000000 AS DateTime), CAST(0x00008B9900000000 AS DateTime), 3, 10.8300, N'Familia Arquibaldo', N'Rua Orós, 92', N'Sao Paulo', N'SP', N'05442-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10726, N'EASTC', 4, CAST(0x00008B9700000000 AS DateTime), CAST(0x00008BA500000000 AS DateTime), CAST(0x00008BB700000000 AS DateTime), 1, 16.5600, N'Eastern Connection', N'35 King George', N'London', NULL, N'WX3 6FW', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10727, N'REGGC', 2, CAST(0x00008B9700000000 AS DateTime), CAST(0x00008BB300000000 AS DateTime), CAST(0x00008BB700000000 AS DateTime), 1, 89.9000, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10728, N'QUEEN', 4, CAST(0x00008B9800000000 AS DateTime), CAST(0x00008BB400000000 AS DateTime), CAST(0x00008B9F00000000 AS DateTime), 2, 58.3300, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10729, N'LINOD', 8, CAST(0x00008B9800000000 AS DateTime), CAST(0x00008BC200000000 AS DateTime), CAST(0x00008BA200000000 AS DateTime), 3, 141.0600, N'LINO-Delicateses', N'Ave. 5 de Mayo Porlamar', N'L. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10730, N'BONAP', 5, CAST(0x00008B9900000000 AS DateTime), CAST(0x00008BB500000000 AS DateTime), CAST(0x00008BA200000000 AS DateTime), 1, 20.1200, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10731, N'CHOPS', 7, CAST(0x00008B9A00000000 AS DateTime), CAST(0x00008BB600000000 AS DateTime), CAST(0x00008BA200000000 AS DateTime), 1, 96.6500, N'Chop-suey Chinese', N'Hauptstr. 31', N'Bern', NULL, N'3012', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10732, N'BONAP', 3, CAST(0x00008B9A00000000 AS DateTime), CAST(0x00008BB600000000 AS DateTime), CAST(0x00008B9B00000000 AS DateTime), 1,

16.9700, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10733, N'BERGS', 1, CAST(0x00008B9B00000000 AS DateTime), CAST(0x00008BB700000000 AS DateTime), CAST(0x00008B9E00000000 AS DateTime), 3, 110.1100, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10734, N'GOURL', 2, CAST(0x00008B9B00000000 AS DateTime), CAST(0x00008BB700000000 AS DateTime), CAST(0x00008BA000000000 AS DateTime), 3, 1.6300, N'Gourmet Lanchonetes', N'Av. Brasil, 442', N'Campinas', N'SP', N'04876-786', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10735, N'LETSS', 6, CAST(0x00008B9E00000000 AS DateTime), CAST(0x00008BBA00000000 AS DateTime), CAST(0x00008BA900000000 AS DateTime), 2, 45.9700, N'Let's Stop N Shop', N'87 Polk St. Suite 5', N'San Francisco', N'CA', N'94117', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10736, N'HUNGO', 9, CAST(0x00008B9F00000000 AS DateTime), CAST(0x00008BBB00000000 AS DateTime), CAST(0x00008BA900000000 AS DateTime), 2, 44.1000, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10737, N'VINET', 2, CAST(0x00008B9F00000000 AS DateTime), CAST(0x00008BBB00000000 AS DateTime), CAST(0x00008BA600000000 AS DateTime), 2, 7.7900, N'Vins et alcools Chevalier', N'59 rue de l'Abbaye', N'Reims', NULL, N'51100', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10738, N'SPECD', 2, CAST(0x00008BA000000000 AS DateTime), CAST(0x00008BBC00000000 AS DateTime), CAST(0x00008BA600000000 AS DateTime), 1, 2.9100, N'Spécialités du monde', N'25, rue Lauriston', N'Paris', NULL, N'75016', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10739, N'VINET', 3, CAST(0x00008BA000000000 AS DateTime), CAST(0x00008BBC00000000 AS DateTime), CAST(0x00008BA500000000 AS DateTime), 3, 11.0800, N'Vins et alcools Chevalier', N'59 rue de l'Abbaye', N'Reims', NULL, N'51100', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10740, N'WHITC', 4, CAST(0x00008BA100000000 AS DateTime), CAST(0x00008BBD00000000 AS DateTime), CAST(0x00008BAD00000000 AS DateTime), 2, 81.8800, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10741, N'AROUT', 4, CAST(0x00008BA200000000 AS DateTime), CAST(0x00008BB000000000 AS DateTime), CAST(0x00008BA600000000 AS DateTime), 3, 10.9600, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10742, N'BOTTOM', 3, CAST(0x00008BA200000000 AS DateTime), CAST(0x00008BBE00000000 AS DateTime), CAST(0x00008BA600000000 AS DateTime), 3, 243.7300, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10743, N'AROUT', 1, CAST(0x00008BA500000000 AS DateTime), CAST(0x00008BC100000000 AS DateTime), CAST(0x00008BA900000000 AS DateTime), 2, 23.7200, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10744, N'VAFFE', 6, CAST(0x00008BA500000000 AS DateTime), CAST(0x00008BC100000000 AS DateTime), CAST(0x00008BAC00000000 AS DateTime), 1, 69.1900, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10745, N'QUICK', 9, CAST(0x00008BA600000000 AS DateTime), CAST(0x00008BC200000000 AS DateTime), CAST(0x00008BAF00000000 AS DateTime), 1, 3.5200, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10746, N'CHOPS', 1, CAST(0x00008BA700000000 AS DateTime), CAST(0x00008BC300000000 AS DateTime), CAST(0x00008BA900000000 AS DateTime), 3, 31.4300, N'Chop-suey Chinese', N'Hauptstr. 31', N'Bern', NULL, N'3012', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10747, N'PICCO', 6, CAST(0x00008BA700000000 AS DateTime), CAST(0x00008BC300000000 AS DateTime), CAST(0x00008BAE00000000 AS DateTime), 1, 117.3300, N'Piccolo und mehr', N'Geisweg 14', N'Salzburg', NULL, N'5020', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10748, N'SAVEA', 3, CAST(0x00008BA800000000 AS DateTime), CAST(0x00008BC400000000 AS DateTime), CAST(0x00008BB000000000 AS DateTime), 1, 232.5500, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10749, N'ISLAT', 4, CAST(0x00008BA800000000 AS DateTime), CAST(0x00008BC400000000 AS DateTime), CAST(0x00008BC500000000 AS DateTime), 2, 61.5300, N'Island Trading', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31 7PJ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10750, N'WARTH', 9, CAST(0x00008BA900000000 AS DateTime), CAST(0x00008BC500000000 AS DateTime), CAST(0x00008BAC00000000 AS DateTime), 1, 79.3000, N'Wartian Herkuu', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10751, N'RICSU', 3, CAST(0x00008BAC00000000 AS DateTime), CAST(0x00008BC800000000 AS DateTime), CAST(0x00008BB500000000 AS DateTime), 3, 130.7900, N'Richter Supermarkt', N'Starenweg 5', N'Genève', NULL, N'1204', N'Switzerland') GO print 'Processed 500 total records' INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10752, N'NORTS', 2, CAST(0x00008BAC00000000 AS DateTime), CAST(0x00008BC800000000 AS DateTime), CAST(0x00008BB000000000 AS DateTime), 3, 1.3900, N'North/South', N'South House 300 Queensbridge', N'London', NULL, N'SW7 1RZ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10753, N'FRANS', 3, CAST(0x00008BAD00000000 AS DateTime), CAST(0x00008BC900000000 AS DateTime), CAST(0x00008BAF00000000 AS DateTime), 1, 7.7000, N'Franchi S.p.A.', N'Via Monte Bianco 34', N'Torino', NULL, N'10100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10754, N'MAGAA', 6, CAST(0x00008BAD00000000 AS DateTime), CAST(0x00008BC900000000 AS DateTime), CAST(0x00008BAF00000000 AS DateTime), 3, 2.3800, N'Magazzini Alimentari Riuniti', N'Via Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10755, N'BONAP', 4, CAST(0x00008BAE00000000 AS DateTime), CAST(0x00008BCA00000000 AS DateTime), CAST(0x00008BB000000000 AS DateTime), 2, 16.7100, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10756, N'SPLIR', 8, CAST(0x00008BAF00000000 AS DateTime), CAST(0x00008BCB00000000 AS DateTime), CAST(0x00008BB400000000 AS DateTime), 2, 73.2100, N'Split Rail Beer & Ale',



N'P.O. Box 555', N'Lander', N'WY', N'82520', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10757, N'SAVEA', 6, CAST(0x00008BAF00000000 AS DateTime), CAST(0x00008BCB00000000 AS DateTime), CAST(0x00008BC100000000 AS DateTime), 1, 8.1900, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10758, N'RICSU', 3, CAST(0x00008BB000000000 AS DateTime), CAST(0x00008BCC00000000 AS DateTime), CAST(0x00008BB600000000 AS DateTime), 3, 138.1700, N'Richter Supermarkt', N'Starenweg 5', N'Genève', NULL, N'1204', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10759, N'ANATR', 3, CAST(0x00008BB000000000 AS DateTime), CAST(0x00008BCC00000000 AS DateTime), CAST(0x00008BBE00000000 AS DateTime), 3, 11.9900, N'Ana Trujillo Emparedados y helados', N'Avda. de la Constitución 2222', N'México D.F.', NULL, N'05021', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10760, N'MAISD', 4, CAST(0x00008BB300000000 AS DateTime), CAST(0x00008BCF00000000 AS DateTime), CAST(0x00008BBC00000000 AS DateTime), 1, 155.6400, N'Maison Dewey', N'Rue Joseph-Bens 532', N'Bruxelles', NULL, N'B-1180', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10761, N'RATTC', 5, CAST(0x00008BB400000000 AS DateTime), CAST(0x00008BD000000000 AS DateTime), CAST(0x00008BBA00000000 AS DateTime), 2, 18.6600, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10762, N'FOLKO', 3, CAST(0x00008BB400000000 AS DateTime), CAST(0x00008BD000000000 AS DateTime), CAST(0x00008BBB00000000 AS DateTime), 1, 328.7400, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10763, N'FOLIG', 3, CAST(0x00008BB500000000 AS DateTime), CAST(0x00008BD100000000 AS DateTime), CAST(0x00008BBA00000000 AS DateTime), 3, 37.3500, N'Folies gourmandes', N'184, chaussée de Tournai', N'Lille', NULL, N'59000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10764, N'ERNSH', 6, CAST(0x00008BB500000000 AS DateTime), CAST(0x00008BD100000000 AS DateTime), CAST(0x00008BBA00000000 AS DateTime), 3, 145.4500, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10765, N'QUICK', 3, CAST(0x00008BB600000000 AS DateTime), CAST(0x00008BD200000000 AS DateTime), CAST(0x00008BBB00000000 AS DateTime), 3, 42.7400, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10766, N'OTTIK', 4, CAST(0x00008BB700000000 AS DateTime), CAST(0x00008BD300000000 AS DateTime), CAST(0x00008BBB00000000 AS DateTime), 1, 157.5500, N'Ottlies Käseladen', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10767, N'SUPRD', 4, CAST(0x00008BB700000000 AS DateTime), CAST(0x00008BD300000000 AS DateTime), CAST(0x00008BBC00000000 AS DateTime), 3, 1.5900, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10768, N'AROUT', 3, CAST(0x00008BBA00000000 AS DateTime), CAST(0x00008BD600000000 AS DateTime), CAST(0x00008BC100000000 AS DateTime), 2, 146.3200, N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10769, N'VAFFE', 3, CAST(0x00008BBA00000000 AS DateTime), CAST(0x00008BD600000000 AS DateTime), CAST(0x00008BBE00000000 AS DateTime), 1, 65.0600, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10770, N'HANAR', 8, CAST(0x00008BBB00000000 AS DateTime), CAST(0x00008BD700000000 AS DateTime), CAST(0x00008BC300000000 AS DateTime), 3, 5.3200, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10771, N'ERNSH', 9, CAST(0x00008BBC00000000 AS DateTime), CAST(0x00008BD800000000 AS DateTime), CAST(0x00008BD300000000 AS DateTime), 2, 11.1900, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10772, N'LEHMS', 3, CAST(0x00008BBC00000000 AS DateTime), CAST(0x00008BD800000000 AS DateTime), CAST(0x00008BC500000000 AS DateTime), 2, 91.2800, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10773, N'ERNSH', 1, CAST(0x00008BBD00000000 AS DateTime), CAST(0x00008BD900000000 AS DateTime), CAST(0x00008BC200000000 AS DateTime), 3, 96.4300, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10774, N'FOLKO', 4, CAST(0x00008BBD00000000 AS DateTime), CAST(0x00008BCB00000000 AS DateTime), CAST(0x00008BBE00000000 AS DateTime), 1, 48.2000, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10775, N'THECR', 7, CAST(0x00008BBE00000000 AS DateTime), CAST(0x00008BDA00000000 AS DateTime), CAST(0x00008BCC00000000 AS DateTime), 1, 20.2500, N'The Cracker Box', N'55 Grizzly Peak Rd.', N'Butte', N'MT', N'59801', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10776, N'ERNSH', 1, CAST(0x00008BC100000000 AS DateTime), CAST(0x00008BDD00000000 AS DateTime), CAST(0x00008BC400000000 AS DateTime), 3, 351.5300, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10777, N'GOURL', 7, CAST(0x00008BC100000000 AS DateTime), CAST(0x00008BCF00000000 AS DateTime), CAST(0x00008BE000000000 AS DateTime), 2, 3.0100, N'Gourmet Lanchonetes', N'Av. Brasil, 442', N'Campinas', N'SP', N'04876-786', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10778, N'BERGS', 3, CAST(0x00008BC200000000 AS DateTime), CAST(0x00008BDE00000000 AS DateTime), CAST(0x00008BCA00000000 AS DateTime), 1, 6.7900, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10779, N'MORGK', 3, CAST(0x00008BC200000000 AS DateTime), CAST(0x00008BDE00000000 AS DateTime), CAST(0x00008BDF00000000 AS DateTime), 2, 58.1300, N'Morgenstern Gesundkost', N'Heerstr. 22', N'Leipzig', NULL, N'04179', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10780, N'LILAS', 2, CAST(0x00008BC200000000 AS DateTime), CAST(0x00008BCB00000000 AS DateTime), CAST(0x00008BCB00000000 AS DateTime), 1, 42.1300, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID],

[CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10781, N'WARTH', 2, CAST(0x00008BC300000000 AS DateTime), CAST(0x00008BDF00000000 AS DateTime), CAST(0x00008BC500000000 AS DateTime), 3, 73.1600, N'Wartian Herku', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10782, N'CACTU', 9, CAST(0x00008BC300000000 AS DateTime), CAST(0x00008BDF00000000 AS DateTime), CAST(0x00008BC800000000 AS DateTime), 3, 1.1000, N'Cactus Comidas para llevar', N'Cerrito 333', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10783, N'HANAR', 4, CAST(0x00008BC400000000 AS DateTime), CAST(0x00008BE000000000 AS DateTime), CAST(0x00008BC500000000 AS DateTime), 2, 124.9800, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10784, N'MAGAA', 4, CAST(0x00008BC400000000 AS DateTime), CAST(0x00008BE000000000 AS DateTime), CAST(0x00008BC800000000 AS DateTime), 3, 70.0900, N'Magazzini Alimentari Riuniti', N'Via Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10785, N'GROSR', 1, CAST(0x00008BC400000000 AS DateTime), CAST(0x00008BE000000000 AS DateTime), CAST(0x00008BCA00000000 AS DateTime), 3, 1.5100, N'GROSELLA-Restaurante', N'5ª Ave. Los Palos Grandes', N'Caracas', N'DF', N'1081', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10786, N'QUEEN', 8, CAST(0x00008BC500000000 AS DateTime), CAST(0x00008BE100000000 AS DateTime), CAST(0x00008BC900000000 AS DateTime), 1, 110.8700, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10787, N'LAMAI', 2, CAST(0x00008BC500000000 AS DateTime), CAST(0x00008BD300000000 AS DateTime), CAST(0x00008BCC00000000 AS DateTime), 1, 249.9300, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10788, N'QUICK', 1, CAST(0x00008BC800000000 AS DateTime), CAST(0x00008BE400000000 AS DateTime), CAST(0x00008BE400000000 AS DateTime), 2, 42.7000, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10789, N'FOLIG', 1, CAST(0x00008BC800000000 AS DateTime), CAST(0x00008BE400000000 AS DateTime), CAST(0x00008BD100000000 AS DateTime), 2, 100.6000, N'Folies gourmandes', N'184, chaussée de Tournai', N'Lille', NULL, N'59000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10790, N'GOURL', 6, CAST(0x00008BC800000000 AS DateTime), CAST(0x00008BE400000000 AS DateTime), CAST(0x00008BCC00000000 AS DateTime), 1, 28.2300, N'Gourmet Lanchonetes', N'Av. Brasil, 442', N'Campinas', N'SP', N'04876-786', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10791, N'FRANK', 6, CAST(0x00008BC900000000 AS DateTime), CAST(0x00008BE500000000 AS DateTime), CAST(0x00008BD200000000 AS DateTime), 2, 16.8500, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10792, N'WOLZA', 1, CAST(0x00008BC900000000 AS DateTime), CAST(0x00008BE500000000 AS DateTime), CAST(0x00008BD100000000 AS DateTime), 3, 23.7900, N'Wolski Zajazd', N'ul. Filtrowa 68', N'Warszawa', NULL, N'01-012', N'Poland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10793, N'AROUT', 3, CAST(0x00008BCA00000000 AS DateTime), CAST(0x00008BE600000000 AS DateTime), CAST(0x00008BD900000000 AS DateTime), 3, 4.5200, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10794, N'QUEDE', 6, CAST(0x00008BCA00000000 AS DateTime), CAST(0x00008BE600000000 AS DateTime), CAST(0x00008BD300000000 AS DateTime), 1, 21.4900, N'Que Delicia', N'Rua da Panificadora, 12', N'Rio de Janeiro', N'RJ', N'02389-673', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10795, N'ERNSH', 8, CAST(0x00008BCA00000000 AS DateTime), CAST(0x00008BE600000000 AS DateTime), CAST(0x00008BE500000000 AS DateTime), 2, 126.6600, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10796, N'HILAA', 3, CAST(0x00008BCB00000000 AS DateTime), CAST(0x00008BE700000000 AS DateTime), CAST(0x00008BDF00000000 AS DateTime), 1, 26.5200, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10797, N'DRACD', 7, CAST(0x00008BCB00000000 AS DateTime), CAST(0x00008BE700000000 AS DateTime), CAST(0x00008BD600000000 AS DateTime), 2, 33.3500, N'Drachenblut Delikatessen', N'Walserweg 21', N'Aachen', NULL, N'52066', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10798, N'ISLAT', 2, CAST(0x00008BCC00000000 AS DateTime), CAST(0x00008BE800000000 AS DateTime), CAST(0x00008BD600000000 AS DateTime), 1, 2.3300, N'Island Trading', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31 7PJ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10799, N'KOENE', 9, CAST(0x00008BCC00000000 AS DateTime), CAST(0x00008BF600000000 AS DateTime), CAST(0x00008BD600000000 AS DateTime), 3, 30.7600, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10800, N'SEVES', 1, CAST(0x00008BCC00000000 AS DateTime), CAST(0x00008BE800000000 AS DateTime), CAST(0x00008BD600000000 AS DateTime), 3, 137.4400, N'Seven Seas Imports', N'90 Wadhurst Rd.', N'London', NULL, N'OX15 4NB', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10801, N'BOLID', 4, CAST(0x00008BCF00000000 AS DateTime), CAST(0x00008BEB00000000 AS DateTime), CAST(0x00008BD300000000 AS DateTime), 2, 257.2600, N'Simons bistro', N'Vinbæltet 34', N'Copenhagen', NULL, N'1734', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10803, N'WELLI', 4, CAST(0x00008BD000000000 AS DateTime), CAST(0x00008BEC00000000 AS DateTime), CAST(0x00008BD700000000 AS DateTime), 1, 55.2300, N'Wellington Importadora', N'Rua do Mercado, 12', N'Resende', N'SP', N'08737-363', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10804, N'SEVES', 6, CAST(0x00008BD000000000 AS DateTime), CAST(0x00008BEC00000000 AS DateTime), CAST(0x00008BD800000000 AS DateTime), 2, 27.3300, N'Seven Seas Imports', N'90 Wadhurst Rd.', N'London', NULL, N'OX15 4NB', N'UK')

INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10805, N'THEBI', 2, CAST(0x00008BD000000000 AS DateTime), CAST(0x00008BEC00000000 AS DateTime), CAST(0x00008BDA00000000 AS DateTime), 3, 237.3400, N'The Big Cheese', N'89 Jefferson Way Suite 2', N'Portland', N'OR', N'97201', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10806, N'VICTE', 3, CAST(0x00008BD100000000 AS DateTime), CAST(0x00008BED00000000 AS DateTime), CAST(0x00008BD600000000 AS DateTime), 2, 22.1100, N'Victuailles en stock', N'2, rue du Commerce', N'Lyons', NULL, N'69004', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10807, N'FRANS', 4, CAST(0x00008BD100000000 AS DateTime), CAST(0x00008BEF00000000 AS DateTime), 1, 1.3600, N'Franchi S.p.A.', N'Via Monte Bianco 34', N'Torino', NULL, N'10100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10808, N'OLDWO', 2, CAST(0x00008BD200000000 AS DateTime), CAST(0x00008BEE00000000 AS DateTime), CAST(0x00008BDA00000000 AS DateTime), 3, 45.5300, N'Old World Delicatessen', N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10809, N'WELLI', 7, CAST(0x00008BD200000000 AS DateTime), CAST(0x00008BEE00000000 AS DateTime), CAST(0x00008BD800000000 AS DateTime), 1, 4.8700, N'Wellington Importadora', N'Rua do Mercado, 12', N'Resende', N'SP', N'08737-363', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10810, N'LAUGB', 2, CAST(0x00008BD200000000 AS DateTime), CAST(0x00008BEE00000000 AS DateTime), CAST(0x00008BD800000000 AS DateTime), 3, 4.3300, N'Laughing Bacchus Wine Cellars', N'2319 Elm St.', N'Vancouver', N'BC', N'V3F 2K1', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10811, N'LINOD', 8, CAST(0x00008BD300000000 AS DateTime), CAST(0x00008BEF00000000 AS DateTime), CAST(0x00008BD900000000 AS DateTime), 1, 31.2200, N'LINO-Delicatesses', N'Ave. 5 de Mayo Porlamar', N'1. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10812, N'REGGC', 5, CAST(0x00008BD300000000 AS DateTime), CAST(0x00008BEF00000000 AS DateTime), CAST(0x00008BDD00000000 AS DateTime), 1, 59.7800, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10813, N'RICAR', 1, CAST(0x00008BD600000000 AS DateTime), CAST(0x00008BF200000000 AS DateTime), CAST(0x00008BDA00000000 AS DateTime), 1, 47.3800, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10814, N'VICTE', 3, CAST(0x00008BD600000000 AS DateTime), CAST(0x00008BF200000000 AS DateTime), CAST(0x00008BDF00000000 AS DateTime), 3, 130.9400, N'Victuailles en stock', N'2, rue du Commerce', N'Lyons', NULL, N'69004', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10815, N'SAVEA', 2, CAST(0x00008BD600000000 AS DateTime), CAST(0x00008BF200000000 AS DateTime), CAST(0x00008BF200000000 AS DateTime), 3, 14.6200, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10816, N'GREAL', 4, CAST(0x00008BD700000000 AS DateTime), CAST(0x00008BF400000000 AS DateTime), CAST(0x00008BF400000000 AS DateTime), 2, 719.7800, N'Great Lakes Food Market', N'2732 Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10817, N'KOENE', 3, CAST(0x00008BD700000000 AS DateTime), CAST(0x00008BE500000000 AS DateTime), CAST(0x00008BDE00000000 AS DateTime), 2, 306.0700, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10818, N'MAGAA', 7, CAST(0x00008BD800000000 AS DateTime), CAST(0x00008BF400000000 AS DateTime), CAST(0x00008BDD00000000 AS DateTime), 3, 65.4800, N'Magazzini Alimentari Riuniti', N'Via Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10819, N'CACTU', 2, CAST(0x00008BD800000000 AS DateTime), CAST(0x00008BF400000000 AS DateTime), CAST(0x00008BE100000000 AS DateTime), 3, 19.7600, N'Cactus Comidas para llevar', N'Cerrito 333', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10820, N'RATTC', 3, CAST(0x00008BD800000000 AS DateTime), CAST(0x00008BF400000000 AS DateTime), CAST(0x00008BDE00000000 AS DateTime), 2, 37.5200, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10821, N'SPLIR', 1, CAST(0x00008BD900000000 AS DateTime), CAST(0x00008BF500000000 AS DateTime), CAST(0x00008BE000000000 AS DateTime), 1, 36.6800, N'Split Rail Beer & Ale', N'P.O. Box 555', N'Lander', N'WY', N'82520', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10822, N'TRAIH', 6, CAST(0x00008BD900000000 AS DateTime), CAST(0x00008BF500000000 AS DateTime), CAST(0x00008BE100000000 AS DateTime), 3, 7.0000, N'Trail's Head Gourmet Provisioners', N'722 DaVinci Blvd.', N'Kirkland', N'WA', N'98034', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10823, N'LILAS', 5, CAST(0x00008BDA00000000 AS DateTime), CAST(0x00008BF600000000 AS DateTime), CAST(0x00008BDE00000000 AS DateTime), 2, 163.9700, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10824, N'FOLKO', 8, CAST(0x00008BDA00000000 AS DateTime), CAST(0x00008BF600000000 AS DateTime), CAST(0x00008BEF00000000 AS DateTime), 1, 1.2300, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10825, N'DRACD', 1, CAST(0x00008BDA00000000 AS DateTime), CAST(0x00008BF600000000 AS DateTime), CAST(0x00008BDF00000000 AS DateTime), 1, 79.2500, N'Drachenblut Delikatessen', N'Walsersweg 21', N'Aachen', NULL, N'52066', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10826, N'BLONP', 6, CAST(0x00008BDD00000000 AS DateTime), CAST(0x00008BF900000000 AS DateTime), CAST(0x00008BF600000000 AS DateTime), 1, 7.0900, N'Blondel père et fils', N'24, place Kléber', N'Strasbourg', N'N', N'67000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10827, N'BONAP', 1, CAST(0x00008BDD00000000 AS DateTime), CAST(0x00008BEB00000000 AS DateTime), CAST(0x00008BF600000000 AS DateTime), 2, 63.5400, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10828, N'RANCH', 9, CAST(0x00008BDE00000000 AS DateTime), CAST(0x00008BEC00000000 AS DateTime), CAST(0x00008BF400000000 AS DateTime), 1, 90.8500, N'Rancho grande', N'Av. del Libertador

900', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10829, N'ISLAT', 9, CAST(0x00008BDE00000000 AS DateTime), CAST(0x00008BFA00000000 AS DateTime), CAST(0x00008BE800000000 AS DateTime), 1, 154.7200, N'Island Trading', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31 7PJ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10830, N'TRADH', 4, CAST(0x00008BDE00000000 AS DateTime), CAST(0x00008C8000000000 AS DateTime), CAST(0x00008BE600000000 AS DateTime), 2, 81.8300, N'Tradicao Hipermercados', N'Av. Inês de Castro, 414', N'Sao Paulo', N'SP', N'05634-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10831, N'SANTG', 3, CAST(0x00008BDF00000000 AS DateTime), CAST(0x00008BFB00000000 AS DateTime), CAST(0x00008BE800000000 AS DateTime), 2, 72.1900, N'Santé Gourmet', N'Erling Skakkes gate 78', N'Stavern', NULL, N'41110', N'Norway') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10832, N'LAMAI', 2, CAST(0x00008BDF00000000 AS DateTime), CAST(0x00008BFB00000000 AS DateTime), CAST(0x00008BE400000000 AS DateTime), 2, 43.2600, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10833, N'OTTIK', 6, CAST(0x00008BE000000000 AS DateTime), CAST(0x00008BFC00000000 AS DateTime), CAST(0x00008BE800000000 AS DateTime), 2, 71.4900, N'Otilies Käseladen', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10834, N'TRADH', 1, CAST(0x00008BE000000000 AS DateTime), CAST(0x00008BFC00000000 AS DateTime), CAST(0x00008BE400000000 AS DateTime), 3, 29.7800, N'Tradicao Hipermercados', N'Av. Inês de Castro, 414', N'Sao Paulo', N'SP', N'05634-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10835, N'ALFKI', 1, CAST(0x00008BE000000000 AS DateTime), CAST(0x00008BFC00000000 AS DateTime), CAST(0x00008BE600000000 AS DateTime), 3, 69.5300, N'Alfred's Futterkiste', N'Obere Str. 57', N'Berlin', NULL, N'12209', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10836, N'ERNSH', 7, CAST(0x00008BE100000000 AS DateTime), CAST(0x00008BFD00000000 AS DateTime), CAST(0x00008BE600000000 AS DateTime), 1, 411.8800, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10837, N'BERGS', 9, CAST(0x00008BE100000000 AS DateTime), CAST(0x00008BFD00000000 AS DateTime), CAST(0x00008BE800000000 AS DateTime), 3, 13.3200, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10838, N'LINOD', 3, CAST(0x00008BE400000000 AS DateTime), CAST(0x00008C0000000000 AS DateTime), CAST(0x00008BE800000000 AS DateTime), 3, 59.2800, N'LINO-Delicateses', N'Ave. 5 de Mayo Porlamar', N'I. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10839, N'TRADH', 3, CAST(0x00008BE400000000 AS DateTime), CAST(0x00008C0000000000 AS DateTime), CAST(0x00008BE700000000 AS DateTime), 3, 35.4300, N'Tradicao Hipermercados', N'Av. Inês de Castro, 414', N'Sao Paulo', N'SP', N'05634-030', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10840, N'LINOD', 4, CAST(0x00008BE400000000 AS DateTime), CAST(0x00008C0E00000000 AS DateTime), CAST(0x00008C0000000000 AS DateTime), 2, 2.7100, N'LINO-Delicateses', N'Ave. 5 de Mayo Porlamar', N'I. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10841, N'SUPRD', 5, CAST(0x00008BE500000000 AS DateTime), CAST(0x00008C0100000000 AS DateTime), CAST(0x00008BEE00000000 AS DateTime), 2, 424.3000, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10842, N'TORTU', 1, CAST(0x00008BE500000000 AS DateTime), CAST(0x00008C0100000000 AS DateTime), CAST(0x00008BEE00000000 AS DateTime), 3, 54.4200, N'Tortuga Restaurante', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10843, N'VICTE', 4, CAST(0x00008BE600000000 AS DateTime), CAST(0x00008C0200000000 AS DateTime), CAST(0x00008BEB00000000 AS DateTime), 2, 9.2600, N'Victuailles en stock', N'2, rue du Commerce', N'Lyon', NULL, N'69004', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10844, N'PICCO', 8, CAST(0x00008BE600000000 AS DateTime), CAST(0x00008C0200000000 AS DateTime), CAST(0x00008BEB00000000 AS DateTime), 2, 25.2200, N'Piccolo und mehr', N'Geisweg 14', N'Salzburg', NULL, N'5020', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10845, N'QUICK', 8, CAST(0x00008BE600000000 AS DateTime), CAST(0x00008BF400000000 AS DateTime), CAST(0x00008BEF00000000 AS DateTime), 1, 212.9800, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10846, N'SUPRD', 2, CAST(0x00008BE700000000 AS DateTime), CAST(0x00008C1100000000 AS DateTime), CAST(0x00008BE800000000 AS DateTime), 3, 56.4600, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10847, N'SAVEA', 4, CAST(0x00008BE700000000 AS DateTime), CAST(0x00008BF500000000 AS DateTime), CAST(0x00008BFA00000000 AS DateTime), 3, 487.5700, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10848, N'CONSH', 7, CAST(0x00008BE800000000 AS DateTime), CAST(0x00008C0400000000 AS DateTime), CAST(0x00008BEE00000000 AS DateTime), 2, 38.2400, N'Consolidated Holdings', N'Berkeley Gardens 12 Brewery', N'London', N'WX1 6LT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10849, N'KOENE', 9, CAST(0x00008BE800000000 AS DateTime), CAST(0x00008C0400000000 AS DateTime), CAST(0x00008BEF00000000 AS DateTime), 2, 0.5600, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10850, N'VICTE', 1, CAST(0x00008BE800000000 AS DateTime), CAST(0x00008C1200000000 AS DateTime), CAST(0x00008BEF00000000 AS DateTime), 1, 49.1900, N'Victuailles en stock', N'2, rue du Commerce', N'Lyon', NULL, N'69004', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10851, N'RICAR', 5, CAST(0x00008BEB00000000 AS DateTime), CAST(0x00008C0700000000 AS DateTime), CAST(0x00008BF200000000 AS DateTime), 1, 160.5500, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10852, N'RATTC', 8, CAST(0x00008BEB00000000 AS DateTime), CAST(0x00008BF900000000 AS DateTime), CAST(0x00008BEF00000000 AS DateTime), 1, 174.0500, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110',

N'USA') GO print 'Processed 600 total records' INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10853, N'BLAUS', 9, CAST(0x00008BEC00000000 AS DateTime), CAST(0x00008C0800000000 AS DateTime), CAST(0x00008BF300000000 AS DateTime), 2, 53.8300, N'Blauer See Delikatessen', N'Forsterstr. 57', N'Mannheim', NULL, N'68306', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10854, N'ERNST', 3, CAST(0x00008BEC00000000 AS DateTime), CAST(0x00008C0800000000 AS DateTime), CAST(0x00008BF500000000 AS DateTime), 2, 100.2200, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10855, N'OLDWO', 3, CAST(0x00008BEC00000000 AS DateTime), CAST(0x00008C0800000000 AS DateTime), CAST(0x00008BF400000000 AS DateTime), 1, 170.9700, N'Old World Delicatessen', N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10856, N'ANTON', 3, CAST(0x00008BED00000000 AS DateTime), CAST(0x00008C0900000000 AS DateTime), CAST(0x00008BFA00000000 AS DateTime), 2, 58.4300, N'Antonio Moreno Taquería', N'Mataderos 2312', N'México D.F.', NULL, N'05023', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10857, N'BERGS', 8, CAST(0x00008BED00000000 AS DateTime), CAST(0x00008C0900000000 AS DateTime), CAST(0x00008BF600000000 AS DateTime), 2, 188.8500, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10858, N'LACOR', 2, CAST(0x00008BEE00000000 AS DateTime), CAST(0x00008C0A00000000 AS DateTime), CAST(0x00008BF300000000 AS DateTime), 1, 52.5100, N'La corne d'abondance', N'67, avenue de l'Europe', N'Versailles', NULL, N'78000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10859, N'FRANK', 1, CAST(0x00008BEE00000000 AS DateTime), CAST(0x00008C0A00000000 AS DateTime), CAST(0x00008BF200000000 AS DateTime), 2, 76.1000, N'Frankensversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10860, N'FRANR', 3, CAST(0x00008BEE00000000 AS DateTime), CAST(0x00008C0A00000000 AS DateTime), CAST(0x00008BF400000000 AS DateTime), 3, 19.2600, N'France restauration', N'54, rue Royale', N'Nantes', NULL, N'44000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10861, N'WHITC', 4, CAST(0x00008BEF00000000 AS DateTime), CAST(0x00008C0B00000000 AS DateTime), CAST(0x00008C0100000000 AS DateTime), 2, 14.9300, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10862, N'LEHMS', 8, CAST(0x00008BEF00000000 AS DateTime), CAST(0x00008C0B00000000 AS DateTime), CAST(0x00008C0190000000 AS DateTime), 2, 53.2300, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10863, N'HILAA', 4, CAST(0x00008BF200000000 AS DateTime), CAST(0x00008C0E00000000 AS DateTime), CAST(0x00008C0100000000 AS DateTime), 2, 30.2600, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10864, N'AROUT', 4, CAST(0x00008BF200000000 AS DateTime), CAST(0x00008C0E00000000 AS DateTime), CAST(0x00008BF900000000 AS DateTime), 2, 3.0400, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10865, N'QUICK', 2, CAST(0x00008BF200000000 AS DateTime), CAST(0x00008C0E00000000 AS DateTime), CAST(0x00008BFC00000000 AS DateTime), 1, 348.1400, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10866, N'BERGS', 5, CAST(0x00008BF300000000 AS DateTime), CAST(0x00008C0F00000000 AS DateTime), CAST(0x00008BFC00000000 AS DateTime), 1, 109.1100, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10867, N'LONEP', 6, CAST(0x00008BF300000000 AS DateTime), CAST(0x00008C1D00000000 AS DateTime), CAST(0x00008BFB00000000 AS DateTime), 1, 1.9300, N'Lonesome Pine Restaurant', N'89 Chiaroscuro Rd.', N'Portland', N'OR', N'97219', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10868, N'QUEEN', 7, CAST(0x00008BF400000000 AS DateTime), CAST(0x00008C1000000000 AS DateTime), CAST(0x00008C0700000000 AS DateTime), 2, 191.2700, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10869, N'SEVES', 5, CAST(0x00008BF400000000 AS DateTime), CAST(0x00008C1000000000 AS DateTime), CAST(0x00008BF900000000 AS DateTime), 1, 143.2800, N'Seven Seas Imports', N'90 Wadhurst Rd.', N'London', NULL, N'OX15 4NB', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10870, N'WOLZA', 5, CAST(0x00008BF400000000 AS DateTime), CAST(0x00008C1000000000 AS DateTime), CAST(0x00008BFD00000000 AS DateTime), 3, 12.0400, N'Wolski Zajazd', N'ul. Filtrowa 68', N'Warszawa', NULL, N'01-012', N'Poland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10871, N'BONAP', 9, CAST(0x00008BF500000000 AS DateTime), CAST(0x00008C1100000000 AS DateTime), CAST(0x00008BFA00000000 AS DateTime), 2, 112.2700, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10872, N'GODOS', 5, CAST(0x00008BF500000000 AS DateTime), CAST(0x00008C1100000000 AS DateTime), CAST(0x00008BF900000000 AS DateTime), 2, 175.3200, N'Godos Cocina Típica', N'C/ Romero, 33', N'Sevilla', NULL, N'41101', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10873, N'WILMK', 4, CAST(0x00008BF600000000 AS DateTime), CAST(0x00008C1200000000 AS DateTime), CAST(0x00008BF900000000 AS DateTime), 1, 0.8200, N'Wilman Kala', N'Helsinki', NULL, N'21240', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10874, N'GODOS', 5, CAST(0x00008BF600000000 AS DateTime), CAST(0x00008C1200000000 AS DateTime), CAST(0x00008BFB00000000 AS DateTime), 2, 19.5800, N'Godos Cocina Típica', N'C/ Romero, 33', N'Sevilla', NULL, N'41101', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10875, N'BERGS', 4, CAST(0x00008BF600000000 AS DateTime), CAST(0x00008C1200000000 AS DateTime), CAST(0x00008C0F00000000 AS DateTime), 2, 32.3700, N'Berglunds snabbköp', N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10876, N'BONAP', 7, CAST(0x00008BF900000000 AS DateTime), CAST(0x00008C1500000000 AS DateTime), CAST(0x00008BFC00000000 AS DateTime), 3, 60.4200, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008',



N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10877, N'RICAR', 1, CAST(0x00008BF900000000 AS DateTime), CAST(0x00008C1500000000 AS DateTime), CAST(0x00008C0300000000 AS DateTime), 1, 38.0600, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10878, N'QUICK', 4, CAST(0x00008BFA00000000 AS DateTime), CAST(0x00008C1600000000 AS DateTime), CAST(0x00008BFC00000000 AS DateTime), 1, 46.6900, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10879, N'WILMK', 3, CAST(0x00008BFA00000000 AS DateTime), CAST(0x00008C1600000000 AS DateTime), CAST(0x00008BFC00000000 AS DateTime), 1, 8.5000, N'Wilman Kala', N'Keskuskatu 45', N'Helsinki', NULL, N'021240', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10880, N'FOLKO', 7, CAST(0x00008BFA00000000 AS DateTime), CAST(0x00008C2400000000 AS DateTime), CAST(0x00008C0200000000 AS DateTime), 1, 88.0100, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10881, N'CACTU', 4, CAST(0x00008BFB00000000 AS DateTime), CAST(0x00008C1700000000 AS DateTime), CAST(0x00008C0200000000 AS DateTime), 1, 2.8400, N'Cactus Comidas para llevar', N'Cerrito 333', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10882, N'SAVEA', 4, CAST(0x00008BFB00000000 AS DateTime), CAST(0x00008C1700000000 AS DateTime), CAST(0x00008C0400000000 AS DateTime), 3, 23.1000, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10883, N'LONEP', 8, CAST(0x00008BFC00000000 AS DateTime), CAST(0x00008C1800000000 AS DateTime), CAST(0x00008C0400000000 AS DateTime), 3, 0.5300, N'Lonesome Pine Restaurant', N'89 Chiaroscuro Rd.', N'Portland', N'OR', N'97219', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10884, N'LETSS', 4, CAST(0x00008BFC00000000 AS DateTime), CAST(0x00008C1800000000 AS DateTime), CAST(0x00008BFD00000000 AS DateTime), 2, 90.9700, N'Let's Stop N Shop', N'87 Polk St. Suite 5', N'San Francisco', N'CA', N'94117', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10885, N'SUPRD', 6, CAST(0x00008BFC00000000 AS DateTime), CAST(0x00008C1800000000 AS DateTime), CAST(0x00008C0200000000 AS DateTime), 3, 5.6400, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10886, N'HANAR', 1, CAST(0x00008BFD00000000 AS DateTime), CAST(0x00008C1900000000 AS DateTime), CAST(0x00008C0E00000000 AS DateTime), 1, 4.9900, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10887, N'GALED', 8, CAST(0x00008BFD00000000 AS DateTime), CAST(0x00008C1900000000 AS DateTime), CAST(0x00008C0000000000 AS DateTime), 3, 1.2500, N'Galería del gastronómo', N'Rambla de Cataluña, 23', N'Barcelona', NULL, N'8022', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10888, N'GODOS', 1, CAST(0x00008C0000000000 AS DateTime), CAST(0x00008C1C00000000 AS DateTime), CAST(0x00008C0700000000 AS DateTime), 2, 51.8700, N'Godos Cocina Típica', N'C/ Romero, 33', N'Sevilla', NULL, N'41101', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10889, N'RATTC', 9, CAST(0x00008C0000000000 AS DateTime), CAST(0x00008C1C00000000 AS DateTime), CAST(0x00008C0700000000 AS DateTime), 3, 280.6100, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10890, N'DUMON', 7, CAST(0x00008C0000000000 AS DateTime), CAST(0x00008C1C00000000 AS DateTime), CAST(0x00008C0200000000 AS DateTime), 1, 32.7600, N'Du monde entier', N'67, rue des Cinquante Otages', N'Nantes', NULL, N'44000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10891, N'LEHMS', 7, CAST(0x00008C0100000000 AS DateTime), CAST(0x00008C1D00000000 AS DateTime), CAST(0x00008C0300000000 AS DateTime), 2, 20.3700, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10892, N'MAISD', 4, CAST(0x00008C0100000000 AS DateTime), CAST(0x00008C1D00000000 AS DateTime), CAST(0x00008C0300000000 AS DateTime), 2, 120.2700, N'Maison Dewey', N'Rue Joseph-Bens 532', N'Bruxelles', NULL, N'B-1180', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10893, N'KOENE', 9, CAST(0x00008C0200000000 AS DateTime), CAST(0x00008C1E00000000 AS DateTime), CAST(0x00008C0400000000 AS DateTime), 2, 77.7800, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10894, N'SAVEA', 1, CAST(0x00008C0200000000 AS DateTime), CAST(0x00008C1E00000000 AS DateTime), CAST(0x00008C0400000000 AS DateTime), 1, 116.1300, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10895, N'ERNSH', 3, CAST(0x00008C0200000000 AS DateTime), CAST(0x00008C1E00000000 AS DateTime), CAST(0x00008C0700000000 AS DateTime), 1, 162.7500, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10896, N'MAISD', 7, CAST(0x00008C0300000000 AS DateTime), CAST(0x00008C1F00000000 AS DateTime), CAST(0x00008C0B00000000 AS DateTime), 3, 32.4500, N'Maison Dewey', N'Rue Joseph-Bens 532', N'Bruxelles', NULL, N'B-1180', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10897, N'HUNGO', 3, CAST(0x00008C0300000000 AS DateTime), CAST(0x00008C1F00000000 AS DateTime), CAST(0x00008C0900000000 AS DateTime), 2, 603.5400, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10898, N'OCEAN', 4, CAST(0x00008C0400000000 AS DateTime), CAST(0x00008C2000000000 AS DateTime), CAST(0x00008C1200000000 AS DateTime), 2, 1.2700, N'Océano Atlántico Ltda.', N'Ing. Gustavo Moncada 8585 Piso 20-A', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10899, N'LILAS', 5, CAST(0x00008C0400000000 AS DateTime), CAST(0x00008C2000000000 AS DateTime), CAST(0x00008C0A00000000 AS DateTime), 3, 1.2100, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10900, N'WELLI', 1, CAST(0x00008C0400000000 AS DateTime), CAST(0x00008C2000000000 AS DateTime), CAST(0x00008C1000000000 AS DateTime), 2, 1.6600, N'Wellington Importadora',

N'Rua do Mercado, 12', N'Resende', N'SP', N'08737-363', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10901, N'HILAA', 4, CAST(0x00008C0700000000 AS DateTime), CAST(0x00008C2300000000 AS DateTime), CAST(0x00008C0A00000000 AS DateTime), 1, 62.0900, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10902, N'FOLKO', 1, CAST(0x00008C0700000000 AS DateTime), CAST(0x00008C2300000000 AS DateTime), CAST(0x00008C0F00000000 AS DateTime), 1, 44.1500, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10903, N'HANAR', 3, CAST(0x00008C0800000000 AS DateTime), CAST(0x00008C2400000000 AS DateTime), CAST(0x00008C1000000000 AS DateTime), 3, 36.7100, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10904, N'WHITC', 3, CAST(0x00008C0800000000 AS DateTime), CAST(0x00008C2400000000 AS DateTime), CAST(0x00008C0B00000000 AS DateTime), 3, 162.9500, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10905, N'WELLI', 9, CAST(0x00008C0800000000 AS DateTime), CAST(0x00008C2400000000 AS DateTime), CAST(0x00008C1200000000 AS DateTime), 2, 13.7200, N'Wellington Importadora', N'Rua do Mercado, 12', N'Resende', N'SP', N'08737-363', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10906, N'WOLZA', 4, CAST(0x00008C0900000000 AS DateTime), CAST(0x00008C1700000000 AS DateTime), CAST(0x00008C0F00000000 AS DateTime), 3, 26.2900, N'Wolski Zajazd', N'ul. Filtrowa 68', N'Warszawa', NULL, N'01-012', N'Poland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10907, N'SPEC'D', 6, CAST(0x00008C0900000000 AS DateTime), CAST(0x00008C2500000000 AS DateTime), CAST(0x00008C0B00000000 AS DateTime), 3, 9.1900, N'Spécialités du monde', N'25, rue Lauriston', N'Paris', NULL, N'75016', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10908, N'REGGC', 4, CAST(0x00008C0A00000000 AS DateTime), CAST(0x00008C2600000000 AS DateTime), CAST(0x00008C1200000000 AS DateTime), 2, 32.9600, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10909, N'SANTAG', 1, CAST(0x00008C0A00000000 AS DateTime), CAST(0x00008C2600000000 AS DateTime), CAST(0x00008C1600000000 AS DateTime), 2, 53.0500, N'Santé Gourmet', N'Erling Skakkes gate 78', N'Stavern', NULL, N'4110', N'Norway') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10910, N'WILMK', 1, CAST(0x00008C0A00000000 AS DateTime), CAST(0x00008C2600000000 AS DateTime), CAST(0x00008C1000000000 AS DateTime), 3, 38.1100, N'Wilman Kala', N'Keskuskatu 45', N'Helsinki', NULL, N'21240', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10911, N'GODOS', 3, CAST(0x00008C0A00000000 AS DateTime), CAST(0x00008C2600000000 AS DateTime), CAST(0x00008C1100000000 AS DateTime), 1, 38.1900, N'Godos Cocina Tipica', N'C/ Romero, 33', N'Sevilla', NULL, N'41101', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10912, N'HUNGO', 2, CAST(0x00008C0A00000000 AS DateTime), CAST(0x00008C2600000000 AS DateTime), CAST(0x00008C1E00000000 AS DateTime), 2, 580.9100, N'Hungry Owl All-Night Grocers', N'8 Johnston Road', N'Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10913, N'QUEEN', 4, CAST(0x00008C0A00000000 AS DateTime), CAST(0x00008C2600000000 AS DateTime), CAST(0x00008C1000000000 AS DateTime), 1, 33.0500, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10914, N'QUEEN', 6, CAST(0x00008C0B00000000 AS DateTime), CAST(0x00008C2700000000 AS DateTime), CAST(0x00008C0E00000000 AS DateTime), 1, 21.1900, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10915, N'TORTU', 2, CAST(0x00008C0B00000000 AS DateTime), CAST(0x00008C2700000000 AS DateTime), CAST(0x00008C0E00000000 AS DateTime), 2, 3.5100, N'Tortuga Restaurante', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10916, N'RANCH', 1, CAST(0x00008C0B00000000 AS DateTime), CAST(0x00008C2700000000 AS DateTime), CAST(0x00008C1500000000 AS DateTime), 2, 63.7700, N'Rancho grande', N'Av. del Libertador 900', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10917, N'ROMEY', 4, CAST(0x00008C0E00000000 AS DateTime), CAST(0x00008C2A00000000 AS DateTime), CAST(0x00008C1700000000 AS DateTime), 2, 8.2900, N'Romero y tomillo', N'Gran Via, 1', N'Madrid', NULL, N'28001', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10918, N'BOTTOM', 3, CAST(0x00008C0E00000000 AS DateTime), CAST(0x00008C2A00000000 AS DateTime), CAST(0x00008C1700000000 AS DateTime), 3, 48.8300, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10919, N'LINOD', 2, CAST(0x00008C0E00000000 AS DateTime), CAST(0x00008C2A00000000 AS DateTime), CAST(0x00008C1000000000 AS DateTime), 2, 19.8000, N'LINO-Delicateses', N'Ave. 5 de Mayo Porlamar', N'I. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10920, N'AROUT', 4, CAST(0x00008C0F00000000 AS DateTime), CAST(0x00008C2B00000000 AS DateTime), CAST(0x00008C1500000000 AS DateTime), 2, 29.6100, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10921, N'VAFFE', 1, CAST(0x00008C0F00000000 AS DateTime), CAST(0x00008C3900000000 AS DateTime), CAST(0x00008C1500000000 AS DateTime), 1, 176.4800, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10922, N'HANAR', 5, CAST(0x00008C0F00000000 AS DateTime), CAST(0x00008C2B00000000 AS DateTime), CAST(0x00008C1100000000 AS DateTime), 3, 62.7400, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10923, N'LAMAI', 7, CAST(0x00008C0F00000000 AS DateTime), CAST(0x00008C3900000000 AS DateTime), CAST(0x00008C1900000000 AS DateTime), 3, 68.2600, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10924, N'BERGS', 3, CAST(0x00008C1000000000 AS DateTime), CAST(0x00008C2C00000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), 2, 151.5200, N'Berglunds snabbköp',

N'Berguvsvägen 8', N'Luleå', NULL, N'S-958 22', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10925, N'HANAR', 3, CAST(0x00008C1000000000 AS DateTime), CAST(0x00008C2C00000000 AS DateTime), CAST(0x00008C1900000000 AS DateTime), 1, 2.2700, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10926, N'ANATR', 4, CAST(0x00008C1000000000 AS DateTime), CAST(0x00008C2C00000000 AS DateTime), CAST(0x00008C1700000000 AS DateTime), 3, 39.9200, N'Ana Trujillo Emparedados y helados', N'Avda. de la Constitución 2222', N'México D.F.', NULL, N'05021', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10927, N'LACOR', 4, CAST(0x00008C1100000000 AS DateTime), CAST(0x00008C2D00000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), 1, 19.7900, N'La corne d'abondance', N'67, avenue de l'Europe', N'Versailles', NULL, N'78000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10928, N'GALED', 1, CAST(0x00008C1100000000 AS DateTime), CAST(0x00008C2D00000000 AS DateTime), CAST(0x00008C1E00000000 AS DateTime), 1, 1.3600, N'Galería del gastronómo', N'Rambla de Cataluña, 23', N'Barcelona', NULL, N'8022', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10929, N'FRANK', 6, CAST(0x00008C1100000000 AS DateTime), CAST(0x00008C2D00000000 AS DateTime), CAST(0x00008C1800000000 AS DateTime), 1, 33.9300, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10930, N'SUPRD', 4, CAST(0x00008C1200000000 AS DateTime), CAST(0x00008C3C00000000 AS DateTime), CAST(0x00008C1E00000000 AS DateTime), 3, 15.5500, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10931, N'RICSU', 4, CAST(0x00008C1200000000 AS DateTime), CAST(0x00008C2000000000 AS DateTime), CAST(0x00008C1F00000000 AS DateTime), 2, 13.6000, N'Richter Supermarkt', N'Starenweg 5', N'Genève', NULL, N'1204', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10932, N'BONAP', 8, CAST(0x00008C1200000000 AS DateTime), CAST(0x00008C2E00000000 AS DateTime), CAST(0x00008C2400000000 AS DateTime), 1, 134.6400, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10933, N'ISLAT', 6, CAST(0x00008C1200000000 AS DateTime), CAST(0x00008C2E00000000 AS DateTime), CAST(0x00008C1C00000000 AS DateTime), 3, 54.1500, N'Island Trading', N'Garden House Crowther Way', N'Cowes', N'Isle of Wight', N'PO31 7PJ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10934, N'LEHMS', 3, CAST(0x00008C1500000000 AS DateTime), CAST(0x00008C3100000000 AS DateTime), CAST(0x00008C3100000000 AS DateTime), 3, 32.0100, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10935, N'WELLI', 4, CAST(0x00008C1500000000 AS DateTime), CAST(0x00008C3100000000 AS DateTime), CAST(0x00008C1E00000000 AS DateTime), 3, 47.5900, N'Wellington Importadora', N'Rua do Mercado, 12', N'Resende', N'SP', N'08737-363', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10936, N'GREAL', 3, CAST(0x00008C1500000000 AS DateTime), CAST(0x00008C3100000000 AS DateTime), CAST(0x00008C1E00000000 AS DateTime), 2, 33.6800, N'Great Lakes Food Market', N'2732 Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10937, N'CACTU', 7, CAST(0x00008C1600000000 AS DateTime), CAST(0x00008C2400000000 AS DateTime), CAST(0x00008C1900000000 AS DateTime), 3, 31.5100, N'Cactus Comidas para llevar', N'Cerrito 333', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10938, N'QUICK', 3, CAST(0x00008C1600000000 AS DateTime), CAST(0x00008C3200000000 AS DateTime), CAST(0x00008C1C00000000 AS DateTime), 2, 31.8900, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10939, N'MAGAA', 2, CAST(0x00008C1600000000 AS DateTime), CAST(0x00008C3200000000 AS DateTime), CAST(0x00008C1900000000 AS DateTime), 2, 76.3300, N'Magazzini Alimentari Riuniti', N'Via Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10940, N'BONAP', 8, CAST(0x00008C1700000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), CAST(0x00008C2300000000 AS DateTime), 3, 19.7700, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10941, N'SAVEA', 7, CAST(0x00008C1700000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), CAST(0x00008C2000000000 AS DateTime), 2, 400.8100, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10942, N'REGGC', 9, CAST(0x00008C1700000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), CAST(0x00008C1E00000000 AS DateTime), 3, 17.9500, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10943, N'BSBEV', 4, CAST(0x00008C1700000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), CAST(0x00008C1F00000000 AS DateTime), 2, 2.1700, N'B's Beverages', N'Fauntleroy Circus', N'London', NULL, N'EC2 5NT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10944, N'BOTTM', 6, CAST(0x00008C1800000000 AS DateTime), CAST(0x00008C2600000000 AS DateTime), CAST(0x00008C1900000000 AS DateTime), 3, 52.9200, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10945, N'MORGK', 4, CAST(0x00008C1800000000 AS DateTime), CAST(0x00008C3400000000 AS DateTime), CAST(0x00008C1E00000000 AS DateTime), 1, 10.2200, N'Morgenstern Gesundkost', N'Heerstr. 22', N'Leipzig', NULL, N'04179', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10946, N'VAFFE', 1, CAST(0x00008C1800000000 AS DateTime), CAST(0x00008C3400000000 AS DateTime), CAST(0x00008C1F00000000 AS DateTime), 2, 27.2000, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10947, N'BSBEV', 3, CAST(0x00008C1900000000 AS DateTime), CAST(0x00008C3500000000 AS DateTime), CAST(0x00008C1C00000000 AS DateTime), 2, 3.2600, N'B's Beverages', N'Fauntleroy Circus', N'London', NULL, N'EC2 5NT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10948, N'GODOS', 3, CAST(0x00008C1900000000 AS DateTime), CAST(0x00008C3500000000 AS DateTime), CAST(0x00008C1F00000000 AS DateTime), 3, 23.3900, N'Godos Cocina Típica', N'C/ Romero,

33', N'Sevilla', NULL, N'41101', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10949, N'BOTTOM', 2, CAST(0x00008C1900000000 AS DateTime), CAST(0x00008C3500000000 AS DateTime), CAST(0x00008C1D00000000 AS DateTime), 3, 74.4400, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10950, N'MAGAA', 1, CAST(0x00008C1C00000000 AS DateTime), CAST(0x00008C3800000000 AS DateTime), CAST(0x00008C2300000000 AS DateTime), 2, 2.5000, N'Magazzini Alimentari Riuniti', N'Via Ludovico il Moro 22', N'Bergamo', NULL, N'24100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10951, N'RICSU', 9, CAST(0x00008C1C00000000 AS DateTime), CAST(0x00008C4600000000 AS DateTime), CAST(0x00008C3200000000 AS DateTime), 2, 30.8500, N'Richter Supermarkt', N'Starenweg 5', N'Genève', NULL, N'1204', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10952, N'ALFKI', 1, CAST(0x00008C1C00000000 AS DateTime), CAST(0x00008C4600000000 AS DateTime), CAST(0x00008C2400000000 AS DateTime), 1, 40.4200, N'Alfred's Futterkiste', N'Obere Str. 57', N'Berlin', NULL, N'12209', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10953, N'AROUT', 9, CAST(0x00008C1C00000000 AS DateTime), CAST(0x00008C2A00000000 AS DateTime), CAST(0x00008C2500000000 AS DateTime), 2, 23.7200, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') GO print 'Processed 700 total records' INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10954, N'LINOD', 5, CAST(0x00008C1D00000000 AS DateTime), CAST(0x00008C4700000000 AS DateTime), CAST(0x00008C2000000000 AS DateTime), 1, 27.9100, N'LINO-Delicatesses', N'Ave. 5 de Mayo Porlamar', N'I. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10955, N'FOLKO', 8, CAST(0x00008C1D00000000 AS DateTime), CAST(0x00008C3900000000 AS DateTime), CAST(0x00008C2000000000 AS DateTime), 2, 3.2600, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10956, N'BLAUS', 6, CAST(0x00008C1D00000000 AS DateTime), CAST(0x00008C4700000000 AS DateTime), CAST(0x00008C2000000000 AS DateTime), 2, 44.6500, N'Blauer See Delikatessen', N'Forsterstr. 57', N'Mannheim', NULL, N'68306', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10957, N'HILAA', 8, CAST(0x00008C1E00000000 AS DateTime), CAST(0x00008C3A00000000 AS DateTime), CAST(0x00008C3A00000000 AS DateTime), 3, 105.3600, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10958, N'OCEAN', 7, CAST(0x00008C1E00000000 AS DateTime), CAST(0x00008C3A00000000 AS DateTime), CAST(0x00008C2700000000 AS DateTime), 2, 49.5600, N'Océano Atlántico Ltda.', N'Ing. Gustavo Moncada 8585 Piso 20-A', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10959, N'GOURL', 6, CAST(0x00008C1E00000000 AS DateTime), CAST(0x00008C4800000000 AS DateTime), CAST(0x00008C2300000000 AS DateTime), 2, 4.9800, N'Gourmet Lanchonetes', N'Av. Brasil, 442', N'Campinas', N'SP', N'04876-786', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10960, N'HILAA', 3, CAST(0x00008C1F00000000 AS DateTime), CAST(0x00008C2D00000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), 1, 2.0800, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10961, N'QUEEN', 8, CAST(0x00008C1F00000000 AS DateTime), CAST(0x00008C3B00000000 AS DateTime), CAST(0x00008C2A00000000 AS DateTime), 1, 104.4700, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10962, N'QUICK', 8, CAST(0x00008C1F00000000 AS DateTime), CAST(0x00008C3B00000000 AS DateTime), CAST(0x00008C2300000000 AS DateTime), 2, 275.7900, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10963, N'FURIB', 9, CAST(0x00008C1F00000000 AS DateTime), CAST(0x00008C3B00000000 AS DateTime), CAST(0x00008C2600000000 AS DateTime), 3, 2.7000, N'Furia Bacalhau e Frutos do Mar', N'Jardim das rosas n. 32', N'Lisa', NULL, N'1675', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10964, N'SPECD', 3, CAST(0x00008C2000000000 AS DateTime), CAST(0x00008C3C00000000 AS DateTime), CAST(0x00008C2400000000 AS DateTime), 2, 87.3800, N'Spécialités du monde', N'25, rue Lauriston', N'Paris', NULL, N'75016', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10965, N'OLDWO', 6, CAST(0x00008C2000000000 AS DateTime), CAST(0x00008C3C00000000 AS DateTime), CAST(0x00008C2A00000000 AS DateTime), 3, 144.3800, N'Old World Delicatessen', N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10966, N'CHOPS', 4, CAST(0x00008C2000000000 AS DateTime), CAST(0x00008C3C00000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), 1, 27.1900, N'Chop-suey Chinese', N'Hauptstr. 31', N'Bern', NULL, N'3012', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10967, N'TOMSP', 2, CAST(0x00008C2300000000 AS DateTime), CAST(0x00008C3F00000000 AS DateTime), CAST(0x00008C2D00000000 AS DateTime), 2, 62.2200, N'Toms Spezialitäten', N'Luisenstr. 48', N'Münster', NULL, N'44087', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10968, N'ERNSH', 1, CAST(0x00008C2300000000 AS DateTime), CAST(0x00008C3F00000000 AS DateTime), CAST(0x00008C2C00000000 AS DateTime), 3, 74.6000, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10969, N'COMMI', 1, CAST(0x00008C2300000000 AS DateTime), CAST(0x00008C3F00000000 AS DateTime), CAST(0x00008C2A00000000 AS DateTime), 2, 0.2100, N'Comércio Mineiro', N'Av. dos Lusíadas, 23', N'Sao Paulo', N'SP', N'05432-043', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10970, N'BOLID', 9, CAST(0x00008C2400000000 AS DateTime), CAST(0x00008C3200000000 AS DateTime), CAST(0x00008C4300000000 AS DateTime), 1, 16.1600, N'Bólido Comidas preparadas', N'C/ Araquil, 67', N'Madrid', NULL, N'28023', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10971, N'FRANR', 2, CAST(0x00008C2400000000 AS DateTime), CAST(0x00008C4000000000 AS DateTime), CAST(0x00008C2D00000000 AS DateTime), 2, 121.8200, N'France restauration', N'54, rue Royale', N'Nantes', NULL, N'44000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10972, N'LACOR', 4, CAST(0x00008C2400000000 AS DateTime), CAST(0x00008C4000000000 AS DateTime), CAST(0x00008C2600000000 AS DateTime), 2,

0.0200, N'La corne d'abondance', N'67, avenue de l'Europe', N'Versailles', NULL, N'78000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10973, N'LACOR', 6, CAST(0x00008C2400000000 AS DateTime), CAST(0x00008C4000000000 AS DateTime), CAST(0x00008C2700000000 AS DateTime), 2, 15.1700, N'La corne d'abondance', N'67, avenue de l'Europe', N'Versailles', NULL, N'78000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10974, N'SPLIR', 3, CAST(0x00008C2500000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), CAST(0x00008C2E00000000 AS DateTime), 3, 12.9600, N'Split Rail Beer & Ale', N'P.O. Box 555', N'Lander', N'WY', N'82520', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10975, N'BOTTOM', 1, CAST(0x00008C2500000000 AS DateTime), CAST(0x00008C4F00000000 AS DateTime), CAST(0x00008C2E00000000 AS DateTime), 1, 37.9700, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10977, N'FOLKO', 8, CAST(0x00008C2600000000 AS DateTime), CAST(0x00008C4200000000 AS DateTime), CAST(0x00008C3500000000 AS DateTime), 3, 208.5000, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10978, N'MAISD', 9, CAST(0x00008C2600000000 AS DateTime), CAST(0x00008C4200000000 AS DateTime), CAST(0x00008C4200000000 AS DateTime), 2, 32.8200, N'Maison Dewey', N'Rue Joseph-Bens 532', N'Bruxelles', NULL, N'B-1180', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10979, N'ERNSH', 8, CAST(0x00008C2600000000 AS DateTime), CAST(0x00008C4200000000 AS DateTime), CAST(0x00008C2B00000000 AS DateTime), 2, 353.0700, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10980, N'FOLKO', 4, CAST(0x00008C2700000000 AS DateTime), CAST(0x00008C5100000000 AS DateTime), CAST(0x00008C3C00000000 AS DateTime), 1, 1.2600, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10981, N'HANAR', 1, CAST(0x00008C2700000000 AS DateTime), CAST(0x00008C4300000000 AS DateTime), CAST(0x00008C2D00000000 AS DateTime), 2, 193.3700, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10982, N'BOTTOM', 2, CAST(0x00008C2700000000 AS DateTime), CAST(0x00008C4300000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), 1, 14.0100, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10983, N'SAVEA', 2, CAST(0x00008C2700000000 AS DateTime), CAST(0x00008C4300000000 AS DateTime), CAST(0x00008C3100000000 AS DateTime), 2, 657.5400, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10984, N'SAVEA', 1, CAST(0x00008C2A00000000 AS DateTime), CAST(0x00008C4600000000 AS DateTime), CAST(0x00008C2E00000000 AS DateTime), 3, 211.2200, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10985, N'HUNGO', 2, CAST(0x00008C2A00000000 AS DateTime), CAST(0x00008C4600000000 AS DateTime), CAST(0x00008C2D00000000 AS DateTime), 1, 91.5100, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10986, N'OCEAN', 8, CAST(0x00008C2A00000000 AS DateTime), CAST(0x00008C4600000000 AS DateTime), CAST(0x00008C4000000000 AS DateTime), 2, 217.8600, N'Océano Atlántico Ltda.', N'Ing. Gustavo Moncada 8585 Piso 20-A', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10987, N'EASTC', 8, CAST(0x00008C2B00000000 AS DateTime), CAST(0x00008C4700000000 AS DateTime), CAST(0x00008C3100000000 AS DateTime), 1, 185.4800, N'Eastern Connection', N'35 King George', N'London', NULL, N'WX3 6FW', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10988, N'RATTC', 3, CAST(0x00008C2B00000000 AS DateTime), CAST(0x00008C4700000000 AS DateTime), CAST(0x00008C3500000000 AS DateTime), 2, 61.1400, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10989, N'QUEDE', 2, CAST(0x00008C2B00000000 AS DateTime), CAST(0x00008C4700000000 AS DateTime), CAST(0x00008C2D00000000 AS DateTime), 1, 34.7600, N'Que Delicia', N'Rua da Panificadora, 12', N'Rio de Janeiro', N'RJ', N'02389-673', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10990, N'ERNSH', 2, CAST(0x00008C2C00000000 AS DateTime), CAST(0x00008C5600000000 AS DateTime), CAST(0x00008C3200000000 AS DateTime), 3, 117.6100, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10991, N'QUICK', 1, CAST(0x00008C2C00000000 AS DateTime), CAST(0x00008C4800000000 AS DateTime), CAST(0x00008C3200000000 AS DateTime), 1, 38.5100, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10992, N'THEBI', 1, CAST(0x00008C2C00000000 AS DateTime), CAST(0x00008C4800000000 AS DateTime), CAST(0x00008C2E00000000 AS DateTime), 3, 4.2700, N'The Big Cheese', N'89 Jefferson Way Suite 2', N'Portland', N'OR', N'97201', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10993, N'FOLKO', 7, CAST(0x00008C2C00000000 AS DateTime), CAST(0x00008C3B00000000 AS DateTime), CAST(0x00008C3400000000 AS DateTime), 3, 65.5300, N'Vaffeljernet', N'Smagsloget 45', N'Århus', NULL, N'8200', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10995, N'PERIC', 1, CAST(0x00008C2D00000000 AS DateTime), CAST(0x00008C4900000000 AS DateTime), CAST(0x00008C3100000000 AS DateTime), 3, 46.0000, N'Pericles Comidas clásicas', N'Calle Dr. Jorge Cash 321', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10996, N'QUICK', 4, CAST(0x00008C2D00000000 AS DateTime), CAST(0x00008C4900000000 AS DateTime), CAST(0x00008C3500000000 AS DateTime), 2,



1.1200, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10997, N'LILAS', 8, CAST(0x00008C2E00000000 AS DateTime), CAST(0x00008C5800000000 AS DateTime), CAST(0x00008C3800000000 AS DateTime), 2, 73.9100, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10998, N'WOLZA', 8, CAST(0x00008C2E00000000 AS DateTime), CAST(0x00008C3C00000000 AS DateTime), CAST(0x00008C3C00000000 AS DateTime), 2, 20.3100, N'Wolski Zajazd', N'ul. Filtrowa 68', N'Warszawa', NULL, N'01-012', N'Poland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (10999, N'OTTIK', 6, CAST(0x00008C2E00000000 AS DateTime), CAST(0x00008C4A00000000 AS DateTime), CAST(0x00008C3500000000 AS DateTime), 2, 96.3500, N'Ottiles Käseladen', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11000, N'RATTC', 2, CAST(0x00008C3100000000 AS DateTime), CAST(0x00008C4D00000000 AS DateTime), CAST(0x00008C3900000000 AS DateTime), 3, 55.1200, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11001, N'FOLKO', 2, CAST(0x00008C3100000000 AS DateTime), CAST(0x00008C4D00000000 AS DateTime), CAST(0x00008C3900000000 AS DateTime), 2, 197.3000, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11002, N'SAVEA', 4, CAST(0x00008C3100000000 AS DateTime), CAST(0x00008C4D00000000 AS DateTime), CAST(0x00008C3B00000000 AS DateTime), 1, 141.1600, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11003, N'THECR', 3, CAST(0x00008C3100000000 AS DateTime), CAST(0x00008C4D00000000 AS DateTime), CAST(0x00008C3300000000 AS DateTime), 3, 14.9100, N'The Cracker Box', N'55 Grizzly Peak Rd.', N'Butte', N'MT', N'59801', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11004, N'MAISD', 3, CAST(0x00008C3200000000 AS DateTime), CAST(0x00008C4E00000000 AS DateTime), CAST(0x00008C3F00000000 AS DateTime), 1, 44.8400, N'Maison Dewey', N'Rue Joseph-Bens 532', N'Bruxelles', NULL, N'B-1180', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11005, N'WILMK', 2, CAST(0x00008C3200000000 AS DateTime), CAST(0x00008C4E00000000 AS DateTime), CAST(0x00008C3500000000 AS DateTime), 1, 0.7500, N'Wilman Kala', N'Keskuskatu 45', N'Helsinki', NULL, N'21240', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11006, N'GREAL', 3, CAST(0x00008C3200000000 AS DateTime), CAST(0x00008C4E00000000 AS DateTime), CAST(0x00008C3A00000000 AS DateTime), 2, 25.1900, N'Great Lakes Food Market', N'2732 Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11007, N'PRINI', 8, CAST(0x00008C3300000000 AS DateTime), CAST(0x00008C4F00000000 AS DateTime), CAST(0x00008C3800000000 AS DateTime), 2, 202.2400, N'Princesa Isabel Vinhos', N'Estrada da saúde n. 58', N'Lisboa', NULL, N'1756', N'Portugal') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11008, N'ERNSH', 7, CAST(0x00008C3300000000 AS DateTime), CAST(0x00008C4F00000000 AS DateTime), NULL, 3, 79.4600, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11009, N'GODOS', 2, CAST(0x00008C3300000000 AS DateTime), CAST(0x00008C4F00000000 AS DateTime), CAST(0x00008C3500000000 AS DateTime), 1, 59.1100, N'Godos Cocina Típica', N'C/ Romero, 33', N'Sevilla', NULL, N'41101', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11010, N'REGGC', 2, CAST(0x00008C3400000000 AS DateTime), CAST(0x00008C5000000000 AS DateTime), CAST(0x00008C4000000000 AS DateTime), 2, 28.7100, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11011, N'ALFKI', 3, CAST(0x00008C3400000000 AS DateTime), CAST(0x00008C5000000000 AS DateTime), CAST(0x00008C3800000000 AS DateTime), 1, 1.2100, N'Alfred's Futterkiste', N'Obere Str. 57', N'Berlin', NULL, N'12209', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11012, N'FRANK', 1, CAST(0x00008C3400000000 AS DateTime), CAST(0x00008C4200000000 AS DateTime), CAST(0x00008C3C00000000 AS DateTime), 3, 242.9500, N'Frankenversand', N'Berliner Platz 43', N'München', NULL, N'80805', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11013, N'ROMEY', 2, CAST(0x00008C3400000000 AS DateTime), CAST(0x00008C5000000000 AS DateTime), CAST(0x00008C3500000000 AS DateTime), 1, 32.9900, N'Romero y tomillo', N'Gran Vía, 1', N'Madrid', NULL, N'28001', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11014, N'LINOD', 2, CAST(0x00008C3500000000 AS DateTime), CAST(0x00008C5100000000 AS DateTime), CAST(0x00008C3A00000000 AS DateTime), 3, 23.6000, N'LINO-Delicatesses', N'Ave. 5 de Mayo Porlamar', N'I. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11015, N'SANTG', 2, CAST(0x00008C3500000000 AS DateTime), CAST(0x00008C4300000000 AS DateTime), CAST(0x00008C3F00000000 AS DateTime), 2, 4.6200, N'Santé Gourmet', N'Erling Skakkes gate 78', N'Stavern', NULL, N'4110', N'Norway') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11016, N'AROUT', 9, CAST(0x00008C3500000000 AS DateTime), CAST(0x00008C5100000000 AS DateTime), CAST(0x00008C3800000000 AS DateTime), 2, 33.8000, N'Around the Horn', N'Brook Farm Stratford St. Mary', N'Colchester', N'Essex', N'CO7 6JX', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11017, N'ERNSH', 9, CAST(0x00008C3800000000 AS DateTime), CAST(0x00008C5400000000 AS DateTime), CAST(0x00008C3F00000000 AS DateTime), 2, 754.2600, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11018, N'LONEP', 4, CAST(0x00008C3800000000 AS DateTime), CAST(0x00008C5400000000 AS DateTime), CAST(0x00008C3B00000000 AS DateTime), 2, 11.6500, N'Lonesome Pine Restaurant', N'89 Chiaroscuro Rd.', N'Portland', N'OR', N'97219', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11019, N'RANCH', 6, CAST(0x00008C3800000000 AS DateTime), CAST(0x00008C5400000000 AS DateTime), NULL, 3, 3.1700, N'Rancho grande', N'Av. del Libertador 900', N'Buenos Aires', NULL, N'1010', N'Argentina') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11020, N'OTTIK', 2, CAST(0x00008C3900000000 AS DateTime), CAST(0x00008C5500000000 AS DateTime), CAST(0x00008C3B00000000 AS DateTime), 2, 43.3000, N'Ottiles Käseladen', N'Mehrheimerstr. 369', N'Köln', NULL, N'50739', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],

[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11021, N'QUICK', 3, CAST(0x00008C3900000000 AS DateTime), CAST(0x00008C5500000000 AS DateTime), CAST(0x00008C4000000000 AS DateTime), 1, 297.1800, N'QUICK-Stop', N'Taucherstraße 10', N'Cunewalde', NULL, N'01307', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11022, N'HANAR', 9, CAST(0x00008C3900000000 AS DateTime), CAST(0x00008C5500000000 AS DateTime), CAST(0x00008C4D00000000 AS DateTime), 2, 6.2700, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11023, N'BSBEV', 1, CAST(0x00008C3900000000 AS DateTime), CAST(0x00008C4700000000 AS DateTime), CAST(0x00008C4300000000 AS DateTime), 2, 123.8300, N'B's Beverages', N'Fauntleroy Circus', N'London', NULL, N'EC2 5NT', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11024, N'EASTC', 4, CAST(0x00008C3A00000000 AS DateTime), CAST(0x00008C5600000000 AS DateTime), CAST(0x00008C3F00000000 AS DateTime), 1, 74.3600, N'Eastern Connection', N'35 King George', N'London', NULL, N'WX3 6FW', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11025, N'WARTH', 6, CAST(0x00008C3A00000000 AS DateTime), CAST(0x00008C5600000000 AS DateTime), CAST(0x00008C4300000000 AS DateTime), 3, 29.1700, N'Wartian Herkuu', N'Torikatu 38', N'Oulu', NULL, N'90110', N'Finland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11026, N'FRANS', 4, CAST(0x00008C3A00000000 AS DateTime), CAST(0x00008C5600000000 AS DateTime), CAST(0x00008C4700000000 AS DateTime), 1, 47.0900, N'Franchi S.p.A.', N'Via Monte Bianco 34', N'Torino', NULL, N'10100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11027, N'BOTTM', 1, CAST(0x00008C3B00000000 AS DateTime), CAST(0x00008C5700000000 AS DateTime), CAST(0x00008C3F00000000 AS DateTime), 1, 52.5200, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11028, N'KOENE', 2, CAST(0x00008C3B00000000 AS DateTime), CAST(0x00008C5700000000 AS DateTime), CAST(0x00008C3F00000000 AS DateTime), 1, 29.5900, N'Königlich Essen', N'Maubelstr. 90', N'Brandenburg', NULL, N'14776', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11029, N'CHOPS', 4, CAST(0x00008C3B00000000 AS DateTime), CAST(0x00008C5700000000 AS DateTime), CAST(0x00008C4600000000 AS DateTime), 1, 47.8400, N'Chop-suey Chinese', N'Hauptstr. 31', N'Bern', NULL, N'3012', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11030, N'SAVEA', 7, CAST(0x00008C3C00000000 AS DateTime), CAST(0x00008C5800000000 AS DateTime), CAST(0x00008C4600000000 AS DateTime), 2, 830.7500, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11031, N'SAVEA', 6, CAST(0x00008C3C00000000 AS DateTime), CAST(0x00008C5800000000 AS DateTime), CAST(0x00008C4300000000 AS DateTime), 2, 227.2200, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11032, N'WHITC', 2, CAST(0x00008C3C00000000 AS DateTime), CAST(0x00008C5800000000 AS DateTime), CAST(0x00008C4200000000 AS DateTime), 3, 606.1900, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11033, N'RICSU', 7, CAST(0x00008C3C00000000 AS DateTime), CAST(0x00008C5800000000 AS DateTime), CAST(0x00008C4200000000 AS DateTime), 3, 84.7400, N'Richter Supermarkt', N'Starenweg 5', N'Genève', NULL, N'1204', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11034, N'OLDWO', 8, CAST(0x00008C3F00000000 AS DateTime), CAST(0x00008C6900000000 AS DateTime), CAST(0x00008C4600000000 AS DateTime), 1, 40.3200, N'Old World Delicatessen', N'2743 Bering St.', N'Anchorage', N'AK', N'99508', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11035, N'SUPRD', 2, CAST(0x00008C3F00000000 AS DateTime), CAST(0x00008C5B00000000 AS DateTime), CAST(0x00008C4300000000 AS DateTime), 2, 0.1700, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11036, N'DRACD', 8, CAST(0x00008C3F00000000 AS DateTime), CAST(0x00008C5B00000000 AS DateTime), CAST(0x00008C4100000000 AS DateTime), 3, 149.4700, N'Drachenblut Delikatessen', N'Walsersweg 21', N'Aachen', NULL, N'52066', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11037, N'GODOS', 7, CAST(0x00008C4000000000 AS DateTime), CAST(0x00008C5C00000000 AS DateTime), CAST(0x00008C4600000000 AS DateTime), 1, 3.2000, N'Godos Cocina Típica', N'C/ Romero, 33', N'Sevilla', NULL, N'41101', N'Spain') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11038, N'SUPRD', 1, CAST(0x00008C4000000000 AS DateTime), CAST(0x00008C5C00000000 AS DateTime), CAST(0x00008C4900000000 AS DateTime), 2, 29.5900, N'Suprêmes délices', N'Boulevard Tirou, 255', N'Charleroi', NULL, N'B-6000', N'Belgium') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11039, N'LINOD', 1, CAST(0x00008C4000000000 AS DateTime), CAST(0x00008C5C00000000 AS DateTime), NULL, 2, 65.0000, N'LINO-Delicatesses', N'Ave. 5 de Mayo Porlamar', N'I. de Margarita', N'Nueva Esparta', N'4980', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11040, N'GREAL', 4, CAST(0x00008C4100000000 AS DateTime), CAST(0x00008C5D00000000 AS DateTime), NULL, 3, 18.8400, N'Great Lakes Food Market', N'2732 Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11041, N'CHOPS', 3, CAST(0x00008C4100000000 AS DateTime), CAST(0x00008C5D00000000 AS DateTime), CAST(0x00008C4700000000 AS DateTime), 2, 48.2200, N'Chop-suey Chinese', N'Hauptstr. 31', N'Bern', NULL, N'3012', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11042, N'COMMI', 2, CAST(0x00008C4100000000 AS DateTime), CAST(0x00008C4A00000000 AS DateTime), 1, 29.9900, N'Comércio Mineiro', N'Av. dos Lusíadas, 23', N'Sao Paulo', N'SP', N'05432-043', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11043, N'SPECD', 5, CAST(0x00008C4100000000 AS DateTime), CAST(0x00008C5D00000000 AS DateTime), CAST(0x00008C4800000000 AS DateTime), 2, 8.8000, N'Spécialités du monde', N'25, rue Lauriston', N'Paris', NULL, N'75016', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11044, N'WOLZA', 4, CAST(0x00008C4200000000 AS DateTime), CAST(0x00008C4A00000000 AS DateTime), 1, 8.7200, N'Wolski Zajazd', N'ul. Filtrowa 68', N'Warszawa', NULL, N'01-012', N'Poland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11045, N'BOTTM', 6, CAST(0x00008C4200000000 AS DateTime), CAST(0x00008C5E00000000 AS DateTime), NULL, 2, 70.5800, N'Bottom-Dollar

Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11046, N'WANDK', 8, CAST(0x00008C4200000000 AS DateTime), CAST(0x00008C5E00000000 AS DateTime), CAST(0x00008C4300000000 AS DateTime), 2, 71.6400, N'Die Wandernde Kuh', N'Adenauerallee 900', N'Stuttgart', NULL, N'70563', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11047, N'EASTC', 7, CAST(0x00008C4300000000 AS DateTime), CAST(0x00008C5F00000000 AS DateTime), CAST(0x00008C4A00000000 AS DateTime), 3, 46.6200, N'Eastern Connection', N'35 King George', N'London', NULL, N'WX3 6FW', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11048, N'BOTTM', 7, CAST(0x00008C4300000000 AS DateTime), CAST(0x00008C5F00000000 AS DateTime), CAST(0x00008C4900000000 AS DateTime), 3, 24.1200, N'Bottom-Dollar Markets', N'23 Tsawassen Blvd.', N'Tsawassen', N'BC', N'T2F 8M4', N'Canada') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11049, N'GOURL', 3, CAST(0x00008C4300000000 AS DateTime), CAST(0x00008C5F00000000 AS DateTime), CAST(0x00008C4D00000000 AS DateTime), 1, 8.3400, N'Gourmet Lanchonetes', N'Av. Brasil, 442', N'Campinas', N'SP', N'04876-786', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11050, N'FOLKO', 8, CAST(0x00008C4600000000 AS DateTime), CAST(0x00008C6200000000 AS DateTime), CAST(0x00008C6200000000 AS DateTime), 2, 59.4100, N'Folk och få HB', N'Åkergatan 24', N'Bräcke', NULL, N'S-844 67', N'Sweden') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11051, N'LAMAI', 7, CAST(0x00008C4600000000 AS DateTime), CAST(0x00008C6200000000 AS DateTime), NULL, 3, 2.7900, N'La maison d'Asie', N'1 rue Alsace-Lorraine', N'Toulouse', NULL, N'31000', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11052, N'HANAR', 3, CAST(0x00008C4600000000 AS DateTime), CAST(0x00008C6200000000 AS DateTime), CAST(0x00008C4A00000000 AS DateTime), 1, 67.2600, N'Hanari Carnes', N'Rua do Paço, 67', N'Rio de Janeiro', N'RJ', N'05454-876', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11053, N'PICCO', 2, CAST(0x00008C4600000000 AS DateTime), CAST(0x00008C6200000000 AS DateTime), CAST(0x00008C4800000000 AS DateTime), 2, 53.0500, N'Piccolo und mehr', N'Geislweg 14', N'Salzburg', NULL, N'5020', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11054, N'CACTU', 8, CAST(0x00008C4700000000 AS DateTime), CAST(0x00008C6300000000 AS DateTime), NULL, 1, 0.3300, N'Cactus Comidas para llevar', N'Cerrito 333', N'Buenos Aires', NULL, N'1010', N'Argentina') GO print 'Processed 800 total records' INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11055, N'HILAA', 7, CAST(0x00008C4700000000 AS DateTime), CAST(0x00008C6300000000 AS DateTime), CAST(0x00008C4E00000000 AS DateTime), 2, 120.9200, N'HILARION-Abastos', N'Carrera 22 con Ave. Carlos Soublette #8-35', N'San Cristóbal', N'Táchira', N'5022', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11056, N'EASTC', 8, CAST(0x00008C4700000000 AS DateTime), CAST(0x00008C5500000000 AS DateTime), CAST(0x00008C4A00000000 AS DateTime), 2, 278.9600, N'Eastern Connection', N'35 King George', N'London', NULL, N'WX3 6FW', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11057, N'NORTS', 3, CAST(0x00008C4800000000 AS DateTime), CAST(0x00008C6400000000 AS DateTime), CAST(0x00008C4A00000000 AS DateTime), 3, 4.1300, N'North/South', N'South House 300 Queensbridge', N'London', NULL, N'SW7 1RZ', N'UK') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11058, N'BLAUS', 9, CAST(0x00008C4800000000 AS DateTime), CAST(0x00008C6400000000 AS DateTime), NULL, 3, 31.1400, N'Blauer See Delikatessen', N'Forsterstr. 57', N'Mannheim', NULL, N'68306', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11059, N'RICAR', 2, CAST(0x00008C4800000000 AS DateTime), CAST(0x00008C7200000000 AS DateTime), NULL, 2, 85.8000, N'Ricardo Adocicados', N'Av. Copacabana, 267', N'Rio de Janeiro', N'RJ', N'02389-890', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11060, N'FRANS', 2, CAST(0x00008C4900000000 AS DateTime), CAST(0x00008C6500000000 AS DateTime), CAST(0x00008C4D00000000 AS DateTime), 2, 10.9800, N'Franchi S.p.A.', N'Via Monte Bianco 34', N'Torino', NULL, N'10100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11061, N'GREAL', 4, CAST(0x00008C4900000000 AS DateTime), CAST(0x00008C7300000000 AS DateTime), NULL, 3, 14.0100, N'Great Lakes Food Market', N'2732 Baker Blvd.', N'Eugene', N'OR', N'97403', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11062, N'REGGC', 4, CAST(0x00008C4900000000 AS DateTime), CAST(0x00008C6500000000 AS DateTime), NULL, 2, 29.9300, N'Reggiani Caseifici', N'Strada Provinciale 124', N'Reggio Emilia', NULL, N'42100', N'Italy') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11063, N'HUNGO', 3, CAST(0x00008C4900000000 AS DateTime), CAST(0x00008C6500000000 AS DateTime), CAST(0x00008C4F00000000 AS DateTime), 2, 81.7300, N'Hungry Owl All-Night Grocers', N'8 Johnstown Road', N'Cork', N'Co. Cork', NULL, N'Ireland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11064, N'SAVEA', 1, CAST(0x00008C4A00000000 AS DateTime), CAST(0x00008C6600000000 AS DateTime), CAST(0x00008C4D00000000 AS DateTime), 1, 30.0900, N'Save-a-lot Markets', N'187 Suffolk Ln.', N'Boise', N'ID', N'83720', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11065, N'LILAS', 8, CAST(0x00008C4A00000000 AS DateTime), CAST(0x00008C6600000000 AS DateTime), NULL, 1, 12.9100, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11066, N'WHITC', 7, CAST(0x00008C4A00000000 AS DateTime), CAST(0x00008C6600000000 AS DateTime), CAST(0x00008C4D00000000 AS DateTime), 2, 44.7200, N'White Clover Markets', N'1029 - 12th Ave. S.', N'Seattle', N'WA', N'98124', N'USA') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11067, N'DRACD', 1, CAST(0x00008C4D00000000 AS DateTime), CAST(0x00008C5B00000000 AS DateTime), CAST(0x00008C4F00000000 AS DateTime), 2, 7.9800, N'Drachenblut Delikatessen', N'Walserweg 21', N'Aachen', NULL, N'52066', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11068, N'QUEEN', 8, CAST(0x00008C4D00000000 AS DateTime), CAST(0x00008C6900000000 AS DateTime), NULL, 2, 81.7500, N'Queen Cozinha', N'Alameda dos Canários, 891', N'Sao Paulo', N'SP', N'05487-020', N'Brazil') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11069, N'TORTU', 1, CAST(0x00008C4D00000000 AS DateTime), CAST(0x00008C6900000000 AS DateTime), CAST(0x00008C4F00000000 AS DateTime), 2, 15.6700, N'Tortuga Restaurante', N'Avda. Azteca 123', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight],

[ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11070, N'LEHMS', 2, CAST(0x00008C4E00000000 AS DateTime), CAST(0x00008C6A00000000 AS DateTime), NULL, 1, 136.0000, N'Lehmanns Marktstand', N'Magazinweg 7', N'Frankfurt a.M.', NULL, N'60528', N'Germany') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11071, N'LILAS', 1, CAST(0x00008C4E00000000 AS DateTime), CAST(0x00008C6A00000000 AS DateTime), NULL, 1, 0.9300, N'LILA-Supermercado', N'Carrera 52 con Ave. Bolívar #65-98 Llano Largo', N'Barquisimeto', N'Lara', N'3508', N'Venezuela') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11072, N'ERNST', 4, CAST(0x00008C4E00000000 AS DateTime), CAST(0x00008C6A00000000 AS DateTime), NULL, 2, 258.6400, N'Ernst Handel', N'Kirchgasse 6', N'Graz', NULL, N'8010', N'Austria') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11073, N'PERIC', 2, CAST(0x00008C4E00000000 AS DateTime), CAST(0x00008C6A00000000 AS DateTime), NULL, 2, 24.9500, N'Pericles Comidas clásicas', N'Calle Dr. Jorge Cash 321', N'México D.F.', NULL, N'05033', N'Mexico') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11074, N'SIMOB', 7, CAST(0x00008C4F00000000 AS DateTime), CAST(0x00008C6B00000000 AS DateTime), NULL, 2, 18.4400, N'Simons bistro', N'Vinbæltet 34', N'København', NULL, N'1734', N'Denmark') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11075, N'RICSU', 8, CAST(0x00008C4F00000000 AS DateTime), CAST(0x00008C6B00000000 AS DateTime), NULL, 2, 6.1900, N'Richter Supermarkt', N'Starenweg 5', N'Genève', NULL, N'1204', N'Switzerland') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11076, N'BONAP', 4, CAST(0x00008C4F00000000 AS DateTime), CAST(0x00008C6B00000000 AS DateTime), NULL, 2, 38.2800, N'Bon app"', N'12, rue des Bouchers', N'Marseille', NULL, N'13008', N'France') INSERT [dbo].[Orders] ([OrderID], [CustomerID], [EmployeeID], [OrderDate], [RequiredDate], [ShippedDate], [ShipVia], [Freight], [ShipName], [ShipAddress], [ShipCity], [ShipRegion], [ShipPostalCode], [ShipCountry]) VALUES (11077, N'RATTC', 1, CAST(0x00008C4F00000000 AS DateTime), CAST(0x00008C6B00000000 AS DateTime), NULL, 2, 8.5300, N'Rattlesnake Canyon Grocery', N'2817 Milton Dr.', N'Albuquerque', N'NM', N'87110', N'USA') SET IDENTITY\_INSERT [dbo].[Orders] OFF /\*\*\*\*\* Object: Table [dbo].[Order Details] Script Date: 01/22/2018 09:47:41 \*\*\*\*\*/ INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10248, 11, 14.0000, 12, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10248, 42, 9.8000, 10, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10248, 72, 34.8000, 5, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10249, 14, 18.6000, 9, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10249, 51, 42.4000, 40, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10250, 41, 7.7000, 10, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10250, 51, 42.4000, 35, 0.15) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10250, 65, 16.8000, 15, 0.15) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10251, 22, 16.8000, 6, 0.05) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10251, 57, 15.6000, 15, 0.05) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10251, 65, 16.8000, 20, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10252, 20, 64.8000, 40, 0.05) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10252, 33, 2.0000, 25, 0.05) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10252, 60, 27.2000, 40, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10253, 31, 10.0000, 20, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10253, 39, 14.4000, 42, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10253, 49, 16.0000, 40, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10254, 24, 3.6000, 15, 0.15) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10254, 55, 19.2000, 21, 0.15) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10254, 74, 8.0000, 21, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10255, 2, 15.2000, 20, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10255, 16, 13.9000, 35, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10255, 36, 15.2000, 25, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10255, 59, 44.0000, 30, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10256, 53, 26.2000, 15, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10256, 77, 10.4000, 12, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10257, 27, 35.1000, 25, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10257, 39, 14.4000, 6, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10257, 77, 10.4000, 15, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10258, 2, 15.2000, 50, 0.2) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10258, 5, 17.0000, 65, 0.2) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10258, 32, 25.6000, 6, 0.2) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10259, 21, 8.0000, 10, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10259, 37, 20.8000, 1, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10260, 41, 7.7000, 16, 0.25) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10260, 57, 15.6000, 50, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10260, 62, 39.4000, 15, 0.25) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10260, 70, 12.0000, 21, 0.25) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10261, 21, 8.0000, 20, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10261, 35, 14.4000, 20, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10262, 5, 17.0000, 12, 0.2) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10262, 7, 24.0000, 15, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10262, 56, 30.4000, 2, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10263, 16, 13.9000, 60, 0.25) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10263, 24, 3.6000, 28, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10263, 30, 20.7000, 60, 0.25) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10263, 74, 8.0000, 36, 0.25) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10264, 2, 15.2000, 35, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10265, 17, 31.2000, 30, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10265, 70, 12.0000, 20, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10266, 12, 30.4000, 12, 0.05) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10267, 40, 14.7000, 50, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10267, 59, 44.0000, 70, 0.15) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10267, 76, 14.4000, 15, 0.15) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10268, 29, 99.0000, 10, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10268, 72, 27.8000, 4, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10269, 33, 2.0000, 60, 0.05) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10269, 72, 27.8000, 20, 0.05) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10270, 36, 15.2000, 30, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10270, 43, 36.8000, 25, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10271, 33, 2.0000, 24, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10272, 20, 64.8000, 6, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10272, 31, 10.0000, 40, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10272, 72, 27.8000, 24, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (10273, 10, 24.8000, 24, 0.05) INSERT [dbo].[Order

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

```
[
  (OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (11077, 41, 9.6500, 3, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (11077, 46, 12.0000, 3, 0.02) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (11077, 52, 7.0000, 2, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (11077, 55, 24.0000, 2, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (11077, 60, 34.0000, 2, 0.06) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (11077, 64, 33.2500, 2, 0.03) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (11077, 66, 17.0000, 1, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (11077, 73, 15.0000, 2, 0.01) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (11077, 75, 7.7500, 4, 0) INSERT [dbo].[Order Details] ([OrderID], [ProductID], [UnitPrice], [Quantity], [Discount]) VALUES (11077, 77, 13.0000, 2, 0) /***** Object: Table [dbo].[EmployeeTerritories] Script Date: 01/22/2018 09:47:41 *****/ INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (1, N'06897') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (1, N'19713') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (2, N'01581') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (2, N'01730') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (2, N'01833') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (2, N'02116') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (2, N'02139') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (2, N'02184') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (2, N'40222') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (3, N'30346') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (3, N'31406') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (3, N'32859') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (3, N'33607') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (4, N'20852') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (4, N'27403') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (4, N'27511') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (5, N'02903') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (5, N'07960') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (5, N'08837') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (5, N'10019') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (5, N'10038') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (5, N'11747') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (5, N'14450') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (6, N'85014') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (6, N'85251') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (6, N'98004') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (6, N'98052') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (6, N'98104') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (7, N'60179') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (7, N'60601') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (7, N'80202') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (7, N'80909') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (7, N'90405') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (7, N'94025') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (7, N'95008') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (7, N'95054') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (7, N'95060') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (8, N'19428') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (8, N'44122') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (8, N'45839') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (8, N'53404') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (9, N'03049') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (9, N'03801') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (9, N'48075') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (9, N'48084') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (9, N'55113') INSERT [dbo].[EmployeeTerritories] ([EmployeeID], [TerritoryID]) VALUES (9, N'55439')
```