

## 1. Прв дел

1. Креирав празно репо на гитхуб



2. Го клонирав репото



3. Креирав readme фајл

```
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (main)
$ git status
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (main)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the nex
t time Git touches it
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (main)
$ git commit -m "added readme for homework1"
[main (root-commit) 5853d5f] added readme for homework1
1 file changed, 1 insertion(+)
create mode 100644 README.md
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (main)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 280 bytes | 280.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/M-Jak/KIII_Domasna_1.git
   [new branch]
                      main -> main
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (main)
```

```
4.
```

```
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (main)
$ git checkout develop
Switched to branch 'develop'
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 III/KIII_Domasna_1 (develop)
1 $ nano README.md
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 III/KIII_Domasna_1 (develop)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the nex
t time Git touches it
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (develop)
$ git commit -m "develop branch changes"
 [develop 2087372] develop branch changes
 1 file changed, 2 insertions(+)
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 III/KIII_Domasna_1 (develop)
 $ git push
 fatal: The current branch develop has no upstream branch.
To push the current branch and set the remote as upstream, use
     git push --set-upstream origin develop
To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (develop)

$ git push --set-upstream origin develop
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 332 bytes | 332.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
              https://github.com/M-Jak/KIII_Domasna_1/pull/new/develop
remote:
remote:
To https://github.com/M-Jak/KIII_Domasna_1.git
    onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/k
   III/KIII_Domasna_1 (develop)
   $ git push -u origin develop
   Enumerating objects: 5, done.
   Counting objects: 100% (5/5), done.
   Delta compression using up to 12 threads
   Compressing objects: 100% (2/2), done.
   Writing objects: 100% (3/3), 322 bytes | 322.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
    remote:
   remote: Create a pull request for 'develop' on GitHub by visiting:
   remote:
                 https://github.com/M-Jak/KIII_Domasna_1/pull/new/develop
   remote:
   To https://github.com/M-Jak/KIII_Domasna_1.git
   * [new branch] develop -> develop
branch 'develop' set up to track 'origin/develop'.
```

```
×
 MINGW64:/z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/KIII/KIII_Dom...
                                                                           onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (main)
$ git checkout -b test
Switched to a new branch 'test'
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (test)
$ git merge develop
Updating 5853d5f..2134239
Fast-forward
README.md | 1 +
1 file changed, 1 insertion(+)
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (test)
$ nano README.md
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (test)
$ git add README.md
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (test)
$ git commit -m "test"
[test d2072a8] test
1 file changed, 2 insertions(+), 1 deletion(-)
gt
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (test)
$ git push
```

```
NINGW64:/z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/KIII/KIII_Domasna_1 🕪
$ git checkout -b test
Switched to a new branch 'test'
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 III/KIII_Domasna_1 (test)
$ git merge develop
Updating 5853d5f..2134239
Fast-forward
 README.md | 1 +
 1 file changed, 1 insertion(+)
 nira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 III/KIII_Domasna_1 (test)
$ git push
fatal: The current branch test has no upstream branch.
To push the current branch and set the remote as upstream, use
      git push --set-upstream origin test
To have this happen automatically for branches without a tracking upstream, see 'push.autoSetupRemote' in 'git help config'.
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII Do
                 nasna 1 (test)
$ git push -u origin test
Total O (delta O), reused O (delta O), pack-reused O
remote:
remote: Create a pull request for 'test' on GitHub by visiting:
remote: https://github.com/M-Jak/KIII_Domasna_1/pull/new/test
 emote:
To https://github.com/M-Jak/KIII_Domasna_1.git
* [new branch] test -> test
branch 'test' set up to track 'origin/test'.
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (test)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (main)
s git checkout -b production
Switched to a new branch 'production'
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 III/KIII_Domasna_1 (production)
$ git merge develop
Updating 5853d5f..2134239
Fast-forward
 README.md | 1 +
 1 file changed, 1 insertion(+)
 nira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (production)
$ git push -u origin production)
$ git push -u origin production
To https://github.com/M-Jak/KIII_Domasna_1.git
! [rejected] production -> production (non-fast-forward)
error: failed to push some refs to 'https://github.com/M-Jak/KIII
 nint: Updates were rejected because the tip of your current branch is behind hint: Updates were rejected because the tip of your current branch is behind hint: its remote counterpart. Integrate the remote changes (e.g. hint: 'git pull ...') before pushing again. hint: See the 'Note about fast-forwards' in 'git push --help' for details.
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 III/KIII_Domasna_1 (production)
$ git push -u origin production
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
 remote:
remote: Create a pull request for 'production' on GitHub by visiting:
                  https://github.com/M-Jak/KIII_Domasna_1/pull/new/production
remote:
remote:
To https://github.com/M-Jak/KIII_Domasna_1.git
* [new branch] production -> production
branch 'production' set up to track 'origin/production'.
```

```
MINGW64:/z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/KIII/KIII_Dom...
                                                                         ×
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKI|abs/Finki/K
III/KIII_Domasna_1 (production)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKI|abs/Finki/K
III/KIII_Domasna_1 (main)
$ git merge develop
Updating 5853d5f..2134239
Fast-forward
README.md | 1 +
 1 file changed, 1 insertion(+)
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (main)
$ git push
Total O (delta O), reused O (delta O), pack-reused O
To https://github.com/M-Jak/KIII_Domasna_1.git
  5853d5f..2134239 main -> main
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII_Domasna_1 (main)
```

2. Втор дел

```
MINGW64:/z/Users/onira/Documents/ FINKI/ FINKIlabs/Finki/KIII/KIII-zdrave
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III (main)
$ git clone https://github.com/M-Jak/KIII-zdrave.git
Cloning into 'KIII-zdrave'...
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 7 (delta 0), russed 7 (delta 0), pack-reused 0
Receiving objects: 100% (7/7), done.
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III (main)
$ cd KIII-zdrave/]
bash: cd: KIII-zdrave/]: No such file or directory
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 III (main)
$ cd KIII-zdrave/
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII-zdrave (main)
$ 1s
README.md file1
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII-zdrave (main)
$ cat README.md
This is the readme file
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII-zdrave (main)
$ cat file1
This is the first file in the homework.
This is the first change from the develop branch.
onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII-zdrave (main)
$ nano file1
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 III/KIII-zdrave (main)
$ git add file1
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
III/KIII-zdrave (main)
$ git commit -m "fork changes"
[main 6f9df0c] fork changes
 1 file changed, 2 insertions(+)
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 III/KIII-zdrave (main)
$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 376 bytes | 376.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/M-Jak/KIII-zdrave.git
   126fe67..6f9df0c main -> main
 onira@DESKTOP-I9DSJCK MINGW64 /z/Users/onira/Documents/_FINKI/_FINKIlabs/Finki/K
 [II/KIII-zdrave (main)
$
```

2.

