

BrainBolt - Answer Key

Topic: Full Stack (15 Questions)

Q1. What does HTML stand for?

- A. Hyper Text Markup Language <- correct
- B. High Tech Modern Language
- C. Hyperlinks and Text Markup Language
- D. Home Tool Markup Language

Answer: A

Why: HTML = HyperText Markup Language — the standard markup language for documents on the Web.

Q2. Which CSS property changes the text colour?

- A. font-color
- B. text-style
- C. color <- correct
- D. background

Answer: C

Why: The 'color' property sets the foreground text colour of an element.

Q3. Which is a JavaScript framework / library?

- A. Django
- B. Flask
- C. React <- correct
- D. Laravel

Answer: C

Why: React is a JavaScript UI library. Django/Flask are Python, Laravel is PHP.

Q4. Which HTTP method is used to send data to create a new resource?

- A. GET
- B. POST <- correct
- C. DELETE
- D. PUT

Answer: B

Why: POST creates a new resource on the server.

Q5. Which database is NoSQL?

- A. MySQL

- B. PostgreSQL
- C. MongoDB <- correct
- D. Oracle

Answer: C

Why: MongoDB is a document-oriented NoSQL database.

Q6. What does API stand for?

- A. Application Programming Interface <- correct
- B. Applied Program Internal
- C. Advanced Protocol Interface
- D. Application Process Identifier

Answer: A

Why: API = Application Programming Interface — a contract that lets software components communicate.

Q7. Which status code means 'Not Found'?

- A. 200
- B. 301
- C. 404 <- correct
- D. 500

Answer: C

Why: HTTP 404 indicates the requested resource was not found on the server.

Q8. Which symbol is used for ID selector in CSS?

- A. .
- B. # <- correct
- C. *
- D. @

Answer: B

Why: An ID selector starts with '#' followed by the id value, e.g. #header.

Q9. Which JS keyword declares a block-scoped variable?

- A. var
- B. let <- correct
- C. static
- D. global

Answer: B

Why: 'let' creates a block-scoped variable; 'var' is function-scoped.

Q10. Which command starts a Node.js project with package.json?

- A. node init
- B. npm start
- C. npm init <- correct
- D. node start

Answer: C

Why: 'npm init' (or 'npm init -y' for defaults) creates a package.json.

Q11. Which language runs natively in the browser?

- A. Python
- B. Java
- C. JavaScript <- correct
- D. C++

Answer: C

Why: Browsers ship with a JavaScript engine — JS runs natively in every modern browser.

Q12. What does CSS stand for?

- A. Computer Style Sheets
- B. Cascading Style Sheets <- correct
- C. Creative Style System
- D. Coloured Style Set

Answer: B

Why: CSS = Cascading Style Sheets — the stylesheet language used to describe presentation of HTML.

Q13. Which tag is used to link an external CSS file?

- A. <style>
- B. <script>
- C. <link> <- correct
- D. <css>

Answer: C

Why: <link rel='stylesheet' href='styles.css'> is placed in <head> to link an external CSS file.

Q14. Which is a popular backend framework for Node.js?

- A. Express <- correct
- B. Spring
- C. Rails
- D. Symfony

Answer: A

Why: Express.js is the most widely used minimal web framework for Node.js.

Q15. Which protocol is used for secure communication?

- A. HTTP
- B. FTP
- C. HTTPS <- correct
- D. SMTP

Answer: C

Why: HTTPS = HTTP over TLS/SSL — encrypted secure version of HTTP.