Data Structuers and algorithms (CS09203)

Lab Report

Name:	M.Usman Ali
Registration #:	SEU-F16-135
Lab Report #:	12
Dated:	27-06-2018
Submitted To:	Mr. Usman Ahmed

The University of Lahore, Islamabad Campus
Department of Computer Science & Information Technology

Experiment # 12
prim's algorithml

Objective
The objective of this session is to show the representation of trees using C++.

Software Tool
1. Code Blocks with GCC compiler.

1 Theory

Prim's algorithm is a greedy algorithm that finds a minimum spanning tree for a weighted undirected graph. This means it finds a subset of the edges that forms a tree that includes every vertex, where the total weight of all the edges in the tree is minimized. The algorithm operates by building this tree one vertex at a time, from an arbitrary starting vertex, at each step adding the cheapest possible connection from the tree to another vertex.

2 Task

2.1 Task 1

Impement Prim's algorithm.

2.2 Procedure: Task 1

```
// A C / C++ program for Prim's Minimum Spanning Tree (MST) algorithm.
// The program is for adjacency matrix representation of the graph
```

```cpp
#include <stdio.h>
#include <limits.h>
 using namespace std;
// Number of vertices in the graph
#define V 8

// A utility function to find the vertex with minimum key value, from
// the set of vertices not yet included in MST
int minKey(int key[], bool mstSet[])
{
   // Initialize min value
   int min = INT_MAX, min_index;

   for (int v = 0; v < V; v++)
     if (mstSet[v] == false && key[v] < min)
         min = key[v], min_index = v;

   return min_index;
}

// A utility function to print the constructed MST stored in parent[]
int printMST(int parent[], int n, int graph[V][V])
{
   printf("Edge   Weight\n");
   for (int i = 1; i < V; i++)
      printf("%d - %d    %d \n", parent[i], i, graph[i][parent[i]]);
}

// Function to construct and print MST for a graph represented using adjace
// matrix representation
void primMST(int graph[V][V])
{
    int parent[V]; // Array to store constructed MST
    int key[V];    // Key values used to pick minimum weight edge in cut
    bool mstSet[V];  // To represent set of vertices not yet included in M

    // Initialize all keys as INFINITE
    for (int i = 0; i < V; i++)
       key[i] = INT_MAX, mstSet[i] = false;
```

2

```cpp
    // Always include first 1st vertex in MST.
    key[0] = 0;      // Make key 0 so that this vertex is picked as first
    parent[0] = -1; // First node is always root of MST

    // The MST will have V vertices
    for (int count = 0; count < V-1; count++)
    {
        // Pick the minimum key vertex from the set of vertices
        // not yet included in MST
        int u = minKey(key, mstSet);

        // Add the picked vertex to the MST Set
        mstSet[u] = true;

        // Update key value and parent index of the adjacent vertices of
        // the picked vertex. Consider only those vertices which are not ye
        // included in MST
        for (int v = 0; v < V; v++)

            // graph[u][v] is non zero only for adjacent vertices of m
            // mstSet[v] is false for vertices not yet included in MST
            // Update the key only if graph[u][v] is smaller than key[v]
            if (graph[u][v] && mstSet[v] == false && graph[u][v] <
key[v])
                parent[v]  = u, key[v] = graph[u][v];
    }

    // print the constructed MST
    printMST(parent, V, graph);
}


// driver program to test above function
int main()
{

    int graph[V][V] = {{1, 8, 0, 0, 0,10,0,5},
                       {8, 0, 4, 0, 4,4,0,4},
                       {0, 4, 0, 3, 0,3,0,0},
                       {0, 0, 3, 0, 1,6,2,0},
```

Figure 1: output

```
                    {0, 4, 0, 1, 0,0,3,0},
                        {10, 4, 3, 6, 0,0,0,0},
                    {0, 0, 0, 2, 3,0,0,3},
                    {5, 4, 0, 0, 0,0,3,0},




                            };

    // Print the solution
    primMST(graph);

    return 0;
}
```