Target-Contract Cleaning With Anchored External Rows

Experiment index

Question and Context

Did the earlier cleaned model change because of better targets, or because rebuilding the mixture selected different external examples?

Change

Anchor selection to original ACT200. Preserve all 400 capped BAYMAX rows and retain 582 of the original 600 xLAM rows; replace only the 18 excluded xLAM rows with compatible same-split rows.

Validation retained 90 BAYMAX and 107 xLAM rows, replacing three xLAM examples. Train/validation/test membership remains protected. The raw recipe stays 200 BAYMAX ACT / 100 CLARIFY / 100 REFUSE plus 600 xLAM.

Actual Artifact and Recipe

One fresh SFT epoch, base Qwen2.5-1.5B-Instruct, seed 1, LoRA rank 8/alpha16 on q_proj and v_proj, dropout 0.05. Learning rate 2e-4, cosine scheduler, warmup fraction 0.03.

Owner low-VRAM overrides: context 1,024, batch one, accumulation 16, raw train/eval caps 1,000/200.

Usable train: 974 rows, direct 435, multi 339, refusal 100, clarification 100; BAYMAX 400, xLAM 574, no exact duplicates. Validation retained 195.

Results

Evaluation	Cases	Task success	Tool accuracy	Argument accuracy	Clarification wording	Refusal wording
Anchored / one epoch	150	39/150 (0.260)	0.500	0.708	0.050	0.155

Values are ratios from 0 to 1, rounded to three decimals. Clarification/refusal columns measure wording criteria, not routing alone. Different suite sizes remain separate evaluations.

Routing and Output Validity

Evaluation	Macro-F1	Invalid-output rate
Anchored / one epoch (150 cases)	0.429	0.080

Routing values use the existing comparison helper on recorded per-scenario decisions; missing historical aggregate fields are derived without rewriting source files. Invalid output and unknown decision are not identical categories.

Decision Matrix: Anchored / one epoch (150 Cases)

Rows are expected decisions; columns are recorded predictions. The diagonal is correct routing, not necessarily full task success.

Expected	ACT	CLARIFY	REFUSE	Invalid/unknown
ACT	50	22	3	6
CLARIFY	24	7	5	4
REFUSE	12	2	12	3

Result Provenance

- Anchored / one epoch: 2026-10-06 UTC, 150 cases.

Interpretation

Success was 39/150, macro-F1 0.429 and invalid outputs 12/150. Compared with resampling's 47 successes but 0.354 macro-F1, anchoring recovered more balanced routing but not its task total.

This became the data reference for the epoch-length trials.

Limits

Replacing 18 examples also changes token lengths and usable counts. This is a much tighter comparison, not perfectly identical exposure. Single-seed measurements do not establish a statistically reliable causal effect.

Supporting Files

- qwen2_5_1_5b_lora_target_compatible_v14_act200_anchored_val200.json

Notes assembled on 2026-10-10 from saved artifacts and repository records. No training, inference or result modification was performed to write this note.

Exported 2026-10-17. Tables and saved measurements are preserved. Combined PDFs use internal document navigation. Source/result links point to the GitHub branch; unpublished local data/checkpoint links are not active.