Legacy Boundary-Weighting Trial

Experiment index

Question and Context

This is a separate early weighting result that could otherwise be confused with the extra-six/extra-twelve run.

Recoverable Setup

The stored filename identifies a boundary-weighting trial historically called "legacy13". The evaluation contains 50 scenarios. Its exact repeat factors and training recipe are not established by that label.

Two token-audit snapshots exist. They should be inspected as separate snapshots; neither should be silently assumed to describe all historical weighting trials.

Results

Evaluation	Cases	Task success	Tool accuracy	Argument accuracy	Clarification wording	Refusal wording
Legacy weighting	50	12/50 (0.240)	0.560	0.783	0.111	0.000

Values are ratios from 0 to 1, rounded to three decimals. Clarification/refusal columns measure wording criteria, not routing alone. Different suite sizes remain separate evaluations.

Result Provenance

- Legacy weighting: 2026-09-16 UTC, 50 cases.

Interpretation

Success was 12/50, clarification wording accuracy 0.111 and refusal zero. It did not solve refusal behavior.

Limits

The recipe is not sufficiently pinned for exact reproduction or a one-variable comparison with the other weighted runs. This note deliberately preserves that uncertainty rather than assigning today's configuration to an old result.

Supporting Files

- boundary-weighting-legacy13-token-audit-5000-snapshot1.json

- boundary-weighting-legacy13-token-audit-5000-snapshot2.json

Notes assembled on 2026-10-10 from saved artifacts and repository records. No training, inference or result modification was performed to write this note.

PDF exported 2026-10-12. Original Markdown and benchmark evidence are preserved. Local artifact links require the project files.