



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

## Silver Oak University

SILVER OAK COLLEGE OF COMPUTER APPLICATION

DEPARTMENT OF BACHELOR OF SCIENCE

HTML Markup for Web Designers

Course Code: 4040243136

1st semester

## Laboratory Manual

Collage Name :	SSOCA
Enroll. No. / Roll No. :	2404030400123
Name of Student:	Mukti Khakhar
Branch :	BSC (SFT)
Semester :	I
Division:	B



## EXPERIMENT NO: 1

Aim: Create and save simple HTML document & modifying the

1. background of HTML.

2. Webpage with different colors.

Description:

In this practical, we created a basic HTML document and applied CSS to change the background color of the webpage. Additionally, we used CSS properties to modify the color of different webpage elements like headers and paragraphs. This demonstrates the basic concept of styling HTML elements using CSS.

Procedure:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,
initial-scale=1.0">
<title> Simple HTML Page </title>
<style>
body {
background-color: lightblue; /* changes this
color to whatever you prefer */
font-family: Arial, sans-serif
}
h1 {
color: darkblue;
}
</style>
<head>
<body>
```



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

<h1> Welcome to my simple HTML page! </h1>  
<p> This is a simple paragraph on the webpage</p>  
Conclusion: <1 h1+1>

Welcome to simple HTML page  
This is a simple paragraph  
on the webpage

#### Post Practical Questions:

1. How can you apply different background images instead of a color to your webpage?

Ans: `We CSS background image: URL('path/to/yourimage.jpg');`  
to apply a background image instead of a color on  
your web page.

2. How would you change the colors dynamically using JavaScript?

Ans: ~~We document body . style . background color~~  
~~"new color"; JavaScript to change the~~  
~~background color dynamically.~~

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 2

Aim: Demonstrate use of

1. subscript,
2. super script,
3. align tag,

4. Format the text by using formatting tags like bold and italic.

### Description:

In this practical, we demonstrated how to use:

1. **Subscript** (`<sub>`) and **superscript** (`<sup>`) tags to format text in mathematical and chemical notations.

2. **Align** attribute to control text alignment (center, right).
3. Formatting tags like **bold** (`<b>`) and **italic** (`<i>`) to emphasize specific parts of the text.

### Procedure:

To use **subscript** and **superscript**, you can use the **HTML tags** `<sub>` for subscript and `<sup>` for superscript; to align text we use the `<align>` attribute with a block element like `<div>` or `<p>` to format text we `<strong>` for bold and `<em>` for italic. Here is a example,

```
<p align="center">
```

This is `<strong>` bold `</strong>` and `<em>` italic `</em>`

```
</p>
<p>
```

$H <sub>2</sub> <sub>2</sub> o/w water, and E = mc `<sup>2</sup>` <math>E=mc^2</math> is a famous equation$



**Conclusion:**

In Conclusion, using HTML effectively allows for a variety of text formating option, including subscript and superscript for chemical and mathematical notation as well as text alignment.

**Post Practical Question:**

1. Which tag is used to display text as a subscript in HTML?


- a) <sup>
- ~~b) <sub>~~
- c) <script>
- d) <small>

**Answer:**

<sub>

2. Which of the following tags is used to display text as superscript in HTML?

- a) <sub>
- b) <i>
- ~~c) <sup>~~
- d) <u>





# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

Answer:

<sup>

3. What is the correct way to align text to the center in a paragraph using HTML?

- a) <p align="right">This is centered text</p>
- b) <p align="center">This is centered text</p>
- c) <p style="center">This is centered text</p>
- d) <p text-align="center">This is centered text</p>

Answer:

<p text-align="center"> This is centered text </p>

4. Which tag is used to make text bold in HTML? .....

- a) <b>
- b) <i>
- c) <u>
- d) <strong>

Answer:

<strong> &amplt b >

5. What is the purpose of the <i> tag in HTML?

- a) To underline the text
- b) To make the text bold
- c) To italicize the text
- d) To strike through the text

Answer:

To italicize the text

6. Which tag is used to underline text in HTML?

- a) <i>
- b) <b>
- c) <u>
- d) <sub>

Answer:

<u>



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

7. Which of the following attributes is used to align text within a <p> tag?

- a) text-align
- b) align
- c) style
- d) font-align

align

Signature with Date of Completion	
Marks out of 10	



**SILVER OAK  
UNIVERSITY**  
EDUCATION TO INNOVATION

### EXPERIMENT NO: 3

Aim: Draw the table as given format

Description:

In this exercise, a table is created using the `<table>`, `<tr>`, `<th>`, and `<td>` tags. The table structure was enhanced with attributes like borders, cell padding, and cell spacing. This demonstrates the creation of structured data presentation using tables in HTML.

Procedure:

```
<!DOCTYPE html>
<html lang="eng">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1"
<title> Sample Table </title>
<style>
table {
border-collapse: collapse; /merges borders for a cleaner look
width: 80%; /sets the table width /margin: 20px auto; /
center the table on the page /
}
th, th {
border: 1px solid #000; /Black border for cells/
padding: 15px; / Padding inside cells/ text-align: left; All
to the left
}
```



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Row 1, 1	cell 1	Row 1, 2	cell 2
Row 2, 1	cell 2	Row 2, 2	cell 2

Conclusion:

Post Practical Question:

1. Which tag is used to create a table in HTML?

- a) <table>
- b) <tab>
- c) <tr>
- d) <td>

Answer:

<table>

2. What does the <tr> tag represent in an HTML table?

- a) A table cell
- b) A table row
- c) A table header
- d) A table caption

Answer:

A table row

3. Which tag is used to define a header cell in a table?

- a) <td>
- b) <th>
- c) <header>
- d) <cell>

Answer:

<th>



# SILVER OAK UNIVERSITY

---

EDUCATION TO INNOVATION

4. What attribute is used to add a caption to a table?

- a) <caption>
- b) <tablecaption>
- c) title
- d) description

Answer:

<caption>

5. Which attribute would you use to specify the border of a table in HTML?

- a) border
- b) border-style
- c) frame
- d) cellpadding

Answer:

border

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 4

Aim: Create web page using metadata & `<!DOCTYPE html>` tag.

Description:

This practical demonstrates the use of the `<!DOCTYPE html>` declaration to specify the HTML version. It also covers the use of metadata tags like `<meta>` to define the character set, description, keywords, and other important information for the webpage. Metadata is essential for SEO and webpage responsiveness.

Procedure:

```
<!DOCTYPE HTML>
<html lang="eng">
<head>
<meta charset="UTF-8"><!Character encoding>
<meta name="viewport" content="width=device-width, initial-scale=1.>
<!-- Responsive design -->
<meta name="description" content="This is a simple WebPage example Using meta
<title>Simple WebPage Example the Doctype tag</title>
</style>
```

Conclusion:

`DOCTYPE` declaration - The `<!DOCTYPE>` ensure the page is rendered in standards mode according to HTML.

Post Practical Question:

Metadata - The `<head>` section contains vital elements like character encoding, responsive design settings, SEO description, browser understanding, and search visibility.



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

~~Content Structure:~~ The <body> section includes main content, such as heading and paragraph, guiding visitor on the page purpose.

~~Styling - Basic CSS enhances the visual layout, improving user experience and accessibility.~~

Signature with Date of Completion	.....
Marks out of 10	.....



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

## EXPERIMENT NO: 5

Aim: Create a Web page to display basic your resume

### Description:

In this practical, a simple webpage was created to showcase a basic resume layout. HTML tags such as `<h1>`, `<p>`, `<ul>`, and `<table>` are used to structure sections like personal details, education, skills, and contact information. This is useful for creating personal portfolios or professional resumes online.

### Procedure:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title> Your name </title>
<style>
body {
    font-family: Arial, sans-serif;
    margin: 0;
    padding: 20px;
    background-color: #f0f0f0;
}
header {
    text-align: center;
    padding: 10px;
    background-color: #1E8449;
    color: white;
}
```



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

h1 {  
margin: 0;

h2 {  
color: #333;

Conclusion:

xyz Contact M: 20101011	E-mail:- education:-
degree	BSC CS - IT
University	

### Post Practical Question:

This Web Page serves a simple; but effective way to present a resume online. It is mobile responsive and user-friendly, using HTML and CSS that can easily be modified or expanded as needed. The structure and style offer clarity and organization allowing viewers to quickly find the information they are interested in.

✓

Signature with Date of Completion	
Marks out of 10	



### EXPERIMENT NO: 6

Aim: Show the use of all tags and attributes of

1. ordered list
2. unordered list.

#### Description:

This exercise demonstrates the use of ordered (`<ol>`) and unordered (`<ul>`) lists in HTML. The `<li>` tag is used for list items. Attributes like `type`, `start`, and `reversed` for ordered lists, and bullet styling for unordered lists, are explored to enhance list formatting.

#### Procedure:

```
<ul>
  <li> item 1 </li>
  <li> item 2 </li>
  <li> item 3 </li>
  <li> item 4 </li>
</ul>

<ol type="A" start="2" reversed>
  <li> Step 1 </li>
  <li> Step 2 </li>
  <li> Step 3 </li>
```

→ Nested list

```
<ul>
  <li> main item
    <ul>
      <li> sub item 1 </li>
    </ul>
  </li>
```

```
<li> Another main item </li>
```

```
</ul>
</ol>
```

# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION



<li> main <br/><ol type="a"><li> sub step 1</li><li> sub step 2</li></ol></li>

<li> Another main step <br/><ol type="a"></ol>

Conclusion:

#### Post Practical Question:

1. Which tag is used to create an unordered list in HTML?

- a) <ol>
- b) <ul>
- c) <li>
- d) <list>

Answer:

<ul>

2. What is the purpose of the <li> tag in both ordered and unordered lists?

- a) To define the list itself
- b) To represent each item within a list
- c) To create a heading for the list
- d) To style the list items

Answer:

3. Which attribute can be used to specify the type of bullet in an unordered list?



# SILVER OAK UNIVERSITY

---

EDUCATION TO INNOVATION

- a) style
- b) type
- c) bullet
- d)  list-style-type

Answer:

list style type

4. What tag is used to create an ordered list in HTML?

- a) <ul>
- b) <li>
- c)  <ol>
- d) <list>

Answer:

<ol>

5. Which attribute can you use to change the numbering style of an ordered list?

- a)  style
- b) type
- c) numbering
- d) format

Answer:

style

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

## EXPERIMENT NO: 7

Aim: Create webpage which shows the use of hyperlink.

Description:

In this practical, hyperlinks were created using the `<a>` tag. The `href` attribute was used to link to external and internal web pages, while the `target` attribute was used to control how the linked page opens (e.g., in a new tab). This exercise is key in learning how to navigate between web pages.

Procedure:

```
<h1> Welcome to my WebPage </h1>
<P> This is a simple WebPage demonstrating the use of hyper links</P>
<h2> External link </h2>
<P> Visit the <a href="https://www.wikipedia.org"
target="blank"> Wikipedia </a> Website to learn about Various
topics </P>
<h3> internal link </h3>
<P> Visit the <a href="http://www.wikipedia.org",
target="blank"> Wikipedia </a> Website to learn about Various
Topics </P>
</body>
</html>
```

Conclusion:

The Provided html code demonstrate how to create a webpage featuring various types of hyperlinks, including external links, internal links, and mailto links.

Post Practical Question:

The links enhance navigation and interactivity as they allow user to easily access additional resources and contact information.



# SILVER OAK UNIVERSITY

## EDUCATION TO INNOVATION

- What are the security implications of using hyperlinks that open in a new tab (i.e., using `target="blank"`)?

Ans: Use `rel="noopener noreferrer"` This attribute combination prevents the new page from having access to the window. opener object effectively mitigating the risk of lab naging. Here's how you can use it.

`<a href="http://example.com" targets="_blank" rel="noopener noreferrer"> open example </a>`

- How would you create an anchor link that scrolls to a specific section of the same webpage?

Ans: ~~`use rel="new opener no referrer"`~~

To create an anchor link that scroll to a specific section of the same WebPage, add an id attribute to the target section and use a like with a symbol followed by the id. for example

`<a href="#section10"> Go To section </a>`  
`<div id="section10"> Target section </div>`

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 8

Aim: Show the use of all tags related to images.

Description:

This practical demonstrates the use of the `<img>` tag to display images on a webpage. Attributes like `src` (source), `alt` (alternative text), `height`, and `width` are explored to control the display of images. It also covers image alignment and linking an image to another page using the `<a>` tag.

Procedure:

- (1) ``
- (2) `<figure>`  
``  
`<fig caption> Caption for the image </fig caption>`  
`</figure>`
- (3) `<picture>`  
`<source media="min-width: 650px" srcset="image-large.jpg">`  
`<source media="min-width: 465px" srcset="image-medium.jpg">`  
``  
`</picture>`
- (4) `<source media="min-width: 650px" srcset="image-large.j`

Conclusion:



# SILVER OAK UNIVERSITY

## EDUCATION TO INNOVATION

**Post Practical Question:**

1. Which tag is used to embed an image in an HTML document?

- a) <img>
- b) <picture>
- c) <image>
- d) <src>

**Answer:**

<img>

2. What attribute is essential for the <img> tag to specify the image source?

- a) source
- b) src
- c) href
- d) file

**Answer:**

src

3. What attribute is used in the <img> tag to provide alternative text for an image?

- a) alt
- b) title
- c) description
- d) text

**Answer:** alt

4. How do you specify a caption for an image using HTML?

- a) Using the <figcaption> tag inside the <figure> tag
- b) Using the <caption> tag
- c) Using the alt attribute
- d) Using the <label> tag

**Answer:** Using the <figcaption> tag inside the <figure> tag

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 9

Aim: Create a webpage and use the following TAG to perform operation.

1. Create a simple table with at least three rows and three columns.
2. Use the `<table>`, `<tr>`, `<th>`, and `<td>` tags.
3. Add a caption to the table created above using the `<caption>` tag.
4. Add a border to your table using the `border` attribute in the `<table>` tag.
5. Align the content of your table cells using the `align` and `vAlign` attributes.
6. Change the background color of your table and its cells using the `bgcolor` attribute.
7. Use the `cellpadding` and `cellspacing` attributes to adjust the spacing inside and between the table cells.
8. Create a nested table by inserting one table inside another table's cell.

Description:

This practical focuses on creating a table with at least three rows and three columns using the `<table>`, `<tr>`, `<th>`, and `<td>` tags. Features such as captions, borders, alignment, background colors, `cellpadding`, and `cellspacing` were demonstrated. Additionally, a nested table was created by placing one table inside a table cell.

Procedure:

```
<table border="1">
<tr>
<th> Header 1 </th>
<th> Header 2 </th>
<th> Header 3 </th>
</tr>
<tr>
<td> Row 1, Cell 1 </td>
<td> Row 1, Cell 2 </td>
<td> Row 1, Cell 3 </td>
</tr>
<tr>
<td> Row 2, Cell 1 </td>
<td> Row 2, Cell 2 </td>
<td> Row 2, Cell 3 </td>
</tr>
</table>
```



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### Conclusion:

The code is a straight forward implementation of an HTML table. It effectively showcases how to organize information in table format which can improve data presentation and make it easier for users to digest and compare information.

### Post Practical Question:

1. What are the benefits of using CSS to style tables instead of inline HTML attributes?

Ans: Separation of concerns, Reusability, Consistency, flexibility, ease of maintenance, Performance, media queries, easier collaboration

2. How would you handle large tables with many rows and columns to improve readability and usability?

Ans: Pagination, infinite scrolling, sorting and filtering, responsive design, highlighting in data, sticky rows and columns, collapsed rows or sections, of alteration layout.

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 10

Aim: Create a webpage and use the following TAG to perform operation.

1. Use the <frameset> tag to create a webpage with two frames.
2. Use the <frame> tag to define the content of each frame.
3. Specify different attributes like border, frameborder, framespacing, and marginwidth for the frames.
4. Set the width and height of the frames using the cols and rows attributes in the <frameset> tag.
5. Create a navigation menu in one frame and display the corresponding content in another frame using the target attribute in the <a> tag.

#### Description:

This practical shows the use of the <frameset> and <frame> tags to create a webpage with two frames. The webpage includes a navigation menu in one frame and displays related content in another frame using the target attribute. Attributes like border, frameborder, framespacing, and marginwidth are also demonstrated to control the appearance and spacing of frames.


#### Procedure:

##### Index.html

```
<!DOCTYPE html>
<html>
<frameset rows="20% ; 80%">
  <frame border="1" framespacing="5"
        border="1">
  <frame src="menu.html" />
</frameset>
</html>
```

##### [menu.html]

```
<!DOCTYPE html>
<html>
<body>
<h2> Navigation </h2>
<ul>
  <li><a href="page1.html" target="content"> Page 1 </a></li>
  <li><a href="page2.html" target="content"> Page 2 </a></li>
  <li><a href="page3.html" target="content"> Page 3 </a></li>
</ul>
</body>
</html>
```



# SILVER OAK UNIVERSITY


---

## EDUCATION TO INNOVATION

frame src  
 <Frame Set Colz "50% ; 50%">  
 <Frame>  
 </Frame Set>

Conclusion: <Frame src="P12.html">  
 <FrameSet>  
 </FrameSet>

Output :-



### Post Practical Question:

- What are the drawbacks of using frames in modern web development, and what alternatives exist?

Ans:

#### Drawbacks of Frames

- > SEO issues
- > Browser compatibility issues
- > Security issues

#### Alternatives

- > CSS layouts
- > Javascript libraries
- > Ajax
- > HTML semantic elements

- How can you handle issues related to frame security and browser compatibility?

Ans: Frame security

1. USE HTTPS
2. set Content-Security-Policy
3. use sendby attributes
- browsers compatibility
4. cross - browsers testing
5. Standard HTML/CSS
6. Javascript libraries.

Signature with Date of Completion	
Marks out of 10	



## EXPERIMENT NO: 11

**Aim:** Create a webpage for online Jewellery shopping.

1. Display Menu in left frame.
2. Clicking on menu should display related webpage in right frame.
3. Keep header and footer frames to display related information.

**Description:**

In this exercise, a webpage is designed using frames to create a simple online jewelry shopping interface. The left frame displays the menu, and clicking on the items in the menu displays the related content in the right frame. Additionally, a header and footer are used to display additional information.

**Procedure:**

```
<Main>
<Section id="Products">
<h2> our collection </h2>
<div class="Product-Container">
    <div class="Product-Container">
        <div class="Product-card">
            
            <h3> Gold ring </h3>
            <p> $500 </p>
            <button> Add to cart </button>
        </div>
    <div class="Product-card">
        
        <h3> Silver Bracelet </h3>
        <p> $250 </p>
        <button> Add to cart </button>
    </div>
</Section>
</main>
```



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

<footer>  
<p> © 2023 Jewelry Boutique. All rights reserved.

</footer>

</body>

Conclusion: The basic template serves as a starting point for an online Jewelry Shopping Website and You can expand it further with additional features and functionalities as needed.

### **Post Practical Question:**

- How would you enhance the user experience by integrating JavaScript or CSS animations in your jewelry shopping website?

Ans: To enhance user experience on the Jewelry shopping website implement Javascript for dynamic features like adding products to a shopping cart with real time update and options. Implement CSS animations for button hover effects and smooth transition when displaying product data's or images.

- How can you make your shopping website responsive for mobile and tablet devices?

Ans: To make the shopping website for mobile and tablet devices utilize CSS media queries to adjust element, font size and image dimensions based on screen width, implement a flexible grid system or CSS flex box to ensure product cards stack appropriately on smaller screens while maintaining a visually similar screens applying arrangement, Additionally use relative units for padding and margins to ensure consistent.

Signature with Date of Completion	
Marks out of 10	



# SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

## EXPERIMENT NO: 12

Aim: Create web page for register online exam form filling process.

Description:

This practical involves creating a form for registering for an online exam. The form uses various form elements like `<input>`, `<select>`, `<textarea>`, and buttons for user input. The exercise highlights form validation, data submission, and user interaction on a webpage.

Procedure:

```
<div class="container">
<h1> Exam Registration form </h1>
<form action="submit.php" method="Post">
<table for="name"> full name: </table>
<input type="text" id="Name" name="name" required>
<table for="Phone"> Phone </table>
<input type="tel" id="Phone" name="Phone" required>
<table from="exam"> name = "exam" required
<option value="math"> mathematics </options>
<option value="Science"> Science </options>
<option value="english"> English </option>
</select>
<button type="Submit"> Register </button>
</form>
</div>
</body>
</html>
```

Output

online registration  
form Password \_\_\_\_\_  
Full Name:- \_\_\_\_\_  
Phone No.:- \_\_\_\_\_  
Exam Name:- \_\_\_\_\_



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

Conclusion:

The Provided Code Create a simple online exam registration form using html, styled with CSS for a clean appearance, upon submission the form data is processed by a PHP script, which can be extended to save.

Post Practical Question:

1. Which HTML tag is used to create a form in a webpage?

- a) <input>
- b) <form>
- c) <register>
- d) <fieldset>

**Answer:** b) <form>

<form>

2. What attribute is used to specify the method of form submission in HTML?

- a) action
- b) method
- c) submit
- d) enctype

**Answer:**

Method

3. Which input type would you use for a text field where users can enter their names?

- a) <input type="number">
- b) <input type="text">
- c) <input type="email">
- d) <input type="password">

**Answer:**

<input type = "text">



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

4. Which CSS property would you use to change the background color of the form?

- a) color
- b) background
- c) bgcolor
- d) background-color

Answer:

background - color

5. What is the purpose of the <label> tag in a form?

- a) To create a text input
- b) To provide a clickable area for form controls
- c) To define a form section
- d) To display error messages

Answer:

6. Which CSS property is used to adjust the spacing between the form fields?

- a) margin
- b) padding
- c) border
- d) spacing

Answer:

margin

7. How can you make a field required in a form?

- a) By adding the required attribute to the input tag
- b) By using the mandatory attribute
- c) By adding required="true" in the form tag
- d) By setting the validate attribute to true

Answer:



**EXPERIMENT NO: 13**

Aim: Create a Web page to display your resume.

```
<h1> Your name </h1>
<p> Email: Your_email@example.com | Phone: (123)456-7890 </p>
<p> Location: City State </p>
</header>
<h2> Summary </h2>
<p> Brief summary about Yourself and Your career goals </p>
</section>
<section id="experience">
<h2> Experience </h2>
<div class="Job">
<h3> Job title - Company name </h3>
<p> month yyyy - Present </p>
<ul>
<li> Responsibility or achievement </li>
<li> Responsibility or achievement </li>
<li> Responsibility or achievement </li>
</ul>
<section id="skills">
<h2> Skills </h2>
<ul>
```



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### Description:

This practical involves creating a more detailed and formatted resume using HTML. Sections like personal details, education, work experience, and skills are presented using appropriate tags like `<h1>`, `<p>`, `<ul>`, and `<table>`. This showcases how HTML can be used to create professional online resumes.

### Procedure:

```
<li> Skill 1 </li>
<li> Skill 2 </li>
<li> Skill 3 </li>
<li> Skill 4 </li>
<li> Skill 5 </li>
</ul>
</section>
<footer>
  <p>Q2023 Your Name </p>
</footer>
</body>
</html>
```

### Conclusion:

The provided HTML and CSS creates a simple, structured WebPage to display a resume, featuring section for Personal information, experience, education and branding.

### Post Practical Question:



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

1. What enhancements can you add to make the resume more interactive, such as using modal windows or downloadable sections?

Ans: To enhance the resume interactivity you could add modal windows to display detailed information about each job experience providing a more in-depth overview without cluttering the main page. Implementing download sections, such as a PDF version of the resume, could allow users to easily save or print a copy.

2. How would you update your resume in the future while maintaining consistency and formatting across devices?

Ans: To update your resume in the future and formatting across device uses responsive web design techniques. To do this, the layout for different screen sizes, ensuring readability on desktops, tablets and smartphones. Implement a CSS framework like Bootstrap to maintain a consistent look and ease of updates. Additionally, utilize a version control system like Git to track changes and collaborate efficiently, ensuring a smooth transition.



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

### EXPERIMENT NO: 14

Aim: Show the use of all tags and attributes of ordered list and unordered list.

Description:

In this practical, ordered and unordered lists were created using `<ol>` and `<ul>` tags. Different attributes of lists were explored, such as the `type` attribute for ordered lists (e.g., numbers, letters) and various bullet styles for unordered lists. This practical highlights how to create and style lists on a webpage.

Procedure:

```
<ul>
<li> item1 </li>
<li> item2 </li>
<li> item3 </li>
</ul>
```

```
<li> Step 1 </li>
<li> Step 2 </li>
<li> Step 3 </li>
```

Conclusion:

We use responsive Web design techniques to adopt the layout for various devices implement a CSS framework like Bootstrap for consistency and ease of updates. Utilize various control systems like Git to track changes and maintain format.

We use responsive Web design techniques for layout adaptability.

Implement a CSS framework like Bootstrap for consistent appearance.



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

Post Practical Question:

1. Which tag is used to create an ordered list in HTML?

- a) <ul>
- b) <li>
- c) <ol>
- d) <list>

**Answer:**

<ol>

2. What attribute can you use to specify the starting number of an ordered list?

- a) start
- b) type
- c) value
- d) number

**Answer:**

number

3. Which of the following tags is used to define each item in a list?

- a) <item>
- b) <list-item>
- c) <li>
- d) <element>

**Answer:**

<li>

4. What is the default bullet style for an unordered list created with the <ul> tag?

- a) Square
- b) Circle
- c) Disc
- d) None

**Answer:**

None



# SILVER OAK UNIVERSITY

---

## EDUCATION TO INNOVATION

5. Which attribute can be used with the <ol> tag to change the numbering style of the list?

- a) start
- b) type
- c) style
- d) numbering

Answer:

numbering  
style

Knight

Signature with Date of Completion	
Marks out of 10	