
MUSHIMIYIMANA Michelline

25696

1) HOTEL MANAGEMENT SYSTEM

2)The hotel management system is designed to efficiently operate CRUD [CREATE, READ, UPDATE, DELETE] Operations. It allows hotel management to manage room allocations, track room types and availability, record guest information, make and manage bookings, and process payments seamlessly. The system enables management to easily assign rooms to guests based on their preferences and availability, while also providing guests with a smooth booking and payment experience. With features such as updates on room availability, detailed guest profiles, and payment processing.

3)



create table room_types (
id INT PRIMARY KEY,

Name VARCHAR(255) NOT NULL,

Price DECIMAL(10,2) NOT NULL,

Capacity INT NOT NULL

```
);
CREATE TABLE Room (
room_id INT PRIMARY KEY,
room_number VARCHAR(20) NOT NULL,
status VARCHAR(20) NOT NULL,
room_type_id INT NOT NULL,
FOREIGN KEY (room_type_id) REFERENCES Room_Type(id)
);
CREATE TABLE Guestss (
id INT PRIMARY KEY,
id_passport VARCHAR(20),
fullnames VARCHAR(255) NOT NULL,
email VARCHAR(255),
 phone VARCHAR(20),
address VARCHAR(255)
);
CREATE TABLE Booking (
 booking_id VARCHAR(20) PRIMARY KEY,
 room_id_fk INT NOT NULL,
guest_id_fk INT NOT NULL,
check_in DATE NOT NULL,
check_out DATE NOT NULL,
 price FLOAT NOT NULL,
 FOREIGN KEY (room_id_fk) REFERENCES Room(room_id),
 FOREIGN KEY (guest_id_fk) REFERENCES Guestss(id)
);
CREATE TABLE Payments (
 payment_id INT PRIMARY KEY,
```

```
booking id VARCHAR(20) NOT NULL,
amount FLOAT NOT NULL,
date payment DATE NOT NULL,
FOREIGN KEY (booking id) REFERENCES Booking (booking id)
);
INSERT INTO Room_Type (id, Name, Price, Capacity) VALUES (1, 'queen', 1000.00, 2);
INSERT INTO Room_Type (id, Name, Price, Capacity) VALUES (2, 'abriale', 1200.00, 3);
INSERT INTO Room Type (id, Name, Price, Capacity) VALUES (3, 'orion', 800.00, 2);
INSERT INTO Room_Type (id, Name, Price, Capacity) VALUES (4, 'maelyse', 500.00, 1);
INSERT INTO Room_Type (id, Name, Price, Capacity) VALUES (5, 'giana', 1000.00, 2);
INSERT INTO Room Type (id, Name, Price, Capacity) VALUES (6, 'Studio', 1200.00, 4);
INSERT INTO Room Type (id, Name, Price, Capacity) VALUES (7, 'Suite', 3000.00, 2);
INSERT INTO Room_Type (id, Name, Price, Capacity) VALUES (8, 'Connecting rooms', 1500.00, 1);
INSERT INTO Room_Type (id, Name, Price, Capacity) VALUES (9, 'Presidential Suites', 5800.00, 2);
INSERT INTO Room Type (id, Name, Price, Capacity) VALUES (111, 'Junior Suites', 700.00, 1);
select *from Room Type;
INSERT INTO Room (room_id,room_number, status,room_type_id)
VALUES (1,'101', 'Available',1);
INSERT INTO Room (room id,room number, status,room type id)
VALUES (2,'203', 'Occupied',2);
INSERT INTO Room (room_id,room_number, status,room_type_id)
VALUES (3,'312', 'Cleaning',3);
INSERT INTO Room (room id,room number, status,room type id)
VALUES (4,'401', 'Available',1);
INSERT INTO Room (room_id,room_number, status,room_type_id)
VALUES (5,'503', 'Occupied',5);
INSERT INTO Room (room_id,room_number, status,room_type_id)
VALUES (6,'612', 'Available',7);
```

```
INSERT INTO Room (room id,room number, status,room type id)
VALUES (7,'701', 'Available',1);
INSERT INTO Room (room id,room number, status,room type id)
VALUES (8,'803', 'Occupied',5);
INSERT INTO Room (room_id,room_number, status,room_type_id)
VALUES (9,'912', 'Cleaning',3);
INSERT INTO Room (room_id,room_number, status,room_type_id)
VALUES (10,'1012', 'Cleaning',10);
INSERT INTO Guestss (id,id_passport, fullnames, email, phone,
address)VALUES(1,'RW12333','giana','giana@gmail.com','0781678947','KN123ST');
INSERT INTO Guestss (id,id passport, fullnames, email, phone,
address)VALUES(2,'RW14433','Belyse','belyse@gmail.com','0791678947','KG123ST');
INSERT INTO Guestss (id,id_passport, fullnames, email, phone,
address)VALUES(3,'RW144303','Diane','diane@gmail.com','0791678947','KG123ST');
INSERT INTO Guestss (id,id passport, fullnames, email, phone,
address)VALUES(4,'RW144303','mimi','mimi@gmail.com','0791678947','KG123ST');
INSERT INTO Guestss (id,id passport, fullnames, email, phone,
address)VALUES(5,'RW09144303','Jeannette','jane@gmail.com','0791678947','KG123ST');
INSERT INTO Guestss (id,id passport, fullnames, email, phone,
address)VALUES(6,'RW09144303','Aline','Aline@gmail.com','0781678947','KG223ST');
INSERT INTO Guestss (id,id_passport, fullnames, email, phone,
address)VALUES(7,'RW0879144303','orion','orion@gmail.com','0781678947','KG223ST');
INSERT INTO Guestss (id,id_passport, fullnames, email, phone,
address)VALUES(8,'RW049144303','maelyse','maelyse@gmail.com','0781678947','KG223ST');
INSERT INTO Booking (booking_id, room_id_fk, guest_id_fk, check_in, check_out, price)
VALUES ('B001', '1', '2', '2004-12-12', '2004-12-14', 1000.00);
INSERT INTO Booking (booking id, room id fk, guest id fk, check in, check out, price)
VALUES ('B002', '2', '3', '2004-12-13', '2004-12-14', 1000.00);
```

```
INSERT INTO Booking (booking_id, room_id_fk, guest_id_fk, check_in, check_out, price)
VALUES ('B003', '3', '3', '2004-12-13', '2004-12-14', 1000.00);
```

INSERT INTO Booking (booking_id, room_id_fk, guest_id_fk, check_in, check_out, price)
VALUES ('B004', '3', '6', '2024-12-15', '2025-01-14', 1000.00);

INSERT INTO Booking (booking_id, room_id_fk, guest_id_fk, check_in, check_out, price)
VALUES ('B005', '6', '6', '2024-12-15', '2025-01-14', 1000.00);

INSERT INTO Booking (booking_id, room_id_fk, guest_id_fk, check_in, check_out, price)
VALUES ('B006', '10', '5', '2024-12-15', '2025-01-14', 1000.00);

INSERT INTO Booking (booking_id, room_id_fk, guest_id_fk, check_in, check_out, price)
VALUES ('B007', '7', '7', '2024-12-15', '2025-01-14', 1000.00);

INSERT INTO Booking (booking_id, room_id_fk, guest_id_fk, check_in, check_out, price) VALUES ('B008', '5', '10', '2025-01-15', '2025-02-14', 1000.00);

INSERT INTO Booking (booking_id, room_id_fk, guest_id_fk, check_in, check_out, price)
VALUES ('B009', '10', '1', '2025-01-17', '2025-03-14', 1000.00);

INSERT INTO Booking (booking_id, room_id_fk, guest_id_fk, check_in, check_out, price)
VALUES ('B010', '9', '6', '2025-01-17', '2025-03-14', 1000.00);

INSERT INTO Payments (payment_id, booking_id, amount, date_payment)

VALUES (1, 'B001', 1000.00, '12/JAN/2004');

INSERT INTO Payments (payment_id, booking_id, amount, date_payment)

VALUES (2, 'B002', 1000.00, '12/JAN/2004');

```
INSERT INTO Payments(payment_id, booking_id, amount, date_payment)
VALUES (3, 'B002', 1000.00, '17/JAN/2004');
INSERT INTO Payments(payment_id, booking_id, amount, date_payment)
VALUES (4, 'B005', 1000.00, '20/JAN/2004');
INSERT INTO Payments (payment_id, booking_id, amount, date_payment)
VALUES (5, 'B006', 1000.00, '20/JAN/2044');
INSERT INTO Payments (payment_id, booking_id, amount, date_payment)
VALUES (6, 'B007', 1000.00, '20/JAN/2044');
INSERT INTO Payments (payment_id, booking_id, amount, date_payment)
VALUES (7, 'B003', 1000.00, '20/JAN/2044');
INSERT INTO Payments (payment_id, booking_id, amount, date_payment)
VALUES (8, 'B008', 1000.00, '29/JAN/2044');
INSERT INTO Payments (payment_id, booking_id, amount, date_payment)
VALUES (9, 'B009', 1000.00, '29/JAN/2044');
INSERT INTO Payments(payment_id, booking_id, amount, date_payment)
VALUES (10, 'B010', 1000.00, '29/FEB/2044');
update Room_Types
set capacity=7, Price=3000
where Name='Suite';
select *from Guestss;
select *from Booking;
select *from Room_Type;
select *from payments;
```

```
delete from payments;
SELECT
b.booking_id,
g.fullnames AS guest_name,
r.room_number,
rt.Name AS room_type,
b.check_in,
b.check_out,
b.price
FROM
Booking b
JOIN
Guestss g ON b.guest_id_fk = g.id
JOIN
Room r ON b.room_id_fk = r.room_id
JOIN
Room_Types rt ON r.room_type_id = rt.id;
______
UPDATE Room_Types
SET Price = 3500.00
WHERE Name = 'Suite';
INSERT INTO Booking (booking_id, room_id_fk, guest_id_fk, check_in, check_out, price)
VALUES ('B011', 8, 4, '2024-12-01', '2024-12-10', 1200.00);
______
SELECT
```

b.booking_id,


```
b.check_in,
b.check_out,
b.price
FROM
Booking b
JOIN
Guestss g ON b.guest_id_fk = g.id
WHERE
g.fullnames = 'Diane';
SELECT
rt.Name AS room_type,
COUNT(b.booking_id) AS number_of_bookings
FROM
Booking b
JOIN
Room r ON b.room_id_fk = r.room_id
JOIN
Room_Types rt ON r.room_type_id = rt.id
GROUP BY
rt.Name;
```

```
update Room_Types
131
     set capacity=7 ,Price=3000
132
     where Name='Suite';
133
134
135
136
137
138
Data Output
             Explain
                      Messages
                                 Notifications
UPDATE 0
Query returned successfully in 123 msec.
```


select *from Guestss;

```
134
      select *from Guestss;
135
136
137
138
Data Output
               Explain Messages
                                      Notifications
                                      fullnames
                                                                                                       address
                 id_passport
                                                                                  phone
                                      character varying (255)
                                                                                                       character varying (255)
 [PK] integer
                                                            character varying (255)
                 character varying (20)
                                                                                  character varying (20)
               1 RW12333
                                                            giana@gmail.com
                                                                                  0781678947
                                                                                                       KN123ST
 1
                                      giana
 2
               2 RW14433
                                                                                  0791678947
                                                                                                       KG123ST
                                      Belyse
                                                            belyse@gmail.com
 3
                                                                                  0791678947
               3 RW144303
                                      Diane
                                                            diane@gmail.com
                                                                                                       KG123ST
 4
              4 RW144303
                                      mimi
                                                            mimi@gmail.com
                                                                                  0791678947
                                                                                                       KG123ST
 5
              5 RW09144303
                                      Jeannette
                                                            jane@gmail.com
                                                                                  0791678947
                                                                                                       KG123ST
 6
              6 RW09144303
                                                            Aline@gmail.com
                                                                                  0781678947
                                                                                                       KG223ST
 7
               7 RW0879144303
                                                            orion@gmail.com
                                                                                  0781678947
                                                                                                       KG223ST
```


select *from Booking;




select *from Room_Type;



select *from payments;



delete from payments;



Retrieve

```
162 SELECT
163
       b.booking_id,
      b.check_in,
164
165
       b.check_out,
166
       b.price
167
     FROM
       Booking b
168
169
      JOIN
170
        Guestss g ON b.guest_id_fk = g.id
     WHERE
171
        g.fullnames = 'Diane';
172
173
174
Data Output
             Explain
                     Messages Notifications
                                     check_out
    booking_id
                          check_in
                                                price
                                                double precision
 [PK] character varying (20)
                          date
                                     date
1
    B002
                         2004-12-13
                                     2004-12-14
                                                          1000
2
    B003
                         2004-12-13
                                     2004-12-14
                                                          1000
```

Count

```
173
       SELECT
174
       rt.Name AS room_type,
175
       COUNT(b.booking_id) AS number_of_bookings
176
     FROM
       Booking b
177
178
     JOIN
179
       Room r ON b.room_id_fk = r.room_id
180
     JOIN
       Room_Types rt ON r.room_type_id = rt.id
181
     GROUP BY
182
183
       rt.Name;
184
185
Data Output
            Explain
                                Notifications
                     Messages
                      number_of_bookings_
   room_type
 character varying (255)
                      bigint
```