Overriding CSS

BlockNote provides several ways to customize the editor's appearance through CSS. You can override default styles using CSS classes and attributes.

Basic Example

In the demo below, we create additional CSS rules to make the editor text and hovered slash menu items blue:

GitHub StackBlitz

App.tsx styles.css

BlockNote Docs AI Examples Pricing About

```
.bn-container[data-theming-css-demo] .bn-editor * {
  color: blue;
}

/* Makes slash menu hovered items blue */
.bn-container[data-theming-css-demo]
  .bn-suggestion-menu-item[aria-selected="true"],
.bn-container[data-theming-css-demo] .bn-suggestion-menu-item:hover {
  background-color: blue;
}
```

🚀 BlockNote AI is here! *Access the early preview.*

CSS Selectors Reference

BlockNote CSS Classes

BlockNote uses classes with the `bn-` prefix to style editor elements. Here are the key classes you can target:

Editor Structure

- `.bn-container`: Container for editor and all menus/toolbars.
- `.bn-editor`: Main editor element.
- `.bn-block`: Individual block element (including nested).
- `.bn-block-group`: Container for nested blocks.
- `.bn-block-content`: Block content wrapper.
- `.bn-inline-content`: Block's editable rich text content.

UI Components

- `.bn-toolbar`: Formatting & link toolbars.
- `.bn-side-menu`: Side menu element.
- `.bn-drag-handle-menu`: Drag handle menu.
- `.bn-suggestion-menu`: Suggestion menu.

BlockNote CSS Attributes

BlockNote uses data attributes to target specific block types and properties:

- `[data-propName="propValue"]` : Targets blocks with specific prop values. If the value is the same as the default value, the `data-propName` attribute will not be added.

‹ Themes
Themes let you quickly change the basic look ...

Adding DOM Attributes ›
BlockNote allows you to change how the edito...

© 2025 BlockNote maintainers. All rights reserved.