


Medical Research

Daily Update Report


2025-01-21

Research Overview

Papers by Source



Papers by Category



Executive Summary

This report summarizes 19 recent medical research papers across various categories:

Key Highlights: - Treatment & Therapeutics: 5 papers on new treatments and therapeutic approaches - Diagnostics & Detection: 3 papers on diagnostic methods and disease detection - Medical Devices: 1 papers on medical technology and devices - Public Health: 1 papers on public health and prevention - Clinical Trials: 2 papers on ongoing clinical trials - Other Research: 10 papers on various other topics

Detailed Findings

Other Research

1. Design, synthesis and antitumour activity of pyrimidine derivatives as novel selective EGFR kinase inhibitors

Source: PubMed

Authors: Cheng Zhang, Yiwen Huo, Jianfang Fu, Yue Liu, Qinjiang Zhou, Mingyue Hou, Xiaoxuan Duan, Yanna Lv, Jinxiang Hu
Year: 2025

Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, often linked to overexpression or abnormal activation of the epidermal growth factor receptor (EGFR). The issue of developing resistance to third-generation EGFR kinase inhibitors, such as osimertinib, underscores the urgent need for new therapies to overcome this resistance. Our findings revealed that compound A8 exhibits 88.01% kinase inhibition efficacy against the EGFR

Huggingface_Flan_T5 Summary:

Design, synthesis and antitumour activity of pyrimidine derivatives as novel selective EGFR kinase inhibitors for non-small cell lung cancer (NSCLC): a pilot study in NSCLC patients with advanced non-Hodgkin's lymphoma (NHL) and neoadjuvant chemotherapy (NAC): A report of a phase I clinical trial. ...

Huggingface_Pegasus_Xsum Summary:

The aim of this study was to design and synthesise a novel compound that could overcome resistance to osimertinib, a third-generation kinase inhibitor used for the treatment of lung cancer.' This work was supported by the Chinese Ministry of Science and Technology, the Chinese Academy of Sciences, t...

Huggingface_Mistral Summary:

Title: Design, synthesis and antitumour activity of pyrimidine derivatives as novel selective EGFR kinase inhibitors.

Abstract: Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, often linked to overexpression or abnormal activation of the epidermal growth fa...

Huggingface_Bart_Cnn Summary:

Non-small cell lung cancer (NSCLC) is the most common type of lung cancer. The issue of developing resistance to third-generation EGFR kinase inhibitors, such as osimertinib, underscores the urgent need for new therapies to overcome this resistance. Our findings revealed that compound A8 exhibits 88...

Huggingface_Pegasus_Pubmed Summary:

we report here the main characteristics of a mouse model of acute myeloid leukemia (aml) derived from circulating tumor cells (ctcs) . <n> this mouse model was generated by transfecting a ctc cell line with human t - cell receptor (htcr) cDNA and cDNA synthetase (tcrs) inhibitor atacitinib

Huggingface_Led_Base Summary:

Title: A8 kinase inhibition efficacy against EGFR kinase inhibitors. ? | Title: Design, synthesis and antitumour activity of pyrimidine derivatives as novel selective EGFR kinesin kinase inhibitor. ? - / Abstract: Non-small cell lung

cancer (NSCLC) is the most common type of lung cancer...

Huggingface_Bigbird_Pegasus Summary:

we report the discovery and characterization of a novel biliary phosphoinositide 3-kinase / protein (kin / pi3kinase) module .<n> this module , discovered through the use of genetic and pharmacological approaches , specifically regulates the tyrosine kinase activity of several key kinases involved...

2. Development of an eHealth Intervention Including Self-Management for Reducing Sedentary Time

Source: PubMed

Authors: Lisa Hultman, Caroline Eklund, Petra von Heideken W?gert, Anne S?derlund, Maria Lind?n, Magnus L Elfstr?m

Year: 2025

Having a great amount of sedentary time is common among older adults and increases with age. There is a strong need for tools to reduce sedentary time and promote adherence to reduced sedentary time, for which eHealth interventions have the potential to be useful. Interventions for reducing sedentary time in older adults have been found to be more effective when elements of self-management are included. When creating new eHealth interventions, accessibility and effectiveness can be increased by ...

Huggingface_Flan_T5 Summary:

Development of an eHealth Intervention Including Self-Management for Reducing Sedentary Time in the Transition to Retirement: Participatory Design Study. Authors: Lisa Hultman, Caroline Eklund, Petra von Heideken Wgert, Anne S?derlund, Maria Lind?n, Magnus L Elfstr?m ; Ageing and Health: A Populatio...

Huggingface_Pegasus_Xsum Summary:

A new study has found that older people who take part in physical activities are more likely to be healthy and less likely to die prematurely than those who don't participate in such activities, despite being more sedentary than their counterparts who do not take any exercise at all. Copyright (c) ...

Huggingface_Mistral Summary:

Title: Development of an eHealth Intervention Including Self-Management for Reducing Sedentary Time in the Transition to Retirement: Participatory Design Study.

Abstract: Having a great amount of sedentary time is common among older adults and increases with age. There is a strong n...

Huggingface_Bart_Cnn Summary:

Having a great amount of sedentary time is common among older adults and increases with age. There is a strong need for tools to reduce this time. eHealth interventions have the potential to be useful. Interventions for reducing sedentaryTime in older adults have been found to be more effective when...

Huggingface_Pegasus_Pubmed Summary:

we report the discovery of a new class of polycyclic aromatic hydrocarbons (pahs) , naphthylthioureas , which are potent endogenous opioids . <n> these compounds exhibit potent analgesic and anticonvulsant properties , as well as the ability to modulate plasma levels of prostanoids , amino acids ,...

Huggingface_Led_Base Summary:

Abstract: ? | Title: Development of an eHealth Intervention Including Self-Management for Reducing Sedentary Time in the Transition to Retirement: Participatory Design Study. * d Abstract: Having a great amount of sedentary time is

common among older adults and increases with age. There ...

Huggingface_Bigbird_Pegasus Summary:

key clinical messagemucolipidosis secondary to crocidolite asbestos is a rare but potentially devastating complication .<n> we report the recovery of partial weight loss and significant clinical improvement in a patient with this disease , more than two years after initial presentation . here ,<n> w...

3. Codeveloping an Online Resource for People Bereaved by Suicide: Mixed Methods User-Centered

Source: PubMed

Authors: Edouard Leaune, Kushtrim Bislimi, Pauline Lau-Ta?, H?lo?se Rouz?, Benoit Chalancon, Laur?ne Lestienne, Pierre Grand
Year: 2025

Although suicide bereavement is highly distressing and is associated with an increased risk of suicidal behaviors and mental and physical health impairments, those bereaved by suicide encounter difficulties accessing support. Digital resources offer new forms of support for bereaved people. However, digital resources dedicated to those bereaved by suicide are still limited.

Huggingface_Flan_T5 Summary:

Codeveloping an Online Resource for People Bereaved by Suicide: A Mixed Methods User-Centered Study. (<http://dx.doi.org/10.1016/j.suid.2016.09.018>. Epub 2016 Dec 31) Authors: Edouard Leaune, Kushtrim Bislimi, Pauline Lau-Ta, H?lose Rouz?, Benoit Chalancon, Laur?ne Lestienne, Pierre Grandgenevre, Mar...

Huggingface_Pegasus_Xsum Summary:

The purpose of this study is to investigate the use of online resources for people bereaved by suicide.<n> ..Continued ondoi.org/10.1542/ BMJResRes.2015.014.<n>Continue reading the study on this topic on the website of the French National Institute for Health and Care Excellence (IHCE) at www.iHCE.f...

Huggingface_Mistral Summary:

Title: Codeveloping an Online Resource for People Bereaved by Suicide: Mixed Methods User-Centered Study.

Abstract: Although suicide bereavement is highly distressing and is associated with an increased risk of suicidal behaviors and mental and physical health impairments, those ber...

Huggingface_Bart_Cnn Summary:

Digital resources offer new forms of support for bereaved people. However, digital resources dedicated to those bereaved by suicide are still limited. Study: Codeveloping an Online Resource for People Bereaved by Suicide. The study was published in the journal Mixed Methods User-Centered Study. For ...

Huggingface_Pegasus_Pubmed Summary:

we report the case of a 78-year - old man who was found dead in his home with a gunshot wound to the head . <n> autopsy revealed that the cause of death was a lethal pulmonary embolism caused by the use of a high - velocity , high - acceleration carbapenemase (ha - ace) , which had been previously...

Huggingface_Led_Base Summary:

Abstract: ? I Title: Codeveloping an Online Resource for People Bereaved by Suicide: Mixed Methods User-Centered Study. _____

Abstract: Although suicide bereavement is highly distressing and is associated with an in...

Huggingface_Bigbird_Pegasus Summary:

key clinical messagewe report a case of 48-year - old male who suffered a cardiac arrest with chest tightness and shortness of breath , and subsequently died .<n> the patient was a known case of autosomal dominant hypospadias and had a large family history of cardiac and pulmonary disease . on inves...

4. Feasibility of robot-assisted system for navigated needle positioning in the PCNL procedure in vitro

Source: PubMed

Authors: Jianpo Zhai, Yong Zhang, Hai Wang, Guizhong Li, Libo Man

Year: 2025

The objective of this study was to explore the feasibility of using the TianJi Robot system for navigated needle positioning in the PCNL procedure in vitro.

Huggingface_Flan_T5 Summary:

Feasibility of robot-assisted system for navigated needle positioning in the PCNL procedure in vitro The TianJi Robot system is a robotic system that can be used to navigate needles in a computer-aided navigation (CAI) system. It is based on the Tian Ji robot system, which is able to navigate the ne...

Huggingface_Pegasus_Xsum Summary:

The feasibility of robot-assisted system for navigated needle positioning in the PCNL procedure in vitro has been explored in this study., Zhang Zhai, Yong Yong, Hai Wang, Guizhong, Libo Man, et al., International Journal of Robotics and Medical Technology, 10, no.1, pages 1-9, 2013; doi: 10.1371/ij...

Huggingface_Mistral Summary:

Title: Feasibility of robot-assisted system for navigated needle positioning in the PCNL procedure in vitro.

Abstract: The objective of this study was to explore the feasibility of using the TianJi Robot system for navigated needle positioning in the PCNL procedure in vitro.

...

Huggingface_Bart_Cnn Summary:

Feasibility of robot-assisted system for navigated needle positioning in the PCNL procedure in vitro. The objective of this study was to explore the feasibility of using the TianJi Robot system. The study was published in the Journal of the American College of Obstetrics and Gynaecologists (JACOG) o...

Huggingface_Pegasus_Pubmed Summary:

we report the development of a robot - assisted system for needle positioning in mammalian cells . <n> the aim of this study was to evaluate the feasibility and safety of the system in mammalian cell culture . in this study <n> , we used the da vinci robot (intuitive medical gmbh) to create a thre...

Huggingface_Led_Base Summary:

Abstract: ? I Title: Feasibility of robot-assisted system for navigated needle positioning in the PCNL procedure in vitro. * d Abstract: The objective of this study was to explore the feasibility of using the TianJi Robot system for successfully navigating the needles in the IVF procedur...

Huggingface_Bigbird_Pegasus Summary:

we present a novel method , through which an artificial pancreas is created in the living system . by using this approach<n> , we can take advantage of the pancreas as an organ rather than as a organ in its own right and make use

of its specialized machinery .<n> this method allows us to take full a...

5. Factors associated with the time of glaucoma-related adverse events onset after pediatric cataract surgery

Source: PubMed

Authors: Na Wu, Xinghuai Sun

Year: 2025

To describe the clinical characteristics of glaucoma-related adverse events (GRAE) after pediatric cataract surgery. More importantly, to identify the factors associated with the time of GRAE onset and the preferred anti-glaucomatous surgical procedure for this disease.

Huggingface_Flan_T5 Summary:

Clinical characteristics of glaucoma-related adverse events after pediatric cataract surgery: a review of the literature and a prospective study of the time of onset of GRAEs and the preferred anti-glaucomatous surgical procedure for this disease: A prospective study. The Journal of the American Acad...

Huggingface_Pegasus_Xsum Summary:

Title: Factors associated with the time of glaucoma-related adverse events onset after pediatric cataract surgery and the preferred anti-glaucomatous surgical selection. To describe the clinical characteristics of glaucoma related adverse events (GRAE) after childhood cataract surgery., Journal of Cataract an...

Huggingface_Mistral Summary:

Title: Factors associated with the time of glaucoma-related adverse events onset after pediatric cataract surgery and the preferred anti-glaucomatous surgical selection.

Abstract: To describe the clinical characteristics of glaucoma-related adverse events (GRAE) after pediatric cata...

Huggingface_Bart_Cnn Summary:

The aim of the study was to describe the clinical characteristics of glaucoma-related adverse events (GRAE) after pediatric cataract surgery. More importantly, to identify the factors associated with the time of GRAE onset and the preferred anti-glaucomatous surgical procedure for this disease. The ...

Huggingface_Pegasus_Pubmed Summary:

purpose to describe the time- and preferred selection of antiglaucoma surgery in pediatric patients. method this was a retrospective chart review of children undergoing phacoemulsification surgery . <n> the main outcome measure was time to onset of glaucoma - related adverse events (aeas) , and the ...

Huggingface_Led_Base Summary:

Abstract: ? | Title: Factors associated with the time of glaucoma-related adverse events onset after pediatric cataract surgery and the preferred anti-glaucomatous surgical selection. ? d Abstract: To describe the clinical characteristics of glaucoma, including the time-of-GRAE (GRAE), a...

Huggingface_Bigbird_Pegasus Summary:

Error: 502 Server Error: Bad Gateway for url:
https://api-inference.huggingface.co/models/google/bigbird-pegasus-large-pubmed | Response: <html>
<head><title>502 Bad Gateway</title></head>
<body>
<center><h1>502 Bad Gateway</h1></center>

</body>
</html>

6. Exploring the Needs and Preferences of Users and Parents to Design a Mobile App to Deliver Me

Source: PubMed

Authors: Titilola I Yakubu, Poonamdeep Jhaji, Samantha Pawer, Nicholas C West, Shazhan Amed, Tricia S Tang, Matthias G?

Year: 2025

Beyond physical health, managing type 1 diabetes (T1D) also encompasses a psychological component, including diabetes distress, that is, the worries, fears, and frustrations associated with meeting self-care demands over the lifetime. While digital health solutions have been increasingly used to address emotional health in diabetes, these technologies may not uniformly meet the unique concerns and technological savvy across all age groups.

Huggingface_Flan_T5 Summary:

Exploring the Needs and Preferences of Users and Parents to Design a Mobile App to Deliver Mental Health Peer Support to Adolescents With Type 1 Diabetes: A Qualitative Study. (<http://dx.doi.org/10.1007/s00318-019-0035-y>)
Authors Titilola I Yakubu, Poonamdeep Jhaji, Samantha Pawer, Nicholas C West, ...

Huggingface_Pegasus_Xsum Summary:

The American Diabetes Association (ADA) and the International Diabetes Federation (IDF) are pleased to announce the launch of a new website and mobile app aimed at improving the mental health and well-being of people with type 1 diabetes and their family members, as well as those with type 2 diabete...

Huggingface_Mistral Summary:

Title: Exploring the Needs and Preferences of Users and Parents to Design a Mobile App to Deliver Mental Health Peer Support to Adolescents With Type 1 Diabetes: Qualitative Study.

Abstract: Beyond physical health, managing type 1 diabetes (T1D) also encompasses a psychological comp...

Huggingface_Bart_Cnn Summary:

Beyond physical health, managing type 1 diabetes (T1D) also encompasses a psychological component. Digital health solutions have been increasingly used to address emotional health in diabetes. However, these technologies may not uniformly meet the unique concerns and technological savvy across all a...

Huggingface_Pegasus_Pubmed Summary:

diabetes mellitus (dm) is characterized by the autoimmune destruction of insulin - producing beta cells in the pancreas .
<n> the disease is usually self - limiting and can be managed by insulin therapy , although some patients require the use of a combination of insulin and an antidiabetic drug (...)

Huggingface_Led_Base Summary:

Abstract: ? . Title: Exploring the Needs and Preferences of Users and Parents to Design a Mobile App to Deliver Mental Health Peer Support to Adolescents With Type 1 Diabetes: Qualitative Study. * / Abstract: Beyond physical health, managing type 1 diabetes (T1D) also encompasses a psych...

Huggingface_Bigbird_Pegasus Summary:

advances in the understanding of the cell biology of type 1 diabetes have been hampered by a lack of detailed knowledge of its underlying pathophysiological mechanisms .<n> the current mini - review summarizes the anatomy and

physiology of the pancreas , with an emphasis on the endocrine system and ...

7. Development of an eHealth Intervention Including Self-Management for Reducing Sedentary Time

Source: PubMed

Authors: Lisa Hultman, Caroline Eklund, Petra von Heideken W?gert, Anne S?derlund, Maria Lind?n, Magnus L Elfstr?m

Year: 2025

Having a great amount of sedentary time is common among older adults and increases with age. There is a strong need for tools to reduce sedentary time and promote adherence to reduced sedentary time, for which eHealth interventions have the potential to be useful. Interventions for reducing sedentary time in older adults have been found to be more effective when elements of self-management are included. When creating new eHealth interventions, accessibility and effectiveness can be increased by ...

Huggingface_Flan_T5 Summary:

Development of an eHealth Intervention Including Self-Management for Reducing Sedentary Time in the Transition to Retirement: Participatory Design Study. Authors: Lisa Hultman, Caroline Eklund, Petra von Heideken Wgert, Anne S?derlund, Maria Lind?n, Magnus L Elfstr?m ; Ageing and Health: A Populatio...

Huggingface_Pegasus_Xsum Summary:

A new study has found that older people who take part in physical activities are more likely to be healthy and less likely to die prematurely than those who don't participate in such activities, despite being more sedentary than their counterparts who do not take any exercise at all. Copyright (c) ...

Huggingface_Mistral Summary:

Title: Development of an eHealth Intervention Including Self-Management for Reducing Sedentary Time in the Transition to Retirement: Participatory Design Study.

Abstract: Having a great amount of sedentary time is common among older adults and increases with age. There is a strong n...

Huggingface_Bart_Cnn Summary:

Having a great amount of sedentary time is common among older adults and increases with age. There is a strong need for tools to reduce this time. eHealth interventions have the potential to be useful. Interventions for reducing sedentaryTime in older adults have been found to be more effective when...

Huggingface_Pegasus_Pubmed Summary:

we report the discovery of a new class of polycyclic aromatic hydrocarbons (pahs) , naphthylthioureas , which are potent endogenous opioids . <n> these compounds exhibit potent analgesic and anticonvulsant properties , as well as the ability to modulate plasma levels of prostanoids , amino acids ,...

Huggingface_Led_Base Summary:

Abstract: ? | Title: Development of an eHealth Intervention Including Self-Management for Reducing Sedentary Time in the Transition to Retirement: Participatory Design Study. * d Abstract: Having a great amount of sedentary time is common among older adults and increases with age. There ...

Huggingface_Bigbird_Pegasus Summary:

key clinical messagemucopolipidosis secondary to crocidolite asbestos is a rare but potentially devastating complication .<n> we report the recovery of partial weight loss and significant clinical improvement in a patient with this disease ,

more than two years after initial presentation . here ,<n> w...

8. Codeveloping an Online Resource for People Bereaved by Suicide: Mixed Methods User-Centered

Source: PubMed

Authors: Edouard Leaune, Kushtrim Bislimi, Pauline Lau-Ta?, H?lo?se Rouz?, Benoit Chalancon, Laur?ne Lestienne, Pierre Grandgenevre, Mar...
Year: 2025

Although suicide bereavement is highly distressing and is associated with an increased risk of suicidal behaviors and mental and physical health impairments, those bereaved by suicide encounter difficulties accessing support. Digital resources offer new forms of support for bereaved people. However, digital resources dedicated to those bereaved by suicide are still limited.

Huggingface_Flan_T5 Summary:

Codeveloping an Online Resource for People Bereaved by Suicide: A Mixed Methods User-Centered Study. (<http://dx.doi.org/10.1016/j.suid.2016.09.018>. Epub 2016 Dec 31) Authors: Edouard Leaune, Kushtrim Bislimi, Pauline Lau-Ta, H?lose Rouz?, Benoit Chalancon, Laur?ne Lestienne, Pierre Grandgenevre, Mar...

Huggingface_Pegasus_Xsum Summary:

The purpose of this study is to investigate the use of online resources for people bereaved by suicide.<n> ..Continued ondoi.org/10.1542/ BMJResRes.2015.014.<n>Continue reading the study on this topic on the website of the French National Institute for Health and Care Excellence (IHCE) at www.iHCE.f...

Huggingface_Mistral Summary:

Title: Codeveloping an Online Resource for People Bereaved by Suicide: Mixed Methods User-Centered Study.

Abstract: Although suicide bereavement is highly distressing and is associated with an increased risk of suicidal behaviors and mental and physical health impairments, those ber...

Huggingface_Bart_Cnn Summary:

Digital resources offer new forms of support for bereaved people. However, digital resources dedicated to those bereaved by suicide are still limited. Study: Codeveloping an Online Resource for People Bereaved by Suicide. The study was published in the journal Mixed Methods User-Centered Study. For ...

Huggingface_Pegasus_Pubmed Summary:

we report the case of a 78-year - old man who was found dead in his home with a gunshot wound to the head . <n> autopsy revealed that the cause of death was a lethal pulmonary embolism caused by the use of a high - velocity , high - acceleration carbapenemase (ha - ace) , which had been previously...

Huggingface_Led_Base Summary:

Abstract: ? I Title: Codeveloping an Online Resource for People Bereaved by Suicide: Mixed Methods User-Centered Study. _____

Abstract: Although suicide bereavement is highly distressing and is associated with an in...

Huggingface_Bigbird_Pegasus Summary:

key clinical messagewe report a case of 48-year - old male who suffered a cardiac arrest with chest tightness and shortness of breath , and subsequently died .<n> the patient was a known case of autosomal dominant hypospadias and had a large family history of cardiac and pulmonary disease . on inves...

9. The clinical assessment of lung involvement in patients with Still's disease, results from the multicentre international AIDA Network Still's Disease Registry

Source: PubMed

Authors: Piero Ruscitti, Antonio Vitale, Ilenia Di Cola, Valeria Caggiano, Pierpaolo Palumbo, Ernesto Di Cesare, Andrea Hinojosa-Azaola

Year: 2025

To assess the lung involvement in patients with Still's disease, an inflammatory disease assessing both children and adults. To exploit possible associated factors for parenchymal lung involvement in these patients.

Huggingface_Flan_T5 Summary:

The clinical assessment of lung involvement in patients with Still's disease, results from the multicentre international AIDA Network Still's Disease Registry: a multicenter international registry assessing both children and adults (AIDA-Still's DM) and assessing possible associated factors for par...

Huggingface_Pegasus_Xsum Summary:

The Journal of the American College of Allergy, Asthma, and Immunology is published by the American Academy of Dermatology (AIDA) and is a member of the Endocrine Society and the American Society of Clinical Pathology (ASCP) - both of which are affiliated with the National Institutes of Health (NIH)...

Huggingface_Mistral Summary:

Title: The clinical assessment of lung involvement in patients with Still's disease, results from the multicentre international AIDA Network Still's Disease Registry. Abstract: To assess the lung involvement in patients with Still's disease, an inflammatory disease assessing both children and adults...

Huggingface_Bart_Cnn Summary:

The clinical assessment of lung involvement in patients with Still's disease, results from the multicentre international AIDA Network Still's Disease Registry. Authors: Piero Ruscitti, Antonio Vitale, Ilenia Di Cola, Valeria Caggiano, Pierpaolo Palumbo, Ernesto Di Cesare, Andrea Hinojosa-Azaola, Jir...

Huggingface_Pegasus_Pubmed Summary:

sarcoidosis is a multisystem disorder characterized by inflammation of the lungs , skin , and viscera . <n> it is the most common cause of cystic fibrosis (cf) in children . in this study <n> , we assessed the involvement of patients with cf in terms of pulmonary function tests , systemic inflamma...

Huggingface_Led_Base Summary:

Title: The clinical assessment of lung involvement in patients with Still's disease, results from the multicentre international AIDA Network Still's Disease Registry. Abstract: To assess the lung involvement In Patients with Still's disease, an inflammatory disease assessing both children and adults...

Huggingface_Bigbird_Pegasus Summary:

neuroblastoma is a childhood solid tumor composed of primitive cells derived from precursors of the autonomic nervous system .<n> this neoplasm has been growing in number and complexity for well over a century and is now composed of hundreds of tumor cells , each with their own characteristic patter...

10. Antibiotic Resistance Trends in ESKAPE Pathogens Isolated at a Health Practice and Research Center

Source: PubMed

Authors: Zerife Orhan, ?zlem Kiri?ci, Adem Do?aner, Mehizat Altun, Burak K???k, Murat Aral

Year: 2024

Antimicrobial resistance remains a global threat with increasing morbidity and mortality rates. The aim of this study was to identify the antimicrobial resistance trends among ESKAPE pathogens (Enterococcus faecium, Staphylococcus aureus, Klebsiella pneumoniae, Acinetobacter baumannii, Pseudomonas aeruginosa, and Enterobacter spp.) isolated from clinical samples at a Health Practice and Research Hospital over five years.

Huggingface_Flan_T5 Summary:

Antibiotic Resistance Trends in ESKAPE Pathogens Isolated at a Health Practice and Research Hospital: A Five-Year Retrospective Study. (Available at: <https://doi.org/10.1016/j.hprh.2013.12.018>. Epub 2013 Dec 31) Authors: Zerife Orhan, zlem Kiri?ci, Adem Doaner, Mehzat Altun, Burak K???k, Murat Aral

Huggingface_Pegasus_Xsum Summary:

The Journal of the American Medical Association (JAMA) is published by the American Academy of Allergy, Asthma, and Immunology (AAAAI) in New York, USA, and online at: www.ajao.org.tw/content/doi/10.5194/JAMA-Archives/JAAA-Microbes/eSKAPE-Pathogens-Isolated-on-a-Health-Practice-Research-Study-Tre...

Huggingface_Mistral Summary:

Title: Antibiotic Resistance Trends in ESKAPE Pathogens Isolated at a Health Practice and Research Hospital: A Five-Year Retrospective Study.

Abstract: Antimicrobial resistance remains a global threat with increasing morbidity and mortality rates. The aim of this study was to identi...

Huggingface_Bart_Cnn Summary:

Antimicrobial resistance remains a global threat with increasing morbidity and mortality rates. The aim of this study was to identify the antimicrobial resistance trends among ESKAPE pathogens. Pathogens were isolated from clinical samples at a Health Practice and Research Hospital over five years. ...

Huggingface_Pegasus_Pubmed Summary:

we report the main characteristics of a strain of klebsiella pneumoniae isolated from a patient with meningitis . <n> the isolate was identified as k. pneumoniae by 16s rna gene sequencing and phylogenetic analysis . to our knowledge <n> , this is the first report of the isolation of this strain fr...

Huggingface_Led_Base Summary:

Abstract: ? d Title: Antibiotic Resistance Trends in ESKAPE Pathogens Isolated at a Health Practice and Research Hospital: A Five-Year Retrospective Study. ? ? ? View Abstract: Antimicrobial resistance remains a global threat with increasing morbidity and mortality rates. The aim of th...

Huggingface_Bigbird_Pegasus Summary:

we report the main characteristics of a strain of klebsiella pneumoniae isolated from a 67-year - old patient in slovakia .<n> the isolate was found to be identical to strains of k. pneumoniae previously reported in europe and north america . to our knowledge , this is the first report of human bact...

Treatment & Therapeutics

1. Therapeutic Potential of GLP-1 Receptor Agonists in Diabetes and Cardiovascular Disease: Mech

Source: PubMed

Authors: Xinyu Zhang, Chao Cao, Fei Zheng, Chang Liu, Xiuqing Tian
Year: 2025

Glucagon-like peptide-1 (GLP-1) is a crucial incretin hormone secreted by intestinal endocrine L cells. Given its pivotal physiological role, researchers have developed GLP-1 receptor agonists (GLP-1 RAs) through structural modifications. These analogues display pharmacological effects similar to those of GLP-1 but with augmented stability and are regarded as an effective means of regulating blood glucose levels in clinical practice.

Huggingface_Flan_T5 Summary:

Therapeutic Potential of Glucagon-Like Peptide-1 Receptor Agonists in Diabetes and Cardiovascular Disease: Mechanisms and Clinical Implications. (PubMed) Authors: Xinyu Zhang, Chao Cao, Fei Zheng, Chang Liu, Xiuqing Tian - Journal of the Chinese Academy of Pharmaceutical Sciences - Volume 62, Issue ...

Huggingface_Pegasus_Xsum Summary:

The Journal of the American College of Cardiology (JACC) is published by the American Heart Association (AHA) in collaboration with the University of California, Los Angeles (UCLA) School of Medicine and the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK), part of the Nation...

Huggingface_Mistral Summary:

Title: Therapeutic Potential of GLP-1 Receptor Agonists in Diabetes and Cardiovascular Disease: Mechanisms and Clinical Implications.

Abstract: Glucagon-like peptide-1 (GLP-1) is a crucial incretin hormone secreted by intestinal endocrine L cells. Given its pivotal physiological rol...

Huggingface_Bart_Cnn Summary:

Glucagon-like peptide-1 is a crucial incretin hormone secreted by intestinal endocrine L cells. Researchers have developed GLP-1 receptor agonists through structural modifications. These analogues display pharmacological effects similar to those of GLP-1 but with augmented stability. They are regard...

Huggingface_Pegasus_Pubmed Summary:

we report the discovery of a novel , class i , c - terminal ubiquitin ligase , which catalyzes the deubiquitination of the endogenously expressed c - jun n - terminal domain (jnd) . <n> the enzyme forms a complex with two known targets , the protein kinase c (pkc) and the transcription factor nf...

Huggingface_Led_Base Summary:

Abstract: ? I Title: Therapeutic Potential of GLP-1 Receptor Agonists in Diabetes and Cardiovascular Disease: Mechanisms and Clinical Implications. ? Abstract: Glucagon-like peptide-1 is a crucial incretin hormone secreted by intestinal endocrine L cells. Given its pivotal physiological role...

Huggingface_Bigbird_Pegasus Summary:

in the course of a routine investigation of peripheral blood lymphocytes for changes in lymphocyte subpopulations , we observed an increase in cd4 + t - cell counts .<n> subsequent analysis revealed that this increase was due to the synthesis of a new type of lymphocyte , the cd4+cd25+foxp3 + macrop...

2. Prognostic roles of hematological indicators in programmed cell death protein 1/programmed ce

Source: PubMed

Authors: Jiya Du, Qian Zhang, Le Tian, Yishan Chen, Ye Tian, Wolfram C M Dempke, Hugo Arasanz, Ross Andrew Soo, Zhigu

Year: 2024

Lung cancer is the main cause of cancer death in the world, with small-cell lung cancer (SCLC) accounting for about 10-15% of all lung cancers. Although programmed cell death protein 1 (PD-1)/programmed cell death ligand 1 (PD-L1) inhibitors represent a major breakthrough in SCLC treatment, only a minority of patients will benefit and there is still a lack of accurate biomarkers to guide clinical application. Inflammation plays a crucial role in tumorigenesis, tumor development, metastasis, and ...

Huggingface_Flan_T5 Summary:

Prognostic Roles of Hematological Indicators in Programmed Cell Death Protein 1/Programmed Cell Death Ligand 1 Inhibitors for Small-Cell Lung Cancer: A Retrospective Cohort Study (RCSI): A Multicentre Randomized Controlled Trial (RCCT) of PD-1/PD-L1 inhibitors for small-cell lung cancer (SCLC): a re...

Huggingface_Pegasus_Xsum Summary:

The influence of hematological indicators on the efficacy and prognosis of patients with small-cell lung cancer treated with programmed cell death 1 inhibitors has been determined in a retrospective cohort study published in the Journal of Clinical Pathology., doi: 10.1038/jcp.2015.027.<n> ..Continu...

Huggingface_Mistral Summary:

Title: Prognostic roles of hematological indicators in programmed cell death protein 1/programmed cell death ligand 1 inhibitors for small-cell lung cancer: a retrospective cohort study.

Abstract: Lung cancer is the main cause of cancer death in the world, with small-cell lung cancer...

Huggingface_Bart_Cnn Summary:

Lung cancer is the main cause of cancer death in the world. Small-cell lung cancer (SCLC) accounts for about 10-15% of all lung cancers. Inflammation plays a crucial role in tumorigenesis, tumor development, metastasis, and drug resistance. The purpose of our study was to determine the influence of ...

Huggingface_Pegasus_Pubmed Summary:

objective : the aim of this study was to determine the influence of systemic immune indexes on the prognosis of patients with small cell lung cancer (sclc) treated with programmed cell death ligand-1 (pcd-1) inhibitors.methods:we performed a cross - sectional study in patients with sclc (n = 10...

Huggingface_Led_Base Summary:

Abstract: ? d Title: Prognostic roles of hematological indicators in programmed cell death protein 1/programmed cell death ligand 1 inhibitors for small-cell lung cancer: a retrospective cohort study. ? ? ? Abstract: Lung cancer is the main cause of cancer death in the world, with small-...

Huggingface_Bigbird_Pegasus Summary:

advances in our understanding of how stem cells work and how they contribute to tumorigenesis are being made , but many questions remain unanswered . here , we review our recent studies on the role of stem cells in the initiation and progression of cancer and the impact of current and emerging drug ...

3. Identifying Potential Autophagy Modulators in Panch Phoron Spices (P5S): An In Silico approach

Source: PubMed

Authors: Sana Parveen, Shoeb Ikhlas, Tabrez Faruqui, Adria Hasan, Aisha Khatoon, Mohd Saeed, Ali G Alkhathami, Samra Sid

Year: 2025

Despite recent breakthroughs in diagnosis and treatment, cancer remains a worldwide health challenge with high mortality. Autophagy plays a major role in the progression and development. Starving cancer cells obtain nutrients through the upregulation of autophagy. Several compounds derived from natural sources, including animals, plants, and microorganisms, have been identified as potential novel anticancer drugs. Spices play an important role in human health and possess many medicinal properties...

Huggingface_Flan_T5 Summary:

Identifying Potential Autophagy Modulators in Panch Phoron Spices (P5S): An In Silico approach. [Published online ahead of print] Available at: http://www.ncbi.nlm.nih.gov/pubmeds/public_records/abstract.aspx?pubmed_id=227&ref_nod=1&search_keywords=autophagy-modulators-panch-phoron-spices.

Huggingface_Pegasus_Xsum Summary:

Herein, we report a structure-based virtual screening of compounds isolated from panch phoron spices (P5S) against the molecular targets of autophagy, which may be an effective and potential drug candidate for cancer treatment. Therefore, targeting autophagy using these molecules may be An In Silico ...

Huggingface_Mistral Summary:

Title: Identifying Potential Autophagy Modulators in Panch Phoron Spices (P5S): An In Silico approach.

Abstract: Despite recent breakthroughs in diagnosis and treatment, cancer remains a worldwide health challenge with high mortality. Autophagy plays a major role in the progression ...

Huggingface_Bart_Cnn Summary:

Cancer remains a worldwide health challenge with high mortality. Spices play an important role in human health and possess many medicinal properties. Study aimed to identify potential autophagy modulators from panch phoron spices (P5S) P5S, stigmasterol, and tigogenin showed the best drug-like properties...

Huggingface_Pegasus_Pubmed Summary:

we report on a study aimed to identify modulators from panch (5) of compounds (i.e. , phorons) that play a role in human health through autophagy approach . <n> we performed a virtual screening through structure simulation of compounds isolated from cumini (cumini) , and attempted to identify p...

Huggingface_Led_Base Summary:

Source: PubMed Abstract ? View Title: Identifying Potential Autophagy Modulators in Panch Phoron Spices (P5S): An In Silico approach. d Source: PubMedAbstract: . Type: Abstract: Despite recent breakthroughs in diagnosis and treatment, cancer remains a worldwide health challenge with hi...

Huggingface_Bigbird_Pegasus Summary:

we report the isolation and structure , by virtual screening , of compound (i.e. , phogen5) from the medicinal plant cumini (serrata vulgare) that has the potential to be a drug candidate for the treatment of cancer . in silico approaches aimed at identifying potential drug candidates<n> have foc...

4. Insights into NEK2 inhibitors as antitumor agents: From mechanisms to potential therapeutics.

Source: PubMed

Authors: Yizhen Jiang, Yutong Wang, Feijing Su, Yaqin Hou, Wen Liao, Baichuan Li, Wuyao Mao

Year: 2025

NEK2, a serine/threonine protein kinase, is integral to mitotic events such as centrosome duplication and separation, microtubule stabilization, spindle assembly checkpoint, and kinetochore attachment. However, NEK2 overexpression leads to centrosome amplification and chromosomal instability, which are significantly associated with various malignancies, including liver, breast, and non-small cell lung cancer. This overexpression could facilitate tumor development and confer resistance to therapy...

Huggingface_Flan_T5 Summary:

Insights into NEK2 inhibitors as antitumor agents: From mechanisms to potential therapeutics: A comprehensive review of the chemical structure, biological functions, and disease associations of the serine/threonine protein kinase (NEK2), focusing on the existing small molecule inhibitors, especially...

Huggingface_Pegasus_Xsum Summary:

The purpose of this review is to provide a comprehensive summary of the chemical structure, biological functions, and disease associations of NEK2, focusing on the existing NEK2 small molecule inhibitors, especially their structure-activity, limitations, and research strategies. In this review, we w...

Huggingface_Mistral Summary:

Title: Insights into NEK2 inhibitors as antitumor agents: From mechanisms to potential therapeutics.

Abstract: NEK2, a serine/threonine protein kinase, is integral to mitotic events such as centrosome duplication and separation, microtubule stabilization, spindle assembly checkpoint...

Huggingface_Bart_Cnn Summary:

NEK2, a serine/threonine protein kinase, is integral to mitotic events. overexpression of NEK2 leads to centrosome amplification and chromosomal instability. inhibiting NEK2 is considered as a promising strategy for oncological therapy. To date, no small molecule NEK1-specific inhibitors have advanc...

Huggingface_Pegasus_Pubmed Summary:

small molecule inhibitors of cyclin - dependent kinase 2 (cdk2) are considered as a new class of antitumor agents . in this review , <n> we provide a summary of the chemical and biological functions of cdk2-specific inhibitors , focusing on their deployment , structure - activity relationships , a...

Huggingface_Led_Base Summary:

Title: Insights into NEK2 inhibitors as antitumor agents: From mechanisms to potential therapeutics. View Full Bio

Abstract: ? _____ . Abstract: NEK, a serine/threonine protein kinase, is integral to mitotic events such as centrosome duplication and separatio...

Huggingface_Bigbird_Pegasus Summary:

we review the mechanism of action of small molecule inhibitors , which are currently under development for the treatment of malignant tumors , focusing on their biological activities , drug interactions , and toxicity in vitro and in vivo .<n> recent advances in small molecule drug design have provi...

5. Integration of Conventional and Virtual Reality Approaches in Augmented Reality for Theory-Bas

Source: PubMed

Authors: Robin Conen, Steffen Mueller, Ana Nanette Tibubos

Year: 2025

Psychoeducation positively influences the psychological components of chronic low back pain (CLBP) in conventional

treatments. The digitalization of health care has led to the discussion of virtual reality (VR) interventions. However, CLBP treatments in VR have some limitations due to full immersion. In comparison, augmented reality (AR) supplements the real world with virtual elements involving one's own body sensory perception and can combine conventional and VR approaches.

Huggingface_Flan_T5 Summary:

Integration of Conventional and Virtual Reality Approaches in Augmented Reality for Theory-Based Psychoeducational Intervention Design for Chronic Low Back Pain: Scoping Review. Abstract: Psychoeducation positively influences the psychological components of chronic low back pain (CLBP) in convention...

Huggingface_Pegasus_Xsum Summary:

The aim of this review is to explore the potential of augmented reality as an intervention for the treatment of chronic low back pain (CLBP)...please contact us for more information on this topic..Please note: This review is not intended to be a substitute for professional medical advice or clinical...

Huggingface_Mistral Summary:

Title: Integration of Conventional and Virtual Reality Approaches in Augmented Reality for Theory-Based Psychoeducational Intervention Design for Chronic Low Back Pain: Scoping Review.

Abstract: Psychoeducation positively influences the psychological components of chronic low back p...

Huggingface_Bart_Cnn Summary:

Psychology positively influences the psychological components of chronic low back pain (CLBP) in conventional treatments. The digitalization of health care has led to the discussion of virtual reality (VR) interventions. However, VR treatments in VR have some limitations due to full immersion. In co...

Huggingface_Pegasus_Pubmed Summary:

we <n> report the synthesis and characterization of a new type of azidothymidine <n> (azt) analog , azotidine - bis-(4-(2-ethylbenzthiazoline-6-sulphonic acid)) (azet , also known <n> as azotophenanthrene , or azeb , in the family z - hydroxycinnamoylbenzimidazole-5-carboxylic <n> acid ; ztba)...

Huggingface_Led_Base Summary:

Abstract: ? . Title: Integration of Conventional and Virtual Reality Approaches in Augmented Reality for Theory-Based Psychoeducational Intervention Design for Chronic Low Back Pain: Scoping Review. * / Abstract: Psychoeducation positively influences the psychological components of chron...

Huggingface_Bigbird_Pegasus Summary:

key clinical messagecytomegalovirus superinfection is associated with an increased risk of cardiac arrhythmias and stroke .<n> we report the case of a 52-year - old man with congestive heart failure who developed cardiac tamponade accompanied by convulsions and syncope , but without neurological def...

Diagnostics & Detection

1. L-ICG as an optical agent to improve intraoperative margin detection in breast-conserving surgery

Source: PubMed

Authors: Zi-Xuan Qiu, Li-Yun Xie, Ying-Zi Li, Ze-Chun Zhang, Hai-Lu Chen, Wan-Lin Zhan, Qin Huang, Jian-Hao Huang, Zhi-Yo

Year: 2025

Precise tumor excision is important in breast-conserving surgery (BCS). This study explores the safety and accuracy of fluorescence image-guided BCS (FIGS) using a lidocaine mucilage-ICG compound (L-ICG).

Huggingface_Flan_T5 Summary:

Lidocaine mucilage-ICG as an optical agent to improve intraoperative margin detection in breast-conserving surgery: a prospective study of the safety and accuracy of fluorescence image-guided BCS using a lidocaine-mucosa-ICG compound (L-ICG): A prospective, multicenter, randomized, double-blind, plac...

Huggingface_Pegasus_Xsum Summary:

Title: L-ICG as an optical agent to improve intraoperative margin detection in breast-conserving surgery: a prospective study. Description: This paper presents the results of a feasibility study on the use of a lidocaine mucilage compound (ICG) to improve the accuracy and safety of fluorescence imag...

Huggingface_Mistral Summary:

Title: L-ICG as an optical agent to improve intraoperative margin detection in breast-conserving surgery: a prospective study.

Abstract: Precise tumor excision is important in breast-conserving surgery (BCS). This study explores the safety and accuracy of fluorescence image-guided B...

Huggingface_Bart_Cnn Summary:

L-ICG as an optical agent to improve intraoperative margin detection in breast-conserving surgery: a prospective study. This study explores the safety and accuracy of fluorescence image-guided BCS (FIGS) using a lidocaine mucilage- ICG compound. The study was published in the Journal of the American...

Huggingface_Pegasus_Pubmed Summary:

in this study , we aimed to determine whether the use of optical coherence tomography (oct) in the detection of breast tumors could improve the safety and accuracy of breast surgery . <n> we used oct to image and measure the size and shape of benign and malignant breast tumors and to compare the r...

Huggingface_Led_Base Summary:

Abstract: ? | Title: L-ICG as an optical agent to improve intraoperative margin detection in breast-conserving surgery: a prospective study. ? d Abstract: Precise tumor excision is important in breast and non-conventional surgery (BCS). This study explores the safety and accuracy of fluo...

Huggingface_Bigbird_Pegasus Summary:

key clinical messagethis case demonstrates the benefit of using surgical instruments in urological settings to guide patient selection for open or laparoscopic surgery .<n> the advantages of open surgery over laparoscopic surgery include less postoperative pain , shorter hospital stay , less postope...

2. Metal-organic frameworks encapsulating gold nanoclusters and carbon dots for ratiometric fluor

Source: PubMed

Authors: Man Du, Meimei Song, Shuang Hou, Yue Zhang, Haijun Lv, Shuchun Zhao, Hongxia Du, Hongyong Guo

Year: 2025

A?novel fluorescence sensing nanoplatfrom (CDs/AuNCs@ZIF-8) encapsulating carbon dots (CDs) and gold

nanoclusters (AuNCs) within a zeolitic imidazolate framework-8 (ZIF-8) was developed for ratiometric detection of formaldehyde (FA) in the medium of hydroxylamine hydrochloride (NH

Huggingface_Flan_T5 Summary:

Metal-organic frameworks encapsulating gold nanoclusters and carbon dots for ratiometric fluorescent detection of formaldehyde in real food samples, construction materials and indoor environments: A novel fluorescence sensing nanoplatfrom (CDs/AuNCs@ZIF-8) was developed for the ratiometric detection...

Huggingface_Pegasus_Xsum Summary:

Title: Metal-organic frameworks encapsulating gold nanoclusters and ratiometric fluorescent detection of formaldehyde in real food samples, Hongxia Hongyong Guo, Man Du, Meimei Shuang, Zhang Hou Haijun, Song Shuchun, Zhaofeng Guo, et al., Journal of the Chinese Academy of Sciences,doi: 10.1021/jhs.2...

Huggingface_Mistral Summary:

Title: Metal-organic frameworks encapsulating gold nanoclusters and carbon dots for ratiometric fluorescent detection of formaldehyde in real food samples, construction materials and indoor environments.

Abstract: A?novel fluorescence sensing nanoplatfrom (CDs/AuNCs@ZIF-8) encapsula...

Huggingface_Bart_Cnn Summary:

Novel fluorescence sensing nanoplatfrom (CDs/AuNCs@ZIF-8) was developed for ratiometric detection of formaldehyde (FA) in the medium of hydroxylamine hydrochloride (NH) Researchers used gold nanoclusters and carbon dots to detect formaldehyde in real food samples, construction materials and indoor e...

Huggingface_Pegasus_Pubmed Summary:

we report a method for the direct detection of carbon nanomaterials in biological systems . <n> the method involves the use of gold nanoparticles coated with a fluorescent dye , and the fluorescence of the gold nanoparticles is used as a readout of the carbon content in the biological system . to de...

Huggingface_Led_Base Summary:

Abstract: ? I Title: Metal-organic frameworks encapsulating gold nanoclusters and carbon dots for ratiometric fluorescent detection of formaldehyde in real food samples, construction materials and indoor environments. ? d
Abstract: A?novel fluorescence sensing nanoplatfrom (CDs/AuNCs@ZIF-...

Huggingface_Bigbird_Pegasus Summary:

we present a method to encapsulate -keto- and -phthalocyanine - based scaffolds in situ , and to ligate them by ring - closing metathesis .<n> we demonstrate that this method can be used to deliver large quantities of carbon - carbon double - bond - forming units (ccfus) to the interior of objects...

3. Identifying Potential Autophagy Modulators in Panch Phoron Spices (P5S): An In Silico approach

Source: PubMed

Authors: Sana Parveen, Shoeb Ikhlas, Tabrez Faruqui, Adria Hasan, Aisha Khatoon, Mohd Saeed, Ali G Alkhatami, Samra Sid
Year: 2025

Despite recent breakthroughs in diagnosis and treatment, cancer remains a worldwide health challenge with high mortality. Autophagy plays a major role in the progression and development. Starving cancer cells obtain nutrients through the upregulation of autophagy. Several compounds derived from natural sources, including animals, plants, and microorganisms, have been identified as potential novel anticancer drugs. Spices play an important role in human health

and possess many medicinal propertie...

Huggingface_Flan_T5 Summary:

Identifying Potential Autophagy Modulators in Panch Phoron Spices (P5S): An In Silico approach. [Published online ahead of print] Available at: http://www.ncbi.nlm.nih.gov/pubmeds/public_records/abstract.aspx?pubmed_id=227&ref_nod=1&search_keywords=autophagy-modulators-panch-phoron-spices.

Huggingface_Pegasus_Xsum Summary:

Herein, we report a structure-based virtual screening of compounds isolated from panch phoron spices (P5S) against the molecular targets of autophagy, which may be an effective and potential drug candidate for cancer treatment. Therefore, targeting autophagy using these molecules may be An In Silico ...

Huggingface_Mistral Summary:

Title: Identifying Potential Autophagy Modulators in Panch Phoron Spices (P5S): An In Silico approach.

Abstract: Despite recent breakthroughs in diagnosis and treatment, cancer remains a worldwide health challenge with high mortality. Autophagy plays a major role in the progression ...

Huggingface_Bart_Cnn Summary:

Cancer remains a worldwide health challenge with high mortality. Spices play an important role in human health and possess many medicinal properties. Study aimed to identify potential autophagy modulators from panch phoron spices (P5S) P5S, stigmasterol, and tigogenin showed the best drug-like prope...

Huggingface_Pegasus_Pubmed Summary:

we report on a study aimed to identify modulators from panch (5) of compounds (i.e. , phorons) that play a role in human health through autophagy approach . <n> we performed a virtual screening through structure simulation of compounds isolated from cumin (cumin) , and attempted to identify p...

Huggingface_Led_Base Summary:

Source: PubMed Abstract ? View Title: Identifying Potential Autophagy Modulators in Panch Phoron Spices (P5S): An In Silico approach. d Source: PubMedAbstract: . Type: Abstract: Despite recent breakthroughs in diagnosis and treatment, cancer remains a worldwide health challenge with hi...

Huggingface_Bigbird_Pegasus Summary:

we report the isolation and structure , by virtual screening , of compound (i.e. , phogen5) from the medicinal plant cumin (serrata vulgare) that has the potential to be a drug candidate for the treatment of cancer . in silico approaches aimed at identifying potential drug candidates<n> have foc...

Public Health

1. Effect of targeted education of patients with atrial fibrillation on unplanned cardiovascular outco

Source: PubMed

Authors: Lien Desteghe, Michiel Delesie, Lieselotte Knaepen, Rana ?nder, Johan Verbeeck, Paul Dendale, Thomas Philips, Pete

Year: 2024

Trials on integrated care for atrial fibrillation (AF) showed mixed results in different AF populations using various approaches. The multicentre, randomized AF-EduCare trial evaluated the effect of targeted patient education on unplanned cardiovascular outcomes.

Huggingface_Flan_T5 Summary:

Effect of targeted education of patients with atrial fibrillation on unplanned cardiovascular outcomes: results of the multicentre randomized AF-EduCare trial (AF-EDUCARE): a multicenter, randomized, placebo-controlled trial in patients with aortic stenosis (AF) and their families: the Multicentre R...

Huggingface_Pegasus_Xsum Summary:

The results of the AF-EduCare trial have been published in the British Journal of Sports Medicine and are available online at: www.bjsm.ac.uk/article/af-eduCare.asp., and on the website of the Royal College of Physicians, www.rcp.org.uk, where they can be viewed by clicking on the link below: <http://...>

Huggingface_Mistral Summary:

Title: Effect of targeted education of patients with atrial fibrillation on unplanned cardiovascular outcomes: results of the multicentre randomized AF-EduCare trial.

Abstract: Trials on integrated care for atrial fibrillation (AF) showed mixed results in different AF populations us...

Huggingface_Bart_Cnn Summary:

Trials on integrated care for atrial fibrillation (AF) showed mixed results in different AF populations using various approaches. The multicentre, randomized AF-EduCare trial evaluated the effect of targeted patient education on unplanned cardiovascular outcomes. The results of the trial were publis...

Huggingface_Pegasus_Pubmed Summary:

we report the results of a randomized controlled trial (rct) comparing the use of amphotericin b (alb) and cyclosporine a (csa) in patients with type 2 diabetes mellitus (t2dm) . <n> the study was designed as a multicentre , prospective , open label , two - stage , randomized control trial

Huggingface_Led_Base Summary:

Abstract: ? I Title: Effect of targeted education of patients with atrial fibrillation on unplanned cardiovascular outcomes: results of the multicentre randomized AF-EduCare trial. ? d Abstract: Trials on integrated care for atrial Fibrillation (AF) showed mixed results in different AF p...

Huggingface_Bigbird_Pegasus Summary:

we report a patient with atrial fibrillation treated with a prosthodontic approach to improve the efficacy of antiarrhythmic drugs .<n> this was accomplished by reducing the dose of an angiotensin - converting enzyme (ace) inhibitor , erythropoietin (epo) , to below the current recommended dose ...

Clinical Trials

1. Effect of targeted education of patients with atrial fibrillation on unplanned cardiovascular outcomes

Source: PubMed

Authors: Lien Desteghe, Michiel Delesie, Lieselotte Knaepen, Rana ?nder, Johan Verbeeck, Paul Dendale, Thomas Philips, Peter

Year: 2024

Trials on integrated care for atrial fibrillation (AF) showed mixed results in different AF populations using various approaches. The multicentre, randomized AF-EduCare trial evaluated the effect of targeted patient education on unplanned cardiovascular outcomes.

Huggingface_Flan_T5 Summary:

Effect of targeted education of patients with atrial fibrillation on unplanned cardiovascular outcomes: results of the multicentre randomized AF-EduCare trial (AF-EDUCARE): a multicenter, randomized, placebo-controlled trial in patients with aortic stenosis (AF) and their families: the Multicentre R...

Huggingface_Pegasus_Xsum Summary:

The results of the AF-EduCare trial have been published in the British Journal of Sports Medicine and are available online at: www.bjsm.ac.uk/article/af-eduCare.asp., and on the website of the Royal College of Physicians, www.rcp.org.uk, where they can be viewed by clicking on the link below: <http://...>

Huggingface_Mistral Summary:

Title: Effect of targeted education of patients with atrial fibrillation on unplanned cardiovascular outcomes: results of the multicentre randomized AF-EduCare trial.

Abstract: Trials on integrated care for atrial fibrillation (AF) showed mixed results in different AF populations us...

Huggingface_Bart_Cnn Summary:

Trials on integrated care for atrial fibrillation (AF) showed mixed results in different AF populations using various approaches. The multicentre, randomized AF-EduCare trial evaluated the effect of targeted patient education on unplanned cardiovascular outcomes. The results of the trial were publis...

Huggingface_Pegasus_Pubmed Summary:

we report the results of a randomized controlled trial (rct) comparing the use of amphotericin b (alb) and cyclosporine a (csa) in patients with type 2 diabetes mellitus (t2dm) . <n> the study was designed as a multicentre , prospective , open label , two - stage , randomized control trial

Huggingface_Led_Base Summary:

Abstract: ? I Title: Effect of targeted education of patients with atrial fibrillation on unplanned cardiovascular outcomes: results of the multicentre randomized AF-EduCare trial. ? d Abstract: Trials on integrated care for atrial Fibrillation (AF) showed mixed results in different AF p...

Huggingface_Bigbird_Pegasus Summary:

we report a patient with atrial fibrillation treated with a prosthodontic approach to improve the efficacy of antiarrhythmic drugs .<n> this was accomplished by reducing the dose of an angiotensin - converting enzyme (ace) inhibitor , erythropoietin (epo) , to below the current recommended dose ...

2. Insights into NEK2 inhibitors as antitumor agents: From mechanisms to potential therapeutics.

Source: PubMed

Authors: Yizhen Jiang, Yutong Wang, Feijing Su, Yaqin Hou, Wen Liao, Baichuan Li, Wuyu Mao

Year: 2025

NEK2, a serine/threonine protein kinase, is integral to mitotic events such as centrosome duplication and separation, microtubule stabilization, spindle assembly checkpoint, and kinetochore attachment. However, NEK2 overexpression leads to centrosome amplification and chromosomal instability, which are significantly associated with various

malignancies, including liver, breast, and non-small cell lung cancer. This overexpression could facilitate tumor development and confer resistance to therapy...

Huggingface_Flan_T5 Summary:

Insights into NEK2 inhibitors as antitumor agents: From mechanisms to potential therapeutics: A comprehensive review of the chemical structure, biological functions, and disease associations of the serine/threonine protein kinase (NEK2), focusing on the existing small molecule inhibitors, especially...

Huggingface_Pegasus_Xsum Summary:

The purpose of this review is to provide a comprehensive summary of the chemical structure, biological functions, and disease associations of NEK2, focusing on the existing NEK2 small molecule inhibitors, especially their structure-activity, limitations, and research strategies. In this review, we w...

Huggingface_Mistral Summary:

Title: Insights into NEK2 inhibitors as antitumor agents: From mechanisms to potential therapeutics.

Abstract: NEK2, a serine/threonine protein kinase, is integral to mitotic events such as centrosome duplication and separation, microtubule stabilization, spindle assembly checkpoint...

Huggingface_Bart_Cnn Summary:

NEK2, a serine/threonine protein kinase, is integral to mitotic events. overexpression of NEK2 leads to centrosome amplification and chromosomal instability. inhibiting NEK2 is considered as a promising strategy for oncological therapy. To date, no small molecule NEK1-specific inhibitors have advanc...

Huggingface_Pegasus_Pubmed Summary:

small molecule inhibitors of cyclin - dependent kinase 2 (cdk2) are considered as a new class of antitumor agents . in this review , <n> we provide a summary of the chemical and biological functions of cdk2-specific inhibitors , focusing on their deployment , structure - activity relationships , a...

Huggingface_Led_Base Summary:

Title: Insights into NEK2 inhibitors as antitumor agents: From mechanisms to potential therapeutics. View Full Bio
Abstract: ? _____ . Abstract: NEK, a serine/threonine protein kinase, is integral to mitotic events such as centrosome duplication and separatio...

Huggingface_Bigbird_Pegasus Summary:

we review the mechanism of action of small molecule inhibitors , which are currently under development for the treatment of malignant tumors , focusing on their biological activities , drug interactions , and toxicity in vitro and in vivo .<n> recent advances in small molecule drug design have provi...

Medical Devices

1. Identifying Fraudulent Responses in a Study Exploring Delivery Options for Pregnancies Impacted

Source: PubMed

Authors: Emma Ruby, Serine Ramlawi, Alexa Clare Bowie, Stephanie Boyd, Alysha Dingwall-Harvey, Ruth Rennicks White, Dan

Year: 2025

Current literature is unclear on the safety and optimal timing of delivery for pregnant individuals with gestational diabetes mellitus, which inspired our study team to conduct a web-based survey study exploring patient and provider opinions on delivery options. However, an incident of fraudulent activity with survey responses prompted a shift in the focus of the research project. Unfortunately, despite the significant rise of web-based surveys used in medical research, there remains very limited...

Huggingface_Flan_T5 Summary:

Identifying Fraudulent Responses in a Study Exploring Delivery Options for Pregnancies Impacted by Gestational Diabetes Mellitus: Lessons Learned From a Web-Based Survey. (<http://dx.doi.org/10.1016/j.cdi.2018.09.018>). Accessed April 20, 2019. <http://www.ncbi.nlm.nih.gov/pubmed/10042738>. Authors: Emm...

Huggingface_Pegasus_Xsum Summary:

A web-based survey study exploring the safety and optimal timing of delivery for pregnant individuals with gestational diabetes has been the subject of an incident of fraudulent activity, which led to a shift in the study's focus and the need for a new approach to the study of delivery options for p...

Huggingface_Mistral Summary:

Title: Identifying Fraudulent Responses in a Study Exploring Delivery Options for Pregnancies Impacted by Gestational Diabetes: Lessons Learned From a Web-Based Survey. Abstract: Current literature is unclear on the safety and optimal timing of delivery for pregnant individuals with gestational diab...

Huggingface_Bart_Cnn Summary:

Current literature is unclear on the safety and optimal timing of delivery for pregnant individuals with gestational diabetes mellitus. A study team conducted a web-based survey study exploring patient and provider opinions on delivery options. An incident of fraudulent activity with survey response...

Huggingface_Pegasus_Pubmed Summary:

objective : the objective of this study was to explore patient and provider opinions on the use of webbased surveys in clinical research of gestational diabetes mellitus.methods: we conducted a webbased survey with a total sample of 200 pregnant patients and their healthcare providers . <n> the resu...

Huggingface_Led_Base Summary:

Title: Identifying Fraudulent Responses in a Study Exploring Delivery Options for Pregnancies Impacted by Gestational Diabetes: Lessons Learned From a Web-Based Survey. Abstract: Current literature is unclear on the safety and optimal timing of delivery for pregnant individuals with gestational diab...

Huggingface_Bigbird_Pegasus Summary:

there is a growing interest in developing noninvasive prenatal testing methods that can improve maternal and fetal health .<n> the need for validated tools to measure and compare the outcomes of prenatal care is well documented in the peer - reviewed literature . in this issue of the journal ,<n> tw...

Key Takeaways & Recommendations

Based on today's research findings:

- 1. Treatment Advances: - 5 new studies on treatments - Focus on personalized medicine and targeted therapies
- 2. Diagnostic Improvements: - 3 new diagnostic approaches - Emphasis on early detection and precision diagnostics
- 3. Technology Integration: - 1 new medical devices and technologies - Trend towards AI-enabled and smart medical devices
- 4. Public Health Implications: - 1 public health studies - Important findings for population health management

Recommended Actions:

- 1. Review promising treatments in clinical trials for potential fast-track approval
- 2. Evaluate new diagnostic tools for integration into healthcare systems
- 3. Consider pilot programs for innovative medical devices
- 4. Update public health guidelines based on new findings