

a
Behavior at update 300
Variant / seed
Original
Fresh
Reset (fresh)
Full 11
22
33
Fixed gates 11
22
33
No assoc. memory 11
22
33
Both removed 11
22
33
0
50
100
Choice accuracy (%)
b
Pooled decoding at update 300
Variant / seed
Intact
Reset
Full 11
22
33
Fixed gates 11
22
33
No assoc. memory 11
22
33
Both removed 11
22
33
0
50
100
History decoding (%)
c
Decoding at update 150
Variant / seed
Intact history; accuracy (%)
Full 11 62 95 85 95 86 92 86
22 96 99 99 99 98 98 99
33 100 100 100 100 100 100 100
Fixed gates 11 67 67 67 67 67 67 67
22 50 50 50 50 50 50 50
33 51 50 50 50 50 50 50
No assoc. memory 11 50 91 87 81 76 74 70
22 55 84 85 83 83 82 80
33 49 74 68 57 53 51 51
Both removed 11 50 54 52 55 49 49 51
22 50 52 50 48 52 52 49
33 55 100 100 100 100 100 100
Pool 6 7 8 9 10 11
Pooled probe | Position-specific probes
d
Decoding at update 300
Variant / seed
Intact history; accuracy (%)
Full 11 99 99 99 99 99 99 99
22 100 100 100 100 100 100 100
33 100 99 99 99 99 99 99
Fixed gates 11 67 67 66 64 67 66 67
22 49 49 49 49 49 49 49
33 50 50 50 50 50 50 50
No assoc. memory 11 50 94 93 88 86 83 77
22 51 99 99 98 95 94 92
33 57 95 92 92 89 85 83
Both removed 11 67 100 100 100 100 100 100
22 50 96 83 67 59 54 56
33 83 100 100 100 100 100 100
Pool 6 7 8 9 10 11
Pooled probe | Position-specific probes
0
50
100
Three seeds per variant • Chance = 50% • Update 300 decoding is post hoc