हिस्तारी 1: request tign UP() 2: get member (afa() 2.1: add New Member () : Add Member D: LignUpUI 2.1.1: add New Member () USER  $^{\dagger}$ Memberlist 1 2.1.1.1.member() new Mem: Member

hd 5	.22_							
	1: requi 2:getMe	eut GignI m()	n()	2.1:sendMe		A.	·*[tor all Meniod Meniod MemberPU	V()
member   fign In		t sign In VI		:Member ()	Theck   Memberliat   Memberliat			
						i Member		

90 로그아<u>의</u> 1.1: request logout () 1: requers + Logout() Logout UI Logaut Controller member

分对和为号 |:request Register() 2: register Bicude () 2.1: registerBicycle() :RegisterBicycle UI : RegisterBruydeController 25474 2,11: add Bicycle() 2.1.1.1: Bicyde() : Brucle Ligt newBycle : Biyle 90 राखन पान 1. request Lend ) 1.1: Lond Brayde () to Land Bicycle Controller 1.1.1!getRandom Bicycle() (.(.a:newlend() member llend i Bicyclelist [, [,2.1], add Lend () !LendItat

sd সাহাস দোলাস্তাইন্ট।	
];requestlendInfo() [.1:re	questlendInfol)
; LendIntoUI	i Leud.Info Controller
	1,1,1: find Lend ()
member	iLendItet