Log Insights

The right insights for the right people

Questions, query evidence and recommendations

TO FILL / Team name / presenters / October 2026

APPROACH

Different decisions need different evidence

ENGINEER

What happened?

Original messages and nearby events.

Next step: a discriminating diagnostic check.

TEAM LEAD

What recurs?

Episodes, trends and fictional team ownership.

Next step: a focused investigation for the team.

MANAGER

What comes first?

Technical priorities by episodes and breadth.

Next step: a priority with an explicit trade-off.

Same agent and base corpus. SereneDB computes. Claude explains.

SYSTEM DIAGRAM

One shared path to the evidence

CLIENTS

Claude Code / Desktop
MCP over stdio

Web chat
AI SDK adapter

↔

TOOL REGISTRY

Zod contracts
Parameterized SQL
Limits and fact IDs

↔

SERENEDB

BGL + OpenStack
Search and aggregation

Counts, trends, episodes and percentiles

SHARED ROLE PLAYBOOKS

Question, evidence selection and next step.

SAVED QUERY RECEIPTS

Validated input, executed SQL, results and fact IDs.

Architecture: packages/analytics, packages/agent, apps/mcp and apps/web.

TOOL DESIGN

A small tool set the agent can choose

FIND AND INSPECT

describe_corpus
Scope, field meaning and capabilities

search_logs
Full-text query, time filters, bounded hits

get_log_context
Nearby events or aggregate precursor evidence

check_claims
Value, metric and group against a fact ID

MEASURE AND COMPARE

count_events
Grouped counts, shares and period comparison

event_trend
Buckets within one dataset's time span

recurring_patterns
Episodes, breadth and investigation order

latency_stats
OpenStack API access percentiles and rates

Inputs: validated scope, filters and limits. Outputs: data, facts, receipt and truncation notes. Source: actual analytics registry.

DATA SCOPE

Both datasets, separate time axes

BGL

2005-2006 / source timestamps in Unix seconds

TO FILL / Loaded population + data version

TO FILL / Search, context, grouped count + trend receipts

OpenStack

2017 / log events and API accesses counted separately

TO FILL / Loaded population + data version

TO FILL / Search, context, grouped count + trend receipts

WHOLE BASE CORPUS

TO FILL / Full-span counts for BGL and OpenStack, units + fact IDs

State full corpus or samples, UTC `[start, end)`, all filters, rejected rows and any truncation. Cross-dataset totals cover each full span.

ENGINEER

The error and its surrounding events

QUESTION AND SCOPE

TO FILL / Question + dataset + UTC window + filters

ORIGINAL LOG EVIDENCE

TO FILL / Verbatim error and nearby events with timestamps and event IDs

OBSERVATION

TO FILL / What the returned evidence establishes

HYPOTHESIS / STILL UNKNOWN

TO FILL / Possible explanation and missing evidence

NEXT CHECK

TO FILL / Specific diagnostic action

TO FILL / search_logs + get_log_context receipts / actual fact IDs / result limits

TEAM LEAD

Recurring patterns over the stated period

VERIFIED TREND

TO FILL / Replace with a trend from event_trend; retain units and fact IDs

Dataset / UTC window / bucket / unit / fact IDs

TO FILL / Episodes, active days and affected components

QUESTION AND SCOPE

TO FILL / Recurrence question, dataset and UTC window

OBSERVED RECURRENCE

TO FILL / Pattern, fictional owner and trend + fact IDs

TEAM INVESTIGATION

TO FILL / Owner, check and completion condition

TO FILL / recurring_patterns + event_trend receipts / filters / truncation / unknowns

MANAGER

A technical investigation order

TO FILL / Priority question + dataset + time window + filtered population

CANDIDATE	EPISODES	BREADTH	NEXT DECISION
TO FILL / First pattern	**TO FILL** / Fact ID	**TO FILL** / Unit + fact ID	**TO FILL** / Action + fictional owner
TO FILL / Next pattern	**TO FILL** / Fact ID	**TO FILL** / Unit + fact ID	**TO FILL** / Action + fictional owner

TRADE-OFF AND UNKNOWNS

TO FILL / Explain episode-versus-breadth trade-off and missing impact evidence

TO FILL / recurring_patterns with rank: investigation_order / receipt / scope / truncation

WORKED INVESTIGATION

The check behind the recommendation

INITIAL HYPOTHESIS

TO FILL / Initial explanation or priority

Name the evidence that could distinguish it.

EXECUTED CHECK

TO FILL / Tool input, result and actual fact IDs

Use a check that actually ran.

DECISION AFTER THE CHECK

TO FILL / Changed, retained or still open, with reason

Supported does not establish causality.

TO FILL / Public worked investigation and receipt links

Actions bounded by the available evidence

ENGINEER

TO FILL / Next diagnostic check + evidence

TEAM LEAD

TO FILL / Investigation owner + completion condition

MANAGER

TO FILL / Priority + trade-off + review condition

LIMITS OF THE CONCLUSION

Observed entries and episodes do not establish incidents or outages.

Fictional ownership. Business impact and causal proof remain unknown without additional evidence.

TO FILL / Case-specific missing evidence or truncation

Questions welcome

Every measured claim leads back to an executed query.

SOURCE AND SETUP

TO FILL / Public HTTPS link

WORKED INVESTIGATION

TO FILL / Public HTTPS link

PRESENTATION PDF

TO FILL / Public HTTPS link

All jury links must open without signing in or requesting access.

QUERY EVIDENCE

An auditable tool call

EXECUTED SQL AND BOUND PARAMETERS

TO FILL / Paste exact SQL and parameters from the saved receipt. No illustrative query.

TOOL CALL AND RESULT

TO FILL / Tool name and validated input

TO FILL / Relevant returned rows, units + fact IDs

TO FILL / Duration, population and truncated status

TO FILL / Public receipt link / data version / scope / check_claims checked count and outcomes. Checks cover submitted numerical claims, not explanations.

EVALUATION

Measured quality and its limits

QUALITY EVIDENCE

TO FILL / Saved baseline versus playbook results, per role

TO FILL / First holdout, sample size, failures and follow-up runs

TO FILL / Claim mismatches, unresolved facts and scope errors

PERFORMANCE EVIDENCE

TO FILL / Database time from receipts

TO FILL / End-to-end time and model/tool calls from run artifacts

TO FILL / Tokens and estimated API cost with pricing date

TO FILL / Public evaluation report / model + configuration / data version / run artifact links / limitations

SUBMISSION

Public access is part of the handoff

REPOSITORY

Public source, setup instructions, tool contracts and known limitations.

One worked investigation with the questions, tool calls, executed SQL, results and answers for every role.

PDF AND EVIDENCE

Public PDF and referenced evidence, accessible without a login or permission request.

TO FILL / Test final links in a signed-out browser and record release commit

---

Optional awards: include MCP connection steps or actual large-dataset scope, timings and costs only when demonstrated.