Simple project management tool for managing projects using the Scrum method (list of user stories)

#1 Adding users (Must have)

The system administrator can add new users to the system. They assign a username and password, personal information (first name, last name, email), and system permissions (system administrator, system user).

Acceptance tests:

Verify adding a new user together with the associated data.
Verify adding a user with an existing username in the system.
Verify that the system permissions are correctly set and allows users to access specific resources.

Business value: 9

#2 Maintaining User Accounts (Could have)

The system administrator can edit and delete existing users of system. The administrator can change the username, personal information, password, and system permissions.

Acceptance tests

Verify deletion of an existing user.
Verify potential duplication when changing a username.
Verify the ability to modify a user's personal information.
Verify changing the password of an existing user.
Verify changing the system permissions for a user.

Business value: 9

#3 Modifying own User data (Could have)

A system user can modify their own account information, including their username, password, and other personal data.

Acceptance tests:

Verify changing the username and check for potential username duplication.
Verify changing the password.
Verify modifying other user's personal information.

Business value: 4

#4 Adding a new Project (Must have)

The administrator can create a new project, select users to work on the project, and assign the project Scrum project roles (Product Owner, Scrum Master, and Development team).

Acceptance tests:

Verify adding a new project and check for potential duplication of project names.
Verify selecting users to work on the project.

Verify assigning all Scrum project roles.

Business value: 10

#5 Maintaining a Project (Should have)

The system administrator and the Scrum Master can edit the properties of an existing project, add new members to the project, update the roles of existing project members, and remove members from the project.

Acceptance tests:

Verify adding a new member to the project team.
Verify removing a member from the project team.
Verify modifying the roles of project members.
Verify changing the project name and potential project name duplication.

Business value: 7

#6 Creating a new Sprint (Must have)

The Scrum Master can create a new Sprint. Scrum Master defines Sprint's start and end dates as well as the expected velocity.

Acceptance tests:

Verify the regular flow: add a new Sprint, set its start and end dates (in the future), and set the initial Sprint velocity.
Verify the case where the Sprint end date is before the start date.
Verify the case where the Sprint start date is in the past.
Verify invalid Sprint velocity values.
Verify the case where the new Sprint overlaps with an existing one.

Business value: 9

#7 Maintaining Existing Sprints (Should have)

The Scrum master can edit or delete Sprints that have not yet started.

Acceptance tests:

Verify modifying Sprint dates and all related consequences (end date before start date, overlap with another Sprint, start or end date in the past, etc.).
Verify modifying the Sprint velocity.

Business value: 7

#8 Adding User Stories (Must have)

The Product Owner and the Scrum Master can add new User Stories to an existing project. For each user story, they can define its name, content (ie. description), acceptance tests, priority (must have, should have, could have, won't have this time), and business value.

Acceptance tests:

Verify the regular flow.
Verify a duplication of a new user story name.
Verify correct assignment of the user story priority.
Verify invalid business value input.

Business value: 10

#9 Editing and deleting User Stories (Should have)

The Product Owner and the Scrum Master can edit and delete those User stories in a project that have not yet been implemented and are not assigned to any Sprint.

Acceptance tests:

Verify the regular flow.
Verify the case where the user story has already been assigned to a Sprint.
Verify the case where the user story has already been implemented.
Verify duplication when changing the name of a user story.

Business value: 7

#10 Adding notes to User Stories (Should have)

Development team members can add their own notes to User Stories in the Product Backlog in agreement with the Product Owner or the Scrum Master.

Acceptance tests:

Verify the regular flow.

Business value: 3

#11 User Story effort estimation (Must have)

For a User Story that is not assigned to a Sprint, the Scrum Master can assign (or modify) the effort estimate.

Acceptance tests:

Verify the regular flow.
Verify the validity of the effort estimate.
Verify the case where the User Story has already been assigned to a Sprint.

Business value: 9

#12 Planning Poker (Could have)

The Scrum Master can start a 'Planning Poker' session for a User Story that has not yet been assigned to a Sprint, in which all project members logged in at that moment can participate. The Scrum Master and the Development team members can submit their estimates. The Scrum Master can end the Planning Poker session.

Acceptance tests:

Verify the regular flow.

Verify visibility of the estimates: estimates for a round must become visible only after all Development team members have submitted their estimates.
Verify the correct sequence of rounds: a new round can start only when all Development team members have submitted their estimate for the current round.
Verify entering the final estimate: this can only be done by the Scrum Master. After entering the final estimate, the Planning Poker session is finished.

Business value: 6

#13 Adding Stories to a Sprint (Must have)

The Scrum Master can add new user stories to a Sprint. He does this by selecting an agreed-upon subset of User stories from the Product Backlog and assigning them to the Sprint. He may select only those User stories that already have an effort estimate assigned and have not yet been implemented.

Acceptance tests:

Verify the regular flow.
Verify the case for User Stories without an assigned effort estimate.
Verify the case for User Stories that have already been implemented.
Verify the case for User Stories that are already assigned to an active Sprint.

Business value: 9

#14 Adding tasks (Must have)

The Scrum Master and Development team members can add new tasks to individual User Stories within the active Sprint. They define the task description, the estimated time needed to complete the task, and optionally the Development team member who is expected to complete it (the task is not assigned yet, as the Development team member must accept it first).

Acceptance tests:

Verify the regular flow.
Verify the case of a User story that is not assigned to the active Sprint.
Verify the case of a User story that has already been implemented.
Verify invalid time estimate values.
Verify correct assignment of a development team member.

Business value: 9

#15 Maintaining existing tasks (Should have)

The Scrum Master and the Development team members can edit all tasks parameters and delete existing tasks for individual user stories.

Acceptance tests:

Verify the regular flow.
* Verify deleting a task that has already been accepted by a member of a Development team.

Business value: 7

#16 Accepting tasks (Must have)

A Development team member can accept an unassigned task from the active Sprint and take it into work. The task is then marked as assigned, preventing any other Development team member from accepting it.

Acceptance tests:

Verify the regular flow.
Verify the case where the task has already been accepted by another Development team member.
* Verify the case where the task was not intended for the given Development team member.

Business value: 9

#17 Declining tasks (Must have)

A Development team member can relinquish a task they have already accepted, allowing another team member to continue working on it.

Acceptance tests:

Verify the regular flow.
Verify the case where the Development team member attempts to decline a task they have not accepted.
* Verify that a declined task can be accepted by another Development team member.

Business value: 7

#18 Time tracking (Must have)

A Development team member can track the time spent on a task. (They can start working on a task they have previously accepted; when doing so, a timer starts automatically, tracking the time spent on the task. The task is marked as active).

(automatically)

A Development team member can stop working on the currently active task. When doing so, the timer stops, and the recorded work time (in hours) is recorded in the database. If the team member has already worked on the same task earlier on the same day, the new time is added to the existing entry.

Acceptance tests:

Verify the regular flow.
Verify the validity of the entered time.
* Verify the case where the developer has not accepted the story.
* Verify the case of stories that have already been completed.

Business value: 4

#19 Reviewing and modifying the timeline (Should have)

A development team member can review and update the spreadsheet of their work on tasks for the current day and previous days. They can edit the number of hours spent on a specific task on a given day. They can also, at their discretion, determine the necessary number of hours to complete the task.

Acceptance tests:

Verify the regular flow.
Verify the validity of the entered time.

* Verify the case where the development team member has not accepted the task.
* Verify the case of stories that have already been completed.

Business value: 9

#20 Completing Tasks (Must have)

A member of the development team can mark their task as completed.

Acceptance tests:

Verify the regular flow.
Verify the case of a task that has already been completed.
* Verify the case where the development team member has not accepted the task.

Business value: 7

#21 User Documentation Maintenance (Could have)

All project participants can edit the user documentation for the project. They can also import or export it in a standard text-based format.

Acceptance tests:

Verify editing of documentation.
Verify correct data import.
Verify export of documentation.

Business value: 3

#22 Posting on the Project Wall (Could have)

All project participants can pin new posts to the project wall.

Acceptance tests:

Verify the regular flow.

Business value: 2

#23 Commenting on posts on the Project Wall (Could have)

All project participants can comment on posts on the project wall.

Acceptance tests:

Verify the regular flow.

Business value: 2

#24 Deleting posts and comments on the Project Wall (Could have)

Scrum Master can delete posts and comments on the project wall.

Acceptance tests:

Verify the regular flow.
Verify deleting a post with comments: when a post is deleted, all comments associated with that post must also be deleted.

Business value: 3

#25 Accepting User stories (Must have)

At the end of the Sprint, the Product Owner can mark user stories that have passed the acceptance tests as completed.

Acceptance tests:

Verify the regular flow.
Verify the case of User stories that have already been accepted.
Verify the case of User stories outside the current Sprint.
* Verify the case of User stories that have already been rejected.
* Verify the case of User stories that have tasks that have not yet been marked as finished.

Business value: 9

#26 Rejecting User Stories (Must have)

At the end of the Sprint, the Product Owner can return User stories that have not passed the acceptance test or are not yet completed back to the Product backlog as unfinished. When doing so, Product Owner may also add a comment to the user story.

Acceptance tests:

Verify the regular flow.
Verify the case of User stories that have already been rejected.
Verify the case of User stories outside the current Sprint.
* Verify the case of User stories that have already been accepted.

Business value: 9

#27 List of requirements (Must have)

All project members can view the list of requirements (Product Backlog), which contains all User Stories of the project. User stories are clearly divided into two categories — finished (the user story is completed and has passed the acceptance tests) and unifinished (all remaining stories).

Unifinished user stories are further divided into assigned (belonging to the active Sprint) and unassigned (all other).

Acceptance tests:

Prepare several User stories for each category and verify the display of the requirements list.

Business value: 10

#28 Task list (Must have)

All project members can view the task list (Sprint Backlog), which contains the User stories and tasks of the active Sprint. Tasks are divided into four categories:

- unassigned,
- assigned,
- completed, and
- active (i.e., tasks currently being worked on).

Acceptance tests:

Prepare several tasks for each category and verify the display of the task list.

Business value: 10

#29 Burndown chart (Should have)

All project members can view the 'Burndown chart' for the entire project, where the comparison between the work completed and the work remaining is presented both in a tabular and a graphical view.

Acceptance tests:

Prepare and enter data about the time course of the work and check the correctness of the plot.

Business value: 6

#30 Login to the system (Must have)

A user can log into the system using a username and password.

Acceptance tests:

Verify login with a correct username and password.
Verify login with a correct username and incorrect password.
Verify login with an incorrect username and correct password.
Verify that the information about the logged in user and their last login is constantly visible.

Password Requirements & Verification:

Verify that the password is at least 12 characters long.
Verify that entering a password shorter than 64 characters is allowed, while passwords longer than 128 characters are forbidden.
Verify that passwords are not trimmed (multiple spaces may remain as a single space).
Verify that the user can change their password.
Verify that changing the password requires both the old and the new password.
Verify that the application includes a password-visibility toggle.
Verify that for long passwords, the application enables revealing at least the last character.
Verify that the application includes a password-strength meter to help the user choose a stronger password.
Verify that password text cannot be copied.
Verify that passwords are stored using a hashing function.
Verify that at least two-factor authentication is enabled.
Verify that the entered password is validated using dictionaries (the user must not be allowed to select a password belonging to the top 100 most vulnerable passwords).

Business value: 10