



# Every email accounted for. Every shipment answered for.

A **bill of lading** is the ship's receipt for a container. We check every draft against what the customer asked for, and catch the shipments nobody emailed about.

- Two independent checks, not one sorting model
- Every verdict clicks back to its source line
- Refuses rather than guesses

## TEAM T010NG



@kymil4  
Backend · Pipeline · Frontend



@AlaskanTuna  
Fullstack · DevOps · Cloud




@chaosiris  
Persistence · Deployment ·  
Verification



@DrxgC1anPC  
Ideation · Pitch · Review

ALIGNED WITH UN  
GLOBAL GOALS 8  
AND 9



averis-222536409832.asia-southeast1.run.app/judge  
github.com/Averis-T010NG/LadingLens  
Synthetic data only · no account required


Two thousand emails can land here in a day. This is one of them.

**One 40-foot container of paper.  
Port Klang → Ho Chi Minh City.**

**BL** **Busan, South Korea** (VNSGN)

**SI** International Forest Products LLC  
**BL** Habras International Limited

Ports have short codes, like airports. **VNSGN** is Ho Chi Minh – printed beside the word Busan. Either the city is wrong or the code is, and nothing here says which. **So it is flagged for a person, not signed.**



**MYR 200 amendment fee**

**Up to MYR 5,000 customs fine**

## Demurrage, or a rolled sailing

# Sort the inbox perfectly and **one failure still walks straight through.**

Classification is a complete answer to the wrong question. It can only ever account for what arrived.

## WHAT A CLASSIFIER CAN SEE

### Every message that arrived

Sorted, labelled, routed and counted

### Every attachment it carried

Read, extracted and compared field by field

### Every case it opened

Tracked through to a verdict and an owner

### Every field it compared

Seven per pair, each one anchored back to a line

A perfect score on all three, and a container can still sail on paperwork that nobody ever raised.

## WHAT IT CANNOT

# You cannot notice an email you never received.

### No message

Nothing to misfile

### No attachment

Nothing to misread

### No case

Nothing at all to flag

A booking with no email

An amendment never sent

A document that never left the shipper

The only way to see an absence is to check the inbox against a **second, independent record** of what should have arrived.

THEREFORE

One record of what arrived

One record of what was expected

Reconcile the two, every run

The gap between those two records is the entire product

# Borrow the answer from double-entry bookkeeping.

Two independent books. Checked separately, then reconciled against each other — so neither can quietly cover for the other.

GATE 1 · WHAT ARRIVED

## Every email is accounted for

*Receipted and hashed before anything else runs, then given exactly one of five categories by pinned jev-1.13.0.*

THE ARITHMETIC THAT HAS TO HOLD

520 received

520 accounted for

0 lost

Nothing is silently dropped. Every message ends on a recorded outcome, including the ones a person has to decide.

GATE 2 · WHAT SHOULD HAVE ARRIVED

## The expected-shipment ledger

### MISSING\_CASE

On the ledger, no case exists

### UNMATCHED

A case with no ledger entry

### AMBIGUOUS

Both candidate sets kept

*An independent ledger reconciled against the cases that exist — never derived from the inbox, which is the entire point.*

**SYN-042** expects a draft BL and has no case. Gate 1 could never raise it; there was no email to raise.

WHY TWO

An inbox proves what came

A ledger proves what should have

Only the pair proves absence

Two independent controls, one reconciliation

# Every verdict points back at the **exact line** it came from.

Seven fields, with the Shipping Instruction always the reference. No value enters a verdict without an anchor into its source.

## THE RULE

### No anchor, no answer.

*A provenance anchor is not a citation added afterwards. It is the condition on which a value is allowed to exist at all.*

#### Reference

The Shipping Instruction, always

#### Compared

Against the draft Bill of Lading

A value that cannot be grounded **fails the run** rather than entering a verdict.

## WHAT AN ANCHOR IS, BY FORMAT

### TXT

Line number, plus Unicode code-point start and end columns

### XLSX

Sheet name, plus an exact A1 cell reference

### DOCX

Table cell coordinates, or the paragraph index

### PDF

Page, plus a 72-dpi bounding box when the PDF is digital

## THE SEVEN COMPARED FIELDS

Shipper

Consignee

Notify party

Port of loading

Port of discharge

Container count

Gross weight

Chinese labels included — the columns are **code-point exact**, not byte offsets, so a highlight lands on the character a reader can actually see.

ONE CLICK

Open a verdict

Land on the line

Download the artifact

Seven fields · every one of them anchored, or refused

# The question is not what AI can read. It is **who is allowed to decide.**

Four decisions, four owners, stated up front — and two rules that hold when a provider lets us down.

## THE REGISTER

### Reads documents

Gemini 3.5 Flash, grounded to anchors — scanned and ambiguous documents only

### Judges meaning

Pinned jev-1.13.0 — category, document role, field equivalence, typed answers only

### Computes

Deterministic code — parsing, normalisation, numbers, schema, state transitions

### Decides

A named human — anything consequential or unsafe to automate

## RULE ONE

### Fail closed

*A timeout, an exhausted quota, an invalid typed answer, or a value that cannot be grounded is recorded as a failure — never as a result.*

## RULE TWO

### Never fabricate

*No fallback provider, no guessed category. A case with no answer shows as needing review, with a retry.*

Seventeen of 520 cases are refused rather than guessed. That count is the design working.

REGISTER

docs/ai.md carries every decision and its owner

Gemini 3.5 Flash

jev-1.13.0, pinned

Automatic where the evidence is sufficient, human-owned where it is not

# A public path. **No account.** Live against the real providers.

Nothing here needs a credential, a fixture or a rehearsal — the link stays open for the whole judging window.

## THE WORKSPACE AT /JUDGE

Synthetic data only. Do not upload real shipping documents.

### Judge workspace

Shipping Instruction

Drop files here or press Enter to browse  
Accepts TXT, PDF, DOCX, XLSX up to 5.24288 MB

Draft Bill of Lading

Drop files here or press Enter to browse  
Accepts TXT, PDF, DOCX, XLSX up to 5.24288 MB

☐ These documents are synthetic (no real shipping data)

**Demo dataset summary** ⓘ  
PREPARED BASELINE  
520 of 520 emails accounted for  
OK (457) Mismatch (46) Needs review (17)  
Case present (1) Document missing (1) Missing case (1) Unmatched case (125) Duplicate or ambiguous (1) Source stale (1)

**Demo artifacts**

[Open the inbox](#) [Open reconciliation](#) [Open the example case](#)

## FIVE STEPS, ABOUT FOUR MINUTES

### 01 Open the link

A guest session mints itself — no sign-in, no email

### 02 Drop a pair

Any shipping instruction and draft BL that you bring

### 03 Watch it run

Real providers, in real time — never a fixture

### 04 Read the verdicts

Click any of the seven through to its source line

### 05 Take the artifacts

Download the run, hit Reset All, and then do the whole thing over again

On provider failure the upload stays retryable, and any prepared example appears only under a **PREPARED FALLBACK** label.

OPEN PATH

No account

No allow-list

Synthetic data only

Reset between runs

Reachable without sign-in throughout the judging window

# Five minutes, **end to end**, against the deployed service.

Not a mock-up and not a rehearsal — the recording is the deployed Cloud Run service, captured in one pass.

Inbox

Email detail

Review queue

Control graph

Evaluation

520 received / 520 accounted for / 0 lost

Download sample submission template

Search by ID

email\_001

Category

All categories

Status

All statuses

Sort

ID ascending

Density

Comfortable

| ID        | SUBJECT                                                                      | CATEGORY      | STATUS |
|-----------|------------------------------------------------------------------------------|---------------|--------|
| email_001 | TO CONFIRM DOCS_5RSG-00133_CALLAO_PERU_MOORIM SP CO., LTD_MEDUUD104332       | BL COMPARISON | ✓ OK   |
| email_002 | RE_LOCAL CHARGES FOB-KARGOSMAR-5AKR-81849-TELEX RELEASE CHARGES              | INVOICE QUERY | ✓ OK   |
| email_003 | RE_TO CONFIRM DOCS_5AAT-03056_AQABA_JORDAN_ROXCEL TRADING GMBH_SIN525...     | SI REQUEST    | ✓ OK   |
| email_004 | REQUEST...                                                                   | BL COMPARISON | ✓ OK   |
| email_005 | RE_Draft BL...                                                               | BL COMPARISON | ✓ OK   |
| email_006 | Assets/Demo.MP4 is not in place yet                                          | SI REQUEST    | ✓ OK   |
| email_007 | REQUEST SI_5RFR-37631_GDANSK_POLAND_AL GURG STATIONERY LLO_SIJ1051834        | SI REQUEST    | ✓ OK   |
| email_008 | RE_SI NEEDED_5APH-26773_UAB NOVAKOPA_PO_25_2186_MERSIN                       | SI REQUEST    | ✓ OK   |
| email_009 | TO CONFIRM DOCS_5ALT-19136_MERSIN_TURKEY_PACIFIC OFFICE (M) SDN BHD_YMJAL... | BL COMPARISON | ✓ OK   |
| email_010 | Total Freight-INDIA-5ALT-38425                                               | INVOICE QUERY | ✓ OK   |
| email_011 | 15_01_2026-UPDATE SUMMARY LE HAVRE VQI540A                                   | GENERAL       | ✓ OK   |
| email_012 | _Reminder_Paper-Submit SI & AED_26-01-2026                                   | GENERAL       | ✓ OK   |
| email_013 | AFEMY-MOMBASA_KENYA-CMA(SU4218073)-5RFR-36541-5260074586-ROXCEL TRADIN...    | BL COMPARISON | ✓ OK   |
| email_014 | RE_REQUEST SI_5RCY-80883_CONAKRY_GUINEA_ORIENT LINKS CO (LLO)_SINF06550881   | SI REQUEST    | ✓ OK   |

05:00 MAX • 1920 × 1080

▶ Choose a local file

## WHAT THE RECORDING COVERS

### Guest entry

No account, no allow-list

### Both gates

520 accounted for, then SYN-042 surfacing

### Your own pair

A live run at /judge, verdict clicked to source



Or skip it and  
run it yourself

...RUN.APP/JUDGE

### Tracked in **issue #46**

Not yet recorded at time of writing

CAPTURED ON

The deployed Cloud Run service

Synthetic bundle

No staged screens

Press V on this slide to start the player

# Every message carries an outcome on the record.

Five hundred and twenty messages in, five hundred and twenty accounted for. This is where each one of them landed.

ALL 520, BY OUTCOME



### Nothing dropped

Every inbound message ends in a state a person can name out loud

### Nothing invented

No gap is filled with a plausible guess to keep a number tidy

### The 46

A field differs between the two documents – flagged with both values and both anchors

### The 17

The evidence was not sufficient to decide, so nobody pretended that it was

Four hundred and fifty-seven clean, forty-six flagged, seventeen refused. That refusal count is the design working, not a shortfall in it.

HOW THE COUNT IS REACHED

### Gate 1 • Completeness

520 received, 520 accounted for, 0 lost

### Gate 2 • Reconciliation

SYN-042 expects a draft BL and has no case at all – MISSING\_CASE, structurally invisible to the inbox

### Held for a person

Unreadable draft BL, blank customer fields, wrong document type – handed on by name, never guessed

### By design

The refusal rate is published beside the pass rate, never folded into it

Gate 2 is the only check that can find **SYN-042**. No amount of accuracy on Gate 1 would ever have surfaced it.

BASELINE

Organisers' synthetic bundle


Prepared seed, labelled as prepared

Re-runnable from the repository

Prepared seed baseline from the organisers' synthetic bundle

# One Cloud Run service. No long-lived credentials.

The same diagram that is in the repository README, drawn from docs/readme/architecture.json.



## DEPLOY & VERIFY

### Keyless CI, fail-closed gate

GitHub Actions authenticates through Workload Identity Federation, pinned to this repository. Secrets reach the runtime only through Secret Manager – no service-account key exists anywhere.

#### EVERY DEPLOY MUST PASS

- Health
- Readiness on a real DB
- SPA fallback
- Unauthenticated /judge
- 520-record artifact
- Private-object denial

If any check fails the deploy is marked failed, and the JSON report is retained.

## BOUNDARY

- Evidence served only through authorized endpoints
- Never a public bucket URL

# The measured numbers – including the one we missed.

A demo that hides its worst number is worth less than one that names it. Everything below is checkable in the repository.

## THE MISS

# 25.6s

LIVE-PATH P95  
AGAINST A 10 S  
TARGET

*Three warm-ups then twenty measured trials on one scanned pair. Only 5 of 20 completed.*

No latency claim is made beyond what the retained artifact shows.

Run 35579538701 • commit 4eb1401

## SCOPE OF THE PRELIMINARY BUILD

### Synthetic only

DATA\_POLICY=synthetic-only, enforced server-side

### Guest entry

Sign-in fields are presentational, never sent or stored

### Prepared baseline

The inbox is seeded, and labelled as prepared

### Live path

Only /judge uploads run the real providers

A provider failure fails closed with a plain message and a labelled **PREPARED FALLBACK** – never a fabricated result.

## SOURCES

[docs/ai.md](#)

[Retained benchmark artifact](#)

[Nothing cited that is not measured](#)

Claims boundary stated before anyone has to ask for it

# Close the loop, then **earn the right** to real data.

Ordered by what unblocks the next honest claim, not by what demonstrates best.

## NEAR • IN FLIGHT NOW

### Make the live path fast enough

*Concurrent per-document calls and a warmer extraction path, measured in exactly the same way, until p95 sits under the target rather than beside it.*

#### Concurrency

Per-document calls issued together instead of in series

#### Warm start

The extraction path kept warm between runs

#### Same method

Three warm-ups, twenty measured trials, one artifact retained – so the next figure is comparable to this one

Until that number moves, the **25.6 s** on the previous slide is the only latency figure we will quote.

## AFTER THAT, IN ORDER

### Reconcile the real ledger

Swap the synthetic expected-shipment CSV for the operational source, so Gate 2 reports on live bookings instead of on a fixture

### Earn real documents

Retention, access, transfer and provider controls approved before a single production document is processed

Operational feed

Gate 2 on live bookings

Signed off, not merely convenient

Each step unblocks the claim after it. None of the three is skippable.

NOT YET

Real customer documents

A published latency claim

Anything a person has not signed off

Each step unblocks the claim after it

# Do not take our word for **any** of it.

The point of all of it is a freight desk that works by exception, not by volume. Two links – one runs the system against a pair we have never seen, the other is every line that makes it work.

## WHAT TO DO WITH THEM

### Bring your own pair

Upload a shipping instruction and draft BL we have never seen

### Audit a verdict

Click any one of the seven through to the exact line it came from

### Check our arithmetic

Download the artifact, reset the workspace, and run it again

Everything claimed in this deck is either on screen at one of those two links, or it is not claimed.

WITH REGARDS,


– *Team T010NG*

## SCAN EITHER ONE



LIVE • /JUDGE

...run.app/judge



GITHUB

Averis-T010NG/LadingLens

Both links stay up for the whole judging window, and neither asks for an account.