

Vizsgaremek – Teszt dokumentáció

Kátai-Raffai Bence – Farkas Dominik

DubaiHQ1 telephely tesztelések

-Kapcsolatok Pc és Router között:

DHQ1PC1 --> DHQ1R2 g0/0.10

```
C:\>ping 10.1.10.1

Pinging 10.1.10.1 with 32 bytes of data:

Reply from 10.1.10.1: bytes=32 time<1ms TTL=255
Reply from 10.1.10.1: bytes=32 time<1ms TTL=255
Reply from 10.1.10.1: bytes=32 time<1ms TTL=255
Reply from 10.1.10.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.1.10.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ1PC1 --> DHQ1R2 g0/0.40

```
C:\>ping 10.1.40.1

Pinging 10.1.40.1 with 32 bytes of data:

Reply from 10.1.40.1: bytes=32 time<1ms TTL=255
Reply from 10.1.40.1: bytes=32 time<1ms TTL=255
Reply from 10.1.40.1: bytes=32 time=9ms TTL=255
Reply from 10.1.40.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.1.40.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 9ms, Average = 2ms

C:\>
```

DHQ1PC1 --> DHQ1R2 g0/0.20

```
C:\>ping 10.1.20.1

Pinging 10.1.20.1 with 32 bytes of data:

Reply from 10.1.20.1: bytes=32 time<1ms TTL=255
Reply from 10.1.20.1: bytes=32 time<1ms TTL=255
Reply from 10.1.20.1: bytes=32 time<1ms TTL=255
Reply from 10.1.20.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.1.20.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ1PC1 --> DHQ1R2 g0/0.100

```
C:\>ping 10.1.100.1

Pinging 10.1.100.1 with 32 bytes of data:

Reply from 10.1.100.1: bytes=32 time<1ms TTL=255
Reply from 10.1.100.1: bytes=32 time<1ms TTL=255
Reply from 10.1.100.1: bytes=32 time<1ms TTL=255
Reply from 10.1.100.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.1.100.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ1PC1 --> DHQ1R2 g0/0.30

```
C:\>ping 10.1.30.1

Pinging 10.1.30.1 with 32 bytes of data:

Reply from 10.1.30.1: bytes=32 time<1ms TTL=255
Reply from 10.1.30.1: bytes=32 time<1ms TTL=255
Reply from 10.1.30.1: bytes=32 time<1ms TTL=255
Reply from 10.1.30.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.1.30.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

-Kapcsolatok Pc és a két szerver között:

DHQ1PC1 --> DHQServer1

```
C:\>ping 10.1.30.2

Pinging 10.1.30.2 with 32 bytes of data:

Reply from 10.1.30.2: bytes=32 time<1ms TTL=255
Reply from 10.1.30.2: bytes=32 time<1ms TTL=255
Reply from 10.1.30.2: bytes=32 time<1ms TTL=255
Reply from 10.1.30.2: bytes=32 time<1ms TTL=255

Ping statistics for 10.1.30.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ1PC1 --> DHQServer2

```
C:\>ping 10.1.30.3

Pinging 10.1.30.3 with 32 bytes of data:

Reply from 10.1.30.3: bytes=32 time<1ms TTL=127
Reply from 10.1.30.3: bytes=32 time<1ms TTL=127
Reply from 10.1.30.3: bytes=32 time<1ms TTL=127
Reply from 10.1.30.3: bytes=32 time<1ms TTL=127

Ping statistics for 10.1.30.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

-HSRP kapcsolat Router 1 és Router 2 között:

DHQ1R1 és DHQ1R2 HSRP kapcsolat

DHQ1R2#sh standby brief							DHQ1R1#sh standby brief						
Interface	Grp	Pri	P	State	Active	Standby	Interface	Grp	Pri	P	State	Active	Standby
Virtual IP							Virtual IP						
Gig 10.1.10.2	10	110	P	Active	local	10.1.10.3	Gig 10.1.10.2	10	90	P	Standby	10.1.10.1	local
Gig 10.1.20.2	20	110	P	Active	local	10.1.20.3	Gig 10.1.20.2	20	90	P	Standby	10.1.20.1	local
Gig 10.1.30.2	30	110	P	Active	local	10.1.30.3	Gig 10.1.30.2	30	90	P	Standby	10.1.30.1	local
Gig 10.1.40.2	40	110	P	Active	local	10.1.40.3	Gig 10.1.40.2	40	90	P	Standby	10.1.40.1	local
Gig 10.1.100.2	100	110	P	Active	local	10.1.100.3	Gig 10.1.100.2	100	90	P	Standby	10.1.100.1	local

DubaiHQ2 telephely tesztelések

-Kapcsolatok Pc1, Pc2, Pc3 és a Router között:

DHQ2PC1 --> DHQ2R1 g0/0.10

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 10.3.10.1

Pinging 10.3.10.1 with 32 bytes of data:

Reply from 10.3.10.1: bytes=32 time<1ms TTL=255
Reply from 10.3.10.1: bytes=32 time<1ms TTL=255
Reply from 10.3.10.1: bytes=32 time<1ms TTL=255
Reply from 10.3.10.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.10.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ2PC1 --> DHQ2R1 g0/0.20

```
C:\>ping 10.3.20.1

Pinging 10.3.20.1 with 32 bytes of data:

Reply from 10.3.20.1: bytes=32 time<1ms TTL=255
Reply from 10.3.20.1: bytes=32 time<1ms TTL=255
Reply from 10.3.20.1: bytes=32 time=16ms TTL=255
Reply from 10.3.20.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.20.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 16ms, Average = 4ms

C:\>
```

DHQ2PC1 --> DHQ2R1 g0/0.30

```
C:\>ping 10.3.30.1

Pinging 10.3.30.1 with 32 bytes of data:

Reply from 10.3.30.1: bytes=32 time<1ms TTL=255
Reply from 10.3.30.1: bytes=32 time<1ms TTL=255
Reply from 10.3.30.1: bytes=32 time<1ms TTL=255
Reply from 10.3.30.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.30.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ2PC1 --> DHQ2R1 g0/0.40

```
C:\>ping 10.3.40.1

Pinging 10.3.40.1 with 32 bytes of data:

Reply from 10.3.40.1: bytes=32 time<1ms TTL=255
Reply from 10.3.40.1: bytes=32 time<1ms TTL=255
Reply from 10.3.40.1: bytes=32 time<1ms TTL=255
Reply from 10.3.40.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.40.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ2PC1 --> DHQ2R1 g0/0.100

```
C:\>ping 10.3.100.1

Pinging 10.3.100.1 with 32 bytes of data:

Reply from 10.3.100.1: bytes=32 time<1ms TTL=255
Reply from 10.3.100.1: bytes=32 time<1ms TTL=255
Reply from 10.3.100.1: bytes=32 time<1ms TTL=255
Reply from 10.3.100.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.100.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ2PC2 --> DHQ2R1 g0/0.10

```
C:\>ping 10.3.10.1

Pinging 10.3.10.1 with 32 bytes of data:

Reply from 10.3.10.1: bytes=32 time<1ms TTL=255
Reply from 10.3.10.1: bytes=32 time<1ms TTL=255
Reply from 10.3.10.1: bytes=32 time<1ms TTL=255
Reply from 10.3.10.1: bytes=32 time=14ms TTL=255

Ping statistics for 10.3.10.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 14ms, Average = 3ms

C:\>
```

DHQ2PC2 --> DHQ2R1 g0/0.20

```
C:\>ping 10.3.20.1

Pinging 10.3.20.1 with 32 bytes of data:

Reply from 10.3.20.1: bytes=32 time=19ms TTL=255
Reply from 10.3.20.1: bytes=32 time<1ms TTL=255
Reply from 10.3.20.1: bytes=32 time<1ms TTL=255
Reply from 10.3.20.1: bytes=32 time=8ms TTL=255

Ping statistics for 10.3.20.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 19ms, Average = 6ms

C:\>
```

DHQ2PC2 --> DHQ2R1 g0/0.30

```
C:\>ping 10.3.30.1

Pinging 10.3.30.1 with 32 bytes of data:

Reply from 10.3.30.1: bytes=32 time<1ms TTL=255
Reply from 10.3.30.1: bytes=32 time<1ms TTL=255
Reply from 10.3.30.1: bytes=32 time<1ms TTL=255
Reply from 10.3.30.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.30.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ2PC2 --> DHQ2R1 g0/0.40

```
C:\>ping 10.3.40.1

Pinging 10.3.40.1 with 32 bytes of data:

Reply from 10.3.40.1: bytes=32 time=1ms TTL=255
Reply from 10.3.40.1: bytes=32 time<1ms TTL=255
Reply from 10.3.40.1: bytes=32 time<1ms TTL=255
Reply from 10.3.40.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.40.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>
```

DHQ2PC2 --> DHQ2R1 g0/0.100

```
C:\>ping 10.3.100.1

Pinging 10.3.100.1 with 32 bytes of data:

Reply from 10.3.100.1: bytes=32 time<1ms TTL=255
Reply from 10.3.100.1: bytes=32 time<1ms TTL=255
Reply from 10.3.100.1: bytes=32 time<1ms TTL=255
Reply from 10.3.100.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.100.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ2PC3 --> DHQ2R1 g0/0.10

```
C:\>ping 10.3.10.1

Pinging 10.3.10.1 with 32 bytes of data:

Reply from 10.3.10.1: bytes=32 time<1ms TTL=255
Reply from 10.3.10.1: bytes=32 time<1ms TTL=255
Reply from 10.3.10.1: bytes=32 time<1ms TTL=255
Reply from 10.3.10.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.10.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ2PC3 --> DHQ2R1 g0/0.30

```
C:\>ping 10.3.30.1

Pinging 10.3.30.1 with 32 bytes of data:

Reply from 10.3.30.1: bytes=32 time<1ms TTL=255
Reply from 10.3.30.1: bytes=32 time<1ms TTL=255
Reply from 10.3.30.1: bytes=32 time<1ms TTL=255
Reply from 10.3.30.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.30.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ2PC3 --> DHQ2R1 g0/0.100

```
C:\>ping 10.3.100.1

Pinging 10.3.100.1 with 32 bytes of data:

Reply from 10.3.100.1: bytes=32 time<1ms TTL=255
Reply from 10.3.100.1: bytes=32 time<1ms TTL=255
Reply from 10.3.100.1: bytes=32 time<1ms TTL=255
Reply from 10.3.100.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.100.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ2PC3 --> DHQ2R1 g0/0.20

```
C:\>ping 10.3.20.1

Pinging 10.3.20.1 with 32 bytes of data:

Reply from 10.3.20.1: bytes=32 time<1ms TTL=255
Reply from 10.3.20.1: bytes=32 time<1ms TTL=255
Reply from 10.3.20.1: bytes=32 time<1ms TTL=255
Reply from 10.3.20.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.20.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

DHQ2PC3 --> DHQ2R1 g0/0.40

```
C:\>ping 10.3.40.1

Pinging 10.3.40.1 with 32 bytes of data:

Reply from 10.3.40.1: bytes=32 time<1ms TTL=255
Reply from 10.3.40.1: bytes=32 time<1ms TTL=255
Reply from 10.3.40.1: bytes=32 time<1ms TTL=255
Reply from 10.3.40.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.3.40.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

-DHCP szerver címkiosztásai a Pc1/2/3-ra:

DHQ2PC1 - DHCP címe

IP Configuration	
☒ DHCP	☐ Static
IPv4 Address	10.3.10.10
Subnet Mask	255.255.255.192
Default Gateway	10.3.10.1
DNS Server	8.8.8.8

DHQ2PC2 – DHCP címe

IP Configuration	
☒ DHCP	☐ Static
IPv4 Address	10.3.20.12
Subnet Mask	255.255.255.192
Default Gateway	10.3.20.1
DNS Server	8.8.8.8

DHQ2PC3 - DHCP

IP Configuration	
☒ DHCP	☐ Static
IPv4 Address	10.3.20.10
Subnet Mask	255.255.255.192
Default Gateway	10.3.20.1
DNS Server	8.8.8.8

Hungary telephely tesztelések

Az ACL megakadályozza HGuestPc-t HAdminPc elérésében:

```
C:\>ping 10.2.10.2

Pinging 10.2.10.2 with 32 bytes of data:

Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.

Ping statistics for 10.2.10.2:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Az ACL megakadályozza HGuestPc-t a Sales Pc-k elérésében:

HPc1 (Sales Pc)

```
C:\>ping 10.2.20.3

Pinging 10.2.20.3 with 32 bytes of data:

Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.

Ping statistics for 10.2.20.3:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```

HPc2 (Sales Pc)

```
C:\>ping 10.2.20.2

Pinging 10.2.20.2 with 32 bytes of data:

Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.

Ping statistics for 10.2.20.2:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```

HPc3(Sales Pc)

```
C:\>ping 10.2.20.4


Pinging 10.2.20.4 with 32 bytes of data:

Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.
Reply from 10.2.100.1: Destination host unreachable.

Ping statistics for 10.2.20.4:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```

VPN tesztelése

HomeR és Router2 közötti VPN kapcsolat (GRE Tunnel):



PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	HomeR	Router2	ICMP		0.000	N	0	(edit)	
	Successful	Router2	HomeR	ICMP		0.000	N	1	(edit)	