

Science News

from research organizations

Do doctors treat pain differently based on their patients' race?

Study shows physicians dispensed opioids for back pain more frequently to their white patients than to their patients of color

Date: September 15, 2021

Source: University of California - Los Angeles Health Sciences

Summary: Physicians prescribed opioids more often to their white patients who complained of new-onset low back pain than to their Black, Asian and Hispanic patients during the early days of the national opioid crisis, when prescriptions for these powerful painkillers were surging but their dangers were not fully apparent, a new study has found.

Share: [!\[\]\(faf942dc3e59ce8eb64b4ac481eca7e0_img.jpg\)](#) [!\[\]\(f6b0299e0b5e4340e509b71914970da0_img.jpg\)](#) [!\[\]\(b5153706f6ea2fc2c42e8803b6804d18_img.jpg\)](#) [!\[\]\(2b8adb27d8c9518333278b6317e2d8a2_img.jpg\)](#) [!\[\]\(a190466037967efc7087885259e58e7a_img.jpg\)](#)

FULL STORY

Physicians prescribed opioids more often to their white patients who complained of new-onset low back pain than to their Black, Asian and Hispanic patients during the early days of the national opioid crisis, when prescriptions for these powerful painkillers were surging but their dangers were not fully apparent, according to a UCLA study.

The findings suggest that doctors may have commonly dispensed pain treatments unequally based on race and ethnicity. The study shows that physicians were more likely to prescribe non-steroidal anti-inflammatory drugs, or NSAIDs -- a less-powerful alternative -- to their patients of color who came to them for back pain care.

"This appears to be a case of differential treatment of pain or bias by physicians, in which the pain of certain patients deserves opioids and the pain of others does not," said Dr. Dan Ly, the study's author and an assistant professor of medicine at the David Geffen School of Medicine at UCLA. "The fact that, in hindsight, more white patients developed dangerous long-term opioid use doesn't absolve physicians of this differential treatment."

The paper is published today in the peer-reviewed *JAMA Health Forum*.

Ly examined nationwide medical claims data from 2006 through 2015 for about 275,000 Medicare beneficiaries who were 66 or older and were experiencing new-onset low back pain. Approximately 81% of these patients were white, 6% were Black, 6% were Asian/Pacific Islander and 8% were Hispanic.

Focusing on how individual doctors prescribed opioids differently based on their patients' race and ethnicity, Ly found that, on average, these drugs were dispensed to 11.5% of white patients, versus about 10% of Black patients, 9% of Asian/Pacific Islander patients and 10.5% of Hispanic patients.

Among patients who seemed to have severe or longer-lasting pain -- measured as five or more visits to the doctor for back pain in a year -- the differences were starker: 36% of white patients were prescribed opioids, versus about 30% of Black patients, 21% of Asian/Pacific Islanders and 24% of Hispanics. Physicians, Ly said, also tended to prescribe opioids sooner to their white patients.

Conversely, doctors prescribed NSAIDs to 25% of their Black patients, 25% of Asian/Pacific Islanders and 28% of Hispanics but only to 24% of whites -- again, with greater differences for patients with more visits for their back pain.

The study also found that white patients with new low back pain were subsequently more likely to develop long-term reliance on opioids than patients of Black, Asian/Pacific Islander or Hispanic origin.

One possible reason for these prescribing discrepancies, Ly said, is that physicians may have had less confidence that patients of color would not misuse opioids, even though studies have shown no difference in rates of opioid misuse between patients of color and white patients. It's also possible, he said, that patients of color may have asked for opioids less frequently than white patients, although there is no evidence for this.

Ly noted that because this was an observational study, there may have been other, non-observable factors that contributed to prescribing discrepancies. The findings do not include results from physical exams, which may have influenced prescribing decisions, and over-the-counter medications were not included in the data.

The National Institute on Aging funded this study.

Story Source:

Materials provided by **University of California - Los Angeles Health Sciences**. *Note: Content may be edited for style and length.*

Journal Reference:

1. Dan P. Ly. **Association of Patient Race and Ethnicity With Differences in Opioid Prescribing by Primary Care Physicians for Older Adults With New Low Back Pain.** *JAMA Health Forum*, 2021; 2 (9): e212333 DOI: 10.1001/jamahealthforum.2021.2333

Cite This Page:

MLA	APA	Chicago
-----	-----	---------

University of California - Los Angeles Health Sciences. "Do doctors treat pain differently based on their patients' race? Study shows physicians dispensed opioids for back pain more frequently to their white patients than to their patients of color." ScienceDaily. ScienceDaily, 15 September 2021. <www.sciencedaily.com/releases/2021/09/210915110947.htm>.

RELATED STORIES

Racial Disparities in Prescribing Opioids for Chronic Pain

Aug. 20, 2018 — Researchers have identified racial disparities in the treatment of patients who are prescribed opioids for chronic pain. Black patients who receive opioids long-term are more likely than whites to be ...

Chance of Being Prescribed Opioids for Minor Injury Differs Dramatically by Where You Live

July 24, 2018 — Patients who sought care for a sprained ankle in states that were found to be 'high pre-scribers' of opioids were approximately three times more likely to receive a prescription for the drugs than ...

Depressed Patients More Likely to Be Prescribed Opioids

June 20, 2017 — Patients with low back pain who were depressed were more likely to be prescribed opioids and receive higher doses, research has found. Understanding these prescribing patterns sheds new light on the ...

American Effort Reduced Risky Opioid Prescriptions for Veterans, Study Finds

Jan. 10, 2017 — Fewer veterans received prescriptions for risky dosages of opioid painkillers after a national initiative took aim at reducing high doses and potentially dangerous drug combinations, a new study ...

FROM AROUND THE WEB

ScienceDaily shares links with sites in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Rates of HF death lower, HF hospitalization higher in Black vs. white patients

By Kate Burba, Healio, 2021

COVID-19 CVD registry highlights racial/ethnic disparities, risk in obesity

By Erik Swain, Healio, 2020

Social Distances of Whites to Racial or Ethnic Minorities

Michalikova et al., Ethnic Studies Review, 2011

Racial disparities in CV outcomes evident among pregnant, postpartum Black women

By Scott Buzby, Healio, 2020

Medical use and misuse of psychoactive prescription medications among US youth and young adults

Israel Agaku et al., Family Medicine and Community Health, 2021

Factors influencing CVD mortality vary by region, race, ethnicity

By Anthony Vecchione, Healio, 2021

Racial, ethnic health disparities, already prevalent, growing worse due to COVID-19

By Scott Buzby, Healio, 2020

Age, sex, comorbidities impact outcomes after COVID-19 hospitalization

By Erik Swain, Healio, 2021

Powered by **TREND MD**

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

✉ Email Newsletters

📡 RSS Feeds

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

 [Facebook](#)

 [Twitter](#)

 [LinkedIn](#)

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

[About This Site](#) | [Staff](#) | [Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Editorial Policy](#) | [Terms of Use](#)

Copyright 2021 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.

— [CCPA: Do Not Sell My Information](#) — — [GDPR: Privacy Settings](#) —