Wolters Kluwer

Release Notes CCH Tagetik 5.3 Service Pack 36

Spring release available from: May 8, 2026
Spring release generally available: June 20, 2026

Wolters Kluwer

Table of Contents

PLATFORM & CORE MODULES 5
Some Basic Info 5
Mandatory Activities after Updating 5
User Manual availability 5
Highlights 5
New User Interface 5
Audit Data Migration Tool & New User Interface 6
Dismission of CCH Tagetik Data Loader 8 6
Deployment 6
Excel Export with Pre- and Post-Calculation Data 6
Export and Import Data Using Generated Files 6
Data Integration 7
New Connector for Databricks 7
Quick Data Loader Standalone - Read and Write Operations on External Platforms 7
Intelligent Data Loader (IDL) - Basic version 7
Data Collection Process 7
Process and Workflow 7
Process Hub for Entity Dimension 7
Task Management 8
Diagnostic 9
Account Dynamic Groups 9
Account Dynamic Groups for Control Groups 9
“Control by Element” Option 9
Open Diagnostic Result Log from Workflow 9
Enhanced Diagnostic Task 9
Consolidation 10
Restatement 10
Deferred Taxes Rate by Scenario and Period 11
Currency Conversion Differences on Balance Sheet Accounts 11
Rules Engine Designer - Reclassification Rules Applicable only to a Subset of Variations 11
Reporting and Disclosure 12
Reporting 12
Create Report Lists via Web Interface 12
Intelligent Disclosure 12
PowerPoint Add-in 12
Add Comments when Document Changes its Status 12
Enhanced Validation Rules 12
Functional Platform: Repository and Cross-cutting Tools 12
Comments: Assign, Resolve, and Re-opens Threads 12
Multi-Profile Access 13
HANA Trend in Self-Service Portal 13
API SCIM 13

New Fields Available 13
New Programmatic Interface 14
Original Scenario Data Model API Programmatic Interface 14
Category Data Model API Programmatic Interface 14
Period Data Model API Programmatic Interface 14
Intelligent Analytics 14
Dashboard 14
Visuals in Home Page 14
Select Period Length 14
Excel Add-in 14
Cell Reference in Pivot Filters 14
Update Pivot Data when Opening Files 15
Save as Plain Excel file 15
Improved Filter Panel 15
Extended Business Planning 15
Supply Chain Planning 15
Added Record Types to Record View 15
Supply Chain Optimization Engine 15
SOLUTIONS WITH PREDEFINED CONFIGURATIONS 16
Some Basic Info 16
Account Reconciliation 16
Enhanced Cockpit 16
Transaction Matching 16
Generation of Self-match Journal Entries 16
IC Self-matching Transactions Overview 16
Transaction Volume Tracker 16
CCH Tagetik Power BI Connector 17
Global Minimum Tax 17
Strengthened GIR Reporting & XML Capabilities for OECD Compliance 17
OECD GIR Reporting – Key Improvements 17
OECD GIR XML Configuration and Generation – Key Improvements 18
Centralized QDMTT Management 18
Tax Provision and Reporting 19
Extended Flexibility with New Approach: Tax Accounting & Reporting 19
Expand Tax Content: Central Tax Adjustments and Group Deferred Tax Calculation 19
New Final Manual Adjustment 19
Lease Accounting (IFRS16) 19
Bug Fixing 19
Operational Transfer Pricing 19
Waterfall-recharge of IC Services 19
Entity-Level Transfer Pricing Dashboard 19
Service Recharge Results & Traceability Dashboard 20
Comparable Uncontrolled Price (CUP) Method Framework 20
ESG & Sustainability Performance Management 20
AI Anomaly Detection Pre-configuration on CSRD Input Data – MVP 20

Omnibus Review – V3 20
ESRS DMA Omnibus Review 21
Mapping CDP-IFRS S2 21
IFRS Catalogue Review Based on Amendments to IFRS S2 Official Documentation 21
New calculated KPIs to support Weighted Averages for Own Workforce Purpose 21
ESG Planning Accelerator 21
Predictive Forecasting – MVP 21
EU Taxonomy 21
Carbon Emissions 22
Solvency II Solution 22
EIOPA Solvency II Solution 22
New Module – CCH Tagetik IRRD Solution 22
Bank of England – PRA Solvency II Solution 22
IFRS17 Solution - Insurance Contracts 22
Bug Fixing 22
iXBRL software (powered by CoreFiling) 22
CCH Tagetik iXBRL Solution Documentation 23
Improved Analysis Documents 23
Presentation Tree Enhancements 23
Updated Naming Convention for Exported ESEF Submissions 23
EBA – Consolidated FinRep 23

PLATFORM & CORE MODULES
Some Basic Info

Mandatory Activities after Updating

Starting from Service Pack 14, our application logging system has been upgraded from log4j1 to log4j2 for security reasons. When updating to Service Pack 14 or greater, it is required to replace the application server log4j configuration files. Please check the Installation and Upgrade section of the CCH Tagetik Community for detailed migration documentation.

If the logging system is not properly reconfigured, a reminder will periodically pop up at the top of the home page.

Starting from Service Pack 14, all public APIs have been disabled by default and system properties used to enable each endpoint are ignored. They can be enabled again via “Repository” > “General Settings” > “Security” > “Enable Public REST APIs”. Enabling each endpoint separately is no longer possible.

Starting from Service Pack 14, the software includes support for data encryption for Personal Data Protection. Upon installation, users must configure whether personal data should be encrypted. Users that wish to encrypt data should create and configure the encryption key. Please refer to the “Personal Data Access logging configuration” technical guide in the CCH Tagetik Community.

For the application to function properly, after each update it is necessary to run the deployment of roles from the Repository to ensure that any new feature included in the update is available. (Repository / Users and Roles / Users and Roles / Roles / Deploy).

User Manual availability

User manuals by version are available for download from the CCH® Tagetik Community website (https://community.tagetik.com/product/knowledge-base/user-manuals). Additional documentation on table structure for the Repository and CPM can be found in the downloads section of the application.

Highlights

New User Interface

Starting from CCH® Tagetik Version 5.3 Service Pack 27, a new UI has been made available for all users. As announced with bulletin n. 75, the CCH® Tagetik Legacy UI has been deprecated in CCH® Tagetik Version 5.3 Service Pack 30 and is dismissed with CCH® Tagetik Version 5.3 Service Pack 36. Users should note the following:

- **New Navigation Pane:** all existing functionalities are accessible from the new UI using the new navigation panel (navbar), which replaces the legacy menu structure. A comprehensive mapping of legacy features to the new UI navbar is available in the online help;
- **New Homepage capabilities:** homepage capabilities have been enhanced to use widgets alongside the new navbar. Any type of customization done to the user’s homepage (e.g., Bookmarks, Notes, Free content, Shortcuts, etc.) will not be automatically brought over to the Homepage of the new UI. Users, or Admins on their behalf, must redefine and set up the new Homepage from the enhanced widget types including Suggested Tasks, Bookmarks, Free Contents, and others. The background setting will be inherited from the Legacy UI and automatically applied.
- **Internal Documentation:** the change in the overall UI and navigation means that any type of documentation internal to the user’s organization may require a rework.

For more information on the new CCH Tagetik user experience, the following resources are available:

Community page: https://community.tagetik.com/product/knowledge-base/bulletins/legacy-ui-dismissal
Bulletin no. 75: https://community.tagetik.com/library/bulletin-0075
Brochure: https://community.tagetik.com/library/brochure-cch-tagetik-enhanced-ui
Getting started with the enhanced UI video: https://community.tagetik.com/library/presentation-getting-started-with-the-updated-cch-tagetik-ui-webinar-1

Audit Data Migration Tool & New User Interface

Starting from Service Pack 18, users have been able to use the audit data migration tool to continue viewing legacy audit data within the audit windows. Up until Service Pack 33 (included), the tool could be launched by clicking the yellow banner in the legacy UI via the browser. As announced in bulletin no. 73 (available here: https://community.tagetik.com/product/knowledge-base/bulletins), starting from Service Pack 34, launching the audit data migration tool via the UI is no longer supported; it can now only be executed via API, using the following API endpoint:

" <url API>/api/auditDataMigration/runJob?readInputSize=<n> "

It is recommended to run the tool with n=10000 records, but the accepted range is from 1 up to 2^31 - 1.

Dismission of CCH Tagetik Data Loader 8

As announced with bulletin no. 80 (available here: https://community.tagetik.com/product/knowledge-base/bulletins), starting from Service Pack 36 the CCH Tagetik Data Loader (TDL) version 8.0.x is dismissed and no longer works. The latest TDL package is available for download at the following link:
https://community.tagetik.com/product/knowledge-base/cloud/cch-tagetik-data-loader

Deployment

Excel Export with Pre- and Post-Calculation Data

Starting from Service Pack 36, users have the option to generate an XLSX file showing element calculations before and after the transfer to the target environment, making it easier to identify impacted items without needing to navigate the full tree.

Export and Import Data Using Generated Files

The Configuration Deployment Tool (CTD) now offers a new capability to export and import data using generated files. This enhancement enables seamless configuration migration across environments that reside on different regions or infrastructures.

Analytical Information Hub Transfer via CDT

Users may now complete the transfer of their entire Analytic Information Hub domain via the Configuration Deployment Tool.

Data Integration

New Connector for Databricks

A new native connector for Databricks has been introduced in Service Pack 36: it enables seamless integration between CCH Tagetik and the Databricks Platform. This enhancement enables users to directly connect to Databricks to ingest datasets into CCH Tagetik, supporting both scheduled and on-demand data flows. The connector is optimized for enterprise-scale data volumes and is designed to streamline operations for users who are already leveraging Databricks as their data warehouse. The OAuth Secret authentication is supported.

Quick Data Loader Standalone - Read and Write Operations on External Platforms

The Quick Data Loader (QDL) Standalone has extended its capabilities from reading only to full read and write operations on external platforms. In addition to reading data, the QDL Standalone can now write onto applications such as Google BigQuery, Snowflake, Microsoft Fabric, and Databricks. This enhancement represents the first step toward supporting more advanced and complex data integration flows across modern data platforms.

Intelligent Data Loader (IDL) - Basic version

The Intelligent Data Loader (IDL) is the evolution of the Quick Data Loader, designed to modernize and simplify data integration in CCH Tagetik. Currently supported for multi-organizational processes, the IDL introduces guided configuration and increased automation. It also enables users to leverage the newest connectors released in recent Service Packs and lays the foundation for more advanced and scalable integration flows.

Data Collection Process

Process and Workflow

Process Hub for Entity Dimension

In this release, new business workflows are now created by default for Process Hub when the “Dimension by step” functionality enabled. The following advanced options have been introduced:

Use only Steps by Entity: Process Hub
With this mode, it is possible to use Process Hub using only steps by Entity. It is not possible to define steps on any other dimensions. Additionally, it is possible to use and define tasks of “Job” type and to use the standard DTP functionality, which stores data in partitions other than the reporting layer.
Users should note: this mode is mostly available for legacy purposes. In cases where these functionalities are not required, it is recommended to use the default workflow definition.

Use only Steps by Entity: Legacy Cockpit
This mode allows users to define a workflow with the Legacy Cockpit with steps by Entity. This mode is made available for legacy purposes and for existing projects.

To port existing workflows the following changes have been made to the "Copy and Migrate" tool:

- if the existing workflow contains a “Job” task and a DTP without the "Context Independent Run" option: the workflow will be converted to a "Process Hub - Only Entity" type workflow; and
- in cases where the tasks or options are present, the workflow will be converted to a "Process Hub - Dimension by Step" type workflow.

In cases where the Process contains datasets which are partitioned by Entity, the “Copy and Migrate” tool will not run.

Below are the details of the functionality supported for DTP and Jobs in the "Process Hub - Only Entity" mode:

DTP

Starting from Service Pack 36, the process to migrate legacy cockpits to the new Process Hub has been enhanced to support scenarios where Data Transformation Packages (DTPs) are:

- executed in standard mode (without forcing “Context Independent Run”), and
- based on datasets partitioned by Entity.

In previous Service Packs, DTP tasks executed in the new Process Hub were restricted to “Context Independent mode” and did not offer the possibility to use datasets partitioned by Entity, which often required to rework existing DTPs during the cockpit migration. Starting from Service Pack 36, a dedicated configuration (workflow defined as Entity-only) enables the migration of legacy cockpits, while preserving the existing DTP behavior, allowing standard execution and maintaining the related partition management.

Users should note a current restriction: the Quick Data Loader has not been updated to support the new "only entity" option, so if a DTP contains a "Loading to Analytical Workspace" operation that writes on a dataset partitioned by Entity, then it will not be supported.

Job

Starting from Service Pack 36, Job tasks are supported within Process Hub workflows configured with the “Only Entity” option. This enhancement enables the migration of legacy workflows to Process Hub, allowing Job tasks – previously available only in the legacy cockpit – to be configured and executed also in the new cockpit interface for Entity-only processes.
Users should note: only Job tasks that contain types of tasks supported by the new Process Hub can be executed. This means that, if a Job includes one or more tasks that are not yet supported in the new Process Hub, the execution will stop.

Task Management

Task Management allows users to define responsibilities for single tasks in a step by list, and to assign deadlines and responsibilities in terms of Preparer, Reviewer and Approvers on the task. Once defined, it is then possible to monitor and follow the progress of the task directly from Process Hub. To use the task management functionality, it is necessary to:

- define a step of type "List" in Process Hub ;
- define a grouping of tasks; and
- define the tasks, their type, dependencies and deadlines by role (if required).

Once the tasks have been defined, they can be associated to the dimensional elements in the workflow together with their steps. Upon deployment, in the "Deadlines and Roles" definition table, it is possible to define the users responsible for each task based on the number of levels for each task. The deadline assignments can be defined and modified directly in the Process definition.
Finally, users should note that this functionality is only available for users with an Account Reconciliation license.

Diagnostic

Account Dynamic Groups

Service Pack 36 introduces account dynamic groups: a new way to define groups of accounts dynamically, based on configurable rules rather than static selections. Account dynamic groups are calculated automatically according to account characteristics - such as code, attributes, nature, type, conversion type, IC properties, and detail/flow relationships - reducing maintenance effort and ensuring consistency across rules and controls.
An account dynamic groups management window is available from the “Dimensions” page (three-dot menu of the “Account” tile). It enables users to create, modify, clone, and delete dynamic account groups. Dynamic groups can be defined using multiple filter criteria, including:

- account code
- custom account attributes (up to five, if enabled)
- account nature and type
- account conversion type
- IC management and IC capacity
- account hierarchy nodes

Filter conditions can be combined using the “AND” / “OR” logical operators, including nested condition groups. When applicable, results can also be expanded to related details or variation accounts. Account dynamic groups are resolved automatically by the processes and utilities that reference them.

Account Dynamic Groups for Control Groups

Control Groups can now reference account dynamic groups as the source for account selection. Users may now select a new option for Dimension Dependency: “Dynamic Account Group”. When this option is selected, “Account Set 1” and “Account Set 2” are defined by selecting “Account Dynamic Groups”, instead of static account definitions. Account dynamic groups are supported for balancing and coherence control group types.

“Control by Element” Option

Control groups have been enhanced to support validation by individual account, in addition to the existing total-based validation. A new option, “Control by Element”, is now available for balancing control groups, which enables users to run diagnostic on a single account (or account/destination) rather than on the aggregated total. When this new option is enabled:

- the validation result for the control group is evaluated at account level;
- diagnostic messages clearly identify the affected account for the control group;
  drill-down and reporting views are aligned to the new "Check by Element" option.

This enhancement provides more granular validation, making it easier to define, identify, and analyze balancing issues.

Open Diagnostic Result Log from Workflow

The business workflow now includes a dedicated task to open the Diagnostic Result log directly from the workflow, which streamlines the review of the validation review process.

Enhanced Diagnostic Task

The Diagnostic task executed from workflow has been enhanced with new options to control which scenarios and data are included when executed from a consolidator node. Users can now:

- run diagnostics on original scenarios, consolidation scenarios, or both;
- select specific consolidation scenarios, when applicable; and
- run diagnostics also on contributor data, in addition to consolidator data.

These enhancements provide greater flexibility and more accurate validation during consolidation workflows.

Consolidation

Restatement

Restatement is an accounting process that allows retroactive modification of financial data already published or consolidated to reflect:

- changes in accounting principles;
- correction of material errors;
- group reorganizations (merges, acquisitions, perimeter changes); and/or
- simulations of alternative scenarios (e.g., impact of different exchange rates).

CCH Tagetik already supports these scenarios but the new functionality introduced originally with Service Pack 35, has been empowered in the current Service Pack by providing:

- a structured approach to manage data changes without altering the original version, which ensures traceability and comparability across scenarios where adjustments and integrations to data (balances and entries) are required; and
- minimum administrative tasks and low maintenance needs.

Restatement is based on the management of:

- base scenario: the original version of the data;
- delta scenarios: one or more scenarios for corrections or integrations; and
- stacked scenario: an aggregated scenario automatically calculated as the sum of base and delta.

The functionality consists of two main components:

Restatement Template Definition
The definition of the template is available in the “Advanced Consolidation” section. The “Restatement Template” is introduced to link base, delta, and stacked scenarios, and it defines:

- base scenario;
- suffixes for delta and stacked scenarios;
- periods to process;
- linked consolidation scenarios; and
- option to update scenarios/nodes relationships.

When saving the template, the system automatically creates delta and stacked scenarios and periods (if not already existing).

Restatement Utility
This utility is accessible from the “Utilities” menu in the Process Hub, and it generates data in the stacked scenario as the sum of base and delta. Users have the following options:

- copy data: which transfers balances and entries from base and delta to stacked; or
- copy configurations: which replicates setup and parameters to delta and stacked scenarios; or
- launch data processing: which produces the consolidated stacked data.

The functionality is included in the Advanced Managerial & Statutory Consolidation Solution. Further details are available in the User Manual.

Deferred Taxes Rate by Scenario and Period

Deferred tax rates are now entered by scenario and period, which allows for a more accurate representation of situations where rates vary during the year. The calculation algorithm remains Year-To-Date (YTD). To reduce the effort required to populate rates across multiple scenarios and periods, two supporting tools have been introduced:

- a copy utility, which enables quick replication of rates between periods; and
- a spreadsheet mode, designed to facilitate bulk data entry.

Configuration Updates

Access to the new "Deferred and Prepaid Taxes Rates" window is granted through function "CON0003". The previous window for rate entry remains available for managing direct taxes. If access to the old window is no longer required, the function "0000228 – Rates: Direct Taxes rates" can be disabled.

Currency Conversion Differences on Balance Sheet Accounts

This release introduces enhanced flexibility to handle currency conversion differences for income statements. In alignment with IAS 21, users can now record these differences on balance sheet accounts, addressing specific accounting requirements. In earlier Service Packs, currency conversion differences generated from the income statement could only be recognized on income statement accounts. With this update, it is now possible to record these differences on balance sheet accounts. Specifically, users can now select balance sheet accounts for posting currency conversion differences, in addition to income statement accounts.

Rules Engine Designer - Reclassification Rules Applicable only to a Subset of Variations

This release delivers an enhancement to the Rules Engine Designer on consolidation journals on consolidation scenarios, addressing scenarios where reclassification rules apply only to a subset of variations within a control group. The update ensures that "Rule no longer applied" variations and Delta Dynamic Mark Up (DMU) calculations are performed accurately, which improves the reliability of consolidation results for complex scenarios.

New Behavior

In previous versions, when a rule reclassified only some variations of a control group, the system generated "Rule no longer applied" variations and Delta DMU amounts based on the initial balance of the input normal account (from the reopening scenario), rather than the specific values of the variations included in the rule. This could result in incorrect values, as the calculation did not reflect the actual variations included in the rule.

With this release, the system now generates these entries using the RED reopening amount, ensuring that only the relevant variations are considered for the "Rule no longer applied" application and Delta DMU calculations.

Configuration and Applicability

The option introduced in Service Pack 33 "Enable carry Forward Writing off for normal and detail accounts" is used to control this behavior. The new logic is applied when the "Enable carry Forward Writing off for normal and detail accounts" option is disabled, which is recommended for rules that reclassify only a subset of variations within a control group.

Prerequisites

This solution requires reopening lines for parent normal/detail accounts with origin "PRCO_RESTORE_RED". In consolidation scenarios, the rule must include definition lines that value the normal account based on the input variation. If the rule includes such definition lines, it must have the "Allow multiple relationship" option enabled and "Enable input data Writing off" disabled.

Additional details are available in the user manual.

Reporting and Disclosure

Reporting

Create Report Lists via Web Interface

Users can now create a new Report List directly from via the web interface. This improvement makes it easier and faster to get started with Report Lists by allowing users to:

- create a new Report List via the web interface;
- add a name and description right away; and
- choose the forms that belong to the newly created Report List.

Intelligent Disclosure

PowerPoint Add-in

Intelligent Disclosure introduces a new PowerPoint add-in that extends controlled, data-driven reporting and collaboration to presentation documents through native integration with Microsoft 365. The new add-in enables users to insert objects – such as individual amounts, tables, charts, and textual values – directly into PowerPoint slides, maintaining a live connection to data sources in CCH Tagetik or Excel. Presentations benefit from co-editing, automatic versioning, and secure sharing, enabling multiple users to collaborate on the same presentation simultaneously while preserving data integrity. Linked content can be refreshed, ensuring that all figures used in management and presentations remain consistent with approved data and aligned with disclosure documents. Finally, users can generate the same set of slides multiple times by selecting different parameters (e.g., Entities, periods, scenarios, or other dimensions), thus enabling fast creation of consistent, data-driven presentations.
The new Intelligent Disclosure PowerPoint add-in reduces manual copy-and-paste activities, minimizes the risk of inconsistencies across documents and presentations, and strengthens governance, traceability, and auditability of the reporting process.

Add Comments when Document Changes its Status

Intelligent Disclosure now provides users with the ability to insert an optional comment before executing an action on a document. Users may add contextual comments before certifying, approving, or rejecting a document, which facilitates collaboration across teams and improves accuracy and control throughout the approval process.

Enhanced Validation Rules

Intelligent Disclosure now offers enhanced Validation Rules to automatically verify the accuracy, consistency, and completeness of data embedded in disclosure documents. Users can tag individual objects – amounts and table elements – and define validation rules based on these tags to control relationships, calculations, totals, and cross-references across the document. Validation Rules can be executed on demand, highlighting inconsistencies directly within the document. This capability strengthens the governance of the disclosure process, it reduces the risk of manual errors caused by last-minute changes, and supports faster, more reliable disclosure document finalization. An update of the add-in Manifest is required in order to use the new feature.

Functional Platform: Repository and Cross-cutting Tools

Comments: Assign, Resolve, and Re-opens Threads

Threads can now be assigned directly to a single user when creating a new comment. The assignment is optional and applies to the entire thread. Only the thread owner can assign the thread, while both the owner and the assignee can re-assign, resolve, and/or re-open it. Once assigned, a thread cannot be un-assigned, only resolved. All assignments, resolutions, and re-open actions are automatically logged for full traceability.

Multi-Profile Access

Multi-profile access allows a single user to work with different access rules by selecting the most appropriate profile for the task at hand. This provides flexibility without compromising data security or governance. In the examples below, access to the same data matrix is required from two different perspectives – Entities and Organization. This is achieved by configuring two distinct area profiles.

Defined Area Profiles

USER_ALL_ENT - Entity Perspective

This profile is designed for users who require broad visibility across entities, with controlled write access and limited organizational scope.

Area	Read Access	Write Access
Entities	All	ENT1
Organization	DIVISION1, DIVISION2	DIVISION3, DIVISION4

USER_ALL_ORG - Organization Perspective

This profile is intended for users who need full visibility of the organizational structure, while limiting access to a specific subset of entities.

Area	Read Access
Organization	All
Entities	ENT2, ENT3

User Assignment and Usage

Both area profiles are assigned to the same end user (User X). At login, User X selects which profile to activate and can switch between profiles directly from the CCH Tagetik user interface.

Users should note that only one profile can be active at a time. Access rules are applied exclusively according to the selected profile, ensuring clear separation of responsibilities and consistent data control.

HANA Trend in Self-Service Portal

Users running on SAP HANA can now leverage the new HANA Trend page to easily track database memory usage over time (1, 7 and 30 days). This enhanced visibility helps anticipate capacity needs, detect usage spikes early, and better control infrastructure costs through proactive monitoring.

API SCIM

New Fields Available

This release introduces new fields to the User API SCIM to improve identity management, auditing capabilities, and integration consistency across connected systems, extending the information managed for each provisioned user. Specifically:

- the user description attribute is now available;
- the user type restriction field indicates the type of restriction applied to the user in the application database; and
- a locked indicator has been added to reflect whether a user's account is currently suspended or disabled on application database

New Programmatic Interface

Starting with Service Pack 36, the Entity Data Model API provides a programmatic interface to manage account master data, which enables external systems to retrieve, create, update, and delete Entity elements and their attributes (as well as frequently used counterparties) directly in the CCH Tagetik data model.

Original Scenario Data Model API Programmatic Interface

Starting with Service Pack 36, the original scenario Data Model API provides a programmatic interface to manage account master data, enabling external systems to retrieve, create, update, and delete original scenario elements and their attributes directly in the CCH Tagetik data model.

Category Data Model API Programmatic Interface

Starting with Service Pack 36, the Category Data Model API provides a programmatic interface to manage account master data, enabling external systems to retrieve, create, update, and delete category elements and their attributes directly in the CCH Tagetik data model.

Period Data Model API Programmatic Interface

Starting with Service Pack 36, the Period Data Model API provides a programmatic interface to manage account master data, enabling external systems to retrieve, create, update, and delete period elements and their attributes directly in the CCH Tagetik data model.

Intelligent Analytics

Dashboard

Visuals in Home Page

Users may now add an Intelligent Analytics visual that has already been defined within a dashboard to the Home Page.

Select Period Length

Users can now select the desired period length when retrieving data on the dashboard. The available options are: year-to-date and one period.

Excel Add-in

Cell Reference in Pivot Filters

It is now possible to define Pivot filters using “Excel cell references”, enabling tighter integration between Pivot data and other areas of the spreadsheet. Users can add a new filter type directly from the Pivot table side panel under the “EXCEL” section by selecting “Cell Reference”. This allows filters to be driven by:

- A single cell (e.g., “A1”)
- A cell range (e.g., “A1:A10”)
- A reference from another worksheet (e.g., “Sheet2!A1”)
- A named range

The referenced cells are validated in real time and resolved to the corresponding CCH Tagetik dimension. When the Pivot table is refreshed, filters are automatically applied based on the current cell values. Changing values in the referenced cells dynamically recalculates the Pivot table. This enhancement makes it easier to centralize filter management, connect Pivot tables to custom Excel logic, and build more dynamic and interactive reports.

Update Pivot Data when Opening Files

A new option is available to automatically refresh all CCH Tagetik data when an Excel file is opened, which ensures that users always work with the most up-to-date information. From the general settings panel, a new general accordion introduces the toggle “Refresh data on file open”. When enabled, all CCH Tagetik formulas and pivots across every worksheet are automatically refreshed as soon as the file is opened. This enhancement helps eliminate manual refresh steps, reduces the risk of working with outdated data, and improves confidence in reports shared or reused over time.

Save as Plain Excel file

The Export feature creates a copy of the Excel workbook, which only contains the values present in cells: formulas and pivot objects are no longer present and only the results are exported as values.

Improved Filter Panel

The Dimension tree used to select elements in Excel formulas and Pivot filters has been improved. It is now possible to search elements by code or description, select multiple elements using the "Shift" key or, use a contextual menu on each node element, select all children, descendants or lowest level elements.

Extended Business Planning

Supply Chain Planning

Added Record Types to Record View

The new version of Record View expands Supply Chain modeling capabilities by adding new record types and UI controls covering additional business cases. These records are:

- Value: manually enter single Supply Chain data point;
- Data Entry: manually enter Supply Chain multiple data points;
- Table: manually enter Supply Chain data in table format;
- Data Table: upload Supply Chain data in table format;
- Supplier Calendar: choose blackout days for supplier;
- Spread Curve: apply preconfigured demand curves to items; and
- Comparable Items: connect similar demand items to model new item.

Supply Chain Optimization Engine

The supply chain optimization engine allows users to import optimized sourcing priorities across internal and external sources to automate alternative source exception planning. The optimization engine automatically detects unfilled demand within standard source lead times and suggests alternative sourcing. The system can suggest internal transfers for inventory balancing as well as expediting products from alternative sources when needed.

SOLUTIONS WITH PREDEFINED CONFIGURATIONS
Some Basic Info

The features listed below are scheduled to be released starting from May 18, 2026. They are compatible with CCH Tagetik Service Pack xx. As soon as they become available, the installation packages will be uploaded to CCH Tagetik Community website.

Account Reconciliation

The below features are part of the “R.23” release, scheduled to be available starting from May 25, 2026.

Enhanced Cockpit

The user interface of the account reconciliation cockpit has been revamped with improved usability and clearer structural layout. Users may now benefit from in-context navigation across reconciliation objects, support for multi-review and multi-approval processes, and action-driven visualization of reconciliation objects. Users can manage reviews and approvals more effectively while maintaining full visibility over reconciliation status and actions.

Transaction Matching

The below features are part of the “R.23” release, scheduled to be available starting from May 25, 2026.

Generation of Self-match Journal Entries

The system now allows the creation of journal entries for self-match purposes. This enables users to easily and automatically generate batch exports of suggested journals, to be posted either as write-offs for mismatched transactions or as missing entries not recorded by counterparties. As a result, these journals are included in the existing export ETL and contribute to generating a comprehensive flat file to be reviewed and processed outside the system.

IC Self-matching Transactions Overview

A new report and related data source allow users to visualize and review all transactions in which the same Entity acts both as the accounting Entity and the counterparty within “Matching Set #1” (i.e., IC Matching). This provides a consolidated view of the overall status of loaded transactions. As the report is based on webform technology, it is intended for scenarios with low data volumes. For high volume transaction analysis and interaction, the recommended interfaces remain the “Manual Match” and “Review Match” interfaces. To support performance during report loading, users are encouraged to apply additional dimensional filters, such as data slice or matching object.

Transaction Volume Tracker

A new report enables continuous monitoring of the number of transactions loaded across the various Input Sets. It provides average monthly volumes on both a year-to-date and full year basis, supporting improved volume tracking and planning.

CCH Tagetik Power BI Connector

The features listed below will be available in accordance with the Power BI Desktop release schedule by Microsoft. Once generally available, the update will be available on Power BI Desktop, Power Query Online, Microsoft Fabric and Microsoft Data Gateway. Release dates are available on the Microsoft blog: https://powerbi.microsoft.com/en-us/blog/

Users can now benefit from the following enhancements:

- advanced reporting capabilities for the Analytical Layer data: users may create a semantic model with not only data, but also a set of plug-and-play reporting features:
  - time intelligence: users can now manage different period lengths (monthly, year-to-date), allowing more accurate time-based analysis;
  - currency conversion: on-the-fly currency conversion is natively available in order to convert measures and FSTs values to a specific currency;
  - change sign: users can manage the sign in the visualization, selecting positive or negative, based on Account properties and FSTs classes;
  - Financial Statement Templates (FST) – Standard: FSTs for account are now natively available in the semantic model, supporting all arithmetic operations (+,-,*,/) and functions such as IF, IFERROR, ABS and more.
  - Financial Statement Templates (FST) – Advanced: FSTs for account - custom dimension and for account - analytical dimension are now available; for both, all arithmetic operations (+,-,*,/) and functions such as IF, IFERROR, ABS, etc. are supported:
- possibility to combine AIH datasets/data sources from different workspaces seamlessly: the connector can now read multiple sources from one or several Analytical Workspaces, enabling a unified and more flexible modeling experience. It provides an automated method to speed up model creation for different use cases: a single dataset, multiple datasets from the same workspace, or multiple datasets across different workspaces. In all scenarios, the connector generates models that include all analytical and financial dimensions, along with their hierarchies and the corresponding Power BI hierarchy objects; and
- financial hierarchies with more than eight levels: support for financial hierarchies with more than eight levels is now available, enabling users to model complex organizational and reporting structures with greater depth and clarity.

Global Minimum Tax

The below feature is part of the “R12.1”, “R12.2” and “R12.3” releases, already released and upcoming, respectively: “R12.1” on April 30, “R12.2” on May 18, and “R12.3” on June 1. All releases will be compatible with Service Pack 35, while only “R12.3” is also compatible with Service Pack 36.

Strengthened GIR Reporting & XML Capabilities for OECD Compliance

Several minor releases following “R12” have already been delivered and will continue to be released over the coming weeks. “R12.1” was released on April 30, 2026, focusing on strengthening functionalities that support the final steps of OECD compliance. Releases “R12.2” and “R12.3” will continue in the same direction. The main objective is to simplify user activities and introduce key functional enhancements, with a strong emphasis on GIR reporting and XML configuration and generation. Below is an overview of the main improvements delivered in “R12.1” and further extended in “R12.2” and “R12.3”.

OECD GIR Reporting - Key Improvements

The GIR Reporting phase has been enhanced with new functionalities designed to make the OECD GIR preparation process clearer, more consistent, and easier to manage. The Group-level workflow has been updated with new and

improved tasks that centralize data collection and support both GIR Reporting and XML generation. Key improvements include:

- Centralized data entry for Entities and Subgroups: dedicated data entry forms for Entity and Subgroup Information have been introduced. These forms allow users to collect data centrally and automatically populate all three GIR sections. Information is entered once and reused consistently across the report (e.g. TIN data), reducing duplication and minimizing the risk of errors.
- Enhanced Information pro-GIR data entry: data entry activities for GIR Sections 1, 2, and 3 have been improved through new automation features. These forms support non-automated and qualitative information that requires tax assessment or is planned to be automated in future releases.
- Preliminary data validation checks: new validation controls have been introduced across all data entry forms (Entity/Subgroup Information and Information pro-GIR). These checks help prevent inconsistencies and data quality issues before the XML generation phase.
- Improved user guidance: data entry forms now include instruction sheets and in-report notes, designed to better guide users and support accurate data entry activities.
- Full data entry visibility: the GIR is now available in data entry mode also for system-calculated sections, allowing users to review results and apply final adjustments before completing the reporting process.

OECD GIR XML Configuration and Generation – Key Improvements

Release "R12.1" simplifies the GIR XML configuration and generation process, strengthening compliance controls and operational efficiency. Key improvements include:

- New Model Registry management: the Model Registry has been enhanced and restructured to allow users to import the OECD GIR XML schema directly from the technical process, eliminating manual configuration steps and reducing setup complexity.
- Extended XML validation controls: the XML generation engine now includes:
    - Standard OECD validation rules
    - Country-specific controls for France and Italy

  Additionally, a visual validation report is generated as an attachment, enabling users to quickly identify and analyze validation errors. In R12, the XML generation engine, in the event of failure, provided only the first detected error and did not allow the XML file to be exported. Furthermore, even when the generation process did not fail, XSD validation would still report only the first identified error, forcing users to repeatedly run generation and validation cycles until all issues were resolved. Now, the engine completes the filing generation process even when errors occur, both during generation and validation, and produces a comprehensive log report that includes all identified issues. This significant improvement provides immediate and complete feedback, enabling users to quickly identify and resolve data collection problems and rerun the process only once, instead of through multiple iterations.
- Support for repeated submissions: a new dedicated section has been introduced to manage repeated submissions, covering both correction filings and scenarios in which the XML file has been rejected by the tax authority.
- Dedicated corrective process: users can now start from the originally submitted data and configuration and apply only the required changes, avoiding the need to rebuild the entire process and significantly improving correction workflow efficiency.

Following the same direction, Releases R12.2 and R12.3will continue to introduce enhancements aimed at further supporting OECD compliance activities. Detailed information on "R12.2 and R12.3." will be shared once feedback on R12.1 is collected, and the upcoming improvements are fully defined.

Centralized QDMTT Management

The release R12.1 introduced centralized QDMTT rule management and calculation at Group level. Users can derive QDMTT rules from existing centralized GMT rules, inherit previous GMT rule activations, and map entities to QDMTT

hierarchy nodes through a dedicated subgroup mapping process, available in the Initialization Step. All local functionalities remain unchanged, allowing local overrides where required, while QDMTT calculations can now be executed centrally at Group level.

Tax Provision and Reporting

The below features are part of the "R9" release, scheduled to be available starting from May 18, 2026:

Extended Flexibility with New Approach: Tax Accounting & Reporting

This release introduces an enhanced approach to Tax Accounting & Reporting, enriched with new functionalities and reporting assets addressing customer needs to integrate the tax provision process within the consolidation process (also called Tax Proof at consolidated level). The new approach streamlines and accelerates the group tax provision process, supports a faster financial close, and simplifies the preparation of IAS/US GAAP Disclosures.

Expand Tax Content: Central Tax Adjustments and Group Deferred Tax Calculation

A new feature supporting centralized top-side tax adjustments and group-level deferred tax recalculation has been introduced. The solution enables the automatic computation and posting of group deferred tax impacts, including the generation of the related journal entries, while ensuring full traceability of their effects within group tax reporting.

New Final Manual Adjustment

A set of new features has been introduced to support last-minute manual adjustments or overrides of calculated results. Users can now apply final manual adjustments when exceptional or time-critical changes are required before closing. All manual adjustments are clearly identified and fully traceable, enabling users to easily distinguish between manually adjusted values and automatically calculated results.

Lease Accounting (IFRS16)

Bug Fixing

This release includes bug fixing.

Operational Transfer Pricing

The below features are part of the "R.03" release, scheduled to be available starting from May 25, 2026.

Waterfall-recharge of IC Services

The solution now supports the "waterfall service" recharging process, which enables the definition of sequential cost base recharges across the group. A common use case involves a holding company (e.g., Entity A) within a distributed group that provides centralized services, such as HR, to local headquarters (e.g., Entities B and C). These Entities may need to recharge these expenses to other Entities within their respective regions.
This type of recharge sequence is now fully managed by the system through the "IC Relationship table", and the recharge calculation excludes by default the original costs from subsequent markups, thereby preventing any potential double mark-up.

Entity-Level Transfer Pricing Dashboard

A new "Entity-Level Transfer Pricing Dashboard" has been introduced to provide detailed analytical insights at the level of a single legal Entity. The dashboard is fully aligned with the existing "Group-Level TP Dashboard" in terms of layout, KPIs, and analytical structure, ensuring a consistent user experience, while extending the analysis depth to support

entity-specific investigations. Designed for local users and local administrators with visibility on individual Entities, the dashboard enables a more granular view of transfer pricing results. Compared to group-level dashboards, it exposes additional details made possible by the lower data volumes typically involved at Entity level. Users can analyze not only overall TP results, but also the functional composition of the Entity, including which TP functions are performed, which counterparties are involved, and how individual segments are tested or non-tested.

Service Recharge Results & Traceability Dashboard

A new dashboard is now available to show the key results of the Service Recharge phase. The dashboard can be filtered by Entity and Service, and for each selected combination it displays:

- the cost base used as the input for the service allocation;
- the allocation keys (for example, FTEs); and
- the service recharge calculation results, showing the allocated amounts before and after the applied markup.

This report also enables full traceability of the calculation process for each individual service, enabling users to review all calculation steps and allocation logics executed by the engine.

Comparable Uncontrolled Price (CUP) Method Framework

A new Comparable Uncontrolled Price (CUP) Method Framework has been introduced to provide structured and end-to-end support for CUP based transfer pricing analyses. The framework enables CUP to be explicitly defined as a selectable transfer pricing method and introduces dedicated capabilities to manage comparable data, transaction alignment, and price adjustments in a controlled and auditable manner. The solution provides a dedicated analytical layer where transactions subject to CUP analysis can be positioned and analyzed independently. Different CUP analysis reports and analytical views can be defined by TP function, which allows the analysis to reflect the specific functional and economic characteristics of each transaction type. These reports can also be extended or customized to meet specific users' requirements. Finally, to support comparability adjustments, the framework introduces mapping rules that guide users through price adjustments aimed at aligning reference prices with the characteristics of the tested transaction. In addition to guided adjustments, users can perform manual adjustments when needed. Dedicated tables for comparable data, such as market price indexes or other external reference values, are provided to centrally host and manage CUP inputs.

ESG & Sustainability Performance Management

The below features are part of the "Spring 26" release, scheduled to be available starting from May 25, 2026.

AI Anomaly Detection Pre-configuration on CSRD Input Data – MVP

The solution has been enriched with a tool to detect anomalies between current and historical data and, where applicable, amend values considered not consistent. Users should note that this feature is available for cloud-based deployments only and the activation of the "Objective AI models" ADD-ON is required.

Omnibus Review – V3

The review provides users with the following enhancements and new functionalities:

- improved Omnibus process in its dedicated workflow;
- introduction of new functionality to remove no disclosure needed elements–KPI combinations from Data Entry reports; and
- review of Omnibus Official disclosure reporting (Final Output).

ESRS DMA Omnibus Review

The adaptation of the existing ESRS Double Materiality Assessment (DMA) process has been incorporated into the Omnibus module.

Mapping CDP-IFRS S2

A preconfigured mapping has been introduced to enable linking between CDP accounts and the KPIs of the IFRS framework, thus allowing to report data stored on one of the frameworks directly to the other one, without needing to perform a manual double entry on account with the same content.

IFRS Catalogue Review Based on Amendments to IFRS S2 Official Documentation

Review of IFRS S2 for the purpose of Climate related Disclosures, based on the amendments to Greenhouse Gas Emissions disclosures. The review reflects amendments to IFRS S2 through the introduction of six new qualitative KPIs and one quantitative KPI, as well as the deactivation of 25 existing KPIs through the application of the end date January 1, 2027.

New calculated KPIs to support Weighted Averages for Own Workforce Purpose

The solution has been enriched with a set of calculated KPIs which allow to perform weighted average in the "Own Workforce" purpose.

ESG Planning Accelerator

Predictive Forecasting – MVP

The solution has been enriched with predictive forecasting capabilities, which enable users to project emissions trends to the Business-as-Usual forecasting step. By leveraging a neural network model, the feature delivers forward-looking insights to potential emissions trajectories. Users should notice that the Predictive Intelligence functionalities are available for "on cloud" deployments only.

EU Taxonomy

EU Taxonomy for Insurance and Reinsurance Undertakings:

- Management voluntary eligibility on the investment side – step 1
- Management of nuclear and fossil exposure percentages – step 1
- Creation of a pre-release/release store for managing AW parameters

EU Taxonomy for Investment Firms:

- Solution Regulation review based on Commission Delegated Regulation of January 8th, 2026 (Omnibus) 3 step:
  - Creation logics for the management of the 4 objectives (BIO, CE, WTR, PPC);
  - Development and management of logic for nuclear and fossil activities;
  - Management of voluntary positions;
- Creation of a pre-release/release store for managing AW parameters.

EU Taxonomy for Asset Managers:

- Creation of a pre-release/release store for managing AW parameters
- Bug fixing

EU Taxonomy for Credit Institutions:

- Creation of a pre-release/release store for managing AW parameters
- Sector information: rank expositions by counterpart/NACE
- Mapping NACE codes
- Bug fixing

EU Taxonomy for Non-Financial Institutions:

- Possibility of including non-eligible activities in the denominator
- Creation of a pre-release/release store for managing AW parameters

Carbon Emissions

Scope 1 – Process Emissions
New configuration capabilities enable users to design their own calculation methods based on specific industry requirements and industrial processes. This allows full customization of emission calculation formulas.
New Emission Factor Libraries
Spend-based emission factors for the U.S. are now available for 2023 (based on the USEEIO model) and CEDA spend-based emission factors are now available for the period 2023–2025.

Solvency II Solution

The below features are part of the Solvency II "Summer 26" release, scheduled to be available starting from June 12, 2026.

EIOPA Solvency II Solution

The features of the "Summer 26" release include bug fixing.

New Module - CCH Tagetik IRRD Solution

The CCH Tagetik IRRD Solution provides insurance and reinsurance undertakings with a fully predefined configuration to comply with the EIOPA Implementing Technical Standards (ITS) on Resolution Reporting, issued under the Insurance Recovery and Resolution Directive (Directive (EU) 2025/1). The solution accelerates regulatory compliance by delivering ready to use templates, structured data models, data quality controls, and governance workflows, aligned with the minimum set of standard forms and procedures defined by EIOPA for resolution planning purposes.

Bank of England - PRA Solvency II Solution

The features of the "Summer 26" release include:

- New omni-comprehensive Liquidity Reporting for UK Insurers Documentation;
- Liquidity Reporting for UK Insurers (PS15/25) – Bug fixing;
- Bug Fixing.

IFRS17 Solution - Insurance Contracts

The below features are part of the "SPRING2026" release, scheduled to be available starting from May 22, 2026.

Bug Fixing

This release includes bug fixing.

iXBRL software (powered by CoreFiling)

The features below are part of the 1.96 iXBRL Solution version (or higher) release, scheduled to be available starting from May 31, 2026.

CCH Tagetik iXBRL Solution Documentation

A new CCH Tagetik iXBRL documentation has been developed, which provides users with guidance and outlines all key features to support an efficient and compliant digital tagging process.

Improved Analysis Documents

Analysis documents have been enhanced to improve the identification and review of text block tags. Specifically, text block disclosures are now more clearly detected and highlighted within the migration report and the review spreadsheets, simplifying validation and quality checks.

Presentation Tree Enhancements

The Presentation Tree has been improved with a clearer and more intuitive organization of nested nodes. This enhancement increases readability and usability, making it easier to navigate complex disclosure hierarchies and understand the structure of the tagged report.

Updated Naming Convention for Exported ESEF Submissions

The naming convention used for exported ESEF submission versions has been updated to improve clarity and the version traceability.

EBA – Consolidated FinRep

The below features are part of the “Spring 2026” release, scheduled to be available starting from June 15, 2026.

Module: EBA – Consolidated FinRep
Fully integrated FinRep regulatory reporting module, exploiting the CCH Tagetik Financial Close and Consolidation offer. The FinRep Solution follows what is required by the EBA Reporting Taxonomy perspective (Regulation (EU) 2015/534 of the European Central Bank).