CCH Tagetik 5.0

18/Sep/26

Versione 5.3

Security policy: CONFIDENTIAL

Patches info

The table below provides users with specific information on the released patches (TGKMSService updates, DataBase (DB) Patches, and Excel Add-in updates), starting from Sep 01, 2022.

Patch	Includes TGKMSService Updates	Includes DB Patch	Includes Excel Add-In Updates
5.3.SP37.553	No	Yes	Yes
5.3.SP37.552	No	No	Yes
5.3.SP37.550	No	Yes	Yes
5.3.SP36.546	No	No	Yes
5.3.SP36.545	No	No	Yes
5.3.SP36.541	No	No	Yes
5.3.SP36.540	No	No	Yes
5.3.SP36.538	No	No	Yes
5.3.SP36.537	No	No	Yes
5.3.SP36.535	No	Yes	Yes
5.3.SP35.534	No	No	Yes
5.3.SP35.533	No	Yes	No
5.3.SP35.532	No	No	Yes
5.3.SP35.522	No	Yes	Yes
5.3.SP34.521	No	No	Yes
5.3.SP34.520	No	No	Yes

Patch	Includes TGKMSService Updates	Includes DB Patch	Includes Excel Add-In Updates
5.3.SP34.516	No	No	Yes
5.3.SP34.506	No	Yes	Yes
5.3.SP33.501	No	No	Yes
5.3.SP33.499	No	No	Yes
5.3.SP33.498	No	No	Yes
5.3.SP33.494	No	No	Yes
5.3.SP33.491	No	Yes	No
5.3.SP33.490	No	Yes	Yes
5.3.SP32.489	No	No	Yes
5.3.SP32.487	No	No	Yes
5.3.SP32.486	No	No	Yes
5.3.SP32.485	No	No	Yes
5.3.SP32.484	No	No	Yes
5.3.SP32.479	No	No	Yes
5.3.SP32.474	No	Yes	Yes
5.3.SP31.473	No	No	Yes
5.3.SP31.467	No	No	Yes
5.3.SP31.462	No	No	Yes
5.3.SP31.461	No	No	Yes
5.3.SP31.460	No	No	Yes
5.3.SP31.459	No	Yes	Yes
5.3.SP30.453	No	No	Yes
5.3.SP30.446	No	No	Yes
5.3.SP30.445	No	No	Yes
5.3.SP30.443	No	Yes	Yes

Patch	Includes TGKMSService Updates	Includes DB Patch	Includes Excel Add-In Updates
5.3.SP29.440	No	Yes	No
5.3.SP29.439	No	No	Yes
5.3.SP29.437	No	No	Yes
5.3.SP29.433	No	Yes	No
5.3.SP29.431	No	No	Yes
5.3.SP29.430	No	No	Yes
5.3.SP29.429	No	No	Yes
5.3.SP29.427	No	No	Yes
5.3.SP29.426	No	Yes	Yes
5.3.SP28.425	No	No	Yes
5.3.SP28.420	No	No	Yes
5.3.SP28.418	No	No	Yes
5.3.SP28.414	No	No	Yes
5.3.SP28.413	No	No	Yes
5.3.SP28.412	No	No	Yes
5.3.SP28.411	No	Yes	Yes
5.3.SP27.410	No	No	Yes
5.3.SP27.408	No	No	Yes
5.3.SP27.407	No	No	Yes
5.3.SP27.402	No	No	Yes
5.3.SP27.400	No	No	Yes
5.3.SP27.398	No	No	Yes
5.3.SP27.397	No	No	Yes
5.3.SP27.396	No	Yes	Yes
5.3.SP26.392	No	No	Yes

Patch	Includes TGKMSService Updates	Includes DB Patch	Includes Excel Add-In Updates
5.3.SP26.388	No	No	Yes
5.3.SP26.382	No	Yes	Yes
5.3.SP26.380	No	Yes	Yes
5.3.SP25.377	No	No	Yes
5.3.SP25.375	No	Yes	Yes
5.3.SP25.374	No	Yes	No
5.3.SP25.373	No	No	Yes
5.3.SP25.367	No	No	Yes
5.3.SP25.366	No	No	Yes
5.3.SP25.365	No	Yes	Yes
5.3.SP24.364	No	No	Yes
5.3.SP24.363	No	No	Yes
5.3.SP24.359	No	No	Yes
5.3.SP24.358	No	No	Yes
5.3.SP24.356	No	No	Yes
5.3.SP24.354	No	No	Yes
5.3.SP24.353	No	No	Yes
5.3.SP24.352	No	No	Yes
5.3.SP24.351	No	Yes	Yes
5.3.SP24.348	No	Yes	Yes
5.3.SP23.346	No	No	Yes
5.3.SP23.345	No	No	Yes
5.3.SP23.343	No	No	Yes
5.3.SP23.341	No	No	Yes
5.3.SP23.340	No	No	Yes

Patch	Includes TGKMSService Updates	Includes DB Patch	Includes Excel Add-In Updates
5.3.SP23.335	No	Yes	Yes
5.3.SP22.334	No	No	Yes
5.3.SP22.331	No	No	Yes
5.3.SP22.330	No	No	Yes

Fixed Bugs - IDS

This document provides users with a list of fixed bugs, from patch 5.3.SP21.306 to patch 5.3.SP37.557. The fixed bugs are listed chronologically (from most recent to oldest) and are organized by functional areas.

Tagetik Patch: 5.3.SP30.450 (CSD-326626)

IDS Version: 1.12.0

ID	Description
IDS-1482	Intelligent Disclosure: the system show "Unauthorized User" message for all feature

IDS Version: CPM-RELATED

ID	Description
IDS-1605	Intelligent Disclosure > Update and Get changes: the table or graph object update from CCH Tagetik fails and the spinloader keeps looping endlessly.

Fixed Bugs - CPM

This document provides users with a list of fixed bugs, from patch 5.3.SP21.306 to patch 5.3.SP37.557. The fixed bugs are listed chronologically (from most recent to oldest) and are organized by functional areas.

Patch: 5.3.SP37.557

Application Platform (CSD-329482)

ID	Description
DEV-548827	General Deployment > Select detailed selection > Select an analytical dimension for updating flat hierarchies > Run the deployment: the data processing returns an error in case of hierarchies with too many nodes.

ID	Description
DEV-538792	The user that deletes a row in the Journal hub, if he clicks twice on the "Delete" button in the delete dialog, then he receives an error on the screen: even if the deletion process terminated correctly.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-550941	Process > Copy Consolidation into Original Amount: when running the Copy Consolidation into Original Amount function within an MD process, the Entity lookup displays only entities that belong to the selected consolidation scenario.

Data Entry (CSD-27187)

ID	Description
DEV-550473	CCH Tagetik > Entity journals hub: the manual search for CTP entities does not return the expected result.
DEV-551723	Processes > Edit Windows > Edit Entity and Consolidation Journals > Delete Journals on Oracle database: deleting journals without rows returns an encrypted error message.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-549343	Repository > Security > Application server: allowed directories: when the user adds a path to the whitelist with a trailing slash, then an ETL configured with an identical path does not run.
DEV-550745	Login > SAML: the user present in the SecurityContext differs from the one saved in the database.

Data Model (CSD-27226)

ID	Description
DEV-542778	General deployment: the CCH Tagetik user can click the "Run" button multiple times in succession when launching the same process multiple times.

Form (CSD-27197)

ID	Description
DEV-552625	Data is not displayed for certain periods due to the use of a time dependent entity hierarchy.

ID	Description
DEV-548329	Data Entry > Save on a newly created account added to a node > Form refresh: the corresponding cell appears empty.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-537306	Ad-hoc analysis filters are not saved when a bookmark is created.
DEV-548663	When the user clicks on the call to action, CCH Tagetik does not create ad-hoc bookmarks.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-550361	Processes: the user runs the Matching windows task for the Transaction Matching, but CCH Tagetik opens the page without defining the expected parameters.

Process Cockpit (CSD-27210)

ID	Description
DEV-551284	The user who launches a process cockpit workflow task and then goes to the results page, when he presses the Back arrow to go back to the workflow, the process cockpit state is lost and the default tab is opened.
DEV-546948	The user who opens the Diagnostic results page, when he presses the Back arrow to go back to the workflow, the process cockpit state is lost and the default tab is opened.

Regulatory Reporting (CSD-27213)

ID	Description
DEV-550160	When a transactional matrix is opened in data entry mode and writes data to a dataset belonging to an Analytical workspace version 2, CCH Tagetik displays a generic error when saving data: after the user has modified a cell in an existing row.

System Reports (CSD-27217)

ID	Description
DEV-548996	System report: custom dimension lookups do not correctly display descriptions when they contain special (non-ASCII) characters.

Patch: 5.3.SP37.556

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-549652	Group Consolidation Processing > Depreciation : In the presence of: - a process relationship type configured by Entity / Custom dimension 2. - a Consolidation journal entry with an associated Depreciation proposal - a Depreciation proposal where the Custom dimension 2 defined for the Depreciation fund and/or the Depreciation differs from the Custom dimension 2 of the Entity owning the assets being depreciated, as specified in the journal entry header. CCH Tagetik generates depreciation rows with an incorrect value in the Custom dimension 2 field: when using the value configured in the Depreciation proposal rather than the one associated with the Entity specified in the journal entry header.

Consolidation settings (CSD-27182)

ID	Description
DEV-510722	Data processing > Basic Consolidation > IC matching and Elimination Logics > Elements list: CCH Tagetik does not allow the user to insert a code that contains the "&" character.

Data Model (CSD-27226)

ID	Description
DEV-548333	Setup Admin > Dimensions > Accounts: The import/export and spreadsheet view actions allowed bypassing user restrictions on tags.
DEV-548754	Import an Excel file, "Delete" column: if the column contains a value than the one expected from the drop-down list, then CCH Tagetik incorrectly deletes the record.
DEV-549306	If function 0004316 is not assigned to the user, then it is not possible to access the entire accounts page.

Form (CSD-27197)

ID	Description
DEV-545748	In the presence of a Predefined Filter in the Financial Workspace Matrix Wizard that contains a "Hide" function configured on a specific row or column, applying the filter does not correctly keep the reference associated with the selected element. As a result, the reference used by the "Hide" function is altered when loading the filter and this leads to a behavior that differs from the originally configured setup.

Infrastructure (CSD-27205)

ID	Description
DEV-544761	Repository > Endpoint > Endpoint Sharepoint: the specified Sharepoint site retrieval does not work correctly for certain Sharepoint installation types.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-548634	Process hub > Multiple selection of a large number of elements > Declare complete on Multiple tasks: CCH Tagetik still returns a blocking error even though the data processing is completed successfully.

Process Cockpit (CSD-27210)

ID	Description
DEV-544666	Process Hub submission run from form: CCH Tagetik returns a blocking error.
DEV-543757	Processes: When running a task group with a Transaction Matching from a node, CCH Tagetik returns a blocking error.

Patch: 5.3.SP37.555

Application Platform (CSD-329482)

ID	Description
DEV-547744	A User defines a Job: CCH Tagetik > Data processing > Job > "Job with Formula data processing": If two users launch this job at the same time (with "Apply check on concurrent data processings on the same data" option enabled), CCH Tagetik does not block the second execution.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-548845	Rules Engine Designer on consolidation scenarios: In the presence of the following conditions: - a Consolidation journal rule with the "Enable carry forward Writing off for normal and detail accounts" option disabled; - the "Write in the same journal" option is disabled; - a Periodic calculation method; - a RED journal that contains carryforward rows on normal accounts with the "Notes" field set equal to ("[Periodic]");

ID	Description
	- an End of rule application; CCH Tagetik generates an incorrect end of rule application amount (CCH Tagetik does not take into account the carryforward rows amount generated by RED on the normal accounts.)

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-547782	Group Data Processing > Counterparty eliminations: In the presence of: - the "Allow intercompany declarations towards same entity" option is enabled in the IC rules; - a relationship type set to by Entity/ synthetic Custom dimension 2 - an elimination logic with the "Generate balancing" option enabled and Custom dimensions for balancing set to "Maximum amount row {NOME_AZIENDA}"; - the counterparty elimination entry has Entity1 equal to Entity2; CCH Tagetik generates balancing rows with incorrect values for custom dimension 2.

Data Model (CSD-27226)

ID	Description
DEV-548914	CCH Tagetik > Dynamic group of accounts > FST Items: CCH Tagetik does not correctly apply the filter on the code in FST Items.
DEV-548089	CCH Tagetik > Dynamic Group of Accounts: CCH Tagetik does not enable correctly the "calculate variations and detailed accounts" option.
DEV-548857	Account > Dynamic group of accounts > FST item: CCH Tagetik shows FST items of "Standard formula" type.

Diagnostic Check (CSD-27194)

ID	Description
DEV-547939	Diagnostic result window and diagnostic results log: only 100 rows are displayed in the error detail grid, even if there are more errors.

Patch: 5.3.SP37.554

Application Platform (CSD-329482)

ID	Description
DEV-545751	SAML > Logout: CCH Tagetik returns an error when there are two logout-related requests.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-544236	"Event Data IFRS5" window, rows selection wizard: If the user has restrictions that are defined on scenarios, CCH Tagetik excludes consolidation scenarios from the wizard, even when the user is enabled on those scenarios. As a result, the window omits the data related to those scenarios.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-543578	If the user has a specific process set in the Profile, CCH Tagetik does not automatically select it in the Intragroup Assets Assignment and IFRS5 events.
DEV-546140	Processing > Basic Consolidation > IC matching and Elimination Logics > Element list Under the following conditions: -In General Settings, the Consolidation Engine is set to "In Memory". Following the decommissioning of the Standard consolidation engine, this option is no longer available in the user interface. However, the corresponding value is still stored in the database table CONFIGURAZIONE, where it is identified by the entry COD_INFORMAZIONE = 'TIPO_PROCESSO_CONSOLIDATO'. -An IC Elimination logic has the fields "Override debit FX rate difference" and "Override debit FX rate difference" populated. These fields are currently not visible because they are displayed only when the Consolidation Engine is not configured as "In Memory". In the reported case, the values were likely entered previously when the consolidation engine was configured differently and the fields were still available to the user. In this scenario, CCH Tagetik raises a blocking validation error (red message) when saving any modification to the elimination rule, preventing the changes from being saved.
DEV-544720	There is a missing translation in the filter pop-up for Intragroup assets assignment, under Event.

Data Model (CSD-27226)

ID	Description
DEV-197995	When the user sets the header function in the matrix wizard to "$Scenario.scenarioPeriod.description" or "$Period.scenarioPeriod.description" and if the period description contains non-ASCII characters, then CCH Tagetik shows the description with those characters not decoded.

External Service Tools (CSD-329481)

ID	Description
DEV-544883	From CCH Tagetik > Repository > Scheduling > Enable a Consolidation Job: CCH Tagetik returns an error when the Job is launched. When the user launches the Job manually, it completes without error.

Form (CSD-27197)

ID	Description
DEV-546170	Run a DTP with parameters to be requested from the user at launch: the parameters are presented sorted by code only.
DEV-428475	In the "Query Wizard" window, when the user modifies a query while keeping the automatic decode option active on a text field and introducing a syntax error, CCH Tagetik returns an encrypted error when saving the query or accessing the columns tab. The error prevents the user from correctly identifying the query validation issue.
DEV-212915	In the presence of a dataset with a dimension field associated with a dictionary, if the reporting language is not the description language, then CCH Tagetik returns an error when saving a form opened in data entry mode that reads from and writes to the dataset.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-546521	When one or more users share the same homepage to another user, the latter is blocked in all the CRUD operations allowed in the Homepages management panel.

Process Cockpit (CSD-27210)

ID	Description
DEV-514969	Process Hub: Running the Diagnostic from User Tools is notified twice.

System Reports (CSD-27217)

ID	Description
DEV-534687	In the IEV report, duplicated records are displayed when applying some specific conditions to the filters.

Utility (CSD-27222)

ID	Description
DEV-543061	Consolidation data processing from Process Hub: in the presence of - Run on Entities disabled - Run on Consolidation Nodes disabled - Run on Consolidation Areas enabled and set to All if any of the consolidation scenarios associated with the selected original scenaro or period is in Active or Locked state, then CCH Tagetik generates a non-descriptive error message.

Patch: 5.3.SP37.553

Analytic Workspace (CSD-27162)

ID	Description
DEV-539705	In Admin, under AIH > Workspace > Datasource > Fields tab, when attempting to specify the data model dimension to associate with each field in the datasource, CCH Tagetik returns an internal error.

Application Platform (CSD-329482)

ID	Description
DEV-545019	SAML Login: the Reference user is missing.

Data Processing (CSD-140432)

ID	Description
DEV-545764	The data clean-up feature fails if an entity or entity node is selected in the modal

Form (CSD-27197)

ID	Description
DEV-537530	When a form is open, either in navigation mode or in data entry mode through the Excel Add-in, starting an asynchronous process via a hyperlink causes CCH Tagetik to display an error message, even though the process is run successfully
DEV-520302	Report List Web: User opens a Report list on the Web > User selects the Multi-Report option > User completes al the mandatory fields of the Report list > User launches the Report list: the order of the sheets is reversed in the file that is generated.
DEV-133823	CCH Tagetik converts Unicode characters such as "£" into "?" in the Cell Field Editor window.

IC Cockpit (CSD-27203)

ID	Description
DEV-545014	IC cockpit: following the upgrade to SP37, the IC cockpit could show relationships with an incorrect status (IC data entry in progress on the first Entity and relationship blocked on the second or vice versa).

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-545313	Process Cockpit. CCH Tagetik throws an exception during the execution of the Transaction Matching task in Oracle environments.

Utility (CSD-27222)

ID	Description
DEV-543058	Consolidation Data Processing - Impacted consolidation run on a period later than the first reporting period - Equity Pick-Up enabled CCH Tagetik requires significantly more time during the "Calculated: Impacted Calculation on Original Scenarios" step compared to the execution on the first period.

Patch: 5.3.SP37.552

Analytic Workspace (CSD-27162)

ID	Description
DEV-538687	Admin > AIH > Open a workspace > Open a dataset > Open the Actions menu > Select Data Entry : in the Run Data Entry Form window, when the user clicks on the "Process" field, he is unable to filter by typing the name (or part of the name) of an existing process.
DEV-543129	The user cannot delete the partitions in the Partition Management: the delete dialog window is hidden by the overlapping modal window.

Data Entry (CSD-27187)

ID	Description
DEV-523075	Entity and consolidation journals cockpit on process that manages journals submission and posting: after the "submit and post" or "reject and unpost" operations in the header view, CCH Tagetik does not update the content of the window.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-543026	ETL, File extraction and loading: when the user specifies a relative path in the "Directory" field, CCH Tagetik is unable to access the expected location in the Writable Folder and therefore returns an encrypted error during the ETL execution.
DEV-543030	ETL, File extraction and loading: when the user specifies in the "Directory" field a path relative to the Writable Folder that is not configured among the "Allowed directories" of the

ID	Description
	Application Server, then CCH Tagetik returns an error and does not complete the ETL execution.

Diagnostic Check (CSD-27194)

ID	Description
DEV-544171	CCH Tagetik > Dynamic group of accounts: after adding a tree lookup to a dynamic filter, CCH Tagetik does not allow the user to edit the added value.
DEV-541992	Diagnostic results log: in the error details window, the lookups that allow to filter on the "Custom dimension node", "CTP entity node" and "CTP entity for segment node" do not work.

Form (CSD-27197)

ID	Description
DEV-141437	When the user launches a form in Data entry on an Excel addin from the Web and clicks on an editable cell, CCH Tagetik freezes temporarily and then returns an error message. The user then has to click on the cell again in order to view the correct content of the possible values tree.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-519460	Data processing in "warning" or "aborted" final states are saved as notification cards only when a link to the details is provided.

IC Cockpit (CSD-27203)

ID	Description
DEV-543174	IC cockpit with send mail configured on the process: emails are not sent if the IC cockpit is opened with relationship type by node.
DEV-543185	IC cockpit with send mail configured on the process: in the emails that are sent, the user description, if required, is not inserted correctly.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-542560	Admin Process > Process definition > Data model > Definition result > TAB Analytical Workspace measures: CCH Tagetik returns an error when the user filters or orders the grid by "Measures and custom fields".

Utility (CSD-27222)

ID	Description
DEV-543570	Process hub > Utility > Copy Amounts and Journals: the "Account nodes" filter does not correctly apply the selection criteria.
DEV-544777	Cockpit > Utility > Create Snapshot: when creating the snapshot, CCH Tagetik incorrectly includes AW2 Analytical Workspace datasets of the "Calculation Logic" type and therefore causes a blocking error.

Patch: 5.3.SP37.551

Application Platform (CSD-329482)

ID	Description
DEV-532950	In a form with a row selected in edit mode by a user, if a second user deletes that same row, then the edited items button for that deleted row is still be visible when the first user returns to the main table.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-543268	Group data processing > Deferred taxes: In the presence of: - a consolidation journal with the deferred taxes calculation active and the Many to many relationship option not selected - by Entity/synthetic Custom dimension 2 relationship type CCH Tagetik incorrectly generates deferred taxes calculation rows by defining Custom dimension 2 and Custom dimension CTP Segment fields with incorrect values.

Data Entry (CSD-27187)

ID	Description
DEV-543193	CCH Tagetik > Journals Hub: while inserting a journal entry, a manual search does not return the value being searched for in the Counterparty entity lookup

ID	Description
DEV-519825	Consolidator cockpit > Edit windows > Edit consolidation journals > Actions > Override > Overridden rows > Carry forward on Original scenarios: in the insert/edit row step, the Entity currency selected by the user is overwritten with the Journal currency.

Data Model (CSD-27226)

ID	Description
DEV-540514	In Admin > Dimension list > Custom dimension: CCH Tagetik does not delete an element of a custom dimension.

Diagnostic Check (CSD-27194)

ID	Description
DEV-543544	CCH Tagetik > Dynamic accounts group: the filter using Var. - Det. types nodes does not work in the deployed table.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-514905	When the user sets up an application language other than English, CCH Tagetik still displays notification toasts in English.

Master Data Management (CSD-27208)

ID	Description
DEV-543629	System Admin > Master Data Management > Run > Import: when importing data into an Oracle database, in certain specific cases the data processing does not correctly handle the TIMESTAMP fields: it terminates with errors.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-542375	Review/Manual Matching windows: CCH Tagetik does not define the search parameters when the user opens the Transaction Matching web pages via the form link.

Process Cockpit (CSD-27210)

ID	Description
DEV-537302	The consolidator cockpit does not display any node if the process is stored offline.

Patch: 5.3.SP37.550

Application Platform (CSD-329482)

ID	Description
DEV-537880	In some cases, it is possible that the JDBC statistics displayed in the audit are not logged.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-530118	Group data processing > Counterparty eliminations: In presence of: - an account to be converted at Period average FX rate - IC amounts row on the account in the period preceding the one being processed - the absence of the IC amounts row with the same dimensions in the period being processed CCH Tagetik does not generate the elimination row.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-541947	Group consolidation data processing > Intercompany elimination by counterpart: When the "Generate P&L result CTP" option is enabled and for an Intercompany elimination, the previous period amount matches the current period amount with an opposite sign, then CCH Tagetik does not generate the elimination row on the P&L result account for the Counterparty entity and the elimination journal is unbalanced.

Data Entry (CSD-27187)

ID	Description
DEV-535833	CCH Tagetik > Consolidation scenarios filter: the override flag does not override existing scenarios.
DEV-525125	Entities filter in the Journals hub: opening the filter takes too long.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-539624	ETL > Opening the ETL execution window: when the user opens the ETL pop-up and immediately launches the data processing via the “Run” button, some parameters may not yet have been initialized properly, causing the run may fail.

Form (CSD-27197)

ID	Description
DEV-536052	After the update to SP36, some fields in a report become non-editable. The issue occurs when a column is forced to use a specific category: this causes subsequent columns with a different category to lose editability.
DEV-530982	If a comment in an Analytical Workspace matrix contains special characters, then when the user clicks on the "Download Comments and Attachments" button, CCH Tagetik returns the comments in an unreadable format. The special characters are not decoded.
DEV-529591	Forms based on dataset: when there are user restrictions on the “Account” and “Category” fields set as read-only fields and in the absence of the Entity dimension, CCH Tagetik does not correctly apply these restrictions. As a result, in a form without the Entity dimension, the user may edit data for accounts that should be read-only.
DEV-533348	Report List Web: Report List Page: when the user launches a Report list having a problem on the endpoint connection, CCH Tagetik displays a clearer and more informative error message.
DEV-532817	CCH Tagetik returns a stack trace when the user opens the comments panel of a report, but the report refers to attachments that no longer exist.
DEV-246531	After a form has been recoded, CCH Tagetik not only updates the modification date of the recoded form, but also those of forms that were not impacted by the recoding.
DEV-522235	When the user opens a report in navigation using the Excel Add-in, the "Export Excel Document" function returns an error.
DEV-521867	If a dictionary reads from a GDPR-protected dataset field, CCH Tagetik does not correctly decode the Unicode characters of the values returned by the dictionary when the form is launched.
DEV-515150	In the presence of advanced dynamicity with pruning on a custom dimension 2 node, when the user launches a form in navigation or data entry mode, CCH Tagetik returns a generic error if the records referring to a Third party as a Counterparty entity are not excluded.
DEV-514921	There is a performance issue when saving rows in the Data entry report. This issue occurs when there are more than 5 million rows in the "DATI_NOTE" table (e.g. > 16M rows).
DEV-192155	When opening a form in data entry via Excel and in the presence of a matrix in the analytic workspace, the "Save/Retrieve" Formulas functionality returns a stack trace.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-538091	If the user with a $USER or $CONSOLIDATOR role tries to see the details of a running data processing of consolidation type, he does not see the details and receives a 403 error instead.
DEV-538106	Some Vaadin pages are incorrectly filtered from the navigation history.
DEV-538716	If the database name is too long, it causes an overflow on the database selector and gets truncated.
DEV-531081	The Vaadin view status is not restored when the user navigates to it via a bookmark.

Master Data Management (CSD-27208)

ID	Description
DEV-540278	Setup and Admin > Repository > MDM > Run >Import: when running an Import routine to a SQL Server, Oracle or SAP HANA database, the data processing fails due to an error in handling CLOB fields that need to be updated.

Process Cockpit (CSD-27210)

ID	Description
DEV-520491	Processes > Consolidation cockpit > Select the node > Process report > "Submission Status": when the hierarchy in use has more than 8 nested levels, CCH Tagetik generates a corrupted Excel file. When opening, Excel returns the following error: "We found a problem with some content".

Report Bursting (CSD-27214)

ID	Description
DEV-540888	In the Distribution list page in the Report Bursting, the page title is not updated from Distribution rule to Distribution list.

System Reports (CSD-27217)

ID	Description
DEV-128725	System reports > Consolidated Journal rows/ Header, Entity Journals > Headers: if the Entity dimension contains a special character (pipe symbol "|") in the description, then CCH Tagetik does not encode or decode the special character correctly.

Patch: 5.3.SP36.549

Data Entry (CSD-27187)

ID	Description
DEV-536839	Journals submission with approval workflow: if one of the approval tasks has the "APPROVAL" code, the Run tasks button is disabled and therefore it is not possible to run the task.
DEV-539226	Contributor cockpit and Consolidator cockpit: the Entity and Consolidation journal headers do not correctly display submission statuses in the presence of mixed steps.
DEV-539535	Edit journals on process with journals posting: when posting and unposting journals, CCH Tagetik runs calculation logics for each processed journal, rather than running them once for all processed journals.

Data Model (CSD-27226)

ID	Description
DEV-535816	Scenarios list > Consolidation tab > Actions > Periods: If a period is added and its corresponding period in the original scenario is already associated with a process, then CCH Tagetik does not define the Process type and Process fields: when saving data.
DEV-540435	Dimensions > Scenario > Actions button > Periods: When the user modifies any field on the page, CCH Tagetik sets the value of the "Reference date for periodic minorities calculation" field to the value of the "End Date" field.

Diagnostic Check (CSD-27194)

ID	Description
DEV-532663	Diagnostic result window and diagnostic result log: in some cases, navigation between the "Show Control group information", "View form", and "Drill down" windows does not work properly.
DEV-530495	Diagnostic log update and Diagnostic results log: the "Select all" button does not work.

Form (CSD-27197)

ID	Description
DEV-541896	Report list web: Create a Report list via the web interface > Navigate Reporting > Forms > Search for the new Report list: the User UPD column shows the "TagetikSystemAdministrator" instead of the user code.
DEV-540521	Run a DTP with parameters to be requested from the user at launch: the parameters are presented sorted by code.

Internal Service Tools (CSD-329480)

ID	Description
DEV-542547	ESG licenses: A customer with a license under the old pricing model (v1) with an ESG solution does not have access to the DB Objects.
DEV-541927	ESG licenses: A customer with a license under the old pricing model (v1) with the “ESG: Corporate Sustainability Reporting Directive" solution does not have access to the DB Objects.

Process Cockpit (CSD-27210)

ID	Description
DEV-529904	When the user opens different processes in multiple browser tabs, CCH Tagetik shows the result of a submission run in one tab across all other open tabs regardless of the selected process.

User Rights (CSD-127797)

ID	Description
DEV-535899	User rights: when the user logs in via SAML and is entered into the User Rights page, his User origin is changed.

Patch: 5.3.SP36.548

Consolidation Utilities (CSD-27183)

ID	Description
DEV-536889	Copy Consolidation in a job: - in the presence of a job with a Copy Consolidation task - the target period defined in the Copy Consolidation task is subsequently locked CCH Tagetik displays the "Copy To" field as empty in the task details.

Diagnostic Check (CSD-27194)

ID	Description
DEV-537582	Diagnostic with result log update: if the user inserts a comment on an error for which there were no comments, when he goes back to the diagnostic results window, the "Comments", "Previous last comment", "Last comment", "Last comment user" and "Last comment date" columns are not updated.

Form (CSD-27197)

ID	Description
DEV-274119	In the application settings, Form tab, if the user inserts a number N greater than 0 in the "Maximum number of rows for form queries" field and then opens a form containing a query that returns more than N rows, then CCH Tagetik does not warn the user that the result is partial.

Utility (CSD-27222)

ID	Description
DEV-509686	Home Page > Processes & Workflow > Processes > Select an archived process and go to the "Process definition": restoring data of the process in SAP HANA databases does not work properly.

Patch: 5.3.SP36.547

External Service Tools (CSD-329481)

ID	Description
DEV-537272	1. Repository > Users > Export for Import 2. Add a Reference User to a user. 3. Repository > Users > Import from Excel: After the import, users who do not have a defined Reference User are recorded in the Audit as modified users, even though those users were not actually modified.

Form (CSD-27197)

ID	Description
DEV-537345	When opening a data entry form on the web that is locked by another user, CCH Tagetik displays the “Locked by another user” pop-up message and then enters an infinite loop: it reopens the form and shows the same message repeatedly.
DEV-527290	Create a matrix M in which the following items are on the same row or column: - an Account node A with native sign change, positioned high up in the hierarchy. - a node B, belonging to any other dimension, with no sign change, positioned lower in the hierarchy > Launch the form with matrix M > Perform an inline drilldown on the header of B > The value on the row/column will erroneously change sign.
DEV-422500	Query SQL on form: the timeout is not reported to the user on the web form.
DEV-529915	Saving a form in Data entry: the Excel client disconnects due to an "Out of memory" error when the data payload is too big.

ID	Description
DEV-193006	In the dropdown, after navigating through the list and highlighting an item, pressing the Enter key does not correctly select the highlighted item.
DEV-147120	In the Excel addin, when the user clicked on Delete Point of View during the parametric launch of a form, CCH Tagetik returned a "NullPointerException" error.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-539080	Processes: When the user launches a Transaction Matching data processing, CCH Tagetik throw an exception.
DEV-538149	User Interface > The user opens the Transaction Matching window: CCH Tagetik does not allow the user to select all the transactions.

Patch: 5.3.SP36.546

Application Platform (CSD-329482)

ID	Description
DEV-535888	After successive launches of Forms and Report lists, CCH Tagetik generates overly verbose logs in tagetik.log.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-536087	Preliminary data processing on consolidation scenarios > Carryforward: In a Hana environment, carry forward randomly generates an error for the execution plan.

External Service Tools (CSD-329481)

ID	Description
DEV-529871	The SCIM API for Users is not aligned with the SCIM standard and thus blocks the edit operation with the body in the description, which, on the other hand, is compliant with the standard.

Form (CSD-27197)

ID	Description
DEV-533335	Report List Web: CCH Tagetik shows an error when the user opens a Report List in the Target section, selects the “Send Mail” option and enters an email with uppercase characters.

Infrastructure (CSD-27205)

ID	Description
DEV-535900	File uploads to SharePoint via the SharePoint endpoint experience slowdowns during data transmission.
DEV-536319	Tagetik Data Loader: when a proxy is configured in the "tgk.properties.cfg" file without specifying a username and a password, then CCH Tagetik generates an error that prevents the Tagetik Data Loader from communicating with the configured CPM instance.

Intelligent Analytics (CSD-328717)

ID	Description
DEV-534380	Report List web: Report List page > User opens a Report List > User launches a Report List: CCH Tagetik returns an error.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-532964	Processes: When the user launches a Transaction Matching data processing, CCH Tagetik does not define the CURRENCY_1 and CURRENCY_2 fields.

Patch: 5.3.SP36.545

Analytic Workspace (CSD-27162)

ID	Description
DEV-532832	Run of a DTP: any parameters defined at runtime are not displayed in alphabetical order.

Application Platform (CSD-329482)

ID	Description
DEV-533674	Concurrent Job Execution: when starting multiple jobs at the same time, some of them terminate with an error.

Collaborative Office (CSD-27178)

ID	Description
DEV-533221	Power Point Client > Update objects from form: when updating objects from a form, CCH Tagetik returns this error: "System.ApplicationException: GlobalsProvider already initialized"

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-524661	Preliminary Data processing on original scenarios > Carry forward: In the presence of: - a journal that, in the previous period, has the “Periodic journal” option enabled - the same journal (same number) present in the previous scenario with the “Override journal parameters” option enabled and the “Enable carry forward” option disabled CCH Tagetik defines the journal parameters in the data processing period by setting them equal to those of the journal in the previous scenario, rather than to those of the journal in the previous period.

Consolidation settings (CSD-27182)

ID	Description
DEV-532835	Consolidation process > Deployment Area: In the presence of: - a definition row with the “Include even if it isn't owned” option enabled - an event in the Ownership structure register where the Owner entity coincides with the Owned entity In the Definition result, CCH Tagetik generates some Entities with both Equity ratio % and Equity ratio % of the period set equal to zero.

Data Model (CSD-27226)

ID	Description
DEV-531447	Entity > Counterparties tab: CCH Tagetik returns an error when the user adds a Counterparty.

External Service Tools (CSD-329481)

ID	Description
DEV-529869	Details about the “members” and “value” fields, as well as other missing fields have been added to the user manual.

Form (CSD-27197)

ID	Description
DEV-515125	Tagetik Excel .Net Client > Run form: CCH Tagetik returns an error when the user launches the lowest level dimension drill down on a cell that contains a subtotal of control groups: the drill down on cells that contain both control groups and formulas is disabled.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-532244	The GDPR policy violation yellow bar is not displayed on the microfrontend UI.
DEV-532325	The selection of the "Open Link in New Window" checkbox does not retain its state after saving the Notes widget.

Master Data Management (CSD-27208)

ID	Description
DEV-533354	Admin > Repository > Master Data Management > Import: when the user runs an Import routine that involves deleting records in the "PROSPETTO_FOGLIO_STILE" table, then the data processing does not execute any DELETE operation on the target database for the table in question.

Process Cockpit (CSD-27210)

ID	Description
DEV-532321	Legacy cockpit > Organizational hierarchy with numerous lowest level elements: CCH Tagetik does not load the tree and returns a blocking error.
DEV-529160	Thread Base Integration: when the user receives a notification email because he is mentioned in a comment and clicks on the link in the email, CCH Tagetik does not correctly redirect him to the comment within the task. Instead of going directly to the specific comment, the user is directed to a generic or irrelevant position in the task.
DEV-523421	Process page > Select a process > Account Reconciliation Cockpit: when logging in with a Reviewer or an Approver user and clicking on the Bulk Review/Bulk Approve button, CCH Tagetik displays a warning.

Rates and Events (CSD-27212)

ID	Description
DEV-531420	Events > Owner Structure Register > Select a Process: when the user launches the "Events Report" report with the "Financial investments amounts" field enabled, it terminates with an error.

Patch: 5.3.SP36.544

Application Platform (CSD-329482)

ID	Description
DEV-511274	Data processes with validation steps are not updating the new UI running data processing panel.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-531025	Entity data processing > Mergers: in the presence of Entity journals for which the counterparty is merged but the Entity owning the journal is not, each subsequent run of type 3 merger duplicates the generated rows instead of replacing them.
DEV-532938	If there are many records on the Deferred and prepaid Taxes rates page, then the warning dialog does not appear when the user switches to the spreadsheet view.
DEV-532595	If there are many records on the Deferred and prepaid Taxes rates page, then the warning dialog does not appear when the user switches to the spreadsheet view.
DEV-529905	When the user goes to the "deferred tax rates" window and the grid data is large, CCH Tagetik freezes and the data is not displayed on the page.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-532491	Application database >ETL > Jobs> Extractions link: when the user selects the "Endpoint > Tagetik Data Loader" dropdown menu for extraction, the following endpoint types that are not available are displayed: Databricks, Google BigQuery, Fabric or Snowflake.

Diagnostic Check (CSD-27194)

ID	Description
DEV-531492	Diagnostic result window and diagnostic result log: in the Excel report by the scenario/ period, the "Difference" column is not defined for plausibility errors.

ID	Description
DEV-531077	Account dynamic groups: a manual filter search does not filter after the first application.
DEV-531076	Dynamic Account Groups: when certain conditions are removed from the filters, the value of the deleted condition is displayed before saving.

External Service Tools (CSD-329481)

ID	Description
DEV-531279	When a request is made to a SCIM API to associate a reference user with a user, the tenant code is retrieved incorrectly, and CCH Tagetik returns an error.
DEV-530726	When a request is made to a SCIM API to associate a reference user with a user, the tenant code is retrieved incorrectly, and CCH Tagetik returns an error.

Form (CSD-27197)

ID	Description
DEV-524147	The old CCH Tagetik home page appears when the user opens a form in navigation via the "Report & Analysis" page and then closes it via a hyperlink within the same form.
DEV-516014	When the user opens a form via a bookmark or from a process and then closes the form via a hyperlink, CCH Tagetik temporarily shows the old home page before proceeding to the expected page.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-532526	Query analyzer: CCH Tagetik does not allow the user to run insert queries even if the user has the query analyzer unrestricted.
DEV-526701	An Admin user is unable to bypass the database maintenance locks.
DEV-528976	Some special characters generate an error when pages are loaded via bookmarks.

IC Cockpit (CSD-27203)

ID	Description
DEV-513776	IC cockpit on Hana database: opening the IC cockpit takes a long time: even if only a few Entities are filtered.

Process Cockpit (CSD-27210)

ID	Description
DEV-530384	The hierarchies panel on the left could not be expanded, making it impossible to access the most deeply nested levels. The solution was to make the panel resizable again.

Patch: 5.3.SP36.543

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-530909	In the Query analyzer tool, queries that contain the "cod_periodo" string cannot be run.

Patch: 5.3.SP36.542

Application Platform (CSD-329482)

ID	Description
DEV-526413	An error occurs when creating the first homepage during the user's first login to Tagetik.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-530097	Area data processing: in the presence of a scheduled run, CCH Tagetik randomly generates an error during the data processing.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-530104	Group consolidation data processing > Counterparty eliminations: In the presence of an elimination rule with: - a Balancing account placed on Entity1 in the journal header - a B or C type relationship - a custom dimension 2 in the Balancing account set to “Maximum amount row Entity” - no rows to be eliminated for Entity1 in the amounts and journals header CCH Tagetik generates a Balancing row where the value of custom dimension 2 segment is incorrect.
DEV-530674	Group consolidation data processing > Counterparty eliminations: With a SAP HANA database and in the presence of a high number of currencies configured for the selected scenario and period, CCH Tagetik generates a blocking "out of memory" error when the user launches the consolidation data processing.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-530354	Processes > Preliminary data processing: when the user runs the data processing, it fails because the key generated for the cache consists of a string that exceeds the maximum length.

Data Model (CSD-27226)

ID	Description
DEV-525082	In API fetch calls, Japanese characters are not encoded correctly.

Diagnostic Check (CSD-27194)

ID	Description
DEV-523272	Process Hub: there is no way to run the diagnostic with results log update from User Tools.

External Service Tools (CSD-329481)

ID	Description
DEV-529701	Data processing > Jobs > Calculation logic task > Edit: if the task is configured with the "All" option selected for the Entities section, changing the "Original scenario" parameter resets the "All" option.

Form (CSD-27197)

ID	Description
DEV-527494	CCH Tagetik Web: Process Cockpit: The user inserts Japanese characters in the “Note” section of the Form list. The notes are saved correctly, but when the user reopens the same module in Data entry mode and saves it, the text becomes illegible.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-529540	If a user opens multiple tabs in the new web interface, CCH Tagetik displays processing notifications in all tabs, even if they belong to different application databases
DEV-529647	The user with the function code 0000124 cannot terminate data processes launched by other users.

Patch: 5.3.SP36.541

Analytic Workspace (CSD-27162)

ID	Description
DEV-527966	Analytical Workspaces > Dataset > Datasources Mappings: when creating a new mapping, no validation checks are performed on the “Code” field.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-528824	Processes > Preliminary data processing: when the user runs the data processing, CCH Tagetik correctly warns him about a missing final FX rate. After the user inserts the missing FX rate, when he tries to run the same data processing, CCH Tagetik continues to return the same warning.

Consolidation settings (CSD-27182)

ID	Description
DEV-528781	Consolidation area deployment: In the presence of: - a definition row with the “Include even if it isn't owned” option CCH Tagetik reports the “Entities without F.I.” error message in the audit, including all the Entities in the Area (except the Holding). If the consolidation method has the "Calculated" option in the Definition result, then all the Entities (except the Holding) are inserted with the "Cost" consolidation method and percentages equal to zero.

Diagnostic Check (CSD-27194)

ID	Description
DEV-528663	Diagnostic results log from consolidator cockpit: the reports that are generated are empty. To generate the reports correctly, the user should open the consolidator nodes lookup and select the nodes manually.

External Service Tools (CSD-329481)

ID	Description
DEV-533661	In random cases and in the presence of concurrency, some data processes may deadlock due to race conditions.

Form (CSD-27197)

ID	Description
DEV-519157	In the presence of a transactional matrix in the analytic workspace with a field that refers to a date type measure: when the user saves a value in the field and the change sign is applied to the form, CCH Tagetik also applies the change sign to the date and makes it invalid.
DEV-528928	CCH Tagetik has security vulnerabilities that were identified in the CEF (Chromium Embedded Framework) library.
DEV-527211	After locking a cell (in spreading) in Data Entry, the data format changes automatically and is no longer consistent with the original format.

Infrastructure (CSD-27205)

ID	Description
DEV-528633	The application does not correctly report the incompatibility of the CPM version with the TDL version 8 (all minor and patch versions included) by displaying the dedicated banner at least once.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-528269	Users with $USER or $DE_REPORT roles with few rights cannot use the advanced filters window because API calls for which advanced rights are required have failed.

Process Cockpit (CSD-27210)

ID	Description
DEV-528010	Process Hub > Status Report: when the user tries to work on the lowest level element that has the same code as its parent node, CCH Tagetik returns "error 500".

Patch: 5.3.SP36.540

Application Platform (CSD-329482)

ID	Description
DEV-528282	Net client: there is an abnormal growth of the logs.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-527972	CCH Tagetik returns a "403 forbidden" error when the user accesses the CPM as a CONSOLIDATOR, navigates to the "Tax rates > Deferred and Prepaid taxes rates" page, creates a new record and then selects a period.
DEV-527943	CCH Tagetik returns a "403 forbidden" error when the user accesses the CPM as a CONSOLIDATOR, navigates to the "Tax rates > Deferred and Prepaid taxes rates" page, creates a new record and then selects a tax.
DEV-527942	CCH Tagetik returns a "403 forbidden" error when the user accesses the CPM as a CONSOLIDATOR, navigates to the "Tax rates > Deferred and Prepaid taxes rates" page, creates a new record and then selects a Fiscal policy.

Diagnostic Check (CSD-27194)

ID	Description
DEV-528232	Diagnostic results log: if during the authorization or removal of an authorization due to an error, CCH Tagetik reports a warning, then when the user opens the audit results window and goes back to the diagnostic log, he gets a temporary error popup.
DEV-527609	Diagnostic result window and Diagnostic results log: the descriptions of the main dimensions are not displayed in the user's language.

Form (CSD-27197)

ID	Description
DEV-519080	Excel .NET client > with screen resolution conditions other than those recommended (1920x1080 and 100% zoom): when the user inserts a report list and selects an option from the wizard, this option disappears and prevents the user from continuing with the operation.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-526560	CCH Tagetik does not save the parameters of a bookmark.
DEV-528225	The user tooltips for avatars only display the user description: they do not display the user code.
DEV-528215	Invalid database connections cause dispatch processing of UI events to fail.

Patch: 5.3.SP36.539

Application Platform (CSD-329482)

ID	Description
DEV-523102	The authentication token refresh fails silently when the UI is left idle or is overloaded.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-526003	Cash Flow Planning > Processing > Elimination of non-significant custom dimensions: the data procession only works for the custom dimension 1: it does not work for other custom dimensions.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-526467	Consolidation Group Data Processing > Rules Engine Designer: In the presence of: - a rule engine designer rule on consolidation journals that reads from Entity balances and Entity journals - a rule engine designer rule on consolidation journals that reads from consolidation journals and applies the swap - an Entity journal that satisfies the dimension definitions of both rule engine designer rules, but only the categories of the rule that reads from Entity balances and Entity journals CCH Tagetik returns an error.
DEV-522599	Consolidation Area data processing > Rules Engine Designer: when the user runs the data processing on two consolidation scenarios, CCH Tagetik generates an error.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-517465	On the Deferred and Prepaid tax rates page, the description of the Fiscal policy is not set in the default language if the translation in the current language is missing.
DEV-527199	In the Deferred and Prepaid tax rates page, CCH Tagetik returns a "400 Bad Request" error when the user creates a new record and inserts a description in the Period field.

Consolidation settings (CSD-27182)

ID	Description
DEV-526523	Consolidation area deploy from job: - in the presence a job with a deployment task and a filter on the consolidation scenario CCH Tagetik does not take the selection into account and runs the deployment on all unlocked consolidation scenarios of the process.

Data Entry (CSD-27187)

ID	Description
DEV-526677	Edit journals with the "Journals numbering method" option set to automatic on an environment that does not accept lowercase codes: when creating a new journal, CCH Tagetik returns this error: "The code can't contain lowercase characters".

Data Model (CSD-27226)

ID	Description
DEV-526417	Analytical dimension recoding: if there are hub processes with defined due dates, CCH Tagetik returns a blocking error.

Diagnostic Check (CSD-27194)

ID	Description
DEV-526006	Diagnostic results window and results log on SQL Server: CCH Tagetik displays an error when generating the Excel report by scenario/period and the report is exported for many Entities.
DEV-527160	Diagnostic results log: the "Authorize all blocking errors", "Remove authorization for all blocking errors" and "Comment on all errors" data processes return an error if the user previously applied a filter on the "Authorized" field.

Form (CSD-27197)

ID	Description
DEV-521949	The forms containing only one query, when opened in navigation, generate an OOM error that is not recorded in the Audit (PROSP_RUN).

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-526626	When opening the recipient selection lookup of a new message, there is no "select all" checkbox available in the table header to allow selecting all users at once.
DEV-525952	Invalid database connections prevent notifications from being processed in the new UI. The resulting failure to receive notifications causes problems with the user interface and data processing.
DEV-525944	Cockpit by Entity > Running of “Bookmark” tasks: if the bookmark was created with old versions (for example, SP29), CCH Tagetik generates a blocking error.

Process Cockpit (CSD-27210)

ID	Description
DEV-526475	Process Hub > Entity dimension rejection: CCH Tagetik allows the rejection of a lowest level element even when the parent node is defined as non-submittable and the user has rights on the lowest level element but not on the parent node.
DEV-526350	Processes home page > Process by Entity: if there are more than 10 steps, CCH Tagetik does not display the button for viewing the other steps.
DEV-523400	Process Hub > Optional task marked as completed: if the user runs the task, once data processing is complete, the "Task is Complete" option is not available for the same task.

Patch: 5.3.SP36.538

Application Platform (CSD-329482)

ID	Description
DEV-525682	A user created via an external authentication to CCH Tagetik is incorrectly redirected to the legacey UI.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-522417	When the user clones an existing record multiple times in the "Deferred and prepaid Taxes rates" page and then clicks on the Add button, then the validation error is only present on selected records.
DEV-513155	Entity data processing > Financial Investments Loading : In the presence of: - an Entity with deconsolidation method set equal to "from previous period" in the data processing period and already deconsolidated in the previous period - an event in the Ownership structure register with date included in the launch period

ID	Description
	CCH Tagetik generates Financial investments loading rows from the Ownership structure register that duplicate the rows already copied from the previous period by the deconsolidation data processing.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-523554	Preliminary data processing on original scenarios > Carry forward: In the presence of: - a consolidation journal with Periodic option active -a process data model by account - a run of preliminary data processes from a workflow task for a consolidator step or a run with the selection of consolidator steps CCH Tagetik generates duplicate carry forward rows from the previous period (COPY_PERIOD origin)

Consolidation settings (CSD-27182)

ID	Description
DEV-521606	Processes > Select a process > Consolidator > Process reports > Consolidation Area perimeter: when the user with $CONSOLIDATOR and $USER roles tries to access the Consolidation Area perimeter report, then an error appears.

Data Entry (CSD-27187)

ID	Description
DEV-524548	CCH Tagetik does not correctly show the Balanced and Unbalanced labels based on the decimal value present in the journal amount field.

Form (CSD-27197)

ID	Description
DEV-524569	In the presence of a financial transaction form with a field associated with a dictionary and set to description display mode, when the user opens a form in navigation or data entry, CCH Tagetik does not correctly display the dictionary values according to the field’s display mode.
DEV-513039	CCH Tagetik does not specify in the error message how to resolve the add-in update failure.
DEV-516108	The matrix is structured with accounts in rows and categories in columns, with validation at the account-category level. However, when an account is submitted in a given step, CCH Tagetik does not distinguish individual categories and applies the submission to the entire row and therefore blocks account-category combinations that are still open.

ID	Description
DEV-521723	Web form > when, in the matrix wizard, a parametric scenario was selected and an offset was applied to the period that caused an overlap with the scenario, in the cell properties the scenario was displayed incorrectly without reflecting the overlap.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-526244	Notifications of the new UI of ELABORATION_UI_EVENT or ELABORATION_UI_EVENT_COMPLETED type are not deleted at the end of their lifecycle if the payloads are malformed. Additionally, some operations on notifications generate very verbose log outputs.
DEV-524402	In the Accounts list (below dimensions), when the user selects the nature of an account, the "Other Variations" and "Other stocks" labels appear: instead of "Other Variation" and "Other stock". This problem only occurs with the Italian language.
DEV-519410	On any Vaadin page with unsaved changes, if the user navigates from the side menu to the process home page, the page does not load and CCH Tagetik shows this error: "404 - Page not exists."

Master Data Management (CSD-27208)

ID	Description
DEV-524668	The contents of the PPS_DATA_PROC.xml and PPS_DATA_PROC.java files have been synchronized by relaunching the liquibase generation scripts.

Process Cockpit (CSD-27210)

ID	Description
DEV-522664	Consolidator cockpit > Consolidation scenarios: In the presence of: - an Impacted disabled in the configuration - an Entity included in the Consolidation area of the scenario/period and never previously processed on the consolidation CCH Tagetik shows a red traffic light in the consolidation scenarios cockpit even in the absence of actual changes.

Patch: 5.3.SP36.537

Application Platform (CSD-329482)

ID	Description
DEV-524592	CCH Tagetik does not specify the names of files locked by the process when the add-in update fails.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-523382	Area consolidation data processing > Generate converted: In the presence of: - an Entity that changes its currency to the consolidation currency compared to the previous scenario - an overridden Var. - Det. type for the FX rate difference on the year's net result CCH Tagetik generates FX rate differences on incorrect variations for the carry forward account of the balance sheet net result.
DEV-523127	Area consolidation data processing > Generate converted: In the presence of: - an Entity that changes its currency to the consolidation currency compared to the previous scenario - the process associated to the previous scenario is stored offline CCH Tagetik does not generate the FX rate differences for the conversion of accounts at historical FX rate.

Data Entry (CSD-27187)

ID	Description
DEV-522375	Edit consolidation journals on process with journals posting and submission: CCH Tagetik allows the user to unpost submitted journals.

Data Model (CSD-27226)

ID	Description
DEV-515721	CCH Tagetik does not correctly translate the description of the period length if the language used is Italian or Polish.

External Service Tools (CSD-329481)

ID	Description
DEV-523314	Repository > Audit > Report > Metadata log report: CCH Tagetik does not display logs when a user is marked as deleted.

ID	Description
DEV-522806	CCH Tagetik returns an error when the user tries to download the Audit details to Excel.

Form (CSD-27197)

ID	Description
DEV-522411	In the "Validity date not compatible with Scenario / Period" error message, CCH Tagetik only records the dimension element code: it omits both the element description code and the dimension it belongs to.
DEV-523287	CCH Tagetik Web: Report List Page: CCH Tagetik does not display the appropriate error message when the user tries to generate a Report list while another is being processed.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-523388	The "List" element icon does not appear in the tile for dimensions.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-524001	In the grouping job task, the original task symbol has been replaced with a Chinese character.

SP_511_530

Patch: 5.3.SP35.530

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-513690	Area consolidation data processing > Formula: in the Audit, the difference between the two calculation logic executions is not clear.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-513471	Entity data processing > Look-Through: in the case of HANA DBMS, when the data processing is run, CCH Tagetik generates an error.

Data Model (CSD-27226)

ID	Description
DEV-512596	Dimensions > Account > Elements list > Attributes > Conversion: CCH Tagetik incorrectly displays the new "Average period length adjusted rate" conversion type that is not compatible with the data processes.

External Service Tools (CSD-329481)

ID	Description
DEV-501560	If the $USER rôle is assigned to the user in Tagetik, then the Analytical Workspace tile becomes visible in the side menu.

Infrastructure (CSD-27205)

ID	Description
DEV-513882	Fabric endpoint: when reading a large amount of data from an MS Fabric table, the read operation fails.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-513346	Processes: when the user launches the Transaction Matching engine, then CCH Tagetik overrides the reason code field.

Supply Chain Planning (CSD-189667)

ID	Description
DEV-512573	SCP Users/Roles deployment: after starting roles deployment, CCH Tagetik did not automatically update the micro-frontend UI.

System Reports (CSD-27217)

ID	Description
DEV-513157	The data model description does not change according to the language user and CCH Tagetik always looks up the "desc_conto0" or "desc_azienda0" option, independently of the user language settings.

Patch: 5.3.SP35.529

Analytic Workspace (CSD-27162)

ID	Description
DEV-512742	Import AW: Given an analytical workspace in which an advanced analytics associated with a multidill model is defined, when the user imports the analytical workspace, the import fails with this error: "Invalid UUID string: null".

Application Platform (CSD-329482)

ID	Description
DEV-287710	Japanese characters are not displayed correctly in the query analyzer.
DEV-512128	Even when it is not necessary, the user is still redirected to an authentication error page.

Form (CSD-27197)

ID	Description
DEV-421569	Tab filter on "Lowest element" and "Subtotals = Yes" dynamic dimension: CCH Tagetik correctly generates the sheet total, but the cell remains editable.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-509322	The user is unable to access the settings panel when the function code is set to read-only..

Master Data Management (CSD-27208)

ID	Description
DEV-513426	In the case of a user connected to a Reference User, the SCIM user exposure API incorrectly displays the databases to which the user has access in the "dbAllowed" field. That is, the union of the user's database and the reference user's database.

Utility (CSD-27222)

ID	Description
DEV-511575	Legacy cockpit > "Snapshot Creation" run utility: in the case of a process with a business cycle by scenario/period, CCH Tagetik requires the period to be specified in the launch

ID	Description
	parameters. If the user inserts multiple periods, then the utility incorrectly updates the snapshot log tables.

Patch: 5.3.SP35.528

Application Platform (CSD-329482)

ID	Description
DEV-511907	Launching multiple data processes simultaneously from the new UI significantly slows down the CPM.

Collaborative Office (CSD-27178)

ID	Description
DEV-155165	Collaborative Office > Document type > Document outline: adding or moving document parts incorrectly calculates the sort order within the document tree and this causes the insertion of negative values or the duplication of existing values.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-512073	Restatement: CCH Tagetik does not consider the QDL origin among those items to be copied.

Data Entry (CSD-27187)

ID	Description
DEV-509989	Consolidation Journals > Bulkloader: Numeric fields do not retain correct formatting when copying and pasting.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-508924	Running an ETL job, temporary tables registration on the SQL Server database. In some cases, when the SET NOCOUNT parameter is set to ON in the database session, CCH Tagetik returns a primary key violation error during the registration of temporary tables. The same behavior also occurs in other application processes that utilize the temporary tables registration.

ID	Description
DEV-512710	When running an ETL configured with a REST API endpoint as the source, if the field was defined in the ETL configuration but is not present in the REST API response, then CCH Tagetik fails to extract data.

Form (CSD-27197)

ID	Description
DEV-508656	Edit Intercompany > Unable to open the prompt to enter a new amount when the selected cell contains a control group with a variation instead of a single Account element
DEV-504268	If the navigation on the "Scenario" parameter returns a scenario that is invisible to the user, then CCH Tagetik removes the scenario filter (returning all data) in the AIH LBL matrices.
DEV-222232	WebForm: when the user launches a form, either in Data entry or Navigation, the form is not opened and instead CCH Tagetik returns an error message about a filter that was rejected in the serialization step.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-509978	Process > Process definition > Define cycles: after the user shifts a scenario/period, CCH Tagetik does not update the "Date Upd" and "User Upd" fields.

Process Cockpit (CSD-27210)

ID	Description
DEV-512482	Process hub > "Form list" task: when the user opens the form list for an element and changes the selection, the page is not updated correctly and continues to display the element that was selected previously.
DEV-511904	User Interface > Transaction Matching: CCH Tagetik displays the page even if the user is not enabled.
DEV-511480	Processes > Detail overview > Submit/-Reject: CCH Tagetik signals an error for users for which the 0000025, 0000284, 0001859, 0001225, 0002687, 0001653, 0000858, 0000865 and 0004118 functions are not enabled.

System Reports (CSD-27217)

ID	Description
DEV-511426	Under certain conditions, running the Journals book from the Process cockpit with dimension by step may cause an out-of-memory error.

Patch: 5.3.SP35.527

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-510320	Area consolidation data processing > Generate converted: In the presence of: - a P&L account to be converted at period average FX rate - conversion method: P&L net result at average FX rate CCH Tagetik does not generate the FX rate difference for the P&L account

Data Entry (CSD-27187)

ID	Description
DEV-510431	Processes > Edit Windows > Spreadsheet view: amounts are formatted incorrectly when copying multiple rows.

IC Cockpit (CSD-27203)

ID	Description
DEV-511874	The user is unable to navigate the transaction match module on the new UI.

Internal Service Tools (CSD-329480)

ID	Description
DEV-511563	Licenses: the license check does not detect any user-level anomalies on the installed license; the user-level license is always respected. The customer does not receive any license violation messages.

Process Cockpit (CSD-27210)

ID	Description
DEV-509303	Process hub cockpit > Step by list: CCH Tagetik incorrectly identifies the task owners when multiple processes are utilizing the same business workflow.

Supply Chain Planning (CSD-189667)

ID	Description
DEV-501180	If the user is restricted on the Analytical dimensions, then the SCP Record View (accessible from Process) is not displayed correctly.

Patch: 5.3.SP35.526

Form (CSD-27197)

ID	Description
DEV-202307	Web Forms: when the user runs the drilldown on a row after drilling on a column or vice versa, the row/column is not drillable unless the user runs another drilldown on the column/row.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-509354	Business Workflow> Steps > Select Step > Edit: when changing the name of an existing group, CCH Tagetik restores the previous name.

System Reports (CSD-27217)

ID	Description
DEV-509917	When the user runs the "Consolidation of Investments" report, the "Ownership structure register" tab is always empty, even when there is data in the "Financial investments" section.

Patch: 5.3.SP35.525

Cash Flow Planning (CSD-27163)

ID	Description
DEV-508645	Cash Flow Planning > Accounting entries > Copy object: the combo box for the source object number is not loaded correctly.

Master Data Management (CSD-27208)

ID	Description
DEV-507903	MDM: when the user runs an MDM export containing a $|SCENARIO node and a filter on the cod_scenario, then some child tables are not filtered correctly.
DEV-507523	MDM: when the user runs an MDM export containing a $|RACCOLTA node and a filter on the "cod_raccolta", then some child tables are not filtered correctly.

Process Cockpit (CSD-27210)

ID	Description
DEV-508926	CCH Tagetik does not update comments in real time when they are added or deleted.
DEV-508921	Process hub > Rejection of a node with insignificant child lowest elements: if a node is in a submitted state and a new lowest element is subsequently added to it, then the reject operation for the node triggers a blocking error.
DEV-508591	When a business workflow is deleted, the groups that are linked to it are not deleted from the "WFM_FASE_GRUPPO" table.
DEV-508037	When the user clicks on a new thread with the comments panel open, CCH Tagetik displays a blank panel.
DEV-508026	When the user selects a task and clicks on the "New thread" button, CCH Tagetik displays the "No comments available" message.
DEV-508016	When the user clicks on a bubble icon, the first element of the thread is not highlighted.

Regulatory Reporting (CSD-27213)

ID	Description
DEV-498860	Admin Dimension > Entities > Classifier: in the actions menu, CCH Tagetik returns an error when opening the Entity/Classifier relationships report.

System Reports (CSD-27217)

ID	Description
DEV-268729	Processes > Select a process > System report > FX rate difference reserves analysis: when the user loads and opens a report that contains Japanese characters, then CCH Tagetik does not transcribe them correctly.

User Rights (CSD-127797)

ID	Description
DEV-270498	User Rights: CCH Tagetik returns an error when deploying user rights on an analytic dimension or on a custom dimension on nodes if there is inconsistent data.

Patch: 5.3.SP35.524

Application Platform (CSD-329482)

ID	Description
DEV-505671	The user was not redirected to the error page when having no permissions for the creation of credentials in the API gateway.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-504833	Preliminary data processing on original scenarios > Carry forward: In the presence of: - an elimination journal for Financial investments / Net equity from Ownership structure register with the "Periodic journal" option enabled - the journal regards an Enitity to be deconsolidated "from previous period" - the journal has a row in the previous period with input origin CCH Tagetik does not copy that row from the previous period.

Data Entry (CSD-27187)

ID	Description
DEV-506486	Consolidation Journals hub: the user is unable to create new headers in the Journal headers window.

Diagnostic Check (CSD-27194)

ID	Description
DEV-505851	Diagnostic results window and Diagnostic log: the "is empty" and "is not empty" filters do not work.

Form (CSD-27197)

ID	Description
DEV-508374	On the web, opening a form with a transactional matrix with many rows fails and the result is a blank sheet.
DEV-499415	Enable save zero values > Delete a value from a matrix cell: CCH Tagetik displays an error while saving the form.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-507154	Process > Process Definition > Process Data Model/Entity relationship: when the user tries to filter the Entity tree lookup by description, CCH Tagetik does not display results for any value set as a filter.

Process Cockpit (CSD-27210)

ID	Description
DEV-506060	Status Report on Process Hub: All records with an empty workflow task field were incorrectly excluded from the report.

Patch: 5.3.SP35.523

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-506136	Consolidation area data processing > Rules Engine Designer: CCH Tagetik returns a division-by-zero error when the equity ratio for the year is 100%.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-504736	Entity data processing > Financial investments reclassification. In the presence of a detail type control group, with a parent account included in the reclassification account rules and with variables consistent with those of the Counterparty entity of a Carry forward IC data row, CCH Tagetik generates incorrect rows (with notes ‘Charged back - Carry forward - Variation’).

Data Entry (CSD-27187)

ID	Description
DEV-506832	Edit Entity and consolidation journals on SQL Server: if the automatic journals numbering method is enabled in the default journals data entry settings, then CCH Tagetik may return errors when multiple users try to create new journals at the same time.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-506815	When the user launches a QDL web form from a new multi-organizational process and loads it onto the financial layer, CCH Tagetik returns this error: "String.startsWith(String)" because "value" is null".

Data Model (CSD-27226)

ID	Description
DEV-496942	CCH Tagetik returns error 500 when trying to transfer individual Analytical workspace components because there are two identical languages in the Configuration and Reporting languages.

Diagnostic Check (CSD-27194)

ID	Description
DEV-506637	Diagnostic results window and Diagnostic log: the filters on boolean fields do not work if the user selects the "Any" value.

Form (CSD-27197)

ID	Description
DEV-495600	If a form when opened in data entry displays some cells that cannot be edited due to conflicting values, then CCH Tagetik will open the form with a noticeable slowdown.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-504237	ETL > Domain: if the descriptions are in Japanese or in any language with non-ISO characters, then the saved values contain characters that are considered wildcards by the database and they cause the window filters to function abnormally.

Process Cockpit (CSD-27210)

ID	Description
DEV-506485	Cockpit by Entity: when the database is locked, CCH Tagetik takes a long time to display a node’s workflow.

Rates and Events (CSD-27212)

ID	Description
DEV-500935	Ownership structure register In the presence of: - an Owned entity with an undefined custom dimension 2 when trying to add or edit an event by Owner entities for this specific Entity, CCH Tagetik shows an error that prevents the event from being saved.

Utility (CSD-27222)

ID	Description
DEV-506182	Copy amounts and journals: the "Coefficient" parameter is not applied to the transaction currency amount for Entity and Consolidation journals.

Patch: 5.3.SP35.522

Analytic Workspace (CSD-27162)

ID	Description
DEV-502286	Cockpit/DTP task run: the index that a user can define on a dataset is not built using the fields in the specified order.

Application Platform (CSD-329482)

ID	Description
DEV-163272	The status of the current Vaadin session is now checked before attempting to apply the lock. If the session is already closed (CLOSED state), the lock is not applied and the attempted action is logged as a WARN event.

Consolidation settings (CSD-27182)

ID	Description
DEV-505551	Consolidation area deployment: In the presence of: - a definition row with the "Include even if it isn't owned" option always enabled - an own shares event in the Ownership structure register of the Entity CCH Tagetik does not include the Entity referenced in the structure event in the Definition result.

Data Entry (CSD-27187)

ID	Description
DEV-216908	On consolidation journal, when the user reverts the changes made to a field in the journal row, CCH Tagetik does not display the correct value in the detail section.

Diagnostic Check (CSD-27194)

ID	Description
DEV-442903	Dimensions > Accounts and Control groups table > Wizards > Definition predefined forms: on the old UI, the definition of predefined forms window does not open.
DEV-500922	Diagnostic results log: columns related to other diagnostic checks are present in some error grids.
DEV-501619	Diagnostic results log: if the user tries to authorize multiple errors at the same time, CCH Tagetik returns this error message: "It was not possible to authorize some errors".

Form (CSD-27197)

ID	Description
DEV-208088	When an open form contains one or more attachments with filenames that include special characters, then the "Download Comment Attachment" feature does not allow file downloads. This error is due to how special characters in attachment filenames are handled.
DEV-174707	Given a form opened in data entry, in which both of the following options are enabled: "Show zero values if the cells aren't defined" and "Enable Save zero values", when saving, there is a difference in behavior between the web and Excel: in the web, new cells with a value of zero are not saved. In Excel, however, the same cells are saved.

Intelligent Disclosure (CSD-294894)

ID	Description
DEV-499299	After creating the ID configuration in the Repository and setting an application language other than English for the user, when the user logs into the Word ID add-in and clicks on the ribbon that opens the side panel, the captions displayed in the panel are only shown in English.

System Reports (CSD-27217)

ID	Description
DEV-503842	In the new UI, the title is not displayed on some pages.

Patch: 5.3.SP34.521

Collaborative Office (CSD-27178)

ID	Description
DEV-499408	Image object update: the update process run on the server altered the layout of the image objects in the document and the result was not consistent with the source file.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-504324	Entity data processing > Load financial investments: In the presence of: - Financial investments data in the Ownership structure register on variation type accounts - a parent account restricted on a custom dimension CCH Tagetik generates replicated IC amount rows (one for each element of the custom dimension on which the account is restricted).

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-505684	Entity consolidation data processing: In the presence of: - execution of the carry forward function within the data processing when the data processing is run either as Contributor or as Consolidator, then CCH Tagetik presents a significant difference in execution times, even if processing the same scenarios.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-501135	Quick Data Loader: when trying to read an .xlsx file, the application returns an error due to unexpected format in the content.

Form (CSD-27197)

ID	Description
DEV-506107	This is a security fix in order to address an XSS vulnerability in a third party library.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-505104	Forms that are not enabled as web forms are opened as web forms if opened from a bookmark.

Intelligent Disclosure (CSD-294894)

ID	Description
DEV-505555	Client Word > Utility > Export >For Intelligent Disclosure: CCH Tagetik arbitrarily displays the save dialog for a temporary document.

Patch: 5.3.SP34.520

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-501466	Area consolidation data processing > Generate consolidable: In the presence of: - a relationship type by Entity/Custom dimension - an Owned entity evaluated using the equity method and that has a deconsolidated Owner entity CCH Tagetik generates equity evaluation rows with an incorrect journal number and an undefined custom dimension 2 Ctp segment.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-501313	Carry forward on consolidation scenarios: in case of an Oracle database and currency change on consolidation journals, the carry forward data processing ends with a blocking error.

Consolidation settings (CSD-27182)

ID	Description
DEV-291369	Entity with Line-by-Line consolidation type and Equity ratio percentage 100. When the following items are present in the Consolidation area: - the Consolidation type from Entity ($) - the "Equity ratio percentage of the period" option is set to 100 - the "Equity ratio percentage" option is set to true CCH Tagetik returns an encrypted error while updating the Financial investments percentage.

Form (CSD-27197)

ID	Description
DEV-497015	CCH Tagetik Addin encountered an error when uninstalling after the automatic update.
DEV-500014	New UI: Reports & Analysis > Click on the Ad-hoc analysis button: the "Ad-hoc analysis" button does not work.
DEV-168577	In the presence of a dimension reporting parameter that does not allow multiple selections and uses an advanced dynamicity script as the default that returns multiple elements. When the user launches the form requiring that parameter, CCH Tagetik defines the parameter with multiple elements: it bypasses the parameter restriction.

Internal Service Tools (CSD-329480)

ID	Description
DEV-501641	Users and Roles > Users > User type on license: the check on licenses considers a user as a "Contributor ESG: Corporate Sustainability Reporting Directive" even if the user has no access to any features of the "ESG: Corporate Sustainability Reporting Directive" module.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-501886	Data processing > Email templates: when modifying or inserting a “Reminder on Entity submission” template, CCH Tagetik returns a blocking error when saving data.

System Reports (CSD-27217)

ID	Description
DEV-502285	Reports & Analysis > Comments and Attachments: CCH Tagetik does not display comments with Counterparty entity = "|TERZI|" (standard code used by forms).

Patch: 5.3.SP34.519

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-134017	In case of: - modification of a FX rate in the Ownership Structure Register due to an event - launch of Entity, Group and Area data processes with the "Process only modified data" option active CCH Tagetik does not process the relationship for the Entities for which the FX rate was

ID	Description
	modified. In particular, the elimination journal is not regenerated on the original scenario and on the consolidation scenario, and overridden FX rates in-memory are not updated.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-498927	Preliminary data processing on original scenarios > Incoming mergers on initial balances: In the presence of a Balancing type control group whose parent account is included in the carry forward rules, CCH Tagetik does not generate the merger rows for the child variation accounts of that control group.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-500924	ETL > Loading files to SFTP: the SFTP connection times out during the creation of very big files.

Diagnostic Check (CSD-27194)

ID	Description
DEV-499699	Submission on a process that manages the diagnostic results log with error authorization: the error authorization displays this error message: "Error 500 - OK".

External Service Tools (CSD-329481)

ID	Description
DEV-497699	In Repository > Audit: CCH Tagetik does not record every type of change to the "REP_UTENTE" table.

Infrastructure (CSD-27205)

ID	Description
DEV-499683	Endpoint > Snowflake type endpoint > Key Pair authentication > Test Connection: using a private key without a passphrase causes the connection to fail.

Utility (CSD-27222)

ID	Description
DEV-500805	In some cases, if the check of concurrent data processing is enabled, CCH Tagetik may prevent the launch of scheduled data processes that are waiting for data processes that have already been completed but not yet notified.

Patch: 5.3.SP34.518

Application Platform (CSD-329482)

ID	Description
DEV-499000	Overall slowness of the CPM due to a high number of notifications.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-497262	Consolidation group data processing > Eliminate Financial investments from Ownership structure register: In the presence of: - an Intragroup assignment with a linked purchase event - a "by {NOME_AZIENDA}/{NOME_DEST2}" type relationship In the journal for reconstituing the goodwill writeoff in the relationship between the Seller and Buyer entities, CCH Tagetik generates a goodwill writeoff row — calculated in the related purchase event — with an incorrect journal number (which also includes the custom dimension 2 values).

Diagnostic Check (CSD-27194)

ID	Description
DEV-492856	Diagnostic result: Amounts are not displayed correctly for users with Slovak nationality and certain other nationalities.

Form (CSD-27197)

ID	Description
DEV-422949	When the user opens a form in Data entry and clicks on a cell that contains a combo box, CCH Tagetik freezes and prevents the user from continuing to browse.
DEV-494593	Run form in DataEntry > Non-editable cells: CCH Tagetik displays this error: "Contrasting value on Custom Dimension"

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-484521	The user is not allowed to insert a colon character in the text fields of the Quick Access and Embedded widget links.

Infrastructure (CSD-27205)

ID	Description
DEV-495064	Endpoint > Create New Endpoint > Key Pair Authentication: when the user tries to save a Snowflake type Endpoint with Key Pair authentication on SQL Server database, CCH Tagetik displays a blocking error.

System Reports (CSD-27217)

ID	Description
DEV-497450	System reports and Data entry windows: users with the $AUDIT role receive an "Access not granted" error when saving predefined filters.

Patch: 5.3.SP34.517

Data Entry (CSD-27187)

ID	Description
DEV-423099	The bulk loader does not load data if the scenario code contains special characters (in this case: "+").

External Service Tools (CSD-329481)

ID	Description
DEV-284919	While utilizing the Tagetik API SCIM via the Sailpoint external tool, making a call that requests a limited number of users results in a second call being made and this returns a 400 error message. The attempted attempted is: -/uat/api/scim/v2/Groups?startIndex=1&count=50 And the subsequent call (which failed) is: -/uat/api/scim/v2/Groups?startIndex=51&count=50

Form (CSD-27197)

ID	Description
DEV-233161	Intelligent Disclosure: Ad hoc parameters are not loaded correctly.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-322843	The changes to the text made via the "Format" and "Alignment" functions are not recognized in the saving step, either when creating a new Notes widget or modifying an existing one.

Infrastructure (CSD-27205)

ID	Description
DEV-494631	Tagetik Data Loader 8.0.3 and 9.0.2: in case of chunked transmissions, both read and write, any unexpected errors may not be handled correctly and may not be recorded in the Tagetik Data Loader logs.

Intelligent Disclosure (CSD-294894)

ID	Description
DEV-495445	In CCH Tagetik, the descriptions of the following UserTypes have been modified: XBRL_ITA, SBR_iXBRL, SBR_XBRL and NEW_IXBRL.

Process Cockpit (CSD-27210)

ID	Description
DEV-465836	Process Hub: When opening the cockpit on a multi-step process with a scenario/period submission, the execution of the calculation logic task runs on all active scenarios/period of the process and not only on the one where the launch occurs.
DEV-443272	Process cockpit: when there are numerous steps (over 30) and a complex hierarchical structure, CCH Tagetik takes a few minutes to load the tree for the first step.
DEV-441910	The Entities submission status report shows incorrectly formatted dates and times in some languages.

System Reports (CSD-27217)

ID	Description
DEV-496590	System Report - Bank & Insurance - Portfolio check on Consolidated data: when the user launches the report, CCH Tagetik generates the following error: "java.lang.Exception: org.apache.velocity.exception.ParseErrorException: Encountered "<EOF>""

Utility (CSD-27222)

ID	Description
DEV-244874	Copy amounts and journals: if the user selects both the copy notes and copy consolidation journals options, then CCH Tagetik generates a blocking error.

Patch: 5.3.SP34.516

Application Platform (CSD-329482)

ID	Description
DEV-182094	Due to a sudden interruption of the CCH Tagetik addin in Office packages (Word, Excel, PowerPoint), when the user tries to log in again, CCH Tagetik displays a blank screen instead of the login page.

Form (CSD-27197)

ID	Description
DEV-197988	When a form is opened in data entry, a Microsoft popup appears randomly and signals that it is not possible to copy the content of the clipboard as it is already in use by another application. This error is sometimes accompanied by data loss.

Process Cockpit (CSD-27210)

ID	Description
DEV-442377	Cockpit by Entity > User without rights to run a task > Multiple Entity selection > Detailed task list: CCH Tagetik still allows the user to manage and run the task, even if the user does not have the required rights.

Patch: 5.3.SP34.515

Analytic Workspace (CSD-27162)

ID	Description
DEV-330950	Cockpit with dimensions by step> "DTP" task run: if optional parameters are not populated, CCH Tagetik returns a blocking error.

Form (CSD-27197)

ID	Description
DEV-234545	When scheduled Report Lists are configured, the scheduling process fails when multiple Report Lists are executed on specific servers.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-324855	Email templates > Email event type "Reminder on Entity submission": if the user selects "Entity's Users" as "Specific Recipients", CCH Tagetik returns a blocking error upon saving.

User Rights (CSD-127797)

ID	Description
DEV-378848	Refresh Users data processing fails when there are deleted users

Patch: 5.3.SP34.514

Analytic Workspace (CSD-27162)

ID	Description
DEV-320747	Setup & Admin > Analytical Workspaces > clicks on three dots button of a workspace tile: the Partitions Management section is also visible when the user has the corrispective function code in read only mode.

Application Platform (CSD-329482)

ID	Description
DEV-276981	The XSRF-TOKEN hasn't the secure attribute for http connections

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-349028	Entity Processing - Basic Calculation Logic: When there is an input line on an account listed as an output account in a liaison calculation logic of an entity journal, CCH Tagetik generates a row that reverses the amount of the input line.

External Service Tools (CSD-329481)

ID	Description
DEV-237286	Repository > general settings > system localization > configuration language, CCH Tagetik don't show Hebrew language.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-324978	Copying user rights to multiple users, CCH Tagetik shows an error message.

Process Cockpit (CSD-27210)

ID	Description
DEV-281412	Process > Consolidator > Process reports > Submission status grouped by entity node and Submission status grouped by consolidation method: during the report generation, CCH Tagetik displays an encrypted error.
DEV-232478	Process by Entity: when the user navigates to the root of the hierarchy, CCH Tagetik occasionally takes several minutes to complete loading the workflow.

Patch: 5.3.SP34.513

Analytic Workspace (CSD-27162)

ID	Description
DEV-276977	In Admin > Process: in the "Process definition" PDM section, the "Exclude" function in the "Analytical Workspace measures" does not work correctly. CCH Tagetik does not exclude the selected datasets.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-325443	When the user launches a Carry forward on consolidation scenarios data processing, CCH Tagetik doubles the amounts on the proportional, converted and consolidable amount journals in the presence of both contributor and consolidator categories.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-323012	During the data processing of an ETL job in a workflow, the retrieval of routines causes a blocking error.

Data Processing (CSD-140432)

ID	Description
DEV-230382	Home page> Processes: if the user selects a process with calculation logics with overrides on the scenario and period and launches all the calculation logics, then CCH Tagetik generates an incorrect final result.

Form (CSD-27197)

ID	Description
DEV-244598	The coefficient calculation algorithm does not correctly handle cells containing numeric values with 13 or more digits; therefore, it may lose precision with such large numbers.
DEV-229869	Report List on web: when the user launches a Report List, the data processing is not deleted from the REP_TEIC table.
DEV-230496	When the user sets the Currency filter to implement the on-the-fly conversion of type "Based on Account" and then tries to run the drill-down (Lowest level elements: Dimensions) on a cell related to an FST item, CCH Tagetik returns this error: “Error: Form! UNEXPECTED_VALUE More than one attribute found”.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-288706	Due to code relocation, the user can no longer correctly open the content of an Embedded Content Widget.
DEV-244873	When the user clicks on the manual button in the new UI, he is redirected to the English version instead of the Japanese one when the selected language is Japanese.

ID	Description
DEV-218956	The user is unable to log in to a specific page of the application database via a direct URL, if he previously logged out from a repository and then tries to log in again.

Infrastructure (CSD-27205)

ID	Description
DEV-313550	The SharePoint Endpoint fails to connect when the SharePoint app in Microsoft Azure is configured with only Site.Selected permission.
DEV-232864	When using the default timeout value for the communication between CCH Tagetik and Tagetik Data Loader, then the communication times out after 60 seconds.

Intelligent Analytics (CSD-328717)

ID	Description
DEV-333898	User with function 0004217 > Reporting View enabled displays the Reporting menu item > Intelligent Analytics > Reporting Views: only if the demo mode is enabled. For the patch to be effective, launch the deployment of roles.

Process Cockpit (CSD-27210)

ID	Description
DEV-276491	Process Cockpit with dimension by step > Status report: if the lowest level element is relevant in one step but not in another, then CCH Tagetik does not display it.

Rates and Events (CSD-27212)

ID	Description
DEV-206124	In the presence of: - process with Relationship Type 'by Entity' - default custom dimension 2 defined in the Entity master data when saving a new row, CCH Tagetik fills the Custom Dimension 2 field (not visible) with the default value of the owner entity. The expected behavior for Relationship Type 'by Entity' requires that the field must be saved with the value NULL.

User Rights (CSD-127797)

ID	Description
DEV-322880	User rights > Entity and Task > Specific List: if the “Accept lowercase codes” option is not enabled in the settings, then after running the “Copy restrictions and settings from another user” function, the specific list management window returns a blocking error.

Utility (CSD-27222)

ID	Description
DEV-235761	Snapshot > Dataset: CCH Tagetik does not copy data if there is more than one analytic dimension in the dataset.

Patch: 5.3.SP34.512

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-245911	Group consolidation data processing > Eliminations by counterparty: In the presence of: - an IC elimination journal with rows on an incoming merger variation account generated by the merger data processing (and related rows on IC amounts) - a transaction currency different from the elimination journal currency CCH Tagetik calculates an incorrect difference for the incoming merger variation.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-282180	Process with dimension by step > Step > Entities node: when the user selects an ETL task in the workflow, CCH Tagetik returns an error and no data is loaded in the ETL execution window.

Patch: 5.3.SP34.511

Analytic Workspace (CSD-27162)

ID	Description
DEV-230379	Process cockpit > Run a DTP task, containing a loop: in case of a definition that retrieves values containing a '$' character, if the DTP needs to read the value of the loop (with the keyword, #ITERATION_VALUE#), then CCH Tagetik places a backlash '\' before it.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-236019	Preliminary data processing > Carry forward on original and consolidation scenarios: If there is a journal with “Consolidation scenarios filter” and “Override journal parameters” options enabled, CCH Tagetik does not update the filters on consolidation scenarios.

Data Entry (CSD-27187)

ID	Description
DEV-237404	Journals Hub > Utilities > Copy journal: origin lookup doesn't work on SqlServer
DEV-232480	Processes > Edit window > Edit entity and consolidation journals on single submission processes: if the user tries to submit a journal that is not present in the last scenario/period of the process, CCH Tagetik displays an encrypted error.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-269678	Process > Step > Entities node: when the user selects an ETL task in the workflow, the Run ETL window takes a long time to open.

Diagnostic Check (CSD-27194)

ID	Description
DEV-221906	Diagnostic log and diagnostic result: if the user filters two or more fields that accept the “Any”, “True” or “False” values and selects the “Any” value, CCH Tagetik shows an error.
DEV-224331	Diagnostic results log: the "Check" filter does not display any element in the filters panel cockpit.

Form (CSD-27197)

ID	Description
DEV-221499	In the WEB report list, when the user selects launch parameters and then an Entity that has a dependent parameter, the Currency dropdown does not display any value in the list. In particular, the Currency that depends on the Entity parameter contains a script for selecting values, and both parameters are mandatory.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-245133	Query Analyzer: The page background is transparent and does not match the rest of the application.
DEV-234787	Images are not available on certain pages when opening the right panel.
DEV-220796	When the user selects the "Load default value" option in the "Colors and background for end user" section in the Settings and then modifies any another option, the background color is changed to the color that is currently selected in the "User homepage background color" window. (In order to see this change, the user must log out and then log in).
DEV-230498	The “Copy user restrictions and settings from another user” function does not copy widgets from the source user homepage to the target user homepage.

Process Cockpit (CSD-27210)

ID	Description
DEV-225924	Cockpit with dimension by step > Submission: if there is only one significant node but no significant element in the tree, then the step does not turn green when the node is submitted.

SP_491_510

Patch: 5.3.SP34.510

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-227660	Area Processing > Rules Engine Designer: In the presence of: - periods that were launched after the first one - rows generated in the previous period CCH Tagetik generates incorrect rows with origins after those in the data processing.
DEV-228177	Consolidation area data processing > Generate proportional: In the presence of an original data row having: - a journal that should not be proportionalized - an amount with more than 3 decimal places CCH Tagetik does not round the amount to 3 decimal places.
DEV-229463	Area data processing > Conversion: in the presence of an Other Variation account to be converted at period average FX rate, CCH Tagetik generates a FX difference in the P&L account.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-229686	Group consolidation data processing > Counterparty eliminations: CCH Tagetik does not launch the data processing when a parent account is associated with two different variation control groups.

Data Entry (CSD-27187)

ID	Description
DEV-220858	Entity journals Bulkloader: The block popup was displayed after a huge number (50k) of cells had already been saved.

Diagnostic Check (CSD-27194)

ID	Description
DEV-226515	Diagnostic result: The amounts are not displayed correctly for Vietnamese or Swedish language users.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-213316	When loading for the first time a web page in the new UI, the web page was taking too long to load due to the high number and size of data packages transmitted by the server. This fix reduces the size of the packages.

Repository (CSD-27215)

ID	Description
DEV-229254	Admin > Repository > MDM Import and Import Db: if an SQL Server or Oracle database has a logical name that differs from its physical name, the import data processing fails with an error.

System Reports (CSD-27217)

ID	Description
DEV-228953	Process > System Report > Consolidation of Investments: When the user selects a consolidation area and opens the Entity selection using the lookup, the page freezes during loading.

ID	Description
DEV-229870	Consolidation cockpit > Process report > Financial investments/Net equity analysis: in case of an Entity that does not exist in the Consolidation area of the previous scenario/period, CCH Tagetik returns a blocking error.

Patch: 5.3.SP34.509

Analytic Workspace (CSD-27162)

ID	Description
DEV-225730	Repository - Scheduling - When scheduling two jobs (running DTPs) at the same time on two different databases, one of the jobs fails validation if the execution entities are different.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-225920	Consolidation Area Data Processing: When selecting a Process Hub, CCH Tagetik generates an error when launching the data processing if the consolidation scenarios are not selected from the lookup.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-222358	Events > Group Structure > Select a process > Reports > Event Report: When the user runs the report, CCH Tagetik goes into error and does not generate the expected events.

Data Entry (CSD-27187)

ID	Description
DEV-225900	Edit entity and consolidation journals: users with Swedish nationality cannot enter negative amounts.
DEV-224114	Edit Consolidation journals - On SQL Server standard edition environment, when a restricted user filters journals with manual rows, the loading process does not complete and the window does not display any results.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-226309	Data Source Mapping Select a data source of type File > CSV > File Management Type: Store/Delete > Reading

ID	Description
	ZIP via source type Current Server. When selecting the Store/Delete option, at the end of the processing an error is displayed, and the Store or Delete operation fails.
DEV-225803	Tagetik Data Loader 9.0.1: in some cases, the polling flow freezes without any apparent errors, requiring an application restart to resume normal operation.
DEV-224206	Data Source Mapping Select a data source of type File > CSV > File Management Type: Store/Delete > Reading ZIP via source type endpoint. When selecting the Store/Delete option, at the end of the processing an error is displayed, and the Store or Delete operation fails.

Form (CSD-27197)

ID	Description
DEV-204226	Drill down anywhere: If the user adds the Journal number filter and clicks the "Next" button, CCH Tagetik returns an error.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-228172	A user who launched one or more processes and then logged out was no longer able to dismiss the notifications from the notification panel upon the next login.
DEV-226547	It was not possible to copy the main Homepage along with its widgets to share it with another user.

Patch: 5.3.SP34.508

Application Platform (CSD-329482)

ID	Description
DEV-221310	CCH Tagetik shows an error even after the correct deletion of notifications.

Collaborative Office (CSD-27178)

ID	Description
DEV-218393	NEW UI Setup and administration > Collaborative Office > Utilities > Unlock Documents: CCH Tagetik opens the page, but the title is not visible, and the button to return to the previous page does not appear.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-170066	Consolidation area data processing > Minorities: In the presence of: - an Entity being deconsolidated with "From previous period" deconsolidation type but that was not deconsolidated in the previous period - a periodic minorities calculation CCH Tagetik generates incorrect minority calculation rows.
DEV-216775	Area data processing > Rules engine designer: In the presence of: - DB vendor SQLServer - launch of periods after the first one - a consolidation journal rule with the "Write in same journal header" option or an Amount rule - rows generated in the previous period CCH Tagetik generates incorrect rows.

Consolidation settings (CSD-27182)

ID	Description
DEV-222378	Consolidation area deployment In the presence of: - a definition row with the "Calculated" consolidation method - an Entity with the "Use Ref. entity in the O.S.R. and Intragroup assets assignment" option in the Entity list CCH Tagetik enters the Entity in the Definition result using the "Cost" consolidation method instead of that of the Reference entity.
DEV-221202	Processes > Report > Consolidation Area Perimeter: when the user launches the report, CCH Tagetik does not load rows for locked periods.

Data Entry (CSD-27187)

ID	Description
DEV-224227	Entity Journals: When the user adds a new journal, CCH Tagetik displays the default value for the Entity currency instead of the value defined in the exceptions for the Entities in the process.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-208320	The "0003080" feature is disabled for users with the $USER role who run ETL and want to see the results from the main template Audit notification on the Home page. Therefore, users were directed to look in Admin/audit/ui instead of User/audit/ui screen.

External Service Tools (CSD-329481)

ID	Description
DEV-223244	In Repository > User: CCH Tagetik returns an error when the user tries to do a search by applying the "Edit status = Deleted" filter.

Form (CSD-27197)

ID	Description
DEV-224974	The launch of a WEB Report List fails if it takes more than 60 minutes to generate a form within it.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-223721	Old bookmarks created in a version less than or equal to SP32 do not work.

Process Cockpit (CSD-27210)

ID	Description
DEV-223719	Cockpit with dimension by steps: Run Diagnostic when launching the submission of a node of a consolidator step: CCH Tagetik returns a blocking error if the consolidator step that is being submitted is the first one in the graph.

Patch: 5.3.SP34.507

Application Platform (CSD-329482)

ID	Description
DEV-222842	Overall slowness when running very heavy data processing on the new UI.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-169058	Entity and Group data processing - Deferred taxes. When the following conditions occur: - a journal generated by the Merger data processing in the current data processing period -the header of the merger journal does not exist in the previous scenario / carry-forward period - the tax rate for the data processing period differs from that of the previous scenario

ID	Description
	CCH Tagetik generates incorrect rows for tax rate variation calculation (the previous scenario’s rate is considered as zero).

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-218721	Entity and group data processing on original scenarios: CCH Tagetik generates rows with origin FORMULE_FOR_RED when the Entity RED data processing is not parameterized for the launch scenario/period (Fast return in the audit).

Data Entry (CSD-27187)

ID	Description
DEV-219863	After changing the values from default for manual journals section in the Categories Dimensions, in the journals hub when opening the edit windows for a journal, if the Override journal parameters is set to False, CCH Tagetik displays incorrect data processing values

Diagnostic Check (CSD-27194)

ID	Description
DEV-222551	Diagnostic Result: The drill-down of errors on control groups displays a blank page for unbalanced amounts related to journals, while it returns an encrypted error for unbalanced amounts on category nodes.

Form (CSD-27197)

ID	Description
DEV-222844	With a dependent dictionary in 'code and description' display mode, the code and description are displayed incorrectly, and the saved code is different from the expected one.
DEV-216651	When the user uploads a protected file and, despite having the corresponding mimetype configured, CCH Tagetik returns an error message.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-220387	CCH Tagetik does not translate the process title captions in the data processing panel.
DEV-219871	New UI> User Rights: the main menu and topbar show icons with corrupted fonts.

Intelligent Disclosure (CSD-294894)

ID	Description
DEV-223176	In CCH Tagetik, the OWS_RICH_TEXT module has been added to the UerTypes: INTELLIGENT_DISCLOSURE and NEW_INTELLIGENT_DISCLOSURE

Process Cockpit (CSD-27210)

ID	Description
DEV-222380	Consolidator Cockpit > Intercompany edit windows, Entity journals, Reconciliation account, notes, overrides: if the user role has function 0001225 (Edit Amounts) disabled, CCH Tagetik displays an encrypted error when opening the windows.
DEV-220391	Processes > Process reports > Entities submission status: the report displays times in the GMT timezone instead of the local timezone.

Utility (CSD-27222)

ID	Description
DEV-222221	Cockpit with dimension by step > Copy amounts and journals: The user’s modification of the default “target period” is not applied during the copy process.

Patch: 5.3.SP34.506

Analytic Workspace (CSD-27162)

ID	Description
DEV-196001	Analytical workspace > Data transformation packages > Activity > Operations: if the user modifies a field of a Pivot operation, CCH Tagetik does not record this change in the audit, but only the updated date.

Analytics (CSD-27160)

ID	Description
DEV-182190	Reporting > Analytics > Tagetik Models: the server connection was lost due to a timeout while saving data.

Application Platform (CSD-329482)

ID	Description
DEV-206116	In case of SAML authentication, if the claim set on the external authentication page to configure the user description contains a special character (such as ö), this will not be displayed correctly in the users list.

Collaborative Office (CSD-27178)

ID	Description
DEV-162651	Client Word > Edit Structure > Update object from attachment: updating tables as images and charts as images produces low-quality images if the "Client: Images rendered by Excel" option is present in the document properties.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-205418	Consolidation Area Data Processing > FX rate loading from Ownership structure register: in the absence of “Eliminate Financial investments from the Ownership structure register” and “Eliminate Net equity from the Ownership structure register” functions in the Process, CCH Tagetik returns an encrypted error.

Data Entry (CSD-27187)

ID	Description
DEV-219190	In the Journals hub, CCH Tagetik does not display the Entity 2 filter in the filter selector for headers.
DEV-219147	In the Journals hub, CCH Tagetik does not display the button for opening the lookup for the main filters: consolidation nodes, Entity and categories.
DEV-217504	Entity journals cockpit: when editing a header, the "category" field is enabled, but it should not be.

Diagnostic Check (CSD-27194)

ID	Description
DEV-221916	Diagnostic results log and diagnostic result window: if, from the error details, the user applies a filter and then opens one of the child windows (e.g., drill down), when he returns to the error details, more rows are displayed than those that were previously filtered.
DEV-192090	Diagnostic results window: if the user applies a filter by entity and by category and then removes one of the two filters, CCH Tagetik automatically removes the other one as well.

ID	Description
DEV-194812	Process with dimension by step: CCH Tagetik allows the user to open the diagnostic results log even on nodes that are not relevant.
DEV-204712	Run diagnostic on process with dimension by step window: with the "Above the specified threshold" option, the user cannot run the diagnostic without selecting the threshold currency.
DEV-182448	Run diagnostic on process with dimension by step window: in lookups, if the user selects and then deselects all elements, the deselection has no effect.
DEV-191287	Diagnostic log: opening the diagnostic log from the history tab does not work correctly when switching from standard cockpit to a cockpit with dimension by step.
DEV-136614	Diagnostic results log and Run Diagnostic from cockpit with dimension by step: the lookups on control groups and on the plausibility rules do not correctly apply simultaneous filters on the code and description.

Form (CSD-27197)

ID	Description
DEV-170083	User Interface > Report List web: if the user launches a Report list with a form labeled "strictly confidential", then the label changes from "strictly confidential" to "Internal use only" in the generated Report list.
DEV-124495	If the "Maximum number of elements that can be generated in a dynamically" performance item is set to a specific value in the application configuration under the Form tab, if in a form with a multidimensional matrix on AIH, we use the currency root as a filter on the row, the control of dynamically generated elements is unexpectedly activated.
DEV-152610	If the user opens a form using the multi-organizational process workflow and the code of the scenario selected in the process contains the character '+', then CCH Tagetik shows a warning message when the form is opened.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-217626	The ETL button is available even for users that are not enabled.

Master Data Management (CSD-27208)

ID	Description
DEV-221884	MDM: When the user imports users with restrictions, some imported data does not contain the exported values.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-218569	Cockpit with dimension by step > Expansion of a node: When the expansion of a node causes numerous sub-nodes to open simultaneously, CCH Tagetik crashes.
DEV-220862	Process: the user runs the submission task, but CCH Tagetik continues to send due date email notifications by mistake.
DEV-184478	From CCH Tagetik > Select an Application Db > Process & Workflow > Select a process > Process definition > Create a new PDM > Deploy PDM: the new PDM has an empty "Analytical Workspace measures" tab.

Process Cockpit (CSD-27210)

ID	Description
DEV-202593	Cockpit with dimension by step > Task with "&" character in the code: CCH Tagetik does not show the graph.

Rates and Events (CSD-27212)

ID	Description
DEV-205514	Events > Ownership structure register > Select a process > Reports > Events report: when the user launches the report, CCH Tagetik displays duplicate rows with all the columns empty except for FX rates and the currency code.
DEV-207880	Events > Ownership structure register > Select a process > Reports > Events report: when the user launches the report, CCH Tagetik does not display the rows with the biggest event date if the largest event number is not associated with those rows.

System Reports (CSD-27217)

ID	Description
DEV-218431	Processes > Process report > Financial investments - Net Equity analysis report: when the user downloads the report, In the Adjustments row in the Original column, the currency code is missing and the column data is not loading.
DEV-141434	Consolidation > System report > Net Result and Reserves Group Evolution analysis: when the user selects a node containing more than 500 categories, then CCH Tagetik does not generate the report.

Patch: 5.3.SP33.505

Analytic Workspace (CSD-27162)

ID	Description
DEV-215506	The management of selected rows in the dictionaries page is incorrect when selecting and scrolling rows.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-217182	Area data processing > Rules Engine designer: In the presence of: - a consolidation journal row with a Consolidable position - an input category of consolidation journals - a rule no longer applied CCH Tagetik does not generate the row on the variation for rule "Rule no longer applied" with an incorrect amount.

Consolidation settings (CSD-27182)

ID	Description
DEV-220795	Consolidation area deployment: In the presence of: - a definition row that contains Entities to be excluded because they are not owned by the Holding - events in the Ownership structure register with F.I. % equal to zero CCH Tagetik includes some Entities in the Definition result that should be excluded.

Data Entry (CSD-27187)

ID	Description
DEV-221640	When saving Entity journals, CCH Tagetik incorrectly defines some fields in the rows that should have an automatic default value.

Data Model (CSD-27226)

ID	Description
DEV-221159	Dimensions > Scenario, Category, Variation & Detail types, Control groups: if in multiple selection mode, the user deselects all elements, then the Relationship tab is not cleaned up.
DEV-216092	Dimensions > Category > Elements: for consolidation journals, if the minorities calculation method is “Normal”, then the user can edit the "Minorities Calculation on Entity 1" and " Minorities Calculation on Entity 2" fields.

Data Processing (CSD-140432)

ID	Description
DEV-205215	Setup & Admin > Click on Dimension tile: in some configurations depending on the application language and the languages configured in the repository, CCH Tagetik does not correctly display all the open custom dimensions.

Diagnostic Check (CSD-27194)

ID	Description
DEV-220804	Diagnostic on single submission process: the diagnostic run via button isn't allowed if there are locked scenarios/periods on the process and the “Run data processing” option is active.

Form (CSD-27197)

ID	Description
DEV-221810	When saving data, if a dimension has a code that starts with 0 and the dimension display mode is “Description”, the code is saved to the database without the leading zeros.
DEV-221804	Given a matrix with a dictionary-based textual measure, with the option to enter values not included in the dictionary and display “Code and description”, when the user saves a value that is not present in the dictionary and reloads the module by clicking on the measure cell, CCH Tagetik does not open the menu and does not allow any further actions.

Infrastructure (CSD-27205)

ID	Description
DEV-221712	Repository > Endpoint: if the URL of a REST endpoint contains parameters with encoded URL fragments, the connection test fails due to an application error.

Master Data Management (CSD-27208)

ID	Description
DEV-169755	In Admin > Data processing > Job: the parameter defined in the stored procedure activity is lost after previously running an MDM import.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-218844	Process > Copy and Migrate: CCH Tagetik does not copy the overridden submission rules.

Process Cockpit (CSD-27210)

ID	Description
DEV-208307	Submission: If the application server's character set is not UTF-8, depending on the user's application language, the submission result window may not open, and CCH Tagetik returns an encrypted error.
DEV-204307	Cockpit with dimension by step > Submission of a node with several nodes and child elements that are all insignificant: there are performance issues when the user runs the submission.

System Reports (CSD-27217)

ID	Description
DEV-219716	Reports & Analysis > Consolidated amounts: when extracting an Excel report containing more than 100,000 rows, the report may contain duplicate or missing rows.

User Rights (CSD-127797)

ID	Description
DEV-220077	In Admin > Tools > General Deployment: CCH Tagetik does not correctly deploy user rights on the restrictions of a custom dimension when, for a user with two reference users, the first with a restriction on custom dimension 1 and the second with a restriction on custom dimension 2, the deployment of custom dimension 2 is not run.

Patch: 5.3.SP33.504

Analytic Workspace (CSD-27162)

ID	Description
DEV-218999	Setup & Administration Homepage > Analtyical Workspace tile > select an analytical workspace > go to the 'virtual dataset & datasource' tab > create a new datasource > specify a sql query with at least an aggregate function (i.e. group by) and an math operator in the select statement (i.e. SUM): CCH Tagetik does not allow the creation of this datasource showing an empty warning message.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-219153	Processes > Data processing > Group Data Processing > Import Financial Investment data into Ownership Structure Register : when the user runs the data processing, CCH Tagetik uploads a fewer rows if two events have the same Account but different Ownership structure register event

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-218904	Carry-forward on consolidation scenarios. When a Ctp elimination journal includes a row on an Entity that changed currency between the previous process and the launch process, CCH Tagetik does not convert the Entity currency amount into the currency of the current process.

Form (CSD-27197)

ID	Description
DEV-166298	When saving data to a transactional matrix, auditing reports long processing times

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-220379	Process > Clone process: if the license does not include the consolidation module, when running the copy, CCH Tagetik returns a blocking error.

Patch: 5.3.SP33.503

Analytic Workspace (CSD-27162)

ID	Description
DEV-217768	In Admin > AIH > Analytical Workspace > Dataset: CCH Tagetik returns an error when the user tries to put a dataset online after deleting a key field from the same dataset.

Data Model (CSD-27226)

ID	Description
DEV-218977	Given a form containing a filter on an element of a dimension, when the user runs the recoding of the element to assign it a new code, the form still contains a reference to the old code.

Form (CSD-27197)

ID	Description
DEV-217678	Given a dictionary with code containing the "|" character, CCH Tagetik displays the code incorrectly.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-194799	The "Report an issue" button does not work and CCH Tagetik returns this error: "URL No Longer Exists"

Process Cockpit (CSD-27210)

ID	Description
DEV-218776	Cockpit with dimension by step > Rejection of an element: in case of a process with business cycles per scenario/period and consolidator steps, if the node is submitted in the consolidator step in any scenario/period, CCH Tagetik does not allow rejecting an element of the node.
DEV-217506	Cockpit with dimensions by Entity > Process with all scenarios / periods locked: when the user opens a Web form, CCH Tagetik returns a blocking error.

Repository (CSD-27215)

ID	Description
DEV-219446	Repository > Export/Import DB> Import: When importing the Repository, CCH Tagetik returns an error, and the import is unsuccessful.

Patch: 5.3.SP33.502

Analytic Workspace (CSD-27162)

ID	Description
DEV-216921	CCH Tagetik returns error 403 when the user runs a query from the Repository query analyzer.
DEV-216778	Reports & Analysis using Intelligent Analytics: Dashboards cannot be loaded.

Application Platform (CSD-329482)

ID	Description
DEV-216865	In the new UI, too many UI notifications may be generated for scheduled data processes.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-216552	Entity Data processing on Original scenarios: CCH Tagetik generates rows with FORMULE_FOR_RED origin when the RED data processing of the Entity is not defined for the launch scenario/period (Fast return in the audit).

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-210916	Preliminary data processing > Reverse: when the user launches a data processing, CCH Tagetik generates an encrypted error when the Carry forward period/scenario is stored offline.

Consolidation settings (CSD-27182)

ID	Description
DEV-218470	Copy Consolidation area: When the user copies the Consolidation area, CCH Tagetik generates an encrypted error.

Data Entry (CSD-27187)

ID	Description
DEV-158501	Consolidator cockpit > Override Consolidation scenario: in the presence of a process with number of business cycles per scenario/period, in the following windows: Amounts > Proportional data Amounts > Converted and Consolidable data only consolidation scenarios associated with the original scenario selected at the cockpit entrance can be selected. In the following window: Consolidation journals > Converted and Consolidable data only consolidation scenarios associated with the previous original scenario (the one selected at the cockpit entrance) can be selected

Data Model (CSD-27226)

ID	Description
DEV-215469	When the user has an account hierarchy with a special character (such as &, %, (,), -), when opening the relationships, CCH Tagetik will display a warning message

Diagnostic Check (CSD-27194)

ID	Description
DEV-210142	Diagnostic result: the amounts are not formatted correctly for errors related to accounts that handle the maximum number of decimal places or errors related to currencies with zero decimal places.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-206306	In Admin Home > Dimensions > Entity: when a user filters an Entity code that is not in the list, CCH Tagetik displays the code related to the first existing dimension in the attributes section.

Patch: 5.3.SP33.501

Data Entry (CSD-27187)

ID	Description
DEV-160085	Consolidator cockpit - Overrides on Consolidation Scenario: In the 'Amounts - Converted and Consolidable Data' window, CCH Tagetik allows you to save a row with null transaction currency amount

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-213085	Quick Data Loader (QDL): The 'store' functionality, used as a file management option in QDL, generates an error that prevents the QDL process from executing.

Data Model (CSD-27226)

ID	Description
DEV-206280	When the user inserts a scenario with special characters (such as &,%,(,),-), when opening the periods linked to that scenario, CCH Tagetik will display a warning message.
DEV-210416	When the user has an account hierarchy with a special character (such as &, %, (,), -), when opening the relationships, CCH Tagetik will display a warning message
DEV-210414	when the user has an FST & KPI with a code including a special character (quale &, %, (,), -), when opening its elements, CCH Tagetik will display a warning message.

External Service Tools (CSD-329481)

ID	Description
DEV-210450	Login: with SQL Server database, users cannot access the application after making edits to the users list that occur too close together (less than 1 second apart)

Form (CSD-27197)

ID	Description
DEV-194731	Collaboration Office > Word Add-in. CCH Tagetik, using the Chromium-based communication engine, returns an error during login.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-208016	Admin > Tools > Query Analyzer: after updating, CCH Tagetik does not display the message about the number of updated rows.

Intelligent Disclosure (CSD-294894)

ID	Description
DEV-214896	In CCH Tagetik, the INTELLIGENT_DISCLOSURE_ADMIN and INTELLIGENT_DISCLOSURE_USER modules have been added to the NEW_INTELLIGENT_DISCLOSURE UserType

User Rights (CSD-127797)

ID	Description
DEV-205937	Admin> User rights: in the Restrictions tab, when the restriction on Analytical dimensions is made unrestricted or removed, CCH Tagetik does not clear the definition result table corresponding to the Analytical dimension.

Patch: 5.3.SP33.500

Application Platform (CSD-329482)

ID	Description
DEV-207995	Sometimes, for certain processes, the task duration displayed in the Audit tree screen is not consistent with the actual duration.

Consolidation settings (CSD-27182)

ID	Description
DEV-166982	Consolidation area deployment: CCH Tagetik calculates the Equity ratio % of the period with an incorrect approximation for the Entity.

Form (CSD-27197)

ID	Description
DEV-204547	Launch Report > Launch drill down on cell with formula: CCH Tagetik does not allow the drill down.

User Rights (CSD-127797)

ID	Description
DEV-204942	When modifying user rights restrictions, if the user code contains the character "#", then CCH Tagetik shows an error message.
DEV-210443	Admin interface > Setup & Admin > User rights: During the deployment of user rights for Custom Dimensions, CCH Tagetik does not write to the audit log in case of success or failure.
DEV-202075	User rights > Entity and Task restrictions: when the user filters the "Entity" field, CCH Tagetik returns an incorrect result.
DEV-199515	Setup & Admin > User rights > CCH Tagetik returns an error when deploying user rights, referring to the RIGHTS_DEST_TASK_NODE tables.

Patch: 5.3.SP33.499

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-168889	Consolidation area deployment. When: - the reference date for periodic minorities calculation is not Period end date - an Entity is owned by an Entity to be deconsolidated in the data processing period -the owned Entity has ownership structure register events in which the financial investment is transferred to another entity of the group, and these events fall within the data processing period but after the reference date for periodic minorities CCH Tagetik calculates an incorrect period equity ratio percentage for the owned Entity.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-203761	Financial investments data import > Import Financial investment values : when run with 2 scenarios/periods, the 'Import financial investment data into ownership structure register' group consolidation data processing correctly uploads the data for the first period/scenario but returns an error during the processing of the second.
DEV-204709	Group consolidation data processing > Formulas: In the presence of an MD script that writes on an Entity outside the run filter in the Entity data processing formulas, the formulas in the Group data processing behave unexpectedly.

Data Entry (CSD-27187)

ID	Description
DEV-204538	When deleting draft rows, CCH Tagetik shows error 500.

External Service Tools (CSD-329481)

ID	Description
DEV-204309	SCIM API > The Refresh Users from Repository data processing may fail if the API is executed multiple times concurrently.

Form (CSD-27197)

ID	Description
DEV-198058	When the user runs the Office Clients with unsigned .dll certificates, the antivirus may return a blocking message.
DEV-194722	Launch form > Launch Drill down: When the user performs two consecutive drill-downs, CCH Tagetik does not display the left task panel.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-170100	If the user has enabled email sending in the Process and manually launches Carry-forward on consolidation scenarios, CCH Tagetik returns an "Invoking auditor's listener" error
DEV-200560	Cockpit with dimension by step > 'Deployment' task with 'Data model - Analytical dimensions - Flat hierarchies' parameter enabled: when the user runs the task, CCH Tagetik does not run the data processing.

Repository (CSD-27215)

ID	Description
DEV-206015	Admin > Repository > Import/Export > Export: when exporting a database from PostgreSQL, the process fails if a table is included—e.g. PROSPETTO_XML—that contains BLOB fields whose size is disproportionately large compared to the number of rows.

Patch: 5.3.SP33.498

Analytic Workspace (CSD-27162)

ID	Description
DEV-202215	Setup & Admin homepage > Analytical Workspace tile > Select an AIH workspace > Create a new datasource from the "Virtual Dataset & Datasource" tab > Add a SQL query and save: saving an AIH datasource does not work correctly when there are numeric fields in the query.

Data Entry (CSD-27187)

ID	Description
DEV-205918	When the field is edited (e.g., notes), CCH Tagetik shows an error message related to the OID.
DEV-204029	Entity Journals Hub > Bulkloader: the user can modify the value of the Declaring entity field on Entity journals.
DEV-202207	Journals Hub > Bulkloader: in some unidentified cases, the currency/amount fields are not visible in the bulkbloader.
DEV-197499	Journals Hub: The bulkloader for data entry takes a long time to display validation errors.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-204076	AIH Process Hub on Legacy UI: When configuring ETL, CCH Tagetik does not allow data processing to be launched even though all fields are correctly configured. Specifically, the tabs indicate the presence of fields that have not been entered, and the "Run" button is not enabled.

Diagnostic Check (CSD-27194)

ID	Description
DEV-202602	Diagnostic: the users with $DEREPORT role cannot view the diagnostic results, as CCH Tagetik displays this error message: "Access denied."

Form (CSD-27197)

ID	Description
DEV-192976	Form: when an Ad-hoc form is overridden from another form, CCH Tagetik does not display the correct translation of the report.code script.
DEV-200811	Form with a dictionary type parameter as the run parameter: - on the web, the user cannot search by description. - on Excel, the user cannot search by either code or description.

Process Cockpit (CSD-27210)

ID	Description
DEV-202492	Cockpit with dimension by step > Download task attachments: if the connection URL does not contain the suffix "tagetikcpm", CCH Tagetik returns a blocking error.

Report Bursting (CSD-27214)

ID	Description
DEV-201804	Report Bursting > Launch Report: CCH Tagetik returns a warning.

Repository (CSD-27215)

ID	Description
DEV-202251	Repository > Import/Export DB > Import: importing data into a database with active data replication or CDC, if a TRUNCATE or Delete content function is run on one of the tables subject to data replication, the application returns an error.

User Rights (CSD-127797)

ID	Description
DEV-202494	SCIM API > when the association with a reference user is removed, this is not removed from the application database (User rights).

Patch: 5.3.SP33.497

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-202227	Area consolidation data processing > Conversion: if no preferred currency is defined in the configuration, CCH Tagetik generates an encrypted error.
DEV-182242	Area consolidation data processing - Rules Engine Designer: In the presence of: - a rule with a dimension definition row with an input accounts node - an input accounts node that contains variation accounts of a control group, but excludes the initial balance CCH Tagetik generates the row on the output account with an amount that includes the value of the initial balance variation.

Data Entry (CSD-27187)

ID	Description
DEV-195792	In the Entity journals hub and Consolidation journals hub, in case of a draft journal, the rows for calculation logics are not saved when saving a journal row.
DEV-200788	In the Entity journals and Consolidation journals hub, if the categories for the draft journals are not overridden in the process, then CCH Tagetik shows them as posted.
DEV-197249	Processes cockpit > Journals hub > Bulk loader: the window freezes when there are too many journals.

External Service Tools (CSD-329481)

ID	Description
DEV-201283	Audit profiles can access settings and general deployment.
DEV-199523	The User type on license report generates an error during execution.

Form (CSD-27197)

ID	Description
DEV-155216	Opening form from Excel: CCH Tagetik returns this error message: “No sheet generated”.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-202081	When accessing the Excel add-in using the old Internet Explorer-based engine, error pop-ups appear when viewing the login page.

Intelligent Disclosure (CSD-294894)

ID	Description
DEV-202064	In CCH Tagetik, the following three new UserTypes have been created: SBR_iXBRL, SBR_XBRL and NEW_INTELLIGENT_DISCLOSURE.

Master Data Management (CSD-27208)

ID	Description
DEV-194742	MDM > Import: when the SQL filter contains the word “FROM” within a string and not as an SQL keyword, CCH Tagetik returns a warning.

System Reports (CSD-27217)

ID	Description
DEV-192401	New UI, original and consolidated rows for consolidation journals are not displayed in case of descriptions with special characters.

Patch: 5.3.SP33.496

Analytic Workspace (CSD-27162)

ID	Description
DEV-199449	When the audit creates the details of a data processing in progress, this sometimes causes the data processing to fail.

Application Platform (CSD-329482)

ID	Description
DEV-201341	There is a malfunction that duplicates the tab in which the CPM is originally opened and prevents the home page from loading due to an infinite loop: when the user accesses a child page belonging to the Report & Analysis area, then accesses the Repository, and finally returns to the initial home page.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-200781	The “Use FX rates from ownership structure register” data processing does not appear in the data processing tree of a process in which the new consolidation is enabled.
DEV-200831	Consolidation area data processing: if the period length of the launch scenarios/periods is set equal to 0, then the data processing never ends.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-197801	Group data processing > Rules Engine Designer: in the presence of a rule with dimension definition rows with dynamic markup that contains a “% from consolidation area” object to be applied on original scenarios and Entity "from Context" filter, CCH Tagetik does not generate any rows.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-197267	Import Financial Investment data > Import Exchange rates: when the variation account has the "P&L" conversion method, the “Import financial investment data into ownership structure register“ consolidation data processing does not load the exchange rates into the ownership structure register events.

Data Entry (CSD-27187)

ID	Description
DEV-138385	Journals posting: when posting journals (enabled in the process journal rules), the diagnostic results check is not run if a journal was previously posted on a process that does not require such a check.

Data Processing (CSD-140432)

ID	Description
DEV-183865	Data processing > Data Cleanup > Data tables: when the user adds a filter on origin, CCH Tagetik does not show the ROC_RED origin in the lookup.

Diagnostic Check (CSD-27194)

ID	Description
DEV-195849	Diagnostic results log: among the filterable fields, there is also the “Balancing” field, which does not exist in the log.
DEV-195793	Draft journals submission: if, in the process submission rules, data locking is provided for the submission of journals, this lock is not applied to draft rows.

External Service Tools (CSD-329481)

ID	Description
DEV-199448	Audit > Database Logins Report: if the logged-in user has Region set equal to Dutch (Netherlands), then the contents of the “Last access date” column are not displayed.

Form (CSD-27197)

ID	Description
DEV-199413	CCH Tagetik does not allow the user to save a comment when there is incoherent data in the comments field of the partition.

IC Cockpit (CSD-27203)

ID	Description
DEV-184392	Some process pages do not open in the old UI, and process loading is slow.

Repository (CSD-27215)

ID	Description
DEV-199435	When errors occur during database export, in some cases, temporary files are not deleted correctly.

Supply Chain Planning (CSD-189667)

ID	Description
DEV-166799	If you approve multiple orders and change the quantity of only one of them in the PO Builder, the changed quantity is no longer applied to the first selected order.
DEV-147573	Only show records in the order rollup section of the A&O table if they have a source with a matching record name or have any nonzero orders in the row. Furthermore, when a user edits a record, the sources are not examined for any updates on child sources if there is no

ID	Description
	inventory in the record.

Patch: 5.3.SP33.495

Analytic Workspace (CSD-27162)

ID	Description
DEV-198209	When the user accesses the details of a data processing in progress, the list of details may sometimes be incomplete.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-194201	In the data processing tree of a process in which a new consolidation is enabled, the "Proportional percentage change" data processing appears. This is a data processing of the old consolidation engine.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-194420	Group Data Processing > Eliminate Financial investments from Ownership structure register: In the presence of: -an intragroup assignment event with linked purchase event - an Owned entity currency different from the Buyer entity currency CCH Tagetik does not generate the entry for restoring goodwill.

Consolidation settings (CSD-27182)

ID	Description
DEV-197539	Data processing > Basic consolidation > Mergers > Generic rules: the button for adding categories disappears after the user inserts some elements and therefore prevents inserting new category entries that are not yet present in the configuration.

Data Entry (CSD-27187)

ID	Description
DEV-197498	Journals Hub: the submission/rejection result window does not open automatically.

Data Model (CSD-27226)

ID	Description
DEV-134954	Setup & Admin > Dimensions > Entity dimension: the import/export function completes successfully, but the requested changes are not saved correctly.

Diagnostic Check (CSD-27194)

ID	Description
DEV-195778	Diagnostic results log on cockpit with dimension by step: in the consolidator step, when opening the log on the root, CCH Tagetik applies a filter by Entity rather than by consolidator node.
DEV-195860	Diagnostic results window: when the user utilizes filters, then CCH Tagetik does not update the filter icon.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-197722	Processes & Workflows > Process: When the user selects the locked tab, CCH Tagetik does not display the old locked processes.

Patch: 5.3.SP33.494

Analytic Workspace (CSD-27162)

ID	Description
DEV-176073	Setup & Administration > Analytical Workspace > Select a dataset > from the dataset tile, access the list of partitions > access the data of a partition: the csv export of AIH partitions with large amounts of data does not work correctly. It is strongly recommended not to use this feature in the case of very large partitions. A new function code 0004284 has been released to allow the export button to be disabled. It is necessary to launch the deployment of roles after installing the patch.

Application Platform (CSD-329482)

ID	Description
DEV-147942	The user rights for restricted analytical dimensions for reference users are not correctly deployed in case of external login from SAML.

Collaborative Office (CSD-27178)

ID	Description
DEV-194756	Admin > Collaborative Office > Documents> Import: when using the "Load remot file" mode to upload the file to be imported, the application returns an error and does not allow the user to import the file.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-194004	Data processing > Basic consolidation > Rules Engine Designer > on Consolidation scenarios > Element lists > Consolidation journals: when the user enables the "Write in same journal header" option and disables the "Enable carry forward Writing off for normal and detail accounts" option in a rule, then the data processing writes off the rows with "PRCO_RESTORE_RED" origin.

Data Entry (CSD-27187)

ID	Description
DEV-194763	In the Entity and Consolidation Journals Hub, the items relating to the posting of a journal are not always visible.
DEV-194758	Entity and Consolidation journals, data entry standard: the items relating to the posting of a journal are not always visible.
DEV-194754	The submission steps for the Entity journals of the consolidator are not shown in the Entity journals cockpit.
DEV-195904	Journals Hub > Bulk loader: the insertion of new headers that generate validation errors causes the data loading operation to fail, but CCH Tagetik does not return any useful error messages.
DEV-194684	Journal hub bulk loader: the draft rows validation returns error 500.
DEV-194682	Journal hub bulk loader: the rows are not sorted correctly.
DEV-194686	Journals Hub > Bulk loader: in some unidentified cases, copying empty cells from an Excel file turns them into cells containing a space.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-194003	Enabling the $AUDIT and $DEREPORT roles for a user incorrectly allows ETL requirements to be modified within a Process definition.

ID	Description
DEV-194704	ETL > Job > Parameters > when filling in the "Parameter value" field for a "Free" type parameter, the field does not accept values with spaces and removes any spaces that are inserted.

Data Processing (CSD-140432)

ID	Description
DEV-194708	Allocations and Closing > Routine > Rule > Detail: the "% to allocate" field can take the null value.

Form (CSD-27197)

ID	Description
DEV-194715	Form navigation > Financial Workspace > Drilldown: CCH Tagetik returns an encrypted error.
DEV-141621	Form Page: On the web, when the user launches a form containing one or more dictionary type parameters, CCH Tagetik only displays the descriptions without the code.

Process Cockpit (CSD-27210)

ID	Description
DEV-192117	Process with dimension by step: the first click on activities in user tools does not work.
DEV-194695	Cockpit with dimension by step > Step for Entity > Submission of a node with an element having an insignificant element: CCH Tagetik does not submit the node.

System Reports (CSD-27217)

ID	Description
DEV-182347	Without refreshing the page, the Interactive Entry View does not display data.

Patch: 5.3.SP33.493

Application Platform (CSD-329482)

ID	Description
DEV-166436	Every 20 seconds for each active .Net session, CCH Tagetik throws an error in the application logs.

Collaborative Office (CSD-27178)

ID	Description
DEV-166385	Admin > Collaborative Office > Documents> Import: when using the "Load local file" mode to upload the file to be imported, the application returns an error and does not allow the user to import the file.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-182188	In some cases, the Run diagnostic window from the cockpit with dimension by step does not correctly display the data process run options.

Data Entry (CSD-27187)

ID	Description
DEV-192163	The scenarios/periods combo of the Entity journals cockpit only shows the first 50 elements in the list.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-192453	ETL > Log: when exporting ETL logs, CCH Tagetik returns an error if the selected ETL routine run has a "Transformation" step, but no selected transformation.
DEV-183339	AIH Odata Api: when retrieving data of a Dataset containing numeric fields that exceed the limits of the Double type, CCH Tagetik returns these values represented in scientific notation.

Form (CSD-27197)

ID	Description
DEV-191274	The "ANALYTICALSCHEMA" cell field is not supported by CCH Tagetik, it is replaced by the "ANALYTHICALSCHEMA" cell field.

Process Cockpit (CSD-27210)

ID	Description
DEV-191321	Processes > Consolidator cockpit > Submission from workflow: if the “Submit also underlying nodes and Entity” option has been enabled on the submission task, this option is ignored, and the data processing is only run on the selected node.

Patch: 5.3.SP33.492

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-191895	Entity data processing > Equity pick-up: In the presence of a currency with a final FX rate and/or average FX rate set equal to zero, CCH Tagetik returns an error.

Data Processing (CSD-140432)

ID	Description
DEV-191782	Asset depreciation > Data processing > Postgres database: if the wrong time is specified as the start date of the period, then CCH Tagetik does not generate depreciations for the asset.

External Service Tools (CSD-329481)

ID	Description
DEV-183351	API SCIM > PATCH (Modify User): CCH Tagetik returns an error when associating reference users on an application database (if an association already exists).

Form (CSD-27197)

ID	Description
DEV-191871	When the user runs a form with a sequence of data processes, CCH Tagetik displays an error message. The details of the error are available in the process audit.
DEV-169738	Line-by-line Form: on forms with line-by-line matrices with the wrap text defined in Tagetik style on the rows, on web, both in Navigation and Data Entry, the autofit on the last row of the matrices is not applied.

System Reports (CSD-27217)

ID	Description
DEV-191837	System Report > Original gross amounts, Original IC amounts, Original journal rows, Entity journals > Headers, Consolidated amounts, Consolidation journals > Headers: CCH Tagetik returns a blocking error message.

Patch: 5.3.SP33.491

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-176034	Consolidator cockpit > Preliminary data processing > Preliminary on consolidation scenarios/periods: if the "Override carry forward categories" option is present, CCH Tagetik is very slow and terminates with a timeout error.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-182237	When running an ETL process that involves extracting files from an endpoint of type File (URL), CCH Tagetik is unable to complete the operation. The path used to retrieve the files is duplicated incorrectly and therefore prevents the correct retrieval of these files.

Form (CSD-27197)

ID	Description
DEV-176004	Logging: when updating the database, CCH Tagetik returns this error: "BatchUpdateException".
DEV-117035	Web form with multi-hierarchy parameters: if the "Allow lowest Level" and "Allow Node" options are enabled in the parameter definition, when the module is opened on the web, the users cannot select the higher-level element (Dimension).

Process Cockpit (CSD-27210)

ID	Description
DEV-182337	Cockpit with dimension by step > Download task attachments: CCH Tagetik returns a blocking error and does not download the data.
DEV-182194	Admin > Process > Process with dimension by step > Definition of the process > Journals mapping > Journals of the consolidator: when saving data, CCH Tagetik returns a blocking error.

Patch: 5.3.SP33.490

Analytic Workspace (CSD-27162)

ID	Description
DEV-165008	Audit / Run DTP task with loop: In case of a loop on activities that do not find any elements, CCH Tagetik displays this misleading message: “operations not run.”

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-150511	Consolidation data processing: in some unidentified cases, the balancing data processing takes a long time to complete.
DEV-148403	Concurrent data processing check: CCH Tagetik does not block running two consolidation processes at the same time, one run on a node and the other on Entities that belong to a child node not “to consolidate”.

Data Entry (CSD-27187)

ID	Description
DEV-162423	Processes > Edit window > Edit Entity and Consolidation journals on the process that manages draft journals: the posting and unposting of journals run calculation logics even if they are not active in the process.

Diagnostic Check (CSD-27194)

ID	Description
DEV-152553	Diagnostic results log: the lookups of Entities, Authorized entities and Ctp entities for Segment only display the Contributor entities.
DEV-152479	Diagnostic results log: in some cases, the columns with custom dimension information are not displayed on offline scenarios/periods.
DEV-151353	Diagnostic results log and Run Diagnostic window from the cockpit with dimension by step: the search in the plausibility rules lookup is case sensitive.
DEV-151929	Diagnostic results log: the sorting on the columns does not work if some rows are selected first.
DEV-150156	"Task Workflows" window, for a Multidimensional process, when the user selects the Diagnostic option, CCH Tagetik does not show the “Run diagnostic on nodes/underlying Entity” option.
DEV-147669	Diagnostic results log and Diagnostic results window on new UI: CCH Tagetik shows errors without a default sorting.

ID	Description
DEV-136000	Run diagnostic on the process with dimension by step window: the button to select all elements is missing in the lookup.
DEV-135999	Run diagnostic on the process with dimension by step window: the checks to be performed are all deselected by default.

External Service Tools (CSD-329481)

ID	Description
DEV-181931	Audit > Details: the user is unable to view the log of an operation marked as failed after restarting the CPM.

Form (CSD-27197)

ID	Description
DEV-110210	Web Form and Add-in: when opening the Form, the "Period" field is not set to the default value configured by the client and CCH Tagetik ignores the predefined value and leaves the field blank.
DEV-166344	Report List from Web: given a Report List, if the user only has an $AUDIT role and tries to save the settings, then CCH Tagetik displays an incorrect error message.
DEV-112580	Given a form opened in navigation mode on the web, in the statistics relating to form opening times, CCH Tagetik shows negative time values for some items.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-169759	Processes & Workflow > Processes: when the user accesses the page, the title is not displayed in the history of the new UI.
DEV-149981	Admin > Analytical Information Hub > Partitions detail: The user duplicates the tab and, in the second tab, opens the Query Analyzer to run any query. Then, in the first tab where he opened the partition, the page becomes completely blank.

Intelligent Disclosure (CSD-294894)

ID	Description
DEV-170032	Some modules are missing in the UserType INTELLIGENT_DISCLOSURE.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-162319	Cockpit with dimension by step > Step for Entity: even if all entities of a node have been excluded in the process, CCH Tagetik still shows the node in the cockpit tree.

Patch: 5.3.SP32.489

Application Platform (CSD-329482)

ID	Description
DEV-169961	When logging out, CCH Tagetik does not redirect to the page set in the “Customized URL for redirection after Logout” field on the external authentication page.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-169927	When the user launches the “Copy Consolidation” via Job with the "All" option on accounts and categories in advanced filters, CCH Tagetik returns an encrypted error on overridden FX rates in memory.

Form (CSD-27197)

ID	Description
DEV-169890	Given the “Run Data processing” option from General settings > Audit: after the user has opened a form in data entry, when saving a modified cell of the matrix to which an Entity node is applied as a filter, CCH Tagetik freezes when saving data.
DEV-166980	Drill through results > Apply excel filters > Launch new drill down > Excel filters are not refreshed.
DEV-154300	Given a multidimensional matrix with a submitted custom dimension among the form filters and with override dimensions, CCH Tagetik does not run the logic on submissions and this causes the cell to be editable on the submitted custom dimension.
DEV-133671	Ad-hoc Analysis: when a user launches the web drilldown, CCH Tagetik does not correctly apply the levels of any hierarchy.

Process Cockpit (CSD-27210)

ID	Description
DEV-176077	Cockpit with dimension by step > Run the diagnostic for lowest element submission: in case the entity to be submitted cannot be submitted, CCH Tagetik runs the diagnostic on all entities of the process.

System Reports (CSD-27217)

ID	Description
DEV-168803	When a user with a Consolidator role with active restrictions tries to open the interactive entry view report, the lookups of the Entity and Account filters do not open.

Patch: 5.3.SP32.488

Application Platform (CSD-329482)

ID	Description
DEV-163471	In a multi-node environment, changes to the defined external authentication are not reflected on all instances.

Collaborative Office (CSD-27178)

ID	Description
DEV-162605	Client Word > Utility > Export > Word: the export data processing terminates with the "Operation completed successfully" message. However, Microsoft Word freezes and prevents displaying or saving the exported document.

External Service Tools (CSD-329481)

ID	Description
DEV-169956	Audit > Details > Excel Export: CCH Tagetik fails to create a HYPERLINK (Excel) object for values that exceed 255 characters.
DEV-166847	Repository > Users & Roles > Users > User type on license: once the data processing is complete, CCH Tagetik does not display the information for the “User type on license” column correctly.

Patch: 5.3.SP32.487

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-167578	Preliminary data processing on original sources > Incoming mergers: In the presence of: - a process with Process data model type for account/category - running a data processing from job with the selection of the “All” option for all steps - running a data processing from job with the selection of steps (from cockpit and from job) CCH Tagetik does not generate the merger rows.

External Service Tools (CSD-329481)

ID	Description
DEV-163119	In the reporting component, the URL generated for data visualization does not include the filter parameter related to the authenticated user. As a result, the resulting query is not user-restricted, leading to the display of all processing records available in the system.

Patch: 5.3.SP32.486

Analytic Workspace (CSD-27162)

ID	Description
DEV-167016	Import AW: The user has a model in the "NOT FOUND" state, runs the AW import, and the model remains in the "NOT FOUND" state. However, the AW import completes successfully.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-166873	Area consolidation data processing > Generate converted: if the user runs periodic data processing on a single period, then CCH Tagetik does not generate converted records.

Consolidation settings (CSD-27182)

ID	Description
DEV-166784	The deployment of the consolidation area defines the “Consolidation type” field with the value 1 ("Calculated") on the deployed table, even though this is not a valid value.

Form (CSD-27197)

ID	Description
DEV-166475	Update Kendo license

Internal Service Tools (CSD-329480)

ID	Description
DEV-162915	Incorrect use of the license: CCH Tagetik incorrectly reports the presence of a user with "Admin Power BI Connector - Former Version" license.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-152236	Process & Workflow > Process: When the user navigates to the page, the main grid does not show horizontal and vertical scrollbars.

Process Cockpit (CSD-27210)

ID	Description
DEV-163553	Process cockpit for Entity > Select a high-level node that has a Form List task in the workflow. > Open the Form List task: CCH Tagetik takes a long time to open the window.

Patch: 5.3.SP32.485

Collaborative Office (CSD-27178)

ID	Description
DEV-132775	Setup & Admin > Collaborative Office > Documents > Update objects: updating Rich Text objects does not update the content control if the value read is an empty string or null.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-159894	Area consolidation data processing > Minorities: In the presence of: - periodic minorities calculation - Period 01 in the data processing - Equity ratio percentage not equal to the equity ratio percentage of the period CCH Tagetik generates an incorrect amount on the minorities and group Balance sheet net result account in period 01 of the scenario.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-163101	Group data processing: In the presence of: - a selection of consecutive scenarios - a Process with Dimension by Step and a single cycle CCH Tagetik does not run the data processes on scenarios after the first one.
DEV-147936	Utility > Generate depreciation plan: CCH Tagetik calculates a depreciation with an amount whose number of decimal places is not consistent with those of the currency.

External Service Tools (CSD-329481)

ID	Description
DEV-138064	The proactive monitor signals failed reports as exceeding a defined threshold.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-164685	Process > Process definition: the window is in Edit mode even in the case of a read-only user.
DEV-162135	Cockpit for Entity > Group with an optional task and a mandatory task: the color of the group is incorrect if the optional task is to be declared completed (blue) and the mandatory task has been declared completed (green).

System Reports (CSD-27217)

ID	Description
DEV-162658	Process cockpit > Process report > Journals book: in some unidentified cases, amounts are not formatted correctly.

Patch: 5.3.SP32.484

Analytic Workspace (CSD-27162)

ID	Description
DEV-162754	Setup & Admin > Analytical Workspace tile > Click on a workspace tile> Click on a dataset tile with offline status: in the AIH dataset definition page, the period dimension was not shown correctly in the dimension tree on the left side of the page.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-156756	Carry forward on consolidation scenarios: in the case of Postgres databases and many consolidation journals, the carry forward data processing now takes slightly longer to complete.

Form (CSD-27197)

ID	Description
DEV-154905	Opening Excel reports > more sheets are selected

Internal Service Tools (CSD-329480)

ID	Description
DEV-163040	CCH Tagetik returns an error while loading the license.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-148990	Data processing > Email models > Import from Excel: in case of rows with email event type equal to "Entity submission", CCH Tagetik returns a blocking error.
DEV-161489	Process > Copy and migrate: CCH Tagetik does not copy any attachments of the business workflow tasks.

Patch: 5.3.SP32.483

Analytic Workspace (CSD-27162)

ID	Description
DEV-157331	Run a DTP from Debug mode (Analytic Information Hub > Select AW to use > Click on the Data Transformation Package section > Select DTP to use > Click on Wizard menu > Click on Start Debug > Define launch parameters and click on OK). When the only parameter utilized in the DTP is a reporting parameter of dimension type, then CCH Tagetik returns an error.
DEV-159374	Admin > Analytical Workspace > Datasource: when saving a query in a Datasource connected to a PostgreSQL database, CCH Tagetik does not save the configuration.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-162373	Group consolidation data processing > Counterparty eliminations: In the presence of: - an IC elimination journal with a row on the Merger Entrance variation generated by the merger data processing (and the related row on IC amounts) - a transaction currency different from the currency of the elimination journal CCH Tagetik terminates with a blocking error using an Oracle database.

Form (CSD-27197)

ID	Description
DEV-154884	Report List from Web: given a Report List with an optional parameter left undefined in Select on the Excel add-in, when applying an override on it, CCH Tagetik does not take it into account.
DEV-157283	In the General settings > Form tab: when the "Enable all forms as web forms" and "Use optimization in report data entry" options are enabled and the user launches the form in Data entry, CCH Tagetik returns an encrypted error.

Infrastructure (CSD-27205)

ID	Description
DEV-159397	CCH Tagetik Endpoint configured with PGP is not able to manage signed files.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-155242	Deployment of an Entity process: CCH Tagetik deletes any data locking of insignificant lowest elements.

Process Cockpit (CSD-27210)

ID	Description
DEV-156537	Entity cockpit > Update status based on data: when the user runs the utility from a node, CCH Tagetik processes all the Entities of the process.
DEV-159969	Cockpit with dimension by step > Submission with the "Run data processing on submission" option enabled: if there is no Entity data processing enabled in the process, CCH Tagetik returns a blocking error that signals the problem preventing the submission.

Patch: 5.3.SP32.482

Collaborative Office (CSD-27178)

ID	Description
DEV-153904	Home > Collaborative Office: CCH Tagetik returns an error when opening the Collaborative Office window.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-152713	Group consolidation data processing > Counterparty eliminations: In the presence of: - an IC elimination journal with a row on the Merger Entrance variation generated by the merger data processing (and the related row on IC amounts) - a transaction currency different from the currency of the elimination journal CCH Tagetik does not calculate the Fx rate difference for the Merger Entrance variation.

Form (CSD-27197)

ID	Description
DEV-154900	Run report list via Web: the generated report does not consider the list separator character set in the form options.
DEV-152193	When the user tries to copy a cell using the “Drag&Drop” button, the matrix freezes.
DEV-152206	Open web form in Data Entry: CCH Tagetik shows an error message when opening the form.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-150370	CCH Tagetik does not allow the user to save special characters (such as Japanese text) in the "Quick Access" widget.

Internal Service Tools (CSD-329480)

ID	Description
DEV-151621	In the "User type on license" window, the report run by clicking on the “Run” button raises a “NullPointerException” exception.

Patch: 5.3.SP32.481

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-150501	Carry forward on consolidation scenarios: in case of an SQL server and very many consolidation journals, the carry forward data processing takes quite variable amounts of time to complete.

External Service Tools (CSD-329481)

ID	Description
DEV-152612	Audit > Details: the message for the Login operation (via SAML) is truncated if it exceeds 255 characters.

Form (CSD-27197)

ID	Description
DEV-150004	Report List from Web: given a Report List with parameters set to Select on the Excel addin, when the user clicks on the “Show all parameters” button and applies the search to one of the parameters shown, CCH Tagetik returns an error.

Patch: 5.3.SP32.480

Analytic Workspace (CSD-27162)

ID	Description
DEV-153885	Launch an activity group from the mono-dimensional cockpit: if there is also an "Export from AW - XBRL CSV format" task in the workflow, when the user clicks on “Run” button on the activity group, CCH Tagetik returns an error.

Collaborative Office (CSD-27178)

ID	Description
DEV-152929	Setup & Admin > Collaborative Office > Documents > Import: importing a document causes the loss of some data in the database relating to all existing documents.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-152640	Area data processing > Generate converted: In the presence of: - an ownership structure register event with event Fx rates - an IC amounts row for the net equity account inserted in the event - a “Use FX rates from ownership structure register” data processing is active CCH Tagetik correctly downloads the overridden Fx rate but does not apply it to convert the net equity row on balances with counterparties.
DEV-150582	Consolidation area data processing > Minorities: If the user: - selects several Entity nodes - launches several consolidation scenarios to which different Entities belong CCH Tagetik generates the minorities calculation journal with incorrect amounts (some Entity journals are not taken into consideration in the calculation).

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-149032	Group data processing > Rules Engine Designer: In the presence of: - a consolidation rule with 'Read from' = Amounts and Entity journals' option - an Entity that has Gross amounts (or rows of Entity journal without Ctp) - no rows on IC amounts and Entity journal with Ctp in which the Entity is declarant or counterparty CCH Tagetik does not generate the Rules Engine Designer journal.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-152733	When running an ETL containing an upload to DATI_SALDI_LORDI with the "Action detail accounts" advanced option active, CCH Tagetik returns a blocking error when the user exports the results of "Action detail accounts" to Excel.

Data Processing (CSD-140432)

ID	Description
DEV-148540	Admin > Data processing > Data Operations: when the user creates an element of the Forecast model type and defines the Formula field, CCH Tagetik does not allow saving data in the case of scripts with non-existent dimensional elements.

Form (CSD-27197)

ID	Description
DEV-150580	Report List from Web: given a Report List with Ad-Hoc parameters and an endpoint that is not configured as "personal report", when the user runs the Report List, CCH Tagetik returns an error.

Patch: 5.3.SP32.479

Collaborative Office (CSD-27178)

ID	Description
DEV-132575	Microsoft 365 systems with mandatory sensitivity labels do not allow saving excel files without labels and do not show the excel client for saving files: instead, they show an erroneous success message.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-149888	Balancing on consolidation scenarios: CCH Tagetik does not consider journal rows with PRCO_RESTORE_RED origin.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-150379	Entity data processing: Rule Engine Designer: in the presence of a very large dynamic markup formula, CCH Tagetik returns a blocking error.
DEV-150542	Entity RED: for Entities that are no longer in the execution plan of the scenario/period to run, the rows generated by the previous launch on the IC amounts are not deleted.

Data Processing (CSD-140432)

ID	Description
DEV-148949	Admin Data Processing > Data Operations: when the user clicks on the "Export for import" button and adds a new row to the Excel file that is identical to the previous one, saves and loads the file via the "Import from Excel" button, then CCH Tagetik returns an error.

Diagnostic Check (CSD-27194)

ID	Description
DEV-150456	Diagnostic results log on old UI: if the user selects Entities and nodes simultaneously, then CCH Tagetik does not allow the user to view the log.
DEV-148584	Diagnostic results log on new UI: if the function for displaying the diagnostic result is disabled in the user role, then CCH Tagetik returns an error when opening the results log.
DEV-150005	Diagnostic results log: CCH Tagetik displays an error when opening the journal on an entity for which only unbalanced amounts that were corrected are present.

Form (CSD-27197)

ID	Description
DEV-124895	Intercompany Data Entry: the user is unable to access the prompt for Edit IC. This is due to the fact that the corresponding button is disabled.
DEV-148627	If the user opens a form via the hyperlink feature from another form and then closes it using the same hyperlink feature, CCH Tagetik displays the original form along with the following message: "it's necessary to close the windows in the foreground in order to continue".
DEV-149025	Given a form with 2 transactional matrices on the same sheet that writes to the same dataset, if “description” is set as the display mode in a field of the dataset, then when the user saves the form after writing to that field in both matrices, CCH Tagetik displays the following error message: "Cannot find code from description".

Internal Service Tools (CSD-329480)

ID	Description
DEV-148609	Every 10 minutes a license violation pop-up appears because two "ESG: Corporate Sustainability Reporting Directive" administrators are detected, and the license issued with version 5.3.25 contains two "ESG- CSRD" administrators.

Master Data Management (CSD-27208)

ID	Description
DEV-141108	Master Data Management: if the user inserts a “$|SCENARIO_PERIODO - Scenario – Periods list” table in an elements list and runs the routine, then CCH Tagetik returns a blocking error for the “SCENARIO_PERIODO_EPU” table.

Repository (CSD-27215)

ID	Description
DEV-150177	Admin > Repository > Import/Export > Import: when importing several files, once the target database is selected, the “Tables with CLOB fields with bulk insertion” combo box is not filled correctly: it is only filled with the tables of the first file examined.

Patch: 5.3.SP32.478

Analytic Workspace (CSD-27162)

ID	Description
DEV-147834	Given an analytical workspace with several forms in its corresponding folder, when the user clones this analytical workspace using the appropriate tool and includes its forms in the cloning process, then CCH Tagetik shows the cloning process as failed.

Application Platform (CSD-329482)

ID	Description
DEV-148024	The OPENID option is not visible in the combo box on the external configuration page, even though the system property is configured.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-148381	Area consolidation data processing: In the presence of: - Amount rows on proportional, converted and consolidable amount types for an Entity that no longer belongs to the Area consolidation (generated from a previous launch when the Entity was present in the Consolidation area) - Selection of all nodes CCH Tagetik does not delete the rows generated by the previous launch.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-147817	Group data processing > Eliminate Financial investments from Ownership structure register: In the presence of: - an intragroup assignment event with a related purchase event - Owned entity currency different from the Buyer entity currency In the journal for revaluing the goodwill (ELIAFI prefix), CCH Tagetik generates the goodwill account row (downloaded to the disposal event elimination journal) with the amount in Entity currency and the amount in Transaction currency set equal to the Owner entity currency rather than the Owned entity currency.

Data Model (CSD-27226)

ID	Description
DEV-148125	The API that allows the user to modify datasets in some cases leaves an incoherent state.

Intelligent Disclosure (CSD-294894)

ID	Description
DEV-148621	The IXBRL module is now associated with the userType "XBRL for ITA".

Regulatory Reporting (CSD-27213)

ID	Description
DEV-149872	The zip file produced in FilingIndicator.csv and parameters.csv contains formats that do not comply with XBRL standards.

Patch: 5.3.SP32.477

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-148272	Entity & Group data processing > Financial Investment Reclassification: in the presence of a carry forward row, CCH Tagetik generates unexpected rows.

Data Model (CSD-27226)

ID	Description
DEV-148081	Select a Db Repository > General settings > System Localization > Configuration language > Add two identical languages > Select Application Db > Dimensions: the page displays an error.

External Service Tools (CSD-329481)

ID	Description
DEV-148467	Audit > Log detail: if there is a very long message, CCH Tagetik truncates it to a maximum of 255 characters.

User Rights (CSD-127797)

ID	Description
DEV-148268	User rights > menu > the user selects the “User Rights Report”: in the Select users window, CCH Tagetik returns an error when the user filters the description field by the character "*".

Patch: 5.3.SP32.476

Analytic Workspace (CSD-27162)

ID	Description
DEV-147888	When the user runs a job that contains a larger number of DTPs, CCH Tagetik returns a null pointer error.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-147760	Consolidation area data processing > Generate consolidabile: In the presence of: - a “by Entity/synthetic custom dimension 2” type relationship - an Entity that changes the consolidation method from “Equity” to “Line-by-line” CCH Tagetik generates rows of the change consolidation method (CONS_EQUITYEVAL_CHANGE) with custom dimension 2 Ctp and custom dimension 2 Ctp segment not defined.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-147663	Consolidation group data processing > Rules Engine Designer: In the presence of: - a journal generated by a RED rule with the “Run Basic calculation logics” option active - carry forward rows of the RED (PREL_RESTORE_RED origin) on accounts of normal or detail type CCH Tagetik generates rows with incorrect amount for accounts of normal/detail type and Balance sheet, Other stocks or Guaranties & Commitments nature.
DEV-137921	Group data processing > Counterparty eliminations: In the presence of: - a “by Entity/synthetic custom dimension 2” type relationship -an elimination rule with the “Generate Balancing with Counterparty” option enabled and the “Custom dimension 2 for balancing” option set equal to “Default Entity” - an elimination row with an Entity different from that selected for balancing CCH Tagetik generates incorrect balancing rows with the custom dimension 2 Ctp.
DEV-147273	Consolidation group data processing > Counterparty eliminations: In the presence of: - a reconciliation account on a variation account to be converted at a different FX rate from

ID	Description
	the parent account - an elimination journal with journal currency different from the transaction currency specified on the “Variation – Detail” type CCH Tagetik does not calculate the FX rate difference for the reconciliation account row.

Data Entry (CSD-27187)

ID	Description
DEV-147679	Process with dimension by step > Entity and Consolidation journals: the journals submission generates an encrypted error.

Form (CSD-27197)

ID	Description
DEV-96985	Form on financial workspace: using a FST formula entry with the “onScenarioPeriod” function with a consolidation scenario, CCH Tagetik displays duplicate values with the in-memory engine.
DEV-147823	When launching a Form, if the "Don't repeat the clone header in each row/column" option is enabled in the matrix options, the matrix clone headers should not be repeated. Furthermore, if the Segment is set to "by Segment" in the matrix wizard, then the segment header description is repeated as "SEGM" for all headers.
DEV-147818	Report List from Web: In presence of a scheduled Report List in "Reserved" state, when the user runs a manual launch, CCH Tagetik returns an error message.
DEV-141171	Report List from Web: when the user tries to expand a parameter tree, CCH Tagetik takes a long time to open it.
DEV-140907	Report List from Web: Given a user without access to the Repository, when the user modifies the Settings of a Report List and applies it, CCH Tagetik returns an error message.

Master Data Management (CSD-27208)

ID	Description
DEV-148291	Admin > Repository > MDM > Run > Export: when running an MDM export that should produce a file, the data processing, even though it completes correctly, does not make the created file available on the Windows Server.

System Reports (CSD-27217)

ID	Description
DEV-147690	Consolidator cockpit > Process report > F.I./Net equity analysis: the report returns an encrypted error message.
DEV-147496	Preferred filters: if the GDPR is enabled, any preferred filters saved by the user do not work anymore.

Utility (CSD-27222)

ID	Description
DEV-147948	Concurrent data processing check: CCH Tagetik blocks the diagnostic run on an Entity, if the Entity belongs to a node “to consolidate”: even if the “run data processing on diagnostic” option is not active. Furthermore, if the “run data processing on diagnostic” option is active, CCH Tagetik does not block the diagnostic run if the Entity belongs to a node not “to consolidate”.

Patch: 5.3.SP32.475

Analytic Workspace (CSD-27162)

ID	Description
DEV-145141	Import AW: When user tries to import an AW containing a model with parameters, but the model should not be imported due to a restriction, then the import fails with error due to the “OWS_ML_MODEL_PARAMETERS” table.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-141528	Consolidation area data processing > Conversion: In presence of: - Periodic conversion - Consolidation adjustment with a Normal or P&L account - an Override entry on the previous period CCH Tagetik returns an encrypted error.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-145436	Group consolidation data processing > Eliminate Financial investments from Ownership structure register: In presence of : - a "by Entity/synthetic custom dimension 2" type relationship

ID	Description
	- an event of “Initial consolidation - with control - Full goodwill” type CCH Tagetik generates the Full Goodwill rows with the custom dimension 2 Ctp Segment not defined.

Data Entry (CSD-27187)

ID	Description
DEV-141547	Consolidation journal rows window in SQL Server environment: if the user is restricted on the Entity dimension and/or applies the "Exclude Result accounts and Variation" filter, CCH Tagetik takes too much time as to block data loading and may return an error.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-147328	Endpoint > Odata: When attempting to connect to OData with OAuth2.0 authentication, in some cases authentication fails even though the credentials are correct.
DEV-141206	Cockpit with dimension by step > Execution of a group containing a task of "Run ETL" type: CCH Tagetik returns a blocking error.

Form (CSD-27197)

ID	Description
DEV-147501	Word > Insert object from Form > Matrix as Table: CCH Tagetik does not render the word table correctly.
DEV-145405	Report List from Web: when the user inserts the ${$Entity.code} script in a single file Report List, CCH Tagetik does not return the correct translation.
DEV-136065	Multidimensional process > Open form from workflow on Entity node > DTP data processing when saving the form > Audit: CCH Tagetik returns this error: "invalid code".

Master Data Management (CSD-27208)

ID	Description
DEV-147250	MDM > Import: during the import of an MDM, CCH Tagetik returns a warning about duplicate rows in the “RIGHTS_TASK_DEF” table, even when there are no duplicate rows.

Patch: 5.3.SP32.474

Admin Tools (CSD-27157)

ID	Description
DEV-114179	In a multi-server environment, a scheduled ETL is correctly run and recorded in the audit but remains in the running state in the scheduling window.

Analytic Workspace (CSD-27162)

ID	Description
DEV-130618	Contributor cockpit: the run of a task group with a DTP that utilizes the cell field $ {$Entity(HIERARCHY("$")).parent.code} is not translated correctly.
DEV-143678	When creating a new user, by going to: Repository > Users and Roles > Users and Roles mapping > Restrictions on the Application DB defined with "Restricted on all dimensions", CCH Tagetik does not restrict the default analytic dimensions.
DEV-143986	DTP Audit: if the user modifies an operation, the DATA tab of the audit does not correctly report the changes made to the operation. In particular, the “STRATEGIA_ESECUZIONE (Run strategy)” field is always incorrectly modified.

Application Platform (CSD-329482)

ID	Description
DEV-140934	In case of a role with the function R000024 in read-only mode, CCH Tagetik does not allow the user to access the credential creation page since the function codes of "data processing" type defined in read-only mode are considered disabled.
DEV-137502	In some cases, the launch of data processes leads to unexpected failures when they are run.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-141271	Consolidation area data processing – Generate consolidabile: In the presence of: - a Consolidation journal with “Eliminate” Equity evaluation method - an Entity of the journal header has the “Equity” consolidation type in the carry forward scenario/period and the “Line-by-line” consolidation type in the data processing scenario/ period - the journal has Carry forward rows on the Consolidable amount type CCH Tagetik generates incorrect rows for accounts that have the carry forward rows on converted amount type. (CONS_EQUITYEVAL_CALC origin for rows on normal and detail accounts and CONS_EQUITYEVAL_CHANGE origin for the rows on variation type accounts)

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-132288	Entity data processing > Deferred taxes: In presence of: - two (or more) taxes with the same output accounts and different input accounts - a journal with carry forward rows on both output accounts of the Fund taxes and Credits CCH Tagetik generates incorrect tax rows. In particular - tax calculation rows are not generated on normal accounts (only write off rows of the carry forward amount are generated) - the row on variation account with "Open account: annual variation" notes is generated on the wrong Fund/Credits account.

Data Entry (CSD-27187)

ID	Description
DEV-129455	CCH Tagetik does not utilize the correct decimal separator in the Entity journals section.
DEV-134895	Process by Entity > Select an Entity > Select an Entity journals task and run it. In case of read-only tasks, the “Entity journals” window is not opened in read-only mode and therefore allows journals to be added or edited.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-125445	Repository > General setting > Audit: when the “Data processing run” option is disabled and the user launches some data processes (such as ETL, etc.), then CCH Tagetik returns an error.

Data Processing (CSD-140432)

ID	Description
DEV-133258	The API that calls a job that includes a stored procedure takes too long to start the stored procedure data processing.

Diagnostic Check (CSD-27194)

ID	Description
DEV-129637	Diagnostic result run with “Show the code of the form on the error row” option: when the user selects a row in the errors detail window in which a form is present, CCH Tagetik automatically selects also the other rows related to the same error, but on different forms.

ID	Description
DEV-126667	Diagnostic result run with Diagnostic log update: In the errors detail window that is opened from the cockpit, the “Comment error” menu item is disabled in case the related function is enabled in read-only mode in the user role.
DEV-125946	Diagnostic: if, from history, the user opens a diagnostic result that is no longer available, then CCH Tagetik signals an http error.
DEV-131052	Diagnostic result run with the "Update log" option: when the user opens the comment management window, any filters applied and any selected rows are lost when returning to the error detail window.

External Service Tools (CSD-329481)

ID	Description
DEV-139821	When inserting an audit row and the “data processing” column has no value, CCH Tagetik saves an empty string (""). For Oracle databases, the empty string is considered NULL by default. NULL values can only be dealt with using the IS NULL and IS NOT NULL operators; they are not included in any other filter type.

Form (CSD-27197)

ID	Description
DEV-140729	User Interface > Report List: if the user selects a Report list with a form containing an overridden ad-hoc parameter, then CCH Tagetik returns an error.
DEV-139932	Report List from Web: when the user changes the language of the descriptions in the user settings, the parameter description does not change according to the selected language.
DEV-140927	User Interface > Report List: if the user generates a Report list in separate files, CCH Tagetik adds a sequential number to each file generated, even if there are no forms with the same code.
DEV-137774	When the user copies part of a matrix from a web form, CCH Tagetik does not copy the report format together with the style.

Process Cockpit (CSD-27210)

ID	Description
DEV-131781	Processes > Home page: CCH Tagetik does not show the tile of a process with single business cycles, where all the scenarios/periods are locked and some scenarios are not active.

Patch: 5.3.SP31.473

Analytic Workspace (CSD-27162)

ID	Description
DEV-142168	Multidimensional process: when the user launches an ML data process from the node and the step manages an analytical dimension, then CCH Tagetik returns an unexpected error during the training.

Form (CSD-27197)

ID	Description
DEV-139930	Launch Report List > Generate PDF > Incorrect column width and cell borders
DEV-143677	Saving forms in Data Entry > Audit: the system does not save log information correctly to the database.
DEV-145153	When logging into CCH Tagetik from Excel in an infrastructure that includes an IDP (Identity Provider) and a WAF (Web Application Firewall) for traffic regulation, the operation does not complete correctly, opening the web application in the login window.

Internal Service Tools (CSD-329480)

ID	Description
DEV-144047	Incorrect usage of the license: a user with the "Admin Power BI Connector - Former Version" license was detected.

Repository (CSD-27215)

ID	Description
DEV-140908	Admin > Repository >Import/Export > Export: if the Export is run with more than one thread and the ANALYTICAL_TABLES node is included among the selected tables, then the Export does not work correctly.

Patch: 5.3.SP31.472

Data Model (CSD-27226)

ID	Description
DEV-142205	CCH Tagetik > Select Application Db > Dimension > Application Language is English > Analytic dimension tab with title in Italian: the tab name is only [NA].

ID	Description
DEV-143055	CCH Tagetik > Select Application Db > Dimensions: CCH Tagetik returns an encrypted error.

System Reports (CSD-27217)

ID	Description
DEV-141377	System report > Interactive Entries View: the Interactive Entries View functionality is not displayed correctly for users with the “$CONSOLIDATOR” role, but only for users with the “$ALL” role.

Patch: 5.3.SP31.471

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-141146	Preliminary data processing on original scenarios > Deconsolidation from the previous period: In the presence of: - The current period is related to a Process that is different from the Process of the previous period - A consolidation journal row in the previous period on a variation account or P&L account, with row Entity currency different from the Entity currency during the data processing - The Entity row has not changed the currency with respect to the previous period CCH Tagetik generates the copy row during the data processing with the Entity currency amount converted into Entity currency during the data processing.

Data Model (CSD-27226)

ID	Description
DEV-140142	CCH Tagetik > Select Application Db > Dimensions: the name of the tabs follows the Description language and not the Application language.

SP_445_470

Patch: 5.3.SP31.470

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-116200	Entity data processing > Equity pick-up: In the presence of - a pick-up journal with carry forward rows for an input net equity account in the pick-up rules

ID	Description
	- child variation accounts of the net equity account that belong to more than one variation type control group and the control group with the higher code does not belong to the process in progress then CCH Tagetik does not generate the FX rate difference variation on the carry forward amount.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-131183	Group data processing > Eliminate Financial investments from Ownership structure register: in the presence of two events of Intragroup assignment with the same related purchase event, in the journal for goodwill reconstitution (ELIAFI prefix), CCH Tagetik generates a double amount row for the reversal of goodwill calculated in the elimination journal of the linked purchase event.
DEV-138053	Group data processing > Deferred taxes: In the presence of: - a relationship type of the process is by Entity/Synthetic custom dimensions 2 - a consolidation journal with carry forward rows on a “Debits for deferred taxes” or “Credits for Prepaid taxes” normal account CCH Tagetik generates the carry forward write-off row with values of “Custom dimension 2” and “Ctp custom dimension 2 for Segment” fields swapped.

External Service Tools (CSD-329481)

ID	Description
DEV-140780	The presence of special characters within an audit row causes an exception.

Form (CSD-27197)

ID	Description
DEV-122869	Audit on process with dimension by step > Saving an open an Excel form from workflow: the times reported in the audit are longer than the actual duration.
DEV-140910	Report List: When launching from the web, when a font with decimal size (e.g. Arial 6.5) is inserted, it gets generated using the smallest integer size (e.g. Arial 6).

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-136368	New UI > Data processing in progress panel: CCH Tagetik displays an incorrect lapsed time since the launch of the data processing.

Process Cockpit (CSD-27210)

ID	Description
DEV-140084	Machine Learning in a Process with dimension by step: When the user wants to run a train process with parameters from a multidimensional process, the Run button is not enabled, and the user cannot run the train.

User Rights (CSD-127797)

ID	Description
DEV-136494	Admin > User rights > Copy user restrictions and settings from another user: CCH Tagetik copies the fields of the References management panel.

Patch: 5.3.SP31.469

Analytic Workspace (CSD-27162)

ID	Description
DEV-138489	If the user uses loading via QDL and Data Source Mapping, CCH Tagetik does not allow the management of case insensitive ZIP extensions.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-118379	Area consolidation data processing In presence of: - an Entity with the “Only Consolidator data” option active - without carry forward rows of amounts or Entity journals on the original scenario - with input rows of amounts or Entity journals on the original scenario CCH Tagetik does not generate data on the consolidation scenario.

Consolidation settings (CSD-27182)

ID	Description
DEV-134509	Consolidation area deployment: In the presence of: - an Entity to be deconsolidated in the data processing period - period minorities calculation with events excluded in the previous period in which the Entity was not to be deconsolidated CCH Tagetik calculates the Period equity ratio % and the period Actual F.I. % equal to the respective periodic percentages of the previous period (instead of equal to the cumulated percentages).

External Service Tools (CSD-329481)

ID	Description
DEV-139863	Repository: it is not possible to view the functions and modules or system roles. It is also not possible to define custom roles if the license contains the following user type NEW_ESG_DISC.

Form (CSD-27197)

ID	Description
DEV-129985	Given a form with two input parameters, one depending on the other, the dependent parameter has the “Automatically define parameters if omitted at the start” flag enabled. When the form is run via the Excel client or the web, CCH Tagetik does not automatically set the parameter with the active flag.
DEV-139936	Launch Report List: CCH Tagetik returns this error: "NullPointerException".
DEV-140108	If a word wrap is applied to a matrix every time the user leaves a cell with multiple selections, the cell height is resized incrementally.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-139055	Process > Definition > Manage status > Restore: if the user restores a processes without scenarios/periods, CCH Tagetik returns a blocking error.

Process Cockpit (CSD-27210)

ID	Description
DEV-138360	Consolidator cockpit > Consolidation scenarios tab: CCH Tagetik shows red traffic lights after running the consolidation data processes.
DEV-137905	Cockpit with dimension by step: Run of a group formed by data processing tasks only with automatic Task is Complete: during the second run, CCH Tagetik returns a blocking error.

Supply Chain Planning (CSD-189667)

ID	Description
DEV-136461	The exception was due to a faulty configuration of the jobs the on CPM and SCP.

System Reports (CSD-27217)

ID	Description
DEV-129775	Consolidation cockpit > Process report > Financial investments/Net equity analysis: the report does not display information about the current scenario/period if the Entity does not exist in the consolidation area of the previous scenario/period.
DEV-137250	Journals book: the report in PDF format does not correctly display the journal notes if they contain special characters (non-ASCII).

Patch: 5.3.SP31.468

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-134955	Carry forward on consolidation scenarios: given a process with consecutive scenarios, the sequential carry forward data processing on successive years takes a very variable amount of time.

Data Entry (CSD-27187)

ID	Description
DEV-123926	Entity journals/Consolidation journals: the "Open Journal headers in the following periods" utility does not copy all the fields of the source header.

Data Model (CSD-27226)

ID	Description
DEV-137323	Setup & Administration home page > Dimensions > Entity > Select 'Time dependent management': CCH Tagetik does not allow the user to add a new element to the elements list when the "Financial Consolidation" option is disabled.

Data Processing (CSD-140432)

ID	Description
DEV-134165	Admin > Data processing > Calculation logics > Elements list: when the user creates a calculation logic of Custom Md type and defines the Formula field, CCH Tagetik allows saving scripts with non-existing dimensional elements.

Form (CSD-27197)

ID	Description
DEV-137567	When launching a Form, if the "Don't repeat the clone header in each row/column" function is enabled in the matrix options and the Segment is set to "by Segment" in the matrix wizard, then the segment header description is repeated as "SEGM" for all headers.
DEV-136427	User Interface > Report & Analysis: when the user selects an SFTP endpoint as a Personal Report, and clicks on a Report List, CCH Tagetik does not show any file in the Generated Files tab.

Infrastructure (CSD-27205)

ID	Description
DEV-137874	Tagetik Data Loader: if the server does not send any kind of response to the polling requests, the Tagetik Data Loader freezes and must be restarted.

Patch: 5.3.SP31.467

Application Platform (CSD-329482)

ID	Description
DEV-131478	Repository admin homepage: CCH Tagetik returns a yellow banner with the following message: "Logging system not configured" even in cases where log4j is installed correctly.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-135586	Area consolidation data processing > Generate converted: In presence of: - an Entity to be deconsolidated with “Initial balances” in the data processing period and in the previous period - Deconsolidation variation to be converted at period average Fx rate CCH Tagetik converts the cumulated amount of the deconsolidation variation by applying the period average Fx rate of the data processing period: instead of considering the amount converted of the previous period.

Diagnostic Check (CSD-27194)

ID	Description
DEV-136011	Process with dimension by step > Utilities > Diagnostic: when the user selects one or more categories, CCH Tagetik does not include them in the calculation of the result.

ID	Description
DEV-136003	Process with dimension by step > Utilities > Diagnostic: when the user selects one or more contributor/consolidation nodes, CCH Tagetik returns a validation error regarding the values of the passed codes.

Form (CSD-27197)

ID	Description
DEV-132198	Reports and analytics > Custom reports: when the user clicks on the “Browse all” button and selects a form from the tree on the left, if the form requires launch parameters and has code containing parentheses, CCH Tagetik does not display the correct window for entering the parameters but that of a form with a similar name without the parentheses.
DEV-112120	The Cache folder path configuration from addin options does not allow the insertion of environment variables and returns an error. Furthermore, using them from the appSettings.xml file causes an error when logging in with the new communication mechanism.
DEV-136460	Login > the Taiwanese language is not supported.

IC Cockpit (CSD-27203)

ID	Description
DEV-135646	Edit Reconciliation accounts on process with “by Entity/Custom dimension 2” relationship type: if the codes of the Entity and Counterparty entity have the same root and the user tries to insert/edit the Reconciliation accounts, then CCH Tagetik returns this error: "Row: invalid value".

Infrastructure (CSD-27205)

ID	Description
DEV-132244	Repository > Endpoint: when the user tries to configure a URL type endpoint with a Samba type connection, the connection test fails if the selected directory is mounted on a Distributed File System (DSM).
DEV-135731	Quick Data Loader and Datasource Mapping: when loading a file using an endpoint configured for PGP encryption, CCH Tagetik returns an error if a file with .pgp extension is specified.

Process Cockpit (CSD-27210)

ID	Description
DEV-132284	Process cockpit of Entity > Optional task group: the color of the group is wrong at random.

Report Bursting (CSD-27214)

ID	Description
DEV-133728	When the user selects a list of lowest level elements from a hierarchy, the Report Bursting ignores the filter when the form is launched.

Patch: 5.3.SP31.466

Analytic Workspace (CSD-27162)

ID	Description
DEV-133519	Admin homepage > Analytical workspace tile > Select a workspace: The AIH dataset homepage of a workspace may lead to a general application slowdown.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-131365	Area data processing: Rules Engine Designer: in the presence of: - a Hana database - a complex condition CCH Tagetik consider the condition to be always true and then generates incorrect rows.
DEV-135004	Consolidation area data processing > Rule Engine Designer on Consolidation scenarios: in the presence of: - Process Data Model by account - many output accounts (1000+) of RED rules in execution CCH Tagetik returns an encrypted error.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-132111	Consolidation > Entity data processing: If the Look Through data processing is enabled but the relevant settings are missing, CCH Tagetik does not launch the data processing and does not generate any error message.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-132822	Consolidation > Group data processing: if the elimination rule used has an undefined balance threshold amount, then CCH Tagetik does not launch the data processing and returns no error.

ID	Description
DEV-131268	Group data processing > Eliminate Financial investments from Ownership structure register: In the presence of: - an Entity relationship with an initial consolidation event and a deconsolidation event in a subsequent period of the same scenario - an elimination logic with Goodwill var. - detail types different from the Area variation and Modify % In the elimination journal of the deconsolidation event, CCH Tagetik does not generate the write off row of the goodwill calculated in the journal of the initial consolidation event.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-129917	Consolidator cockpit > Utility > Copy consolidated amount on original amount: the copy also reads the rows with PRCO_RESTORE_MIN origin.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-134713	Quick Data Loader: if in the parametrization step of a Quick Data Loader or a Datasource Mapping with “Source type” set to File and the “File management type” field set to “Delete” when available, the data processing, both in case of Quick Data Loader and Load to AW, returns an error due to the impossibility of deleting the original file.
DEV-135329	ETL and Quick Data Loader: the checks on script and custom SQL fragments run to verify the use of prohibited tables and/or functions in the case of Postgres databases cause errors (e.g. in the presence of square brackets).
DEV-135904	ETL: when loading data to a table created by the ETL, CCH Tagetik returns a blocking error.

Form (CSD-27197)

ID	Description
DEV-132275	Given an open form in Excel or Web: when the user downloads all comments and attachments using the appropriate tool, CCH Tagetik shows an error.
DEV-135735	In Data entry on multidimensional matrices that operate on AIH datasets, the change sign is not run in the data saving step.
DEV-135516	Data entry form: when the user opens a form that contains different templates containing AIH matrices, CCH Tagetik generates an error of this type: "the matrix with code Matrix00 is not an AIH matrix".

IC Cockpit (CSD-27203)

ID	Description
DEV-134014	IC cockpit: in some cases, CCH Tagetik takes a long time to display the IC cockpit for an Entity node.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-134679	Process with dimension by step > Deployment: CCH Tagetik does not run the execution plan of the ETL and Allocation & Closing.
DEV-134863	Process > Deadlines: when the user runs the “Shift dates” utility, CCH Tagetik returns a blocking error if there is no defined “Settings submission” of the source scenario/period.

Process Cockpit (CSD-27210)

ID	Description
DEV-134635	Cockpit with dimension by step > Lowest level elements pending submission/approval > Form task: saving the form incorrectly changes the color of the form task.

Patch: 5.3.SP31.465

Analytic Workspace (CSD-27162)

ID	Description
DEV-134705	Analytical workspace > Data transformation package > Menu wizard > Loop: it is not possible to save a query that contains the following syntax: "${DATASETPARTITION..."

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-134155	ETL and Quick Data Loader: the checks on script and custom SQL fragments run to verify the use of prohibited tables in the case of Postgres databases does not work correctly and cause errors on other Vendor databases.

Form (CSD-27197)

ID	Description
DEV-122736	Addin Tagetik .NET > Launch ReportList: CCH Tagetik returns this error message: "Deployment has generated more than 5000 elements. It's not possible to run the report."

User Rights (CSD-127797)

ID	Description
DEV-134050	Admin homepage> Analytical Workspace > Select a workplace tile > Dataset tab > Open the AIH partitions list window of an online dataset > Select a partition and open the partition data window: CCH Tagetik does not apply the user restrictions correctly.

Patch: 5.3.SP31.464

Analytic Workspace (CSD-27162)

ID	Description
DEV-133572	AIH > Export AW: when exporting an Analytical Workspace to a database with Postgres, an anomalous increase in memory is recorded depending on the amount of exported data.

Application Platform (CSD-329482)

ID	Description
DEV-132188	In some cases, the customization of the home page background does not work correctly.

Diagnostic Check (CSD-27194)

ID	Description
DEV-133481	Submission from cockpit with dimension by step: if the plausibility diagnostic is active in the process and there are rules with an incorrect parametrization of the scenario/period, then CCH Tagetik returns an error.
DEV-133406	Diagnostic: the check of mandatory notes does not work on Intercompany amounts.

Direct Taxes (CSD-27192)

ID	Description
DEV-132279	Data processing > Taxes > Taxes setup: even if the "Cash Flow Planning" process is disabled in the general settings, CCH Tagetik displays the "Direct tax - Payments" tab.

Form (CSD-27197)

ID	Description
DEV-127596	By launching a data entry form with a line-by-line matrix with a column of comments, on an Excel client when the user opens the comments window and tries to insert a comment, the operation takes too long to run.

ID	Description
DEV-132101	Webform: in the presence of the kendo UI component and Rich Text within the same matrix, when the user opens the Rich Text field, CCH Tagetik does not display the drop-down menu.

Process Cockpit (CSD-27210)

ID	Description
DEV-133010	Consolidator cockpit > Tab per step: the user may receive an error if other users restricted on one or more consolidator nodes access the cockpit at the same time.

Patch: 5.3.SP31.463

Analytic Workspace (CSD-27162)

ID	Description
DEV-132912	When a Machine Learning (ML) data processing is launched, be it Train or Execute, and there are exactly 20k rows as input, the data processing fails and the audit displays the this message: "The partition xxxxxx is empty".

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-133136	Consolidation area data processing > Rule Engine Designer on Consolidation Scenarios > Consolidation journals: in the presence of a process for account/category with millions of associations for data process model, CCH Tagetik returns an encrypted error.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-131792	Process > Clone process: when creating a new leap-year scenario, CCH Tagetik creates the period of February and defines the date at the end of the month with the 28th; but when creating a new non-leap-year scenario starting from a leap-year scenario, CCH Tagetik creates the period of February and incorrectly defines the cumulated days.

Repository (CSD-27215)

ID	Description
DEV-132987	Setup & Admin > Repository > Import/Export Db > Import: in the import step, the display of imported records is never correctly updated during the data processing run.

Patch: 5.3.SP31.462

Analytic Workspace (CSD-27162)

ID	Description
DEV-132234	AIH > Export AW with rich texts: when the partitions are exported and the same rich text is present on more than one partition, CCH Tagetik generates a blocking error.
DEV-132951	AIH > Export AW with rich texts: when the partitions are exported and the same rich text is present on more than one partition, CCH Tagetik generates an encrypted error.

Collaborative Office (CSD-27178)

ID	Description
DEV-129911	.NET Excel Client > Click on Login button: CCH Tagetik returns an error when opening the login popup.
DEV-131278	Word Client > Update objects: “Enriched text” type objects are not updated and CCH Tagetik returns a warning message: if the enriched text field belongs to a dataset having the Account dimension.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-132295	Consolidation area data processing > Rule Engine Designer on Consolidation Scenarios > Consolidation journals: in the presence of a process for account/category with about 4 million associations for process data model, CCH Tagetik returns an encrypted error.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-132628	ETL > Extraction: when running an extraction operation with zip files and data source type xls or xlsx, CCH Tagetik generates a blocking error.

Form (CSD-27197)

ID	Description
DEV-132578	User home page > Form: when the user launches a form containing a control group with an in-memory engine, CCH Tagetik returns an error.
DEV-106965	When the user is editing a formula inside a matrix using a matrix wizard in form design and writes a url that starts with "http://", CCH Tagetik automatically adds the "HYPERLINK" text.

Patch: 5.3.SP31.461

Analytic Workspace (CSD-27162)

ID	Description
DEV-131434	Various optimizations were made to the data processing framework.
DEV-131234	Job window > Configure a Data Processing of "Export From Aw: File Format" type: if the “Export From Aw: File Format” is not usable by job when opening the Data Target Mapping drop-down menu, in case a SapHana database is used, CCH Tagetik shows an error pop up and the creation of the configuration is blocked.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-131645	Area consolidation data processing > Rule Engine Designer on Consolidation Scenarios > Consolidation journals: in the presence of a dynamic markup related to a rule with converted position and no dynamic markup related to a rule with proportional position, CCH Tagetik returns an encrypted error.
DEV-131496	CCH Tagetik does not allow the user to launch a job having a node configured to launch consolidation data processing and returns the following error: "Process with dimension by step not allowed".

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-131466	Data processing > Rule Engine Designer: when the user references a dynamic markup with code containing the hyphen character, “-“, CCH Tagetik returns an error.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-131196	Area consolidation data processing > Rule Engine Designer on Consolidation Scenarios > Consolidation journals: in the presence of: - a rule with the "Write in same journal" option disabled (R1) - a rule with the "Write in same journal header" and " Swap {NOME_AZIENDA} with Ctp {NOME_AZIENDA}" options enabled (R2) - a consolidation journal with a valid category but invalid dimensions for rule R1 and an invalid category but valid dimensions for rule R2, CCH Tagetik does not generate any reclassification rows but returns an encrypted error.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-131451	Consolidator cockpit > Utility > Copy consolidation: when the user enables the “Copy the submission status” option, CCH Tagetik returns an encrypted error.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-132059	ETL > Extraction: when loading a zip file with data source type xls or xlsx, CCH Tagetik generates a blocking error.
DEV-130842	ETL > Loading > During the file loading step, on databases with Postgres vendor, an anomalous increase in memory is recorded depending on the amount of exported data.
DEV-131807	Updating the database with liquibase: manually running the liquibase scripts during the update to SP31 generates a blocking error.

Data Model (CSD-27226)

ID	Description
DEV-131490	When the user tries to save the modification to one or more FST relations, CCH Tagetik returns an error message.

Data Processing (CSD-140432)

ID	Description
DEV-126412	User homepage > Processes tile > Select a process that has a business workflow and a step with a Countervalue calculation launch task > Launch the Countervalue calculation task: the data processing may end with this error: “single-row query returns more than one row”.

Diagnostic Check (CSD-27194)

ID	Description
DEV-130694	Diagnostic result run with the "Update log" option: From the error details window that opens from the cockpit, it is possible to comment on errors in locked or read-only scenarios/ periods.

Form (CSD-27197)

ID	Description
DEV-129677	Open Report List file: the file opens slowly.
DEV-131033	An error occurs when the user tries to login via an add-in when the Chromium Engine Framework is not enabled.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-130825	Entity cockpit > Job Task: CCH Tagetik displays an incorrect icon in the graph.

Patch: 5.3.SP31.460

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-130233	Area consolidation data processing - Conversion: in the presence of an Entity to be deconsolidated with the “From previous period” deconsolidation type, while the deconsolidation type is “Not to deconsolidate” in the previous period, CCH Tagetik generates incorrect FX rate differences.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-130569	Area consolidation data processing > Conversion: In presence of: - a consolidation journal with the journal currency equal to the consolidation currency - a P&L account row with PREL_REVERSE3 origin and the Entity currency different from the journal currency - a P&L account at period average FX rate CCH Tagetik generates the converted row with the incorrect amount.

Form (CSD-27197)

ID	Description
DEV-126230	Data entry web form: given a Line-by-Line Analytical workspace, when the user adds and saves two or more records after having modified an existing record, CCH Tagetik updates the first record in the matrix in the database with one of the new records just saved.
DEV-124885	Form Launch > Select Launch Language > Form rendered in wrong language

Infrastructure (CSD-27205)

ID	Description
DEV-130059	Tagetik Data Loader 8: Tagetik Data Loader version 8 does not log any error responses from the CPM.

Patch: 5.3.SP31.459

Analytic Workspace (CSD-27162)

ID	Description
DEV-125675	Export AW: in the presence of large files, the export of the analytical workspace with the Machine learning enabled fails due to a timeout.

Data Processing (CSD-140432)

ID	Description
DEV-125949	Process > Allocations and Closing > Execution plan: the "Export for Import" button does not export the locked rows.

Diagnostic Check (CSD-27194)

ID	Description
DEV-113272	Diagnostic: The “Report by check to perform” option run from the diagnostic result window does not correctly display the descriptions of the various dimensions (Entity, Account, etc.) if they contain special characters (non-ASCII).

Form (CSD-27197)

ID	Description
DEV-126825	Data entry web form: where there is a financial transactional matrix configured with automatic opening of the rows and saving of zeros, even when the user does not insert data and press the save button, CCH Tagetik displays the ”Account - Not Editable” error message.
DEV-126498	Web Interface > Homepage > Report List: the default launch of the report lists does not allow for reports being run simultaneously. The default report list timeout does not have a runtime configuration.

Internal Service Tools (CSD-329480)

ID	Description
DEV-130873	The CPM does not start when repository is empty.

Master Data Management (CSD-27208)

ID	Description
DEV-128839	MDM Import: when the user enables the “Show only in case of error” option, CCH Tagetik does not display the pop up at the end of step 1.

Repository (CSD-27215)

ID	Description
DEV-122827	When invoking the API to modify a "PATCH server/tagetikcpm/api/scim/v2/Users/<USER>" user, two executions of the ALLINEA_UTENTI_DA_REPOSITORY data processing are launched, and the second execution always ends with this error: "Users - Refresh Users (ALLINEA_UTENTI_DA_REPOSITORY) data processing is in progress. Please wait for it to complete or try again later."
DEV-116223	Repository > Monitor > Server Status > Download Server Details: the downloaded information is not updated when the user clicks on the “Download Server Details” button.

System Reports (CSD-27217)

ID	Description
DEV-123465	Processes > Open process > Process reports > Interactive Entries View: inside the lookup of the "Category" filter when the user selects an element by clicking outside the checkbox, the filter is reset.

Utility (CSD-27222)

ID	Description
DEV-126538	Cockpit with dimension by step > User tools > Snapshot: in case of SqlServer and Oracle, CCH Tagetik does not correctly define the snapshot log table.

Patch: 5.3.SP30.458

Collaborative Office (CSD-27178)

ID	Description
DEV-129760	Setup & Admin > Collaborative Office > Documents > Check source data > Generate report: if the user sets the “Accept lowercase codes” option to false in the “Settings”, then CCH Tagetik does not return any report.

Data Entry (CSD-27187)

ID	Description
DEV-130131	Processes > Entity journals cockpit: if the submission of journals is active on more than 10 steps, then CCH Tagetik returns an error when opening the window.

Form (CSD-27197)

ID	Description
DEV-129233	Given a report in which a matrix has one of its cells containing an overridden value, when the user opens the form using the web, CCH Tagetik shows for some cells values that are incomprehensible compared to the expected values.
DEV-129828	When the user runs a webform in navigation or data entry and this contains at least one cell with date type format, then CCH Tagetik also applies the date format to other cells that have different formats.

Internal Service Tools (CSD-329480)

ID	Description
DEV-129255	The Admin number is incorrectly displayed instead of the Tagetik Admin number in the error message when there are too many users associated with a license.

Patch: 5.3.SP30.457

Analytic Workspace (CSD-27162)

ID	Description
DEV-129268	Process window > Launch a "Quick Data Loader > Loading to Analytical Workspace" data processing using a dataset with a date column on Microsoft SQL Server database: if a JDBC driver version higher than 12.6.2 is used on the server, the data import fails and CCH Tagetik returns this error: “Timestamp format must be yyyy-mm-dd hh:mm:ss[.fffffff]”.

Application Platform (CSD-329482)

ID	Description
DEV-128622	There is excessive resource consumption when producing Kafka messages.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-128900	Area consolidation data processing > Generate proportional: In the presence of: -an F.I. elimination journal and net equity from the Ownership structure register - an elimination row on a percentage variation of a net equity account - an active Periodic calculation option - the data processing period does not have the previous period (based on the period length) CCH Tagetik generates incorrect percentage variation rows on the area variation entrance (CONS_PROP_NETEQUITY_VAR_RECL origin)

Data Entry (CSD-27187)

ID	Description
DEV-129293	Processes > Edit windows > Edit Entity and Consolidation journals: if the submission of journals is active on more than 10 steps, then CCH Tagetik reports an encrypted error when opening the window.

Form (CSD-27197)

ID	Description
DEV-129407	ReportList > Index: the description of the sheets in the index is truncated incorrectly.

Process Cockpit (CSD-27210)

ID	Description
DEV-129348	Processes > Cockpit with dimension by step: in the presence of a workflow with tasks in parallel and only one completed task, when running the submission in multiple selection, CCH Tagetik terminates the data processing without reporting the blocking error.

Repository (CSD-27215)

ID	Description
DEV-124547	In the "User type on license" report in the users list, the license is not considered correct due to a different Pillar license description. in the installed license, admins of type "Admin

ID	Description
	Pillar2 Global Minimum Tax (Tier 3)" are detected, while the check detects admins of type "Admin Global Minimum Tax - 51-150 Countries (Tier 4)".

Patch: 5.3.SP30.456

Analytic Workspace (CSD-27162)

ID	Description
DEV-126058	Analytical workspace > Data Transformation Package > Activity > Operations: if the user selects the “Dictionary Check” operation, the choice of fields to check sometimes suggests fields of a different dataset from the one the operation is running on.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-128772	Area consolidation data processing - Conversion: in the presence of a consolidation journal row for a variation account to be converted at Year-to-date average FX rate with a journal currency different from the Entity currency, CCH Tagetik generates the converted row with the incorrect amount.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-128279	Setup & Admin > Process > Process definition > Data processing > Consolidation > Requirements: If the user launches the "Import Financial Investment data" utility into Ownership structure register, CCH Tagetik returns an error.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-127805	Process window > Launch a "Quick Data Loader > Loading to Analytical Workspace" Data Processing using virtual Datasets or Datasources. If parameters are used, then the input window is not prompted.

Data Processing (CSD-140432)

ID	Description
DEV-128633	Setup & Admin > Data processing > Allocation & Closing > Routine > Rules: when the user disables the "Copy rule from" option, CCH Tagetik still shows it in the window actions.

Diagnostic Check (CSD-27194)

ID	Description
DEV-128875	Diagnostic: the title of the results window is incorrect for German language users.
DEV-123506	Diagnostic on consolidation scenarios: the drill down of control groups errors on journal categories diagnosed at “by category” granularity does not display any details in the results window.

Form (CSD-27197)

ID	Description
DEV-128801	Web Report List: when the user inserts the ${$Entity.code} script, CCH Tagetik does not return the correct translation.
DEV-127019	Web Form: Accounts were displayed in numeric format instead of text format.
DEV-126691	Web Form> Data Entry and Navigation: the dates are not displayed in the correct format.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-127621	New UI > Processes: the Process cockpit window freezes if the user is restricted to only one locked scenario.

Process Cockpit (CSD-27210)

ID	Description
DEV-127510	Submission from workflow with the “Submit also underlying nodes and Entity" option: the submission of the first significant node (not the root) on the consolidator step returns an encrypted error if the node is also significant on the contributor side.

Patch: 5.3.SP30.455

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-126925	Entity data processing > Deconsolidation. In the presence of: - selected Entities with the "Not to deconsolidate" deconsolidation method in the data processing scenario/ period - rows with the “PROC_DECONSOLIDATION3” origin generated from a previous launch

ID	Description
	when the Entity had deconsolidation method equal to "Deconsolidate from current period" CCH Tagetik does not delete the rows generated by the previous launch.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-127025	Endpoint > OAuth2.0 authentication: CCH Tagetik returns a connections error when the OAuth2.0 token retrieval requires a certificate.

Form (CSD-27197)

ID	Description
DEV-125992	In a multidimensional matrix, where there are two dimensions on the Ctp entity and Ctp custom dimension 2 columns, if the user enables the "Insert lowest children level" advanced selection, the pruner to zero and the ability to add rows on both dimensions, then when he adds a column and compares the values in the selection window for the two dimensions and selects the first value, CCH Tagetik returns an exception.
DEV-124870	Web Report List: when the user inserts the ${$Entity.code} script, CCH Tagetik does not return the correct translation.
DEV-124984	Web form: if a form contains overridden cells, then CCH Tagetik does not show the overridden content.

Process Cockpit (CSD-27210)

ID	Description
DEV-126011	Processes & Workflow > Business Workflow > Step > Task Workflow: CCH Tagetik allows the insertion of task codes with the square bracket character.

Report Bursting (CSD-27214)

ID	Description
DEV-126651	Report Bursting > Distribution rules > Distribution step - Action > Data processing > Send: if the user selects the “Send via Email” option, then CCH Tagetik returns an encrypted error.

Repository (CSD-27215)

ID	Description
DEV-126452	Setup and Admin > Repository > Import/Export >Export: when exporting a database from Postgres, the data processing fails if a table is included that has blob fields that are too big for the number of contained rows.

Utility (CSD-27222)

ID	Description
DEV-126296	Cockpit with dimension by step > User tools > Snapshot: CCH Tagetik returns a blocking error when the user selects a node with a code equal to a lowest element code.

Patch: 5.3.SP30.454

Analytic Workspace (CSD-27162)

ID	Description
DEV-126123	The AW import did not work correctly when the imported file was from an older version of the software.
DEV-126910	Export DB: when performing the application export of a database on which machine learning is enabled, the generated file incorrectly contains references to machine learning.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-126389	ETL > Lookup table: The record’s creation/modification date only reports the date and not the time.
DEV-125913	ETL > Run standard mappings: in the loading step of the Preconsolidation adjustment, warnings are returned regarding category attributes that do not allow data entry.
DEV-125746	Process > QDL: when a user is restricted on some steps of a process, CCH Tagetik returns a warning and blocks writing.

Direct Taxes (CSD-27192)

ID	Description
DEV-124949	Process > Process Definition > Data Processing: the “Direct taxes” data processing is present even if the related module is not enabled.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-120973	New UI > Homepage > Reports & Analysis > Custom Reports: the tree that shows the form hierarchy does not work correctly.
DEV-126616	The user’s homepage graphics settings are not applied correctly when the database he is working on is changed.

Infrastructure (CSD-27205)

ID	Description
DEV-123277	Using Webshpere Liberty as Application Server, it is not possible to log in with endpoint https://<server>/tagetikcpm because CCH Tagetik returns a 404 error.

Master Data Management (CSD-27208)

ID	Description
DEV-125431	MDM: when the user runs an MDM import that contains the “RACCOLTA_OWS_TABELLA_DEF” table and there are records with a “cod_fase” or “cod_wfm” field set to NULL, then CCH Tagetik shows an error.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-120028	If the user launches the deployment of the analytical dimensions from workflow, CCH Tagetik does not update the flat hierarchies of analytical dimensions.

Repository (CSD-27215)

ID	Description
DEV-126406	Setup and Admin > Repository > Import Export Db > Import: when importing a file generated by a server with a different Time Zone than the target server, the Import Database procedure does not correctly handle the Timestamp type fields and therefore imports values that are not appropriate for the Time Zone of the target server.

System Reports (CSD-27217)

ID	Description
DEV-126321	Interactive Entries View: a user with an application language other than English and Italian gets an error when accessing the Journal detail.

ID	Description
DEV-126316	In the Interactive Entries View window, when the user selects the scenario and there are descriptions with non-Latin characters, then CCH Tagetik reports these with random characters.

Utility (CSD-27222)

ID	Description
DEV-124221	Cockpit with dimension by step > User tools > Snapshot > Restore: in case of notes with special characters, CCH Tagetik displays them incorrectly.

Patch: 5.3.SP30.453

Application Platform (CSD-329482)

ID	Description
DEV-126111	The management of multiple errors in the Auditing step has been enhanced.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-123632	Admin > ETL > Staging Data Query: the scrollbar is not visible in Mozilla Firefox browser.

Diagnostic Check (CSD-27194)

ID	Description
DEV-125210	Diagnostic run with the “Show the code of the form on the error row” option. The results window display shows an encrypted error in the following cases: - if there are no unbalanced amounts present - if the diagnostic is run from the Edit Amounts and Journals window, even there are unbalanced amounts present

Form (CSD-27197)

ID	Description
DEV-123285	Lock forms in data entry: Two different users cannot open the same form containing a dictionary parameter that has no effect on the form lock.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-125215	Process > Definition > Process Data Model > Control groups to exclude: CCH Tagetik saves the code $ALL in the “Control group” field if the user types the code that contains the string "ALL".

System Reports (CSD-27217)

ID	Description
DEV-125832	System Report > Interactive Entries View: when the user enables the grouping on one or more columns without having selected a consolidation area, then the subtotals in the report are displayed with an incorrect layout.
DEV-125690	System Report > Interactive Entries View: when the user enables the grouping on the Ctp Entity column, then the subtotals have incorrect values.

Patch: 5.3.SP30.452

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-124869	Group consolidation data processing > Eliminate Financial investments from Ownership structure register: In the presence of an Intragroup assignment event: - with a related Purchase event - and the Buyer entity event currency different from the Seller entity event currency CCH Tagetik does not generate Intragroup assignment journals for capital gain and goodwill write off (ELIAFI prefix).

Form (CSD-27197)

ID	Description
DEV-120340	By running a cockpit form on the web by valuing the launch parameters, if the user then closes the browser tab without using the X icon for closing the form, then when he launches the form again, and a parameter is changed compared to the last ones used that are automatically displayed, then the launch is not affected by this change and CCH Tagetik launches the form with the parameters used in the previous launch.
DEV-124881	Report List: When launching from the web, when a font with decimal size is inserted (e.g. Arial 6.5), it gets generated using the smallest integer size (e.g. Arial 6).

Patch: 5.3.SP30.451

Data Model (CSD-27226)

ID	Description
DEV-114828	Admin Interface > Setup & Admin > Dimensions > Elements list (or node hierarchies) on a Custom Dimension > Click on the tab and select "Recode" > Select a node or an element to recode: CCH Tagetik does not recode all the references to the recoded elements (or nodes).

Infrastructure (CSD-27205)

ID	Description
DEV-124589	Repository > Endpoint: CCH Tagetik returns an error when connecting to an SFTP server using the ssh-rsa key algorithm.
DEV-124588	Tagetik Data Loader 8: the Tagetik Data Loader 8 installation package does not have, as pre-installed, the Microsoft Jdbc driver for MS SqlServer.

Patch: 5.3.SP30.450

Analytic Workspace (CSD-27162)

ID	Description
DEV-123867	Export AW: in the presence of large files, the export of the analytical workspace with the Machine learning enabled fails due to a timeout.
DEV-123546	Contributor cockpit: the DTP side menu allows the user to open the activities cockpit and launch them even if the corresponding function (0004004) is in read-only mode for the role assigned to the user.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-119734	Area Consolidation Processing > Generate Proportional: In the presence of: an active periodic calculation option in the proportional and consolidable rules; a header of an elimination journal; present in the previous period, with rows on the converted amount type, but without rows on the original scenario; not present in the period to be run; absence of original data in the period to be run and in the previous period for the Entity relationship of the journal header; CE conversion mode for consolidation equal to Average Fx rate for the period; CCH Tagetik does not generate the journal header in the data processing period and consequently the conversion rows at the average Fx rate for the period on the converted amount type are not produced.

Form (CSD-27197)

ID	Description
DEV-122991	Report List > when launched from web, formulas with offset (e.g. {-20} or {-20,0}) were not resolved correctly.
DEV-124107	When the user launches the form, the CCH Tagetik returns a “HierarchySorter” error.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-122462	The "Quick Access" widget does not work correctly when imported from another database.

IC Cockpit (CSD-27203)

ID	Description
DEV-123413	IC cockpit: In case the user has set the language to French, in the IC edit the column header where the Declaring entity is displayed is too generic.

Master Data Management (CSD-27208)

ID	Description
DEV-123687	Setup and Admin > Repository > Master Data Management > Run > Import: when importing a file produced by an environment with inactive GDPR to an environment with active GDPR, the data processing is run correctly but with an incorrect warning regarding the possible inconsistency of the encoding algorithms for GDPR-sensitive fields.

Repository (CSD-27215)

ID	Description
DEV-123446	SCIM API: the Refresh Users data processing fails when user has a widget on the new application database UI.

System Reports (CSD-27217)

ID	Description
DEV-124114	System report > Interactive Entries View: when filters are enabled on the report, and one or more columns are grouped, then only one subtotal is shown as the last element of the report.
DEV-123404	System report > Interactive Entries View: when filters are enabled on the report, and one or more columns are grouped, the subtotals shown ignore the filters.

Patch: 5.3.SP30.449

Analytic Workspace (CSD-27162)

ID	Description
DEV-121561	CCH Tagetik > Select Application Db > Analytical Workspace > Select context menu of AW > Clone > Insert Code, Description and Select check on Form: the data processing fails.
DEV-122653	When the user tries to export an XLS/XLSX file using the “Export from AW - File format” data processing from a Dataset containing a numeric column with no value (null), the file is not generated, and CCH Tagetik returns an error.
DEV-121103	Export AW: in the presence of large files, the export of the analytical workspace with the Machine learning enabled fails due to a timeout.
DEV-123293	Setup & Admin > Analytical Workspace > Export: when running Export AW on databases other than Postrgres, the data processing returns an error and never completes. The same problem causes database exports from Repository to fail, if the “ANALYTICAL_TABLES” node is selected.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-122985	Group data processing > Calculation formulas: if there are currencies with the number of decimals greater than 3, CCH Tagetik generates rows whose amounts are rounded to the third decimal place.

Data Entry (CSD-27187)

ID	Description
DEV-122975	Entity journals cockpit: if journal submission is enabled and the user filters the list of journals by the submission status for the steps, then CCH Tagetik returns incorrect results.

Data Processing (CSD-140432)

ID	Description
DEV-122551	Dimensions > Custom dimensions > Hierarchies > Copy from: In case of a node used in the "Allocations & Closing" definition, CCH Tagetik does not clean the "Data to Allocate" section with multiple selection.

Form (CSD-27197)

ID	Description
DEV-121571	Java Virtual Machine Serialization: filtering is disabled.
DEV-122234	When the user opens a web form in data entry mode, CCH Tagetik returns an error.
DEV-122512	User Interface > Report & Analysis: in a form with hidden default parameters and parameter dependencies, CCH Tagetik generates an error while selecting values when launching the form.
DEV-121702	When launching a Multidimensional data entry form in AW using the "Update existing record" mode on a MsSQL database, CCH Tagetik does not allow the user to edit the cells after the first insert.
DEV-120538	Setup & Admin > ETL tile > Run > Run ETL: the general deployment run via ETL launches the data processing of Account and Entity custom dimension restrictions without verifying which dimensions are actually enabled.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-122404	Process > Process with dimensions by step > Process definition > Deadlines > Step for custom dimension: when saving data, CCH Tagetik returns a blocking error.

Process Cockpit (CSD-27210)

ID	Description
DEV-122104	User Interface > Process tile > Contributor cockpit: when the user submits an element on which a dependency rule is defined for a custom attribute, CCH Tagetik returns an error.

System Reports (CSD-27217)

ID	Description
DEV-122443	System Report > Interactive Entries View: when a filter is enabled directly from a report cell, it cannot be removed from the filter's lookup window.

Patch: 5.3.SP30.448

Admin Tools (CSD-27157)

ID	Description
DEV-122304	Setup & Admin > Analytical Workspace > Export AW: the export of particularly large partitions from a Postgres database may cause the application server to run out of memory.
DEV-122117	Uploading the license to an SP30 environment fails if the Repository is on MSSQL.

Analytic Workspace (CSD-27162)

ID	Description
DEV-120757	Analytical Workspace > Update from file: data processing is very slow even with a relatively small amount of data.
DEV-121980	AW import procedure didn't handle correctly some error scenarios due to RICH_TEXT fields usage.
DEV-122303	Given a dataset with a "Rich text" field: the “F_PREVIEW” function used in a DTP operation fails due to the encoded characters present in the Json of the "Rich text" field.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-121835	Area Consolidation data processing > Rules Engine Designer on consolidation scenarios: in the presence of a consolidation scenario not included in the RED execution plan and with a consolidation area that is not yet compiled, CCH Tagetik returns an encrypted error in case of multi-scenario launch.

Data Entry (CSD-27187)

ID	Description
DEV-118228	After the user adds a scenario, CCH Tagetik takes a long time to open the Gross amounts management window, if there are tens of millions of rows in the SQL Server environment.

Form (CSD-27197)

ID	Description
DEV-121185	Save form in Data Entry > Audit: CCH Tagetik does not save log information to the database correctly.

Infrastructure (CSD-27205)

ID	Description
DEV-122876	Endpoint: Some SFTP endpoints are unreachable.

System Reports (CSD-27217)

ID	Description
DEV-121665	System report > Interactive Entries View > Link to journals: when the user clicks on the documents tab, the documents are not displayed.

Utility (CSD-27222)

ID	Description
DEV-119758	Create Snapshot: the data processing is slow in case of SqlServer environment and many records (5 million rows).

Patch: 5.3.SP30.447

Analytic Workspace (CSD-27162)

ID	Description
DEV-121717	Setup and Admin > Analytical workspace > Export Aw: AW export eliminates end-of-line characters in the texts of SQL/query/stored procedures fragments specified in some parameter tables causing usability problems after the import of the generated files

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-121472	Group consolidation data processing > Ctp Eliminations. In the presence of an elimination rule with: - a balancing account to be converted to the period average FX rate -"Generate Balancing in journal currency" option disabled CCH Tagetik generates the balancing row with journal currency amount and translation currency amount rounded to the number of decimals of the journal currency rather than the Entity currency.

Form (CSD-27197)

ID	Description
DEV-121672	Given a form with a transactional matrix that writes to the financial, when the user opens the form in data entry mode via web, CCH Tagetik does not show drop-down menus in cells where expected. Also no rows can be added

IC Cockpit (CSD-27203)

ID	Description
DEV-121341	Cockpit with dimension by step > IC Cockpit: in case the IC cockpit is opened from workflow, by default the cockpit present on the lower step is set rather than the one on the selected step

Patch: 5.3.SP30.446

Analytic Workspace (CSD-27162)

ID	Description
DEV-120515	Changing the format of text type fields from PLAIN to RICH_TEXT and vice versa does not work correctly: in case of misconfigured and non-functioning endpoint.
DEV-120684	Workflow cockpit: When the user runs a DTP containing a reporting parameter, CCH Tagetik takes a long time to display the parameters selection window.

Form (CSD-27197)

ID	Description
DEV-121417	Web Interface: Homepage > Report List: given a Report List that generates separate files, CCH Tagetik does not enable the path field in the Settings section.
DEV-121562	Run report list from web > Cell fields with Data type values: CCH Tagetik does not apply the style properly
DEV-121004	Given a transactional form, CCH Tagetik does not display the form correctly in Data Entry or web browsing.
DEV-121445	When the user tries to copy a predefined filter on a new report template in the "Tab Filter" wizard, CCH Tagetik returns the warning message: "There are no filters with the selected dimension".

System Reports (CSD-27217)

ID	Description
DEV-120842	Process Cockpit > Process Report > Journals Book: in the report run by checking the “Show Counterparty” option, the column header where the counterparty is displayed is incorrect

SP_421_445

Patch: 5.3.SP30.445

Analytic Workspace (CSD-27162)

ID	Description
DEV-120920	Setup & Admin > AIH > Export AW: when running an Export AW containing data of a Data Target Mapping File for which a “Tab” is specified as a separator, the separator value is exported incorrectly, and this causes a misalignment during import.

Collaborative Office (CSD-27178)

ID	Description
DEV-120793	Setup & Admin > Collaborative Office > Documents > Update documents: if the filters are not defined for all the dimensions that belong to the specified dataset, then the update of “enriched text” type objects returns this error: "Cannot invoke..."

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-120937	Area data processing > Rule Engine Designer on Consolidation scenarios > Proportional and Converted amount types: in the presence of R.E.D carry forward rows associated with a header whose generator is not "Rules Engine Designer - Consolidation", CCH Tagetik returns a blocking encrypted error message.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-119587	Group consolidation data processing > Counterparty eliminations: in the presence of an elimination journal with rows having “SUB_PROC_CALCULATED_BASIC” origin, CCH Tagetik generates an incorrect amount balancing row (because it does not exclude rows with the above-mentioned origin).

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-120306	When the user launches a task group that contains a QDL and a JOB, CCH Tagetik returns an encrypted error message.

Form (CSD-27197)

ID	Description
DEV-121142	Given a form in design, when the user uses the "print filter" feature, CCH Tagetik returns an error.
DEV-103393	Excel add-in > When a user runs a form in Data Entry mode with a cell field containing "Process.desc", CCH Tagetik always shows the primary language description, ignoring the reporting language settings.

Infrastructure (CSD-27205)

ID	Description
DEV-120251	Resolution of log configuration banner display when the custom logging property is set
DEV-119779	When downloading an ETL via an endpoint to the TDL (Tagetik Data Loader), CCH Tagetik returns an error due to a partial download for data greater than 2Gb.

System Reports (CSD-27217)

ID	Description
DEV-120352	System Report > Interactive Entries View: The link to the adjustments opens the window without displaying any data.
DEV-120523	Processes > Open process > Process Reports > Interactive Entries View: filter lookups do not return values.

Patch: 5.3.SP30.444

Cloud Operations (CSD-27173)

ID	Description
DEV-121461	In case of encrypted SAML assertions, CCH Tagetik does not read the specified attributes in the external authentication management page.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-118392	Area data processing > Rule Engine Designer on consolidation scenario: in case of a carry forward on an initial balance account and “Rule execution change vs carry forward scenario” > “Rule no longer applied”, the data processing does not generate expected variation row.

Data Processing (CSD-140432)

ID	Description
DEV-120468	Setup & Admin > Data processing > Job: when opening a job with a job type task inside, CCH Tagetik returns an error.

Diagnostic Check (CSD-27194)

ID	Description
DEV-118363	Diagnostic result: CCH Tagetik returns an error when scrolling rows in the error detail errors window for Entity that is opened from the Entity cockpit.

Form (CSD-27197)

ID	Description
DEV-119508	User Interface > Report List: given a multiform report list with overridden parameters, CCH Tagetik does not update the parameter values correctly.
DEV-101069	(1) Not all elements, after the refresh or running the form, reappear as visible elements in the drill down. (2) When the user runs a drill on the superior element of a nested dimension (the first dimension on the right side) and applies a rank, then the added elements do not keep the expected position, and the description is incorrect.

Infrastructure (CSD-27205)

ID	Description
DEV-120241	Reenable the legacy property system for the log4j configuration.

Repository (CSD-27215)

ID	Description
DEV-111765	Repository > Users & Roles > Users > User type on license: for users who have access to the Repository and application databases, CCH Tagetik shows the "Cross Solution Admin" value

ID	Description
	instead of the "Admin Budgeting, Planning and Forecasting, Admin Consolidation > Advanced Managerial/Statutory" value in the "User type on License" field.

Patch: 5.3.SP30.443

Analytic Workspace (CSD-27162)

ID	Description
DEV-118265	Consolidator cockpit: when the user runs a job containing a DTP from the workflow and the setup contains ${user.code}, then CCH Tagetik returns an encrypted error on parameters.
DEV-109139	Analytical workspaces > Data Transformation Packages: when the user runs a DTP containing a special method on a Hana database and the method ends with a commented row, then CCH Tagetik returns an error.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-114986	Area consolidation data processing > Generate consolidable and Equity evaluation: in the presence of periodic calculations and an Entity that changes the consolidation method from Line-by-line to Equity, CCH Tagetik generates a row on the equity exchange variation of incorrect amount (because it contains the value of variation rows of the previous period with origins generated by subsequent data processes).

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-110065	Setup & Admin > Data processing > Jobs: if the user launches a job configured with a timeout in seconds that is too high, then CCH Tagetik fails to terminate the run.

Data Model (CSD-27226)

ID	Description
DEV-119646	Admin > Data processing > Calculation logics > Grouping: CCH Tagetik returns an error when the user tries to delete nodes that have sub-nodes.

Data Processing (CSD-140432)

ID	Description
DEV-108087	Consolidation job: when running Basic area data processing in the presence of a closed connection, the job does not complete, and CCH Tagetik shows an error.

Diagnostic Check (CSD-27194)

ID	Description
DEV-118849	Diagnostic result > Show forms: the window does not display any rows if the description in the connected user's language has not been defined on at least one of the forms.
DEV-112178	Diagnostic results log on contributor nodes: the drill down report is always generated empty.

Form (CSD-27197)

ID	Description
DEV-117149	User Interface > Report List: if the user fills any field of the "By Report" section and then presses the "Save" button, the changes are not saved.
DEV-117720	Given a data entry form via Excel where a user has entered a new comment on a matrix cell where a comment already existed, if the user reopens the comment window on the same cell via web form, CCH Tagetik shows an encrypted error.

IC Cockpit (CSD-27203)

ID	Description
DEV-118162	IC cockpit opened with the “Show unbalanced amounts above the threshold“ option: the IC matching cockpit report ignores the threshold currency specified on the IC matching logic and treats the threshold as if it was expressed in the cockpit currency.
DEV-112821	IC cockpit: In some unidentified cases, the items in the Actions menu are all enabled and do not disable even if invalid relationships are selected for the available actions.

Infrastructure (CSD-27205)

ID	Description
DEV-117989	The Application server crashed due to cache synchronization for user message handling.
DEV-109161	Application logs show timeout errors that should not be present in the deployment step of a Tagetik environment.

Patch: 5.3.SP29.442

Analytic Workspace (CSD-27162)

ID	Description
DEV-118930	Setup & Admin > Analytical Workspaces > Export: when exporting a Workspace with all its partitions if at least one of these contains at least two records whose Rich Text refers to the same file, then the data processing fails with an error.

Architectural Runway (CSD-27161)

ID	Description
DEV-118537	Following the upgrade to 5.3.SP29, which uses a different system cache mechanism, CCH Tagetik incorrectly keeps in memory (Memory Leak) some structures used for GDPR logging.

Consolidation settings (CSD-27182)

ID	Description
DEV-119215	Data processing > Taxes > Taxes setup > Output accounts: when saving data, CCH Tagetik returns a blocking error for the "Variation annual impact - debit" field.

Data Model (CSD-27226)

ID	Description
DEV-118788	When launching the full General deployment, CCH Tagetik returns an error.

Form (CSD-27197)

ID	Description
DEV-117448	If the "Maximum number of elements that can be generated in a dynamically" performance item is set to a specific value in the application configuration under the Form tab, if in a form with a multidimensional matrix on AIH, we use the currency root as a filter on the row, the control of dynamically generated elements is unexpectedly activated.
DEV-119385	User Interface > Report List: when the user inserts ${Report.desc} in the Global filename and clicks Save, then the filename disappears.
DEV-118282	User Interface > Report List: when a report list contains a form with a query that references the user description entered with Japanese characters (either in the Repository or in the USER table), CCH Tagetik returns incorrect characters if the form is launched from the web.

ID	Description
DEV-116641	Given the cockpit in the new UI and a node with a form, in some cases, when the user tries to open the web form in data entry with parameters that do not allow the opening of the form, CCH Tagetik does not show the warning message.
DEV-115335	Add-in Excel > Drill Down: The drill down on a cell with a 0 value generates an error in some unidentified cases.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-118573	Given a process that has no definition in the “Setup & Admin > Process > Process Definition > Requirements > Consolidation area” window: if the user opens the Consolidator cockpit of a Period/Scenario associated with that process, in the presence of an "Deployment" type task, when the task is run, CCH Tagetik deletes the rows of the consolidation area relating to the period used to access the cockpit.

Patch: 5.3.SP29.441

Form (CSD-27197)

ID	Description
DEV-112566	When the user opens any web form that has more than 7 parameters, CCH Tagetik does not display the ‘parameter window’ correctly.

Master Data Management (CSD-27208)

ID	Description
DEV-116524	In the run step of an MDM import, CCH Tagetik returns the following blocking error: "Session is closed".

Repository (CSD-27215)

ID	Description
DEV-118845	Export DB: when exporting the "PPS_LOG" table from a Hana database, its content is not encoded correctly and causes an error during import.

Patch: 5.3.SP29.440

Admin Tools (CSD-27157)

ID	Description
DEV-116817	Repository > License information: when loading a new license, CCH Tagetik returns an error when saving data.

Analytic Workspace (CSD-27162)

ID	Description
DEV-116501	The Snapshot feature that can be launched from the process does not work correctly for Workspaces that have been updated to version 2.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-116870	If the data processing notes are defined in Chinese in the general configuration, then the Ctp elimination, Minorities and Equity evaluation data processes do not insert the translated value correctly in the tables that have the “Notes” field.

Consolidation settings (CSD-27182)

ID	Description
DEV-117278	Setup & Admin > Process > Process Definition > Consolidation > Requirements: if the user selects all elements and these are more than 50, then only 50 elements are always processed when he clicks on the “Copy definition from” option.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-117358	ETL > Routine > Transformation: when running an “Enrichment with Formula” task, CCH Tagetik returns a blocking error on Postgres and SAP Hana databases.

Form (CSD-27197)

ID	Description
DEV-98435	Open form in Data Entry: it is impossible to hide rows or columns on a spreadsheet.
DEV-116292	User Interface > Report List: if the user generates a Report List, CCH Tagetik randomly shows an error in the audit.

IC Cockpit (CSD-27203)

ID	Description
DEV-116892	IC cockpit: the reports run from the IC cockpit do not display the descriptions of various dimensions (Entity, Account, etc...) correctly if they contain special characters (non-ASCII).

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-116927	New UI > Data processing in progress panel: the detail link was visible even for users who did not have access to the audit.

Patch: 5.3.SP29.439

Analytic Workspace (CSD-27162)

ID	Description
DEV-116981	AIH > AW Import: when importing an analytical workspace on a SQL Server database, the runtime is significantly higher than that other vendor databases.
DEV-116953	Changing the format of text type fields from PLAIN to RICH_TEXT and vice versa does not work correctly: in case of misconfigured and non-functioning endpoint.
DEV-117067	Export AIH: CCH Tagetik returns an error when exporting an inconsistent value of a rich text field.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-114560	Cash Flow Planning > Execution plan: if an Entity executes the group calculation, CCH Tagetik does not check whether there is at least one Entity that refers to it.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-115515	Area consolidation data processing > Conversion: In the presence of: - an amount or journal row for an account of “Other variations“ nature, “Normal” type converted at Prev. P&L FX rate - P&L account conversion method for the consolidation equal to Period average FX rate CCH Tagetik does not generate the row on the Converted and Consolidable amount type.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-115851	Diagnostic: in some unidentified cases, running the diagnostic saturates the application server’s memory.

Data Model (CSD-27226)

ID	Description
DEV-116823	In Dimensions > Entity > Hierarchies: if the user selects two hierarchies with levels and with the "Convert to flat structure" option set to True and then launches the data processing from General deployment on Entity, CCH Tagetik does not fill the “COD_AZIENDA_TOTAL_FLAT” dynamic table correctly.
DEV-110943	Dimensions > Entities > Entities hierarchy: the Entity hierarchies page behaves in an unexpected way when the user deletes and modifies the same element.

Diagnostic Check (CSD-27194)

ID	Description
DEV-116334	Diagnostic: in some unidentified cases, after running the diagnostic, not all the application server’s memory is released. The problem becomes more evident when faced with particular configurations of the control groups.

Form (CSD-27197)

ID	Description
DEV-116196	User Interface > Report List: in case of a Report list with an overridden parameter, if the user launches the form from the web, CCH Tagetik returns an error message.
DEV-113772	When logging in from Excel Addin, CCH Tagetik returns this error message: "Object reference not set to an instance of object".

Infrastructure (CSD-27205)

ID	Description
DEV-116917	If a user who does not have access permissions to the application but has the user rights on Okta and tries to log in, instead of receiving the error page, the application generates a redirect loop.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-117270	Process > Process Setup > Data Processing: if the “Financial Consolidation” option is not enabled in the settings, CCH Tagetik does not show the “Taxes” node.

Repository (CSD-27215)

ID	Description
DEV-117105	Admin > Repository > Import/Export Db > Import: when running the import data processing with the file uploaded with the file location set to “Remote files”, then the file is erroneously deleted at the end of the data processing.
DEV-116285	When the user logs in with OPENID, CCH Tagetik generates an error.

Patch: 5.3.SP29.438

Collaborative Office (CSD-27178)

ID	Description
DEV-106175	Word documents exported from Tagetik are deleted when logging out of the addin.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-116025	When calling the rest API "api/aih/data/v1....", which uses parameters with $ALL, CCH Tagetik returns a 500 internal server error with the message "No value specified for parameter 547".

Data Model (CSD-27226)

ID	Description
DEV-113387	Setup & Admin > Dimensions > Categories > Grouping > $AMOUNT > Switch view > Elements/Nodes relationship: the Origin, User upd and Date upd fields are not defined for previously inserted categories belonging to the selected hierarchy ($AMOUNT).

Form (CSD-27197)

ID	Description
DEV-115924	User Interface > Report List: given a form with a “User.desc” cell field with Unicode characters, if the user launches the form from the web, then CCH Tagetik returns wrong characters.
DEV-113163	In an environment where desktop virtualization with VDI is used, if the user opens a form from the web interface in Excel, he gets an error when using the new communication mechanism.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-114466	Admin > Trusted URLs: CCH Tagetik shows four empty header columns.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-116378	Cockpit for Entity: in the presence of a “Link” type task, when running a task group, CCH Tagetik returns a blocking error.

Patch: 5.3.SP29.437

Analytic Workspace (CSD-27162)

ID	Description
DEV-115484	Business Workflow: launching a Machine learning data processing: CCH Tagetik returns an error when the data processing is launched from a very large node.
DEV-114327	AIH, fields page on a datasource: CCH Tagetik returns an internal error when the user selects the dimensions combo present in the detail page.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-115846	When calling the poll method of the Etl/job rest API service, CCH Tagetik responded in XML format instead of JSON.
DEV-115568	Tagetik Data Loader: in case the size of the data transferred from TDL to CPM is greater than the limit imposed by the Jackson library, CCH Tagetik does not manage the transfer correctly and therefore causes a timeout error.

Form (CSD-27197)

ID	Description
DEV-115209	Addin Excel > IE11: the login URL is incorrect after the update to Angular 17.

Infrastructure (CSD-27205)

ID	Description
DEV-115387	Repository > Endpoint: when invoking an FTP endpoint, CCH Tagetik times out while trying to retrieve the detail data of the read file.

Master Data Management (CSD-27208)

ID	Description
DEV-114217	MDM: when performing an MDM import related to the UTENTE_LIM_DEF table, the operation ends with a duplicate key warning.

Process Cockpit (CSD-27210)

ID	Description
DEV-115343	Process cockpit > Process report > Entities submission status: on archived processes, running the report generates an error.

Repository (CSD-27215)

ID	Description
DEV-115821	The assignment of multiple reference users via the SAML multi-valued attribute is not handled.

Patch: 5.3.SP29.436

Consolidation settings (CSD-27182)

ID	Description
DEV-115523	Setup & Admin > Process > Process Definition > Requirements > Consolidation Area: If more than 2000 items with Equity ratio % 100 exist in the consolidation area, the consolidation area deployment returns an encrypted error ('IndexOutOfBoundsException: toIndex').

ID	Description
DEV-115050	Setup & Admin > Process > Process Definition > Requirements > Consolidation Area: If the Ownership Structure Register has relationships with 100% equal owner entities and owned entities, the deployment of the consolidation area returns an encrypted error.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-115435	During the ETL loading phase on the adjustments, CCH Tagetik returns an encrypted error when validating data

Form (CSD-27197)

ID	Description
DEV-114958	User Interface > Report List: if the user schedules or generates a Report List containing a form with error, CCH Tagetik will not show the yellow warning.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-114773	User > Processes > Cockpit with dimensions by step: CCH Tagetik shows an error if the user performs rejection of nodes and lowest elements with the same code.

Repository (CSD-27215)

ID	Description
DEV-115464	saml multi valued attribute support failed when SAML authentication is enabled

User Rights (CSD-127797)

ID	Description
DEV-114725	Setup & Admin > User Rights > Definition Result > CCH Tagetik returns an empty user rights deployment table for the nodes even though there is at least one unrestricted reference user on the custom dimension.
DEV-114674	Setup & Admin > User Rights > Action Menu, select "Copy user restrictions and settings from another user": CCH Tagetik does not properly apply the new user rights to the selected user

Patch: 5.3.SP29.435

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-114807	Data Source Mapping >Upload Text File > Even though the charset is specified, the file is not correctly decoded

Repository (CSD-27215)

ID	Description
DEV-115035	Reading of SAML attributes specified in the external authentication management page failed

Patch: 5.3.SP29.434

Analytic Workspace (CSD-27162)

ID	Description
DEV-110572	Cockpit with dimension by step > Runnable task run: when the user changes step while a data processing task is running, CCH Tagetik returns an error

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-114722	Carry forward on Original scenarios data processing: the data processing is slow when running processes with Process Data Model "by Account /Category".

Infrastructure (CSD-27205)

ID	Description
DEV-114836	Setup & Admin > ETL > Run: when loading a file created by ETL onto an endpoint of URL type (WebDav), CCH Tagetik returns an error.

Repository (CSD-27215)

ID	Description
DEV-115022	Upon SAML login, the user's email is always displayed even when a custom Subject NameID is specified on the external authentication page

Patch: 5.3.SP29.433

Admin Tools (CSD-27157)

ID	Description
DEV-114467	The German translation of the two captions "Copy to original scenario/periods" and "Owned entity currency" is incorrect.

Cloud Operations (CSD-27173)

ID	Description
DEV-113758	When the user logs in, CCH Tagetik returns the following error: "Authentication error Invalid status [urn:oasis:names:tc:SAML:2.0:status:Responder] for SAML response"

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-111632	Group consolidation data processing > Counterparty eliminations: in the presence of an IC amount on an account to convert at period average FX rate, with transaction currency different from the elimination journal currency, CCH Tagetik generates an elimination row with wrong amount on decimal places.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-114690	ETL> ETL Jobs > Parameters. When the User selects a row before the related Parameter deployment job has been completed, CCH Tagetik returns a blocking error message.

Data Model (CSD-27226)

ID	Description
DEV-113809	Setup & Admin > Dimensions tile > Select a custom dimension > Click on elements list: deleting an element of the elements list of a custom dimension does not work correctly.

Data Processing (CSD-140432)

ID	Description
DEV-114229	If the user launches a job containing a DTP from REST API and the DTP uses a reporting parameter, there is a slowdown in execution. The number of requests to the Database is too high compared to the execution of the same job via web.

Form (CSD-27197)

ID	Description
DEV-114607	User Interface > Report List: if the user selects a Report list configured with a form grouping, CCH Tagetik erroneously allows the user to override the only grouping.
DEV-108365	User Interface > scheduled Report List: if the user schedules a Report list containing a form with an error, CCH Tagetik does not send a warning email.

Infrastructure (CSD-27205)

ID	Description
DEV-114315	Tagetik Data Loader > Reading data causes disk space to fill up due to failure to delete temporary files after the task is completed.

Repository (CSD-27215)

ID	Description
DEV-114180	Repository > Query analyzer: when running a query that displays the user description, if this in Chinese/Japanese language, then CCH Tagetik returns a corrupted value for some users.

Patch: 5.3.SP29.432

Analytic Workspace (CSD-27162)

ID	Description
DEV-113645	Admin > Analytical Workspace > Datasource on Postgres environment: CCH Tagetik returns an error when using the CAST operator on a data field.
DEV-111710	Analytical Workspace > Update AW: after the “Update from exported Analytical Workspace” operation, dataset fields (present only on target AW) associated with a dictionary are erroneously deleted.

Consolidation settings (CSD-27182)

ID	Description
DEV-113829	Consolidation area deployment: on an Oracle application database, CCH Tagetik may return the following blocking error: "maximum number of expressions in a list is 1000".

Data Model (CSD-27226)

ID	Description
DEV-112962	Setup & Admin homepage > Dimensions > Analytical dimension > Elements list > Wizards > Recode > add a new record selecting the code of the element that should be recoded and its new code > Save > Run: CCH Tagetik returns a timeout error instead the selected element should be recoded with the inserted new code without error.

Diagnostic Check (CSD-27194)

ID	Description
DEV-113166	Setup Process > Validations > Plausibility diagnostic > Requirements: if there is a row with the "Exclude" option, only that row is included in the definition result, rather than being excluded.

Form (CSD-27197)

ID	Description
DEV-106132	User Interface > Report List: If the user selects a Report List containing a form with a matrix and overridden parameters, CCH Tagetik displays a mandatory parameters error.

Infrastructure (CSD-27205)

ID	Description
DEV-113803	Spring-web has been updated to version 6.1.12.

Process Cockpit (CSD-27210)

ID	Description
DEV-113517	Process with dimension by step cockpit: if the user is associated with a $DEREPORT system role, CCH Tagetik does not allow access to the cockpit.

User Rights (CSD-127797)

ID	Description
DEV-113766	Admin Interface > Setup & Admin > User rights > Definition result: CCH Tagetik returns an empty user rights deployment table, though among the reference users there is at least one that is unrestricted on the custom dimension.

Patch: 5.3.SP29.431

Analytic Workspace (CSD-27162)

ID	Description
DEV-113167	Business workflow: when a Train data processing of a machine learning model is launched, it fails after 24 hours.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-113444	When making a call to the OData endpoint <api-root>/aih/data/v1/{DATASOURCE}/{WORKSPACE_CODE}, the application returns an http error with code 404.

Form (CSD-27197)

ID	Description
DEV-112803	Matrix on financial data: when the user copies and pastes a row/column structure containing a parameter using the appropriate buttons in the matrix wizard, CCH Tagetik returns an error.

Patch: 5.3.SP29.430

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-112590	Area consolidation data processing - Minorities calculation: In the presence of a consolidation journal in which: -Entity1 is deconsolidated by 'initial balances' -and minorities are calculated based on the % of Entity 2 (not deconsolidated) -and the % of minorities of the non-deconsolidated Entity changes from the previous scenario the minorities calculation generates rows with wrong amount.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-112954	Setup & Admin > Analytical Workspaces > Workspace > Datasets > Actions > Datasources Mapping: after saving the Datasource Mapping, the value of the "Headers Management" field is always reset to the default value "With headers" even if specified otherwise before saving.
DEV-111987	ETL: CCH Tagetik does not allow uploading "Tab-separated values" (TSV) type files with charset other than UFT-8.

Form (CSD-27197)

ID	Description
DEV-101909	Line by line form with FST MD formulas. If the user launches the form, CCH Tagetik shows the value 0 on the FST formulas if the cell refers to a different period.
DEV-105146	If the user selects a Report List with a User.desc field cell with Chinese characters, CCH Tagetik returns encoded characters.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-112557	Process > Process Setup > Data Processing: if “Financial Consolidation” is not active in the settings, CCH Tagetik does not show the “Tax” node.

Patch: 5.3.SP29.429

Data Model (CSD-27226)

ID	Description
DEV-111284	General deployment: if the user runs the “Data model > Control groups > Update Details and Variations” data processing, CCH Tagetik does not verify the information coherence on Var.-detail types belonging to the Var.- detail type filter selected for control groups.

Form (CSD-27197)

ID	Description
DEV-111947	Given a multidimensional matrix with expansion type on the "Don't Expand" columns, when the user adds a new column to the web form, the column is not added. However, CCH Tagetik shifts the editability and + (add) buttons as if the column was added.
DEV-107236	Excel form: given a matrix that utilizes an Advanced selection script on nodes of accounts belonging to different sign classes, CCH Tagetik incorrectly calculates the sign change when reconstructing subtotal nodes.
DEV-109638	User Interface > Report List: if the user selects a Report list that generates separate files, enters a path in the Global section and overrides the filename on a specific report, CCH Tagetik does not show the path in the report.
DEV-108052	User Interface > Report List: if the user selects a Report list, CCH Tagetik does not allow to insert a script containing / (slash) and " (quote) characters into the filename field.

Master Data Management (CSD-27208)

ID	Description
DEV-112321	Repository > MDM > Import job & OGGETTI_DB: after a Db import, when the user accesses the graph window on the target DB via the Data Processing > job > Graph path, CCH Tagetik does not show the stored procedure associated with the job.

Repository (CSD-27215)

ID	Description
DEV-110982	Repository > Users & Roles > Users > Report > User type on license: f the user runs the data processing and sorts the loaded data by the “User type on license” field, CCH Tagetik returns an error.

Patch: 5.3.SP29.428

Analytic Workspace (CSD-27162)

ID	Description
DEV-111852	Run DTP from form: if the DTP is attached to the form with the Entity dimension and the selected process is multi-organization (dimensions per step), then CCH Tagetik erroneously allows the DTP to be run in standard mode, rather than in a context-independent one. Following the modification, a check will prevent the DTP from being run in these cases: without having the "Context independent run" option set to true.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-111472	Cash Flow Planning > Create derived events: in the case of SqlServer environment, CCH Tagetik returns a blocking error.

Data Model (CSD-27226)

ID	Description
DEV-109290	In the Settings, if the user enables the "Process Control (262/231)" check box, CCH Tagetik no longer allows the user to add an Entity to the elements list.
DEV-111988	Setup & Admin > Settings, if the user enables the "Process Control (262/231)" option, CCH Tagetik no longer allows the user to add an Entity to the elements list.

Diagnostic Check (CSD-27194)

ID	Description
DEV-108259	Plausibility diagnostic on contributor nodes: if the plausibility logic is filtered by Ctp entity, the diagnostic does not detect any unbalanced amounts on gross data.

Form (CSD-27197)

ID	Description
DEV-111218	Excel Form with transactional matrix with columns with dictionary or dimensions requiring the use of a selection control in the cell: if the user performs a cell copy operation (ctrl + c), CCH Tagetik generates a flicker in moving Excel cells, making data input difficult.
DEV-112014	Line by line Webform: if the user enters new lines, between 10 and 20, CCH Tagetik shows the + button in the wrong position.
DEV-88256	DE form with a line-by-line matrix: when the user opens a sorted matrix containing a server-side calculated formula, CCH Tagetik incorrectly shows the first line of the matrix as empty.

Intelligent Disclosure (CSD-294894)

ID	Description
DEV-111251	The number format in the ID document is incorrect. The . (dot) is not used as a thousands separator and the , (comma) is not used as a decimal sign.
DEV-111806	System Administration > Intelligent Disclosure > Documents Settings: CCH Tagetik closes the document tree after the assignment of user rights on the document itself.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-110896	Setup & Admin > Process > Process definition > Organization & Workflow > Mapping > Definition result: when opening the window, in case of an organization hierarchy with root code set to "ROOT", CCH Tagetik returns a blocking error.

Repository (CSD-27215)

ID	Description
DEV-111766	Repository > Query Analyzer: when running a query that displays the user description, if this is in Chinese/Japanese, then CCH Tagetik returns a corrupted value.

Patch: 5.3.SP29.427

Analytic Workspace (CSD-27162)

ID	Description
DEV-111307	Admin > Analytical Workspace > Export AW: in case the file for the documents associated with Rich Text fields is also produced, CCH Tagetik generates this file twice with different names.

Consolidation settings (CSD-27182)

ID	Description
DEV-111504	Consolidation Area deployment: on a Sap Hana application database, if the definition table contains many rows (e.g. more than 400 thousand) and is launched repeatedly, CCH Tagetik may return this blocking error message: "exceed maximum number of prepared statements".

Data Model (CSD-27226)

ID	Description
DEV-111285	Dimensions > Control group: the "Update control groups” utility does not check for consistency of the "Calculated account" field on Var. - Detail types that belong to the Var. - Detail type filter selected by the control group.

Form (CSD-27197)

ID	Description
DEV-109010	Reporting, Excel add-in. Using the Chromium-basedcommunication engine may occur a problem managing client side certificates.

Repository (CSD-27215)

ID	Description
DEV-110717	Repository > Users & Roles > Users > User type on license: once the data processing is complete, CCH Tagetik does not display the information for the “User type on license” column correctly.

Patch: 5.3.SP29.426

Analytic Workspace (CSD-27162)

ID	Description
DEV-109308	Analytical Workspace > Data Transformation Packages > Activities: the activity code remains editable even after the first save and causes potential problems when running the DTP.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-96107	When launching a scheduled Job, in some cases CCH Tagetik returns an error.

Data Model (CSD-27226)

ID	Description
DEV-108019	Setup & Admin > Dimensions > Entity > Elements list: if the user has set the user language to Japanese, the filter on any text field containing some Japanese characters (e.g. 南) does not work correctly.

Data Visualization (CSD-226553)

ID	Description
DEV-107009	User Interface > Transaction Matching: CCH Tagetik does not filter the transactions even though the slicer has been applied.

Diagnostic Check (CSD-27194)

ID	Description
DEV-109065	Multidimensional cockpit > Diagnostic: if the run of the diagnostic signals warnings, then after the data processing, the result window is not opened, but rather a popup.

Form (CSD-27197)

ID	Description
DEV-96890	Given a form opened in data entry on the web and in the new interface, if the user exits the form while editing a cell, then CCH Tagetik does not show the window that warns of the presence of modified data.

ID	Description
DEV-91900	Given a webform with a matrix whose hide attribute is defined in a row or column filter, when the form is opened in data entry, the add row/column button is not hidden and could overlap with other buttons in other rows and columns.
DEV-106424	Given a multidimensional matrix, when the user tries to add rows, sometimes the “Add new rows” button is not clickable.
DEV-107719	If the user opens a form in data entry mode in Excel and the Status column has a height greater than its width, then the “Delete rows” icon is not contained entirely within the cell.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-100152	Admin > Processes > Process definition > Cash Flow Planning, Allocations & Closing, Taxes and Others: CCH Tagetik shows setup pages in write mode even when the process is archived or with a locked setup.

Rates and Events (CSD-27212)

ID	Description
DEV-105204	The “Copy Ownership structure register” process does not work if it is launched by a user who has a code longer than thirty characters.

Repository (CSD-27215)

ID	Description
DEV-107789	Repository > Import/Export > Export: among the tables to export, the “UTENTE_FILTRI_PREFERITI” table is displayed in the Setup section rather than in the Users section.

Patch: 5.3.SP28.425

Analytic Workspace (CSD-27162)

ID	Description
DEV-110274	Analytical workspace > Import Aw: when importing one or more files, if there were problems with the encryption of the content in the export step, CCH Tagetik returns an error preventing the import of the file.

Collaborative Office (CSD-27178)

ID	Description
DEV-102923	Client Word > Update objects: when utilizing a server engine, during multi object or recursive update from a parent document, Word closes unexpectedly if CCH Tagetik displays a warning/errors window.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-110354	Cockpit with dimension by step > ETL task: when loading a file larger than 8MB, CCH Tagetik returns a blocking error.

Diagnostic Check (CSD-27194)

ID	Description
DEV-110758	Processes > Consolidator > Diagnostic: in the Run diagnostic window, if the user recalls a previously saved filter in which filter by step, control groups and/or form were defined, these filters are deleted.

Form (CSD-27197)

ID	Description
DEV-108269	Add-in > Local Settings: when the cache path check is added, the environment variables are not evaluated correctly.

Patch: 5.3.SP28.424

Collaborative Office (CSD-27178)

ID	Description
DEV-106129	Setup & Admin > Collaborative Office > Document type > Copy from: the codes of documents that are generated from "Report Bursting" and/or from "Check original data" are displayed.

Diagnostic Check (CSD-27194)

ID	Description
DEV-110386	Processes > Diagnostic: if the user recalls a previously saved filter in the Run diagnostic window, then the selected Entity lists and contributor nodes are cancelled, and it is not possible to run the data processing.

Form (CSD-27197)

ID	Description
DEV-106071	Web interface > Report List: given a Report List that generates separate files, when the user enters "${ReportList.desc}" as the filename, the script within the filename is not resolved and the file name does not match the script.
DEV-106069	When the user selects two or more cells of a Line-by-line matrix, a “Hover over” button that incorrectly remains present in all sheets with the copied matrix appears.
DEV-110148	If the user launches a form that has no stylesheet defined in the design step, then the report will be reproduced without any specific style.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-108331	New UI: in some cases, CCH Tagetik returns an error when the user tries to open the "test connection".

Innovation (CSD-307491)

ID	Description
DEV-116335	The problem was generated by the cloning of the database for the Sandbox environment. Machine Learning on Tagetik currently does NOT support cloning databases. To work around the fact that on Sandbox the models remained in “NOT_FOUND” state after cloning, the only solution was to delete those models and repeat the AW import. Deleting “NOT FOUND” cloned models on Sandbox improperly caused the deletion of some information from the PernodRicard models and thus causing the data processing problem reported in this ticket.

Rates and Events (CSD-27212)

ID	Description
DEV-106857	FX rates window: in the presence of Multiple Edit on thousands of rows, the Excel import can ignore some records.

Patch: 5.3.SP28.423

Analytic Workspace (CSD-27162)

ID	Description
DEV-109618	In some unidentified cases when the user enters the Analytical Workspaces page, CCH Tagetik returns an error.
DEV-107891	Data Entry on partitioned dataset > Quick Data Loading: CCH Tagetik does not write the data to the correct partition in the database.

Data Processing (CSD-140432)

ID	Description
DEV-110071	Setup & Admin > Data processing > Jobs: if the user launches a Job that invokes data processes in memory, sometimes CCH Tagetik is unable to STOP them.
DEV-105834	Database Object, stored procedure run: in SQLServer environments, if a version of the “mssql-jdbc-12.6.0.jre11.jar” driver is used and a stored procedure with input or output parameters is launched, then CCH Tagetik signals the following error: "com.microsoft.sqlserver.jdbc.SQLServerException: The TDS protocol stream is not valid. Unexpected token unknown token (0x4)" To solve the problem, the user needs to add "selectMethod=cursor" as a query param to the connection string, as in this example: jdbc:sqlserver://db-test3:1433;databaseName=DATABASE_NAME&selectMethod=cursor

Diagnostic Check (CSD-27194)

ID	Description
DEV-107314	Processes > Consolidator > Diagnostic: if the user selects the "Run on Contributor Data" option in the Run diagnostic window and then saves a new set of filters, when he recalls the previously saved filter, this option is not restored correctly. In particular, the lists of Entities and Nodes are not filled.

Form (CSD-27197)

ID	Description
DEV-105523	When launching the RL from the web with forms that contain dictionaries or cell fields with references to dictionaries, these fields are always translated with the first reporting language present within the system.
DEV-110113	Form in navigation or data entry: given a form with two or more tab filters with an area name defined at the template level, when the user launches the form from the web, CCH Tagetik does not properly clone the area names in the cloned sheets.

ID	Description
DEV-106373	Homepage > Report List: when the user launches a Report list that generates separate files, CCH Tagetik returns an error message.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-108606	New UI > Home page > Widget Suggested Tasks: when the user accesses the Process Cockpit after having clicked on a task, the history of visited pages is not updated correctly.

Master Data Management (CSD-27208)

ID	Description
DEV-109526	Admin > Repository > MDM and Export Database: when exporting an MDM file or a database, CCH Tagetik returns an error and the data processes fail.

Repository (CSD-27215)

ID	Description
DEV-109122	Admin > Repository > Import/Export > Import: when the user imports a file and selects the “Empty the DB before importing” option, if there is at least an Analytical Dimension related to a Custom attribute in the imported data, then the data processing fails with an error.

Patch: 5.3.SP28.422

Analytic Workspace (CSD-27162)

ID	Description
DEV-109218	Workflow: the launch of a Machine learning data processing does not write the expected value to the output dataset.
DEV-109059	Workflow: the launch of a Machine learning data processing in which the "clear output data before the data processing" option is not set generates an exception of type: "...bad SQL grammar"

Consolidation settings (CSD-27182)

ID	Description
DEV-106163	Process definition > Gross and IC amounts rules: in the Spreading section, the description for the "Reference {NOME_DEST2} hierarchy" field is not displayed correctly.

Data Model (CSD-27226)

ID	Description
DEV-104886	In the case of a Hana database, the deployment of the consolidation areas on all Processes takes a long time to finish.

Diagnostic Check (CSD-27194)

ID	Description
DEV-109169	Processes > Diagnostic: in the Run diagnostic window, CCH Tagetik displays an incorrect label for the category nodes lookup.

Form (CSD-27197)

ID	Description
DEV-103120	On AIH matrices, the override single cell function does not work.
DEV-104615	Matrix design on Financial workspace: when the user enters a custom filter dimension, CCH Tagetik returns a blocker message.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-109141	Process > Process definition > Elements Mapping - Task workflow > Import from .xls file: in case of an error in the .xls sheet, CCH Tagetik does not highlight the incorrect cell in red.
DEV-109140	Process > Process definition > Elements Mapping - Task workflow: when filtering the "Entity" field by hierarchy / node, CCH Tagetik returns no value.
DEV-104193	Setup & Admin > Process > Copy Requirements and Rules From: the utility does not copy "Import Financial Investment data into Ownership Structure Register" and "Rules Engine Designer" to the target process.

Repository (CSD-27215)

ID	Description
DEV-109168	Repository > Users and Roles > Users: when saving a new user associated with reference users that have access to several databases, CCH Tagetik runs the saving process correctly, but fails the refresh users process.
DEV-108958	Repository > Database Logins Report: the User with an $AUDIT role is unable to access the page.

ID	Description
DEV-109044	Admin > Repository > Import/Export > Import: when importing a file containing the “PPS_LOG” table, that is exported from SQL Server or Postgres, then the import data processing fails on any vendor database due to field type inconsistencies.

Patch: 5.3.SP28.421

Form (CSD-27197)

ID	Description
DEV-106929	Form in navigation or data entry: given a form with two or more tab filters with an area name defined at the template level, when the user launches the form from the web, CCH Tagetik does not properly clone the area names in the cloned sheets.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-108491	Cockpit with dimension by step: it is impossible to create a bookmark.

SP_397_420

Patch: 5.3.SP28.420

Form (CSD-27197)

ID	Description
DEV-96355	When the user opens a form in navigation mode and clicks on the drilldown option, CCH Tagetik also shows dimensions on which the user cannot perform the drilldown.
DEV-108711	CCH Tagetik also performs checks on AIH when FW matrices are launched.
DEV-106988	Run Form in Data Entry: if the Scenario and/or Period is missing, the user is not notified with an appropriate error message

Infrastructure (CSD-27205)

ID	Description
DEV-108579	In the test step of the Odata v2 type service endpoint, CCH Tagetik returns a connection error.

Patch: 5.3.SP28.419

Analytic Workspace (CSD-27162)

ID	Description
DEV-106864	Data entry Form: a user can save values even with the dataset offline.

Data Processing (CSD-140432)

ID	Description
DEV-108312	Audit detail window: for the details of a job, CCH Tagetik does not correctly show the job description in Japanese inside the tree.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-108283	Process > Process definition > Deadlines > Consolidator: when entering the window, CCH Tagetik window returns a blocking error.

Process Cockpit (CSD-27210)

ID	Description
DEV-107016	Cockpit with dimension by step > Submission: when the user runs the submission with the diagnostic enabled, then CCH Tagetik returns a blocking error.
DEV-104507	User > Processes > Cockpit with dimension by step: CCH Tagetik does not allow the user to reject the lowest level element on its parent node.

Repository (CSD-27215)

ID	Description
DEV-108179	New UI: Qualtrics returns an error message, but the survey is not shown.
DEV-107776	The login on a new UI reports the wrong redirect_uri.
DEV-107741	Repository > Import/Export tile > Export Tool > Select a database > in the “Tables to export” screen, open the Setup & Users subsections: the “USER_HOMEPAGE_WIDGET” item is incorrectly placed in the Setup subsection.
DEV-108044	Admin > Repository > Import/Export > Export: when running an export that includes the ANALYTICAL_TABLES node, in which at least one Workspace or Dataset is offline, then instead of returning a warning and stopping the run, the data processing starts and returns an error when exporting the Analytical Workspace tables.

System Reports (CSD-27217)

ID	Description
DEV-107897	In the System reports: - Gross and IC amounts > Original gross amounts - Gross and IC amounts > Original IC amounts - Journals > Original journal rows - Journals > Consolidated journal rows when filtering on a scenario, CCH Tagetik generates an “OutOfMemory” or has high memory consumption on HANA environments.

Utility (CSD-27222)

ID	Description
DEV-108078	User > Processes tile > Select a process with a scenario and a period if required > Contributor process cockpit > "Detail summary" section > "Actions" side panel, Snapshot button > Click on Create button: CCH Tagetik creates an incorrect snapshot and does not consider some physical partitions of the AIH (Analytical Information Hub) module

Patch: 5.3.SP28.418

Architectural Runway (CSD-27161)

ID	Description
DEV-107264	Setup & Admin > Data processing > Jobs: if the user launches a job configured with consolidations in parallel, CCH Tagetik may experience slowdowns.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-103678	User > Events > IFRS5 events > Event data: the "Reclassification account" field always displays the "Account" field’s value.

Data Entry (CSD-27187)

ID	Description
DEV-107233	Consolidation journals rows window: CCH Tagetik does not open the "Depreciation proposal" menu item when there are no rows in the window.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-107424	Quick Data Loader/ETL: when loading a file with an extension specified with uppercase letters, the Quick Data Loader/ETL returns invalid type file error.

Data Model (CSD-27226)

ID	Description
DEV-103974	Home page > Dimensions > Account > Rules panel > Accrual section: the "Debit accrual" and "Credit accrual" fields are not shown when the Cash Flow Planning flag is disabled in the configuration.
DEV-106346	Setup & Admin > Dimensions > Large Exposures: when the user runs a CRUD (create, read, update, delete) operation on Components on an Oracle database, CCH Tagetik returns a warning and the Time-dependent hierarchy of Custom dimension 5 is not updated.

Form (CSD-27197)

ID	Description
DEV-98897	When the user runs the drill down from the web on a form cell, CCH Tagetik may respond with an error or incomplete data. In these cases, if the user wants to run the window download, CCH Tagetik returns an error.
DEV-106744	When the user opens a report in navigation mode and clicks on the drilldown's option or cell properties, CCH Tagetik returns an error.
DEV-105209	The executable Excel files in the Office CCH Tagetik add-ins installation folder are not digitally signed.
DEV-105026	When the user runs the drilldown from the web on a form cell, CCH Tagetik may respond with incomplete data.
DEV-107810	Run form > Select parameters from prompt: the nodes are not displayed on a custom parameter.
DEV-107995	When the user opens a report that contains linked objects to the report in design mode, CCH Tagetik returns an error.

IC Cockpit (CSD-27203)

ID	Description
DEV-105907	IC cockpit: the IC and Reconciliation account rows with QDL origin are editable.

ID	Description
DEV-107186	Admin > Process > Process definition > Consolidation > Basic consolidation Eliminations and IC matching > IC Cockpits definition > Reconciliation Accounts for Other Accounting: the window is displayed in read-only mode.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-106488	Process > Process Definition > Deadlines: the window is editable in case the user is associated with the $AUDIT role.
DEV-107799	Setup & Admin > Business Workflow tile > Select a workflow > Steps > Select a step > Select a task list > Select a task of stored procedure type: the name of the stored procedure related to the task is not displayed correctly in the task detail panel.

Process Cockpit (CSD-27210)

ID	Description
DEV-105429	User interface > Processes > Cockpit: When the user runs a multiple approval from form, CCH Tagetik returns an error.

Repository (CSD-27215)

ID	Description
DEV-105820	When starting the application, following an Application Server malfunction, CCH Tagetik returns a series of repeated exceptions containing the "cannot create children while terminating or terminated" error message, that makes it impossible to utilize the application itself and forces the user to restart the Application Server.
DEV-105991	Roles: the user with the $AUDIT role cannot open AW matrix forms in Navigation mode.

Patch: 5.3.SP28.417

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-105977	"Rules Engine Designer" group data processing: in the presence of an execution plan with a high number of Entities but none of these is configured for the consolidation journals, "Rules Engine Designer" data processing takes a lot of time to produce the fast return message.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-106559	Admin > Process > Process definition > Consolidation: in case of an archived Process or a Process with locked parameters, the user can still access the “Copy elements to consolidate” and “Manage status” windows by clicking on the related link.

Data Model (CSD-27226)

ID	Description
DEV-103674	Dimensions > Control group: in some cases, the "Update control groups" utility does not verify the coherence of all Var. - Det. types belonging to the Var. - Det. type filter chosen for the control group.

Form (CSD-27197)

ID	Description
DEV-105522	Data Entry Form: when the user copies empty cells, pastes them to the WebForm and then saves, CCH Tagetik returns this error: "ERRORSPACE".
DEV-107094	Data Entry Web Form: when the user has the functions 0001567, 0001566, 0004073 disabled, the xls buttons for launching the form in Excel are not displayed.

Patch: 5.3.SP28.416

Analytic Workspace (CSD-27162)

ID	Description
DEV-106806	Analytical workspace > Update from local Analytical Workspace: an error occurs when updating some tables related to DTP operations.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-106789	Consolidation data processing: in some unidentified cases, running balancing data processes requires a lot of time.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-106719	Jobs run that contain QDL tasks have suffered significant performance degradation from version 5.3.SP26 to version 5.3.SP28.

Data Model (CSD-27226)

ID	Description
DEV-106031	When a user recodes a standard element type of the FST formula, CCH Tagetik performs a wrong recode of the formula’s element.

Data Processing (CSD-140432)

ID	Description
DEV-106798	Setup & Admin > Data processing > Job > Show graph: in a Stored Procedure type task, CCH Tagetik does not save a Stored Procedure on a DB schema different from the current DB schema.

Form (CSD-27197)

ID	Description
DEV-106720	Data Entry Excel: when the user tries to insert more than one document into the same cell, CCH Tagetik generates an error.

User Rights (CSD-127797)

ID	Description
DEV-106414	User rights > Restrictions > the “Define” link on a Custom dimension or Analytical dimension: the descriptions that contain Japanese characters are not displayed correctly in the table.

Patch: 5.3.SP28.415

Analytic Workspace (CSD-27162)

ID	Description
DEV-106107	When running an "Update Analytical Workspace" on a Workspace used by the Transaction Matching, CCH Tagetik returns a blocking error.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-100168	Processes & Workflow > Processes: if the user selects a locked process and then goes to Process definition, then the following pages of the data processing tree are editable: - Consolidation > Requirements - Consolidation > Requirements > Define Consolidation Area - Consolidation > Requirements > Define element to consolidate - Consolidation > Basic consolidation > Eliminations and IC matching > Requirements > IC cockpit definition - Consolidation > Advanced Consolidation > Financial investments reclassification > Accounts - Consolidation > Advanced Consolidation > Financial investments reclassification > Categories - Consolidation > Advanced Consolidation > IFRS5 > Accounts - Taxes > Deferred and prepaid taxes > Input accounts - Taxes > Deferred and prepaid taxes > Override Accounts

Consolidation settings (CSD-27182)

ID	Description
DEV-106059	Setup & Admin > Process > Data Processing > Consolidation > Requirements: when the user has the $AUDIT role, "Define Consolidation Area", "Copy elements to consolidate", "Manage status" and "Change in consolidation scope" are visible. Furthermore, when accessing "Merger events", the window returns an error.

Data Model (CSD-27226)

ID	Description
DEV-84024	When deleting a dimension with the "Verify if the elements to be deleted are used within the forms" option active, CCH Tagetik returns this warning message: "Warning! In order to perform a complete check on all the present forms, run the Synchronize Report Structure". Nothing changes even with synchronization.

Data Processing (CSD-140432)

ID	Description
DEV-106718	Setup & Admin > Data processing > Job: when saving a Stored procedure task, the parameters are not saved.

Form (CSD-27197)

ID	Description
DEV-105844	Given a web form with subtotal type formulas in a matrix, when the user runs the spreading on this type of formulas, then CCH Tagetik returns this error message: “Spread failure: algorithm not applicable.”

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-106292	Query Analyzer: when the user inserts queries containing values between 0.1 and 0.9, at launch CCH Tagetik shows the value as 0.

Infrastructure (CSD-27205)

ID	Description
DEV-105742	When calling an OData v2 service with parameters via the endpoint, CCH Tagetik returns a resource not found error message.

Process Cockpit (CSD-27210)

ID	Description
DEV-106544	Cockpit with by step dimensions > Report of states: in case, in the definition result of the mapping of the elements with the task workflow, there are more elements than those present in the relationship with the organizational hierarchy of the process, CCH Tagetik shows incorrect progress percentages on the submission status.
DEV-104237	Entity cockpit > Overview > Tooltip on rejected Entity: in the case of a Japanese language user, CCH Tagetik incorrectly displays the rejection comment.

Repository (CSD-27215)

ID	Description
DEV-106686	Admin > Repository > Import/Export > Import: during the import step of Analytical dimensions, if at least one custom attribute linked to a single analytical dimension exists in the imported file, then CCH Tagetik returns an error, and the import fails.

User Rights (CSD-127797)

ID	Description
DEV-106515	User rights > Entities and Nodes: multi-edit does not work or is disabled.

Patch: 5.3.SP28.414

Analytic Workspace (CSD-27162)

ID	Description
DEV-105858	AIH > Datasource > Preview: CCH Tagetik shows an incorrect error message when malicious queries are inserted.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-105840	Area consolidation data processing > Conversion: in the presence of a row for “Override FX rate difference accounts” by: - a variation type account - with FX rate difference “Balance sheet – historical FX rate” - and consolidation journals category, CCH Tagetik applies overrides to other variations of the same control group as well.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-105408	Even when the user has not selected the elimination rules, when the consolidation data processing is launched from job, CCH Tagetik generates the following warning upon completion: “There is no value to associate with the optional parameter 'Ctp elimination logic (regolaElisioneList)' of data processing CONSOLIDATION (CONSOLIDATION 4)”.

Consolidation settings (CSD-27182)

ID	Description
DEV-105405	Setup & Admin > Process definition > Consolidation > Requirements from new interface: in the presence of many records, scrolling down to subsequent pages always takes you back to the first page.
DEV-105666	Process > Process definition > Consolidation > Requirements: when the user selects all the grid values, CCH Tagetik does not enable the "Copy definition from" option even if the selected scenarios/periods are not locked.
DEV-105662	Process > Process definition> Consolidation > Requirements: if the user opens the "Event scenario for Ownership structure register" lookup, CCH Tagetik does not return any result and the window remains locked without even the possibility of being closed.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-104664	Consolidator cockpit > Utility > Copy Consolidation run with the "Copy the submission status" option on the Process that handles the diagnostic results log: on the target scenario/ period, the "Userupd" and "Dateupd" fields of the diagnostic log and the related comments are overwritten with user and run date of the copy.

Data Entry (CSD-27187)

ID	Description
DEV-102126	Process > Detail summary > Actions menu > Edit windows > Edit Entity journals > Actions menu > Rows > Wizards menu > Depreciation Proposal > Actions menu > Generate depreciation plan: in the presence of a depreciation plan with the "Calculation start date" field in months that have a preceding month of less than 31 days, CCH Tagetik generates the first installment of the depreciation plan with the wrong date.
DEV-104385	Consolidator cockpit > Override amounts: in the “Overrides on Consolidation scenario – Proportional data – Amounts and Overrides on Consolidation scenario – Converted and Consolidable data – Amounts” window: it is impossible to edit records with MAP origin even though the “Edit data with ETL origin" option is enabled in the configuration.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-106100	Run ETL: the Allocation type transformation task returns an error.

Data Processing (CSD-140432)

ID	Description
DEV-104788	Setup & Admin > Data processing > Job > Show graph: in a Stored Procedure type task, CCH Tagetik does not save a Stored Procedure on a DB schema different from the current DB schema.

Form (CSD-27197)

ID	Description
DEV-104062	Data Entry Form: CCH Tagetik allows opening an Excel form in Data entry mode from Process even if the user has the $AUDIT role.
DEV-105215	The web-side form rendering does not take into account the customization of the row height and overwrites it.

ID	Description
DEV-104977	If the user opens a data entry form on Excel from the web cockpit and Excel is not open or logged in on the user's machine, if there is a reference to the “TgkrMacro.xlam” in the “TGK_BeforeRun” function in the form, then CCH Tagetik shows a popup indicating that the “TgkrMacro” file is missing.

Rates and Events (CSD-27212)

ID	Description
DEV-105537	Rates > Overridden FX rates in memory: even if the function 0003604 is read-only in the role, the user still sees the window as if the function is in edit mode.

Repository (CSD-27215)

ID	Description
DEV-106057	Admin > Repository > Import/Export DB > Import: when importing multiple files, CCH Tagetik does not handle the “ANALYTICAL_TABLES-Analytical Workspace” node correctly.

Patch: 5.3.SP28.413

Analytic Workspace (CSD-27162)

ID	Description
DEV-105414	Analytical Workspace: during a DTP import, the DTP context parameters are not recalculated.

Collaborative Office (CSD-27178)

ID	Description
DEV-103873	Client Word > Update objects: the server update of objects in the document part that derive from the restore of a snapshot returns this error: "Error retrieving report data".

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-105524	Area consolidation data processing - Conversion: in the presence of an Override row for FX rate difference accounts: - on an account present in the menu of Carry forward rules - Input and Output accounts, in the fields of normal write off account and normal loading account - with “Balance sheet - Historical FX rate” of FX rate difference type - and consolidation journals category

ID	Description
	CCH Tagetik generates separate FX rate difference rows for the initial balance variation and write off/loading variation rather than adding them.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-105459	ETL > Run: when running an ETL that requires loading an .xbrl file, then when the user runs the data processing, CCH Tagetik returns an error because the file type is considered invalid.

Data Model (CSD-27226)

ID	Description
DEV-105614	Dimensions > Scenarios list > Consolidation tab: the validation procedure of the “Financial investments reclass. adj. prefix” field for added/modified consolidation scenarios is not effective.

Form (CSD-27197)

ID	Description
DEV-104883	Report List from Web and from Excel add-in: in case of a parameter with override, CCH Tagetik shows an error message.
DEV-103469	Data Entry Form: Tagetik CPM returns an error when the user tries to attach a third attachment in the cell in which the first two were attached.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-104416	Business Workflow > Step > Task Workflow > Task: if the user has the $AUDIT role, CCH Tagetik allows the user to manage task notes and attachments.

Process Cockpit (CSD-27210)

ID	Description
DEV-104833	Consolidator cockpit: the users with an $AUDIT role (or with the function 0000683 enabled in read only mode), do not have the button to access the consolidator cockpit.

Repository (CSD-27215)

ID	Description
DEV-105793	Admin > Repository > Import/Export > Import: when importing a file exported from a Postgres database to a Hana database, the “PPS_LOG” table is not imported due to a compatibility error between the two database vendors regarding column types.

Patch: 5.3.SP28.412

Analytic Workspace (CSD-27162)

ID	Description
DEV-105326	Admin > Repository > Import/Export > Import: when running an import that includes the tables belonging to the “ANALYTICAL_TABLES - Analytical Workspace” node by selecting the “Delete all Analytical Workspace partitions” option, in case the number of existing partitions in the target database is high, CCH Tagetik returns an error due to the exhaustion of available database connections.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-105197	When the AIH data exposure service is called and there is a datasource having a code containing the "_" (underscore) character, then CCH Tagetik returns a blocking error.

Data Processing (CSD-140432)

ID	Description
DEV-104902	Data processing > Database objects > Actions menu > Deployment: if the "Stored procedures visibility" settings flag has the "All schemes" value, then CCH Tagetik shows an error.

Form (CSD-27197)

ID	Description
DEV-105346	In the data entry step, an error message appears if the user modifies more than 200 cells: even when it is possible to run the operation.
DEV-104562	When run from Data entry form (Excel or Web), CCH Tagetik generates error: when running the "Balancing on original scenarios" data processing.

Infrastructure (CSD-27205)

ID	Description
DEV-105032	Database: when deleting a huge amount of data from the “REP_NOTIFICATION_MESSAGE” table, CCH Tagetik creates a query that is too large to handle which slows down the entire application.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-101676	User > Processes > Entity cockpit: frequently, an "Invalid object name" error appears in the Tagetik .log file even if CCH Tagetik is working correctly.
DEV-104420	Business Workflow > Step > Task Workflow: if the user has the $AUDIT role and the step is empty, then CCH Tagetik allows the user to insert a new task workflow.

Process Cockpit (CSD-27210)

ID	Description
DEV-104428	User > Processes: if the user opens an archived process, then CCH Tagetik returns a blocking error.

Patch: 5.3.SP28.411

Analytic Workspace (CSD-27162)

ID	Description
DEV-99440	A user can launch an Upgrade version data process together with other AW data processes (Upgrade from, Clone, Delete Partition).

Collaborative Office (CSD-27178)

ID	Description
DEV-99050	The “Edit attachments” option is not handled when deploying user rights with reference users.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-95612	System report > Gross and IC amounts > Consolidated amounts: when filtering on a scenario, CCH Tagetik generates an “OutOfMemory” error on Hana environments.

ID	Description
DEV-100206	IFRS5 events > Event data > Wizards > Row wizard: CCH Tagetik deletes existing rows and does not generate any rows.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-101637	Balancing: if there are control groups that cannot be balanced, in the audit the data processing is reported as executed successfully, rather than highlighting a warning.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-93297	Entity and Group data processing > Financial investments reclassification: if a consolidation scenario has a "Financial investments reclassification prefix" whose value is concatenated using '_' and this prefix is equal to the initial part of the prefix of another consolidation scenario, then CCH Tagetik also inserts unexpected consolidation scenarios in the journal's consolidation scenarios filter.
DEV-104941	Consolidation > Group data processing > Journal depreciation: in the presence of several variation control groups on the Depreciation fund accounts, CCH Tagetik returns an encrypted error message.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-102631	Entity and Group data processing > Reverse journal: in presence of 1) a journal with "Set BS accounts to 0 and Write off P&L impact" or "Set BS and Variations accounts to 0 and Write off P&L impact" reverse type; 2) rows with 'PREL_REVERSE1' origin on P&L or Variation accounts in the journal of the previous scenario / carry forward period, CCH Tagetik generates the reverse rows relating to the rows (rather than excluding the 'PREL_REVERSE1' origin).

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-103961	New UI: In case of re-login and closing of the previous browser, the new session is terminated.
DEV-103954	New UI: In the case of multi-tab, the result popup of data processing completed is missing.

Diagnostic Check (CSD-27194)

ID	Description
DEV-99911	On the new UI, in case two subsequent diagnostics are run, the oldest diagnostic result remains visible in the list of currently running data processes. If the user tries to view the result, CCH Tagetik signals this message: “The result of the data processing is no longer available”.
DEV-101744	Diagnostic: in processes with by Entity / custom dimension 2 relationship type, the drill down report displays incorrect amounts for IC control groups.

Form (CSD-27197)

ID	Description
DEV-100126	When the user tries to add a new element to the matrix during data entry, even after having defined an advanced selection script for sorting elements, he still obtains an unordered list of elements.

IC Cockpit (CSD-27203)

ID	Description
DEV-95212	IC cockpit: when the user opens an IC cockpit in a Process step, CCH Tagetik shows the process code in the header but not the IC cockpit currency.

Infrastructure (CSD-27205)

ID	Description
DEV-102355	When the application is run on JBoss EAP 7.4.15 or higher, no page can be opened due to a generic error that is displayed to the user.
DEV-104837	When reading the "date modified" attribute of a file via a Samba (SMB) type endpoint, CCH Tagetik returns incorrect date.
DEV-104429	The Oracle script update procedure fails due to a syntactic error.
DEV-103436	In some specific combinations of the security settings and file types, the user can load into the application files with an extension that should be blocked.
DEV-103530	CVE-2024-22262 vulnerability issue

Process Cockpit (CSD-27210)

ID	Description
DEV-104235	Cockpit with dimension by step > Rejection: in case of Japanese language, CCH Tagetik displays the rejection comment incorrectly.

Repository (CSD-27215)

ID	Description
DEV-104021	A local user with an expired password (to be updated) cannot utilize APIs via the Gateway.

Patch: 5.3.SP27.410

Analytic Workspace (CSD-27162)

ID	Description
DEV-104540	The Query Analyzer does not show the correct values of the dataset partition tables.
DEV-103333	The partitions deletion data processing remains pending when launched at the same time as the export of an analytical workspace.

Data Processing (CSD-140432)

ID	Description
DEV-104593	Dividends distribution: when opening the window, if the "Cash Flow Planning" process is not active in the settings, CCH Tagetik returns a blocking error.

Form (CSD-27197)

ID	Description
DEV-104915	In a form with a line-by-line matrix with the option of opening rows automatically, when saving, the uninserted rows are modified and generate error messages.

Infrastructure (CSD-27205)

ID	Description
DEV-104888	In a system configured to perform an Identity Provider based authentication, the add-in fails to perform the login operation.

Patch: 5.3.SP27.409

Form (CSD-27197)

ID	Description
DEV-104503	Web Form > When opening a form, a SpreadJS licence failure message is displayed

Patch: 5.3.SP27.408

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-103981	Area Consolidation Data Processing > Proportional calculation. In the presence of: 1) two Entities that do not have IC declarations between them 2) an IC entry between the two Entities generated by the Equity Pick-up data processing where the Owner Entity has a higher code than the Owned Entity 3) a Ctp Elimination journal with an active 'Single adjustment relationship' option generated from the IC entry on the Equity Pick-up journal. CCH Tagetik does not consolidate the Ctp elimination journal on the consolidation scenario.
DEV-104341	Area data processing on consolidation scenarios > Rules Engine Designer: when there are input rows having all dimensions exactly the same (including amounts), CCH Tagetik reclassifies only one of those input rows on the consolidation scenario.

Form (CSD-27197)

ID	Description
DEV-99067	Given a multidimensional form with the option 'show totals above' and without a totals row, when the user adds a new row, the button for adding the row is not placed correctly in the empty row.
DEV-101736	Data Entry Form: when the user copies empty cells, pastes them into the WebForm and saves, CCH Tagetik returns the error 'ERRORSPACE'.
DEV-104371	Form design: when the user inserts, deletes or modifies the value of more than 200 cells at once, CCH Tagetik prevents the operation and displays a message.

Patch: 5.3.SP27.407

Analytic Workspace (CSD-27162)

ID	Description
DEV-99998	In some unidentified cases, when a user opens a partition, CCH Tagetik returns an out of memory error.

Collaborative Office (CSD-27178)

ID	Description
DEV-101554	Word Client > Edit Structure > Update: Updating objects derived from Forms returns the error 'Unable to cast COM object ...' in the presence of Sensitivity Labels saved in the object's source Form.
DEV-103434	Setup & Admin > Collaborative Office > Documents - Update Documents : CCH Tagetik does not return the correct format if a string with the following characters has been entered in the Excel cell format: a, g, d j, t.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-103531	Area consolidation data processing > IFRS5: in the presence of an IFRS5 event with a filter on custom dimension 2, CCH Tagetik generates rows of IFRS5 entries for custom dimension 2 items not included in the filter.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-103979	ETL - Account Loading: Compilation of Accrual Accounts erroneously depends on the presence of the Financial Planning module
DEV-103632	When utilizing the new UI, a non-administrator user cannot use the ETL from the dedicated menu.

Data Model (CSD-27226)

ID	Description
DEV-102524	Dimensions > Account > wizard > recode: if the user performs a recode, CCH Tagetik returns an error.

Diagnostic Check (CSD-27194)

ID	Description
DEV-100169	Admin > Processes > Process definition > Submission > Job execution plan to be launched at submission and rejection; Admin > Processes > Process definition > Override Entity parameters on original scenarios; Admin > Processes > Process definition > Validation > Plausibility diagnostics; Admin > Processes > Process Definition > Consolidation > Basic Consolidation > Eliminations and IC matching: CCH Tagetik allows rule changes to be made even in the case of a blocked or archived Process.

Form (CSD-27197)

ID	Description
DEV-103989	Excel > SAML authentication > The login page is not displayed correctly.
DEV-103422	Data entry Form: when the user writes in more than 200 cells at once, e.g. using paste value in a range of cells, CCH Tagetik does not show any message and does not save any data.

Utility (CSD-27222)

ID	Description
DEV-102472	Data processing > Job > Review and Launch: By selecting 'all periods' to copy from, CCH Tagetik returns an unnecessary warning.

Patch: 5.3.SP27.406

Cash Flow Planning (CSD-27163)

ID	Description
DEV-103181	Cash Flow Planning > Indirect taxes calculation: in the of a SqlServer environment, CCH Tagetik returns a blocking error.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-102925	Consolidation area data processing - Minorities: In the presence of: - an F.I. elimination journal with minorities calculation “based on % Entity 1” - with Owned entity deconsolidated from “initial balance” - without carry forward rows on normal accounts subject to minorities calculation CCH Tagetik generates unexpected minorities calculation rows for Balance sheet accounts.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-102871	The “Copy consolidation” utility takes place a long time to complete in case only source scenario and target scenario are selected.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-103013	NEW UI: A Vaadin window only appears sometimes in the new UI.

Diagnostic Check (CSD-27194)

ID	Description
DEV-103020	NEW UI: when some data processes end with warning messages, CCH Tagetik redirects the user to the audit page instead of the log page of the data processing (e.g. ETL, diagnostic, ...)

Form (CSD-27197)

ID	Description
DEV-101212	Webforms line-by-line matrices: if a filter is applied on a column, CCH Tagetik no longer displays the row buttons.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-103117	Setup & Admin > Dimensions > Custom Dimension Hierarchies > Structure and Relationships: when the user selects the multiselect, exits and then re-enters the "Structure and Relationships" page, CCH Tagetik returns an encrypted error.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-102764	Process with dimension by step > Delete a Process: CCH Tagetik does not delete the snapshot parameters.
DEV-103468	New UI > Processes: when the user with the “PROCESS_USER” role tries to access the process menu, CCH Tagetik returns this error: "Access denied ".

Patch: 5.3.SP27.405

Analytic Workspace (CSD-27162)

ID	Description
DEV-102193	CCH Tagetik does not correctly show the nodes of the Audit detail tree generated by a DTP.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-102939	Setup & Admin > Data processing > Dividends distribution rules: the captions of the "Down Payment Dividends Distribution Reserve" and "Cash Payment" fields are reversed.

Form (CSD-27197)

ID	Description
DEV-102979	Report List from Web: when considering a node that contains more than 50 report lists, CCH Tagetik does not show elements inside it correctly.
DEV-102505	If a user saves data with a transactional form to which an ETL that invokes a deployment is attached, then in some cases this deployment remains running.
DEV-94175	Web form with tab filter: given a form that requires scrolling the page to view all the matrices, the “Add row” button is displayed after scrolling the page only in the first sheet but remains hidden in subsequent sheets.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-98273	Home page > Navigation panel: the open Process tree state is not kept after browsing.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-102730	Cockpit with dimension by step > "List of Form" type task: the forms are ordered differently from how they were inserted in the task definition.
DEV-102776	Processes: in case of an inactive scenario with all its periods unlocked, and an active scenario with all its periods locked, CCH Tagetik returns an error.

User Rights (CSD-127797)

ID	Description
DEV-102022	Setup & Admin > General deployment > User rights: CCH Tagetik returns an encrypted error.

Patch: 5.3.SP27.404

Analytic Workspace (CSD-27162)

ID	Description
DEV-102042	When deleting a partition on a calculation layer, CCH Tagetik deletes comments present in the “OWS_DATI_COMMENTI” table in that dataset.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-102440	Cash Flow Planning > Direct taxes calculation: in the case of a SqlServer environment, CCH Tagetik returns a blocking error.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-101944	Balancing: the Area data processing on a Process in which the validation rules have been parametrized to balance the category nodes containing only journal categories returns an encrypted error.
DEV-102223	Area consolidation data processing > Generate Proportional: in the presence of 1) periodic calculation, 2) data processing period belonging to a process that is different from the previous period, CCH Tagetik generates incorrect amount rows.

Diagnostic Check (CSD-27194)

ID	Description
DEV-102473	Diagnostic: in the presence of control groups that expect the “Check consolidation journals by Entity” option, unbalanced amounts are shown in the result window but are not reported in the drill down report.

Form (CSD-27197)

ID	Description
DEV-99263	CCH Tagetik does not generate the index of the Report Lists.
DEV-101217	Report List from Web: when considering a node that contains more than 50 report lists, CCH Tagetik does not show elements inside it correctly.

Process Cockpit (CSD-27210)

ID	Description
DEV-100278	Submission/Rejection: if the Entity description contains special (non-ASCII) characters, then it is not shown correctly in the results window.

System Reports (CSD-27217)

ID	Description
DEV-101110	Process report > Journals book: the lookups of consolidation scenarios and category nodes do not show the descriptions correctly in case they contain special (non-ASCII) characters.

Patch: 5.3.SP27.403

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-101866	Area consolidation data processing > Conversion: in the presence of a row for “Override FX rate difference accounts” by: - a variation type account - with FX rate difference “Balance sheet – historical FX rate” - and consolidation journals category, CCH Tagetik applies overrides to other variations of the same control group as well.

Form (CSD-27197)

ID	Description
DEV-102191	Comments and Attachments: when the user tries to add an attachment to a cell in which another attachment already exists, then CCH Tagetik returns an error.

Infrastructure (CSD-27205)

ID	Description
DEV-101874	A security vulnerability occurred due to CVE-2024-22257.

Patch: 5.3.SP27.402

Analytic Workspace (CSD-27162)

ID	Description
DEV-98062	The list of dimensions in the drop-down of the datasource fields does not show more than 50 items.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-101046	Utility > Copy Consolidation: Chinese characters are not displayed correctly in the 'Copy from' section.

Data Processing (CSD-140432)

ID	Description
DEV-101737	Allocations & Closing > Look-up for the selection of Routines: when opening the look-up, CCH Tagetik returns a blocking error that prevents the selection of routines.
DEV-101453	Setup & Admin > Data processing > Allocations and Closing > Routine > Rule > Detail: in case of multiple selection of elements, both in data to be allocated and in the driver, CCH Tagetik sorts the records incorrectly.
DEV-101785	Allocations & Closing > Look-up for the selection of Routines: when applying a filter to the column of routines, CCH Tagetik returns a blocking error that prevents filtering of routines.

Form (CSD-27197)

ID	Description
DEV-98743	Data Entry: when the user opens a data entry form in offline mode and saves data, CCH Tagetik opens a dialog window in which the buttons are only partially visible at the bottom of the window.
DEV-99506	Report List: in case of a report list containing a form with a FST type parameter defined in the design step, CCH Tagetik does not show the result correctly.
DEV-101719	Form on One Drive: in the Add-in configuration, Local settings > One Drive folder: if user utilizes environment variables, then CCH Tagetik returns this error: "OneDrive Path Wrong.”
DEV-89917	Given a matrix with a filter to which pruning to zero with subtotals has been applied, when the user opens the form in data entry or navigation, CCH Tagetik does not consider pruning to zero and incorrectly shows some rows or columns.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-101419	NEW UI: some JavaScript files have incorrect encoding.

IC Cockpit (CSD-27203)

ID	Description
DEV-101892	IC cockpit: in IC matching processes that use the period average FX rate for data conversion, locking and submission of relationships may take a long time.
DEV-101224	IC cockpit: in processes with by Entity/ Custom dimension 2 relationship type and with IC matching logics at period average FX rate, locking and submission of relationships may take a long time.

Infrastructure (CSD-27205)

ID	Description
DEV-101370	Tagetik Data Loader Endpoint: in case the Tagetik Data Loader configuration information has not been specified and saved by the user, the tools that utilize an Endpoint of Tagetik Data Loader type to write a file on premise returns an error.

Repository (CSD-27215)

ID	Description
DEV-101693	SCIM API > GET single user: the value of the "lastModified" field is represented by an integer. SCIM API > GET > COUNT parameter: the value of the "totalResults" field in the response body is incorrect with respect to the RFC 7644 standard.

Patch: 5.3.SP27.401

Architectural Runway (CSD-27161)

ID	Description
DEV-101179	Login page: when the user is already logged in from another session and he proceeds to log out the old session, then he is logged out immediately.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-100978	Cash Flow Planning > Indirect taxes calculation: if there is more than one indirect tax policy with the same VAT account, then CCH Tagetik returns a blocking error.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-100921	When launching Area data processes, if they are launched for more than one consolidation scenario at a time, then CCH Tagetik returns an encrypted error.
DEV-100772	If a consolidation scenario has an associated categories node that contains more than 1000 categories and the in-memory consolidation engine configuration is enabled, when the Area data processes are launched, the Equity evaluation data processing fails with an error.

Data Processing (CSD-140432)

ID	Description
DEV-101043	Setup & Admin > Data processing > Job > Show graph: in Edit mode, once a job task of "Stored Procedure" type has been added, the procedure selection combo box shows duplicated records.

Form (CSD-27197)

ID	Description
DEV-99079	CCH Tagetik > Report List: Rows are not autofitted for the report lists exported to PDF.
DEV-101182	Given a dataset with a dimension field associated with a dictionary and a form with a transactional matrix that reads or writes to this dataset using a filter on the same dimension, when the user inserts a new record via the Excel add-in, CCH Tagetik does not show the drop-down menu in the above-mentioned field.
DEV-101189	Given a dataset with a dimension hierarchy field associated with a dictionary and a form with a transactional matrix that reads or writes to this dataset using a filter on the same dimension, when the user inserts a new record, CCH Tagetik does not show the drop-down menu in the above-mentioned field.

Utility (CSD-27222)

ID	Description
DEV-101014	Process > Archive process with "Single" number of cycles: other than the selected process, CCH Tagetik archives all processes with “Dimension by step” having the number of cycles set equal to “Single”.

Patch: 5.3.SP27.400

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-100935	Admin > Setup & Admin: CCH Tagetik returns an error when the user clicks on the Data Export Service tile.

Data Model (CSD-27226)

ID	Description
DEV-93806	Setup & Admin > Dimensions > Account > FST & KPI > Three dots: FST Items > Relationships: the page does not open correctly if the user has the function 0000042 disabled (access to the account hierarchies).

Form (CSD-27197)

ID	Description
DEV-100171	An exception is generated when opening a form on certain versions of Excel that do not have Microsoft Azure Information Protection support.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-100837	Query analyzer: CCH Tagetik does not launch queries in the correct order decided by the user.

User Rights (CSD-127797)

ID	Description
DEV-98935	The user rights report shows as unrestricted the restricted analytical dimensions on which the definition of restrictions has not yet been populated.

Patch: 5.3.SP27.399

Analytic Workspace (CSD-27162)

ID	Description
DEV-100226	Hana Database > Run DTP: this error occurs when running the "Enrichment from other dataset" operation: “invalid table name AET..”

Data Model (CSD-27226)

ID	Description
DEV-98229	Dimensions > Scenario > Elements list > Snapshot: when Japanese is set as the application language and the user clicks on the “Export for Import” button, then CCH Tagetik returns an encrypted error.

Form (CSD-27197)

ID	Description
DEV-100627	Given a dataset with a dimension field associated with a dictionary and a form with a transactional matrix that reads or writes to this dataset using a filter on the same dimension, when the user inserts a new record, CCH Tagetik does not show the drop-down menu in the above-mentioned field.

IC Cockpit (CSD-27203)

ID	Description
DEV-100118	Process data model deployment: if there are multiple compatible IC cockpits for accounts/ categories in a step, then the deployment associates a random cockpit with the accounts/ categories. From this version, the IC cockpit having the highest code in lexicographic order will be associated with the accounts/categories.

Patch: 5.3.SP27.398

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-100471	Setup & Admin > Data processing > Taxes > Taxes setup > Output accounts: if the user has an $ADMINISTRATOR role, then the window shows the "Not Yet Implemented" error when opened.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-100167	The user can still modify the ETL rules of the Process even if modifying the setup for the Process is not allowed or if the scenarios are all archived.

Data Processing (CSD-140432)

ID	Description
DEV-100170	Admin > Processes > Process definition > Calculation logics > Overrides definition: CCH Tagetik shows the page in write mode even in the case of an archived process.
DEV-99494	When launching a Job containing a Consolidation task with the "Elimination rules" option = All, the group data processing of counterparty eliminations does not produce rows associated with the consolidation journal headers which have a different "Generator type" field from 1. This case does not occur if the group data processing is launched from the Consolidator dashboard.
DEV-96993	Setup & Admin > Data processing > Data operation > Rules: when importing rules, not all fields are saved correctly.

Form (CSD-27197)

ID	Description
DEV-100571	In the case of a template that has a sheet filter, when the form is opened while browsing the web and there is no data referring to that filter, the template is not removed from the sheet when browsing.
DEV-100065	The report list function is not included in the system roles of the $USER and $CONSOLIDATOR.
DEV-100309	In forms opened from the web, when the user moves from one cell to another, the text in the formula bar is not updated.
DEV-99660	Report List from Web: in case of a report list configured with optional ad-hoc parameters, if these parameters are not defined at launch, then CCH Tagetik returns an error.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-100523	Setup & Admin > Process > Clone process > Also clone Scenarios: if the user inserts new scenario codes longer than 15 characters, then CCH Tagetik returns an incorrect error message.
DEV-100378	At the launch of the consolidation data processing, the Process read query is run multiple times.

Process Cockpit (CSD-27210)

ID	Description
DEV-100205	Process with dimension by step: in case of a single submission cycle, the deadlines on tasks are not read.

Patch: 5.3.SP27.397

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-99730	Group consolidation data processing > Eliminate Financial investments from Ownership structure register: in the presence of 1) a “Deconsolidation - No FG” event type and a "Partial disposal - No FG" type event with the previous date of the same scenario and 2) Financial investments elimination rules and Net equity from Ownership structure register with the "Generate Entries by event" option, CCH Tagetik generates a goodwill account write-off row with an incorrect amount in the elimination journal for the deconsolidation event.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-99978	Preliminary data processing on Consolidation scenarios > Carry forward: in the presence of an Entity journal in the previous carry forward scenario/period 1) with the "Enable carry forward" option that is disabled, 2) on a category present in the "Carry forward rules - Override carry forward categories" window with category for carry forward of amount type, CCH Tagetik generates the carry forward row in the category for carry forward.

Data Model (CSD-27226)

ID	Description
DEV-83287	Dimensions > Account > FST & KPI > FST item > Relationships: when utilizing a "doesn't contain, not equals, doesn't end, doesn't start" search type, the filter by custom dimension or account does not work.

Data Processing (CSD-140432)

ID	Description
DEV-96850	Setup & Admin > Data processing > Data Operation > Rules: if the user adds columns and sorts by a column previously not present, CCH Tagetik returns an error.

Form (CSD-27197)

ID	Description
DEV-95382	On the new interface, when the user exits the form opened in navigation, he can no longer open it in data entry. CCH Tagetik returns this message: “Close the form in Navigation before opening it in Data Entry.”
DEV-99712	Download comments & attachments: in the presence of in OR form filters, the comments and attachments relating only to the last element in OR are downloaded.

ID	Description
DEV-76968	Restricted user on one or more dimensions: when the user runs a form containing one or more queries, CCH Tagetik returns a result that does not consider the restrictions applied to the user.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-99570	CCH Tagetik does not show amounts with value 0 and does not allow the user to run transaction matching.

Process Cockpit (CSD-27210)

ID	Description
DEV-99852	Cockpit with dimension by step > Run submission > User with $USER role: when opening the window that shows errors related to the submission, CCH Tagetik returns a blocking error.

Repository (CSD-27215)

ID	Description
DEV-92188	Query Analyzer: when the user enters queries that return amounts with 18 integer digits and 3 decimal digits, CCH Tagetik displays numbers in scientific format.

User Rights (CSD-127797)

ID	Description
DEV-98888	From general deployment, the deployment of user rights erroneously launches the deployment of custom attributes and flat hierarchies.

SP_371_396

Patch: 5.3.SP27.396

Admin Tools (CSD-27157)

ID	Description
DEV-97923	When the user runs a query with more than 255 characters from a Query Analyzer, CCH Tagetik does not fully record it in the audit.

Analytic Workspace (CSD-27162)

ID	Description
DEV-97963	Date Entry Form: when the user opens a form with dimensional fields (e.g. Entity) linked to a dictionary, then CCH Tagetik returns an error.
DEV-99598	Data Entry Form: when a user opens a form with dimensional fields (e.g., Entity) to which a dictionary is associated and adds a new row, then CCH Tagetik does not fill the combo box with values.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-98379	Setup & Admin > Processes > Definition of the Process > Data Processing > Rules Engine Designer: if when the execution plan is not defined on the original scenario or on the consolidation scenario, CCH Tagetik shows the green requirements traffic light.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-90854	Preliminary data processing on original scenarios > Merger of initial balances: in the presence of Ctp elimination journals with rows in which the Declaring entity is incorporated, and the currency of the Incorporated entity is different from the currency of the Merging entity, the rows generated by the merger on the Merging entity maintain the Entity currency (and the amount in Entity currency) of the Incorporated entity instead of being converted into the currency of the Merging entity.

Form (CSD-27197)

ID	Description
DEV-99069	When the Report list data processing is scheduled, the default values of the following parameters are not consistent with the values set for the Report List scheduling via Excel add-in: - Maximum wait for the run (Minutes)* - Maximum number of iterations - Wait before the next try (Minutes) Furthermore, if the "Limit number of repetitions" field has not been set, the flag is enabled.
DEV-81685	Reporting, Excel add-in: if the user refreshes a form using a different language from that used in the previous launch and the show query name option is not enabled, then CCH Tagetik does not update query column headers.
DEV-80084	Dictionaries: given a transactional form with an analytic dimension on a column on which a dictionary is enabled, CCH Tagetik does not apply the filter on the dictionary elements.

Infrastructure (CSD-27205)

ID	Description
DEV-97527	Reporting > new web report list: When a report list form generates a fatal error such as out of memory or stackoverflow, the JVM is terminated.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-98788	Admin > Setup & Admin > Process > Process definition > Deadline date: CCH Tagetik erroneously does not export to Excel the hours and minutes information for "Deadline date" and "Reminder Start date" fields.
DEV-99057	Cockpit with dimension by step > DTP type task: the "Run" button does not appear when the user clicks on the task.
DEV-99145	Admin > Setup & Admin > Process: In a Multiple selection mode, when the user selects at least two processes, then CCH Tagetik incorrectly displays the "Business Workflow: Mandatory hierarchy for all steps of the selected workflow" message.
DEV-99627	Admin > Process > Copy Requirements and Rules: the utility makes a partial copy of the consolidation data processing to be managed.

SmartInsight (CSD-140236)

ID	Description
DEV-99353	CCH Tagetik > SmartInsight: when the user opens the "Insights" section accessible from the "File" button on the ribbon to check the SmartInsights list, CCH Tagetik blocks him from viewing the list and returns a "403 forbidden error" message if the user does not have a role with the 0004078 function with read and write permissions.

System Reports (CSD-27217)

ID	Description
DEV-98858	User > System report > FX rates: CCH Tagetik returns a blocking error when the user manually types the filter in a scenario field.

Patch: 5.3.SP26.395

Admin Tools (CSD-27157)

ID	Description
DEV-99280	Audit > Export to Excel: the “Local date” field is incorrect in exported file.

Analytic Workspace (CSD-27162)

ID	Description
DEV-99536	Import Analytical Workspace: when importing checking rules reports, CCH Tagetik signals an error.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-95437	On some unidentified cases, CCH Tagetik returns an encrypted error when running Balancing data processing on SAP Hana database.

Form (CSD-27197)

ID	Description
DEV-99264	When refreshing a form opened for web data entry, CCH Tagetik crashes or the form becomes unusable.
DEV-97988	Data Processing: when the user tries to insert a new data process in a form for the launch of "preliminary data processing on original scenario" and goes to the parameters page, then CCH Tagetik no longer shows the scenario and period parameters.
DEV-99113	Data Entry Form: when the user modifies a value, that was previously NULL, in an LBL Form data entry, then CCH Tagetik returns this error when saving: "UnsupportedOperationException".

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-96491	It is impossible to prepare and deploy custom dimension attributes on business workflows.

SmartInsight (CSD-140236)

ID	Description
DEV-99030	CCH Tagetik > SmartInsight: when the user opens the "Insights" section accessible from the "File" button on the ribbon to check the SmartInsights list, CCH Tagetik blocks him from viewing the list and returns a "403 forbidden error" message if the user does not have a role with the 0004078 function with read and write permissions.

Patch: 5.3.SP26.394

Analytic Workspace (CSD-27162)

ID	Description
DEV-99309	Update Analytical workspace: the client’s customizations are deleted when running an AW update.
DEV-98620	Processes > Workflow task > Menu on the right > DTP > Cockpit activity: when the user applies the filter for the first time, CCH Tagetik takes a long time to show the results.
DEV-99136	When running a DTP import with the tool present on the Analytical workspace, all DTP belonging to the workspace are deleted.
DEV-98960	Import Analytical Workspace: CCH Tagetik generates an error when the user imports an Analytical workspace to an environment where this Analytical workspace does not exist.

Architectural Runway (CSD-27161)

ID	Description
DEV-99296	In some cases, when a timeout is specified for data processing, the data processing may terminate incorrectly.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-98715	Area consolidation data processing > Minorities: in the presence of Periodic minorities calculation and of Financial investments elimination journal/Net equity from the Ownership structure register to deconsolidate "From previous period", if they are also to be deconsolidated in the period before the one being run, then CCH Tagetik generates duplicate minorities rows.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-98418	AIH > Update Financial Workspace: when running two Update Financial Workspace processes in parallel, the second data processing terminates with an error in the data year-to-date calculation step.

Data Model (CSD-27226)

ID	Description
DEV-96483	In all the lists of Dimension elements, in the “Node” combo of the “Relationships” tab: when the user saves data, CCH Tagetik (1) always keeps the first choice of the “Node” combo dropdown menu if the user goes back to the first element; (2) generates an error if the user performs a second selection from the “Node” combo dropdown menu that is different from the first one; (3) does not return the “Hierarchy” “Node” relationship if the user saves data after reselecting the same element as before in the “Node” combo.
DEV-84901	Setup & Admin > Dimensions > Scenarios list > Consolidation > Import from Excel: CCH Tagetik does not automatically relate to the new scenario the default grouping $CONSOLIDATION: the grouping node field is empty.

Form (CSD-27197)

ID	Description
DEV-99273	Process cockpit with dimension by step: if the user selects a task list of forms on an entity node, then CCH Tagetik returns an encrypted error: when opening a form.

Master Data Management (CSD-27208)

ID	Description
DEV-98876	Repository > Endpoint > Test connection: if a URL type Endpoint is set to a folder present in the whitelist and a non-existing sub-folder is added to the path, the Endpoint connection test incorrectly runs successfully.

Patch: 5.3.SP26.393

Analytic Workspace (CSD-27162)

ID	Description
DEV-98345	Import Analytical Workspace: an error occurs while importing checking rules reports.
DEV-96658	Analytical Information Hub > Import AW: the Import data processing run by a user that has user rights on Analytical workspaces fails and returns an error.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-98294	Preliminary data processing on original scenarios > Merger: in the presence of a merger event with a Merging entity to deconsolidate “from previous period” and an Entity journal

ID	Description
	on the Incorporated entity, CCH Tagetik generates merger rows on the Merging entity that duplicates the rows copied from the previous period.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-98600	An AIH partition created by an ETL loading operation does not create the index defined on the dataset.

Data Model (CSD-27226)

ID	Description
DEV-97213	Setup & Admin > Dimensions > Account: the configuration of accrual accounts incorrectly depends on the availability of the Financial Planning module.

Form (CSD-27197)

ID	Description
DEV-98182	Comments and Attachments: when the user tries to insert three comments/attachments one after another, then CCH Tagetik returns an encrypted error.
DEV-97011	Data Processing > Run DTP defined on Custom Dimension from form: the data processing fails due to an incorrect custom dimension code.

Process Cockpit (CSD-27210)

ID	Description
DEV-96494	Process cockpit > Actions > DTP > Activity cockpit > Partition details: CCH Tagetik does not load the page when the application language is Traditional Chinese.

Repository (CSD-27215)

ID	Description
DEV-97427	Users and Roles > Users > User type on license: at the end of the utility calculation, the Chinese username description is incorrect.
DEV-98255	Users and Roles > Users/Roles relationships: the Chinese username description is incorrect.

SmartInsight (CSD-140236)

ID	Description
DEV-98064	CCH Tagetik > SmartInsight: if the user opens the new matrix creation modal, the combobox cointaining the list of workspaces and datasets is not sorted.

User Rights (CSD-127797)

ID	Description
DEV-96846	User rights: if the user filters the "Code" attribute by the $USER value, CCH Tagetik does not search for the corresponding record that contains $USER as code.

Patch: 5.3.SP26.392

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-98009	If the user launches a consolidation job containing formulas with several consolidation scenarios in parallel, then in some unidentified cases CCH Tagetik takes longer to run.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-97950	Group consolidation data processing > Counterparty eliminations: in the presence of the Period average FX rate and the IC amount of the period in data processing being significantly lower than the amount of the previous period, CCH Tagetik returns an encrypted error.

Form (CSD-27197)

ID	Description
DEV-98031	Comments and Attachments Download: if the name of attachments previously saved via Excel is too long, then CCH Tagetik does not allow downloading of files.
DEV-98230	Add-In Excel: when the user tries to insert or edit a "Preliminary data processing on Original scenarios" in a form, then CCH Tagetik returns an error in the next parameters window.
DEV-96869	Opening OneDrive form: it is impossible to open forms saved on OneDrive when the latter contain spaces within the name.
DEV-93705	Excel form: if the user defines a parameter by setting the Segment property, then CCH Tagetik does not show the property set on the element selected in the drop-down menu.

ID	Description
DEV-97625	Unlock forms in Excel: change the associated function from 0002614 to 0003988.
DEV-97284	Data Entry Form: given a transactional form with at least one template without Tagetik objects (matrix, query, cell field, …), if the user refreshes the form, then CCH Tagetik blocks navigation.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-98275	Processes cockpit > Copy amounts and journals: even if the user has the "Hide tooltips" option enabled in his user settings, CCH Tagetik still incorrectly shows the tooltips.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-98259	Setup & Admin > Business Workflow > Workflow > Define Workflows: if the user modifies a task in a step and then selects a workflow with the same code and the same structure as the previous one in another database, then CCH Tagetik also modifies the task with the same code in the current database.

Process Cockpit (CSD-27210)

ID	Description
DEV-95013	User > Processes home: if the user opens an archived process, then CCH Tagetik returns an encrypted error.

Repository (CSD-27215)

ID	Description
DEV-98209	Setup & Admin > Data processing > Allocations & Closing > Routine > Rules: if the function for the rules window is enabled in read-only mode, CCH Tagetik allows the modification of the rules.

SmartInsight (CSD-140236)

ID	Description
DEV-81722	CCH Tagetik > SmartInsight: if the user selects a matrix with on-the-fly conversion based on the account and the “Period Length” in the filters panel, then CCH Tagetik shows inconsistent values.

Patch: 5.3.SP26.391

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-97286	Rules Engine Designer (RED) on Consolidation Scenarios: CCH Tagetik does not generate some RED consolidation journals: when the user launches Consolidation area data processing on multiple scenarios simultaneously and at least one of them has a different parametrization.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-97503	When the user launches an ETL via the Endpoint that points to an http resource, the CCH Tagetik is unable to read a CSV file.

Data Model (CSD-27226)

ID	Description
DEV-97045	Setup & Admin > Dimensions > Account > Hierarchies: if the user selects the “Copy from” utility and fills in the parameters for the copy, then CCH Tagetik always shows the “Hierarchy” option in Italian only.

Data Processing (CSD-140432)

ID	Description
DEV-96756	If the user launches a consolidation job containing formulas, then CCH Tagetik takes longer to execute in some unidentified cases.

Form (CSD-27197)

ID	Description
DEV-96775	Web Form: given a form with validation expressions, if the user changes a filter, then CCH Tagetik does not update the formulas.

Rates and Events (CSD-27212)

ID	Description
DEV-93054	Rates > Overridden FX rates in memory: if the user clicks on the "Scenario" field or on the "Period" field before the "Process" field, then CCH Tagetik returns an encrypted error.

Patch: 5.3.SP26.390

Collaborative Office (CSD-27178)

ID	Description
DEV-96406	If the user authentication is of LDAP type and the user inherits rights from the reference users read from the Active directory, then CCH Tagetik does not run the deployment of “Collaborative Office - Editing and Submission” user rights.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-96894	Group Consolidation Processing > Eliminate Financial investments from Ownership structure register: In presence of (1) an Intragroup F.I. assignment event with linked purchase event, (2) an F.I. event data entered in more than one category, CCH Tagetik generates elimination journals for Intragroup F.I. assignment (prefix ELIAFI) with wrong amount.

Data Model (CSD-27226)

ID	Description
DEV-96754	Setup & Admin > Dimensions > Analytical dimensions: in some unidentified cases, CCH Tagetik does not show the attributes definition field correctly.

Data Processing (CSD-140432)

ID	Description
DEV-96849	Setup & Admin > Data processing > Data operation: when the user adds a row and clicks on the “Cancel” button, then CCH Tagetik returns an encrypted error.

Form (CSD-27197)

ID	Description
DEV-95998	Webform: if the user selects the date from the drop-down menu, CCH Tagetik displays the Calendar in a format that is invalid for the nation/country.
DEV-96875	Webform date entry : if the user utilizes the scroll bar, then CCH Tagetik does not show the insert button (+) present in the column header.
DEV-91588	Web form: if the user adds a new row to the transactional matrix, then CCH Tagetik incorrectly shows the formula of the previous row.
DEV-96753	Data entry webform: CCH Tagetik incorrectly allows the display of a form containing links to other template forms that are not included in the user's visibility.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-96833	Setup & Admin > Processes > Clone process: if the user assigns the same code to the process and the scenario, then CCH Tagetik wrongly defines the description of the scenario with the description of the Process.

Process Cockpit (CSD-27210)

ID	Description
DEV-96817	Processes with dimension by step: in the case of processes with unique number of cycles and the user restricted to original scenarios, CCH Tagetik returns a blocking error when the submission is run from the cockpit.
DEV-96822	ETL in a process with dimension by step: if a user uploads a file containing non-ASCII characters (for example Kanji characters), then CCH Tagetik returns an error.
DEV-93408	User > Processes > Cockpit with dimension by step: When the user wants to run the “P&L” operational task by specifying a scenario that is not that proposed, then CCH Tagetik returns a blocking error.

Patch: 5.3.SP26.389

Admin Tools (CSD-27157)

ID	Description
DEV-96387	Repository > Audit > Report: when the user runs the Metadata log report, CCH Tagetik returns an encrypted error.

Analytic Workspace (CSD-27162)

ID	Description
DEV-96749	Setup & Admin > Analytical Workspace > Dataset > "Data target mapping: update data model" or "Data target mapping: update File" or "Data target mapping: update rules": if the user deletes one or more mappings, then CCH Tagetik returns an error.

Collaborative Office (CSD-27178)

ID	Description
DEV-96592	Administration > Collaborative Office > Documents > Update document: CCH Tagetik does not correctly display the style of table cell borders, both from attachment and from form, if it matches the dots style.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-96587	After running the area consolidation data processing in memory, CCH Tagetik does not show all the details of the audit.

Data Processing (CSD-140432)

ID	Description
DEV-96854	Setup & Admin > Data processing > Data operation > Rules: CCH Tagetik shows the filter on the Custom dimension 5 field twice.
DEV-96851	Setup & Admin > Data processing > Data operation > Rules: CCH Tagetik does not show the "Aggregate by Custom Dimension 5" label correctly.

Process Cockpit (CSD-27210)

ID	Description
DEV-96750	Consolidator cockpit > Task list > "List of Forms" task: in some unidentified cases, CCH Tagetik takes a long time to display the window.

Repository (CSD-27215)

ID	Description
DEV-96310	Repository > Users and Roles > Users: if the user inserts Chinese or Japanese characters into the "Description" field, then CCH Tagetik shows an incorrect description.

Patch: 5.3.SP26.388

Admin Tools (CSD-27157)

ID	Description
DEV-96524	Audit > Details: when the user downloads the Excel file corresponding to a failed DTP, then CCH Tagetik returns an error message.

Analytic Workspace (CSD-27162)

ID	Description
DEV-96404	Process > Step > DTP > Activity Dashboard: When a user executes a single activity and it ends with a warning, CCH Tagetik returns an error.

ID	Description
DEV-96430	"Spreadsheet View" button: when a user copies a block of cells and pastes it into the spreadsheet, CCH Tagetik pastes only the first cell.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-96565	Group Consolidation Processing - Eliminate Financial investments from Ownership structure register: in the presence of (1) a journal for Financial investments elimination from Ownership structure register with carry forward rows on Group Full Goodwill and Third-Party Full Goodwill accounts (2) an event of “Deconsolidation - from control - Full goodwill” type, CCH Tagetik does not generate the write off rows for Group Full Goodwill and Third-Party Full Goodwill accounts.

Data Processing (CSD-140432)

ID	Description
DEV-94830	Admin > Processing > Allocations and Closing > Routine > Rules: CCH Tagetik does not display the horizontal scrollbar.

Form (CSD-27197)

ID	Description
DEV-96816	If the user inserts a check expression with the "IsInteger" operator in the form, then CCH Tagetik does not apply the "Tolerance threshold for the check operations" option.

Process Cockpit (CSD-27210)

ID	Description
DEV-96210	Processes > Workflow Task > Partition Access Task: when a user opens the task, CCH Tagetik does not display the horizontal scrollbar.

Patch: 5.3.SP26.387

Admin Tools (CSD-27157)

ID	Description
DEV-95472	Audit > The user selects a data processing and enters the Detail tab. When the user clicks on the 'Parameters' and/or 'Free Parameters' tab, the scroll bar to display all elements is not visible.

ID	Description
DEV-96086	Repository > Scheduling: When the user tries to sort by the 'Run as' column, CCH Tagetik returns an encrypted error.

Analytic Workspace (CSD-27162)

ID	Description
DEV-95365	When the detail of an Audit operation contains a sequence of characters enclosed in curly brackets, CCH Tagetik does not display the message correctly.
DEV-96159	When the user imports the configuration of the DTP, then CCH Tagetik returns an encrypted error.

Collaborative Office (CSD-27178)

ID	Description
DEV-94826	If the user defines the Autofit parameter in the document properties and runs the update of a table from the server, then CCH Tagetik incorrectly changes the width of individual columns.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-96347	Area Consolidation Data processing- Conversion: in the presence of an Entity (1) to be deconsolidated “From previous period”, (2) with balance or journal rows on accounts to be converted at period average FX rate, CCH Tagetik generates conversion rows with the incorrect amount.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-95672	Group Consolidation Data processing > CTP eliminations: In the presence of an Elimination logic with the “Keep Ctp on Reconciliation accounts” field disabled and reconciliation account rows in the scenario/period with: (1) an account to be converted at the period average FX rate, (2) a transaction currency different from the declaring Entity currency, (3) the reconciliation account row on the same dimensions as in the previous period, then CCH Tagetik returns an encrypted error.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-96249	If a user with the role $DEREPORT runs the Entity data processing on more scenarios, CCH Tagetik returns the error "Carry Forward: Sequential run on subsequent years. Access denied".

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-96342	If the user defines a reading filter from an Endpoint, then CCH Tagetik incorrectly selects all files.

Data Model (CSD-27226)

ID	Description
DEV-95670	If the user enables the “Convert to flat hierarchy” option on analytical dimensions, then CCH Tagetik does not correctly run the deployment.
DEV-95179	Setup & Admin > Dimensions > Hierarchies > Recode: if the user defines the recoding of an element or a node, then CCH Tagetik returns an error when the recoding is launched.
DEV-85243	Dimensions > Entity > Time-dependent list of elements > Ribbon bar: If the “Banking/ Insurance” field is not enabled in the "Settings" window, then CCH Tagetik does not display the Wizard button in the Time dependent list of elements.
DEV-85185	Deployment > Flat hierarchy: if the user removes the “Flat hierarchy” option from a hierarchy, then CCH Tagetik does not remove the related hierarchy from the deployed table.

Data Processing (CSD-140432)

ID	Description
DEV-96480	Process Cockpit > Entity Data Processing > Calculation Logic: CCH Tagetik does not display the details of processed Calculation logics in the Audit.

Diagnostic Check (CSD-27194)

ID	Description
DEV-95870	If the user runs the diagnostic on a process in which the result accounts set is undefined, CCH Tagetik reports an encrypted error.

Form (CSD-27197)

ID	Description
DEV-95681	Data Entry Form: if the user inserts a comment in a cell and the “Automatically display comments in reports data entry” option is enabled, then CCH Tagetik returns an error when displaying the comment.
DEV-95495	Data Entry Form: if the user tries to insert a value into a matrix within which the Account dimension is inserted under the “Description” amount type, then CCH Tagetik returns this error message: "Invalid value".
DEV-95620	If the user inserts a cell field into cell A1 of a form, then CCH Tagetik does not display this form in the report list correctly.
DEV-96402	Excel Add-In: when the user tries to insert or modify a data processing on a form for launching “Preliminary data processing on Original scenarios” or “Preliminary data processing on Consolidation scenarios”, then CCH Tagetik returns an error in the next parameters window.
DEV-96325	Scheduled Report List: if the user does not specify run parameters, then CCH Tagetik does not generate any Report list.
DEV-91515	Consider a form opened via hyperlink, whose filters are inherited from the original form: if the user changes a value in the parameters and clicks the Refresh button of the form, then CCH Tagetik does not update the filters correctly.
DEV-93002	In a transactional matrix in which the Grouping functions and Filter columns are active, the cells are not editable when the user adds a row.
DEV-94317	If the user launches a form in a report list, CCH Tagetik shows the wrong description and operation type in the audit.

Master Data Management (CSD-27208)

ID	Description
DEV-96087	If the description fields contain Japanese characters, then CCH Tagetik does not display them correctly during Import.

Process Cockpit (CSD-27210)

ID	Description
DEV-96612	Process Cockpit: If the user performs a multiple submission from form, CCH Tagetik does not perform the expected checks.

System Reports (CSD-27217)

ID	Description
DEV-95937	Process report > Journals book: if the user exports the journal book as pdf, then CCH Tagetik does not format the amounts based on the country/region of the connected user.

Patch: 5.3.SP26.386

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-96145	If the data processing tries to insert IC capacity balancing rows on categories with codes with more than 15 characters, then CCH Tagetik returns an encrypted error.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-95939	If the user runs the Copy consolidation by Job and selects multiple target periods, CCH Tagetik generates an encripted error.

Data Processing (CSD-140432)

ID	Description
DEV-95992	Entity data processing > Calculation logics: the audit log does not show the details of the processed Layers.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-95492	Setup & Admin > Processes > Single cycle Process > Deadline date: if the user inserts a deadline date, CCH Tagetik does not schedule the sending of the deadline email.

Process Cockpit (CSD-27210)

ID	Description
DEV-95961	Processes Home > Process cockpit with dimension by step: if the user with the $USER role enabled opens the details of a task, CCH Tagetik returns a blocking error.

Repository (CSD-27215)

ID	Description
DEV-96176	If the $CONSOLIDATOR role is associated with one or more users, CCH Tagetik incorrectly enables “Admin” type functions and then returns a license violation.

Patch: 5.3.SP26.385

Analytics (CSD-27160)

ID	Description
DEV-95471	When the user opens the Transaction Matching window directly from the URL, CCH Tagetik does not display the page.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-95474	Carry forward data processing on original scenario: In case there is a large amount of submitted data, when the user runs the data processing, CCH Tagetik generates a timeout error.
DEV-95633	When the user runs the Preliminary data processing and some Entities/Steps are submitted, CCH Tagetik does not display validation warnings.
DEV-95807	When the user runs the Carry forward on Consolidation scenarios data processing, CCH Tagetik does not run amounts and journals in parallel.

Data Processing (CSD-140432)

ID	Description
DEV-95680	Setup & Admin > Data processing > Jobs: if the user runs a job configured with carry forwards consolidated in parallel, CCH Tagetik returns an encrypted error.

Infrastructure (CSD-27205)

ID	Description
DEV-95811	In some unidentified cases, the CCH Tagetik update deploy returns an error.

User Rights (CSD-127797)

ID	Description
DEV-95413	Setup & Admin > User rights > Define (Analytic Dimension or Custom Dimension): CCH Tagetik does not display the element definitions in the corresponding window.

Patch: 5.3.SP26.384

Collaborative Office (CSD-27178)

ID	Description
DEV-95040	If the user authentication is of LDAP type and the user inherits rights from the reference users read from the Active directory, then CCH Tagetik does not run the deployment of “Collaborative Office - Editing and Submission” user rights.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-95176	Consolidation area data processing > Conversion: in the presence of journal rows (1) generated by the reverse journal data processing (origin = PREL_REVERSE2 or PREL_REVERSE3) (2) adjusted on P&L or variation type accounts with conversion method at the Period average FX rate (3) with “Ctp Entity” field defined, CCH Tagetik applies the "Alternative FX rates to Initial balance FX rate when the Initial balance variation is missing" rule specified in the conversion rules, instead of the Average FX Rate in the previous scenario.
DEV-94895	In some unidentified cases, CCH Tagetik returns an encrypted error when performing balancing.

Data Processing (CSD-140432)

ID	Description
DEV-95247	Setup & Admin > General deployment (Detailed selection) > Process: when the user launches the data processing, CCH Tagetik returns an encrypted error.

Diagnostic Check (CSD-27194)

ID	Description
DEV-95432	In the event that a plausibility logic is filtered by "Ctp Custom Dimension 2" node, the diagnostic returns an encrypted error.

Form (CSD-27197)

ID	Description
DEV-95408	Transactional Matrix Form with Validation expressions: CCH Tagetik also incorrectly evaluates the rows added by the user but that are not yet evaluated.

Process Cockpit (CSD-27210)

ID	Description
DEV-95115	Process with dimension by step: if the user runs the approval from form, CCH Tagetik returns a blocking error.
DEV-93117	Process cockpit > Actions > DTP > Activities cockpit > Partition data details: when user lands to the page using Traditional Chinese as application language, CCH Tagetik returns different results.

Patch: 5.3.SP26.383

Analytic Workspace (CSD-27162)

ID	Description
DEV-95094	If the user runs a DTP containing an "Enrichment from other dataset" operation and uses a datasource as origin, CCH Tagetik returns the error "Incorrect column count".

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-95116	Setup & Admin > ETL > Environments > Dimensions and Dictionaries: if the user edits a field in multirow mode, then CCH Tagetik returns an error.

Form (CSD-27197)

ID	Description
DEV-87568	Web form: if the form in design mode contains groupings on subtotal formulas, then at launch CCH Tagetik incorrectly keeps these groupings.

Repository (CSD-27215)

ID	Description
DEV-95141	When the user tries to login, CCH Tagetik exhausts the available memory while checking the license.

ID	Description
DEV-94855	Repository > Data processing: if the user applies changes via the "Import from Excel" function, CCH Tagetik does not display these changes.
DEV-94852	Repository > Data processing: if the user applies a filter on the "Timeout (sec)" field, the filter does not work correctly.

Patch: 5.3.SP26.382

Analytic Workspace (CSD-27162)

ID	Description
DEV-95032	Unified SQL syntax: on a PostgreSQL environment, when the first argument of the function F_EXCELDATE(FIELD, [format]) is a field of 'numeric' type, CCH Tagetik returns an error .

Consolidation Utilities (CSD-27183)

ID	Description
DEV-94857	When a data processing timeout is set to "-1" in the repository DB, CCH Tagetik returns an error when the data processing is launched.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-94646	If a QDL or DSM has as its source a text file containing " (double quotation marks) character and the 'Delimiter character' is set to NONE, CCH Tagetik returns an error.

Data Model (CSD-27226)

ID	Description
DEV-93293	Setup & Admin > Dimensions > Account > Hierarchy > Structure and Relationship: during the Excel export of a hierarchy, CCH Tagetik returns an error.

Data Processing (CSD-140432)

ID	Description
DEV-94873	Setup & Admin > General Deployment (detailed selection) > Process >Financial products rules > Run: CCH Tagetik returns an encrypter error.

Form (CSD-27197)

ID	Description
DEV-94872	In some unidentified cases, the scheduled Report list fails even in the absence of errors.
DEV-91244	When the user with Japanese language setting closes a data entry form without saving data, CCH Tagetik displays the confirmation button with an incorrect description.
DEV-93925	If the user selects a report list containing one or more forms, CCH Tagetik generates an Excel file with an empty sheet.
DEV-93931	If the user select a report list containing one or more forms, CCH Tagetik generates an empty PDf file.
DEV-92578	CCH Tagetik doesn't correctly manage the cell field "*.segmentType.desc".
DEV-82945	The Standard Drill Down window erroneously shows the analytical dimensions.

IC Cockpit (CSD-27203)

ID	Description
DEV-94561	In some unknown cases, CCH Tagetik takes a long time to open the IC cockpit.

Infrastructure (CSD-27205)

ID	Description
DEV-94897	After installing patch 5.3.SP26.381, the deployment fails.
DEV-94553	Rest API: if the user with role $SYSADMIN queries the status of a DTP data processing, CCH Tagetik returns error 403.

Repository (CSD-27215)

ID	Description
DEV-94693	Repository > Import/Export > Import: if the user selects REPOSITORY as the target database, CCH Tagetik returns an encrypted error.

User Rights (CSD-127797)

ID	Description
DEV-94669	Setup & Admin > User rights > Custom and Analytical Dimensions: CCH Tagetik wrongly shows the fields and tabs related to the tasks for dimensions not used in the Process with dimensions by step.

Patch: 5.3.SP26.381

Analytic Workspace (CSD-27162)

ID	Description
DEV-93546	Setup & Admin > Analytical Workspaces > Import: in some unidentified cases the data processing results in inconsistent AIH partitions. When the user runs the data processing "Align inconsistent partitions", CCH Tagetik takes too long to complete such data processing.

Architectural Runway (CSD-27161)

ID	Description
DEV-94534	The scheduling of CCH Tagetik generates an excessive number of messages and tends to occupy too much memory.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-93724	Setup & Admin > Process > Process definition > Data processing > Consolidation > Requirements: If the user launches "Import Financial Investment data" utility from the Ownership structure register, CCH Tagetik returns an error.

Diagnostic Check (CSD-27194)

ID	Description
DEV-90474	Data processing > Diagnostic > Plausibility check logics > List: when the user selects a locked row, the “Relationships” tab is no longer editable and cannot be edited even if the user selects an unlocked row.

Form (CSD-27197)

ID	Description
DEV-90803	Add-in Excel > Workflow > Process selection: CCH Tagetik does not display the steps of the process in the correct order.
DEV-93006	Save Data Entry form: when the user launches the Countervalue calculation data processing, CCH Tagetik shows an encrypted error in the audit.

Infrastructure (CSD-27205)

ID	Description
DEV-94606	Tagetik Data Loader: if the user launches a query with incorrect syntax, CCH Tagetik does not return the detail of the error but a generic error.
DEV-94207	Process Cockpit: The loading time exceeds the user's expectations.
DEV-93664	In some unidentified cases, the Tagetik Data Loader crashes and returns no error.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-94408	Manual Matching of transactions on SQL Server: if the user runs the matching of two transactions, CCH Tagetik returns a blocking error.

Process Cockpit (CSD-27210)

ID	Description
DEV-94502	Process with Dimension by Step > Definition: even when the workflow only has steps on the “Entity” dimension, the user should be able to define only for the standard process data model ($PDM) any custom measurements of the Analytical Workspaces to be included in the process.

User Rights (CSD-127797)

ID	Description
DEV-94607	Setup & Admin > User rights > Define: if the user opens or edits the window for defining elements with large numbers of dimensions, then CCH Tagetik takes too long.

Patch: 5.3.SP26.380

Admin Tools (CSD-27157)

ID	Description
DEV-92114	Repository > Scheduling: when the user starts a data processing with “MAGAZINE_ISSUE_CREATOR" code, CCH Tagetik returns an error.

Analytic Workspace (CSD-27162)

ID	Description
DEV-92391	Analytical workspaces > Data transformation packages > Activity > Operations: if the user does not have the function 0004167 enabled, CCH Tagetik does not display the "operation type" of "Insert with calculation rule".

Collaborative Office (CSD-27178)

ID	Description
DEV-92511	Client Power Point > Recursive update: CCH Tagetik returns errors when updating a whole document.
DEV-88638	Client Word > Diagnostic between documents: CCH Tagetik erroneously returns differences relating to equivalent values, even with the same format.
DEV-77057	Setup & Admin > Collaborative Office > Document Type > Edit and Submission User Rights: if the user clicks on the "Add" button and then immediately after clicks on the "Save" button, CCH Tagetik returns an encrypted error.
DEV-85996	Collaborative Office > Recursive update: if the user launches the recursive update with the "Update formats" option enabled, CCH Tagetik does not allow the update of "Objects from Excel attachment" whose attachments have a date prior to the last update of the same object.
DEV-85690	Setup & Admin > Collaborative Office > Documents > Check source data > Generate report: CCH Tagetik does not display decimals correctly.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-92094	Area consolidation data processing – Minorities calculation: In the presence of: 1) a F.I. elimination journal “Based on % Entity 1” minorities calculation method 2) an Owner entity that changes equity ratio percentage compared to the previous carry forward scenario / period 3) an Owned entity being deconsolidated from “Initial Balances” 4) carry forward amounts on normal accounts subject to minorities calculation CCH Tagetik generates an unexpected minorities calculation row on the Modify % variation.
DEV-92882	Area consolidation data processing > Copy / Equity evaluation: if Entities at equity have changed parents within the group compared to the previous scenario and have no data in the scenario / period being processed, then CCH Tagetik generates an encrypted error due to a missing relationship for these Entities.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-87726	Rules Engine Designer > Original Scenario: the user can save codes that contain invalid characters (e.g. è, é, ò, à, etc.).

Data Entry (CSD-27187)

ID	Description
DEV-90842	Consolidator cockpit > Edit window > Edit consolidation journals > Documents: when the user has function 0002681 in read-only mode, while function 0002199 and function 0002201 are enabled, then CCH Tagetik does not allow the user to add or download documents.

Data Model (CSD-27226)

ID	Description
DEV-89840	Setup & Admin > Dimensions > Control group: if the user imports a control group from Excel with a description longer than the 128 characters allowed, CCH Tagetik returns an encrypted error.

Diagnostic Check (CSD-27194)

ID	Description
DEV-93124	If the user logs out, CCH Tagetik does not complete any diagnostic data processing in progress.
DEV-87543	Admin > Data processing > Diagnostic > Plausibility checks logics > List: If the Ctp entity for Segment check is per node and the user selects a hierarchy with code longer than 2 characters, then CCH Tagetik signals this error: "The value can be up to 2 characters long".

Form (CSD-27197)

ID	Description
DEV-90592	Scheduling from Excel add-in: when the user defines parameters of the report list, in some unidentified cases CCH Tagetik does not enable the “Ok” button.
DEV-92804	When the user opens a data entry form with multidimensional AIH matrix, CCH Tagetik does not correctly display the buttons for adding rows or columns.

Infrastructure (CSD-27205)

ID	Description
DEV-93372	Samba Endpoint: in the connection test step, in some unidentified cases CCH Tagetik returns the "STATUS_ACCESS_DENIED" error.
DEV-81000	CCH Tagetik encounters two unlikely security vulnerabilities in the third-party library Vaadin "Highcharts": https://nvd.nist.gov/vuln/detail/CVE-2021-29489, https://nvd.nist.gov/vuln/detail/CVE-2018-20801

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-91171	Setup & Admin > Processes > Process Definition > Process Data Model / Entity relationship: if the user filters Entities using the “Is not” operator, then CCH Tagetik returns an empty window.

Process Cockpit (CSD-27210)

ID	Description
DEV-91640	Process configured to run data processing on submission: if errors occur during the data processing run, then CCH Tagetik displays neither the data processing completion notification nor the submission result.

Rates and Events (CSD-27212)

ID	Description
DEV-90432	Events > Ownership structure register > Event data > Generic FX rates > Wizard > FX rates wizard: CCH Tagetik generates FX rates of the scenario/period preceding the event date instead of the scenario/period that contains the event date.

Repository (CSD-27215)

ID	Description
DEV-92728	If the user loads a new license and launches the deployment of roles, then CCH Tagetik returns an error.

User Notes (CSD-27221)

ID	Description
DEV-90954	Notes and Attachments: if the user loads/downloads a file whose name contains square brackets, then CCH Tagetik returns an encrypted error.

Patch: 5.3.SP25.379

Data Processing (CSD-140432)

ID	Description
DEV-93593	Forecast model: the custom calculation logic run incorrectly signals the compatibility between Entity filters used and the defined Entity restrictions.

Form (CSD-27197)

ID	Description
DEV-93981	Given a report list that generates separate files, CCH Tagetik generates a .zip file that does not contain all Excel files.
DEV-94037	When the user selects a report list containing a form that has a cell with more than 32,767 characters, CCH Tagetik generates an empty form.

IC Cockpit (CSD-27203)

ID	Description
DEV-93769	If a user does not have the functions related to the Edit Intercompany in his custom role (0002687: Process cockpit: Edit windows - Edit Intercompany; 0002641: Reporting .NET - Navigation - Edit Intercompany) and accesses the IC set comments window, then CCH Tagetik returns an encrypted error.

System Reports (CSD-27217)

ID	Description
DEV-93942	"Original gross amounts", "Original IC amounts", "Original journal rows", "Consolidated journal rows" system report: if the user has defined filters in the "Point of view" section of his profile settings, CCH Tagetik shows multiple messages when opened.

Patch: 5.3.SP25.378

Collaborative Office (CSD-27178)

ID	Description
DEV-92757	Client Power Point > Recursive update: CCH Tagetik returns errors when updating a whole document.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-93210	"Rule Engine Designer" area consolidation data processing: in some unidentified cases, after the user modifies the configuration in the “Setup > Data processing > Basic consolidation > Rule Engine Designer on Consolidation scenarios” window, CCH Tagetik generates unexpected results.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-92093	Preliminary data processing on Original scenarios > Reverse journal: in the presence of a journal with rows generated by the merger data processing from the previous period (on the Merging entity), for which the source journal (on the Incorporated entity) does not exist in the previous carry forward scenario/period, CCH Tagetik does not generate the reverse rows of the merger rows.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-93324	ETL > Logs > Wizards > Delete Logs > Routine: if the user filters by "ETL domain description", CCH Tagetik returns an error.

Data Model (CSD-27226)

ID	Description
DEV-86527	Setup & Admin > Dimensions > Account > Elements: when the user runs the import on Excel containing for the Yes/No fields an incorrect value not belonging to the Yes/No values, then CCH Tagetik returns an encrypted error.

Form (CSD-27197)

ID	Description
DEV-79444	Setup & Admin > Admin > Forms management > Groupings > Structure: the user selects a node, changes the parent node and clicks the "Save" button, then CCH Tagetik does not record the operation in the audit.

Infrastructure (CSD-27205)

ID	Description
DEV-92762	Endpoint (OData, Rest API) > Authentication (OAuth2): CCH Tagetik returns a 403 authentication error when the Access Token Response does not have "Bearer" as token_type.

Report Bursting (CSD-27214)

ID	Description
DEV-93411	Report Bursting > Distribution rules > Distribution step – Distribution list: if the user saves form type items and if he has selected a form with non-dimensional parameters, then CCH Tagetik returns an encrypted error.

System Reports (CSD-27217)

ID	Description
DEV-93481	"Original gross amounts", "Original IC amounts", "Original journal rows", "Consolidated journal rows" system report: if the user filters data without using "Scenario" and "Period" attributes, then CCH Tagetik does not return the message of potential performance issues.

Patch: 5.3.SP25.377

Analytic Workspace (CSD-27162)

ID	Description
DEV-93142	Machine Learning: when a user launches an “Execute” or “Train” data processing, the model incorrectly switches from the “Ready” state to the “Failed” state.
DEV-88032	Analytical Workspace > DTP data processing: CCH Tagetik returns an encrypted error when running the allocation operation from DTP.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-93050	Cash Flow Planning > Direct taxes calculation data processing: CCH Tagetik generates entries related to the write-off of deferred taxes without specifying the custom dimensions.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-92364	Rules Engine Designer on original scenarios: CCH Tagetik does not generate the write-off row with the origin PRCO_RESTORE_RED carry forward on the normal account.

Data Entry (CSD-27187)

ID	Description
DEV-92392	Spreadsheet view: when the user copies an empty cell with Excel formatting and pastes it into the spreadsheet, then a space appears in the cell.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-93062	SFTP type endpoint: if the crypt/encrypt with PGP management is active, then archiving files read via ETL returns an encrypted error.

Form (CSD-27197)

ID	Description
DEV-90176	Default parameter on Account hierarchy: CCH Tagetik does not show the default value in the filter selection window when the user utilizes a hierarchy parameter of the Account dimension.

Infrastructure (CSD-27205)

ID	Description
DEV-93244	Rest API endpoint: if the user runs a connection test or launches a data processing (for example, Data source mapping), then CCH Tagetik logs do not contain sufficient information on calls that were being run.
DEV-92737	The log contains too many rows and is difficult to consult.

ID	Description
DEV-92393	Tagetik Data Loader: in some unidentified cases, Tagetik Data Loader does not correctly manage authentication to a Proxy.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-92894	Notes and Attachments: if there are many attachments, CCH Tagetik does not show the scroll bar and prevents the display of all files.

Rates and Events (CSD-27212)

ID	Description
DEV-92544	User interface > Events > Ownership structure register: if the user tries to modify the "Intragroup assignment management" field in a "Linked purchase event" and modifies the "Linked Event number" field while selecting an event, then CCH Tagetik returns a blocking error.

Patch: 5.3.SP25.376

Analytic Workspace (CSD-27162)

ID	Description
DEV-90535	Setup & Admin > Analytical Workspace > Dataset > Partitions: if the user filters by one of the fields and sorts the grid by any field, then CCH Tagetik returns an error.

Collaborative Office (CSD-27178)

ID	Description
DEV-89614	Setup & Admin > Collaborative Office > Documents > Import/Export > Manage exported files: CCH Tagetik does not show the exported files.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-92504	Group consolidation data processing > Counterparty eliminations: in the presence of an IC declaration on a P&L account to convert at period average FX rate, in unidentified conditions, CCH Tagetik generates an unexpected elimination row.

Form (CSD-27197)

ID	Description
DEV-91479	Validation expressions on transactional matrices: when the user deletes all values of an existing row or column, CCH Tagetik does not correctly signal the validation expressions.
DEV-92803	Download comments and attachments to Excel: CCH Tagetik does not take into consideration any form filters defined in the run parameters.
DEV-91750	If the user launches a data entry form containing MD formulas, then CCH Tagetik returns an encrypted error.

Process Cockpit (CSD-27210)

ID	Description
DEV-91926	Submission step with "Allow Submission only if the previous step is submitted" option: the users who are restricted in submission only on some entities, can submit the step even if there are entities that are not yet submitted on the previous one.

User Rights (CSD-127797)

ID	Description
DEV-92801	Setup & Admin > User rights > Definition result: CCH Tagetik returns an error when the user applies a filter.
DEV-92748	Setup & Admin > User rights > Definition result: CCH Tagetik takes an excessive amount of time when the user opens the window.

Patch: 5.3.SP25.375

Admin Tools (CSD-27157)

ID	Description
DEV-90841	Repository > Scheduling > "Run options" tab > Allowed Servers: in case of Holding data processing, the user may mistakenly select the list of servers.

Analytic Workspace (CSD-27162)

ID	Description
DEV-92441	Analytical workspaces > Data transformation packages > Activity > Operations: if the user does not have the function 0004167 enabled, then he cannot view the "operation type" of "Insert with calculation rule" type operations.

ID	Description
DEV-88999	AIH datasource: if the connection to one of the databases is lost, then CCH Tagetik does not display the datasources and returns an encrypted error.

Architectural Runway (CSD-27161)

ID	Description
DEV-92394	CCH Tagetik generates an excessive number of records that may have an impact on database performance.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-92084	Rules Engine Designer (RED) on consolidation scenarios data processing: if the execution plan considers a high number of scenarios/periods and Entities, then the Area data processing requires longer execution times.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-92067	Group consolidation data processing > Eliminate Financial investments from Ownership structure register: in the presence of an event in which the Owner entity currency has the number of decimals different from that of the Owned entity currency, CCH Tagetik generates the net equity elimination row with both the Entity currency amount and Transaction currency amount rounded to the number of decimals of the Owner entity currency instead of Owned entity currency.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-87782	Job: if the user launches the Carry forward on original scenarios data processing on a locked scenario/period, then CCH Tagetik generates duplicate rows with “COPY_PERIOD” origin.

Consolidation Utilities (CSD-27183)

ID	Description
DEV-87387	Setup & Admin > Data processing > Data cleanup > Data Tables: CCH Tagetik does not correctly show the data and presents the vertical scroll bar.

Data Entry (CSD-27187)

ID	Description
DEV-92182	Contributor cockpit > Edit windows > Edit Amounts: when the user inserts an amount with integers between 18 and 27, then CCH Tagetik returns an encrypted error.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-92499	Quick Data Loader and Datasource mapping: if the user inserts encoded characters (for example, %20 for the space and %26 for “&” character) in the query parameters, CCH Tagetik does not handle them correctly.

Data Model (CSD-27226)

ID	Description
DEV-91618	Setup & Admin > Dimensions > Category: the operations performed on the categories list are not audited.
DEV-89841	Setup & Admin > Dimensions > List > "Import from Excel" function: if the description contains more characters than the maximum allowed, then CCH Tagetik returns an encrypted error in the import step.

Data Processing (CSD-140432)

ID	Description
DEV-92426	Setup & Admin > Data processing > Jobs: when the user launches a job that contains a “Job” type task for the launch of a "Create snapshots automatically" task, then CCH Tagetik returns an error.

Form (CSD-27197)

ID	Description
DEV-92132	Given a form to which a data processing with a parameter defined via "excel cell" has been connected, when the user opens the form in data entry and tries to save data, CCH Tagetik returns an encrypted error message.
DEV-91396	Data Entry transactional form on a process with dimension by step: if in the form there is a node of a dimension whose code is the same as the "root" code of the dimension itself, then the cells are incorrectly “not editable”.
DEV-89103	Data entry webform: in the presence of several Add row/column buttons, CCH Tagetik displays an excessive slowdown when selecting cells and in navigation.

ID	Description
DEV-88461	Web form with a transactional matrix: if the "Autofit" option is enabled on the rows, then when the form is launched CCH Tagetik also applies the autofit to the rows below the matrix.
DEV-88604	Add-in Excel > Form - Import Dictionary: if the user selects a form containing a dictionary in the matrix, then when the data processing is launched, CCH Tagetik returns an encrypted error message.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-92036	General configuration: the changes to the configuration settings are not audited.

SP_351_370

Patch: 5.3.SP25.370

Admin Tools (CSD-27157)

ID	Description
DEV-86657	Query Analyzer: if the user reloads the page, CCH Tagetik does not show the "number of rows" input field correctly.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-90159	Cash Flow Planning > Assets > Copy object: if the user runs the utility, CCH Tagetik returns an encrypted error message.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-90356	Process cockpit > Detailed task list: if the user selects several entities, CCH Tagetik returns an encrypted error message when the submission task is launched.

Diagnostic Check (CSD-27194)

ID	Description
DEV-87343	Diagnostic: if the user has defined the process data model by account/category, CCH Tagetik takes a long time to run the plausibility checks.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-89883	Business Wokflow > Step > Task workflow > Task > Notes and Attachments: CCH Tagetik shows attachments inserted by the user in random order.
DEV-90130	Setup & Admin > Business Workflow > Steps > Task Workflow: if the user inserts a description with HTML code, CCH Tagetik incorrectly allows saving.

Process Cockpit (CSD-27210)

ID	Description
DEV-90117	Nodes submission from workflow: if the submission task has the "Submit also underlying nodes and {NOME_AZIENDA}" option active, then CCH Tagetik returns an "invalid characters" error message.

Repository (CSD-27215)

ID	Description
DEV-89622	Query analyzer: if the queries contain aliases, then CCH Tagetik shows incorrect results.
DEV-90087	In case of external authentication other than SAML and with IDP enabled, CCH Tagetik returns an encrypted error message.

Patch: 5.3.SP25.369

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-87692	Process cockpit > Detailed task list: if the user selects several Entities, then CCH Tagetik does not run the submission task.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-89606	Quick Data Loader: if the user uploads data via an Excel file (xlsx) produced by ETL, then CCH Tagetik returns an error message.
DEV-90015	Given a correctly configured REST API type Endpoint, if the user launches a Datasource Mapping using the endpoint, then CCH Tagetik returns an error message.

Form (CSD-27197)

ID	Description
DEV-88325	Data entry form > Validations: the display order of unfulfilled validation expressions varies between Excel and Webform.
DEV-84076	New scheduled Reportlist: styles from Tagetik style sheet are not correctly applied
DEV-89574	Data Entry Web form: if the user adds a row or a column using the Add (+) button and the style sheet has the "No border" option, then CCH Tagetik does not apply the style correctly.

Patch: 5.3.SP25.368

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-89549	Repository > Endpoint > Endpoint Rest: If the Path parameter is specified but the format of the response Json files is not compatible with the specified path, the application returns an error.

Form (CSD-27197)

ID	Description
DEV-86460	Form with conditional editability: if the user opens the web form, CCH Tagetik takes longer to run than Excel.
DEV-89363	Data entry Web form: if the user opens a form with number type validations, the “between” operator and numbers with comma, then CCH Tagetik does not signal errors.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-89450	Setup & Admin > Processes > Process definition: even if the user has the "Hide tooltip" option enabled in his settings, he still erroneously sees the tooltips.

Report Bursting (CSD-27214)

ID	Description
DEV-77060	User > Report Bursting > Distribution rules > Show generated files: if a user starts downloading a generated file while another user is trying to delete the same file, then CCH Tagetik returns an encrypted error.

Repository (CSD-27215)

ID	Description
DEV-87976	If the Repository is unreachable, a data processing in progress remains in Running state indefinitely, preventing any further execution of it.
DEV-89556	Repository > Import/Export > Import: during the import on SAP Hana database, if the user selects the “ANALYTICAL_TABLES - Analytical workspace and analytical dimensions” node and enables the “Delete all Analytical Workspace partitions” option, then the data processing does not remove the physical tables related to the partitions.

Technical Services (CSD-128364)

ID	Description
DEV-89390	Repository > Endpoint > Endpoint OData v2: OData v2 endpoints to api exposed by SAP Hana do not work correctly.

Patch: 5.3.SP25.367

Collaborative Office (CSD-27178)

ID	Description
DEV-86870	Collaborative Office > Document type > E-mail models > Export for Import: the first column does not have a header.
DEV-84077	Word Add-in > Open document: when utilizing the "Edit submitted data" from the context menu, the document is always opened in read-only mode.
DEV-89201	PowerPoint Add-in > Edit Structure > Object > Update > Update with options: if there are too many objects, then CCH Tagetik returns an error.
DEV-89060	Collaborative Office > Documents > Check source data > Generate report: CCH Tagetik allows viewing dummy documents created by the data processing.

Form (CSD-27197)

ID	Description
DEV-89265	Scheduled Report list: The execution performances are degraded.

Process Cockpit (CSD-27210)

ID	Description
DEV-88833	Entity submission on environment with the “check on concurrent data processings on the same data” option enabled: CCH Tagetik allows the user to submit Entities from workflow, even if a data processing (for example Consolidation) that operates on the same data is in progress.

Report Bursting (CSD-27214)

ID	Description
DEV-89185	Report Bursting > Distribution rules > Distribution step > Distribution list > Generate: if a parameter allows a value that coincides with the code of any existing parameter, then CCH Tagetik generates an error when the user selects this value at launch.

Patch: 5.3.SP25.366

Admin Tools (CSD-27157)

ID	Description
DEV-87295	The movement of elements from one hierarchy node to another is not correctly recorded in the metadata log report.

Collaborative Office (CSD-27178)

ID	Description
DEV-86855	Collaborative Office > Document type > Custom workflow > Labels > Export for Import: the first column of the exported file does not have a header.

Data Model (CSD-27226)

ID	Description
DEV-87133	Dimensions > Account > Hierarchies > Structure and relationships: CCH Tagetik takes a long time in the Excel export step.

Form (CSD-27197)

ID	Description
DEV-86888	Conditional editability on Web form: when the minimum editability is "Protected", the user erroneously manages to modify the contents of a cell.

Infrastructure (CSD-27205)

ID	Description
DEV-89073	Home page > Authentication credentials: when opening the window, CCH Tagetik returns an error.

Rates and Events (CSD-27212)

ID	Description
DEV-87097	User interface > Events > Ownership structure register: Consider an event that has an event linked to a Parent entity different from the Parent entity of the event itself. If the user tries to modify any other field (for example the notes), then CCH Tagetik defines the Linked parent entity field with the Parent entity of the event and returns a blocking error.

Repository (CSD-27215)

ID	Description
DEV-88515	When running SCIM APIs with media-type "application/scim+json", CCH Tagetik returns an error.

User Rights (CSD-127797)

ID	Description
DEV-87098	Setup & Admin > User rights: CCH Tagetik does not show the "Description" attribute correctly.

Patch: 5.3.SP25.365

Analytic Workspace (CSD-27162)

ID	Description
DEV-86432	Analytical Dimension: If the user adds a Custom attribute, CCH Tagetik adds an additional unnecessary attribute and does not manage that correctly.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-86426	Group data processing "Import Financial Investment data into Ownership Structure Register": In case of launch from Job or from Task workflow, CCH Tagetik returns an error

Form (CSD-27197)

ID	Description
DEV-81979	Excel Add-in with SAML authentication and based on Chromium, if an open login session already exists and the user logs in, then CCH Tagetik incorrectly displays the web page of the cockpit.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-87737	Contributor cockpit: when the user launches a Transaction Matching data processing from a group task, CCH Tagetik returns an error.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-86113	Workflow/Task DTP: in case of modification of the workspace parameter only, the related DTP is not updated and the previous one remains.
DEV-83489	Setup & Admin > Processes > Clone Process: when the user inserts a description of the scenario containing the character ',' then CCH Tagetik returns a blocking error.

Process Cockpit (CSD-27210)

ID	Description
DEV-87749	User interface > Processes > Process cockpit with Dimension by Step: in case of submitted dimensions, CCH Tagetik allows the user to declare an optional task as complete or remove the "Task is complete" declaration.

User Rights (CSD-127797)

ID	Description
DEV-85271	Setup & Admin > User rights > Restrictions > Consolidation scenarios: CCH Tagetik does not show the "Allow {NOME_AZIENDA} visibility" option.

Patch: 5.3.SP24.364

Analytic Workspace (CSD-27162)

ID	Description
DEV-88640	Analytical Workspace > Dataset > Partition data view: the CSV export of data causes an “OutOfMemory” server error.

Collaborative Office (CSD-27178)

ID	Description
DEV-86321	Attachments and Snapshot: after updating the objects using the "Server" engine, if the user opens the Attachments and Snapshot window again, then CCH Tagetik returns an error.
DEV-87646	PowerPoint Add-in: if the user updates a document with an object having a restricted parameter, then CCH Tagetik returns an error.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-86763	Deconsolidation group data processing data processing on original scenarios: in the case of Hana Db and Entities to deconsolidate for which there is no merger, CCH Tagetik does not generate consolidation journal rows for these Entities.

Form (CSD-27197)

ID	Description
DEV-87674	Report list > Generate: when the user code contains the character ".", then the created report list does not respect its configuration.
DEV-87122	Web form > Row headers: when the user launches the Drill down, CCH Tagetik returns an error and closes the form.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-88710	User interface > Process > Contributor cockpit: when the user launches a Transaction Matching data processing from the form for a hierarchy node, CCH Tagetik does not run the data processing.

Repository (CSD-27215)

ID	Description
DEV-88709	Repository > Users and roles > Users > Recode users: when the user starts running the Recode, CCH Tagetik does not complete the operation and returns a warning.
DEV-88704	Tagetik Data Loader (TDL): in case of Hana repository and if there is one or more references to TDL, then CCH Tagetik returns an error when the user opens a TDL page.

User Rights (CSD-127797)

ID	Description
DEV-88649	Setup & Admin > User rights > ETL: Routine restrictions > Definition: if the description of the Routine contains non-Unicode characters, CCH Tagetik does not show the content of the ETL routine column correctly.

Patch: 5.3.SP24.363

Collaborative Office (CSD-27178)

ID	Description
DEV-85476	.NET Client > "Free table" object: if the selected format is not composed of only lowercase letters, then CCH Tagetik always inserts “false” as a Boolean value.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-87993	Minorities consolidation area data processing: in the presence of Financial investments elimination journals / Net equity from Ownership structure register to deconsolidate “From previous period”, if they are to be deconsolidated also in the period prior to the one being processed, then CCH Tagetik does not generate minorities calculation rows.
DEV-87591	Consolidator cockpit > Consolidation data processing > Consolidation area data processing: if the process contains validation rules with "per category" granularity, then the balancing data processing on consolidation scenarios may generate amount rows but on the wrong "Entity journal" category.

Form (CSD-27197)

ID	Description
DEV-87878	Data entry forms containing attachments: when the user saves the form, CCH Tagetik returns an encrypted error.

ID	Description
DEV-87763	Data entry form with multidimensional matrix with Advanced selection: if the form has as a filter a hierarchy node with the "segment" inherited from the general configuration, then CCH Tagetik generates an error when the user adds a new row or column.

IC Cockpit (CSD-27203)

ID	Description
DEV-87061	Processes > IC cockpit > Lock / Submit IC data: in the case where reconciliation logics have an "Equity evaluation method" different from “Delete”, CCH Tagetik allows the user to lock/ submit relationships having unbalanced IC matching logics.

Repository (CSD-27215)

ID	Description
DEV-88262	In the license violation "Messages" pop-up and window, CCH Tagetik shows data that do not match the "User type on license" report in the "Users" window. Moreover, CCH Tagetik shows pop-ups and messages even when the license is respected.
DEV-88321	Admin > Repository > Import-Export > Export: when the "Expert mode" is enabled in the "Services" and "Custom" nodes, then tables related to the Analytical dimensions and to the AIH are also erroneously visible.
DEV-87585	Repository > Users & Roles > Roles > Custom roles: when the user adds functions or modules to a custom role, CCH Tagetik also displays functions or modules that are not included in the license.
DEV-87102	Repository > Users & Roles > Roles > Custom roles: when a user selects the "Import from Excel" button, CCH Tagetik returns an error.

Patch: 5.3.SP24.362

Analytic Workspace (CSD-27162)

ID	Description
DEV-87796	OData API: if the user queries a dataset on which he has a restriction, then CCH Tagetik does not return data.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-87792	Group data processing > Financial investments reclassification: In case of a launch with the "Process only modified data" option active, CCH Tagetik does not generate data and deletes the results generated by previous launches.

Data Model (CSD-27226)

ID	Description
DEV-87156	Dimensions > Scenario > Periods: CCH Tagetik incorrectly allows the user to insert a negative "period length". Dimensions > Period: the user may mistakenly select the value "-1".

Data Processing (CSD-140432)

ID	Description
DEV-87719	Contributor cockpit > Allocations & Closing: if the user runs the same routine on different Entities, then CCH Tagetik incorrectly calculates the balance sheet data.

Patch: 5.3.SP24.361

Analytic Workspace (CSD-27162)

ID	Description
DEV-86435	Cockpit process > DTP > Activity Cockpit: if the user selects the "i" button in Date column, CCH Tagetik does not clearly specify to insert a filter in order to view data of the partition.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-87624	Task "Update Financial workspace from Analytical workspace": the year-to-date transformation has slower performances.

Data Model (CSD-27226)

ID	Description
DEV-87564	Setup &Admin > Dimensions > Entities: when the user deletes an Entity, CCH Tagetik returns a blocking error message.

Form (CSD-27197)

ID	Description
DEV-86517	Data Entry Form: data processing triggered by saving a form has slower performance than the previous release.

Repository (CSD-27215)

ID	Description
DEV-87671	Tool Centralized License Server: the tool does not allow selecting the userType NEW_ESG_CSRD.

Patch: 5.3.SP24.360

Admin Tools (CSD-27157)

ID	Description
DEV-87373	Repository > Master Data Management: if the user imports a "File to DB" type MDM import, CCH Tagetik does not define the file name in the Audit parameters tab.

Analytic Workspace (CSD-27162)

ID	Description
DEV-87152	Analytical Workspace > Datasource: when the user changes the type of a field from an analytical dimension to a custom dimension, CCH Tagetik does not save the data correctly.

Consolidation settings (CSD-27182)

ID	Description
DEV-87005	Setup & Admin > Data Processing > Carry Forward > Normal and Detail accounts/ Categories: during the Excel import, if the user inserts an incorrect value in the Account, Control group or Category, CCH Tagetik does not highlight the error on the result file in red.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-86976	If the user uses an endpoint of REST API type with OAuth2.0 authentication and if the proxy configuration is necessary for the url token retrieval, then CCH Tagetik signals an error during a connection test.

Data Processing (CSD-140432)

ID	Description
DEV-86998	Setup & admin > Data Processing > Allocation and closing > Job: the Report menu is visible even if no element is present.

Form (CSD-27197)

ID	Description
DEV-80685	Data Entry Webform: if the user adds rows to an empty transactional matrix, CCH Tagetik in some unidentified cases incorrectly applies header styles.

Report Bursting (CSD-27214)

ID	Description
DEV-87107	Report Bursting > Email template: if the user inserts the same parameter more than once in the email template, CCH Tagetik fills in the parameter only once.

Repository (CSD-27215)

ID	Description
DEV-87406	Repository > Import/ Export > Import: if the user imports on a SqlServer environment an export generated from an Oracle environment, CCH Tagetik returns an error for numeric fields.
DEV-86518	Repository > Users & Roles > Users: when the user clicks on the “Start” button in the "User type on license" window, CCH Tagetik generates an error.
DEV-87164	Repository > Users & Roles > Users: when the user clicks on the “Run” button in the "User type on license" window: (1) the role calculation for each user and the related display are incorrect; (2) the exported excel report presents an incorrect role calculation; (3) CCH Tagetik displays a red error message about wrong role calculation license.
DEV-86997	Query Analyzer: when a user runs a query, numeric fields with many digits are displayed in exponential notation.

Utility (CSD-27222)

ID	Description
DEV-84367	Process Cockpit > Snapshot > Open custom dimension: in case of elements with same description, the result of the selection is not consistent.

Patch: 5.3.SP24.359

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-86821	"IFRS 5 reclassification" Area consolidation data processing: in case of a Revoke Sale approval event, if the relationship type of the Process is "By Entity / Custom dimension 2", then CCH Tagetik erroneously generates rows with CTP Custom dimension 2 for segment undefined for the accounts of normal or detail type and BS nature.

Form (CSD-27197)

ID	Description
DEV-86999	Scheduled report list. Scheduled report list run is unstable. A few run may fail.
DEV-85479	Form Design > Hyperlink: if the user inserts a hyperlink into a matrix for the opening of another form, CCH Tagetik results in an error in the parameters selection window.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-86906	Setup & Admin> Process > Process Setup > Process Data Model Definition >IC step exceptions: during the Import CCH Tagetik wrongly allows inserting the step for the "Automatic" and "Delete" actions.

Patch: 5.3.SP24.358

Analytic Workspace (CSD-27162)

ID	Description
DEV-86083	AIH OData REST API: if all scenarios/periods of a given Process of the selected DB are archived, the call to the service does not return any results.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-86691	Setup & Admin> Data Processing > Cash Flow Planning > Cash Management rules > Lines of Credit / Deposits: if the user sets the days and months of the interests settlement to zero, CCH Tagetik leaves the "Debit/credit for interest - Debit" and "Debit/credit for interest - Credit" accounts unchanged when saving.

ID	Description
DEV-86675	Cash Flow Planning data processing > Financial simulation: when the data processing is run from a node containing Entities that do not perform the Entity calculation of cash management a blocking error occurs.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-86400	Entity Data Processing > Rules Engine Designer: running the Entity RED deletes the rows generated by the group RED on consolidation journals.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-86479	AIH OData REST API: if no data are returned within 10 minutes, a query remains pending on the database.

Data Model (CSD-27226)

ID	Description
DEV-86529	Dimensions > Accounts > Spreadsheet View: copy-and-paste does not work properly for each Boolean value
DEV-86477	"Large exposures" window > Tab "Components": when a user adds a new row or modifies an existing one and then saves, CCH Tagetik displays an error message.
DEV-84749	Setup & Admin > Dimensions > Entities: the "Documentation link" column is missing in the column management and the "Documentation link" field is also missing in the "Attributes" section.

Form (CSD-27197)

ID	Description
DEV-86215	Scheduled report list. Running report list which last longer than 3 minutes fails.
DEV-86115	Web Form navigation: CCH Tagetik disregards the "Default segment for new filters of the Entity hierarchy" setting when the option "Per Segment" is set in design mode.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-86756	Setup & Admin > Settings: if a user not enabled on the CONS_PARAM_START module tries to change any field, CCH Tagetik returns an error.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-86462	Setup & Admin > Business Workflow > Steps: if the user tries to edit a Consolidator type step CCH Tagetik doesn't show the "Run ETL" task.

Process Cockpit (CSD-27210)

ID	Description
DEV-86180	Account Reconciliation > Approval data processing: in case of more than one rejection, CCH Tagetik returns a blocking error upon approval, preventing the data processing from running.

Patch: 5.3.SP24.357

Admin Tools (CSD-27157)

ID	Description
DEV-86153	Audit > Details > Download: when the user launches the export of an audit row, the server consumes too many resources and fails.

Analytic Workspace (CSD-27162)

ID	Description
DEV-86219	Update Financial Workspace: in the case of a single submission process, the Balance Sheet accounts are incorrectly cumulated.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-85469	Consolidator cockpit > Actions > Calculation logics: CCH Tagetik shows incorrect journal numbers.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-83837	Preliminary data processing on Original scenarios: in case of Change Entity currency as compared to the previous scenario, CCH Tagetik incorrectly converts the amount of the accounts that, in the element list, have the “Conversion type” set equal to "None".

Data Model (CSD-27226)

ID	Description
DEV-86221	Setup & Admin > Dimensions > Hierarchies > Relationships: when saving a modification of a relationship, CCH Tagetik returns an error.

Form (CSD-27197)

ID	Description
DEV-81017	Matrix with Advanced selection script, in the case of a column or row associated with a dynamic dimension node, the "lowestreference" function returns an error.

Infrastructure (CSD-27205)

ID	Description
DEV-86197	When users try to log in, they receive an Internal Server Error.

Process Cockpit (CSD-27210)

ID	Description
DEV-85585	End-user interface > Process Cockpit with Dimension by Step: Given a nested hierarchy tree and elements having long descriptions, CCH Tagetik does not display the descriptions correctly.

Patch: 5.3.SP24.356

Analytic Workspace (CSD-27162)

ID	Description
DEV-86238	Processes cockpit > Actions > XBRL > Download archived files: the user cannot open a downloaded file.

Form (CSD-27197)

ID	Description
DEV-86051	Web 2.0 formulas: when opening a Web 2.0 form, the formulas were not updated correctly.
DEV-86064	Open Excel form from workflow: when the user launches the Excel form, CCH Tagetik does not show the Data entry tab.

Patch: 5.3.SP24.355

Analytic Workspace (CSD-27162)

ID	Description
DEV-84629	AIH > Dataset fields: if the user selects the “Code and description” or “Description” option as “Display mode” when saving data, then CCH Tagetik always updates the field with the "Code" option.
DEV-85463	Process cockpit: if the user runs a workflow task of Data Source Mapping type, CCH Tagetik does not show the window for defining required reporting parameters.
DEV-85525	Process Cockpit: when the user runs an "Export from AW - XBRL file format" task configured on a dataset containing a very large number of rows, CCH Tagetik takes longer to generate the file than previous versions.

Collaborative Office (CSD-27178)

ID	Description
DEV-84945	Admin > Collaborative Office > Document types > Edit and Submission User Rights: in case of an Oracle database, if the window displays more than 1000 elements, then the "Export to Excel" tool returns an encrypted error.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-85330	"Generate converted" area consolidation data processing: CCH Tagetik returns an error: in the presence of rows with PREL_REVERSE2 and PREL_REVERSE3 origins and P&L accounts converted at Period average for the consolidation journals with journal currency equal to the consolidation currency.

Data Entry (CSD-27187)

ID	Description
DEV-85749	Data Entry > Amounts > "Spreadsheet view" button: if the user copies and pastes a number from Excel, the value is erroneously rounded off.

Data Model (CSD-27226)

ID	Description
DEV-85102	Setup & Administration > Dimensions > Control groups > Groupings > Structure: the field "Control groups default relationship” is incorrectly called "Categories default relationship".
DEV-85028	"Large exposures" window > Tab "Components" tab: whenever the user tries to edit a field of a row and saves data, then the data processing incorrectly updates the node/element relationship on all scenarios/periods of the related “Time dependent” hierarchy.
DEV-84627	Custom dimension > Time dependent hierarchies: when the user launches Export to Excel, CCH Tagetik returns an error.
DEV-85478	Setup & Admin > Dimensions > FST & KPI > FST item: CCH Tagetik returns an error message, if the user performs a multiple selection and then modifies the “Class” field.

IC Cockpit (CSD-27203)

ID	Description
DEV-85480	Contributor cockpit > IC cockpit > Edit IC on processes with the "Mandatory notes when inserting Reconciliation accounts" option active in the Amounts and IC rules. If an IC Matching Reconciliation accounts is cloned and the content of the "Notes" field is deleted, then CCH Tagetik allows the insertion of the reconciliation accounts.

Infrastructure (CSD-27205)

ID	Description
DEV-80994	When the Login’s Rest APIs are called and a json input error occurs, then CCH Tagetik returns "500" error code with information related to the Jackson library.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-84903	Process with dimension by step > Submission: in the presence of a Check rule on a Dataset containing a reference to the user, CCH Tagetik returns a blocking error.

ID	Description
DEV-80602	Data entry web form 2.0 > Run data processing: in some unidentified cases, when the user tries to run a data processing in web form, the data processing does not start.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-85497	Setup & Admin > Processes: if the user relates a submitted Entity to another node, then CCH Tagetik returns an error during the deployment of the mapping.

Process Cockpit (CSD-27210)

ID	Description
DEV-85503	Processes > Cockpit > Advanced filters: CCH Tagetik ignores the "Submission status" filter defined by the user.

Patch: 5.3.SP24.354

Analytic Workspace (CSD-27162)

ID	Description
DEV-84695	Run DTP or QDL with #ENTITIES# parameter: if the user launches a DTP or a QDL for a process step with analytic dimension, the system incorrectly defines the #ENTITIES# parameter using the value of the analytic dimension from which the DTP or QDL was run.

Collaborative Office (CSD-27178)

ID	Description
DEV-85147	Scheduled report list. Scheduled report list may generate errors preventing the forms generation

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-85588	"Copy/ Equity evaluation" area consolidation data processing: for journals with equity evaluation method related to consolidation journals evaluated with equity method only, CCH Tagetik substitutes the “No NER” option with the one specified in the categories table for the journal category.

Data Entry (CSD-27187)

ID	Description
DEV-85584	Data Entry > Spreadsheet View: when the user copies a "Currency" type cell, CCH Tagetik ignores the user's settings and rounds up to two decimal places.

Diagnostic Check (CSD-27194)

ID	Description
DEV-85501	Contributor/Consolidator cockpit > Diagnostic > Report Excel/ PDF Report by Check to Perform: CCH Tagetik takes too long to generate the report if the report contains a very large number of rows.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-85568	Admin > Setup & Admin > Processes > Process definition > Mapping Workflow result: when opening the window and the description of the Entity is empty, CCH Tagetik returns a blocking error.

Patch: 5.3.SP24.353

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-85481	"Copy/ Equity evaluation" area consolidation data processing: for journals with equity evaluation method related to consolidation journals evaluated with equity method only, CCH Tagetik substitutes the "No NER" option with the one specified in the categories table for the journal category.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-84927	"Rules Engine Designer" final consolidation data processing: in some cases, the data processing takes a very long time.
DEV-85432	Group data processing "Eliminations by counterparty": in presence of an entity relationship that has only intercompany declarations rows generated by the entity data processing "Rules Engine Designer", CCH Tagetik does not generate the related elimination rows.

Data Model (CSD-27226)

ID	Description
DEV-85318	Dimensions > Account > List: if the user clones an account and deletes one of the relationships, CCH Tagetik does not take the deletion into consideration.

Form (CSD-27197)

ID	Description
DEV-85281	Data entry AIH Form: in the presence of an empty field on the saved data and the "Validation of Transactional forms when saving data" option enabled, CCH Tagetik signals an error.
DEV-83865	Amounts data entry web > "Spreadsheet view" button: the cell format does not take into consideration the user's nationality when managing the separator of thousands and decimals.

Process Cockpit (CSD-27210)

ID	Description
DEV-85409	Home Page > Home Processes > Active: CCH Tagetik also displays the processes that are stored offline.

User Rights (CSD-127797)

ID	Description
DEV-85143	Setup & Admin > User rights: an error message is displayed if the user launches a User rights report on an Oracle database.

Patch: 5.3.SP24.352

Collaborative Office (CSD-27178)

ID	Description
DEV-85342	Collaborative Office, client-side refresh of "Matrix as table" objects. CCH Tagetik renders the tables without style.

Form (CSD-27197)

ID	Description
DEV-84536	Process Cockpit: in the presence of a "Form list" task, CCH Tagetik displays the "Open Web Form" link without taking into consideration the form display options.

Patch: 5.3.SP24.351

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-84985	Workflow - Run an ETL task for a node containing more than 1000 Entities: it takes a long time to open the window.
DEV-85229	ETL: Run a Routine from the administrator user home. On environments with SqlServer databases, when a “Test” type ETL dimension has a length greater than 8000 characters, CCH Tagetik signals an error.

Data Model (CSD-27226)

ID	Description
DEV-84212	Dimensions > Time dependent elements: CCH Tagetik returns an error when the user saves a new item with the banking data option not enabled.

Form (CSD-27197)

ID	Description
DEV-84683	Excel Add-in: using basic features of Excel such as copy and paste, adding or removing a column, Excel crashes and becomes unusable.
DEV-84838	Form in Data Entry mode: when the form is closed, CCH Tagetik does not properly handle database temporary tables and causes high memory usage.
DEV-83800	Matrix wizard: while operating on AIH, the "Copy filters" function erroneously allows to insert a Financial Statement Template (FST).
DEV-83618	Form Data entry on AIH: in the presence of multiple filters on the same dimension, the editability does not work correctly.

Master Data Management (CSD-27208)

ID	Description
DEV-84922	Version update: when updating the database, in the presence of a url type endpoint with pgp configured, CCH Tagetik returns an error.

Report Bursting (CSD-27214)

ID	Description
DEV-84711	Report Bursting > Distribution rules > Distribution step > Send: forms without scenario and/or period as filter are not sent. The "No document to send" message is displayed in the "Distribution > Show distribution log > Details" window.

Repository (CSD-27215)

ID	Description
DEV-85091	Repository > Monitor > Server status: when a change is made, the audited time does not conform to the one in the database.

User Rights (CSD-127797)

ID	Description
DEV-84986	Setup & Admin > User rights: if the description of the analytic dimension contains Japanese characters, then these characters are not encoded correctly.

SP_327_350

Patch: 5.3.SP24.350

Diagnostic Check (CSD-27194)

ID	Description
DEV-84522	Admin > Data processing > Diagnostic > Validation > Equality control groups: if the descriptions contain special (non-ASCII) characters, the “Validation rules” report does not correctly display the descriptions of the control group and the category. The same problem occurs if the report is run for “Other” control groups and for accounts.

Patch: 5.3.SP24.349

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-84647	Consolidation > Area data processing: the data processing fails if the scenario/period before the execution one is stored offline.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-84084	Consolidator cockpit > Actions > Process report > Financial investments - Net equity analysis: if the account description has Japanese characters, CCH Tagetik generates a report that is not formatted correctly.

Data Processing (CSD-140432)

ID	Description
DEV-80579	In some cases, CCH Tagetik occupies a lot of memory during in-memory data processing.

Infrastructure (CSD-27205)

ID	Description
DEV-84765	Rest API endpoint: CCH Tagetik does not read fields with a “null” value.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-84790	Setup & Admin > Processes > Process definition > Data processing: CCH Tagetik does not show the "Consolidation", "Balancing" and "Validations" menu items.

Repository (CSD-27215)

ID	Description
DEV-84572	Repository > Import/Export > Export: if the user selects the Analytical workspace tables, then the application database export also includes tables that should not be exported.

Patch: 5.3.SP24.348

Data Model (CSD-27226)

ID	Description
DEV-81606	Setup & Admin > Dimensions > Control groups: In case of control groups with parent and child definition via account nodes, if a filter is applied on the account with "not contains", "not starts with" or "not ends with" operator, then CCH Tagetik does not filter rows correctly.

Infrastructure (CSD-27205)

ID	Description
DEV-80998	CCH Tagetik contains the potential vulnerability "Remote Command Execution".

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-82165	Setup & Admin > Processes > Process definition > Mapping > Contributor nodes: if the user enters code in the Entity field, then CCH Tagetik allows the selection of nodes that do not belong to the organizational hierarchy of the process.
DEV-83538	Setup & Admin > Processes > Clone process: if the user clones a process with dimension by step and with number of cycles set to “Single”, then CCH Tagetik does not run the copy of the submission status.

Process Cockpit (CSD-27210)

ID	Description
DEV-73282	Contributor cockpit > Utility > Update status based on data: if the user runs the utility on more than 1000 Entities on Oracle database, then CCH Tagetik returns the following error: "ORA-01795: maximum number of expressions in a list is 1000."
DEV-83675	Contributor/Consolidator cockpit > Submit: after running the entity submission, CCH Tagetik displays the label "cpm.base.submission" instead of "Submission" in the application history ("Recent" menu). The same problem occurs for the rejection process.

Rates and Events (CSD-27212)

ID	Description
DEV-80819	User > Events > Ownership structure register > Events report: if a user has a $CONSOLIDATOR role, CCH Tagetik returns this error: "Validation failed".

Patch: 5.3.SP23.347

Analytic Workspace (CSD-27162)

ID	Description
DEV-84289	Process Cockpit with Dimension by Step: CCH Tagetik allows the execution of a DTP from a form even though the "Context independent run" flag is not active.

Form (CSD-27197)

ID	Description
DEV-84389	User > Home > Cockpit with dimensions for step > "Form" type task: CCH Tagetik requires form parameters even when not needed.

Process Cockpit (CSD-27210)

ID	Description
DEV-84213	Processes cockpit > Show Log: if an automatic rejection has been performed, then when opening the window, CCH Tagetik returns a blocking error.

System Reports (CSD-27217)

ID	Description
DEV-84333	System report > Comments: if the operating system of the application server is Windows, then the multiple downloads of attachments fail with the following error: “The process cannot access the file because it is being used by another process.”

User Rights (CSD-127797)

ID	Description
DEV-84582	User rights > Entity and task > Rights on generic task list: in the presence of a business workflow with more than 50 tasks, when opening the tasks selection combo box, CCH Tagetik shows a blocking error.

Patch: 5.3.SP23.346

Analytic Workspace (CSD-27162)

ID	Description
DEV-84144	OData rest APIs on the AIH: when using locked and/or archived scenario and period as filters, CCH Tagetik shows no results.

Collaborative Office (CSD-27178)

ID	Description
DEV-84101	Word Client > Edit structure > Insert object from Document Part > Reference: if the bookmark to which the object refers is a table that has cells with right-aligned tabulations, the insertion with the "Update the field at the same time as the operation" option returns the

ID	Description
	"Error replacing updated object into document" message and does not include the object among the CCH Tagetik objects.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-83617	Data processing of the “Generate converted” area consolidation: in the presence of accounts converted at period average FX rate and an Entity with currency equal to the consolidation scenario for consolidation journals with journal currency different from the Entity currency, CCH Tagetik generates of FX rate difference rows (P&L account) with an incorrect amount.
DEV-82576	Data processing of "IFRS 5 reclassification consolidation area: when launching multiple periods of the same scenario, CCH Tagetik generates incorrect rows for variation type accounts.

Data Entry (CSD-27187)

ID	Description
DEV-83762	The insertion of overridden amounts on consolidation journals – converted and consolidable can be run from two alternative paths: 1) Consolidator cockpit > Actions > Edit windows > Edit consolidation journals > Actions: override > Overridden rows - Converted and Consolidable on a single journal 2) Consolidator Cockpit > Actions > Override Consolidation Journal > Converted and Consolidable for Bulk import on several journals If CCH Tagetik has a restricted user on an original scenario but a non-restricted reference user on the same dimension, CCH Tagetik is always able to display the overridden amounts in the first case, but not in the second one.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-84087	Processes > Process detail: after the user runs the mapping deployment, CCH Tagetik returns an error.

Patch: 5.3.SP23.345

Form (CSD-27197)

ID	Description
DEV-83768	When the user downloads Comments and Attachments as an Excel file, the Excel file shows values of cells that contain hierarchical nodes of analytic dimensions.
DEV-83764	Data entry form with Multidimensional matrix with Ctp entity dimension as matrix filter: if the user selects a read-only cell, the “Editability info” function erroneously reports "Ctp entity: Missing dimension (ACP)".
DEV-83282	Creating a custom parameter: when the user selects a hierarchy of the Account dimension, sets the “default value” input mode and then selects the Root as the default value, this value is not saved.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-83527	Review Match window > Select Matching Set, Scenario/Period, Entity and Matching Object filters: is the user selects the "Save preferences" button, CCH Tagetik does not save the preferences correctly.

Report Bursting (CSD-27214)

ID	Description
DEV-83047	Report Bursting > Distribution rules > Distribution step > Distribution list: Editing a Form. When the user opens the filters selection window, if the “Minorities quota” value was selected in the presence of Ctp entity parameters, CCH Tagetik returns an encrypted error.

User Rights (CSD-127797)

ID	Description
DEV-83856	Setup & Administration > User rights: If the user runs the User Rights Report in the Japanese language, the columns (hierarchy, WF model, and user code) contain characters codified incorrectly.

Patch: 5.3.SP23.344

Admin Tools (CSD-27157)

ID	Description
DEV-83213	Audit > Metadata log report: the downloaded Excel file incorrectly shows codes in the “Description” column.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-83424	Cash Flow Planning > L/T Financing: in case of a leap year, CCH Tagetik incorrectly calculates the transfer to the current quota for the month of February.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-83492	"Rule Engine Designer" area consolidation data processing: in some cases that cannot be identified exactly, when the user modifies the execution plan, the data processing produces unexpected results.
DEV-82719	Consolidation Area data processing > Rules Engine Designer: if the user configures a RED rule on a consolidation scenario and in the conditions defines as an operand a consolidation method on CTP entity segment to "Not present" or “cost”, then the Entities that are consolidated at cost are discarded in the consolidation area.

Form (CSD-27197)

ID	Description
DEV-82872	Reporting, Intersegment with in-memory engine. In case of hierarchies of different dimensions but with the same code, intersegment values may be incorrect.

Master Data Management (CSD-27208)

ID	Description
DEV-83474	Master Data Management > Routines > List: the user erroneously is able to exclude the USERUPD, DATEUPD, PROVENIENZA (ORIGIN) fields.

Process Cockpit (CSD-27210)

ID	Description
DEV-83588	Processes > Process definition: when the user deploys the mapping, CCH Tagetik does not update the colors of the workflow tasks.

User Rights (CSD-127797)

ID	Description
DEV-83150	Setup & Admin > User rights: if the User rights report is launched in Japanese, the description of the "Organization description" header contains characters that are not encoded correctly.

Utility (CSD-27222)

ID	Description
DEV-83203	User > Processes > Utility > Copy amounts and journals: if the user selects more than one lowest level element and their parent node, then CCH Tagetik returns a blocking error when running the copy.

Patch: 5.3.SP23.343

Analytic Workspace (CSD-27162)

ID	Description
DEV-83107	Launch a DTP: after an import of the Analytical Workspace, CCH Tagetik does not show the window for defining parameters needed for the run.
DEV-82821	Processes cockpit with "Loading to Analytical Workspace" task: if the process is a single submission, the task has an AIH Datasource or DB Object as source and the query filters the scenario via cell field, CCH Tagetik returns an encrypted error.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-82688	“Generate converted” area consolidation data processing: in the presence of accounts converted at Period average FX rate and an Entity with the same currency as the consolidation scenario, CCH Tagetik generates duplicate rows with PREL_REVERSE3 origin.

Data Processing (CSD-140432)

ID	Description
DEV-82863	Setup & Admin > Dimensions > Accounts list > Rules: if the “Gross amount equal to the IC sum” option is enabled, then the deployment does not associate the calculation logic with grouping nodes defined as “Calculation logics default relationship”.

Form (CSD-27197)

ID	Description
DEV-83027	Data Entry of an AIH multidimensional form on Excel: if the user pastes a value on more than 100 rows, then CCH Tagetik does not apply the conditional editability expression.
DEV-82423	Form navigation: in Setup & Admin > Settings > Form, if the "Default segment for new filters of the Entity hierarchy" option is set equal to "None" and for the same dimension, the user selects "Per segment" in the launch parameters in the matrix filter or in the tab filters, then CCH Tagetik does not apply the segment.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-83036	User Interface > Processes Home: when loading the processes list and the step list, CCH Tagetik returns a non-blocking error.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-77217	Process cockpit: the user sees the “Monthly splitting” task in the workflow but cannot run it.

Patch: 5.3.SP23.342

Admin Tools (CSD-27157)

ID	Description
DEV-76066	Job scheduling: if the scenario/period defined for the job task is locked, then the calculation logics data processing returns an error. However, the user erroneously receives a notification email that the data processing has been completed successfully.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-82162	Data processing > Basic Consolidation > Rules Engine Designer on Consolidation Scenarios > Rules Engine Designer > Consolidation > List: select a rule and enter Conditions definition. When the user creates a condition with the "OR" logic operator, saves it and then modifies it: by removing all conditions but leaving the "OR" logic operator, then the "Rule Engine Designer" data processing incorrectly considers the condition and returns an unexpected result.
DEV-82665	under unspecified conditions, the Rules Engine Designer data processing returns an "OutOfMemory" type error.
DEV-82312	The Rules Engine Designer data processing, under not further specified conditions, has a longer runtime than 5.3.SP22.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-80209	The Carry forward on original scenarios data processing, with amount only output categories but with input categories on Entity journals, does not copy periodic journals.

Consolidation settings (CSD-27182)

ID	Description
DEV-82717	Setup & Admin > Processes > Process definition > Carry forward > Override carryforward Category. When the user filters the "Category" field, CCH Tagetik returns an error.

Data Entry (CSD-27187)

ID	Description
DEV-82105	When the user opens Process > Scenario > Period > Consolidator cockpit > Override Journals > Consolidation scenario: Consolidation journals: converted and consolidable data window and changes his nationality (for example, from English to Italian or vice versa), CCH Tagetik displays incorrect amounts in the detail panel.
DEV-82008	When the user changes his nationality (for example, from English to Italian or vice versa) and logs in via the “User > Events > Depreciation proposal” user interface, then CCH Tagetik displays incorrect amounts in the detail panel.

Data Processing (CSD-140432)

ID	Description
DEV-82687	Stored procedures, Run procedures with WFM_FASE parameter: the choice of the step in the run parameters returns an "Internal error" type error.
DEV-82041	Admin interface > Setup & Admin > Processes > Process definition > the user launches the deployment of the mapping workflow model. In the case of Process Cockpit with Dimension by Step and numerous hierarchies, CCH Tagetik takes too much time.
DEV-82036	Process cockpit > Allocations & Closing: it is impossible to run the allocations by selecting a rule following circular rules.

Form (CSD-27197)

ID	Description
DEV-81719	Data entry form with multidimensional matrix: some non-editable cells appear formatted as editable: if the form filter contains a node and the matrix is filtered on a different node of the same dimension.
DEV-45879	Webform > Edit IC: when the user adds a new element, the field related to the Custom Dim2 is not populated automatically: even if the "Define CTP {NOME_DEST2} with {NOME_AZIENDA} default element" option is enabled in the process.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-81376	User interface > Process tile > Contributor cockpit > the user launches a Transaction Matching data processing. In the presence of an Oracle Database, when the data processing is launched CCH Tagetik returns an error.

Process Cockpit (CSD-27210)

ID	Description
DEV-81573	Web Form: the multidimensional submission on a node returns a blocking error.
DEV-81419	User interface > Processes Home: CCH Tagetik incorrectly displays insignificant lowest-level elements.

System Reports (CSD-27217)

ID	Description
DEV-82829	Book journals: In the presence of large amounts and with currencies that manage a high number of decimals, CCH Tagetik generates a report with incorrect amounts.

Patch: 5.3.SP23.341

Admin Tools (CSD-27157)

ID	Description
DEV-82474	Description: Repository > Audit > Details: if the reverse proxy is active and the user downloads the log in Excel or Pdf, then CCH Tagetik returns an error.
DEV-82027	Processes > Process definition: the user runs the deployment of the Process with dimension by step, and at its end, when he enters the relevant Audit window, he gets an "Out of memory" error.

Analytic Workspace (CSD-27162)

ID	Description
DEV-82448	API comments and attachments: CCH Tagetik does not correctly process filters on nodes.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-80256	"Minorities Calculation" area data processing: if after the data processing run, the user changes the "Enable carry forward" option of the category used for minorities calculation journal, then CCH Tagetik does not update this option on the journal headers in subsequent data processing.
DEV-82010	Rules Engine Design (RED) on the consolidation scenario: When using the "Map dimensions based on the sign" and "First application of the rule" / "Rule no longer applied" options, CCH Tagetik generates wrong values on dedicated variation accounts.

Data Processing (CSD-140432)

ID	Description
DEV-73291	MD calculation logics: CCH Tagetik does not process correctly the FST items that contain the "-" (dash) character.

ID	Description
DEV-81640	Setup & Admin > Data processing > Job > Copy amounts and journals: CCH Tagetik allows the multiple selection of target categories for both Entity and Consolidation journals. In the case of a job configured in this way, in the run step, CCH Tagetik does not copy data.
DEV-82512	Setup & Admin > Data processing > Job > Job graph display window: when the job contains a task of "Stored Procedure" type for which not all parameters have been defined, CCH Tagetik returns an error and does not allow the user to view or edit the graph.

Form (CSD-27197)

ID	Description
DEV-77079	Form grouping: CCH Tagetik incorrectly allows the user to create a node whose code begins with the character $ and does not allow deleting it.
DEV-82167	Form with parameter dependent on analytic dimension: CCH Tagetik generates an error: if the user, upon requesting a parameter, searches for a value by description and there is a dimension element whose description is not defined for the current language.

Infrastructure (CSD-27205)

ID	Description
DEV-81902	Audit API Odata: in the presence of a reverse proxy, the call to Odata APIs generates an error.
DEV-82120	Okta as External authentication provider: in case of recoding of a user whose code is the email used to log in, such a user in the “Recode” state cannot access the application.
DEV-82117	Home page > Button with three dots > External Authentication. The following three conditions are considered: the option 'Use Third Party Authentication' is active, the available authentication type is 'SAML' and the option 'Login enabled for all users of the external authentication mechanism' is not active. If a user is not present in Repository > Users & Roles > Users but is present on the configured SAML Identity Provider, he/she is mistakenly able to log in.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-82296	Setup & Admin > Data processing > Job > Copy amounts and journals: the source and target periods are not mandatory. In case a job is created, leaving both filters empty, then when launching the job from the cockpit, CCH Tagetik generates duplicate values.

Process Cockpit (CSD-27210)

ID	Description
DEV-81957	User > Processes > Multidimensional cockpit > "Form" type task: CCH Tagetik requires the form parameters only when it is first opened.

Rates and Events (CSD-27212)

ID	Description
DEV-82102	Setup & Admin: in case of a "BUDGETPLANNING_MULTITENANT" license, CCH Tagetik blocks the insertion of the "Rates" tile in the home page.

Patch: 5.3.SP23.340

Admin Tools (CSD-27157)

ID	Description
DEV-81367	Notification mail of a scheduled data processing: if the launch of a data processing ends with warnings, the notification emails of subsequent launches still report the warning, regardless of the actual result of the data processing itself.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-81610	Consolidation data processing does not generate financial investment elimination journals from the ownership structure register for events that have data with 'MDM' origin (Master Data Management)

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-82122	Carry forward on original and consolidation scenarios: If the control group table contains more than one variation type control group with the same parent account and same initial balance variation account, CCH Tagetik returns an error.
DEV-82067	Preliminary data processing on Original scenarios, Carry forward on Original scenarios: even if the header of the journal has the carry forward flag disabled, rows with counterparties are still aggregated to the amount type category.

Data Entry (CSD-27187)

ID	Description
DEV-81455	Consolidator cockpit > Edit Consolidation journals > Override > Overridden rows - Converted and Consolidable: CCH Tagetik shows records that do not belong to the scenario/ period of the selected process.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-81552	The Tagetik Data Loader does not properly handle concurrent reading of data from the database.

Data Model (CSD-27226)

ID	Description
DEV-81134	The deletion of a large number of accounts (> 200 accounts) fails.

Form (CSD-27197)

ID	Description
DEV-81533	Consider launching a Forecast data processing via hyperlink on a data entry form: if the Forecast data processing is run from a web form, CCH Tagetik launches the old version of the data processing. If, on the other hand, the Forecast data processing is run from Excel, then CCH Tagetik launches the new version of the data processing.
DEV-81019	Download of the comments and attachments file: CCH Tagetik does not take into consideration the form filters when these contain any element or node taken from a hierarchy that is not a flat hierarchy.
DEV-81153	Data entry webform: if the user moves the validation popup, the popup returns to the initial position whenever the user modifies a value.
DEV-81989	Transactional form: if the form contains "Default value / Formula" column and saving involves several rows, then the form does not correctly define the formula and the field remains empty.
DEV-80814	Data entry form: if the user adds a new row, the Editability conditional expression stops working on existing rows.

Generic (CSD-155209)

ID	Description
DEV-81150	Comments and attachments API: CCH Tagetik does not process filters on nodes correctly.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-74529	Changing the color of a tile shared with other users is not performed on the user homepages who inherit the shared tile

Infrastructure (CSD-27205)

ID	Description
DEV-81006	The Excel export in unidentified cases could lead to security problems because the format of some cells is set to "General".

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-82121	Multidimensional process cockpit > Task List of Forms: when closing the form, CCH Tagetik does not show the workflow.

Process Cockpit (CSD-27210)

ID	Description
DEV-81308	User > Processes: when loading the processes list, under unspecified conditions CCH Tagetik returns a non-blocking error.
DEV-82110	Process Home > Process cockpit > Form task: when the user saves the form on Excel, CCH Tagetik does not update the workflow status nor change the color of the task.
DEV-81401	Process with dimension by step: if the user does not run operational tasks but tries to run the submission in multi-selection mode, then CCH Tagetik erroneously allows the submission.

User Rights (CSD-127797)

ID	Description
DEV-81374	Setup & Admin > User rights > User rights report > Summary: in the generated report, the "Run operational tasks" column is missing in the "Contributor nodes" tab.

Patch: 5.3.SP23.339

Admin Tools (CSD-27157)

ID	Description
DEV-81434	When saving a Data entry form, CCH Tagetik returns an error: the audit does not trace the error and the saving remains in "Pending" state.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-81630	Consolidation, Group Data Processing: Eliminate Financial Investments from Ownership Structure Register. With the NEW_CONSOLIDATION_CORE license, the users with Admin role are not enabled for the FOUND_FININV module nor can they edit the Ownership structure register.

Infrastructure (CSD-27205)

ID	Description
DEV-81551	The simultaneous use of multiple forms by multiple users overloads the application server and in some cases a restart of the server itself may be necessary.
DEV-81479	When the Odata APIs of Audit are invoked, the cache size tends to grow dramatically because some values are duplicated.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-80951	User > Processes > Multidimensional cockpit: in case of task descriptions with the special character '%', CCH Tagetik does not display the graph.

Process Cockpit (CSD-27210)

ID	Description
DEV-81591	User > Processes > Process Cockpit with Dimension by Step: in case of very populous hierarchies, CCH Tagetik becomes very slow at the step selection.
DEV-79994	User > Processes > Process Cockpit with Dimension by Step: in case of task descriptions with special characters, CCH Tagetik does not display them correctly.

System Reports (CSD-27217)

ID	Description
DEV-80314	System report > Comments: The multiple attachments download returns an empty file.

User Rights (CSD-127797)

ID	Description
DEV-77400	Setup & Admin > User rights: after saving or canceling any changes, the selected element is different from the original one.
DEV-73792	Setup & Admin > User rights: if the description of a user contains Japanese characters, then these characters are not encoded correctly.

Patch: 5.3.SP23.338

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-76981	The area consolidation data processing 'Generate Converted' produces incorrect converted rows and incorrect exchange rate differences for rows with origin PREL_REVERSE2 and PREL_REVERSE3 (generated by the Preliminary data processing Reverse journal) on Profit & Loss and Variation accounts, when the account conversion type is period average exchange rate.

Data Model (CSD-27226)

ID	Description
DEV-74172	Entities hierarchy, Hierarchy structure Excel report: the report does not consider the settings of the sorting defined in the Entity settings.

Form (CSD-27197)

ID	Description
DEV-80747	Data entry form: the user can save new rows on a submitted Entity because the "Recheck the editability when saving values" option in “Admin > Setup & Admin > Settings > Form” excludes editability checks.
DEV-79441	Excel Add-in > Statistics: the report returns incorrect statistics on the "Client time" and the "Network overhead" is negative.

Infrastructure (CSD-27205)

ID	Description
DEV-81244	The use of OData APIs causes an increase in session utilization.
DEV-81233	Launch of a form in navigation and data entry: in unidentified cases the form runs into a memory leak situation and is therefore slow or blocked.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-77034	Admin > Business Workflow > Step > Task Workflow: When saving data, CCH Tagetik randomly stores the edge of the submission node incorrectly.

Process Cockpit (CSD-27210)

ID	Description
DEV-81321	User > Processes > Process Cockpit with Dimension by Step: when closing a form, the loading of the hierarchy tree is very slow.
DEV-81196	Process cockpit: when the user opens the forms window, in unidentified cases CCH Tagetik returns an error.

Report Bursting (CSD-27214)

ID	Description
DEV-81116	The Excel export in unidentified cases could lead to security problems because the format of some cells is set to "General".

Patch: 5.3.SP23.337

Collaborative Office (CSD-27178)

ID	Description
DEV-75136	Diagnostic between two tables: the launch of the diagnostic incorrectly signals a row/column difference: if the tables were created with different codes and then updated. If the user tries to modify the code, then the modification is not propagated to the cells and the diagnostic fails.

Data Processing (CSD-140432)

ID	Description
DEV-76954	Calculation logics – Grouping > Structure: CCH Tagetik shows the wrong label for the "default node" property.

Form (CSD-27197)

ID	Description
DEV-79456	When the user launches a webform and selects a node as a tab filter parameter, CCH Tagetik crashes and shows a white webform.
DEV-79445	Within the process, forms are linked to one or more steps by using the appropriate process definition window. Each time a form data entry session is run on a process, it is necessary to update the work progress status on each step to which it is linked. If the relationship between step and form are changed, CCH Tagetik is not affected by this change until the application server is restarted. In this way, after saving data in a data entry session, the status is also updated on steps to which the form is no longer linked.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-80823	Repository > General settings: the "Nationality" label is translated incorrectly into Chinese (simplified) language.

Repository (CSD-27215)

ID	Description
DEV-80169	Repository > Import/Export > Import: if the Analytical Workspace node is selected during import, when retrieving information related to the fields subject to GDPR for the Analytical Dimensions tables, then CCH Tagetik returns an error.

User Rights (CSD-127797)

ID	Description
DEV-80428	Users > Refresh users: data processing launch fails and a message like "Cannot be cast to java.lang.String" pops up for a few seconds.
DEV-80229	User rights deployment, analytical dimensions: CCH Tagetik generates an excessive number of logged warnings of the type: " Table XXXX not found for dbId=YYYY. Impossible to record the table operations for the XXX table in the audit ", causing excessive log file growth.

Patch: 5.3.SP23.336

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-79808	The Counterparty eliminations data processing generates rows on journals to be deconsolidated from the previous period.
DEV-80322	Area consolidation data processing: if the Equity evaluation is active and new headers are created, then the data processing fails and signals this error: "ERROR: null value in column "flag_draft" of relation "app_out_dati_17131590455207" violates not-null constraint."

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-77418	Preliminary data processes on original scenarios have two anomalies: 1) the Deconsolidation data processing from previous period does not copy (from the previous period) rows of journals subject to Reverse 2) Merger data processing generates rows on journals to be deconsolidated from the previous period.

Data Model (CSD-27226)

ID	Description
DEV-75930	Dimension-dependent control groups for "Account / Custom dimension": In the definition window of parent and child accounts, if the user applies the filter for custom dimension, then CCH Tagetik signals the following error: “java.lang.NullPointerException.”

Form (CSD-27197)

ID	Description
DEV-77066	Webform with multidimensional matrix: CCH Tagetik is able to add the first row but fails to load other rows nor to display the "+" (add) key.
DEV-70121	The user considers a line-by-line matrix with dynamic and empty rows addition on a webform. CCH Tagetik correctly manages the formatting of the first two row additions but from the third row onwards, it erroneously applies matrix header styles.
DEV-73656	Line-by-line matrix with the “Change sign” function enabled on a column: when the user adds a new row, the values erroneously keep the original sign.

Infrastructure (CSD-27205)

ID	Description
DEV-79917	Area consolidation data processing: in case of an insertion error in the temporary tables, the data processing remains in “pending” state and cannot be aborted even from the ”Repository > Monitor > Running data processings > Abort” window.

Master Data Management (CSD-27208)

ID	Description
DEV-80380	When running an MDM with the “$|PROSP_FILTRO” table and a flag on "Include child tables" with the PROSP_FILTRO filter, then the “PROSP_FILTRO_XML” child table is not subject to the same filter.

Report Bursting (CSD-27214)

ID	Description
DEV-80244	User > Processes > Detail summary > Report distribution > Generate: when the user clicks on the "Run" button, CCH Tagetik shows a small yellow square and does not generate reports.

Patch: 5.3.SP23.335

Admin Tools (CSD-27157)

ID	Description
DEV-79825	

Analytic Workspace (CSD-27162)

ID	Description
DEV-76941	Cockpit - Data Transformation Package - Activity cockpit: the user can still run activities even when a step has already been submitted.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-76990	In the Manual Match and Review Match, the Write Off Code field is shown differently depending on whether we are in Edit mode (see the field description) or in Match mode (see the code)

ID	Description
	Furthermore, in the pop-up of the bulk edit, the Write Off field, even if filled in the grid, appears empty in the selector when the user opens the pop-up.

Data Entry (CSD-27187)

ID	Description
DEV-66214	On processes that manage the traceability of errors detected by the diagnostic and that require the submission of journals, CCH TAgetik allows the user to comment errors on journals that have been submitted in a subsequent step to that on which the error was detected.

Diagnostic Check (CSD-27194)

ID	Description
DEV-77021	Diagnostic run window: if the user enables the “Result” check only and then selects some custom control groups, then CCH Tagetik diagnoses the selected control groups, while it should only check the year's result.
DEV-77104	On processes that manage the traceability of diagnostic errors, the system allows the user to run the diagnostic with the “Update log” option even on locked scenarios/periods.

Form (CSD-27197)

ID	Description
DEV-77441	Add-in Excel, report list definition: Some fields related to the mail distribution are not visible.
DEV-76971	In design, for a report with two (or more) templates, it is possible to copy a hyperlink with a data processing defined in template 1 into template 2. However, this allows the user to create an inconsistent hyperlink. Validity checks have now been added to prevent this inconsistent state in both form design and on launch.
DEV-79640	Line-By-Line matrix: when the user saves a row and launches the form refresh, the new row is not displayed.
DEV-79632	Automation _Form does not open and a black screen with an invalid license key message appears.
DEV-79789	A Data entry form contains a cell to which a “Dictionary/Dimension” is related: CCH Tagetik does not insert the element in the cell: if the user searches or inserts an element containing the " ' " (apostrophe) character.
DEV-79933	Reporting, Excel Add-in, running a form that writes on the Excel spreadsheet a large amount of data might generate an error.

ID	Description
DEV-80099	An error occurs when saving a Data entry form. From the Audit, the error cannot be identified and the save data processing remains “pending”.
DEV-80148	When the user logs in via a legacy Excel add-in (IE plugin) and then logs out, the session still remains active and consequently results in memory saturation.
DEV-45169	Opening of a form in navigation or data entry: the change sign defined in a matrix, if applied on a parametric element, does not work correctly.
DEV-41936	Data entry form with transactional matrix that writes to a dataset partitioned by Entity: if the user does not define the “Entity” filter, then CCH Tagetik does not launch the form and does not signal that the filter is mandatory.

Infrastructure (CSD-27205)

ID	Description
DEV-79765	When the cache of Audit OData APIs is loaded, the LOG at INFO level tends to create very big files. The level has been changed.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-77387	
DEV-76995	CCH Tagetik incorrectly allows the selection of consolidator steps from the “IC step exceptions” tab in the process data model definition window.
DEV-76994	It is possible to select consolidator steps in the Accounts definition tab of the process data model.

Process Cockpit (CSD-27210)

ID	Description
DEV-76679	Contributor cockpit - Performance Dashboard tab: the following three problems are encountered: - "Avg. Number of submitted records": since CCH Tagetik is not able to calculate the average, it always considers it to be equal to zero. Therefore, this information will be hidden starting with this patch - "Metrics of Performance by Entity": if there is no Entity present and the user clicks the middle pane, then the system returns the following error: “Unable to invoke method onChartClick in com.vaadin.addon.charts.shared.ChartServerRpc” - Performance by Entity: on first login, the user expands the drop down menu where he can select one of the steps of the process. If the user selects step tabs in the contributor cockpit

ID	Description
	and then goes back to the "Performance Dashboard" tab, he finds out that the steps are duplicated in the drop down menu.

Patch: 5.3.SP22.334

Admin Tools (CSD-27157)

ID	Description
DEV-79982	Scheduling data processing: a scheduled data processing remains in "Booked" state even though it is in "Completed" state in the Audit and "Data processing in progress" window.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-79710	The Equity evaluation data processing returns an error if in an Owner entity at equity is also empty in the deployed Equity Owner Entities.
DEV-80211	The Balancings on consolidation scenarios generate some useless temporary tables.
DEV-79576	If the "Periodic proportional calculation and Consolidable data" option is active and the "F.I. variations / Net equity elimination" journal has rows on accounts with changes in percentages of Net equity in the first period of the scenario, then the data processing incorrectly generates "Net equity variations reclassification" rows.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-79575	The "Eliminate Financial investments and Net equity from Ownership structure register" group data processing: if there are more than two events recorded in the Ownership structure register, then the "Full goodwill" allocation incorrectly calculates the amount from the third event onwards.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-79788	Given an ETL routine with the "Action detail accounts" option selected, if there is category with code longer than 15 characters in the data used for the run, then CCH Tagetik returns an error that blocks the opening of the "Action detail accounts" window.

Form (CSD-27197)

ID	Description
DEV-77145	TO DO
DEV-79918	Excel Add-in: Multi-template forms that manage a large amount of data might generate an error.
DEV-79557	An error occurs when saving a Data entry form. From the Audit, the error cannot be identified and the save data processing remains “pending”.

Patch: 5.3.SP22.333

Admin Tools (CSD-27157)

ID	Description
DEV-77488	In the “Repository > Scheduling > Tab "Advanced" window, the contents of the "Parameters" field cannot be fully displayed.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-77114	Balancings on consolidation scenarios that are run on an environment with Oracle 19 database takes longer than on same environment with Oracle 12 database.
DEV-79684	Process Cockpit > Entity Data Processing. In the "Equity Pick-Up" reclassification, CCH Tagetik incorrectly applies "Average FX Rate" instead of "Overriden FX Rate."
DEV-79405	When the user launches the Merger data processing, CCH Tagetik generates incorrect journals. If the user launches the data processing again, then CCH Tagetik generates an encrypted error.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-79101	Consolidation > Group data processing > Counterparty eliminations: in the case of IC logic with "Balancing on <Custom dimension 3> with maximum amount rows", the Balancing erroneously excludes the rows with accounts that have the "Main accounts on Journals" attribute disabled in the Process data model.
DEV-79411	Eliminate Financial investments from Ownership structure register on disposal events defined via sales model: the data processing generates the journal headers of Intragroup F.I. assignment with Minorities calculation method, Proportional calculation method and Equity evaluation method equal to those set on the elimination logic. From this patch, the data processing will set the Minorities calculation method equal to "Based on % {NOME_AZIENDA} 1", the Proportional calculation method equal to "Entity 1 * Entity 2"

ID	Description
	and the Equity evaluation method to "Evaluate with equity method: only single {NOME_AZIENDA} journals)".

Data Entry (CSD-27187)

ID	Description
DEV-77556	In the Drill Down page that is accessible from the “Processes cockpit > Edit Entity journal > Control Group Balancing > Drill Down” path, CCH Tagetik does not update the transaction currency amount when the “Override FX rate” option is disabled.

Data Processing (CSD-140432)

ID	Description
DEV-74300	Setup & Admin > Data processing > Data Operations: if the user runs "Export for import via Excel", then CCH Tagetik returns an encrypted error.

Form (CSD-27197)

ID	Description
DEV-79140	If in the definition of the transactional form there is a column on which a formula is defined as a default value, the latter is no longer set when saving the row and the field remains null.
DEV-79357	If the user launches any webform, CCH Tagetik does not launch the form: it shows a black screen with the “invalid license” message instead.

Infrastructure (CSD-27205)

ID	Description
DEV-79730	ODATA API AUDIT: the INFO level log of the cached upload creates big files.

Patch: 5.3.SP22.332

Analytic Workspace (CSD-27162)

ID	Description
DEV-77160	On the AIH dictionaries page, in databases different from postgres and after saving a dictionary with an incorrect query, the 'Malformed query' error message is erroneously associated in the postgresql query body text area.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-79009	Cash Flow Planning > Indirect tax policy down payment: if the user enables the down payment, then the Indirect taxes calculation data processing returns a blocking error.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-79066	Eliminate Financial investments from Ownership structure register on asset events defined via the sales model: the data processing generates reclassification journals even when the sold Entity does not provide for the generation of Ctp eliminations.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-79130	Preliminary Elaborations on Original scenarios, Carry Forward override: even if Restore operation is disabled a journal row gets carried forward to an Amount type category.

Diagnostic Check (CSD-27194)

ID	Description
DEV-77519	Result window of the plausibility diagnostic result run on contributor nodes and with plausibility logics “by comparison currency” (that is, the logics whose diagnostic analyzes and returns the "comparison currency" instead of the "currency"): when the user runs the "Drill Down" function, CCH Tagetik returns the following error: “java.lang.IllegalArgumentException: Currency is empty.”

Form (CSD-27197)

ID	Description
DEV-73515	Contributor cockpit: an error occurs when saving a form associated with a workflow on a node.

Master Data Management (CSD-27208)

ID	Description
DEV-76822	When a routine is imported on the Master Data Management, CCH Tagetik returns the following error: "ERROR: column process_ncons_wf_mapping_def.cod_raccolta does not exist"

Patch: 5.3.SP22.331

Admin Tools (CSD-27157)

ID	Description
DEV-77374	Anomaly detected on CPU utilization at launch.

Analytic Workspace (CSD-27162)

ID	Description
DEV-76500	Aih, delete workspace: in the presence of a definition of measures used for each step on the process data model, the deletion procedure takes too long.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-77359	Multilanguage management on forms list filter.

Collaborative Office (CSD-27178)

ID	Description
DEV-77504	In the users drop-down menus it is not possible to filter by code but only by description.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-77008	Area data processing - Conversion: the conversion at period average FX rate is not run because the journal header is missing in the period in data processing.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-76361	Events window of Intragroup assets assignment: CCH Tagetik allows the user to insert events without defining the amount of the depreciation fund and/or of the impairment. In this case, the "Intragroup assets assignment" data processing generates journals with some rows missing (for example, the row that highlights the Assets book value in P&L account).

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-77242	In case of "Allow preliminary data processing on data that belong to submitted steps" flag enabled in the Carry Forward rules and user with "Edit submitted / locked data in editability" flag enabled in the user rights, the launch of carry forward duplicates the rows (does not delete already existing rows, but adds them on)

Data Entry (CSD-27187)

ID	Description
DEV-76678	When you access User > Events > Depreciation proposal > <Process> and then edit the amounts (Importo di acquisizione e Fondo ammortamento già in corso) by records with currency decimals > 3, the application does not allow changes to be saved

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-77096	The column selection of ETL grouping windows also shows the columns for unmanaged descriptions.

Data Model (CSD-27226)

ID	Description
DEV-75544	Account elements table, Import/Export Excel: the "Conversion type" field does not show all available options.
DEV-76837	FST items, Excel import / export: the system erroneously allows the insertion of a new row with the sorting field undefined by initialising it at the value -1
DEV-77095	Scenario/Period, Export to Excel: the start date and end date are incorrectly marked as optional.

Form (CSD-27197)

ID	Description
DEV-77194	Excel Add-In, “Edit IC” window : when the users try to close the window, an encrypted error occurs preventing the action from being completed.
DEV-76528	In a data entry web form with an item lines matrix, created on a financial workspace, selecting multiple cells mistakenly appears the "hover over" button, which if used generates exceptions.

ID	Description
DEV-76489	When you open a web form containing a multidimensional matrix with dynamic columns that at the time of the form launch explode negatively, that is, contain fewer columns than the design, then if the "move cells to the right" option is active in the matrix, this mistakenly moves cells to the left when they should not make changes to the remaining form objects.

Process Cockpit (CSD-27210)

ID	Description
DEV-77386	Home user >> Process cockpit. When an empty workflow $$ is associated with all lowest level elements in the process wirkflow mapping, the lowest level elements of the hierarchy ar no longer displayed.

Repository (CSD-27215)

ID	Description
DEV-77140	It is impossible to load documents associated with header rows when the user has a $DEREPORT role.

Patch: 5.3.SP22.330

Analytic Workspace (CSD-27162)

ID	Description
DEV-76953	In case of a double run of a DTP, the pop-up that allows the user to book or cancel the second run is no longer shown.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-73647	The consolidation currency conversion data processing does not correctly generate the conversion rows at period average FX rate in case of: presence of conversion override rows in the previous period (CONS_FORCE2_CONV origin) run of several periods

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-76729	Given a data base without a compatibility configuration with Oracle 19, the Deconsolidation data processing by Entity and Group is too slow.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-76388	The FI elimination data processing generates net equity elimination rows with journal's currency amount rounded incorrectly when the currency of the owner entity is different from the owned entity's currency. (The system performs the rounding to the number of decimal of the owner entity currency twice: when applying the ownership percentage and when applying the exchange rate).

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-76639	Admin - Repository - Endpoint: the window allows the user to insert values for the URL field without any protocol being specified and does not handle the URLs correctly if the application server is on a Windows file system.

Form (CSD-27197)

ID	Description
DEV-76549	Excel add-in, login to environment where SSL Certificate is requested. The new communication engine does not support display Client Certificate list dialog. It just sign the user in by making use of the "first" certificate in the list. This works great until there is only a single certificate on client but when multiple valid certificates are available then the user is not asked to choose which one to use.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-76257	On the homepage by clicking on the button "message" then "Add" the encoding of the user's description with "double-byte" characters is incorrect.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-76619	Window of non-multidimensional process - Select an entity - Run a data processing. If empty elements are present in the Matching Result table after completing the data processing, then the corresponding columns contain empty strings: instead of NULL values.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-76939	Processes > Select a non multi dimensional process > Modify the description. The system shows an error message on saving.
DEV-76521	Deadline Dates - Advanced Definition: the fields are always enabled in Multiple selection.

Process Cockpit (CSD-27210)

ID	Description
DEV-76603	If the “Store diagnostic result on submission” option is enabled in the submission rules of the process, then CCH Tagetik signals the following error during the submission of an entity: “java.io.FileNotFoundException”

Repository (CSD-27215)

ID	Description
DEV-76946	Admin - Repository - Import/Export - Import: the import data processing also reports non-blocking warnings as errors, resulting in failure also at Audit level.
DEV-76934	Admin - Repository - Endpoint: the application returns an error when the user saves an URL type Endpoint without specifying any value for the URL field.
DEV-76656	In Repository >> Users >> Delete all filters >> Export to Excel, the export of the users list without any filters gives a stacktrace.
DEV-76638	User home page: the "Process Home" card is always visible even when the user role is not enabled.

User Rights (CSD-127797)

ID	Description
DEV-75563	User rights window: when opening the window, loading times are very long.

Patch: 5.3.SP22.329

Analytic Workspace (CSD-27162)

ID	Description
DEV-70569	In an AIH LBL report, for a dataset with a numerical measure configured with more than 9 decimal places, saving data allows the user to save numbers with more than 9 decimal

ID	Description
	places, depending on what is configured. Reading this data in both Data entry and in Navigation approximates the result to 9 decimal digits.

System Reports (CSD-27217)

ID	Description
DEV-76552	System report: row colors do not allow the user to see the selected row.

Patch: 5.3.SP22.328

Analytic Workspace (CSD-27162)

ID	Description
DEV-77753	AIH, Field definitions of the dataset: in the insertion step of a new measure, if the user changes the field type from text to number, then the system keeps the length set on the text field.

Form (CSD-27197)

ID	Description
DEV-76533	An error occurs in the authentication step: when a web form is opened in Excel.
DEV-68520	In all windows of the Excel addin, the Unicode characters that do not belong to the basic multilingual plan, BMP, are not shown. For example, in the matrix wizard window, in the descriptions of the elements contained in the dimensions table tree.

Repository (CSD-27215)

ID	Description
DEV-76167	System tools, Settings of the active session: When the user modifies the parameters of the window and then presses the “Save” button, the values are not actually saved and the default settings are displayed when the window is reopened.
DEV-76386	With OpenID enabled, an error occurs when the user tries to insert an e-mail with more than 6 characters.

SmartInsight (CSD-140236)

ID	Description
DEV-76466	When the user create a new matrix, is no longer able to select datasets

Patch: 5.3.SP22.327

Admin Tools (CSD-27157)

ID	Description
DEV-75937	When the user opens the detail of an audit record that contains an exception that is too long to be displayed, then the page crashes due to loading.

Analytic Workspace (CSD-27162)

ID	Description
DEV-77785	AIH, dataset definition fields: the system incorrectly allows the user to create a field with the "OFFSET" code and therefore causes errors in a posgres environment.
DEV-76485	AIH, dataset definition fields: the system incorrectly allows the user to create a field with the "COMMENT" code and therefore causes errors in the import step via ETL in a posgres environment.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-76215	The Conversion data processing generates wrong IC FX rate differences in case of period average FX rate conversion for consolidation journals that have several rows on proportional amount type with the same dimensions but different Entity currency. The first time processing is launched with the new patch it may also be necessary to process the previous periods belonging to the selected scenario.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-77988	RED Orig Headers: definition of a dimension for Entity Journals rule. When a dimension is defined (Dest2 and Dest2 CTP are enabled in the related rule just configured in Headers page) with Dest2 CTP taking 'Swap with Dest2 CTP' as value, Dest2 field is disabled as expected behavior: successively if Dest2 CTP is disabled in the involved rule then when we try to modify the just created dimension we don't find Dest2 CTP field as expected but Dest2 field remains disabled and we can't configure it any longer.

ID	Description
DEV-76421	In the “Setup & Admin – Data processing – Basic consolidation - Rules Engine Designer on Original Scenarios - List - IC amounts or Entity journals – Categories definition or Dimensions - Spreadsheet view” window, when the user clicks on the "Export to Excel" button, excel is downloaded but its content is this error message: "Excel IO License Not Found"

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-77586	The ETL does not allow the user to handle the “OID_UTENTE_LIM_DEF” field of the “RIGHTS_TASK_DEF” table in the data targets.
DEV-76498	The ETL run from REST API fills the audit by using language 1 of the tables: even if it is not configured or if it is not the language defined for the user.
DEV-76385	When an ETL routine is cloned, the relationships are not cloned

Data Model (CSD-27226)

ID	Description
DEV-75629	Account elements table: if the Financial Consolidation module is enabled in the configuration, then it is not possible to define the following attributes on an account: Manage Transaction currency, IC management, Manage maximum number of decimals

Data Processing (CSD-140432)

ID	Description
DEV-73313	MD Debug: when using an FST syntax, the system records an incorrect description in the debug result tree.

Form (CSD-27197)

ID	Description
DEV-75866	.Net Excel add-on, running a form containing custom queries, may generate an error.
DEV-74393	In the .NET client, for an LBL form opened in Data entry, if the report has no rows, then when new rows are added, the style that is applied is that of the header.
DEV-62850	In Excel, in the shared dictionaries window, if the dictionary contains more than 50 elements, then the addition of a new element may generate an "Index was out of range" type exception. The generation of the exception depends on the content of the shared dictionary and the new element that was inserted.

Home Pages and Application Menu (CSD-27201)

ID	Description
DEV-76315	Query Analyzer: when the user removes the number of rows to display and deselects the related flag, then the system signals an error when running the query.

IC Cockpit (CSD-27203)

ID	Description
DEV-75970	IC matching cockpit: When there is a task of IC cockpit type in an Entity workflow and the user selects the “By Entity node" type relationship in the run window, then the system does not filter on the selected Entity node. In addition, when the user opens the Edit IC, the system signals this error: "java.lang.IllegalArgumentException".

User Rights (CSD-127797)

ID	Description
DEV-77639	In the AIH LBL reports that are opened in Data entry for the non-editable cells, due to user rights applied on two or more dimensions, when the user clicks on the editability info panel, only the message for one of the possible dimensions is returned.

SP_306_326

Patch: 5.3.SP22.326

Architectural Runway (CSD-27161)

ID	Description
DEV-77597	Monitoring Portal, Card Total rows used. Card shows incorrect values.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-75808	Area Data Processing, Generate Proportional. The system generates the following error if the previous consolidation scenario/period does not exist: Caused by: java.lang.RuntimeException: java.util.concurrent.ExecutionException: com.tagetik.base.internal.TGKCacheInterceptor$ThrowableWrapper: Error executing public abstract boolean com.tagetik.cpm.services.DatiRettScenarioConsService.exists(java.lang.String,java.lang.String,java.lang.String,java.lang.String)([2021I_ACT, null, NUM_SCRITTURA, null])

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-77644	Eliminations by counterparty Data processing - The systems generates Ctp elimination journal rows with incorrect journal currency amount in the following case: -P&L accounts to be converted at the period average exchange rate -IC transaction currency amount of the period to be processed equal to the IC transaction currency amount of the previous period - the elimination journal currency amount of the previous period is zero
DEV-76102	Eliminations by counterparty Data processing - In case of P&L converted at period average exchange rate, the system does not convert reconciliation accounts rows correctly

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-76212	Preliminary data processing on original scenario - Carry forward: in some unidentified cases, the system erroneously generates rows in the periodic journal with COPY_PERIOD origin on all launch periods.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-76239	Admin - Setup and Administration - ETL Home - ETL Environments - Mapping Rules: the columns Provenance, User Upd, Date Upd are not valued for any of the visible records.

Infrastructure (CSD-27205)

ID	Description
DEV-76208	External authentication, selected LDAP authentication type. If the option "Use a specific user to do LDAP searches" is enabled and the related fields "User Name" and "Password" are correctly valued, a user fails to log in to the system, which presents the error "Invalid user or password."

Patch: 5.3.SP22.325

Admin Tools (CSD-27157)

ID	Description
DEV-74871	When the user logs into Tagetik via an external provider, details are missing in the login operation audit

ID	Description
DEV-74311	In the "User type on license" window, when a user is Admin on an application DB with "Receive the violation message" option set to false, the user still receives the error message having the license violated.

Cloud Alert Monitoring (CSD-27165)

ID	Description
DEV-77590	After launching any data processing, the notification about completion is sent to the user later than the actual completion

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-77627	Periodic equity evaluation, when the data processing is run on period 12, the system ignores consolidated data of the previous period
DEV-75779	Consolidation Area Data processing, Periodic proportional calculation, when consolidaiton is run for period 12 only, the system does not generate the row with CONS_PROP_ENTRY origin

Consolidation settings (CSD-27182)

ID	Description
DEV-75682	RED on consolidation scenarios, when the data processing is run, the system returns the following error: it.grupposervizi.easy.base.EasyException: Error executing com.tagetik.cpm.multidimreclassification.entrypoint.cons.REDConsEasyElaboration@33070341: java.lang.ArrayIndexOutOfBoundsException: Index 1 out of bounds for length 0

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-75591	The OID_UTENTE_LIM_INPUT_DEF key field of the _UTENTE_LIM_INPUT_DEF table shoul not be selectable in the fields definition in the "Data Target: CCH Tagetik" of an ETL domain
DEV-75607	The OID key fields of the following tables should not be selectable in the "Data Target: CCH Tagetik" of an ETL domain in the fields definition: REGOLA_RED_ORIG_CAT_DEF, REGOLA_RED_ORIG_DIM_DEF, RIGHTS_SPEC_DEF, RIGHTS_TASK_DEF, TRANSACTION_MATCH_DEF, UTENTE_LIM_SPEC_TASK_DEF.
DEV-77594	A Load to AIH returns a validation error when the target dataset has no measures defined

ID	Description
DEV-75825	Loading to aw is blocked for an entity if the given entity is submitted in a step parallel to the running step

Data Processing (CSD-140432)

ID	Description
DEV-75366	A User with $USER role erroneously accesses the "Data processing" area of Admin menu
DEV-75362	A User with $USER role erroneously accesses the "Data processing" area of Admin menu

Diagnostic Check (CSD-27194)

ID	Description
DEV-75661	Diagnostic result window and Diagnostic results log: information in the grid is not aligned with header

Form (CSD-27197)

ID	Description
DEV-78037	In the hyperlinks of a report in Data Entry, when clicking the hyperlink, an internal server error occurred. This was random and due to concurrency issues.
DEV-75884	Web form, data entry with conditional editability. If the applied style sheet uses a style defining a backcolor but it does not apply it, then editable cells wrongly will be filled with the style color.
DEV-75883	Web form, data entry, if the applied style sheet uses a style defining a backcolor but it does not apply it, then some cells wrongly will be filled with the style color.

Infrastructure (CSD-27205)

ID	Description
DEV-75851	Admin - Repository - Endpoint: when an Endpoint of URL type related to a directory on system windows file is created, the application does not allow saving by returning a validation error because the specified URL is not included in the directories configured as accessible in the "application server: allowed directories" list, even if the URL has actually been added to the list.
DEV-75812	When the user logs in, a check is run on the database in order to verify if the migration banner has to be displayed; this check delays login time

Process Cockpit (CSD-27210)

ID	Description
DEV-77599	When modifying a step that manages the Entity dimension, it is possible to change the type from contributor to consolidator and the other way round

User Rights (CSD-127797)

ID	Description
DEV-77587	User rights on submission tasks are ignored if the user has rights on operational tasks

Patch: 5.3.SP22.324

Admin Tools (CSD-27157)

ID	Description
DEV-75772	Audit migration tool issue; the elaboration starts but never ends.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-75570	Cash Flow Planning > Assets data processing: in case of assets with customized rates, when in the data processing step, CCH Tatgetik signals an error

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-74986	Consolidation data processing (custom, Area). When CPM User starts consolidation data processing on Area and IFRS5 is one of the enabled processes, even if no IFSR5 event to be processed IFRS5 process is uselessly started with eventual errors showed in final results.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-75626	The editability checks carried out during the loading fase of an ETL show incorrect warnings when loading adjustment and amount. This cus reverts the cus-169307.

Data Model (CSD-27226)

ID	Description
DEV-77589	The addition of cache to a service resulted in duplicate values.

Data Processing (CSD-140432)

ID	Description
DEV-75628	Path: Admin -> Data Processing -> Jobs -> select a job containing at least a "Prelim. on Original scenarios" task; Issue: The job can not be launched/scheduled when the "All" flag is true for steps field.
DEV-75705	Setup & Admin – Data processing – Allocations and Closing - Routine - Rule - Detail: In the "Data to allocate" and "Driver" sections, corresponding to one dimension, when the user clicks on the "Multiple selection" link, both in the addition step and in consultation step, then the system signals the following error message: "Cannot execute TaskRunner com.tagetik.web.vaadin.ui.internal.threads.UIAwareRunnableMsgContentBean..."

Diagnostic Check (CSD-27194)

ID	Description
DEV-73882	If, from the Diagnostic result window, run on multiple scenarios/periods, the user filters by scenario or period, this filter does not work. The filter only works when both the scenario and the period are filtered at the same time.

Form (CSD-27197)

ID	Description
DEV-77742	In the multidimensional process, for a dataset with a field of the Entity dimension, if we define a report without a filter on the Entity dimension, then we obtain an inconsistency error when saving data. This issue is now fixed by saving an empty value for the dataset field.
DEV-74642	Unable to edit comments

IC Cockpit (CSD-27203)

ID	Description
DEV-75531	IC matching cockpit: when there is a request to display the managers of an Entity, the description of the users is not displayed correctly if it contains special (non-ASCII) characters.

Infrastructure (CSD-27205)

ID	Description
DEV-75575	The login problem is now solved: the login problem with SAML authentication that is due to the wrong setting of the hashing algorithm.

Master Data Management (CSD-27208)

ID	Description
DEV-75276	In an MDM routine, the field exclusion was not managed correctly for the updated rows.
DEV-75000	In the user manual, in the MDM Routine page, the description of the excuded fields was not clear.

Patch: 5.3.SP22.323

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-75419	In the "Data Target: CCH Tagetik" section of an ETL domain, in the fields definition for the table RACCOLTA_OWS_TABELLA_DEF, it should not be possible to select the field OID_RACCOLTA_OWS_TABELLA_DEF
DEV-75360	Setup and Admin - ETL Home – ETL domains - Data target: Others – Fields definition: when deleting a record, in case of values of the ‘Field sorting' property: for remaining records that are not sequential, the application allows to save data instead of returning an error so as to signal that the remaining values of the ‘Field sorting' property are not sequential.

Data Model (CSD-27226)

ID	Description
DEV-77609	The "Input data for Consolidation scenario" report of the Ownership structure register crashes.

Data Processing (CSD-140432)

ID	Description
DEV-71597	Administration - Data processing - Allocations and Closing: if there is no job, then the excel file generated by the report is ill-formatted.

Form (CSD-27197)

ID	Description
DEV-72151	Drillt hrough query which return empty result, when executed from web form 2.0, may generate error so a browser refresh is required.

IC Cockpit (CSD-27203)

ID	Description
DEV-75116	On Hana database, in some cases when accessing the edit IC (or the detail) from the IC matching cockpit, the system shows on all the rows the content of the first row: by preselecting them. In other cases, the system shows the following error: “com.sap.db.jdbc.exceptions.SQLIntegrityConstraintViolationExceptionSapDB: [301]: unique constraint violated: Table(APP_CAMBIO_CM...).”

Infrastructure (CSD-27205)

ID	Description
DEV-87285	CCH Tagetik contains a library affected by known vulnerabilities (CVE-2022-3171). To the best of our knowledge, the above vulnerabilities cannot be leveraged within CCH Tagetik.
DEV-75332	Admin - Repository - Endpoints: when using the Test feature for an endpoint of URL type having a path relative to an application server directory, the application does not work correctly and the test fails even when the specified URL is valid.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-75115	The management of the manual match and unmatch on IC transactions: the user has user restrictions on Entity but not on Ctp entity.

Process Cockpit (CSD-27210)

ID	Description
DEV-78003	User rights - Copy restrictions, point of view: the copy of the rights on the analytical dimension nodes is missing

Repository (CSD-27215)

ID	Description
DEV-75479	Some functions of Reporting data entry cannot be accessed with SOLVENCY_II license

Patch: 5.3.SP22.322

Analytic Workspace (CSD-27162)

ID	Description
DEV-74475	The Audit journal has been optimized. The values to be written are only calculated when strictly necessary.

Collaborative Office (CSD-27178)

ID	Description
DEV-77646	Client Word - Refresh / Synchronize document to the document type: the system freezes. The user must force-close Word in order to continue working.

Data Model (CSD-27226)

ID	Description
DEV-72563	Problems in displaying the audit of a recoding operation of a custom dimension

Data Processing (CSD-140432)

ID	Description
DEV-77743	Path: Admin - Data Processing - Job Issue: jobs that contain tasks such as ETL, lock/unlock and preliminary type cannot be saved nor reviewed and launched.

Form (CSD-27197)

ID	Description
DEV-77808	In the multidimensional process, the saving of the default values of the dimensions was incorrect. The issue is now fixed.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-77786	In the case of inserting a new process with a multidimensional WF selecting a different process and returning to the added process the hierarchy comboboxes must be enabled. Entering modification on a process with a modified WF indicates by the exclamation point

ID	Description
	trying to change the hierarchies several times when saving, the system must save the last hierarchies selected.
DEV-77675	Business workflow: the search filter on the DTP combo box does not work.

Repository (CSD-27215)

ID	Description
DEV-75053	The users with a role where the journals book is enabled in read-only mode are not able to run the journals book (the menu item is not shown).
DEV-74540	Unable to resize column width of query analyzer result grid

User Rights (CSD-127797)

ID	Description
DEV-74723	On pages that show an elaboration result using excel format the download button icon was missing

Utility (CSD-27222)

ID	Description
DEV-73386	Snapshot AIH does not filter partition data properly when Category filtering is present

Patch: 5.3.SP22.321

Admin Tools (CSD-27157)

ID	Description
DEV-77649	The vertical scroll bar in the Audit window was not being displayed when saving preferences.

Analytic Workspace (CSD-27162)

ID	Description
DEV-77633	Despite the Custom Dimension was correctly enabled, the corresponding column didn't show in the exported excel file.

Data Entry (CSD-27187)

ID	Description
DEV-77910	When trying to export the spreadsheet locally, the system signals an error.

Data Model (CSD-27226)

ID	Description
DEV-77714	From the list of control groups, via Edit multirow or import/export, it is possible to have control groups with undefined "Check by Custom dimension" fields. In this case, malfunctions may occur. For example, when the user tries to run the diagnostic, the system may return this error message: "java.lang.IllegalArgumentException: Unexpected null".

Data Processing (CSD-140432)

ID	Description
DEV-74707	An anomaly occurs when running jobs containing forecast rules.

Form (CSD-27197)

ID	Description
DEV-74903	An error occurs in the authentication step when the user tries to open a form via the "Open in excel" utility.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-77925	The system signals a "Null pointer" error after applying rules (n.5): those that check only amount.
DEV-74302	By accessing the Manual Transaction Match via direct link, the slicers are not overwritten if you close a form or go back

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-77710	The system signals an error when exporting to Excel the definition result of the Mapping Task Workflow.

ID	Description
DEV-74908	Copy Override Rules on General Rules doesn't work when you force for "Validation"
DEV-73941	Process cockpit for Entity, List view: in case of a workflow in the run step, the icons are not displayed correctly.

Rates and Events (CSD-27212)

ID	Description
DEV-74872	Accessing User -> Events -> Ownership Structure Register -> <Process> -> Event Data, if the currency allows more than 3 decimal digits, the application reports an error

Patch: 5.3.SP22.319

Admin Tools (CSD-27157)

ID	Description
DEV-71016	The report structure synchronization fails when more then 1000 form exist
DEV-74329	For an audit report, the action "Download ML log details" is presented even if the user's role does not have the function that gives access to Machine Learning.

Collaborative Office (CSD-27178)

ID	Description
DEV-77112	Collaborative Office – Update documents: the use of filters on hierarchical dimensions used in the "FilterStart" objects or on filters that can be defined in the document properties, causes the update of objects related to form matrices to return the "Parameter: invalid value" error message: when running the form related to that object.
DEV-73784	Collaborative Office – Update documents: the use of filters on hierarchical dimensions used in the "FilterStart" objects or on filters that can be defined in the document properties, causes the update of objects related to form matrices to return the "Parameter: invalid value" error message: when running the form related to that object.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-74297	In some cases, when the liaison accounts are managed, the data processing of formulas takes more time than in the SP19 release.

Consolidation - Preliminary Data Processing (CSD-27181)

ID	Description
DEV-66351	The carry forward data processing on original scenarios terminates with a query timeout in case of many records in the Process Data Model for account/category.

Data Entry (CSD-27187)

ID	Description
DEV-77919	When trying to export the spreadsheet locally, the system signals an error.

Data Model (CSD-27226)

ID	Description
DEV-72384	When the user tries to run the "Update control groups" utility on a control group for which a node without directly related Var. - Detail types (namely, in which the Var. - Detail types are related to sub-nodes) has been selected as Var. - Detail type filter, the system signals a validation error.

Data Processing (CSD-140432)

ID	Description
DEV-73710	There is a slowdown due to modularization. This is because a service with a cache was removed.

Infrastructure (CSD-27205)

ID	Description
DEV-77699	resolved security issue CVE-2022-42920
DEV-77696	upgrade to Spring Security 5.6.9 for CVE-2022-31692 upgrade of Jackson Databind for CVE-2022-42003, CVE-2022-42004

Master Data Management (CSD-27208)

ID	Description
DEV-74277	MDM: the MDM run returns an error when the user tries to import the Summer 22 Solvency II PPS Release.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-77759	The user is unable to complete the process MD creation.
DEV-71645	Process– PDM: the excel import message may display an incorrect number of modified elements.

SCP Tech (CSD-155212)

ID	Description
DEV-77732	The demo flag for the SCP tile on the application home page was removed.

System Reports (CSD-27217)

ID	Description
DEV-74183	When the user tries to extract the journals book of a consolidation scenario on a single submission process, the system generates an empty report: if the original scenario of the selected consolidation scenario differs from the original opening scenario of the cockpit.

Patch: 5.3.SP22.320

Collaborative Office (CSD-27178)

ID	Description
DEV-77645	Collaborative Office: the update of objects (tables or images) from the matrix returns: - objects with values that are always zero - a warning with the "Invalid parameters" message
DEV-72229	Client NET - Edit structure - Objects - Update with options: if the “Recursive update” option is selected but the "Document" type is not in the selection window for objects to update, then the system signals this error: "easy.org.hibernate.hql.ast.QuerySyntaxError: unexpected end of subtree ...".
DEV-72624	Admin - Collaborative Office - Documents - Check source data - Generate report: the system detected differences in the case of attachments read from a Master document.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-73561	In case of Japanese characters, the accounts reclassification data processing does not decode the Notes field correctly.

Form (CSD-27197)

ID	Description
DEV-77684	The fix solves a problem that occurred in the calculation of the statistics file. In the statistics you could have a negative time in the "network overhead" item. This resulted in an increase in the time under "client time". The fix solves this problem by bringing the network overhead to a positive value, thus restoring the time of the "Client time" item to its real value
DEV-73112	Given a multidimensional matrix with hierarchical node on form filter and a leaf, belonging to the node, on the row the cell is not editable
DEV-73065	Fixed the opening of a web-form.
DEV-72425	Office clients cannot login to Okta systems when using the new communication engine.
DEV-72682	When on a multidimensional matrix you try adding new rows in data entry and on the matrix you put the 'sub-totals on top' option flagged, then the new rows added incorrectly presented the add button as the first element

Process Cockpit (CSD-27210)

ID	Description
DEV-77637	In the Process defined with a “Dimension by Step” type workflow, it is not possible to assign different hierarchies to the steps that manage Entity Dimension.

Report Bursting (CSD-27214)

ID	Description
DEV-73835	User - Report -Bursting – Distribution rules - Show generated files: if the user deletes one or more elements, then the system signals this error: "java.lang.IllegalArgumentException: Cannot convert value of type 'oracle.sql.BLOB' to required type 'byte' for property 'documento[0]'".

System Reports (CSD-27217)

ID	Description
DEV-74591	The Report: Conversion reserve account analysis raises an “ArithmeticException” error when the original amount for an historical FX rate account is equal to 0.

User Rights (CSD-127797)

ID	Description
DEV-72886	The deployment of user rights for analytic dimensions is slow.

Patch: 5.3.SP22.318

Admin Tools (CSD-27157)

ID	Description
DEV-77667	The Countries list display has been adjusted by aligning it to the US standard
DEV-77661	Countries and languages display has been adjusted by aligning them to US standard
DEV-69262	For an Oracle database, the timezone was being calculated incorrectly.

Analytic Workspace (CSD-27162)

ID	Description
DEV-78067	When you want to create a dataset starting from a csv file, if an error occurs while calculating the type (text, number or date) of the column, for example the type contained in the column is not recognized, the error is shown with a stacktrace.
DEV-78062	For dataset used in ML operation, if the field type is numeric, then “0” was always used as the default value. Any default value that was not “0” was not taken into consideration.
DEV-78060	Edited caption value to use translated SQL formulas instead of the untranslated SQL formula inserted by the user
DEV-77682	The Save button is not displayed correctly when editing parameters
DEV-70721	Even if you do not have the ML form warnings are sent about the AW import of the lack of ML information.

Cash Flow Planning (CSD-27163)

ID	Description
DEV-77938	Date offset not applied
DEV-77813	When TM processing is launched, it returns an error such as 'Field AMOUNT_MATCH not found'.
DEV-77975	fix bug Debit vs Credit mode
DEV-77964	A node with no rights is not shown when the parent has submission rights.
DEV-77963	Modified hierarchy node validation called after the reject
DEV-77792	Offset limit date non involve
DEV-77691	Exception when a task group with TM elaboration is executed.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-77794	Area Consolidation elaborations are executed on entities not belonging to the selected nodes when RED, on consolidation scenarios, is active.
DEV-74009	GPN data processing does not exclude PRCO_RESTORE_RED origin

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-77899	Cloning a RED rule on Original Scenario we obtain a new rule that wrongly results in BLOCKED state.
DEV-77980	Validator not properly working when Exclude Dimension Definition is created

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-77746	CPM let the User define conditions on a blocked RED Consolidation rule in case it has no associated conditions

Data Entry (CSD-27187)

ID	Description
DEV-70740	In the data entry pages, the amounts that have a number of significant digits, integers and decimals: greater than 16 are rounded off and lose precision. For example, the amount 1,709,471,267.6099999 becomes 1,709,471,267.6100000.

Data Model (CSD-27226)

ID	Description
DEV-69205	In the excel export of the Account list, there were two identical columns for the Conversion field.

Diagnostic Check (CSD-27194)

ID	Description
DEV-78927	When, in the validation rules of the process, it is requested to run the data processings before the diagnostic, then in case of failure of these data processings, no error is recorded in the audit.

ID	Description
DEV-73229	If you set up a "not like" filter from the result window of the diagnostic run with log update (or from the diagnostic result log) and then try to comment/ authorize some errors, the system reports the following error: NoSuchBeanDefinitionException: No bean named 'currentDatasourceConfiguration' available

Form (CSD-27197)

ID	Description
DEV-77940	Attachment button visible when the cell no longer contains any attachments
DEV-73263	the deletion of the add-in from the disabvled items list was not managed for Office version 2013 and higher
DEV-69842	Using the vba macro storage function through the Personal Macro Workbook (PERSONAL.XSLB), the refresh operations of dynamic forms, when we have a single form open, generate crash of Excel.

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-74062	Modified Match Status related to user rights

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-77944	Inserted filter for the search in the analytical dimension description
DEV-78075	Modified the storage of the WF steps
DEV-77618	Modified remapping for locked scenarios and periods
DEV-71686	Process definition - Business workflow mapping: the workflows related to consolidator nodes are not displayed correctly.

Process Cockpit (CSD-27210)

ID	Description
DEV-77874	Certification of a node with insignificant leaves
DEV-77848	Deploy of analytical dimensions - contributor nodes: the system does not insert the daughters of the node in the exploded view of the leaves

ID	Description
DEV-77709	An error occurs during submission validation: the system recognizes two hierarchies with the same code but each with a specific dimension as equal hierarchies.
DEV-77616	Error when changing the assignment of task workflow to an insignificant one

Repository (CSD-27215)

ID	Description
DEV-72819	Users having a role in which the control group elements table is read-only can still run the "Update control groups" utility. Note: the fix for this issue involved the addition of a new function code (0000690 - Dimensions: Control group - Elements - Update control goups). Thus the roles need to be deployed.

Technical Services (CSD-128364)

ID	Description
DEV-71097	Result of queries used into the forms might be uncomplete.

Patch: 5.3.SP21.317

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-73884	CUS-170011: CPM wrongly returns a pre-run warning related to a RED rule that it evaluates as related to rows whose dimensions are not defined, while these dimensions are characherized by an action that takes EXCLUDE as value.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-72208	The Conversion data processing generates incorrect P&L FX rate differences in case of period average FX rate conversion for consolidation journal rows that have a journal currency amount different from the Entity currency amount. The first time processing is launched with the new patch it may also be necessary to proceess the previous periods belonging to the selected scenario.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-73914	Using a Postgres application db and launching an ETL job on which a Navision connector is defined, the elaboration fails.

Form (CSD-27197)

ID	Description
DEV-73928	Problem on "Multidimensional AIH" matrix if the account used in the matrix is an Initial Balance, the system also adds the value of the corresponding Final Balance to its value.

Rates and Events (CSD-27212)

ID	Description
DEV-78021	Accessing User -> Events -> Ownership structure register -> <Process> -> <Record> -> Event data, tabs Financial investments and Net Equity allow field Amount to be null

Technical Services (CSD-128364)

ID	Description
DEV-73889	Comments and attachments API failed in some cases when rows number was higher than 2000

Patch: 5.3.SP21.316

Analytic Workspace (CSD-27162)

ID	Description
DEV-77810	When exporting an analytical workspace, the train labels which are not associated with the id_training_ml are not exported. Therefore, the train labels of the models for which a train processing has not been launched are not exported.
DEV-77648	In the execution of an execute linked to a model with train label with context filter, if the execute has the same context but different phase of the train, the elaboration fails.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-73545	IFRS5 Event: CPM doesn't let the User delete the involved event since the requested operation fails.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-73660	The “Load to AIH” task run as a task of an application job itself run by the workflow task does not inherit the value of the process selected in the cockpit.

Data Processing (CSD-140432)

ID	Description
DEV-71886	Path: Admin -> Data Processing -> Job Issue: It should not be possible to select more than one "period from" for a "Copy amounts and journals" job task.

Form (CSD-27197)

ID	Description
DEV-77780	No retrieving of comment related to a dataset. In case of exist a form filter on a dimension that is not present in the dataset definition

Report Bursting (CSD-27214)

ID	Description
DEV-72911	User - Cockpit - Report Bursting - Distribution: the system does not distribute over FTP: the distribution is always done via EMAIL even if the option is selected.

Repository (CSD-27215)

ID	Description
DEV-72825	Path: Admin -> Dimensions Issue: An User with read only rights is able to delete custom dimensions.

User Rights (CSD-127797)

ID	Description
DEV-73325	Path: Admin -> Dimensions -> Ctp dynamic groups (Entity). Issue: An User with read only rights is able to execute deployment.

Patch: 5.3.SP21.315

Analytic Workspace (CSD-27162)

ID	Description
DEV-71925	Unable to access to partion list of datasets.

Collaborative Office (CSD-27178)

ID	Description
DEV-72707	The customized format is not used by the XBRL generator.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-73087	The in-memory equity evaluation data processing generates the equity evaluation rows of the net equity normal accounts on the Owned entity: instead of generating them on the Owner entity. This occurs in the following case: Consolidation journals with consolidation method = “Evaluate with equity method: if {NOME_AZIENDA} 2 is at equity” Rows on Net equity accounts on Entity1 of the journal Entity1 and Entity2 of the journal both consolidated with the 'Equity' consolidation type Equity rules - “{NOME_AZIENDA} on which to generate the Equity evaluation journals” parameter = “Financial investments on Owner {NOME_AZIENDA}, Net equity and P&L net result on {NOME_AZIENDA} at equity”

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-77959	After the fix of CUS-169708, the data processing of the Rule Engine Designer crashes: if the previous scenario of the selected consolidation scenario is not present among the run parameters.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-77929	Admin - Repository - Endpoint: when creating an Endpoint of URL type: by specifying a file protocol URL for a directory on the Windows operative system, the application fails when saving data because it does not correctly manage the specified URL.

Form (CSD-27197)

ID	Description
DEV-77781	Given a form with a lot of formulas that refers to custom name. The fix solves slowdowns when you open a form in data entry
DEV-71738	We resolved a bug preventing Check Expressions to function properly with decimal numbers when the "," (comma) character is used as decimal separator.
DEV-72771	We resolved a bug preventing the attachment list to be shown when the user clicks on the attachment button.

Other (CSD-27207)

ID	Description
DEV-77692	Accessing User -> Events -> Intragroup asset assignment -> <Process>, the application does not apply the user restriction for seller entity

Pre-packaged Solutions (CSD-27211)

ID	Description
DEV-73506	fix bug on selection item in grid manual match and review match

Rates and Events (CSD-27212)

ID	Description
DEV-77777	Accessing Setup & Admin -> Rates -> Overridden FX Rates - Generic -> <Process>, adding an empty record and saving the application does not highlight the errors in Scenario and Period

Patch: 5.3.SP21.314

Admin Tools (CSD-27157)

ID	Description
DEV-78014	ODATA API audit: sorting on the status and key properties failed

Analytic Workspace (CSD-27162)

ID	Description
DEV-78039	In the presence of duplications, the update of an AW from an exported file does not correctly sort the operations of a dtp activity.

Collaborative Office (CSD-27178)

ID	Description
DEV-72810	Temporary files are not deleted in the writable folder after using the Find & Replace procedure present in the Word Add-in utilities.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-78071	The data of the Entities, not included in the execution plan of the scenario / period of the data processing but included in the previous carry forward scenario /period, is not taken into consideration by the Rule Engine Designer data processing. As a result, the carry forward with PRCO_RESTORE_RED and PRCO_RESTORE origin for these Entities are not handled by the data processing.

Data Model (CSD-27226)

ID	Description
DEV-73221	In the list of Entities, the Rules tab did not display the Fiscal Policy field.

Form (CSD-27197)

ID	Description
DEV-77693	Improved query result rendering inside the forms

Other (CSD-27207)

ID	Description
DEV-77782	Accessing User -> Events -> Intragroup assets assignment -> <Process>, selecting a record (or creating a new one), changing the field Entity (for Seller or Buyer) without losing the focus on that field, the application does not load the entities if the field is getting changed again

Patch: 5.3.SP21.313

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-72683	Running a Load to AIH that reads from a secondary database multiple times, an error message is returned because no more connections are available

Form (CSD-27197)

ID	Description
DEV-68484	the fix solves the slowness in adding a new row on a transactional matrix when you use excel client

Infrastructure (CSD-27205)

ID	Description
DEV-72500	When the user is close to the expiration of the password, the possibility of changing it in the login step was offered.

Other (CSD-27207)

ID	Description
DEV-77602	The CVE-2022-36944 security vulnerability has been discovered in the scala-library.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-69641	Process cockpit - Copy CFP data: in case of a restricted user, the system signals an error when opening the combo on scenarios.

Repository (CSD-27215)

ID	Description
DEV-72267	Path: Respository>user & roles>users Problem: add a filter for code contains = test and click apply the list of 284 users is restricted to 31 user. Opening actions>users roles mapping and closing it, the system shows 284 element in the user list. Opening again the filter list the filter on code is still present but no more applied.
DEV-72484	Repository - Import/export - Import: if in the configuration it is specified that the import must be run with more than one thread, then the data processing returns an error.

Patch: 5.3.SP21.312

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-72669	The Equity evaluation data processing does not evaluate with equity method the rows on detail accounts with PRCO_RESTORE origin
DEV-72592	The Equity evaluation data processing does not evaluate with equity method the rows on detail accounts with PRCO_RESTORE_MIN origin.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-77801	ETL Editability checks give incorrect warnings
DEV-72794	Editability checks on the loading step of an ETL give a warning on correct rows
DEV-72792	ETL editability checks show an invalid account error incorrectly
DEV-72418	Setup & Admin - ETL Home – ETL domains - Routines: the Excel export/import does not incorporate the changes made to the Extraction storage parameters and Transformation storage parameters.

Data Model (CSD-27226)

ID	Description
DEV-71777	Structure of the dimension hierarchy: the vertical scroll bar does not appear.
DEV-72654	Structure of the dimension hierarchy: the vertical scroll bar does not appear.

Repository (CSD-27215)

ID	Description
DEV-71574	Everytime the user logs throught LDAP authentication, it receives the message "Login without enabling roles"
DEV-72568	With the move to 5.3.21, the database export has slowed down significantly.

Patch: 5.3.SP21.311

Admin Tools (CSD-27157)

ID	Description
DEV-69925	When recoding a hierarchical node of Entity type, the system signals an error.

Consolidation settings (CSD-27182)

ID	Description
DEV-72035	Excel export functionality does not work from the IC matching logic and IC eliminations grouping page

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-77771	Editability checks error for entity ctp when executing an update FW
DEV-71424	When executing an ETL job, on which a Navision connector is configured, elaboration fails.
DEV-72507	When uploading an empty file using an ETL the error message and error content are different

Form (CSD-27197)

ID	Description
DEV-77886	We resolved a bug preventing multi-selection in Matrix Wizard.
DEV-71533	We resolved a bug that permitted users to insert more than one period in a DTP elaboration despite the DTP elaboration itself does not accept more than one period (resulting in an error during the execution of the same elaboration).

Patch: 5.3.SP21.310

Admin Tools (CSD-27157)

ID	Description
DEV-71913	Minor improvements have been made to the audit migration tool to make database queries faster in the presence of a large amount of data.

Analytic Workspace (CSD-27162)

ID	Description
DEV-71923	The Analytical workspace import does not populate user and the import date information on the data partitions.
DEV-71979	It is taking a long time to open the user-side partition data page.

Collaborative Office (CSD-27178)

ID	Description
DEV-72157	The scrollbars of the Snapshot window on Word and Powerpoint addins are not visible.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-77912	The system signals an error: when the user tries to delete an Intragroup assets assignment event for which a depreciation plan was created.

Form (CSD-27197)

ID	Description
DEV-78019	When opening a form in Data entry, in which a form filter has been defined on a hierarchy of an analytic dimension and on a matrix an override is set on that dimension to use a lowest element of the previous analytic dimension, then the cells of the matrix are not editable with the “Contrasting values” label.
DEV-70632	The system signals a warning message when the user tries to copy a cell that contains double quotes and then pastes it on a row where there is the cell with the dictionary. The issue has been fixed.
DEV-72301	The re-login functionality does not work on the Excel plugin when the external authentication is enabled.

Patch: 5.3.SP21.309

Analytic Workspace (CSD-27162)

ID	Description
DEV-71742	There are performance issues in the step of editability checks applied when loading the FW data from ETL and QDL onto the tables.
DEV-71763	When using a F_DOUBLEQUOTE that contains a date format within a F_TO_DATE, the function for SQLServer is not translated correctly.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-77935	The intragroup asset assignment data processing, in case of asset classes that manage sales revenues and net book value, generates a row with the wrong sign for the "Profit on disposal of capital asset" and "Assets: book value in P&L" accounts (and their reserves). Furthermore, the data processing (always in the case of asset classes that manage sales revenues and net book value) generates a row for the source journal on the "Asset: purchase" account: instead of on the "Asset: transfer" account.

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-71928	Admin - ETL Home – ETL domains - Data Target: Others: the application returns an error, if the Data Target type is Excel (xlsx) and the “Export as zip file” option is selected in the run step.
DEV-71921	The window, that shows warnings when loading data on Financial Workspace via a standalone Quick Data Loader, does not show the buttons for continuing the data processing.
DEV-71954	Repository - Endpoint: the application does not allow the user to enter passwords of the length that should be allowed.

Data Model (CSD-27226)

ID	Description
DEV-71746	Account table, Relate as an additional account: the data processing incorrectly updates the userUpd field of the modified account.

Data Processing (CSD-140432)

ID	Description
DEV-71659	The user documentation of the forecast models does not describe in an exhaustive manner what data is created and the criteria by which it is read.

Form (CSD-27197)

ID	Description
DEV-65737	When you open a form in Data entry with a currency parameter and with a Financial Workspace matrix that tries to write on the gross balances data with the conversion on the fly active, in this case, the input currency (launch parameter) is different from the currency associated with the account (if the conversion is based on account), the value saved to the database is right. That is, saving a value and updating the form gives the value entered.

Infrastructure (CSD-27205)

ID	Description
DEV-71705	Writable folder: temporary files accumulate in the writable folder and are never deleted by the application.

Process and Workflow Administration (CSD-27209)

ID	Description
DEV-71861	In the definition window of the validation rules of the process, when trying to override specific rules, the icons that appear for restoring default values are misaligned with respect to the links.

Repository (CSD-27215)

ID	Description
DEV-71729	An error occurs when downloading excel with only one filter configured (role) in the “Users/ Roles Relationships” window.
DEV-71783	When the user opens the "Reference role" lookup, the system does not display the selected rows.

User Notes (CSD-27221)

ID	Description
DEV-77847	When reading or editing a note, the system signals this error: “com.sap.db.jdbc.exceptions.JDBCDriverException: SAP DBTech JDBC: [260]: invalid column name: NODE_ID_HI.”

Patch: 5.3.SP21.308

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-71439	The consolidation currency conversion data processing, that is run simultaneously on two consolidation scenarios with the same definition of the consolidation area, except for the period of the first consolidation, generates unexpected rows in the journals where the following conditions are true: - existing journals (presence of the header) only in the previous period (the header is not present in the data processing period) - rows having journal currency and Entity currency equal to the consolidation currency - accounts to be converted at period average FX rate

Consolidation settings (CSD-27182)

ID	Description
DEV-71665	Accessing Setup & Admin -> Data Processing -> Basic Consolidation -> IC matching logic and IC eliminations -> List -> <record> -> Acconts, and then exporting (Excel) the records, modifying them and then importing the modified file, the application report an error

Data Integration, ETL and Connectors (CSD-27186)

ID	Description
DEV-71560	It is impossible to run a workflow task when many scenarios are assigned to a single submission process.
DEV-71666	Admin - ETL - Domains - Data target: CCH Tagetik - Fields definition: when importing an Excel file containing modified records, the application does not recognize them and no changes are saved.
DEV-71920	The data extractions via the Tagetik Data Loader returns a “Timeout” error.

Data Model (CSD-27226)

ID	Description
DEV-71709	When running the Control group report with filter on Type and selecting at least one custom dimension, in some cases more information is displayed on the rows than in the header in the report.

Form (CSD-27197)

ID	Description
DEV-71024	Given a form having a query with the option created named range and a formula that dependes on the named range of the query. Therefore when you launch the form, the formula was computed taking into account that the named range refered to a wrong range After the fix, the formula is correctly computed

IC Cockpit (CSD-27203)

ID	Description
DEV-71406	IC cockpit: in case of conversion at period average FX rate, the balancing check performed during the submission of relationships incorrectly reports the presence of unbalanced IC logic.

Repository (CSD-27215)

ID	Description
DEV-71753	When the user clicks on the Analytical Workspace “List of Datasets” option, the system shows a warning about session timeout.
DEV-71704	The login with SAML utilizing the HTTP-POST Binding fails and returns this error: "Error creating output document"

Patch: 5.3.SP21.307

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-71388	In the validation rules of the process, if the "Run data processing on diagnostic" option is active, then the data processings are also run by diagnostic of the journals, when in fact they should only be run for the diagnostic of entities. If balanced amounts also present among the data processings, the system deletes all the old balancing rows, but then only inserts those of accounts adjusted in the diagnosed journals.

Data Entry (CSD-27187)

ID	Description
DEV-77638	When the user selects the "Open journal headers in the following periods" utility, from both the Entity journals and the Consolidation journals, its popup is opened correctly but the dimensions do not allow the display of the content.

Data Processing (CSD-140432)

ID	Description
DEV-71559	The excel export of Normal and Detail accounts/Categories to exclude from Carry forward throws an exception.

Form (CSD-27197)

ID	Description
DEV-77962	We had to revert the fix made in CUS-168693 (~~DEV-69965~~) to carry out more tests. The issue will be fixed in an upcoming patch.

Infrastructure (CSD-27205)

ID	Description
DEV-71015	Tagetik Data Loader: an error occurs when passing the chunk size as configured on CPM to the Tagetik Data Loader.

Repository (CSD-27215)

ID	Description
DEV-77689	There is a degradation in performance as the number of databases associated with the login user increases.

ID	Description
DEV-71463	The /authenticate path cannot be used in a cloud environment, the re-login page was exposed on a different path.

Patch: 5.3.SP21.306

Analytic Workspace (CSD-27162)

ID	Description
DEV-77824	Quick Data Loader: in case of error when retrieving data from OData V4 endpoint, no message is shown: only an empty preview is shown. The error message is only shown when the user returns to the previous panel.
DEV-77823	When running a task containing a train or machine learning data processing with the option to delete data before executing, then in addition to deleting the partition the model creates, the partition that it updates is also deleted.
DEV-77789	The AW import returns an error when an Analytical workspace is imported to an environment where an AW with the same code but created manually already exists.

Consolidation - Area Data Processing (CSD-27177)

ID	Description
DEV-70957	The user is unable to access the rule engine designer configuration window for the original scenario.

Consolidation - Entity Data Processing (CSD-27179)

ID	Description
DEV-78030	If an original RED header was created with a code that contains the underscore character ("_"), then the dimensions page cannot be opened.

Consolidation - Group Data Processing (CSD-27180)

ID	Description
DEV-69733	The data processing for eliminating Financial investments/Net equity from the Ownership structure register does not generate the Goodwill reclassification rows when the previous event has a date included in the previous scenario.

Data Model (CSD-27226)

ID	Description
DEV-67553	FST items: it is not possible to record an item that is not of “Parent” type.
DEV-70429	When the user selects the “Show the number of data that will be deleted” option, then the system signals an error when deleting an element of the Dimension used elsewhere in the application.

ID	Description
DEV-71052	Recoding an element of a custom dimension results in a duplicate key error on the LOG_SNAPSHOT table

Master Data Management (CSD-27208)

ID	Description
DEV-71183	Admin - Repository - Master Data Management - Routines - Grouping: the descriptions of elements that belong to the selected node are not shown.

Process Cockpit (CSD-27210)

ID	Description
DEV-69965	We resolved a bug that prevented showing of the correct warning message to the user that tries to do a submission while another elaboration is in progress.