

# Data Collection

Wolters Kluwer

CCH® Tagetik | ACADEMY

Software version: 5.3.SP24

Last update: 9/26/2023

© 2023 Tagetik Software - All Rights Reserved

# Table of contents


EXERCISE 1 - Update data model by predefined ETL ..... 4
EXERCISE 2 - Task list creation ..... 7
EXERCISE 3 - Process data model setup ..... 9
EXERCISE 4 - Quick Data Loader ..... 11
EXERCISE 5 - Data Transformation Package ..... 14
EXERCISE 6 - Data entry form - Line-by-line matrix ..... 18
EXERCISE 7 - Data Entry form - Multidimensional matrix and Protected editability ..... 22
EXERCISE 8 - Data Entry modality on multidimensional matrix ..... 25

**Need some help?** ..... **27**

## EXERCISE 1 - Update data model by predefined ETL

| | |
|---|---|
| Objective | Learn how to create and maintain a hierarchy using the predefined ETL . |
| Tasks | Perform the following tasks: |

### Prepare data within the ETL Template

1. Log in the CCH Tagetik web application:
   - Username: **EMPEROR**
   - Password: **tgk**
2. Access the structure of the hierarchy of Product **Promotion 2051** and check that is empty.
3. Click the navigation bar where the username is displayed.
4. Click **Download**.
5. Click the hyperlink **ETL template** among the utilities.
6. The system will download the zip file **etl_template.zip** . Unzip it and open the **5324_Standardimport.xlsm** file.
7. Enable content in Excel.
8. Click the hyperlink **Custom Dimension 2 Hierarchy** from **Index** tab.
9. Open the file **Hierarchy Promotions 2051.xlsx** stored below Workshops\Data collection
10. Access the tab **Hierarchy Nodes** and copy all the elements.
11. Paste the values to the tab **Custom Dimension 2 Hierarchy** of **5324_Standardimport.xlsm**.
12. Copy the elements of the tab **Hierarchy relationship** of file **Hierarchy Promotions 2051.xlsx**.
13. Paste the values to the tab **Custom Dimension 2 Hierarchy Relationship** of **5324_Standardimport.xlsm**

14. Reach the **Index** tab and click on the button **Set Areas**.
15. Save the form and close it.

| Tasks | Perform the following tasks: |
| --- | --- |
| **Run the routine to load the structure of the hierarchy** | 1. Click the **ETL** tile from homepage.<br>2. Click the **Execution** tile.<br>3. Tick the **Single routine** checkbox.<br>4. Tick the **Enable** check box next to the routine **CPM_ DIMENSION_2 - DIMENSION_H : custom dimension hierarchy.**<br>5. Select **Excel (xlsx)** in the drop down **Data source type**.<br>6. Select the tab **Uploads.**<br>7. Click **Uploads**<br>8. Open **5324_Standardimport.xlsm.**<br>9. Click **Run**.<br>10. Open the structure of the hierarchy of Products **Promotions 2051**. and check the nodes generated by the routine. |

| Tasks | Perform the following tasks: |
| --- | --- |
| **Run the routine to load the relationship between elements and nodes of the hierarchy** | 1. Click ETL tile from Admin homepage. .<br>2. Click the **Execution** tile.<br>3. Tick the **Single routine** checkbox.<br>4. Tick the **Enable** check box next to the routine **CPM_ DIMENSION_2 - DIMENSION_C : custom dimension /custom dimension hierarchy relationship.**<br>5. Select **Excel (xlsx)** in drop down Data source type. |

6. Select the tab **Upload**.
7. Click **Upload** .
8. Open **5324_Standardimport.xlsm.**
9. Click **Run**.
10. Open the structure of the hierarchy of Products **Promotions 2051**to check the relationships generated by the routine.

## EXERCISE 2 - Task list creation

| | |
|---|---|
| Objective | Learn how to create a custom tasklist |
| Tasks | Perform the following tasks: |

1. Access the Business workflow tile.
2. Access the workflow **EX_RATE - Currency conversion workflow model**.
3. Select the **Conversion calculation** step.
4. Click Edit.
5. Right-click the arrow between Start and Submission
6. Click **Delete** to remove the link.
7. Drag and drop a **Quick Data Loader** task from the Data integration list.
    - Code: **01**
    - Description: **Load Exchange rates**
8. Join with Start.
9. Drag and Drop another Quick Data Loader and put in parallel with previous
    - Code: **02**
    - Description: **Load Revenues**
10. Join with Start.
11. Insert a **Join node** to join the two branches.
12. Drag and drop a **DTP** task
    - Code: **03**
    - Description: **Revenue conversion**
    - Analytical workspace: **Revenues conversion**
    - Data Transformation Package: **Conversion calculation**
13. Link DTP task to Submission and Save.

14. Click **Continue** when the warning is displayed

## EXERCISE 3 - Process data model setup

| | |
|---|---|
| Objective | Learn how to enable datasets and forms to the data collection process . Learn how to access the process cockpit from the end user point of view |

**Tasks**

Perform the following tasks:

1. Click the **Process** tile from the administrator homepage.
2. Select Process **2051BDG - 2051 Budget**.
3. Click **Process definition** from Action menu 
4. Check Business cycle and Organization & workflow settings.
5. Access the Process Data Model definition window by clicking on the related button 
6. Access the tab **Analytical workspace measures**.
7. Enable all the measures of all datasets of the AW for the step **Conversion calculation.** Add the following row:
    - Action: **Include**
    - Analytical workspace: **Revenues conversion**
    - Step: **01- Conversion calculation**
8. Accessthe **Form exceptions** tab and check the forms enabled for Data collection.
9. Access the **Accounts** tab to check the accounts enabled for Data collection.
10. Deploy the process.
11. Check the analytical workspace measures enabled to data collection within the Process Data Model results window.
12. Switch to user interface.

13. Access **2051 Budget** process cockpit from **Process** tile.
14. Check the different tabs and the Actions menu

Need any help? Here are some hints

- To reach Process Data Model Result windowclick the icon  within Process Data Model frame

## EXERCISE 4 - Quick Data Loader

| | |
|---|---|
| Objective | Learn how to run a Quick Data Loader and how check the data generated |
| Tasks | Perform the following tasks: |

**Load Exchange rates**

1. Access the Process cockpit of process **2051BDG - 2051 Budget** from user interface
2. Access the window that display the task lists for step **Conversion calculation**.
3. Select the entity **B00 - Monsters Inc.**
4. Run the QDL task with label **Load Exchange Rates**.
5. Click **UPLOAD** to select the Excel file to import.
6. Select the file **Conversion Rates.xlsx** within the folder Workshops\Data collection.
7. Select the following options to define the target:
   - Target type: **Analytical Workspace**
   - Analitycal workspaces: **Revenues conversion**
   - Dataset: **Exchange rate**
   - Typology: **Reporting Layer**
8. Perform the mapping according to the descriptions of dataset fields and Excel file columns.
9. Click **Run**.
10. Check the warning raised by the system due to the editability check and click **CONTINUE**.
11. At the end of the data processing the system displays the Result window. Check the operation performed by QDL.
12. Access the Analytical workspace **Revenues conversion** on Admin interface.
13. The tile of dataset **Exchange rate** is displaying the

status **Online, in use** because a partition has been generated after QDL running.

14. Access the dataset partitions list by clicking on icon  within dataset tile.
15. Check the partition table name.
16. Click  .to access partition data.
17. Check that the Origin of the data is **QDL.**

---

**Tasks** Perform the following tasks:

**Load Revenues**

1. Access the **2051 Budget** process cockpit again.
2. Select **Conversion calculation** step.
3. Select the entity **B00 - Monsters Inc.**
4. Run the QDL task with label **Load revenues**.
5. Click **UPLOAD**.
6. Select the file **Revenues in transactional currency.xlsx** within the folder Workshops\Data collection.
7. Select the following options to define the target:
   - Target type: **Analytical Workspace**
   - Analytical workspaces: **Revenues conversion**
   - Dataset: **Revenues**
   - Typology: **Reporting Layer**
8. Perform the mapping according to the descriptions of dataset fields and Excel file columns.
9. Click **Run**.
10. Access the Analytical workspace **Revenues conversion** on Admin interface.
11. The tile of dataset **Revenue** is displaying the status

---

**Online, in use** because a partition has been generated after QDL running.

12. Click the icon  within dataset tile to access dataset partitions list
13. Check the partition table name and access its data by clicking on  .
14. Check that the Origin of the data is **QDL**.

## EXERCISE 5 - Data Transformation Package

| | |
|---|---|
| Objective | To learn how to create and run a Data Transformation Package |

Tasks

Perform the following tasks:

DTP Creation

1. Access the **Revenues conversion** Analytical workspace.
2. Add a typology to the dataset **Revenues converted**. The definition window can be reached from action menu on the dataset tile:
    - Typology: **T01**
    - Description: **Revenues converted**
3. Click the tab Data transformation package to reach DTP definition window.
4. Access the existing DTP and add a new activity:
    - Code: **A1**
    - Description: **Calculation of converted revenues**
    - Target dataset: **Revenues converted**
    - Typology: **Revenues converted**
    - Empty dataset: **Ticked**
    - Update reporting layer: **Ticked**
5. Save.
6. Click the action menu and select **Operations** to access the list of operations.
7. Add a new operation:
    - Operation type: **Insert from another dataset**
    - Operation: **1**
    - Description: **Insert revenues to convert**
    - Source dataset: **Revenues**



- Typology: **Reporting layer**

8. Save and add a new operation:
    - Operation type: **Join from another dataset**
    - Operation: **2**
    - Description: **Join exchange rates**
    - Source dataset: **Exchange rate**
    - Typology: **Reporting layer**
9. Save.
10. Click the hyperlink **Matching fields** and perform the following matching:
    - Target field: **SCENARIO**
    - Source: **SCENARIO**
    - Relationship type: **Condition**
11. Add another matching field:
    - Target field: **PERIOD**
    - Source: **PERIOD**
    - Relationship type: **Condition**
12. Add another matching field:
    - Target field: **T_CURRENCY**
    - Source: **T_CURRENCY**
    - Relationship type: **Condition**
13. Add another matching field:
    - Target field: **C_CURRENCY**
    - Source: **C_CURRENCY**
    - Relationship type: **Attribute**
14. Add another matching field:
    - Target field: **EX_RATE**
    - Source field: **EX_RATE**

- Relationship type: **Attribute**

15. Save.
16. Reach operation list and add a new operation:
    - Operation type: **Enrichment with formula**
    - Operation: **3**
    - Description: **Revenue conversion calculation**
17. Save and access matching fields.
18. Add a new formula:
    - Target field: **C_REVENUE**
    - Formula: **REVENUE * EX_RATE**
19. Save

---

**Tasks**

Perform the following tasks:

**DTP running and results**

1. Access the Process cockpit of **2051 Budget**.
2. Select the entity **B00 - Monster Inc.**
3. Run the DTP within the tasklist.
4. Click **SHOW LOG DETAIL** to check if the system retrieves errors or warnings and to check the operations executed from DTP.
5. Select **DTP -> Activity cockpit** on Actions menu to access the activity cockpit.
6. Click the ℹ to access the data loaded on the target partition of the DTP.
7. Apply a filter on Scenario (2051BDG) to display the data.
8. Switch to Admin homepage.
9. Access the analytical workspace **Revenue conversion**.
10. Access Partitions of dataset **Revenues converted.**

---

11. Check the available partitions..
12. Access Reporting layer partition.
13. Check that the Origin of the data generated is **DTP_ ELAB**

## EXERCISE 6 - Data entry form - Line-by-line matrix

| | |
|---|---|
| Objective | Learn how to create a Data Entry form that makes use of a line by line matrix |

| | |
|---|---|
| Tasks | Perform the following tasks: |
| Automatic creation of a Data entry form with matrix line-by-line. | 1. Access **Revenues** dataset structure within **Revenue conversion** Analytical workspace<br>2. Run **Data Entry** from Actions menu.<br>3. Select process **2051 Budget**.<br>4. The command generates a Data Entry form automatically and then, runs it as web data entry form.<br>5. The outcome displays the rows stored into the dataset **Revenues**.<br>6. Add manually a new row:<br>• Scenario: **2051BDG - 2051 Budget**<br>• Period: **12 - December**<br>• Entity: **B00 Monsters Inc.**<br>• Customer: **C07 - Software home**<br>• Product: **P09 - Hard disks**<br>• Transactional currency: **EUR - Euro.**<br>• Revenue: **1000**<br>7. Access the Process cockpit and run the DTP to process the recently added row.<br>8. Access the Activity cockpit .<br>9. Click ℹ to access partition.<br>10. Apply the following filter:<br>• CUSTOMER: **C07 - Software home** |

11. Check that the new revenue has been converted in USD and CAD but the conversion in **GBP** is missing.
12. Access the partition of the dataset **Exchange Rate** within the AW Revenues conversion.
13. Apply the following filters:
    - C_CURRENCY: **GBP - Great Britain Pound**
    - Period: **12 - December**
    - Scenario: **2051BDG - 2051 Budget**
14. Realize that in the listis missing an exchange rate: **it is not possible convert EUR to GBP for period 12 of Scenario 2051BDG**.

---

**Tasks**

Perform the following tasks:

**Manual creation of a Data Entry form with matrix line-by-line**

1. Login the CCH Tagetik Excel addin:
    - Username: **EMPEROR**
    - Password: **tgk**
2. Enable Design left pane
3. Access the hierarchy tree and notice that below the folder $AW the system has generated the folder **$003 - Revenue conversion.**
4. Add a new form below the folder **$003-Revenue conversion.**
5. 
    - Code: **AW_003_000001**
    - Description: **Exchange rate**
6. Add a new matrix
7. Choose the dataset **Exchange rate** below the 003-Revenue conversion AW.
8. Tick the option **Line item management**.
9. Click **OK**.
10. Insert the **Counter** on the row filters

---

11. Insert all the dimension below **Exchange rate** on the column filters
12. Select the Counter and among the property grid, set the **Editability** as Editable.
13. Select the feature Advanced selection and set **Allow new rows/columns wizard in data entry** as true.
14. Click **OK**.
15. Select the row below the column header.
16. Select the Excel ribbon bar **View**.
17. Click on the command **Freeze panes**.
18. Save and close the Form.
19. Access the Process data model of Process **2051 Budget** and
20. Reach the **Form exceptions** tab.
21. Notice that the system has listed the form **Revenues** automatically.
22. Add a new row to include the node **$003 - Revenue conversion** and save to enable all the Form of the node to data entry.
23. Deploy the process data model.
24. Go back to Excel add in and select **Data Entry** left pane.
25. Select process **2051BDG**.
26. Run in data entry mode the form **Exchange Rate**.
27. Add the following row:
    - Conversion currency: **GBP - Great Britain Pound**
    - Exchange rate: **0.89**
    - Currency: **EUR**
    - Scenario: **2051BDG**
    - Period: **12**
28. Save.

29. Close the form.
30. Access the partition of dataset Exchange Rate and check the different Origin of the new recently saved row . It is INPUT_DEFORM while the rest is QDL.
31. Run the DTP again and check that the insertion of these new rows has generated an increase of the output rows within dataset Revenues converted .
32. For example, filter on Customer C07- Software home and check that now Revenues have been converted in CAD, USD and GBP. Before the addiction of the GBP exchange rate, the GBP conversion was not possible.

## EXERCISE 7 - Data Entry form - Multidimensional matrix and Protected editability

| | |
|---|---|
| Objective | Learn how to create a data entry form with multidimensional matrix and how to benefit from the protected editability |
| Tasks | Perform the following tasks: |
| Design multidimensional matrix and editability settings | 1. Access the CCH Tagetik Excel addin<br>2. Reach design left pane and add a new form below **$003 - Revenue conversion** folder:<br>• Code: **001**<br>• Description: **Discounts**<br>3. Enable the Tagetik style **TGK - Simple style** . It can be reached from command Form options-> Layout options.<br>4. Add a new matrix.<br>5. Choose dataset **000002 - Revenues** below **$003 - Revenue conversion.**<br>6. Click OK.<br>7. Set the node of **Customer** dimension in row hierarchy.<br>8. Select advanced selection and set the following features:<br>• Selection: **Insert lowest level**<br>• Pruning: **To zero**<br>• Allow new rows/columns wizard in data entry: **True**<br>9. Nest the node **X01 - Discounted products** of the hierarchy **Promotions 2051** of Product dimension in the rows .<br>10. Set advanced selection **Insert lowest level**.<br>11. Nest the measures **REVENUE_TO_DISCOUNT, DISCOUNT** and **REVENUE** in the rows.<br>12. Select REVENUE_TO_DISCOUNT and DISCOUNT and set |

editability as **Editable**.

13. Select REVENUE and define the following features from property grid
    - Editability: **Protected**
    - Formula: **{1}*(1 - {2})**
14. Insert the 12 periods on the columns
15. Insert the following matrix filters:
    - Entity: **$AZI_P - Entities**
    - Period length: **LUN_1 - Monthly**
    - Scenario: **$SCE_P - Scenario**
    - Currency: **$VAL_P - Currency**
16. Access matrix options tab and tick **Don't repeat cloned headers on each row/column.**
17. Select the option **Apply Tagetik style**.
18. Select **DISCOUNT** row.
19. Set the property Tagetik style within property grid.
20. Set the style **0.00%** only to the Values.
21. Click on Ok and save the form.
22. Access the process data model of process **2051 Budget.**
23. Click the tab **Forms exceptions** and check the forms enabled for data entry
24. Click the tab **Analytical workspace measures** and check the measures enabled for data entry.
25. Deploy the process data model and check the outcome of the definitions in the results window.

| | |
|---|---|
| Tasks | Perform the following tasks: |
| Perform the data collection | 1. Run the form **001- Discounts** in Data entry mode for process **2051 Budget**.<br>2. Select the following parameters: |

- Entities: **B00 - Monsters Inc.**
- Scenario: **2051BDG - 2051 Budget**
- Currency: **EUR - Euro**

3. Click on the "+" button and select the following Customer **C01 - Mediaplanet** .
4. Click again on the "+" button and select the following Customer **C03 - Fresh desk**
5. Open the file **Discounts.xlsx** stored into the folder Workshops/Data collection.
6. Copy the figures from the file and paste them in the correct cells of the data entry form.
7. Save the data entry form.
8. Access the partition of the dataset Revenues and check that the recently saved Discounted data has origin INPUT_DEFORM.
9. Run the DTP to load the data on target Dataset Revenues converted

## EXERCISE 8 - Data Entry modality on multidimensional matrix

| | |
|---|---|
| Objective | Learn how the system stores the figures within a dataset when data entry is performed by multidimensional matrix |

Tasks

Perform the following tasks:

1. Add a new form
   - Code: **002**
   - Description: **Revenue adjustments**
2. Add a new multidimensional matrix derived from the dataset **000003 - Revenues Converted** of the AW Revenue conversion.
3. Select **C_REVENUE - Revenue converted** on the rows.
4. Set the row as **Editable**.
5. Insert the 12 periods on the Columns
6. Set the following matrix filters:
   - Currency: **EUR - Euro**
   - Scenario: **$SCE_P - Scenario**
   - Period length: **LUN_1 Monthly**
   - Entities: **$AZI_P - Entities**
   - Conversion currency: **$ANL_C_CURRENCY_P - Conversion currency**
7. Save the form.
8. Deploy the Process data model of the process **2051BDG**
9. Run the form **Revenue Adjustments** in Data Entry mode for process **2051BDG - 2051 Budget.**
10. Select the following parameters:
    - Scenario: **2051BDG - 2051 Budget**





- Entity: **B00 - Monsters Inc.**
- Conversion Currency: **GBP - Great Britain Pounds**

11. Change the amount of December in **19000 GBP** and November in **16500 GBP**
12. Save the form.
13. Access the partition Reporting Layer of dataset **000003 Revenues converted**
14. Apply filters to origin **INPUT_DEFORM**
15. Beware that when a data entry is performed by a multidimensional matrix and some custom and analytical dimensions are omitted, the system fills these dimensions with their Generic element.
16. In this case check the value of dimensions **Product** and **Customer.** They must be stored on **GEN** element.

# Need some help?



Here you can find the solutions to the most frequent

technical issues you may get stuck with during the course.

### I can't login to the training environment

Make sure you are using the access link provided by the trainer (with the proper 4 digits token if needed!). Events have a starting and ending date/time.

Make sure you are not trying to access the training course too early or too late!

### My machine is slow

- Keep in mind that lab configuration may require up to 20 minutes to start from the moment you click on the CCH Tagetik Chrome icon! 


- The local connection's bandwidth is not sufficient for the number of connections currently in place (performance issues on the server side are very rare).

  Solution: ask the IT services to reboot the access point and prefer connection via cable if available.

### Audio/Video Troubleshooting


In case you are having problems with audio and video try the following:

1. Make sure you are running a compatible browser (Google Chrome, Mozilla Firefox).
2. Make sure your media devices are connected and are not muted or set to very low volume.
3. Make sure the browser you are in is allowed to use your laptop audio and video





4. Make sure no other applications are running that use your media devices (microphone, camera or speakers).
5. Prevent any ad-blockers or script blockers running on the classroom's tab.
6. Refresh the page.
7. From the right communication panel, click on the settings icon and change the camera/video options selected




Check if there are any errors: if so, they will appear in red.

In addition, you can run a troubleshoot by clicking on: "Let's try and get it fixed" and then on "Run Troubleshoot"




If you still have problems, it could depend on network restrictions.


Resolution issues: if you see CCH Tagetik application masks too big in the machine even if I didn't change browser zoom.
Remember, Strigo adapts the machine to your computer resolution. Try to change your resolution or use a different monitor!

⚠ Important: Scaling setting recommended = 100% (max 125%).

Lab troubleshooting while practicing

If you are in your Virtual Machine and you are experiencing a black screen with your lab not starting:

1. Try restarting the machine by clicking on the wheel icon and then on "Restart workspace machine"




2. Try logging out and then log in again after few minutes

⚠ Important:


Your machine will be rebooted, but do not panic! No data will be lost. You will need to wait for the OS to restart and CCH® Tagetik to be reloaded though.

3. A pause > restart of the lab should work as well. The pause option is on the top right-hand corner of the screen. The workspace will switch to **Paused** mode, and then you want to really just give it around two minutes. This is usually enough time to let the lab machine be actually stopped, before you go and hit **Resume** again.
4. Try to open the browser in incognito/private mode.
5. Reach out to Strigo support through this link and then click start live chat

I can't copy/paste any content to the virtual machine


Direct copy/paste is not allowed.

**Solution**: Use the clipboard icon to copy and paste from the desktop to the virtual machine and viceversa.




I cannot change language in my machine

**Solution**: Change the language both by desktop bar and by Settings.



MS Excel: I can't select a given form or an object of a form.

This issue happens pretty often and is due to some wizard (e.g. Matrix Wizard, Cell Fields wizard) already open but not currently diplayed on the screen. **When any wizard is open and running, you can't work anywhere else**.


**Solution**: check if you have any of the wizard open and running (most common: Matrix Wizard, Tab Filters, Form Filters, Cell Fields wizards). If this is the case, be sure to have finished your work on that wizard and close it with OK to confirm. Then go on with your work.

MS Excel: the Tagetik menu is no longer available on the ribbon bar.

**Solution1:** this probably means the CCH Tagetik add-in has been disabled by MS Excel due to a crash or some errors and has to be enabled again.

Follow the path **File > Options**. Click "**Add-Ins**" on the "**Excel Options**" pane and expand the drop-down menu "**Manage**" on the bottom. Try to select:

1. "**COM Add-Ins**" > "**Go...**". If unticked, tick the "**Tagetik Excel NET Client**" Add-in and click OK
2. "**Disabled items**" > "**Go...**". If you find there the "**Tagetik Excel NET Client**" Add-in, enable it. Close and start Excel.




**Solution2:** should solution1 not solve the issue, disinstall and reinstall the CCH® Tagetik add-in. Ask the trainer for some help in case.

If you use a 4K resolution monitor, there's a chance you will see far too little

**Solution**: Low the resolution before the training, then set it back to the original value after the training

My problem is not listed here.




If even this can't solve your problem, please refer to your trainer (and if you are a trainer to your training manager).