CCH® Tagetik | **ACADEMY**


System Administration




Wolters Kluwer

Before starting


Strigo platform - “How to”




Strigo overview (for Instructor-led classes)




Strigo left toolbar




Strigo right window panel



Strigo Lab (Virtual Machine)




Agenda




- Repository Overview
- User management
- Interface navigation
- Repository Configuration
- Master Data Management
- Monitoring & Logging
- Utilities & Tools
- Tips & Tricks, Do’s and Don’ts


Let’s talk about: Repository Overview



Database Structure



Database Structure



- Users & Roles
- Software Settings
- Import / Export Databases and tables
- Audit & Monitoring
- For Administrators


The Repository stores all tools to control the Tagetik Software



- Users Rights
- Application Settings
- Import / Export Data & Metadata
- Audit Application
- For Administrators & Users

The Application stores all Data and Metadata relevant for your Company


Let’s talk about: User Management



User Creation

Personal Information	Code, Description
	Personal Information
	User Type
	Language setting
Security	Password Rules, Password to change
	Lock User, Validity
	Reference, Area User
Profile	Additional Company Information

User + Role Combination



User Deletion

Apply the right to be forgotten

- Delete the user including personal data
- User will be disabled
- Audit is Available

Mark users as deleted


- Delete the user but keep personal data
- User will be disabled
- Audit is Available

Delete the Element

- Delete the user element (not recommended)

Reference User: how to manage large number of Users?

A reference User is a template. The functions and authorizations of the reference users will be added to the functions attributed to the user.



- Mark a user as “Reference user for other users”
- Mark regular users as “Inherit roles from Reference user
- Choose the “Reference Users”

Reference User vs. Area

Area Profile	Reference User
Area Profile function	Template Users
• Control a specific area (Dimension, function, etc.)	• Control the whole user rights
• Can be used in Repository or Application	• Can be used in Repository or Application
• Number of area users can be limited • User is linked to a single area	• Unlimited Number of referred users • Users can be connected to several reference users




Both can be used in Repository or Application DB

System roles


System role	Description	License requested
$ALL	• Most powerful role	Administrator
$ADMINISTRATOR	• Administrator privileges	Administrator
$AUDIT	• Can view data and lists, without editing	Administrator or Power User
$CONSOLIDATOR	• Consolidator privileges	Administrator or Power User
$SYSADMIN	• Repository administrator	Administrator
$USER	• Contributor privileges	Power User
$DEREPORT	• Run reports, enter data, processing operations	Data Entry & Reporting
$ANALYTICS	• See reports on tgk analytics web portal • No access to web interface	Tagetik Analytics

User Roles



The Function with the most powerful license type, defines the license required for a User Role


Licenses


Provided by CCH Tagetik in a file which activates
Built-in packages
Certain numbers of user types
Consolidation
Budgeting
Financial Planning
Admin Users
Power Users
DE & Reporting


Licenses Reports (1/2)

Own as many licenses as needed and as less as possible

- Click the DB Actions Button
  - to check current used licenses
  - Upload a new license file



- For a more detailed view, use the Report Button within the User elements




Licenses Reports (2/2)



Own as many licenses as needed and as less as possible

- If Tagetik has detected a higher license usage then bought licenses, a warning message will occur
- “Locked temporarily” users doesn’t influence the used licenses
- Contact your Tagetik Account Manager for a new License file

Let’s talk about: Settings



General Settings

System Localization

- System & Reporting Language
- Default Language for new Users

Audit

- Turn On/Off Audit activities
- CPM Operations

Email

- Setup Email System

System Resources

- Main Settings
- Data Processing
- Data Loader

Security

- Configurations
- Timeouts

Export

- Export to an Excel file

Databases List

Manage your Databases

- Change Description
- Disconnect Users
- Encode Data
- Align uppercase/lowercase codes
- Connection Timeout
- Data Reports
- Start a Benchmark

Database types

- Repository
  - Single centralised DB
- Primary
  - Application DB
- Secondary
  - Accessible external DB
- Not Configured
  - Cannot be used

Database List Reports

Data report on Database (Data, Archive, Processes, Others)

- Name
- Description
- Number of Rows
- Type

Benchmark


- CPU floating point operations
- CPU Calculation between integers
- Insert Row, Union, Text
- Read Text

Database Processing

Manage your Processes


- Asynchronous/Synchronous
  - Audit SQL data
- Concurrent tasks
- Timeout per Process

Let’s talk about: Master Data Management




Data, Metadata and Configuration Migration


- Import/Export Tool (Table-based)
- ETL
- Master Data Management (MDM) Tool
- DB Backup and Restore




Import/ Export tool



MDM


Routine
• Code, Description
• File or DB Load
Details
• Include/Exclude tables
• Deletion Policy
Run
• Check Result
• Scheduler
Only Metadata

Tools




- Requires same version for both source and destination.
- Requires knowledge of DB structure in order to select the appropriate tables to transfer.

- Requires IT intervention.
- DB Backups/Restores overwrite all tables and data.

- Limited to metadata, rules, configurations

- Requires design of ETL routines
- Requires access to data sources

Let’s talk about: Monitoring & Logging



Overview

Audit Tool

- Detailed log of all activities within the application.

System Resources

- Memory, CPU utilized by server
- Available in both UIs

Users and Activities

- Available in the Audit Log

Data Processing monitoring

- Status and history of Data Processing


System Tools

DB Connection Status

- Info
- DB type (Primary, Secondary, not configured)
- Login Status

Information

- Release Version
- Memory Usage
- CPU Usage



Monitoring

Connected Users

- Disconnect Web or Office Addin Users

Log Level


- INFO (Medium log level)
- WARN (warning messages)
- ERROR (critical errors)
- DEBUG (Tracks dbug and Information messages, warnings and critical errors, most detailed log)

Server Status

- Server
- Version
- Update time
- Notes (Memory, CPU Usage)

Audit

- The Audit shows all operations within your Tagetik Environment
- It shows: Status, Runtime, Operation type, User
- For further Information, click on the Details at the Actions Button




- On the Details, you see error messages, duration and parameters
- The Detail information depends on the context of the audit operation


Audit

- Audits can be archived or deleted
- Create your own Reports by setting Report Filters or use the predefined Reports
- Switch between the archive and current values 

- The Application DB and ETL Module has an Audit log as well


Archive

- Archiving Data keeps Database clean and performant
- Archive the Audit logs by using the wizard button
- Archive Amount data within the Process settings 

- Data Tables which contain archived Data contains “H_” and table Name 

  - E.g., REP_AUDIT_LOGS → REP_H_AUDIT_LOGS
  - E.g., DATI_SALDI_LORDI → H_DATI_SALDI_LORDI

Let’s talk about: Utilities & Tools




Endpoint & Agents monitor & Tagetik Service

- Unhide them in your Repository Homepage 

Tagetik Service	Agents Monitor	Endpoint
• Manage your Windows Servers with TGKMS Service installed	• Overview about your Tagetik Data Loader Agents	• Configure connections to external Servers via Endpoint e.g., Odata Services


Scheduler

- Every Job can be scheduled
- All Scheduled Jobs managed in the Repository




Query Analyzer

- Access Tagetik database tables, directly
- For the Application DB, active function: 0002305 or 0002306
- The restricted Analyzer can execute select statements, only
- Click on the Actions list in your Admin view



Let’s talk about: Tips & Tricks




Analytical Information Hub Data Movement

- Analytical Workspaces has their own Import/Export tool
- On MDM you can manage the Analytical Dimensions, only
- The analytical tables are below the Setup group in the Import/Export tool



LDAP & Single Sign On

- Instead of creating local users, use your company user settings
- Click on **external Authentication** in the Repository Actions
- Use LDAP, HHC, RADIUS, SAML or other types



Use import/export to migrate Metadata

1. Export your Production Application
2. Export your Development Application
3. Import on your Product Environment the exported Development Application
4. Import on your Product Environment the exported Production Application with following data, only
   - Data
   - Offline Tables
   - Users
   - Logs
5. Run a full deployment

Do’s

- Archive/Delete your Audit log
- Check your license Report regularly
- Use Dummy users as reference users

Don'ts

- Excessively change of Data processing’s
- Activate security settings if don’t need
- Test your changes at off-peak times, only



Takeaway

Join CCH Tagetik Insiders Hub!




Here's the way the hub works

1. Log into the CCH Tagetik Community and click on the Insiders tab
2. Poke around and complete challenges earning points to redeem rewards
3. Get recognized for all the support you give CCH Tagetik

It's that easy!

Join CCH Tagetik Insiders now!

What other learning assets are available?



What's next?

Visit the Academy webpage

Next training and/or Assessment

Mail to info.academy@wolterskluwer.com


Thank you
Wolters Kluwer
CCH® Tagetik | ACADEMY