

Data Integration with DTP

In this course you will learn the different types of Datasets including standard, virtual and reference datasets. The course will teaches how to configure the AIH calculation engine, called Data Transformation Package, and to use data integration tools in the business workflow. Furthermore, you will learn to use filters, parameters

Software version: 5.3.SP24

Last update: 6/27/2023

© 2023 Tagetik Software - All Rights Reserved

Table of contents

EXERCISE 1 - Reference dataset definition 4
EXERCISE 2 - Setup and use of datasource mapping 6
EXERCISE 3 - Use of dictionaries in analytical workspace 8
EXERCISE 4 - Datasource definition 9
EXERCISE 5 - Loading data: pro tips 11
EXERCISE 6 - Aggregate data with grouping functions 13
EXERCISE 7 - Unpivoting data with DTP operations 15
EXERCISE 8 - Use of recursive formula 19
EXERCISE 9 - Check the consistency of data 21
EXERCISE 10 - Use of parameters 23
EXERCISE 11 - Virtual dataset: an alternative way of calculating 25
EXERCISE 12 - Unpivoting with virtual dataset 27

Need some help? 30

EXERCISE 1 - Reference dataset definition

Objective

Learn how to create a reference dataset

Tasks

Reference dataset definition

Perform the following tasks:

1. Login on CCH Tagetik web application with the following credentials:
   - Username: **emperor**
   - Password: **tgk**
2. Add a new reference dataset to **Revenues V1** analytical workspace:
3.
   - Description: **Discount by SKU type**
   - Partitioning policy: **None**
   - Reference dataset: **Reference dataset**
4. Add the following columns to the new reference dataset:
5.

Label	Description	Reference type	Field type
TYPE_SKU	SKU Type	Condition	Text
DISCOUNT	Discount	Attribute	Number

Tasks

Loading data

Perform the following tasks:

1. Run **Data Entry** from Action menù of dataset definition.
2. Select process **2053BDG - 2053 Budget** .
3. Run Quick data loader from Web form toolbar. .
4. Upload the file **Discount by SKU type.xlsx** that is below C:\WORKSHOPS\Data integration with DTP then select the following attribute to define the target:
   - Target type: **Analytical workspace**
   - Analytical workspaces: **Revenues V1**
   - Dataset: **Discount by SKU type**
   - Typology: **Reporting layer**



5. Match each column uploaded with the dataset field that has the same code using Drag and Drop
6. Check the data loaded in the partitions of the Reference dataset.

EXERCISE 2 - Setup and use of datasource mapping

Objective	Learn how to setup and use a datasource mapping

Tasks Setup a datasource mapping	Perform the following tasks: 1. Pin dimension **SKU_DTP - SKU DTP** to dimensions homepage. 2. Reach **Revenues V1** Analytical workspace. 3. Access **Price** dataset. 4. Click  and select Datasources mapping. 5. Click ⊕ to add a new datasource mapping. 6. Insert the following attributes: • Code: **01** • Description: **Load Price list from excel** • Source type: **File** • File type: **Excel (.xlsx)** • Header management: **With headers** • File location: **Upload** 7. Click **Upload** 8. Select **Price list 2053BDG.xlsx** below C:\WORKSHOPS\Data integration with DTP. 9. Use drag and drop to match each column uploaded with the dataset field that has the same code (e.g. SKU with SKU). 10. Click **Save**.

Tasks Insert the datasource mapping in a task list	Perform the following tasks: 1. Access **BDG_DTP - Budget DTP** business workflow. 2. Edit the **Revenues V1** tasklist. 3. Delete the arrow between Start and Submission. 4. Drag and drop the task **Loading to Analytical Workspace**. 5. Define the following attributes: • Code: **1**

- Description: **Load price list**
- Analytical workspace: **Revenues V1**
- Analytical workspace Dataset: **Price**
- Analytical workspace dataset typology: **Reporting layer**
- Datasource mapping: **Load price list from excel**

6. Link the task between Start and Submission.
7. Save.
8. Click **Continue** when the warning is displayed.

Tasks

Datasource mapping running

Perform the following tasks:

1. Reach the process cockpit of **2053BDG - 2053 Budget** from user interface.
2. Access step **Revenues calculation** .
3. Select entity **B00 - Monsters Inc.**
4. Run the task **Load price list**.
5. Click **Upload**.
6. Select file **Price list 2053BDG.xlsx.**
7. Click Run.
8. Reach analytical workspace **Revenues V1**.
9. Access **Partitions** of Price dataset to check the records loaded by datasource mapping.

EXERCISE 3 - Use of dictionaries in analytical workspace


Objective	Learn how to create a dictionary in the AW and how to link it to dataset fields

Tasks Definition of a dictionary	Perform the following tasks: 1. Click hyperlink Dictionaries from Dataset homepage. 2. Click ⊕ to add a new dictionary. 3. Insert the following attributes: • Code: **01** • Description: **SKU type** • Query body/Postgres body: **select COD_ELEDIZ, DESC_ELEDIZ0 from FORM_DIZIONARIO_ELEMENTO where COD_DIZIONARIO = 'TYPE_SKU'** 4. Save

Tasks Application of dictionary to dataset field	Perform the following tasks: 1. Access **Quantity** dataset. 2. Select field **TYPE_SKU - SKU type**. 3. Select **01 - SKU Type** in combo box Field values. 4. Set Query field code as **COD_ELEDIZ**. 5. Set Query field description as **DESC_ELEDIZ0**. 6. Save. 7. Click  and select **Data entry**. 8. Select process **2053BDG – 2053 Budget**. 9. Insert a row copying the values from the file **Input data entry B00.xlsx** held below C:\WORKSHOPS\Data integration with DTP . 10. Set **12 - December** for field **Period**. 11. Check that the available values for field SKU Type are the ones defined in the Dictionary. 12. Save the values. 13. Set the dictionary also in field TYPE_SKU of **Revenue** dataset following the steps from 2 to 6.

EXERCISE 4 - Datasource definition

Objective	To create a Datasource

Tasks Create datasource	Perform the following tasks: 1. Click the hyperlink **Virtual datasets and datasources** from dataset homepage of Revenues V1 Analytical workspace. 2. Click  to add a new datasource. 3. Type **Load quantity** as description. 4. Click the tile **Load quantity** to access definition window. 5. Write the following query in the tab Postgres Body: **Select * from AW_UPLOAD_QUANTITY** 6. Click **Preview** to check if query run correctly. 7. Click Save. 8. Click **Fields** to check the fields retrieved from the query.

Tasks Quantity Datasource mapping definition	Perform the following tasks: 1. Access **Quantity** dataset structure. 2. Access Datasource mapping list. 3. Add a new datasource mapping with following attributes: • Code: **01** • Description: **Load Quantity from datasource** • Source type: **Analytical workspace** • Analytical workspaces: **Revenues V1** • Dataset: **Load quantity** • Typology: **Reporting layer** 4. Click **Load data**. 5. Use drag and drop to match each column uploaded with the dataset field that has the same code.

6. Click to enable advanced options for dataset field Period.
7. Set **12 - December** as default value.
8. Click **Save**.


EXERCISE 5 - Loading data: pro tips

Objective	Learn how to use the DTP operation Loading to AW and the Reporting Layer filter to avoid unexpected loss of data when updating reporting layer

Tasks

Perform the following tasks:

Create the DTP and the Loading activity

1. Add a new typology for **Quantity** dataset:
   - Typology: **T0**
   - Description: **Input data**
2. Click the hyperlink **Data transformation package** from dataset homepage.
3. Click 

to add a new DTP.
   - Code: **D01**
   - Description: **Revenue calculation**
4. Click ⊕ to add a new activity:
   - Activity: **A0**
   - Description: **Load quantity**
   - Target dataset: **Quantity**
   - Typology: **Input data**
   - Empty dataset: **Enabled**
   - Update reporting layer: **Enabled**
   - Reporting layer filter: **PROVENIENZA <> 'INPUT_DEFORM'**
   - Level: **0**
5. Click Save.
6. Click ⋮ and select Operations.
7. Click ⊕ to add a new operation:
   - Operation type: **Loading to Analytical workspace**
   - Operation: **1**
   - Description: **Load quantity from datasource**
   - Datasources mapping: **Load quantity from datasource**

8. Save

Tasks	Perform the following tasks:
Insert DTP in workflow and run it	1. Access **BDG_DTP - Budget DTP** business workflow. 2. Edit the **Revenues V1** task list. 3. Drag and drop a DTP task after the existing datasource mapping task: • Code: **2** • Description: **Revenue calculation** • Analytical workspace: **Revenues V1** • Data transformation package: **Revenue calculation** 4. Link properly the task. 5. Save and click **Continue** when warning is displayed. 6. Access **2053BDG - 2053 Budget** process cockpit from user interface. 7. Select **B00 - Monsters Inc.** in Revenue collection step. 8. Run the DTP task. 9. Check the data generated by reaching **Partitions** in **Quantity** dataset.

EXERCISE 6 - Aggregate data with grouping functions

Objective

Learn how to apply aggregation function to data in order to reduce the data to be processed

Tasks

Perform the following tasks:

Create the Grouping activity

1. Add a new typology to **Quantity** dataset:
   - Typology: **T1**
   - Description: **Grouping**
2. Access **DTP D01 - Revenues calculation** definition window.
3. Add a new activity:
   - Activity: **A1**
   - Description: **Grouping**
   - Target dataset: **Quantity**
   - Typology: **Grouping**
   - Empty dataset: **Enabled**
   - Update Reporting layer: **Enabled**
   - Level: **1**
4. Save.
5. Add a new operation:
   - Operation type: **Insert from another dataset**
   - Operation: **1**
   - Description: **Insert and aggregate**
   - Source dataset: **Quantity**
   - Typology: **Reporting layer**
6. Save.
7. Click the hyperlink Matching field and do the following definitions or use the import export tool. Matching fields are held in file **Matching fields.xlsx** below C:\WORKSHOPS\Data integration with DTP
8.

Taget field	Source	Grouping mode
P01	P01	Sum
P02	P02	Sum

	P03	P03	Sum
	P04	P04	Sum
	.....	.....	Sum
	P12	P12	Sum
	Relate remaining fields automatically		Group by

Tasks **Run the Grouping activity and check result**	Perform the following tasks: 1. Access **2053BDG – 2053 Budget** process cockpit from user interface. 2. Select **B00 – Monsters Inc.** in Revenues collection step. 3. Click **DTP -> Activity cockpit** from Actions list. 4. Tick Activity **A1 - Grouping**. 5. Run. 6. Access Quantity Partitions 7. Check that **Grouping** typology has half of the rows held in **Input data** typology due to aggregation functions applied.

EXERCISE 7 - Unpivoting data with DTP operations

Objective

Learn how to configure the operation to Unpivot a dataset .
Learn to use Reference dataset deploy

Tasks

Perform the following tasks:

Configure datasets necessary for Unpivot activity

1. Set **Quantity** dataset offline
2. Access its structure.
3. Add 2 fields:
4. | Label | Description | Field type |
   |---|---|---|
   | QUANTITY | Quantity | Number |
   | PERIOD_PVT | Period pivot | Text |
5. Set **Quantity** dataset online.
6. Add a new typology for Quantity dataset:
   - Typology: **T2**
   - Description: **Unpivoting**
7. Add a new dataset:
   - Label: **Unpivot quantity**
   - Partitioning policy: **None**
   - Reference dataset: **Dataset**
8. Define the following fields:
9. | Label | Description | Field type |
   |---|---|---|
   | QUANTITY | Quantity | Number |
   | SCENARIO | Scenario | Scenario |
   | PERIOD | Period | Period |
   | ENTITY | Entity | Entity |
   | SKU | SKU | SKU |
   | TYPE_SKU | SKU type | Text |
10. Set the dataset **Unpivot Quantity** online .
11. Add a new typology for dataset **Unpivot quantity**:
    - Typology: **T1**
    - Description: **Unpivot data**
12. Add a new dataset:

- Label: **Deploy periods**
- Partitioning policy: **None**
- Reference dataset: **Reference dataset deploy**

13. Add the following fields:

14.

Label	Description	Field type	Reference type
PERIOD_PVT	Period pivot	Text	Attribute
PERIOD	Period	Text	Condition

15. Click **Data Entry** from action menu.
16. Select Process **2053BDG - 2053 Budget**.
17. Insert the following values :

18.

PERIOD_PVT	PERIOD
'01	12
'02	12
'03	12
.....	12
'12	12

19. Data can be loaded easily running Quick Data Loader from toolbar. Mapping can be performed using the file **PERIOD PIVOT.xlsx** below C:\WORKSHOPS\Data integration with DTP

Tasks

Perform the following tasks:

DTP activities setup

1. Access the structure of DTP **D01 - Revenues calculation**.
2. Add a new activity:
   - Activity: **A2**
   - Description: **Unpivoting quantity**
   - Target dataset: **Quantity**
   - Typology: **Unpivoting**
   - Empty dataset: **Enabled**
   - Update reporting layer: **Disabled**
   - Level: **2**
3. Save.
4. Add an operation:
   - Operation type: **Insert from another dataset**

- Operation: **1**
- Description: **Insert from quantity**
- Source dataset: **Quantity**
- Typology: **Reporting layer**

5. Add another operation:
   - Operation type: **Enrichment with reference dataset**
   - Operation: **2**
   - Description: **Deploy**
   - Reference dataset: **Deploy periods**
6. Add another operation:
   - Operation type: **Enrichment with formula**
   - Operation: **3**
   - Description: **Calculate result**
7. Click the hyperlink **Matching fields**.
8. Add a Formula:
   - Target field: **Quantity**
   - SQL formula: Copy from file **Formula case when.txt** held in C:\WORKSHOPS\Data integration with DTP
9. Add another activity:
   - Activity: **A3**
   - Description: **Loading to Unpivot quantity**
   - Target dataset: **Unpivot quantity**
   - Typology: **Unpivot data**
   - Empty dataset: **Enabled**
   - Update reporting layer: **Enabled**
   - Level: **3**
10. Save.
11. Add a new operation:
    - Operation type: **Insert from another dataset**
    - Operation: **1**
    - Description: **Insert from quantity**
    - Source dataset: **Quantity**
    - Typology: **Unpivoting**
12. Save.



13. Define the following matching fields:
14.

Target	Source
PERIOD	PERIOD_PVT
Relate remaining fields automatically	

Tasks

Perform the following tasks:

Run the DTP activities

1. Access **2053BDG - 2053 Budget** process cockpit.
2. Select Entity **B00 - Monsters Inc.** in Revenues collection step.
3. Click **DTP --> Activity cockpit** from Actions list.
4. Tick Activities **A2 - Unpivoting quantity** and **A3 - Loading to quantity unpivot**.
5. Run.
6. Check the result in the partitions generated by activities.

EXERCISE 8 - Use of recursive formula

Objective	Learn how to use Enrichment with Formula operation in a recursive way

Tasks

Perform the following tasks:

Activity setup

1. Add a new typology for dataset **Revenue**:
   - Typology: **T1**
   - Description: **Revenue**
2. Add a new Activity to the existing DTP:
   - Activity: **A4**
   - Description: **Revenue calculation**
   - Target dataset: **Revenue**
   - Typology: **Revenue**
   - Empty dataset: **Enabled**
   - Update reporting layer: **Enabled**
   - Level: **4**
3. Save.
4. Add a new operation:
   - Operation type: **Insert from another dataset**
   - Operation:**1**
   - Description: **Insert from Unpivot quantity**
   - Source dataset: Unpivot Quantity
   - Typology: **Reporting layer**
5. Add another operation:
   - Operation type: **Enrichment from another dataset**
   - Operation: **2**
   - Description: **Enrich price**
   - Source dataset: **Price**
   - Typology: **Reporting layer**
6. Define the following matching fields:
7.

Target field	Source	Relationship type
ENTITY	ENTITY	Condition

PERIOD	PERIOD	Condition
SCENARIO	SCENARIO	Condition
SKU	SKU	Condition
PRICE	PRICE	Attribute

8. Add another operation
    - Operation type: **Enrichment with reference dataset**
    - Operation: **3**
    - Description: **Configure discount**
    - Reference type: **Discount by SKU type**
9. Add another operation:
    - Operation type: **Enrichment with formula**
    - Operation: **4**
    - Description: **Revenue calculation**
10. Access matching fields.
11. Add a formula:
    - Target field: **REVENUE**
    - SQL formula: **PRICE * QUANTITY**
12. Add another formula:
    - Target field: **DISCOUNTED_REVENUES**
    - SQL Formula: **@REVENUE@ * (1-DISCOUNT)**

Tasks

Run the activity

Perform the following tasks:

1. Access **2053BDG – 2053 Budget** process cockpit from user interface.
2. Select **B00 – Monsters Inc.** in Revenues collection step.
3. Click **DTP -> Activity cockpit** from Actions list.
4. Run only Activity **A4 – Revenue calculation**.
5. Check the result in the partition generated on Revenue Dataset.

EXERCISE 9 - Check the consistency of data

Objective

To be able to check the consistency of the data generated by DTP

Tasks

Perform the following tasks:

Define Coherence check operation

1. Access DTP Activity **A4 - Revenues**.
2. Select the third operation and add a new one:
   - Operation type: **Coherence check**
   - Operation: **5**
   - Description: **Check missing price**
   - Source dataset: **Price**
   - Typology: **Reporting layer**
   - Message for the user: **Missing price**
3. Save.
4. Define the following Matching fields:
5.

Target field	Source
SKU	SKU
SCENARIO	SCENARIO
PERIOD	PERIOD
ENTITY	ENTITY

6. Access Excel addin
7. Run in data entry the form **AW_DTP_00002 – Quantity** for the process 2053BDG – 2053 Budget.
8. Add a new row with the following dimensional values:
9.

Dimension	Value
SKU	S029
Entity	B00
Period	12
Scenario	2053BDG
SKU TYPE	EL

10. Add **100** as value for each numeric column from **P01 to P12.**
11. Save.

Tasks

Run the DTP and check the missing price

Perform the following tasks:

1. Access **2053BDG – 2053 Budget** process cockpit from user interface.
2. Select **B00 – Monsters Inc.** in Revenues collection step.
3. Click **DTP -> Activity cockpit** from Actions list.
4. Run only Activities **A2 – Unpivoting quantity, A3 – Loading to unpivot quantity, A4 – Revenue calculation**.
5. Check the missing prices displayed in the warning.
6. Check the missing prices browsing Excel form **DTP_01 - Revenues** in navigation mode selecting the following parameters:
   - SKU: **S029**
   - Entity: **B00 - Monsters Inc.**
   - Scenario: **2053BDG - 2053 Budget**
7. Reach the process cockpit selecting **B00 – Monsters Inc.**
8. Run QDL from Process cockpit Action list.
9. Upload the file **Missing prices.xlsx** held below C:\WORKSHOPS\Data integration with DTP.
10. Define Reporting Layer of dataset Price as target.
11. **Enable the toggle for SKU** dimension to avoid the deletion of all price list.
12. Click Run.
13. Click **DTP -> Activity cockpit** from Actions list.
14. Run Activity **A4 – Revenue calculation**.
15. Now the price list is updated and coherence check does not retrieve any warning.
16. Check result browsing the excel form **DTP_01 - Revenues** in navigation mode for
    - SKU: **S029**
    - Scenario: **2053BDG - 2053 Budget**
    - Entity: **B00 - Monsters Inc.**

EXERCISE 10 - Use of parameters

Objective	To Learn how to use parameters in AW Data processing .

Tasks Use of Cell fields parameters	Perform the following tasks: 1. Reach the Virtual dataset and Datasources homepage for AW **Revenues V1**. 2. Access datasource **Load quantity**. 3. In Postgres body add the clause **Where ENTITY = ${$Entity.code}** . 4. Now the Datasource is parametric and processes only the rows whose Entity is retrieved from the context.

Tasks Reporting parameter	Perform the following tasks: 1. Access the Excel addin. 2. Click  on CCH Tagetik ribbon bar to access parameter definition. 3. Add a new parameter: • Code: **SKU_TYPE** • Description: **SKU type** • Data type: **Dictionary** • Parameter origin: **Revenues V1** • Dictionary: **SKU Type** 4. Save. 5. Reach DTP **Revenue calculation** definition on web interface. 6. Access operation list of Activity **A4**. 7. Select operation **1**. 8. In **Source filter** write the parameter **${@SKU_TYPE} = TYPE_SKU**. 9. Save. 10. Access **2053BDG – 2053 Budget** process cockpit from user interface.

11. Select **B00 – Monsters Inc.** in Revenues collection step.
12. Click **DTP -> Activity cockpit** from Actions list.
13. Run only Activity **A4 – Revenue calculation**.
14. Select **SW – Software** as parameter.
15. Check that in partition the revenues have been calculated only for Software elements due to the parameter selected.

EXERCISE 11 - Virtual dataset: an alternative way of calculating

Objective	Learn to use the Virtual dataset as an alternative way to join dataset and perform calculation

Tasks Virtual dataset definition	Perform the following tasks: 1. From Dataset homepage of **Revenues V1** AW, Click the hyperlink **Virtual datasets and datasources**. 2. Click ⊕ New Virtual Dataset to add a new virtual dataset. 3. Set description as **Virtual revenues**. 4. Click the **Virtual revenues** tile to access the definition window. 5. Click ⊕ to add the relationship between • Dataset 1: **Price** • Dataset 2: **Unpivot quantity** 6. Click ⊕ to add each of the following relationships: 7. ENTITY = ENTITY SCENARIO = SCENARIO PERIOD = PERIOD SKU = SKU 8. Click the hyperlink Fields. 9. Drag and drop in the field list the following dataset fields: **SKU, ENTITY, PERIOD, SCENARIO, SKU_TYPE,PRICE, QUANTITY**. 10. Click ⊕ to add a Formula field. • Label: **REVENUE** • Description: **Revenue** • Formula: **${PRICE} * ${QUANTITY}**

Tasks Check result on Financial reporting	Perform the following tasks: 1. Access Excel addin. 2. Open **DTP_01 – Revenues** form in Design mode.

3. Generate a new multidimensional matrix that derives from **000008 – Virtual revenues** below Revenues V1 -> Virtual Dataset.
4. Add the measure **REVENUE – Revenue** to the rows filters and the **12 Period/months** on the column filters.
5. Run the form selecting the following parameters:
    - Scenario: **2053BDG - 2053 Budget**
    - Entity: **B00 - Monsters Inc.**
    - SKU: **S001 - Bitdefender**
6. Using the virtual dataset, check that we achieved the same result as with the Activity A4 defined in the DTP.

EXERCISE 12 - Unpivoting with virtual dataset

Objective

Learn an alternative way to implement unpivoting using a virtual dataset

Tasks

Mapping dataset creation

Perform the following tasks:

1. Access the **Revenues V2** Analytical workspace.
2. Add a new dataset:
   - Description: **Deploy periods**
   - Partitioning policy: **None**
   - Reference dataset: **Reference dataset**
3. Define the following fields:
4.

Label	Description	Field type	Reference type
PERIOD	Period	Text	Condition
PIVOT_PERIOD	pivot period	Text	Attribute

5. Click Data entry from Action menu and select Process **2053BDG – 2053 Budget**.
6. Insert the following values
7.

PIVOT_PERIOD	PERIOD
'01	12
'02	12
'03	12
...	12
'12	12

You can use Quick data Loader from web form toolbar and load data using form **PERIOD PIVOT.xlsx** stored below C:\WORKSHOPS\Data integration with DTP

Tasks

Virtual dataset creation

Perform the following tasks:

1. Click the hyperlink **Virtual datasets and datasources**.
2. Add a new Virtual dataset called **Virtual Unpivot**.
3. Click ⊕ to add the relationships between:
   - Dataset 1: **Deploy periods**
   - Dataset 2: **Quantity**

4. Click ⊕ to define the join between PERIOD and PERIOD of the two datasets
5. Click the hyperlink Fields
6. Drag and drop in the field list the following dataset fields: **SKU, ENTITY, PIVOT_PERIOD, SCENARIO, SKU_TYPE**.
7. Click ⊕ to add a Formula field:
   - Label: **QUANTITY**
   - Description: **Quantity**
   - Formula: Copy the formula from the file **Formula virtual.txt** held below C:\WORKSHOPS\Data integration with DTP
8. Save.

Tasks

Activity creation and running

Perform the following tasks:

1. Access the DTP Revenue calculation of the **Revenues V2** AW.
2. Add a new activity:
   - Activity: **A2**
   - Description: **Unpivot quantity with virtual**
   - Target dataset: **Unpivot quantity**
   - Typology: **Unpivoting**
   - Empty dataset: **Enabled**
   - Update reporting layer: **Enabled**
   - Level: **2**
3. Add an operation:
   - Operation type: **Insert from another dataset**
   - Operation:**1**
   - Description: **Insert quantity**
   - Source dataset: **Virtual unpivot**
   - Typology: **Reporting layer**
4. Save.
5. Define the following matching fields:
6. **Target field** **Source**

PERIOD PIVOT_PERIOD

Relate remaining fields automatically

7. Reach the Process cockpit of **2053BDG – 2053 Budget** from User interface.
8. Select entity **A02 – A.C.M.E. Co.** of step Revenues collection.
9. Access Activity cockpit.
10. Run Activity **A2 - Unpivot with Virtual**.
11. Check the result on the partition generated.

Need some help?



Here you can find the solutions to the most frequent technical issues you may get stuck with during the course.

I can't login to the training environment

Make sure you are using the access link provided by the trainer (with the proper 4 digits token if needed!). Events have a starting and ending date/time.

Make sure you are not trying to access the training course too early or too late!

My machine is slow

- Keep in mind that lab configuration may require up to 20 minutes to start from the moment you click on the CCH Tagetik Chrome icon! 


- The local connection's bandwidth is not sufficient for the number of connections currently in place (performance issues on the server side are very rare).

  Solution: ask the IT services to reboot the access point and prefer connection via cable if available.


Audio/Video Troubleshooting


In case you are having problems with audio and video try the following:

1. Make sure you are running a compatible browser (Google Chrome, Mozilla Firefox).
2. Make sure your media devices are connected and are not muted or set to very low volume.
3. Make sure the browser you are in is allowed to use your laptop audio and video




4. Make sure no other applications are running that use your media devices (microphone, camera or speakers).
5. Prevent any ad-blockers or script blockers running on the classroom's tab.
6. Refresh the page.
7. From the right communication panel, click on the settings icon and change the camera/video options selected





Check if there are any errors: if so, they will appear in red.

In addition, you can run a troubleshoot by clicking on: "Let's try and get it fixed" and then on "Run Troubleshoot"



If you still have problems, it could depend on network restrictions.


Resolution issues: if you see CCH Tagetik application masks too big in the machine even if I didn't change browser zoom.
Remember, Strigo adapts the machine to your computer resolution. Try to change your resolution or use a different monitor!

⚠ **Important:** Scaling setting recommended = 100% (max 125%).

Lab troubleshooting while practicing

If you are in your Virtual Machine and you are experiencing a **black screen** with your lab not starting:

1. Try restarting the machine by clicking on the wheel icon and then on "Restart workspace machine"



2. Try logging out and then log in again after few minutes

⚠ **Important:**

Your machine will be rebooted, but do not panic! No data will be lost. You will need to wait for the OS to restart and CCH® Tagetik to be reloaded though.


3. A pause > restart of the lab should work as well. The pause option is on the top right-hand corner of the screen. The workspace will switch to **Paused** mode, and then you want to really just give it around two minutes. This is usually enough time to let the lab machine be actually stopped, before you go and hit **Resume** again.

4. Try to open the browser in incognito/private mode.
5. Reach out to Strigo support through this link and then click start live chat

I can't copy/paste any content to the virtual machine


Direct copy/paste is not allowed.

Solution: Use the clipboard icon to copy and paste from the desktop to the virtual machine and viceversa.



I cannot change language in my machine

Solution: Change the language both by desktop bar and by Settings.



MS Excel: I can't select a given form or an object of a form.

This issue happens pretty often and is due to some wizard (e.g. Matrix Wizard, Cell Fields wizard) already open but not currently diplayed on the screen. When any wizard is open and running, you can't work anywhere else.


Solution: check if you have any of the wizard open and running (most common: Matrix Wizard, Tab Filters, Form Filters, Cell Fields wizards). If this is the case, be sure to have finished your work on that wizard and close it with OK to confirm. Then go on with your work.

MS Excel: the Tagetik menu is no longer available on the ribbon bar.

Solution1: this probably means the CCH Tagetik add-in has been disabled by MS Excel due to a crash or some errors and has to be enabled again.

Follow the path **File > Options**. Click "**Add-Ins**" on the "**Excel Options**" pane and expand the drop-down menu "**Manage**" on the bottom. Try to select:

1. "**COM Add-Ins**" > "**Go...**". If unticked, tick the "**Tagetik Excel NET Client**" Add-in and click OK
2. "**Disabled items**" > "**Go...**". If you find there the "**Tagetik Excel NET Client**" Add-in, enable it. Close and start Excel.



Solution2: should solution1 not solve the issue, disinstall and reinstall the CCH® Tagetik add-in. Ask the trainer for some help in case.

If you use a 4K resolution monitor, there's a chance you will see far too little

Solution: Low the resolution before the training, then set it back to the original value after the training

My problem is not listed here.



If even this can't solve your problem, please refer to your trainer (and if you are a trainer to your training manager).