

Advanced Reporting

This training course shows how to use more advanced reporting features in real business cases. It also provides guidelines to optimize form performance and to design complex forms in an efficient way to minimize maintenance.

Software version: 5.3.SP24

Last update: 6/27/2023

© 2023 Tagetik Software - All Rights Reserved

Table of contents

EXERCISE 1 - Advanced dynamicity 4
EXERCISE 2 - Dependent parameters 7
EXERCISE 3 - Configuration and use of Break Back 9
EXERCISE 4 - Reference FX rates 12
EXERCISE 5 - Data validation query 14
EXERCISE 6 - Form Optimization 17
EXERCISE 7 - Hide function 18
EXERCISE 8 - Conditional editability 20
EXERCISE 9 - Implementation Complex form 23
EXERCISE 10 - Data Validation 24
EXERCISE 11 - Run of data processing from a form 26
EXERCISE 12 - Drill through query 29
EXERCISE 13 - Form settings: collecting data with conversion on the fly enabled 31
EXERCISE 14 - Override function 33
EXERCISE 15 - FST onScenarioPeriod utility 35

Need some help? 37

EXERCISE 1 - Advanced dynamicity

Objective	Learn how to apply Advanced dynamicity to retrieve custom selection of filters
Tasks Manage the Expanding method and write an advanced dynamicity script in order to display a custom selection of entities instead of the entire list	Perform the following tasks: 1. Login on Excel addin with the following credentials: • Username: **emperor** • Password: **tgk** 2. Open the form **ADV_EX01 - Advanced dynamicity** in design mode. 3. Run a preview of the form,. 4. Select Scenario: **2048BDG - 2048 Budget**. 5. Realize that it is necessary change the rows expanding method of the matrix **Advanced dynamicity**. 6. Access the matrix **Advanced dynamicity**. 7. Reach the matrix options tab and set the row expanding method as **Entire row**. 8. Click **ok**. 9. Run again a preview and realize that, with a proper expanding method, the matrix **Advanced dynamicity** does not overlap the other matrix. 10. Access again the matrix and select the node **Entity** on the row filters . 11. Reach the property **Advanced selection** into the property grid. 12. Change the **Selection type** from Insert lowest level elements to **Advanced selection**. 13. Access the property **Script** and click on the button ... to reach the Advanced selection editor. 14. Write a script to retrieve the entity **B00** and all the entities whose code starts with 'A' . 15. Run a preview of the form 16. Select Scenario **2048BDG - 2048 Budget**. 17. Check the correctness of the outcome.

Need any help? Here are some hints

- The script can be copied from the file **Advanced dynamicity - Entity.txt** below Workshops\Advanced reporting

---

Tasks

Nest Products below the Entity and generate a different selection of Products based on a condition

Perform the following tasks:

1. Access the matrix **Advanced dynamicity**.
2. Nest the node **Product** below the node **Entity** in the rows hierarchy.
3. Select the **Product** node.
4. Reach the property **Advanced selection** in the property grid.
5. Set Selection type as **Advanced selection**.
6. Access the property **Script**.
7. Write a script that display the **New products** when entity is B00 and the **Current products** for the other entities.
8. Reach the **Headers** tab and add the attribute **Attr.1:Status** to the list of Product .
9. Add a placeholder above the dynamic node **Product** to improve the layout of the outcome.
10. Run a preview of the form.
11. Select Scenario **2048BDG - 2048 Budget**.
12. Check the correctness of the outcome.
13. By clicking the navigation bar button 

It is possible download a report that holds a debug of the advanced dynamics scripts defined in the form.
14. Access the tab **Adv.dyn.scripts** to display the debug of the scripts.

Need any help? Here are some hints

- The script can be copied from the file **Advanced dynamicity - Product.txt** below Workshops\Advanced reporting

---

EXERCISE 2 - Dependent parameters

Objective	Learn how to create a dependence between parameters having benefit from the advanced dynamicity
Tasks Definition of dependent paramenters	Perform the following tasks: 1. Access the form **ADV_EX02 - Dependent parameter** in design mode. 2. Create a new custom parameter: • Code: **VERSION** • Description: **Version** • Mandatory: **Ticked** • Data type: **Dictionary** • Parameters origin: **Financial workspace** • Dictionary: **Scenario version** 3. Save the parameter. 4. Create a new custom parameter dependent from VERSION. 5. • Code: **SCE_DEP** • Description: **Dependent scenario** • Data type: **Dimension** 6. Select the flat list hierarchy of **Scenario**. 7. Access tab **Restriction**. 8. In the frame Advanced selection set selection type as **Advanced selection**. 9. Tick the option **Dependent** among the attributes. 10. Define a script that retrieves a different list of scenarios depending on the choice made in parameter **VERSION**. The selection is based on the code of the scenario that must end with the value of the Version selected **(ACT, BDG, CONS)**. 11. Save the parameter. Need any help? Here are some hints • The script can be copied from the file **Advanced**

dynamicity - Dependent scenario.txt below Workshops\Advanced reporting

---

Tasks

Application of parameters in the form and running

Perform the following tasks:

1. Access the structure of the only existing matrix by wizard matrix.
2. Access the matrix filters tab.
3. Replace the system Scenario parameter **$SCE_P** with **SCE_DEP** that is stored below the node Scenario.
4. Click **Ok** to close the matrix.
5. Reach the windows that Manage manually the parameters, by clicking the Design bar button 

6. Select **VERSION** from the list.
7. Add **VERSION** to the parameters of the form.
8. Sort the parameters to have **SCE_DEP** parameter below **VERSION** using the arrows buttons of the Manage manually window.
9. Save the form.
10. Run a preview and verify the existence of the dependency between the two parameters.

EXERCISE 3 - Configuration and use of Break Back

Objective	Learn how to use break back on the different workspaces (Analytical and Financial)

Tasks

Break back on AW:

- Configure the hierarchy
- Saving on the reference element of a node

Perform the following tasks:

1. Access the structure of the Product hierarchy **01 - Product by types** on the web application.
2. Define the reference element for each node as described in the following table.

Node	Reference element
X01 - Software	R01 - Software reference element
X02 - Hardware	R02 - Software reference element
X03 - Electronic components	R03 - Electronic reference element
X04 - Generic	GEN - Generic product

3. Open the form **ADV_EX03_A - Products costs on AW** in design mode.
4. Access Form options editor.
5. Tick the option **Refresh value after each save** in the Other options tab.
6. Save and close the form.
7. Run the form in data entry mode for the process **2048BDG - 2048 Budget**.
8. Select Scenario **2048BDG 2048 Budget**.
9. Insert values in the editable cells: they represent the nodes of the hierarchy Product by types.
10. Save the values and realize that the extra amount of each node is stored on the reference element of the related node.

Tasks

Break back on FW:

- Configuration at application

Perform the following tasks:

1. From Admin homepage select **Data entry and submission rules** tile.

and process level • Saving on the reference element	2. Click **Amount & Intercompany rules**. 3. Check the Break back configuration at application level: it is disabled. 4. Access the process **2048BDG - 2048 Budget**. 5. Reach **Gross amount & IC** rules by clicking the related pencil icon. 6. In the frame **Break Back** apply the following settings to enable the break back on the reference element of the custom dimensions: • Run on the following dimensions: **Custom dimensions** • Always write on reference element: **Ticked** 7. Save 8. Run the form **ADV_EX03_B - Product costs FW** in data entry mode for the process **2048BDG - 2048 Budget**. 9. Select Scenario **2048BDG - 2048 Budget**. 10. Insert values in the editable cells (nodes of hierarchy Product by types). 11. Save the values and realize that the extra amount of each node is stored on the reference element of the related node. Need any help? Here are some hints • Gross amount and IC rules is in the frame **Data entry & submission rules** on the top right of the Process definition window.

Tasks Break back on FW: • Configuration at matrix level • Saving on lowest level elements	Perform the following tasks: 1. Open the form **ADV_EX03_B - Products costs on FW** in design mode. 2. Reach the matrix structure by matrix wizard. 3. Reach the tab **Form - Break back** held into matrix options tab. 4. Set the option Save on reference element to **No**. 5. Click Ok and save the form.

---

6. Run the form in data entry mode for the process 2048BDG - 2048 Budget.
7. Select Scenario 2048BDG 2048 Budget.
8. Save the values and realize that the extra amount is spread through the lowest level elements

EXERCISE 4 - Reference FX rates

Objective	Learn how to configure Reference FX rate
Tasks	Perform the following tasks:
Create a matrix that benefits from Reference FX rate	1. Open the form **ADV_EX04 - FX Analysis** in design mode. 2. Edit matrix structure by matrix wizard. 3. Select the first column filter **$SCE_P - Scenario**. 4. Set Navigation property as **Previous**. 5. Add a new parametric scenario as column filter **$SCE_P - Scenario**. 6. Select the new column. 7. Access **Reference FX rate** in property grid. 8. Select the following attributes: • Scenario: **2056ACT - 2056Actual** • FX rate type: **Average** 9. Add a Dictionary: • Dictionary: **Current Actual with different rate** 10. Add a new parametric scenario as column filter **$SCE_P - Scenario**. 11. Add a formula to column filters. 12. Define the following properties: • Formula: **{3} - {1}** • Dictionary: **Variance** 13. Add a formula to column filters. 14. Define the following properties: • Formula: **{2} - {1}** • Dictionary: **Operational variance** 15. Add a formula to column filters. 16. Define the following properties: • Formula: **{4} - {5}** • Dictionary: **FX Impact** 17. Access matrix filters 18. Select **$VAL_P - Currency**. 19. Set conversion as **Average FX rate**.

20. Click OK
21. Save the form

Tasks	Perform the following tasks:
Run the form to analyze the results	1. Run a preview of the form. 2. Select the folowing parameters: • Scenario: **2057ACT - 2057 Actual** • Entity: **Entity (Node)** • Period: **12 - December** • Currency: **CAD - Canadian dollar**

EXERCISE 5 - Data validation query

Objective	Learn how to create a data validation query to limit to a subset of elements the possible values of editable cells in a Data Entry form

Tasks

Configure matrix structure

Perform the following tasks:

1. Open the form **ADV_EX05 - Terms of Payment** in Design mode.
2. Edit the matrix structure by matrix wizard.
3. Move the period 12 - December from Column filters to Matrix filters.
4. Add to column filters 2 amount type columns:
   - Column 1: **TIP_O - Original amount**
   - Column 2: **TIP_DES - Description**
5. Set the editability of the 2 column filters as Editable.
6. For the column 2 set the following dictionary: T**erms of payment**.
7. Click Ok

Tasks

Create:

- **dictionary from wich the query retrieves the elements**
- **Data validation query**

Perform the following tasks:

1. Reach Administrator homepage.
2. Click the tile **Forms management**.
3. Select **Transactional form dictionaries**.
4. Add a new dictionary:
   - Code: **03**
   - Description: **Terms of payment**
   - Dictionary type: **Dictionary indipendent of Entity**
5. Save.
6. Click the hyperlink **Elements** to access the list of elements.
7. Add the following elements:

Code	Description
30	0-30 days
60	30-60 days
90	60-90 days

8. Save.
9. Reach the form **ADV_EX05 - Terms of Payment** in Design mode.
10. Select an empty cell (Example: I8).
11. Click the button 

to add the Data validation query.
    1. Query text:

       select COD_ELEDIZ, DESC_ELEDIZ0 from FORM_DIZIONARIO_ELEMENTO where COD_DIZIONARIO = '03'
    2. Query type: **Data validation**
12. All the other options are irrelevant.
13. Click Ok.

Tasks

- **Apply Data validation Query to the text editable cells**
- **Perform data entry**

Perform the following tasks:


1. Edit the matrix by matrix wizard.
2. Select column **TIP_DES - Description**.
3. Access the property **Data validation** on property grid.
4. Insert the following attributes:
    - Query: **Query00**
    - Field: **DESC_ELEDIZ0**
5. Clicl Ok.
6. Save the form.
7. Enable Data Entry left pane.
8. Select process **2048BDG - 2048 Budget**.
9. Run the form **ADV_EX05 - Terms of payment**.
10. Select the following parameters:
    - Entity: **B00 Monsters Inc.**
    - Cost Center: **CC04 - Administration**
    - Scenario: **2048BDG - 2048 Budget**
11. Type the Amounts in column 1.
12. Perform data entry in column 2 using the values retrieved from Data validation query
13. Save the values.

EXERCISE 6 - Form Optimization

Objective	To be able to identify issues with reports and to provide strategies to optimize their performance
Tasks	Perform the following tasks: 1. Open the form **ADV_EX06 - Form to optimize**. 2. Follow the instructions in the tab Instructions. 3. Note any potential issues in the form and provide the solution for its optimization 4. In case of necessity, a copy of the original form is stored below **WORKSHOPS\Advanced reporting**

EXERCISE 7 - Hide function

Objective	Learn how to apply the Hide function along with pruning in a form with tab filters .
Tasks Check form structure and improve layout using pruning	Perform the following tasks: 1. Open the form ADV_EX07 - Forecast VS Budget in Design mode. 2. Click Run a preview of the form. 3. Check that the form displays a lot of zero elements in each tab filter. 4. Select the Design mode of the form. 5. Edit the matrix with matrix wizard. 6. Select Customer filter on the row filters. 7. Set the following properties: • Pruning: to zero. • Allows new rows/column wizard in data entry : True 8. Select Product filter on the row filters. 9. Set the following properties: • Pruning: to zero. • Allows new rows/column wizard in data entry : True 10. Run the form in Navigation mode. 11. Check that the form does not delete all the zero rows in each tab due to tab filters existence.
Tasks Improve the layout structure using Hide function further	Perform the following tasks: 1. Select the Design mode of the form. 2. Edit the matrix with matrix wizard. 3. Select Customer filter on the row filters. 4. Set the following property: • Hide: to zero

5. Select Product filter on the row filters.
6. Set the following property:
    - Hide: to zero
7. Run the form in navigation mode and check the improvement generated by the combined use of pruning and hide function.
8. Enable the left pane Data Entry.
9. Select process 2048FCT - 2048 Forecast.
10. Run the form in Data Entry mode
11. Click 

on the Data Entry ribbon bar to display all the editable cells available in the 3 tabs.
12. Try to collect new elements.

EXERCISE 8 - Conditional editability

Objective	Learn how to configure conditional editability and how to apply in a typical business case

Tasks	Perform the following tasks:
Set conditional editability	1. Access the form **ADV_EX08 - Forecast** in design mode. 2. Select cell **D6**. 3. Define a Name range for this area: **SCENARIO.** 4. Edit the matrix by matrix wizard. 5. Set the Editability as not editable for the following column filters: • **P01 - January** • **P02 - February** • **P03 - March** 6. Set the Editability as editable for all the other column filters. 7. Add a formula as last column filter (column 17). • Formula: **VALUE(RIGHT(SCENARIO,2))** 8. Set the property **Hide** as **Always**. 9. Select column filter **P04 - April**. 10. Select **Conditional editability expression** in property grid. 11. Click … to reach the definition window. 12. Insert the following attributes: • Column: **{17}** • Operator: **<** • Type: **Number** • Value: **4** 13. Set the following Conditional Editability expression for column **P05 - May:** • Column: **{17}** • Operator: **<** • Type: **Number** • Value: **5**

14. Set the following Conditional Editability expression for column **P06 - June**:
    - Column: **{17}**
    - Operator: **<**
    - Type: **Number**
    - Value: **6**
15. Set the following Conditional Editability expression for column **P07 - July**:
    - Column: **{17}**
    - Operator: **<**
    - Type: **Number**
    - Value: **7**
16. Set the following Conditional Editability expression for column **P08 - August**:
    - Column: **{17}**
    - Operator: **<**
    - Type: **Number**
    - Value: **8**
17. Set the following Conditional Editability expression for column **P09 - September**:
    - Column: **{17}**
    - Operator: **<**
    - Type: **Number**
    - Value: **9**
18. Click ok.
19. Save the form.

Tasks	Perform the following tasks:
Check the behavior of Conditional editability	1. Enable Data Entry left pane. 2. Select process **2048FCT - 2048 Forecast**. 3. Run the form **ADV_EX08 - Forecast.** 4. Select the following parameters: - Entity: **B00 - Monsters inc.** - Scenario: **2048FCT_03 - 2048 Forecast 03** 5. Check how the definition applied affects the editability of the cells.

---

6. Perform a running changing scenario filter with 2048FCT_06 - 2048 Forecast 06.
7. Perform a running changing scenario filter with 2048FCT_09 - 2048 Forecast 09.

EXERCISE 9 - Implementation Complex form

Objective	To be able to build Complex Data Entry forms which leverage Excel functionality
Tasks	Perform the following tasks: 1. Open the form **ADV_EX09 - Complex form** in design mode. 2. Modify the form to replicate the file **Complex form solution.xlsx** stored under the folder **Workshops\Advanced reporting**.

EXERCISE 10 - Data Validation

Objective	To Learn how to define data validation to prevent to save wrong values
Tasks Data validation defined on Excel cells	Perform the following tasks: 1. Access the form **ADV_EX10_A - Sales deduction** in design mode. 2. Select the Excel range **D13:O15** that represents all the cells of the anly existing matrix. 3. Click  **Validation** on the design ribbon bar to add a data validation rule. 4. The validation must allow the user to insert amounts with value between 0 and 1: • Operator: **Between** • Type: **Number** • Values: **0 and 1** • Description: **The discount percentage value must be included between 0 and 100%** 5. Tick the options **Blocking** and **Validation on save**. 6. Click Ok. 7. Enable Open item feature. 8. Check on Open item feature the icons  related to the form **ADV_EX10_A - Sales deduction** -. They represent data validations defined in the form. 9. Save and close the form. 10. Enable Data entry modality and select process **2048BDG - 2048 Budget**. 11. Run the **ADV_EX10_A - Sales deduction** . 12. Select the following parameters: • Entity: **A00 - Stark industries** • Scenario: **2048BDG - 2048 Budget** 13. Insert some values in the editable cells. 14. Check that a percentage minor than 0 and major than 100% trigger the data validation when saving. Data validation prevents to save wrong values in the database.

15. Close the form

Tasks	Perform the following tasks:
Data validation defined into the matrix structure	1. Access the form **ADV_EX10_B - Software product quantity** in design mode. 2. Access the matrix structure . 3. Select row filter **X01 - Software**. 4. Select the property **Validation** into Property grid. 5. Click  to define a Validation rule that allows you to save only positive values: • Operator: **>=** • Type: **Number** • Value : **0** Description: A quantity must have a positive value 6. Tick the options **Blocking** and **Validation save**. 7. Click Ok. 8. Save and close the form. 9. Enable Data entry modality and select process **2048BDG - 2048 Budget**. 10. Run the **ADV_EX10_B - Software product quantitiy**. 11. Select the following parameters: • Entity: **A00 - Stark industries** • Scenario: **2048BDG - 2048 Budget** 12. Insert some values in the editable cells. 13. Check that a negative amount trigger the data validation when saving. 14. Close the form.

EXERCISE 11 - Run of data processing from a form

Objective	To learn how to link and run different data processing to a data entry form

Tasks

- Link DTP data processing to the form.
- Set DTP running when saving data.
- Force refresh of data after DTP running.

Perform the following tasks:

1. Access the form **ADV_EX11 - Salary increase** in design mode.
2. Select an empty cell.
3. Insert a new data processing by clicking the design bar button 

.
4. Tick **AW_001 - Advanced reporting** below the node **Data Transformation**.
5. Click **Next**.
6. Check that DTP selected is **001 : Advanced reporting - D01 : New salary calculation**.
7. Click **Next**.
8. Tick the following options:
   - Force refresh
   - Run when saving data
9. Click **Next**.
10. Insert the description **New salary calculation** in the related textbox.
11. Click **Ok**.

Tasks

Link data processing to the form and set on demand running

Perform the following tasks:

1. Select an empty cell.
2. Insert a new data processing.
3. Tick **Update financial workspace from Analytical workspace**.
4. Click **Next**.
5. Set Analytical Workspace dataset as **001 : Advanced reporting - 000003 : New Salary**.

6. Click **Next**.
7. Tick the option **At runtime, show a link for the run**.
8. Click **Next**.
9. Insert the description **Load new salary to FW**.
10. Click **Ok**.
11. Save the form and close it.

Tasks

Running of the dataprocessing from the Data entry form

Perform the following tasks:

1. Enable Data entry left pane.
2. Select process **2048BDG - 2048 Budget**.
3. Run the form **ADV_EX11 - Salary increase**.
4. Select the following parameters:
   - Scenario: **2048BDG - 2048 Budget**
   - Period : **12 - December**
   - Entity: **B00 - Monsters Inc.**
5. Add the following rows to Salary Increase by cost center:
6. | Entity | Cost Center | Scenario | Period | Salary Increase |
   |---|---|---|---|---|
   | B00 | CC01 | 2048BDG | 12 | 5% |
   | B00 | CC02 | 2048BDG | 12 | 6% |
   | B00 | CC04 | 2048BDG | 12 | 7% |
7. Save.
8. The system run automatically the DTP linked to the saving and apply a refresh of the form.
9. The form display the result of the new salary calculated by the DTP for each Employee depending on the just inserted increase.
10. Click the button 

. The system will download a report of statistics. The tab **Elaboration results** holds information related to the data processing run
11. Click the button 

12. Click the hyperlink **Load new salary to FW**

---

13. The system load the New Salaries to FW.
14. Click the hyperlink Salaries by cost center to run a navigation form that displays the data just loaded to FW.
15. Select Entity B00 - Monsters Inc
16. Run a drill down lowest level rows to check that the displayed data comes from the Data processing just run (Origin QDL).

EXERCISE 12 - Drill through query

Objective	Learn to create a Drill through query and to use Datasetpartition cellfield

Tasks Drill-through query definition	Perform the following tasks: 1. Access the form **ADV_EX12 - Salaries by cost center** in design mode. 2. Select cell **D16** and add a new query. 3. Define a query to retrieve the information related to Employee and Salary from the dataset New Salary. The query depends on the dimensions Scenario, Period and Cost center. 4. Set the query as Drill-through query to run it on demand. 5. Define **Salary** as query description. 6. Save the form Need any help? Here are some hints • The partition to retrieve data from can be retrieved using the cell field **Datasetpartition** that can be retrieved from the Advanced fields editor by clicking  . It is below **Other function** node • The query can be copied from the file **Drill-through query.txt** below Workshops\Advanced reporting • Description can be defined into query editor **Layout options**


Tasks Running of the form and of the Drill- through query	Perform the following tasks: 1. Run the form in navigation mode selecting the following parameters: • Entity: **B00 - Monsters Inc.** • Scenario: **2048BDG - 2048 Budget** • Period: **12 - December**

2. Select the cell D12
3. Click the button 

on the navigation bar.
4. Select Salary in the left pane.
5. Click on  to run the drill-through query
6. Check the data retrieved from the dataset partition calculated by the related cell field.
7. Select, one by one the other cells of the matrix and run the query. Check the different outcome with the different selection.

EXERCISE 13 - Form settings: collecting data with conversion on the fly enabled

Objective	Learn how Form settings, defined in web application, leverage the form behavior. In this example we will learn an important option related to the conversion on the fly.
Tasks	Perform the following tasks:
Check the standard behaviour	1. Open the form **ADV_EX13 - Conversion** in Design mode. 2. Check the matrix structure by matrix wizard. 3. Run a preview. 4. Select **EUR - Euro** as currency. 5. Close the preview. 6. Run the form in Data entry mode for Scenario **2048BDG - 2048 Budget**. 7. Select **Currency USD - US Dollar**. 8. Insert **100 US dollars**. 9. Save. 10. Open again the form in Design mode. 11. Access the **matrix filters tab** of matrix wizard. 12. Select **$VAL_P - Currency**. 13. Set the property grid Conversion as **Based on the measure**. 14. Save the form with the new changes. 15. Run the form in Data entry mode for Scenario **2048BDG - 2048 Budget**. 16. Select Currency **USD - US Dollar**. 17. The cell is not editable because Conversion on the fly is enabled. 18. Select the cell E12 19. Show in Cell property the editability info: the message explain why the cell is not editable.
Tasks	Perform the following tasks:

Change the settings to enable the data entry with conversion on the fly	1. Access Admin homepage of web application. 2. Click the button  to access general application settings. 3. Select tab **Form**. 4. Reach **Data Entry** frame. 5. Tick the option **Make the forms editable for currency conversion on the fly**. 6. Run again the form in Data entry for process **2048BDG - 2048 Budget**. 7. Select currency USD - US Dollar. 8. Add a new value in the editable cell (e.g. 950) 9. Save. 10. Reach the Analytical workspace **Advanced reporting**. 11. Access the Partition of the dataset Convertion. 12. Check the rows generated with the data entry recently performed.

EXERCISE 14 - Override function

Objective	To Learn how to use the Override function

Tasks Definition of • Override Content • Override Headers	Perform the following tasks: 1. Access the form **ADV_EX10_A - Sales deduction** in design mode. 2. Type the formula **=M14** into the cells **N14** and **O14.** 3. Select the cells **N14** and **O14**. 4. Click Σ Override content on the Design ribbon bar. 5. The overridden cells font are now displayed in red. 6. Select the cell **C12** (top left cell of the matrix). 7. Type the text **Sales discount**. 8. Click Σ Override content. to avoid that the text added will be cancelled after a matrix regeneration or at runtime.

Tasks Definition of Override Editability	Perform the following tasks: 1. Click Editable cells preview on Design ribbon bar to have a preview of the editable cells. 2. Select cells **N14** and **O14**. 3. Click Override editability on design ribbon bar. 4. Select **Protected**. 5. Click again Editable cells preview to check how Override editability command affects the cells editability. 6. Save and close the form.

Tasks	Perform the following tasks: 1. Enable Data entry modality and select process **2048BDG - 2048 Budget**.

2. Run the **ADV_EX10_A - Sales deduction**.
3. Select the following parameters:
    - Entity: **A00 - Stark industries**
    - Scenario: **2048BDG - 2048 Budget**
4. Check that the overridden cells (**N14, O14**) are:
    - Protected
    - Driven by the formula typed into the cells
5. Check that the header on the top left cell of the matrix is displayed correctly.
6. Insert value in the cell M14.
7. Check that the value affects cells N14 and O14.
8. Save.

EXERCISE 15 - FST onScenarioPeriod utility

Objective

Learn how to navigate FST items using onScenarioPeriod utility.

Tasks

Create the FST

Perform the following tasks:

1. Reach **FST&KPI** homepage.,
2. Add a new FST:
    - Code: **030**
    - Description: **KPI**
3. Reach FST item list
4. Add a new one
    - Code: **030**
    - Description: **Days sales outstanding**
    - Item type: **Formula standard**
    - Formula: **([020|10060] + [020|10060].onScenarioPeriod(-1) + [020|10060].onScenarioPeriod(-2)) * 90 / [015|50030]**
5. Save the FST.

Need any help? Here are some hints

- To use autocomplete in formula definition, insert a square bracket in formula field and type the description of the item you intend to add.

Tasks

Create the report

Perform the following tasks:

1. Reach Excel interface.
2. Access form **ADV_EX15 - Days sales outstandings** in design mode.
3. Add a new matrix, choosing the Financial Workspace.
4. Select **030 - KPI** below FST.

5. Insert the formula **030|010** on the row filters.
6. Insert parametric period **$PER_P** on the column filters.
7. Insert the following matrix filters:
    - Period length: **LUN_3 - Quarter**
8. Save the form.
9. Run a preview.
10. Select the following parameters:
    - Scenario: **2057ACT - 2057 Actual**
    - Period: **12 - December**
11. To check that result is calculated correctly you can add in an empty cell the formula **=H18/H19*90**.

Need any help? Here are some hints

- To reach...go...

Tasks

Perform the following tasks:

1.

A

Need any help? Here are some hints

- To reach...go...

Need some help?



Here you can find the solutions to the most frequent technical issues you may get stuck with during the course.

I can't login to the training environment

Make sure you are using the access link provided by the trainer (with the proper 4 digits token if needed!). Events have a starting and ending date/time.
Make sure you are not trying to access the training course too early or too late!

My machine is slow

- Keep in mind that lab configuration may require up to 20 minutes to start from the moment you click on the CCH Tagetik Chrome icon! 

- The local connection's bandwidth is not sufficient for the number of connections currently in place (performance issues on the server side are very rare).


  Solution: ask the IT services to reboot the access point and prefer connection via cable if available.

Audio/Video Troubleshooting


In case you are having problems with audio and video try the following:


1. Make sure you are running a compatible browser (Google Chrome, Mozilla Firefox).
2. Make sure your media devices are connected and are not muted or set to very low volume.

3. Make sure the browser you are in is allowed to use your laptop audio and video




4. Make sure no other applications are running that use your media devices (microphone, camera or speakers).
5. Prevent any ad-blockers or script blockers running on the classroom's tab.
6. Refresh the page.
7. From the right communication panel, click on the settings icon and change the camera/video options selected





Check if there are any errors: if so, they will appear in red.

In addition, you can run a troubleshoot by clicking on: "Let's try and get it fixed" and then on "Run Troubleshoot"



If you still have problems, it could depend on network restrictions.


Resolution issues: if you see CCH Tagetik application masks too big in the machine even if I didn't change browser zoom.
Remember, Strigo adapts the machine to your computer resolution. Try to change your resolution or use a different monitor!

⚠ Important: Scaling setting recommended = 100% (max 125%).

Lab troubleshooting while practicing

If you are in your Virtual Machine and you are experiencing a black screen with your lab not starting:

1. Try restarting the machine by clicking on the wheel icon and then on "Restart workspace machine"



2. Try logging out and then log in again after few minutes

⚠ Important:


Your machine will be rebooted, but do not panic! No data will be lost. You will need to wait for the OS to restart and CCH® Tagetik to be reloaded though.

3. A pause > restart of the lab should work as well. The pause option is on the top right-hand corner of the screen. The workspace will switch to Paused mode, and then you want to really just give it around two minutes. This is usually enough time to let the lab machine be actually stopped, before you go and hit Resume again.

4. Try to open the browser in incognito/private mode.
5. Reach out to Strigo support through this link and then click start live chat


I can't copy/paste any content to the virtual machine

Direct copy/paste is not allowed.
Solution: Use the clipboard icon to copy and paste from the desktop to the virtual machine and viceversa.



I cannot change language in my machine

Solution: Change the language both by desktop bar and by Settings.



MS Excel: I can't select a given form or an object of a form.


This issue happens pretty often and is due to some wizard (e.g. Matrix Wizard, Cell Fields wizard) already open but not currently diplayed on the screen.
When any wizard is open and running, you can't work anywhere else.
Solution: check if you have any of the wizard open and running (most common: Matrix Wizard, Tab Filters, Form Filters, Cell Fields wizards). If this is the case, be sure to have finished your work on that wizard and close it with OK to confirm. Then go on with your work.

MS Excel: the Tagetik menu is no longer available on the ribbon bar.

Solution1: this probably means the CCH Tagetik add-in has been disabled by MS Excel due to a crash or some errors and has to be enabled again.

Follow the path **File > Options**. Click "**Add-Ins**" on the "**Excel Options**" pane and expand the drop-down menu "**Manage**" on the bottom. Try to select:

1. "**COM Add-Ins**" > "**Go...**". If unticked, tick the "**Tagetik Excel NET Client**" Add-in and click OK
2. "**Disabled items**" > "**Go...**". If you find there the "**Tagetik Excel NET Client**" Add-in, enable it. Close and start Excel.




Solution2: should solution1 not solve the issue, disinstall and reinstall the CCH® Tagetik add-in. Ask the trainer for some help in case.

If you use a 4K resolution monitor, there's a chance you will see far too little

Solution: Low the resolution before the training, then set it back to the original value after the training

My problem is not listed here.



If even this can't solve your problem, please refer to your trainer (and if you are a trainer to your training manager).