

Data Integration with Restful API

This training teaches how to setup and use the RESTful API in CCH® Tagetik. With the concepts explained, the attendees will learn how to expose and consume data and metadata within AIH via RESTful API.

Wolters Kluwer

CCH® Tagetik | ACADEMY

Software version: 5.3.SP24

Last update: 6/27/2023

© 2023 Tagetik Software - All Rights Reserved

Table of contents

WORKSHOP 1 – How to configure the system to use RESTful API 5
Log in the application 5
System configuration 5
User/role mapping 5
WORKSHOP 2 – Creation of Endpoints 6
Tagetik DB 010/AW 001 Endpoint 6
WORKSHOP 3 – Consuming OData 7
How to read data exposed via OData 7
How to use input Query Option 7
Consuming OData via Excel 7
Use the consumed OData as elements of Analytical dimension 7
Consuming OData via ETL 8
WORKSHOP 4 – How to consume analytical dimensions via RESTful API 9
How to consume CCH Tagetik metadata exposed via OpenAPI 9
WORKSHOP 5 – How CCH Tagetik exposes AW via OData 11
How access an AW exposed via OData 11
Use of Parameters to access Dataset's data 11
Use of Output Query Options on Dataset's data 11
WORKSHOP 6 – Configure Datasource Mapping when source is OData service 13
Configure datasource mapping when source is exposed from an AW via OData 13
Configure datasource mapping when source is exposed from a sample DB via OData 13
WORKSHOP 7 – Configure Data Target Mapping 15
Configure data target mapping 15
WORKSHOP 8 Run AW tasks via OData service and check results exported on files 16
Run AW tasks using Postman 16
Run Data Target Mapping and check exported files 16
WORKSHOP 9 – Exposure of Dataset, Virtual dataset and Datasource via 17

OData
Check results on dataset Revenue via OData service 17
Check data of a Virtual Dataset via OData service 17
Check data of a Datasource via OData service 17
WORKSHOP 10 – Auditing exposed via OData 19
Log in the application 19
User/role mapping 19
Log in the application with new user 19
How to consume Audit data processing exposed via OData service 19
Report creation 20
Audit Data Management and Audit Database 20
WORKSHOP 11 – AW Import/Export, MDM and Export Repository via RESTful API 22
Log in the application 22
Postman 22
Export AW 003 of Database Academy 2 22
MDM import Analytical dimensions 23
Import AW 003 on Database Budget Pro 23
Export Database Academy 2 24
Need some help? 25

WORKSHOP 1 – How to configure the system to use RESTful API

Objective	Learn how to configure the system to enable the usage of RESTful API

Log in the application

1. Log in the application as
    - User: **TAGETIK**
    - Password: **TAGETIK**
2. Select Repository as database
3. Perform the following actions starting from Repository homepage

System configuration

To enable the public REST APIs perform the following actions

1. Click on the tile **General settings**
2. Select **Security**
3. Tick the option **Enable public REST APIs**

User/role mapping

1. From the homepage, Click on tile Users & Roles and access menu Users/roles mapping
2. Create a new mapping assigning to user WILE the role **ODATA for database TRAINING_DB_010 – Data integration**
    - User: **WILE**
    - Database: **TRAINING_DB_010 – Data integration**
    - Role: **ODATA**
    - Locked temporarily: **Untick**
    - Restriction on application db: **Unrestricted**

WORKSHOP 2 – Creation of Endpoints

Objective — Learn how to setup the endpoints that will be used to build and consume OData service

Tagetik DB 010/AW 001 Endpoint

1. Add a new Endpoint
   - Code : **02**
   - Description: **Tagetik db 010/AW 001**
   - Endpoint type: **OData V4 service**
   - OData service URL: http://localhost:8080/tagetikcpm/api/aih/data/v1/TRAINING_DB_010/001/
   -
   - Access **Authentication** tab
   - Available authentication type : **Basic authentication**
   - OData service username: **wile**
   - OData service password: **tgk**
2. Access **Connection** tab.
3. Click on hyperlink **Test** to test the connection.
4. Check and test all the other existing endpoints.

Need any help? Here are some hints

- The Endpoint addresses can be copied/pasted from Edge bookmark

WORKSHOP 3 – Consuming OData

Objective — Learn how to consume OData in different way and learn to use input query options

How to read data exposed via OData

1. Open a tab of Microsoft Edge.
2. Access bookmark folder.
3. Select **Northwind**, that holds the URL of Endpoint 01 defined in the previous workshop. You will access to a sample database that exposes data via OData service.
4. Access collection **Products**

How to use input Query Option

1. Show only the **Discontinued** Products using the appropriate query option.
2. Show only the attribute **ProductID** of the Discontinued elements, concatenating to the previous URL the appropriate query option.
3. Show only the attributes **ProductID** and **UnitPrice** of all the Products using the appropriate query option.

Consuming OData via Excel

Load the collection Products on an Excel file to have a better view of data (Possible to use also Power BI)

1. Open Excel
2. Select from the tab **Data** the button **Data -> Get data -> From Other sources -> From Odata feed**
3. Insert the URL https://services.odata.org/V4/Northwind/Northwind.svc/Products
4. Click on Connect
5. Click on Load
6. Save the list of Products on a file called **Products OData.xlsx**

Use the consumed OData as elements of Analytical dimension

1. Log out from the application



2. Log in as
    1. user: **wile**
    2. password: **tgk** and
3. Access Training **DB 004 Academy 2**
4. Enter Dimensions tile
5. Pin the tiles of dimensions **Products OData, Vendors** and **Suppliers** to Dimensions homepage
6. Access the list of Products OData
7. Run Import/Export tool to load new elements from file Products OData.xlsx Use ProductID as code and ProductName as description

Consuming OData via ETL

1. Check on the browser the collection Suppliers on Northwind database
2. Access again CCH Tagetik web application
3. Access the ETL domain **77 – OData analytical dimensions** import
4. Analyze the routine (Especially its Data Source and Data Target Other) that has been setup to upload the list of Suppliers on the related analytical dimension
5. Run the ETL routine **77-10 Load Suppliers**, selecting the endpoint 01 - Northwind and check the result on the list of the dimension.

Need any help? Here are some hints

- To access collection Products of Northwind, add Products to the URL of Northwind
- To show only the Discontinued Products of Northwind, add the string (query option) **?$filter=Discontinued eq true** to the URL that represents collection Products
- To show only the attribute ProductID of the Discontinued Products, add the string (query option) **&$select=ProductID** to the URL that represents the Discontinued Products
- To show only the attributes ProductID and UnitPrice add the string (query option) **?$select=ProductID**, **UnitPrice** to the URL that represents collection product

WORKSHOP 4 – How to consume analytical dimensions via RESTful API

Objective	Learn how to use OpenAPI to read analytical dimensions exposed from another database.

In database **TRAINING_DB_004 - Academy 2** there is an analytical dimension called **VENDORS** that needs to be populated. The list of elements can be retrieved from the homonymous analytical dimension that is present also in database **TRAINING_DB_010 - Data integration**. Use OpenAPI to retrieve Vendors list of database TRAINING_DB_010.

How to consume CCH Tagetik metadata exposed via OpenAPI

1. Check the existence of **VENDORS** analytical dimension on **TRAINING_DB_010 - Data integration.**
2. Access the browser
3. Select **Vendors** bookmark from folder “Other bookmarks”
4. Log as
    1. user: **wile**
    2. password: **tgk**
5. Open Excel
6. Select from the tab **Data** the button **Data -> Get data** -> **From Other Sources** -> **From Web**
7. Insert the URL of Vendors list
8. Click OK
9. Authenticate via Basic authentication with user **wile** and password **tgk**
10. Select the tab Transform (last one) and click on Convert to Table
11. Expand the Column1 clicking on the button next to header 
12. Expand the Column1.desc clicking on the button next to header 
13. Click on button Close & Load to....  on home ribbon bar
14. Click on Load using default option. The system creates

a worksheet that holds Code and description of Vendors

15. Save the file as **Vendors.xlsx**
16. Reach VENDORS Analytical dimension on database **TRAINING_DB_004 - Data integration.**
17. Use the Import/Export tool to load the just downloaded list of Vendors from file **Vendors.xlsx**. Avoid to copy the **GEN** element that is already present in the list of Vendors.

Need any help? Here are some hints

- To access Analytical dimensions via Open API
- http://server:port/tagetikcpm/api/datamodel/v0/analyticaldimension/database_id/analytical_dimension_label/elements

WORKSHOP 5 – How CCH Tagetik exposes AW via OData

Objective — Learn how CCH Tagetik allows to expose AW via OData

How access an AW exposed via OData

1. Switch Switch to **TRAINING_DB_010 - Data integration** and access AW **001** to check its structure
2. Open the browser
3. Select the bookmark **AW 001 – Training DB 010** from folder Other bookmarks
4. Check the list of datasets exposed by OData from **Endpoint 02 (AW 001 Database TRAINING_DB_010)**

Use of Parameters to access Dataset's data

1. Retrieve the parameters necessary to access the data of **Dataset_000001** using the appropriate OData service URL
2. Access via OData service the **Dataset 000001** and check the fields: use Process **2051BDG**, Scenario **$ALL** and Period **$ALL** as parameters in the URL
3. Retrieve the parameters necessary to access the data of **Dataset_000002** using the appropriate OData service URL
4. Access via OData service the dataset **Dataset_000002** and check the fields

Use of Output Query Options on Dataset's data

1. Check the number of elements in **Dataset 000001** and **000002** using the appropriate Query Option
2. Apply the appropriate query option to select on **Dataset_000001** only **PRODUCTS_OD** and **QUANTITY**

Need any help? Here are some hints

- To access the list of datasets

http://

localhost
:8080/tagetikcpm/api/aih/metadata/v1/TRAINING_DB_
010/001/Datasets/

- To retrieve the necessary parameters to access dataset's data

http://
localhost
:8080/tagetikcpm/api/aih/metadata/v1/TRAINING_DB_
010/001/Dataset_code/Parameters

- To access a specific dataset

http://
:localhost:8080/tagetikcpm/api/aih/data/v1/TRAINING_DB_
010/001/Dataset_Dataset_code(Parameters)

e.g. .../Dataset_000001
(Process='2051BDG',Scenario='$ALL',Period='$ALL')

- To show the number of elements in a Dataset add the string (query option) ?$count=true to the URL that represents dataset's data
- To show only the fields PRODUCTS_OD and QUANTITY add the string (query option) ?$select=PRODUCTS_OD, QUANTITY to the URL that represents dataset's data

WORKSHOP 6 – Configure Datasource Mapping when source is OData service

Objective

Learn how to configure Datasource mapping to retrieve data from OData service

Configure datasource mapping when source is exposed from an AW via OData

1. Access CCH Tagetik web application on database **Academy 2**
2. Access AW **OData Revenues**
3. Access Dataset Orders (Quantity) and change the existing datasource mapping with the following attributes:
    - Code: **01**
    - Description: **Load Quantity from another AW**
    - Source type: **OData Service**
    - OData service endpoint: **Tagetik db 010/AW 001**
    - OData service entitySet name: **Dataset_000001 (Process='2051BDG',Scenario='$ALL',Period='$ALL')**
4. Click on Load data
5. Perform the mapping and save
6. Access Dataset **Vendors data** and change the existing datasource mapping with the following attributes:
    - Code: **01**
    - Description: **Load Vendors from another AW**
    - Source type: **OData Service**
    - OData service endpoint: **Tagetik db 010/AW 001**
    - OData service entitySet name: **Dataset_000002**
7. Click on Load the data
8. Perform the mapping and save

Configure datasource mapping when source is exposed from a sample DB via OData

1. Access Dataset **Products Price List** and change the existing datasource mapping with the following

attributes:

- Code: **01**
- Description: **Load Prices from Northwind sample db**
- Source type: **OData Service**
- OData service endpoint: **Northwind**
- OData service entitySet name: **Products**

2. Click on Load the data
3. Perform the mapping and save
4. Access Dataset **Units in stock** and add change the existing datasource mapping with the following attributes:
   - Code: **01**
   - Description: **Load Units in stock from Northwind sample db**
   - Source type: **OData Service**
   - OData service endpoint: **Northwind**
   - Odata service entitySet name: **Products**
5. Click on Load data
6. Perform the mapping of dimensions **PRODUCT_OD** and **UNITS_IN_STOCK**
7. Set **03** as default value for Period
8. Set **2051BDG_DI** as default value for Scenario
9. Save the mapping

Need any help? Here are some hints

Set a default value clicking on the "Show advanced options"

WORKSHOP 7 – Configure Data Target Mapping

Objective — Learn how to configure Data Target Mapping

Configure data target mapping

1. Access Dataset Revenue and select Data target mapping:file from Action menu
2. Change the existing Data target mapping 01 with the following attributes:
   - Code: **01**
   - Description: **Load Revenue on xlsx**
   - File type: **Excel (xlsx)**
   - File name: **Export Revenue**
   - Area name: **DATA**
   - Add header: **Ticked**
3. Change the existing Data target mapping 02 with the following attributes:
   - Code: **02**
   - Description: **Load Revenue on xml**
   - File type: **Xml**
   - File name: **Export Revenue**
   - Tag name: **TEST**
4. Change the existing Data target mapping 03 with the following attributes:
   - Code: **03**
   - Description: **Load Revenue on txt**
   - File type: **Text with separator**
   - File name: **Export Revenue**
   - Columns Separator: **;**
   - Add header: **Ticked**

WORKSHOP 8 Run AW tasks via OData service and check results exported on files

Objective

Learn how to run AW tasks via OData service API and check the revenues generatedon target dataset and on exported files

Run AW tasks using Postman

1. Open Postman by clicking the red icon shortcut pinned to the desktop 
2. Select the collection OData workflow: DSM, DTP
3. Check the requests included in the collection. They will be executed in sequence
4. Check the Authorization tab
5. Select the first request Data source mapping: Price list
6. Click the blue button Send to run the POST operation
7. Run, one by one, all the other POST requests included in the collection
8. Access AW 003 and realize that POST requests have generated partitions in every dataset.

Run Data Target Mapping and check exported files

1. Move to user interface and run process 2051BDG_DI - 2051 Budget Data Integration
2. Select Entity SLS for step Revenue
3. Run the 3 tasks that will export data of dataset Revenue on files xlsx xml and txt
4. Check results opening the generated files in C:\Downloads folder
    - Export revenue.xlsx
    - Export revenue.xml
    - Export revenue.txt

WORKSHOP 9 – Exposure of Dataset, Virtual dataset and Data-source via OData

Objective

Learn how to check the result of the task list on the target dataset, data of Virtual dataset and Datasource via OData service

Check results on dataset Revenue via OData service

The result of DTP is stored on dataset Revenue

1. Open the browser
2. Select the bookmark **AW 003 - Training DB 004** from folder **bookmarks**
3. .Check the list of Dataset, Virtual Dataset and Datasource exposed via OData.
4. Check which parameters are necessary to retrieve data of dataset Revenue coded as **000005** via OData service.
5. Use the following parameters
   - Process: **2051BDG_DI**
   - Scenario: **2051BDG_DI**
   - Period: **12**
6. Use the appropriate query options to check how many items are present within the dataset Revenue.

Check data of a Virtual Dataset via OData service

1. Check which parameters are necessary to retrieve data of virtual dataset Units to order, coded as **000006**, via OData service.
2. Check result exposed from virtual dataset Units to Order by OData service using parameters
   - Scenario: **$ALL**
   - Period: **$ALL**
3. Use the appropriate query options to check how many items are present within the virtual dataset.

Check data of a Datasource via OData service

1. Check which parameters are necessary to retrieve data of datasource **Amounts of 2048BDG**, coded as **000007**, via OData service.
2. Use the following parameters:



- Scenario: $ALL
- Period: $ALL
- Entity: $ALL

3. Use the appropriate query options to check how many items are present within the datasource.

Need any help? Here are some hints

- To access parameters of a dataset

http://server:port/tagetikcpm/api/aih/metadata/v1/database_id/workspace_code/Dataset_code/Parameters

- To access a specific virtual dataset

http://server:port/tagetikcpm/api/aih/data/v1/database_id/workspace_code/VirtualDataset_VirtualDataset_code(Parameters)

- To access a specific datasource

  http://server:port/tagetikcpm/api/aih/data/v1/database_id/workspace_code/Datasource_Datasource_code(Parameters)

- To show the number of elements add the string (query option) ?$count=true to the URL that represents dataset, virtual dataset or datasource

WORKSHOP 10 – Auditing exposed via OData

Objective

Learn how to retrieve audit via OData service to create a report

Log in the application

- Logout from web application
- Login to Repository with these credentials:
  - User **TAGETIK**
  - Password: **TAGETIK**

User/role mapping

1. Check the custom role **ODATA_AUDIT**
2. From the homepage click on tile User and Roles and access menu Users/roles mapping
3. Create a new mapping assigning to user wile the role **ODATA_AUDIT** on database Repository
   - User: **wile**
   - Database: **Repository**
   - Role: **ODATA_AUDIT**
   - Locked temporarily: **Untick**
   - Restriction on application db: **Unrestricted**

Log in the application with new user

1. Logout from web application
2. Login again to Repository with these credentials:
   - User: **wile**
   - Password: **tgk**

How to consume Audit data processing exposed via OData service

1. Open the browser
2. Access the Audit data of data processing exposed via OData using the bookmark **Audit Data Processing**
3. Check all the available attributes of the data

processing adding to the URL /$metadata

Report creation

Download on an Excel report the attributes related to the audit of PROSP_RUN data processing that holds the attributes of report running.

1. Open Excel
2. Select from the tab Data the button **Data** -> Get data -> **From Other Sources** -> **From OData feed**
3. Insert the URL of the bookmark Audit Data processing concatenated with **PROSP_RUN**
4. Authenticate via **Basic authentication** with user wile and password tgk
5. Click **OK**
6. Click on **Load**
7. Use a pivot table to create a simple report that shows
    - On rows the report code (prospetto on pivot fields)
    - On columns the user that has run the report (user on pivot fields)
    - On values the number of running (dateTimeUtc on pivot fields)

Audit Data Management and Audit Database

1. Access Audit Data Management running the bookmark **Audit Data Management**
2. Check all the available attributes of the data processing adding to the URL **/$metadata** then try to access a specific entitySet (e.g. SCENARIO)
3. Access Audit Database running bookmark **Audit Database**
4. Add to the url **/CONNECT_TO_DATABASE** to check the connection made

Need any help? Here are some hints

- To access data processing digit the following URL

http://server:port/tagetikcpm/api/audit/v1/dataprocessing/

- A pivot table can be run from Excel menu Insert ->Pivot table

WORKSHOP 11 – AW Import/Export, MDM and Export Repository via RESTful API

Objective — Learn how to run AW Import/Export and MDM via Restful API

Log in the application

1. Logout from web application
2. Login to Repository with these credentials:
   - User **wile**
   - Password: **tgk**
3. From the homepage, click on tile **Users & Roles** and access menu **Users/roles mapping**
4. Create a new mapping assigning to user **wile** the role ODATA for TRAINING_DB_003 - Budget Pro
   - User: **wile**
   - Database: **TRAINING_DB_003 - Budget Pro**
   - Role: **ODATA**

Postman

1. Open Postman by clicking the red shortucut pinned to the desktop 
2. Select the Collection **OData: MDM,Import/Export AW and Export Db**
3. Check the requests included in the Collection. They will be executed in sequence
4. Check the Authorization tab

Export AW 003 of Database Academy 2

1. Select the first request: **Export AW 003 of Database Academy 2**
2. Click the blue button Send to run the POST operation
3. Copy the code of dataprocessingId shown in the Body
4. Change the URL of your request:
   - Hold the URL up to export/v1/.....

- Replace the rest of the URL pasting the dataprocessingId just copied

5. Change the verb of your request from **POST** to **GET** using the combo box next to the URL
6. Click the blue button Send to run the **GET** operation
7. Check in the body if the status of the data processing is **COMPLETED**
8. Check in the folder C:\tagetik\imp-exp the file .awex generated by the POST operation
9. Rename the file as **export.awex**

MDM import Analytical dimensions

1. Access CCH Tagetik web application
2. Check the existing analytical dimension in database Academy 2 and in Budget Pro .
3. Access Postman.
4. Select the second request: **MDM import Analytical dimensions.**
5. Click the blue button Send to run the **POST** operation.
6. Copy the code of dataprocessingId shown in the Body.
7. Change the URL of your request:
   - Hold the URL up to import/v1/.....
   - Replace the rest of the URL pasting the dataprocessingId just copied.
8. Change the verb of your request from **POST** to **GET** using the combo box next to the URL.
9. Click the blue button Send to run the **GET** operation.
10. Check in the body if the status of the data processing is **COMPLETED.**
11. Check on CCH Tagetik web application that the analytical dimensions of database Academy 2 has been copied to database Budget Pro.

Import AW 003 on Database Budget Pro

1. Select the third request: **Import AW 003 on Database Budget Pro.**
2. Click the blue button Send to run the **POST** operation.

3. Check in the body of the response the error related to the missing parameter.
4. Select raw and the option **JSON** in the body of the request.
5. Add the string **{“filename” : “export.awex”}** in the body.
6. Click the blue button Send to run the **POST** operation.
7. Change the URL of your request:
    - Hold the URL up to export/v1/.....
    - Replace the rest of the URL pasting the dataprocessingId just copied.
8. Change the verb of your request from **POST** to **GET** using the combo box next to the URL.
9. Click the blue button Send to run the **GET** operation.
10. Check in the body if the status of the data processing is COMPLETED.
11. Check in the database **Budget Pro** the existence of the Analytical Workspace OData Revenues.

Export Database Academy 2

1. Select the fourth request **Export Academy 2 .**
2. Click the blue button Send to run the POST operation.
3. Copy the code of dataprocessingId shown in the Body.
4. Change the URL of your request:
    - Hold the URL up to import/v1/.....
    - Replace the rest of the URL pasting the dataprocessingId just copied.
5. Change the verb of your request from POST to GET using the combo box next to the URL.
6. Click the blue button Send to run the GET operation.
7. Check in the body if the status of the data processing is COMPLETED.
8. Check in the folder C:\tagetik\imp-exp the file .zip generated by the POST operation.

Need any help? Here are some hints

- On Postman select **Basic Authentication**

Need some help?



Here you can find the solutions to the most frequent technical issues you may get stuck with during the course.

I can't login to the training environment

Make sure you are using the access link provided by the trainer (with the proper 4 digits token if needed!). Events have a starting and ending date/time.

Make sure you are not trying to access the training course too early or too late!

My machine is slow

- Keep in mind that lab configuration may require up to 20 minutes to start from the moment you click on the CCH Tagetik Chrome icon! 


- The local connection's bandwidth is not sufficient for the number of connections currently in place (performance issues on the server side are very rare).

  Solution: ask the IT services to reboot the access point and prefer connection via cable if available.


Audio/Video Troubleshooting


In case you are having problems with audio and video try the following:

1. Make sure you are running a compatible browser (Google Chrome, Mozilla Firefox).
2. Make sure your media devices are connected and are not muted or set to very low volume.
3. Make sure the browser you are in is allowed to use your laptop audio and video




4. Make sure no other applications are running that use your media devices (microphone, camera or speakers).
5. Prevent any ad-blockers or script blockers running on the classroom's tab.
6. Refresh the page.
7. From the right communication panel, click on the settings icon and change the camera/video options selected





Check if there are any errors: if so, they will appear in red.

In addition, you can run a troubleshoot by clicking on: "Let's try and get it fixed" and then on "Run Troubleshoot"



If you still have problems, it could depend on network restrictions.


Resolution issues: if you see CCH Tagetik application masks too big in the machine even if I didn't change browser zoom.
Remember, Strigo adapts the machine to your computer resolution. Try to change your resolution or use a different monitor!

⚠ Important: Scaling setting recommended = 100% (max 125%).

Lab troubleshooting while practicing

If you are in your Virtual Machine and you are experiencing a black screen with your lab not starting:

1. Try restarting the machine by clicking on the wheel icon and then on "Restart workspace machine"



2. Try logging out and then log in again after few minutes

⚠ Important:

Your machine will be rebooted, but do not panic! No data will be lost. You will need to wait for the OS to restart and CCH® Tagetik to be reloaded though.


3. A pause > restart of the lab should work as well. The pause option is on the top right-hand corner of the screen. The workspace will switch to Paused mode, and then you want to really just give it around two minutes. This is usually enough time to let the lab machine be actually stopped, before you go and hit Resume again.

4. Try to open the browser in incognito/private mode.
5. Reach out to Strigo support through this link and then click start live chat

I can't copy/paste any content to the virtual machine


Direct copy/paste is not allowed.

Solution: Use the clipboard icon to copy and paste from the desktop to the virtual machine and viceversa.



I cannot change language in my machine

Solution: Change the language both by desktop bar and by Settings.



MS Excel: I can't select a given form or an object of a form.

This issue happens pretty often and is due to some wizard (e.g. Matrix Wizard, Cell Fields wizard) already open but not currently diplayed on the screen. When any wizard is open and running, you can't work anywhere else.


Solution: check if you have any of the wizard open and running (most common: Matrix Wizard, Tab Filters, Form Filters, Cell Fields wizards). If this is the case, be sure to have finished your work on that wizard and close it with OK to confirm. Then go on with your work.

MS Excel: the Tagetik menu is no longer available on the ribbon bar.

Solution1: this probably means the CCH Tagetik add-in has been disabled by MS Excel due to a crash or some errors and has to be enabled again.

Follow the path **File > Options**. Click "**Add-Ins**" on the "**Excel Options**" pane and expand the drop-down menu "**Manage**" on the bottom. Try to select:

1. "**COM Add-Ins**" > "**Go...**". If unticked, tick the "**Tagetik Excel NET Client**" Add-in and click OK
2. "**Disabled items**" > "**Go...**". If you find there the "**Tagetik Excel NET Client**" Add-in, enable it. Close and start Excel.



Solution2: should solution1 not solve the issue, disinstall and reinstall the CCH® Tagetik add-in. Ask the trainer for some help in case.

If you use a 4K resolution monitor, there's a chance you will see far too little

Solution: Low the resolution before the training, then set it back to the original value after the training

My problem is not listed here.



If even this can't solve your problem, please refer to your trainer (and if you are a trainer to your training manager).